

## ENCOURAGING SILVER RESULTS FROM DRILLING AT CERRO BAYO

**Equus Mining Limited** ('Equus' or 'Company') (**ASX: EQE**) is pleased to report results from a recently completed Diamond Drilling Program at its Cerro Bayo Project, located in Chile (Region XI).

### HIGHLIGHTS

- ▶ Encouraging first results received from a maiden reconnaissance 7-hole (totaling 1,908M) diamond drilling (DD) program conducted on the Frison Target within the Brahman Prospect, at the Cerro Bayo Project, Chile.
- ▶ Results confirm epithermal vein silver-base metal rich mineralisation hosted within large-scale faults extending south east of the Delia and Coyita Mines. Better results (refer to Appendix 1) included:
  - **Hole CBD007: 3m @ 43.3 g/t Ag, 0.08 g/t Au, 1.72% Cu, 13.15% Pb and 9.9% Zn** from 75.3-78.3m
- ▶ The silver-base metal mineralisation intersected at the Frison Target is at comparatively shallower depths relative to the higher-grade gold-silver shoots found at Delia and Coyita Mines, located 1km northwest along strike from the Frison Target.
- ▶ The Company is planning a follow-up drilling program to target potential gold-silver mineralisation at deeper levels along the Frison Fault structure.
- ▶ Exploration is on-going at the Cerro Bayo Project, with DD drilling underway at the Droughtmaster Prospect where previously reported surface channel geochemical samples returned results of up to **2.8m @ 4.48 g/t Gold, 543 g/t Silver<sup>1</sup>**.
- ▶ Assay results from a further two DD holes completed at the Brahman Prospect are expected in the coming weeks.
- ▶ Chief Operating Officer Damien Koerber will be attending at the annual Prospectors & Developers Association of Canada (PDAC) convention at booth No. 3216 between 1-4 March in Toronto, Canada.

### Commented John Brahman, Managing Director Equus Mining

*"The Company is very encouraged by these initial reconnaissance results from Cerro Bayo and the highly prospective Brahman Prospect, with silver-base metal rich mineralisation intersected from relatively shallow depths at the Frison Target. With the results confirming the extension of large-scale faults along strike of the Delia and Coyita Mines, the Company is preparing for the next phase of drilling at the Brahman Prospect.*


*Exploration activity is in full swing throughout the Cerro Bayo Mine district, with the Company executing drilling programs at Brahman, Simmental and Droughtmaster Prospects. Concurrently, our exploration team is completing a review of historical data for the Taitao open pit area, which shows significant brownfield potential within 1km of the Cerro Bayo plant and operations. The Company looks forward to a busy few months with significant newsflow expected."*

---

<sup>1</sup> ASX Announcement – POSITIVE DRILLING AND SURFACE EXPLORATION RESULTS AND RESOURCE REVIEW UPDATE AT CERRO BAYO MINE DISTRICT  
<https://wcsecure.weblink.com.au/clients/equusmining/headline.aspx?headlineid=21199774>

**Equus Mining Limited ('Equus' or 'Company')** (ASX: EQE) is pleased to report results from a recently completed Diamond Drilling Program at its Cerro Bayo Project, located in Chile (Region XI).

The Company's Flagship Cerro Bayo Project contains an existing 1,500 tpd processing plant through which historical production of 645Koz Gold and 45Moz Silver<sup>2</sup> was achieved up until the mine's temporary closure in mid 2017. The Cerro Bayo Project is located central to the approximate 350km<sup>2</sup> of prospective Gold-Silver landholdings held by the company (Figure 1).



**Figure 1 – Equus Mining's Flagship Cerro Bayo mining district, including plant and equipment and other projects. Equus has a dual-track development strategy comprising continued advancement of Greenfields exploration in parallel with re-evaluating existing resource potential within close proximity to the Cerro Bayo processing plant. The Company is currently undertaking numerous early-stage exploration campaigns across its pipeline of high-priority greenfields targets.**

<sup>2</sup> Based on Mandalay Resources Corporation, Cerro Bayo Mine NI 43-101 Technical Reports dated May 14, 2010. & March 21, 2017 Report #2699

## BRAHMAN PROSPECT DRILLING (DETAILED)

A 7-hole reconnaissance diamond drill program totaling 1,908m was completed at the Brahman Prospect, targeting mineralised extensions to large-scale faults which host mineralisation at the Delia and Coyita mines, located within 1km to the northwest of the Frison Target. The holes were drilled to an average downhole depth of 272m.

Results have been received for the first five holes at the Frison Target (holes CBD002 and CDB004 to CBD007 totaling 1264.1m) with the most significant result reported from hole CBD007 comprising **3m @ 43.3 g/t Ag, 0.08 g/t Au, 1.72% Cu, 13.15 % Pb and 9.9 % Zn** from 75.3-78.3m downhole depth.

This interval is hosted in one of two, large scale north dipping normal faults intersected at Frison which is characterized by an early phase of vein hosted base metal rich mineralization, which in turn is crosscut by a second phase of silver sulfosalt mineral bearing, banded quartz veining.

This multiphase style of mineralization occurs above portions of the higher-grade gold-silver bearing shoots of the nearby Delia and Coyita mines, which are located within 1km along strike to the northwest from Frison. Importantly, the tops of the ore shoots at these mines occur at an elevation approximately 120-150m below that of this interval intersected in hole CBD007.

Considering the high-grade silver and base metal concentration and relatively higher elevation of the hole CBD007 mineralized interval with respect to the Delia and Coyita mines, and upon receipt of final results from drilling to date at Frison, further deeper drilling is planned to target gold-silver rich mineralization along the host Frison Fault structures.

The Frison Target is located in close vicinity and accessed via good infrastructure to the Cerro Bayo processing plant facility, and no historic drilling nor significant surface geochemical sampling was previously conducted to test the most prospective, approximately 1100m long portion of the structure.

Details of all the holes including assay results are provided in Table 1 and Appendix 1.

- END -

This announcement has been approved by the Managing Director, John Braham.

### For further information please contact:

#### **John Braham**

Managing Director

T: +61 400 852 245

E: [jbraham@equusmining.com](mailto:jbraham@equusmining.com)

pjn10275

**COMPETENT PERSON'S STATEMENT:**

*The information in this report that relates to Exploration Results for the Cerro Bayo Project is based on information compiled by Damien Koerber. Mr Koerber is a fulltime employee to the Company. Mr Koerber is a Member of the Australian Institute of Geoscientists and has sufficient experience which is relevant to the style of mineralisation and type of deposits under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Koerber has a beneficial interest as a shareholder of Equus Mining Limited and consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.*

**1 ASX Announcement – POSITIVE DRILLING AND SURFACE EXPLORATION RESULTS AND RESOURCE REVIEW UPDATE AT CERRO BAYO MINE DISTRICT**

**<https://wcsecure.weblink.com.au/clients/equusmining/headline.aspx?headlineid=21199774>**

**1** Based on Mandalay Resources Corporation, Cerro Bayo Mine NI 43-101 Technical Reports dated May 14, 2010. & March 21, 2017 Report #2699

**JORC Code, 2012 Edition – Table 1**
**EQUUS MINING LIMITED CERRO BAYO EXPLORATION PROGRAM**
**A. DIAMOND DRILLING & SURFACE SAMPLING**
**Section 1 Sampling Techniques and Data**

Criteria	JORC Code explanation	Commentary
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Industry standard diamond drilling is used to obtain continuous core samples.</li> <li>Continuous core sampling ensures high sampling representation.</li> <li>All HQ (63.5 mm diameter) and NQ (47.6 mm diameter) core sample depths are recorded according to depths maintained by the project geologist's technician. These depths are determined by a combination of cross checking of driller recorded depths and the geologists own recorded depths which takes into account core loss.</li> <li>All core samples are placed in secure industry standard core storage trays and transported to a secure logging and core cutting facility onsite in the Cerro Bayo Mine facilities.</li> <li>Core sampling and logging by a qualified geologist is targeting Au-Ag and base metal bearing quartz veins, breccias and zones of silicification, which are known to host gold-silver and base metal mineralisation, within rhyolite ignimbrite of the Jurassic age Ibanez Formation.</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>Rock chip and continuous rockchip channel samples were collected by a qualified geologist of quartz veins, breccias and zones of silicification, all hosted within rhyolite ignimbrite of the Jurassic age, Ibanez Formation.</li> <li>Sample locations were surveyed with a handheld GPS using Coordinate Projection System SAD69 UTM Zone 19S.</li> <li>Representative chip samples of 2-3Kg weight were taken perpendicular to the strike of the outcrop over varying width intervals generally between 0.1-2.0m except where noted.</li> </ul>
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>All holes are cored in their entirety from the base of surface regolith cover and HQ (63.5 mm diameter) coring is conducted to hole completion.</li> <li>Diamond drilling size may be reduced to NQ (47.6 mm diameter) in the case that broken ground is encountered.</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Each core hole drill interval is reviewed for linear core recovery based on measured recovered intervals from drilled intervals from which percentage recoveries are calculated.</li> </ul>

Criteria	JORC Code explanation	Commentary	
<b>Logging</b>	<ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>	<u>Diamond Drilling Sampling</u>	<ul style="list-style-type: none"> <li>All diamond drill core is geologically logged, marked up and photographed by a qualified geologist. All geological and geotechnical observations including lithology and alteration, mineralisation type, orientation of mineralised structures with respect to the core axis, recoveries, specific density and RQD are recorded.</li> </ul>
			<u>Surface Sampling</u> <ul style="list-style-type: none"> <li>Rock chip and continuous rockchip channel samples were geologically logged by a qualified geologist.</li> <li>The geology, mineralogy, nature and characteristics of mineralization and host rock geology, and orientation of the associated mineralised structures, was logged by a qualified geologist and subsequently entered into a geochemical database.</li> </ul>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>If core, whether cut or Rock Chip and whether quarter, half or all core taken.</li> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>		<u>Diamond Drilling Sampling</u> <ul style="list-style-type: none"> <li>Mineralised core and adjacent intervals core are sampled at intervals ranging from a minimum 0.3m interval to maximum 1m based on geological boundaries, defined by a qualified geologist.</li> <li>Assaying is undertaken on representative, diamond saw cut ½ core portions of HQ core (63.5 mm diameter) and NQ (47.6 mm diameter) core.</li> </ul> <u>Surface Sampling</u> <ul style="list-style-type: none"> <li>Rock chip and continuous rockchip channel samples were generally taken under dry conditions with a minimum and maximum sample width of 0.1m and 2.0m respectively.</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>		<ul style="list-style-type: none"> <li>Samples are stored in a secure location and transported to the ALS laboratory in Santiago via a certified courier. Sample preparation initially comprises weighing, fine crush, riffle split and pulverizing of 1kg to 85% &lt; 75µm under laboratory code Prep-31.</li> <li>Pulps are generally initially analysed for Au, Ag and trace and base elements using method codes: <ul style="list-style-type: none"> <li>Au-ICP21 (Au by fire assay and ICP-AES. 30 g nominal sample weight with lower and upper detection limit of 0.001 and 10 ppm Au respectively),</li> <li>ME-MS41 (Multi-Element Ultra Trace method whereby a 0.5g sample is digested in aqua regia and analyzed by ICP-MS + ICP-AES with lower and upper detection limit of 0.01 and 100 ppm Ag respectively)</li> </ul> </li> <li>For high grade samples method codes include: <ul style="list-style-type: none"> <li>Au-GRA21 (by fire assay and gravimetric finish 30 g nominal sample weight for Au values &gt; 10 g/t up to 1,000 g/t Au),</li> <li>ME-OG46 Ore Grade Ag by Aqua Regia Digestion and ICP-AES (with lower and upper detection limit of 1 and 1500 ppm Ag respectively) and Ag-GRA21 (Ag by fire assay and gravimetric finish, 30 g nominal weight for ≥ 1500 g/t to 10,000 g/t Ag)</li> <li>Zn-AA62 (for &gt;1% up to 30% Zn)</li> <li>Pb-AA62 (for &gt;1% up to 20% Zn)</li> </ul> </li> <li>Alternate certified blanks and standards for Au and Ag are submitted by Equus within each laboratory batch at a ratio of 1:20 (i.e. 5%) for which QA/QC revision is conducted on results from each batch.</li> <li>Internal laboratory QAQC checks are reported by the laboratory and a review</li> </ul>

Criteria	JORC Code explanation	Commentary
		of the QAQC reports suggests the laboratory is performing within acceptable limits
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>For drill core sample data, laboratory CSV result files are merged with downhole geological logs and unique sample numbers. No adjustments were made to the assay data.</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>For rock chip sample data, laboratory CSV result files are extracted from the secure ALS webtrieve online platform and merged with geological and GPS location data files using unique sample numbers. No adjustments were made to the assay data.</li> <li>Reported geochemical results are compiled by the company's chief geologist, and verified by the Company's chief operating officer.</li> <li>Surface rockchip sample assays are shown in Appendix I as per when reported for the first time.</li> </ul>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Drill hole collar position are currently located using handheld GPS receivers and will be subsequently more accurately surveyed by a qualified surveyor at a later date using a differential GPS system.</li> <li>Coordinate Projection System SAD69 UTM Zone 19S.</li> <li>All holes are surveyed for downhole deviation using a Gyroscope downhole survey tool at the completion of each hole.</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>Samples are located in x, y and z coordinates using handheld GPS receivers.</li> <li>Coordinate Projection System SAD69 UTM Zone 19S</li> <li>The topographic control, using a handheld GPS, is considered adequate for the sampling program.</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Results will not be used for resource estimation prior to any supporting drilling being carried out.</li> <li>Compositing of assay results where applicable on contiguous samples has been applied on a weighted average basis.</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>Results will not be used for resource estimation prior to any supporting drilling being carried out.</li> <li>Compositing of assay results where applicable on contiguous samples has been applied on a weighted average basis.</li> </ul>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Drilling is designed to intersect host mineralised structures as perpendicular to the strike and dip as practically feasible. In the initial stages of drill testing of targets, scout drilling is in some cases required to establish the geometries of the target host mineralised structures</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>Representative rock chip samples of 2-3Kg weight were taken perpendicular to the strike of the vein outcrop over 0.1m to 2 metre intervals except where noted.</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li>Samples are numbered and packaged under the supervision of a qualified geologist and held in a secure locked facility and are not left unattended at any time. Samples are dispatched and transported by a registered courier via air to ALS Minerals in Santiago.</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>No audits or reviews of the data management system have been carried out.</li> </ul>

## Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary																																																																																						
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>Equus Mining Limited on the 7th October 2019 executed binding documentation with Mandalay Resources Corporation (TSX:MND, OTCQB: MNDJF) for a 3 year option to acquire Mandalay's Cerro Bayo Project in Region XI, Southern Chile. Under this agreement, Equus Mining Limited is funding and managing exploration with the aim of defining sufficient resources to warrant execution of the option.</li> <li>The laws of Chile relating to exploration and mining have various requirements. As the exploration advances, specific filings and environmental or other studies may be required. There are ongoing requirements under Chilean mining laws that will be required at each stage of advancement. Those filings and studies are maintained and updated as required by Equus Mining's environmental and permit advisors specifically engaged for such purposes.</li> </ul>																																																																																						
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>Historic exploration was conducted by Compania Minera Cerro Bayo Ltda which included drilling and surface sampling and mapping.</li> </ul>																																																																																						
<b>Geology</b>	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>The Cerro Bayo district hosts epithermal veins and breccias containing gold and silver as well as base metal mineralization. The deposits show multiple stages of mineralization and display open-space filling and banding, typical of low-sulphidation epithermal style mineralization. Mineralogy is complex and is associated with mineralization and alteration assemblages that suggest at least three stages of precious and base metal deposition. Exploration model types of both Low Sulphidation (e.g. Cerro Negro, Santa Cruz, Argentina) and Intermediate Sulphidation deposits (San Jose and Cerro Morro, Santa Cruz, Argentina and Juanacipio, Mexico) are being targeted throughout the Cerro Bayo district.</li> </ul>																																																																																						
<b>Drill hole Information</b>	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Drill hole collar positions are determined by a Garmin GPS using the grid system SAD69 UTM Zone 19S and will be more accurately surveyed by a qualified surveyor at a later date.</li> </ul> <p><b>Frison-Simmental Drill Hole Collars</b></p> <table border="1"> <thead> <tr> <th rowspan="2"><b>Hole ID</b></th> <th rowspan="2"><b>Target</b></th> <th><b>East</b></th> <th><b>North</b></th> <th><b>RL</b></th> <th><b>Dip</b></th> <th><b>Azimuth</b></th> <th><b>Total Depth</b></th> </tr> <tr> <th colspan="2">(SAD 69 Zone19S)</th> <th>(m)</th> <th>-x°</th> <th>x°</th> <th>(m)</th> </tr> </thead> <tbody> <tr> <td>CBD001</td> <td>Simmental</td> <td>268806</td> <td>4839957</td> <td>483.5</td> <td>30</td> <td>275</td> <td>84.85</td> </tr> <tr> <td>CBD002</td> <td>Frison</td> <td>272953</td> <td>4840038</td> <td>422.5</td> <td>53</td> <td>180</td> <td>150.5</td> </tr> <tr> <td>CBD003</td> <td>Simmental</td> <td>268954</td> <td>4839843</td> <td>514</td> <td>46</td> <td>93</td> <td>109.9</td> </tr> <tr> <td>CBD005</td> <td>Frison</td> <td>273217</td> <td>4840140</td> <td>420</td> <td>48</td> <td>170</td> <td>239.8</td> </tr> <tr> <td>CBD004</td> <td>Frison</td> <td>272850</td> <td>4840026</td> <td>438</td> <td>61</td> <td>230</td> <td>283.85</td> </tr> <tr> <td>CBD006</td> <td>Frison</td> <td>273217</td> <td>4840140</td> <td>420</td> <td>60.5</td> <td>170</td> <td>285.05</td> </tr> <tr> <td>CBD007</td> <td>Frison</td> <td>272952</td> <td>4840137</td> <td>409</td> <td>58</td> <td>212</td> <td>304.9</td> </tr> <tr> <td>CBD008</td> <td>Frison</td> <td>273092</td> <td>4840205</td> <td>403.9</td> <td>68.25</td> <td>170</td> <td>303.85</td> </tr> <tr> <td>CBD009</td> <td>Frison</td> <td>272935</td> <td>4840218</td> <td>397</td> <td>61</td> <td>184</td> <td>340.00</td> </tr> </tbody> </table>	<b>Hole ID</b>	<b>Target</b>	<b>East</b>	<b>North</b>	<b>RL</b>	<b>Dip</b>	<b>Azimuth</b>	<b>Total Depth</b>	(SAD 69 Zone19S)		(m)	-x°	x°	(m)	CBD001	Simmental	268806	4839957	483.5	30	275	84.85	CBD002	Frison	272953	4840038	422.5	53	180	150.5	CBD003	Simmental	268954	4839843	514	46	93	109.9	CBD005	Frison	273217	4840140	420	48	170	239.8	CBD004	Frison	272850	4840026	438	61	230	283.85	CBD006	Frison	273217	4840140	420	60.5	170	285.05	CBD007	Frison	272952	4840137	409	58	212	304.9	CBD008	Frison	273092	4840205	403.9	68.25	170	303.85	CBD009	Frison	272935	4840218	397	61	184	340.00
<b>Hole ID</b>	<b>Target</b>	<b>East</b>			<b>North</b>	<b>RL</b>	<b>Dip</b>	<b>Azimuth</b>	<b>Total Depth</b>																																																																															
		(SAD 69 Zone19S)		(m)	-x°	x°	(m)																																																																																	
CBD001	Simmental	268806	4839957	483.5	30	275	84.85																																																																																	
CBD002	Frison	272953	4840038	422.5	53	180	150.5																																																																																	
CBD003	Simmental	268954	4839843	514	46	93	109.9																																																																																	
CBD005	Frison	273217	4840140	420	48	170	239.8																																																																																	
CBD004	Frison	272850	4840026	438	61	230	283.85																																																																																	
CBD006	Frison	273217	4840140	420	60.5	170	285.05																																																																																	
CBD007	Frison	272952	4840137	409	58	212	304.9																																																																																	
CBD008	Frison	273092	4840205	403.9	68.25	170	303.85																																																																																	
CBD009	Frison	272935	4840218	397	61	184	340.00																																																																																	

Criteria	JORC Code explanation	Commentary
		<p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>Sample locations were surveyed with a handheld GPS using Coordinate Projection System SAD69 UTM Zone 19S. Composite sample channels were surveyed with collar, dip, azimuth and length whereby azimuths and dips of Composite chip channel samples were surveyed by a Brunton compass as per the table below. Individual channel and/or rockchip samples were surveyed with a point coordinate for which please refer to Appendix 1-Surface Sampling for relevant coordinate and elevation information. In due course sample locations may be surveyed by a differential GPS.</li> <li>Drilling and surface sampling assays are shown in Appendix I as per when reported for the first time.</li> </ul>
<b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>Neither equivalent or upper or lower cut-off grades are used in any tables or summations of the data.</li> <li>Aggregated averages of rock sampled assays are weighted according to the sample length as per normal weighted average calculations.</li> </ul>
<b>Relationship between mineralisation widths and intercept lengths</b>	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>Intercepts quoted for all drill holes relate only to down hole intervals at this stage and further drilling will be required to determine the true widths of mineralization.</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>All sample intervals over vein outcrop were taken perpendicular to the strike of the vein outcrop</li> </ul>
<b>Diagrams</b>	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<p><u>Diamond Drilling Sampling</u></p> <ul style="list-style-type: none"> <li>The location and visual results received in diamond drilling are displayed in the attached maps and/or tables.</li> </ul> <p><u>Surface Sampling</u></p> <ul style="list-style-type: none"> <li>The location and results received for surface samples are displayed in the attached maps and/or Tables.</li> </ul>
<b>Balanced reporting</b>	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>Results for samples with material assay values are displayed on the attached maps and/or tables. In most cases the adjacent host bedrock to veining either side of an apparent mineralised interval was also sampled to establish mineralization boundaries.</li> </ul>

Criteria	JORC Code explanation	Commentary
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>Metallurgical recovery tests have not been conducted.</li> </ul>
<b>Further work</b>	<ul style="list-style-type: none"> <li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>Further work including exploration drilling is planned to test zones beneath and along strike from both high grade and anomalous precious metal and pathfinder element surface geochemical results.</li> </ul>

## Appendix I – Frison Target Drill Hole Assay Results

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD002	86.60	87.60	1.00	7619	0.01	0.03	3.5	5.2	0.27	16	0.17	213
CBD002	87.60	88.54	0.94	7620	0.01	0.43	31	28.5	0.89	183	3.66	162
CBD002	88.54	89.40	0.86	7621	0.01	0.12	16	3.4	0.49	16.7	0.25	111
CBD002	89.40	90.00	0.60	7622	0.01	0.35	69.9	16.3	0.35	32.9	1.64	258
CBD002	90.00	90.55	0.55	7623	0.01	1.10	28.6	19.8	1.16	807	1.65	809
CBD002	90.55	91.37	0.82	7624	0.01	0.16	23.3	9.8	1.3	163	0.85	381
CBD002	91.37	92.90	1.53	7626	0.01	0.64	44.9	132.5	1.59	5260	1.74	6570
CBD002	92.90	93.40	0.50	7627	0.01	0.82	68.2	158	1.51	2870	12.05	4520
CBD002	93.40	94.10	0.70	7628	0.01	0.14	24.8	12.1	0.75	245	0.95	441
CBD002	94.10	95.40	1.30	7629	0.01	0.08	30	4	0.53	61	0.54	175
CBD002	95.40	96.40	1.00	7630	0.01	0.14	31	5.4	0.72	66.4	0.92	162
CBD002	96.40	96.75	0.35	7631	0.01	0.07	11.8	2.1	0.76	52.6	0.12	87
CBD002	96.75	98.00	1.25	7632	0.01	0.09	19.9	2	1.89	31.9	0.17	109
CBD002	98.00	99.00	1.00	7633	0.01	0.16	14.7	31.3	1.63	295	0.38	1100
CBD002	99.00	99.70	0.70	7634	-0.01	0.05	3.3	1.8	0.27	36.5	0.06	113
CBD002	99.70	100.00	0.30	7635	0.01	0.24	14.8	23.2	0.95	1220	0.28	932
CBD002	100.00	101.50	1.50	7636	0.01	0.18	13.9	19.2	0.76	664	0.34	596
CBD002	101.50	102.90	1.40	7637	0.01	0.16	18.4	109	0.83	259	0.74	2580
CBD002	102.90	103.80	0.90	7638	0.01	0.29	16.1	36.8	1.07	1105	2.8	407
CBD002	103.80	105.20	1.40	7639	0.01	0.05	19.8	3.7	0.8	12.5	0.36	157
CBD002	105.20	106.70	1.50	7641	0.01	0.06	17.5	3.2	0.61	18.8	0.46	160
CBD002	106.70	108.20	1.50	7642	0.01	0.06	25.5	4	0.65	16.9	0.52	154
CBD002	108.20	109.50	1.30	7643	0.01	0.05	26.1	3	0.67	17.9	0.26	159

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD002	109.50	110.85	1.35	7644	0.01	0.06	23.5	3.8	0.96	16.3	0.55	120
CBD002	110.85	111.90	1.05	7645	0.01	0.44	11.7	6.7	0.56	446	0.57	416
CBD002	111.90	112.78	0.88	7646	0.01	0.08	9.5	1.9	0.41	58.9	0.24	176
CBD002	112.78	114.00	1.22	7647	-0.01	0.33	5.9	2.2	0.6	465	0.16	242
CBD002	114.00	115.35	1.35	7648	0.01	0.23	17.3	20.3	0.7	1085	0.64	737
CBD002	115.35	115.80	0.45	7649	0.01	0.59	28.8	21.9	0.63	1420	1.79	506
CBD002	115.80	116.80	1.00	7650	0.01	0.39	48.1	53.5	0.99	3040	1.24	2190
CBD002	116.80	117.90	1.10	7651	0.01	0.05	15.1	2	0.28	16.8	0.26	153
CBD002	117.90	118.70	0.80	7652	0.01	0.36	26.2	19.4	1.71	405	1.82	419
CBD002	118.70	119.40	0.70	7653	0.01	0.13	61.4	66.4	2.18	76.3	6.44	88
CBD002	119.40	120.00	0.60	7654	0.01	0.08	36	19.4	2.84	26.5	3.06	77
CBD002	120.00	120.90	0.90	7655	0.01	0.1	43.7	20.9	3.74	30.8	2.54	96
CBD002	120.90	121.60	0.70	7656	0.01	0.22	60	34.4	4.46	467	2.42	500
CBD002	121.60	122.15	0.55	7657	0.03	0.85	160	220	3.02	5550	14.85	6490
CBD002	122.15	122.50	0.35	7658	0.01	0.42	91.4	97.7	0.9	1680	6.08	2190
CBD002	122.50	123.65	1.15	7659	0.02	0.4	99.1	18.2	20.8	163	2.53	288
CBD002	123.65	124.50	0.85	7660	0.02	0.64	103.5	22.9	10.45	266	3.27	204
CBD002	124.50	125.55	1.05	7661	0.02	2.9	129.5	117	14	1985	9.6	958
CBD002	125.55	126.40	0.85	7662	0.01	1.8	85.7	121.5	10.6	1870	5.96	1660
CBD002	126.40	126.75	0.35	7664	0.02	19.4	255	962	434	3550	27.8	1.305
CBD002	126.75	127.65	0.90	7666	0.01	2.16	90.3	290	169.5	386	3.88	7880
CBD002	127.65	128.15	0.50	7667	0.01	2.9	475	1260	6.22	433	36.5	5950
CBD002	128.15	129.35	1.20	7668	0.01	1.37	67.1	147.5	7.96	414	12.55	518
CBD002	129.35	130.30	0.95	7669	-0.01	1.75	38.3	121.5	9.84	902	9.91	1290
CBD002	130.30	132.10	1.80	7670	-0.01	0.55	13	34.3	3.13	276	4.18	384
CBD002	132.10	132.55	0.45	7671	-0.01	0.73	9.5	39.4	39.3	262	2.01	893
CBD002	132.55	133.25	0.70	7672	-0.01	0.42	13.4	35.5	2.95	439	3.11	722
CBD002	133.25	134.30	1.05	7673	0.01	0.92	23.1	34.9	8.58	450	2.82	763
CBD002	134.30	134.80	0.50	7674	0.01	1.81	93.5	185	13.4	670	11.75	1320
CBD002	134.80	135.25	0.45	7675	-0.01	1.32	13.5	33.7	16.8	1230	1.9	842
CBD002	135.25	136.50	1.25	7676	-0.01	0.41	5.6	12.9	2.64	105.5	1.24	240
CBD002	136.50	137.80	1.30	7677	-0.01	0.15	2.5	4.3	0.51	56.2	0.51	156
CBD004	0.00	1.50	1.50	8110	0.00	0.30	9.7	14.9	0.22	9.4	0.52	131
CBD004	1.50	3.00	1.50	8112	0.00	0.30	7.4	12.7	0.15	4.8	0.57	116
CBD004	3.00	4.50	1.50	8113	0.00	0.32	3.2	9.6	0.28	3.7	0.45	147
CBD004	4.50	6.00	1.50	8114	0.00	0.34	3.7	9.3	0.26	3	0.74	152
CBD004	6.00	6.86	0.86	8115	0.00	0.25	4.9	7.2	0.12	3	0.56	151
CBD004	6.86	8.00	1.14	8116	0.00	0.33	3.5	9.3	0.15	4.3	0.87	180
CBD004	8.00	9.30	1.30	8117	0.00	0.22	2.6	5.7	0.1	2.7	0.59	181
CBD004	9.30	10.15	0.85	8118	0.00	0.45	6.9	18	0.29	4.6	1.9	140
CBD004	10.15	11.10	0.95	8119	0.00	0.49	6.2	16	0.34	5.6	1.22	131
CBD004	11.10	11.60	0.50	8120	0.00	0.68	33.9	19.9	0.75	16.3	1.49	41
CBD004	11.60	11.95	0.35	8121	0.00	0.58	20.1	20	0.6	9.2	1.5	24

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	11.95	12.90	0.95	8122	0.00	0.25	7.9	9.3	0.29	5.2	0.84	97
CBD004	12.90	14.20	1.30	8123	0.00	0.44	7.8	14.2	0.56	7	0.95	122
CBD004	14.20	15.70	1.50	8124	0.00	0.40	4.2	9.9	0.38	6.1	0.51	157
CBD004	15.70	16.40	0.70	8125	0.00	0.35	4	8.2	0.24	4.9	0.43	187
CBD004	16.40	16.70	0.30	8126	0.00	0.57	10.6	23.7	0.55	36.2	1.37	119
CBD004	16.70	18.20	1.50	8127	0.00	0.39	5	11.7	0.26	6	0.55	188
CBD004	18.20	19.70	1.50	8128	0.00	0.39	3	9.4	0.34	5.5	0.16	200
CBD004	19.70	20.20	0.50	8129	0.00	0.11	2	2.6	0.1	4.7	0.08	244
CBD004	20.20	21.30	1.10	8130	0.00	0.35	4.3	8.7	0.38	6.6	0.23	139
CBD004	21.30	22.30	1.00	8131	0.00	0.37	9.8	11.8	0.69	7.9	0.67	103
CBD004	22.30	23.25	0.95	8133	0.00	0.41	48.6	26.3	0.97	12.5	4.4	133
CBD004	23.25	24.07	0.82	8134	0.00	0.44	57.3	13.1	3.9	23.5	1.52	47
CBD004	24.07	24.55	0.48	8135	0.00	0.34	42.3	10.7	3.61	69.4	1.58	66
CBD004	24.55	25.40	0.85	8136	0.00	0.15	15.9	5.5	1.06	8.3	0.44	17
CBD004	25.40	26.57	1.17	8137	0.00	0.15	22.6	4.8	1.45	7.8	0.62	34
CBD004	26.57	27.70	1.13	8138	0.00	0.08	8.1	2.3	0.25	3.3	0.24	53
CBD004	27.70	29.10	1.40	8139	0.00	0.08	5.6	3.3	0.33	4.8	0.3	58
CBD004	29.10	29.55	0.45	8140	0.00	0.13	9.9	5.4	1.45	9.4	0.23	55
CBD004	29.55	30.15	0.60	8141	0.00	0.23	17.6	9.4	1.13	8.9	0.62	48
CBD004	30.15	30.80	0.65	8142	0.00	0.10	6.1	3.1	0.47	7.7	0.16	45
CBD004	30.80	31.55	0.75	8143	0.00	0.19	8.9	6.6	1.2	8.7	0.33	92
CBD004	31.55	32.20	0.65	8144	0.00	0.23	27.7	14.4	1.16	8	1.04	52
CBD004	32.20	32.90	0.70	8145	0.00	0.07	5.9	4.5	0.12	3.6	0.55	144
CBD004	32.90	33.60	0.70	8146	0.00	0.03	3.3	2.9	0.12	3.3	0.29	94
CBD004	33.60	34.40	0.80	8147	0.00	0.07	5.5	5.3	0.18	4.7	0.69	100
CBD004	34.40	35.20	0.80	8148	0.00	0.15	14.5	7.5	0.19	7.3	1	103
CBD004	35.20	35.75	0.55	8149	0.00	0.16	22.2	8.5	0.97	8.9	0.35	90
CBD004	35.75	36.70	0.95	8150	0.00	0.16	49.3	7.8	0.43	10.1	0.65	51
CBD004	36.70	37.15	0.45	8151	0.00	0.10	29	4.7	0.34	4.5	0.41	56
CBD004	37.15	38.05	0.90	8152	0.00	0.24	56.2	9	0.62	7	0.81	29
CBD004	38.05	39.10	1.05	8154	0.00	0.43	90.1	20.3	1.38	9.6	1.51	52
CBD004	39.10	40.42	1.32	8155	0.00	0.33	80	14.3	0.48	7.7	1.05	65
CBD004	40.42	41.20	0.78	8156	0.00	0.07	17.9	4.8	0.18	4.1	0.31	70
CBD004	41.20	42.70	1.50	8157	0.00	0.13	37.8	5.9	0.12	3.9	0.48	50
CBD004	42.70	44.20	1.50	8158	0.00	0.15	47.4	6.1	0.48	5.8	0.47	40
CBD004	44.20	44.85	0.65	8159	0.00	0.09	34.5	3.2	0.19	4.3	0.36	52
CBD004	44.85	45.70	0.85	8160	0.00	0.15	35.4	5.9	1.29	10	0.45	49
CBD004	45.70	46.50	0.80	8161	0.00	0.20	44.9	5.4	0.31	8.4	1.06	56
CBD004	46.50	48.00	1.50	8162	0.00	0.15	47	5.2	0.22	7.3	0.49	47
CBD004	48.00	49.33	1.33	8163	0.00	0.17	62.8	7.6	0.28	13.4	0.55	53
CBD004	49.33	49.75	0.42	8164	0.00	0.18	40	13	1.24	19.4	1.38	59
CBD004	49.75	50.50	0.75	8165	0.00	0.14	42.4	5.9	0.19	8.2	0.65	57
CBD004	50.50	51.05	0.55	8166	0.00	0.15	27	6.3	0.9	27.8	0.55	40

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	51.05	52.04	0.99	8167	0.00	0.10	16.7	4.4	0.29	7.6	0.63	51
CBD004	52.04	52.50	0.46	8168	0.00	0.10	6.2	5.1	0.27	7.7	0.49	59
CBD004	52.50	53.52	1.02	8169	0.00	0.08	4.3	4.4	0.28	5.6	0.62	41
CBD004	53.52	54.20	0.68	8170	-0.01	0.25	5.3	6.1	0.73	11	1.99	84
CBD004	54.20	54.50	0.30	8171	-0.01	0.74	11	17.6	8.02	46.9	3.55	14
CBD004	54.50	55.40	0.90	8172	-0.01	0.25	11.7	9.6	1.17	11.9	0.74	88
CBD004	55.40	56.20	0.80	8174	0.01	0.38	12.3	12.5	0.73	14.6	0.92	77
CBD004	56.20	56.88	0.68	8175	0.01	0.40	8.8	20.2	2.11	16.2	1.94	84
CBD004	56.88	57.70	0.82	8176	-0.01	0.35	4.8	9.2	0.49	13.5	0.38	94
CBD004	57.70	58.90	1.20	8177	-0.01	0.26	7.2	8.9	0.41	12.9	0.47	132
CBD004	58.90	59.65	0.75	8178	-0.01	0.33	7.5	21.8	0.52	13.7	1.68	85
CBD004	59.65	60.70	1.05	8179	-0.01	0.24	8.6	9.1	0.35	10.8	0.53	99
CBD004	60.70	62.20	1.50	8180	0.01	0.25	17.7	9.7	0.38	9.7	0.74	124
CBD004	62.20	63.25	1.05	8181	0.01	0.34	52.2	11.4	0.49	16	0.99	76
CBD004	63.25	64.23	0.98	8182	0.01	0.24	53.5	11.4	0.49	10.5	0.63	41
CBD004	64.23	65.30	1.07	8183	0.01	0.26	38.4	13	0.29	11.8	0.87	74
CBD004	65.30	66.70	1.40	8184	0.01	0.24	22.3	10.7	0.86	9.3	1.18	36
CBD004	66.70	67.70	1.00	8185	0.01	0.16	21.5	7.2	0.15	7.1	0.96	140
CBD004	67.70	68.70	1.00	8186	0.01	0.13	11.7	6.8	0.11	5.3	0.69	155
CBD004	68.70	69.70	1.00	8187	-0.01	0.15	14.4	7.5	0.21	6.7	0.86	155
CBD004	69.70	70.80	1.10	8188	0.01	0.26	46.2	10.9	1.58	15.6	1.42	84
CBD004	70.80	71.20	0.40	8189	0.02	1.26	140	122.5	18.95	1440	18.1	5630
CBD004	71.20	72.70	1.50	8190	0.01	0.19	34.7	9.9	3.86	32.9	1.4	56
CBD004	72.70	73.60	0.90	8191	-0.01	0.09	17.9	7.9	0.28	5.6	2.14	70
CBD004	73.60	74.20	0.60	8192	-0.01	0.07	15.1	3.1	0.42	5.1	0.67	74
CBD004	74.20	74.97	0.77	8193	-0.01	0.05	6.5	3.1	0.14	3.5	0.43	74
CBD004	74.97	75.70	0.73	8195	-0.01	0.08	7.1	3.5	0.19	8.1	0.4	56
CBD004	75.70	77.20	1.50	8196	-0.01	0.22	9	7.4	0.33	8.4	1.54	93
CBD004	77.20	77.65	0.45	8197	-0.01	0.24	7.6	11.3	0.27	10.4	2.46	137
CBD004	77.65	78.90	1.25	8198	-0.01	0.26	7.4	10	0.62	12.4	2.21	70
CBD004	78.90	79.30	0.40	8199	-0.01	0.13	5.8	11.8	0.41	12.7	0.94	62
CBD004	79.30	80.20	0.90	8200	0.01	0.30	7	12.4	1.35	25.4	2.14	35
CBD004	80.20	81.70	1.50	8201	-0.01	0.33	7.1	8.7	0.83	22.7	1.62	94
CBD004	81.70	82.30	0.60	8202	-0.01	0.58	9.3	8.9	2.23	31.6	1.58	142
CBD004	82.30	83.15	0.85	8203	-0.01	0.54	11.8	10.8	0.89	31	0.74	254
CBD004	83.15	83.90	0.75	8204	0.00	0.47	9.8	18.7	1.47	26.2	1.63	159
CBD004	83.90	84.62	0.72	8205	0.00	0.35	9.3	10	1.82	22.5	0.66	97
CBD004	84.62	85.20	0.58	8206	0.00	0.26	10.4	13.1	2.23	18.3	0.76	88
CBD004	85.20	86.42	1.22	8207	0.00	0.37	66.4	14.5	2.92	22.1	1.12	81
CBD004	86.42	87.50	1.08	8208	0.00	0.31	112	11.2	1.23	10.7	1.43	140
CBD004	87.50	88.10	0.60	8209	0.00	0.28	103.5	13	0.54	9.9	1.14	133
CBD004	88.10	89.20	1.10	8210	0.00	0.38	89.4	11.2	0.46	10.2	2.03	146
CBD004	89.20	90.20	1.00	8211	0.03	0.41	141	27.3	0.69	25	2.86	153

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	90.20	90.90	0.70	8212	0.02	0.40	97.8	32.3	1.77	37.9	3.48	98
CBD004	90.90	91.60	0.70	8213	0.00	0.25	42.3	7.9	0.16	9.4	0.85	181
CBD004	91.60	92.50	0.90	8214	0.00	0.47	59.4	13.3	1.37	15.9	1.84	112
CBD004	92.50	93.42	0.92	8216	0.00	0.40	62.2	9.9	1	14.2	1.72	200
CBD004	93.42	94.60	1.18	8217	0.02	0.50	95.8	16.5	2.9	37.8	3.77	190
CBD004	94.60	95.58	0.98	8218	0.00	0.48	54.1	20.8	1.93	31.7	4.16	114
CBD004	95.58	96.70	1.12	8219	0.00	0.39	58.2	13.7	0.82	21.2	3.72	154
CBD004	96.70	97.25	0.55	8220	0.00	0.36	54.8	9.9	1.81	21.1	2.21	113
CBD004	97.25	97.80	0.55	8221	0.02	0.47	79.4	15.8	2.57	35.7	3.98	83
CBD004	97.80	98.20	0.40	8222	0.02	0.42	97.6	14.3	2.9	34.5	2.45	140
CBD004	98.20	99.00	0.80	8223	0.03	0.63	128.5	26.3	6.87	29.7	4.84	87
CBD004	99.00	99.85	0.85	8224	0.04	0.54	125	29.7	3.75	44.1	5.21	140
CBD004	99.85	100.50	0.65	8225	0.00	0.37	77.3	29.7	0.58	27.2	3.81	214
CBD004	100.50	101.55	1.05	8226	0.02	0.58	99.6	128	2.57	82.2	5.78	195
CBD004	101.55	101.95	0.40	8227	0.02	3.92	264	1130	12.8	1195	93.7	364
CBD004	101.95	102.95	1.00	8228	0.00	0.59	102	24.3	0.68	102.5	2.82	235
CBD004	102.95	103.95	1.00	8229	0.00	1.61	153	126	2.35	931	9.98	1220
CBD004	103.95	104.85	0.90	8230	0.00	0.31	31.2	32	0.51	116.5	2.3	178
CBD004	104.85	105.70	0.85	8231	0.00	0.13	21.8	7.6	0.47	174	1.06	196
CBD004	105.70	106.70	1.00	8232	0.00	0.08	11.2	4.3	0.14	48.6	0.36	170
CBD004	106.70	107.10	0.40	8233	0.00	0.48	22.9	7.9	0.36	37	0.22	284
CBD004	107.10	107.50	0.40	8234	0.00	0.32	84.3	17.7	0.07	112	0.46	336
CBD004	107.50	107.90	0.40	8235	0.00	0.53	104	30.6	0.11	169	0.42	426
CBD004	107.90	108.70	0.80	8237	0.00	0.38	75.1	9.5	0.05	53.6	0.26	365
CBD004	108.70	109.23	0.53	8238	0.00	0.16	28.6	9.1	0.05	21.1	0.21	356
CBD004	109.23	110.20	0.97	8239	0.00	0.23	34.4	14.3	0.05	67.2	0.19	384
CBD004	110.20	111.43	1.23	8240	0.00	0.53	91.3	21.5	0.05	76	0.33	348
CBD004	111.43	112.65	1.22	8241	0.00	0.10	3.7	7.8	0.06	22.8	1.24	300
CBD004	112.65	114.15	1.50	8242	0.00	0.02	3.3	2.5	0.11	24.6	1.96	292
CBD004	114.15	115.65	1.50	8243	0.00	0.05	3.7	27.6	0.09	23	2.05	302
CBD004	115.65	117.15	1.50	8244	0.00	0.03	4.2	3	0.12	26.7	2.23	281
CBD004	117.15	118.60	1.45	8245	0.00	0.03	3.5	2.1	0.18	26.4	1.9	392
CBD004	118.60	120.08	1.48	8246	0.00	0.35	4.7	14.9	0.1	40.8	1.06	498
CBD004	120.08	121.50	1.42	8247	0.00	0.62	9.2	88.2	0.09	40.8	0.41	662
CBD004	121.50	122.45	0.95	8248	0.00	0.70	87.9	96.4	0.11	100.5	0.54	1380
CBD004	122.45	123.10	0.65	8249	0.00	1.15	22.8	50.7	0.07	624	0.48	1960
CBD004	123.10	124.10	1.00	8250	0.00	0.29	32.4	23.8	0.08	184	0.3	1240
CBD004	124.10	125.39	1.29	8251	0.00	0.47	18.2	52.4	0.11	489	0.5	2100
CBD004	125.39	126.85	1.46	8252	0.00	2.41	50.5	182.5	0.26	2680	2.36	4770
CBD004	126.85	127.90	1.05	8253	0.00	1.95	90.2	296	0.34	926	3.39	1670
CBD004	127.90	129.00	1.10	8254	0.00	1.90	136	668	0.47	1195	11.5	3880
CBD004	129.00	130.00	1.00	8255	0.00	0.49	59	86.9	0.16	75.7	0.54	972
CBD004	130.00	130.50	0.50	8256	0.02	0.53	152.5	49.4	0.18	86.3	1.18	737

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	130.50	131.05	0.55	8258	0.00	2.19	58.6	43.5	1.84	29.7	0.5	758
CBD004	131.05	131.47	0.42	8259	0.00	0.38	74.6	42.7	0.19	80.5	0.67	664
CBD004	131.47	132.00	0.53	8260	0.06	1.08	310	280	1.11	106.5	1.88	722
CBD004	132.00	133.26	1.26	8261	0.00	0.65	60	191.5	0.31	451	0.58	1500
CBD004	133.26	134.76	1.50	8262	0.00	0.08	4.4	16.1	0.13	29.1	0.95	646
CBD004	134.76	136.26	1.50	8263	0.00	0.28	7.3	28.9	0.15	366	1.13	629
CBD004	136.26	137.76	1.50	8264	0.00	0.02	3.4	5.7	0.18	33.9	1.4	473
CBD004	137.76	138.70	0.94	8265	0.00	0.02	3.3	3.2	0.13	27.8	0.36	685
CBD004	138.70	139.45	0.75	8266	0.00	5.75	60.3	551	0.22	1800	0.47	733
CBD004	139.45	140.48	1.03	8267	0.00	0.02	2.8	1	0.08	21.9	0.74	518
CBD004	140.48	141.43	0.95	8268	0.00	0.06	12.3	7.3	0.09	16.2	0.13	554
CBD004	141.43	142.26	0.83	8269	0.00	0.18	33.5	46.2	0.19	17.1	0.2	419
CBD004	142.26	143.76	1.50	8270	0.00	0.26	47.7	116	0.94	28.6	0.37	327
CBD004	143.76	145.26	1.50	8271	0.00	0.07	5.8	25.6	0.09	13.1	0.1	355
CBD004	145.26	146.76	1.50	8272	0.00	0.58	8	165.5	0.12	26.4	0.15	339
CBD004	146.76	147.60	0.84	8273	0.00	0.15	16.2	55.6	0.1	21.7	0.2	409
CBD004	147.60	147.90	0.30	8274	0.02	1.13	155	190.5	2.08	107	1.22	422
CBD004	147.90	148.30	0.40	8275	0.00	0.43	122	62.6	0.74	62.3	1.08	365
CBD004	148.30	149.76	1.46	8276	0.00	0.58	45.2	192	0.73	71.3	0.37	470
CBD004	149.76	150.98	1.22	8277	0.00	0.11	25.8	8.9	0.13	25.9	0.19	467
CBD004	150.98	151.45	0.47	8279	0.00	0.48	201	46.5	0.27	62.8	0.86	453
CBD004	151.45	152.76	1.31	8280	0.00	0.32	64.6	31.3	0.07	48.6	0.45	548
CBD004	152.76	154.26	1.50	8281	0.00	0.45	27.5	40.5	0.08	38.5	0.21	621
CBD004	154.26	155.20	0.94	8282	0.00	0.07	7.1	6.8	0.08	21.8	0.29	316
CBD004	155.20	155.95	0.75	8283	0.00	0.02	3.2	1.5	0.11	19.1	0.68	360
CBD004	155.95	156.75	0.80	8284	0.00	0.17	8.9	14.4	0.09	29.3	0.22	636
CBD004	156.75	157.15	0.40	8285	0.00	0.15	17.7	16.9	0.07	35.6	0.25	480
CBD004	157.15	157.45	0.30	8286	0.00	0.11	6.4	5.4	0.16	35.5	0.37	226
CBD004	157.45	158.45	1.00	8287	0.00	0.18	13.4	8.6	0.28	20	0.14	266
CBD004	158.45	159.10	0.65	8288	0.00	0.02	2.2	0.9	0.05	13.6	0.09	143
CBD004	159.10	159.90	0.80	8289	0.00	0.03	2.8	1.3	0.06	8.7	0.24	126
CBD004	159.90	160.55	0.65	8290	-0.01	0.02	1.7	1.1	0.19	10.4	0.36	106
CBD004	160.55	161.20	0.65	8291	-0.01	0.03	1.1	0.8	0.22	4.7	0.09	62
CBD004	161.20	162.25	1.05	8292	-0.01	0.02	1.3	1.1	0.35	10.3	0.15	29
CBD004	162.25	162.69	0.44	8293	-0.01	0.04	1.4	1.4	0.3	11.4	0.14	68
CBD004	162.69	163.20	0.51	8294	-0.01	0.14	7.5	12	3.54	30.6	0.37	50
CBD004	163.20	163.90	0.70	8295	-0.01	0.02	2.8	0.7	0.42	7.4	0.1	91
CBD004	163.90	164.30	0.40	8296	-0.01	0.02	2.6	3.1	0.84	6	0.14	89
CBD004	164.30	165.20	0.90	8297	-0.01	0.08	5.5	7.2	3.53	13.6	0.17	85
CBD004	165.20	166.20	1.00	8298	-0.01	0.05	5.3	2.3	1.86	18.2	0.13	99
CBD004	166.20	166.90	0.70	8300	-0.01	0.03	6.5	1.3	0.17	8.1	0.13	104
CBD004	166.90	167.50	0.60	8301	-0.01	0.08	6.1	3.2	1.04	14.3	0.15	79
CBD004	167.50	168.00	0.50	8302	-0.01	0.06	3.4	1.9	0.49	30.6	0.08	89

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	168.00	168.90	0.90	8303	-0.01	0.11	10.5	1.3	0.21	19	0.1	109
CBD004	168.90	169.65	0.75	8304	-0.01	0.10	17.8	1.5	0.27	16.6	0.17	118
CBD004	169.65	170.15	0.50	8305	-0.01	0.09	10.3	5.4	4.38	12.9	0.19	91
CBD004	170.15	170.95	0.80	8306	0.01	0.30	33.3	3.7	0.49	44.1	0.21	162
CBD004	170.95	171.35	0.40	8307	-0.01	0.15	10.8	3.1	2.96	32.5	0.13	181
CBD004	171.35	172.65	1.30	8308	-0.01	1.49	54	104	10.45	1565	3.99	316
CBD004	172.65	173.16	0.51	8309	-0.01	0.17	19.4	11.7	1.79	42	0.82	152
CBD004	173.16	173.46	0.30	8310	-0.01	0.23	12.7	22.5	3.51	62.5	1.56	86
CBD004	173.46	174.20	0.74	8311	-0.01	0.18	9.5	20.7	5.58	19.5	2.4	83
CBD004	174.20	174.50	0.30	8312	-0.01	0.22	11.3	10.1	26.6	26.6	1.42	59
CBD004	174.50	175.90	1.40	8313	-0.01	0.18	7.4	16.3	6.1	19.8	3.4	121
CBD004	175.90	177.40	1.50	8314	-0.01	0.31	5.1	9.7	5.5	19.7	1.21	121
CBD004	177.40	178.80	1.40	8315	-0.01	0.02	2.3	1.6	0.19	10.5	0.37	68
CBD004	178.80	179.70	0.90	8316	-0.01	0.11	15.9	6	0.55	9.8	0.26	60
CBD004	179.70	180.40	0.70	8317	-0.01	0.42	24.7	47.4	2.21	10.2	0.33	91
CBD004	180.40	181.44	1.04	8318	-0.01	0.04	0.9	6.8	0.08	20.7	0.12	123
CBD004	181.44	182.20	0.76	8319	-0.01	0.18	1.4	107.5	0.14	26	0.31	120
CBD004	182.20	183.30	1.10	8321	0.01	0.07	1.2	1.8	0.1	24.5	0.24	182
CBD004	183.30	184.30	1.00	8322	-0.01	0.03	2.2	1.8	0.08	14.9	0.51	158
CBD004	184.30	184.75	0.45	8323	-0.01	0.09	1.6	0.9	0.09	10.9	0.2	169
CBD004	184.75	185.30	0.55	8324	-0.01	0.36	6.4	9	0.19	5.4	0.1	89
CBD004	185.30	186.40	1.10	8325	-0.01	0.17	2.4	5.1	0.49	16.8	1.03	276
CBD004	186.40	187.40	1.00	8326	0.00	0.15	1.5	5.2	0.28	14.4	0.84	234
CBD004	187.40	188.90	1.50	8327	0.00	0.27	0.6	1.5	0.19	12.4	0.12	207
CBD004	188.90	190.40	1.50	8328	0.00	0.19	0.4	0.9	0.12	7	0.05	152
CBD004	190.40	191.90	1.50	8329	0.00	0.45	1.6	5.9	0.33	27.6	0.39	147
CBD004	191.90	193.40	1.50	8330	0.00	0.52	8.3	33.9	0.66	70.8	1.07	224
CBD004	193.40	194.50	1.10	8331	0.00	0.20	2.7	6.5	0.53	51	0.46	257
CBD004	194.50	195.40	0.90	8332	0.00	1.33	37.9	87.9	2.25	1205	1.63	588
CBD004	195.40	196.90	1.50	8333	0.00	0.51	7.8	28.2	10.85	150	3.46	232
CBD004	196.90	197.84	0.94	8334	0.00	0.25	2.3	7.8	0.49	103.5	1.35	177
CBD004	197.84	198.50	0.66	8335	0.00	0.15	3.6	14.4	2.82	48.4	3.09	180
CBD004	198.50	199.15	0.65	8336	0.00	0.15	4	14.1	3.28	25.5	2.94	137
CBD004	199.15	200.00	0.85	8337	0.00	0.06	2.5	7.2	0.32	10.5	0.8	96
CBD004	200.00	200.94	0.94	8338	0.00	0.81	21.9	70.1	2.12	2050	3.09	1880
CBD004	200.94	201.80	0.86	8339	0.00	0.33	1.5	7.5	2.59	318	0.63	263
CBD004	201.80	202.15	0.35	8340	0.00	0.06	0.9	0.9	0.27	11	0.1	84
CBD004	202.15	202.70	0.55	8342	0.00	0.04	1	0.9	0.21	5	0.21	101
CBD004	202.70	203.10	0.40	8343	0.00	0.05	1.2	1.3	0.29	19.6	0.22	126
CBD004	203.10	203.80	0.70	8344	0.00	0.06	0.6	1.7	0.23	12.4	0.2	134
CBD004	203.80	205.20	1.40	8345	0.00	0.06	1.7	1.2	0.22	15.3	0.13	133
CBD004	205.20	205.85	0.65	8346	0.00	0.03	0.3	0.6	0.28	5.5	0.08	179
CBD004	205.85	207.20	1.35	8347	0.00	0.79	2.4	135.5	3.03	3640	0.26	3260

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	207.20	208.70	1.50	8348	0.00	0.61	1.9	74.2	1.94	1275	0.08	1700
CBD004	208.70	209.36	0.66	8349	0.00	3.13	5.6	119	4.46	3320	0.16	1520
CBD004	209.36	210.00	0.64	8350	0.00	0.49	2.9	46.1	1.47	263	0.06	356
CBD004	210.00	211.21	1.21	8351	0.00	0.28	2.7	16.1	0.96	95.1	0.12	587
CBD004	211.21	212.20	0.99	8352	0.00	0.25	1.3	41.2	1.3	949	0.13	1100
CBD004	212.20	212.90	0.70	8353	0.00	0.42	1.1	96.9	3.17	3170	0.26	2640
CBD004	212.90	213.72	0.82	8354	0.00	0.71	7.9	530	4.96	8990	0.42	8480
CBD004	213.72	215.00	1.28	8355	0.00	0.23	1.6	64.1	1.15	1285	0.19	985
CBD004	215.00	216.30	1.30	8356	0.00	0.05	1.7	54.2	0.32	26.3	0.27	161
CBD004	216.30	216.87	0.57	8357	0.00	0.03	2.5	15.6	0.35	8.2	0.28	92
CBD004	216.87	217.20	0.33	8358	0.00	0.02	1.5	1.8	0.16	8.1	0.21	82
CBD004	217.20	217.70	0.50	8359	0.00	0.04	2	1.9	0.29	5.5	0.27	96
CBD004	217.70	218.30	0.60	8360	0.00	0.11	4.8	2.2	0.33	11.9	0.45	97
CBD004	218.30	219.05	0.75	8361	0.00	1.84	10	399	13.1	2500	2.02	2120
CBD004	219.05	219.48	0.43	8363	0.00	2.57	27	734	17.7	938	3.27	452
CBD004	219.48	220.30	0.82	8364	0.00	0.41	7.6	58.5	1.9	464	0.15	294
CBD004	220.30	221.22	0.92	8365	0.00	0.28	8.6	152	3.54	167.5	0.27	205
CBD004	221.22	221.80	0.58	8366	0.00	0.57	5.4	44.4	1.3	204	0.24	211
CBD004	221.80	222.58	0.78	8367	0.00	0.34	18.1	379	3.36	55.9	2.57	189
CBD004	222.58	223.02	0.44	8368	0.00	0.16	1.7	9.2	0.86	24.8	0.49	143
CBD004	223.02	223.50	0.48	8369	0.00	0.22	34.2	165.5	2.36	17.8	8.47	190
CBD004	223.50	223.85	0.35	8370	0.00	0.04	1.6	5.3	0.5	19.2	0.86	157
CBD004	223.85	224.40	0.55	8371	0.00	0.01	0.3	0.6	0.22	6.4	-0.05	213
CBD004	224.40	225.12	0.72	8372	0.00	0.02	0.5	0.8	0.23	2.8	0.05	75
CBD004	225.12	226.25	1.13	8373	0.00	0.01	0.3	1.8	0.21	58	-0.05	168
CBD004	226.25	226.95	0.70	8374	0.00	0.01	0.3	0.6	0.1	2.6	-0.05	159
CBD004	226.95	228.00	1.05	8375	0.00	0.06	0.8	2.4	0.18	3.9	0.08	104
CBD004	228.00	228.40	0.40	8376	0.00	0.16	2.8	9	0.37	11.2	0.11	90
CBD004	228.40	229.40	1.00	8377	0.00	0.01	0.8	0.9	0.19	4.5	0.31	99
CBD004	229.40	230.65	1.25	8378	0.00	0.02	1.2	1.5	0.25	4.9	0.35	86
CBD004	230.65	231.63	0.98	8379	0.00	0.06	0.5	1.5	0.26	7	0.05	159
CBD004	231.63	232.00	0.37	8380	0.00	0.18	2.6	4.2	0.56	28.9	0.21	204
CBD004	232.00	232.62	0.62	8381	0.00	4.00	19.4	103	23.7	1030	1.29	686
CBD004	232.62	233.15	0.53	8382	0.00	0.92	17.8	67.7	4.59	271	0.27	241
CBD004	233.15	233.90	0.75	8384	0.00	0.77	8	3.5	9.51	92.8	0.14	268
CBD004	233.90	234.49	0.59	8385	0.00	0.10	7.1	1.6	0.83	27.8	0.07	207
CBD004	234.49	234.85	0.36	8386	0.00	1.39	89.3	191	8.07	619	1.12	436
CBD004	234.85	235.58	0.73	8387	0.00	1.89	28.4	309	9.32	1080	0.57	496
CBD004	235.58	235.88	0.30	8388	0.00	2.02	25.4	441	9.66	1810	0.38	984
CBD004	235.88	236.42	0.54	8389	0.00	6.27	89.5	4280	28	4010	13.65	4820
CBD004	236.42	237.50	1.08	8390	0.00	0.34	8.6	112	5.15	290	1.15	203
CBD004	237.50	238.55	1.05	8391	0.00	0.13	6.7	148	2.06	107	0.8	226
CBD004	238.55	239.40	0.85	8392	0.00	0.76	4.5	64.3	2.04	3960	0.21	593

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	239.40	240.16	0.76	8393	0.00	0.25	3.1	59.7	5.37	194.5	0.17	1280
CBD004	240.16	240.65	0.49	8394	0.00	0.45	2.8	70.7	5.61	118.5	0.37	600
CBD004	240.65	241.30	0.65	8395	0.00	0.48	11.9	110	8.85	1370	0.32	1020
CBD004	241.30	242.34	1.04	8396	0.00	0.22	5.2	25.4	1.13	295	0.55	518
CBD004	242.34	242.65	0.31	8397	0.00	1.20	23.8	286	6.66	1300	0.69	913
CBD004	242.65	243.35	0.70	8398	0.00	1.11	15.3	181.5	7.06	626	1.83	974
CBD004	243.35	243.65	0.30	8399	0.00	0.14	1.5	5.5	6.41	97.8	0.35	249
CBD004	243.65	244.64	0.99	8400	0.00	0.09	1.4	3.5	1.14	15	0.17	182
CBD004	244.64	245.40	0.76	8401	0.00	0.16	2.7	12.1	1.52	99.6	0.26	401
CBD004	245.40	245.90	0.50	8402	0.00	1.20	3.8	88.6	5.68	1790	0.84	2850
CBD004	245.90	246.90	1.00	8403	0.00	0.15	1.3	4.9	1.3	176	0.19	231
CBD004	246.90	247.90	1.00	8405	0.00	0.17	3.4	12	0.88	302	0.49	275
CBD004	247.90	249.04	1.14	8406	0.00	0.19	1.2	9	1.48	172	0.14	315
CBD004	249.04	249.34	0.30	8407	0.00	0.85	1.6	113.5	4.91	1890	0.41	4130
CBD004	249.34	250.10	0.76	8408	0.00	0.58	6.6	105.5	0.55	1650	1.5	2530
CBD004	250.10	250.90	0.80	8409	0.00	0.54	6.2	17.2	0.73	343	0.89	244
CBD004	250.90	251.25	0.35	8410	0.00	0.58	2.4	15.1	0.56	412	0.27	303
CBD004	251.25	251.65	0.40	8411	0.00	0.20	1.3	6.7	1.8	190.5	0.27	258
CBD004	251.65	251.95	0.30	8412	0.00	3.22	6	328	24.7	5750	3.15	10450
CBD004	251.95	253.10	1.15	8413	0.00	0.25	1.8	38	1.32	1070	0.25	1000
CBD004	253.10	253.80	0.70	8414	0.00	0.24	1.6	35	0.46	1050	0.22	954
CBD004	253.80	254.40	0.60	8415	0.00	0.06	6.1	47.2	0.19	42.5	1.05	525
CBD004	254.40	255.40	1.00	8416	0.00	0.19	3	10	0.8	259	0.3	411
CBD004	255.40	256.10	0.70	8417	0.00	0.20	1.7	4.8	0.96	274	0.24	340
CBD004	256.10	256.95	0.85	8418	0.00	0.47	23.3	82.9	2.8	807	1.92	781
CBD004	256.95	257.25	0.30	8419	0.00	0.50	6.7	56.3	17.25	748	0.23	1100
CBD004	257.25	257.93	0.68	8420	0.00	0.06	7	62	0.51	40.2	0.6	1030
CBD004	257.93	258.80	0.87	8421	0.00	0.07	4.1	51.7	0.38	75.3	0.65	1360
CBD004	258.80	259.28	0.48	8422	0.00	4.91	11.3	5040	3.25	670	0.47	20500
CBD004	259.28	259.58	0.30	8423	0.00	0.49	1.7	513	1.72	640	0.26	576
CBD004	259.58	259.95	0.37	8424	0.00	0.87	4.4	15.4	0.8	1850	0.32	321
CBD004	259.95	260.92	0.97	8426	0.00	0.11	0.8	5.9	0.69	329	0.12	261
CBD004	260.92	261.40	0.48	8427	0.00	0.54	0.9	17.7	0.82	515	0.13	466
CBD004	261.40	262.70	1.30	8428	0.00	0.24	0.8	1.6	0.77	484	0.09	198
CBD004	262.70	263.15	0.45	8429	0.00	0.14	1.3	1.4	0.74	107.5	0.05	121
CBD004	263.15	264.40	1.25	8430	0.00	0.01	1.6	2.4	0.83	5	0.09	128
CBD004	264.40	264.70	0.30	8431	0.00	0.69	1.5	81.5	1.34	2230	0.11	4390
CBD004	264.70	265.80	1.10	8432	0.00	0.25	0.4	5.6	1.09	381	0.07	436
CBD004	265.80	266.90	1.10	8433	0.00	0.20	0.4	26.2	1.89	1020	0.1	1240
CBD004	266.90	267.26	0.36	8434	0.00	0.12	0.8	4.5	1.63	77.9	0.1	165
CBD004	267.26	268.20	0.94	8435	0.00	0.39	1.2	7.1	1.63	484	0.08	416
CBD004	268.20	269.00	0.80	8436	-0.01	0.50	1.3	79.7	1.09	2880	0.14	2740
CBD004	269.00	269.30	0.30	8437	0.01	1.68	39.6	454	5.85	3930	0.47	7070

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD004	269.30	269.60	0.30	8438	-0.01	0.07	7.7	6	0.45	106	0.1	542
CBD004	269.60	269.90	0.30	8439	-0.01	1.39	9.2	290	5.94	9120	0.4	10750
CBD004	269.90	270.40	0.50	8440	-0.01	0.79	6.9	185.5	1.76	6550	0.25	4870
CBD004	270.40	271.08	0.68	8441	-0.01	0.76	3.1	373	1.54	5560	0.24	7780
CBD004	271.08	271.75	0.67	8442	-0.01	3.32	131.5	125	2.36	1340	2.05	1640
CBD004	271.75	272.30	0.55	8443	-0.01	4.72	149	49.6	2.19	294	1.82	777
CBD004	272.30	272.96	0.66	8444	-0.01	4.25	162.5	35.7	2.06	267	1.5	419
CBD004	272.96	273.40	0.44	8445	-0.01	1.36	7.4	24.5	2.96	856	0.67	927
CBD004	273.40	273.95	0.55	8447	-0.01	2.33	11.5	77	1.33	1730	0.6	2730
CBD004	273.95	274.25	0.30	8448	-0.01	1.79	16.3	55.7	7.97	986	1.56	551
CBD004	274.25	274.62	0.37	8449	-0.01	0.15	4.6	17	1.04	31.5	0.46	236
CBD004	274.62	275.75	1.13	8450	-0.01	0.03	0.8	3.9	0.17	6	0.11	190
CBD004	275.75	276.55	0.80	8451	-0.01	0.29	2.5	21.4	0.61	268	0.38	326
CBD004	276.55	277.55	1.00	8452	-0.01	0.08	3.1	1.7	0.51	20.2	0.54	95
CBD004	277.55	278.08	0.53	8453	-0.01	0.04	0.7	1.2	0.65	19.9	0.15	139
CBD004	278.08	278.50	0.42	8454	-0.01	0.10	0.8	16.3	0.58	612	0.18	424
CBD004	278.50	278.80	0.30	8455	-0.01	0.71	1	244	3.32	6310	0.26	10250
CBD004	278.80	279.50	0.70	8456	0.00	0.02	1.4	3.7	0.43	48.4	0.4	129
CBD004	279.50	280.40	0.90	8457	0.00	0.07	1.9	2.4	0.43	93.8	0.61	83
CBD004	280.40	281.10	0.70	8458	0.00	0.03	1.3	1.6	0.41	22.9	0.52	70
CBD004	281.10	281.40	0.30	8459	0.00	0.02	1.2	2.2	0.33	58	0.33	85
CBD004	281.40	282.35	0.95	8460	0.00	0.01	1.2	1.5	0.28	11.3	0.38	67
CBD004	282.35	283.85	1.50	8461	0.00	0.02	1.1	1.9	0.68	9	0.31	66
CBD005	2.60	3.60	1.00	7690	0.00	0.50	63.9	58.8	2.38	39	11.65	125
CBD005	3.60	4.70	1.10	7691	0.00	0.32	35.1	13.4	1.52	48.6	2.06	100
CBD005	4.70	5.80	1.10	7692	0.00	0.32	29.3	5.9	0.19	5.7	0.73	131
CBD005	5.80	6.95	1.15	7693	0.00	0.38	43.7	55.3	0.29	10.3	7.71	127
CBD005	6.95	8.10	1.15	7694	0.00	0.34	22.7	17.3	0.37	6.4	2.69	104
CBD005	8.10	8.40	0.30	7695	0.00	0.40	19.9	11.5	0.28	8.4	1.41	91
CBD005	9.45	10.45	1.00	7696	0.00	0.72	25.9	57	0.33	24.6	10.6	114
CBD005	10.45	11.08	0.63	7697	0.00	0.52	40.7	16.6	0.95	14.9	2.15	94
CBD005	11.08	11.75	0.67	7698	0.00	0.45	7.7	11.2	2.16	15.5	0.62	45
CBD005	11.75	12.43	0.68	7699	0.00	0.55	7	12.5	1.56	24.4	0.56	51
CBD005	12.43	12.95	0.52	7700	0.00	0.70	8.8	11.4	2.57	29.4	0.55	43
CBD005	12.95	13.65	0.70	7701	0.00	0.33	27.4	5.5	3.91	57.4	0.56	25
CBD005	13.65	14.60	0.95	7702	0.00	0.27	33.6	3.1	2.44	56.8	0.61	24
CBD005	14.60	15.25	0.65	7704	0.00	0.28	45	3.2	1.58	121.5	0.75	18
CBD005	15.25	15.77	0.52	7705	0.00	0.35	79.8	4.9	2.04	111.5	0.88	146
CBD005	15.77	16.25	0.48	7706	0.00	0.21	31	3.1	0.95	76.6	0.54	54
CBD005	16.25	16.95	0.70	7707	0.00	0.13	9.8	2.2	1.29	29.2	0.26	16
CBD005	16.95	17.30	0.35	7708	0.00	0.26	22.4	2.2	1.19	24.4	0.42	41
CBD005	17.30	18.55	1.25	7709	0.00	0.08	9.2	1	0.53	6	0.2	29
CBD005	18.55	19.80	1.25	7710	0.00	0.12	14.1	1.4	0.57	8.4	0.31	23

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD005	19.80	20.10	0.30	7711	0.00	0.51	17.8	4.1	1.45	100	0.74	76
CBD005	20.10	21.50	1.40	7712	0.00	0.12	12.5	1.4	0.7	9.9	0.26	28
CBD005	21.50	23.00	1.50	7713	0.00	0.11	14.8	1.3	0.46	7.3	0.26	41
CBD005	23.00	24.50	1.50	7714	0.01	0.20	34.6	3.1	1.69	9.8	0.73	19
CBD005	24.50	26.00	1.50	7715	0.01	0.32	38.1	5.8	2.3	24.9	0.85	25
CBD005	26.00	26.95	0.95	7716	0.01	0.47	42.1	15	2.05	52.3	4.17	15
CBD005	26.95	28.05	1.10	7717	0.01	0.47	37.5	19.4	1.74	39.2	4.75	13
CBD005	28.05	29.00	0.95	7718	0.01	0.88	76.5	40.5	2.5	780	8.3	162
CBD005	29.00	30.00	1.00	7719	0.01	0.55	38.9	14.6	1.6	331	3.65	40
CBD005	30.00	30.85	0.85	7720	0.01	0.51	29.9	21.5	0.84	174.5	5.8	28
CBD005	30.85	31.40	0.55	7721	0.01	0.78	38.7	46.8	1.36	179	12	52
CBD005	31.40	32.00	0.60	7722	-0.01	0.04	3.4	1.9	0.09	6.4	0.34	193
CBD005	32.00	32.30	0.30	7723	0.01	0.28	14.8	3.1	0.69	9.3	0.44	151
CBD005	32.30	32.65	0.35	7724	0.01	0.14	27.4	2.7	0.73	7.8	0.67	53
CBD005	32.65	33.50	0.85	7725	0.01	0.15	26.5	3.6	0.35	9.2	0.62	63
CBD005	44.55	45.85	1.30	7726	0.01	0.36	55.8	5.1	0.34	17.9	1.23	66
CBD005	45.85	46.65	0.80	7727	0.01	0.47	50.4	3.6	1.45	13.5	0.87	42
CBD005	46.65	47.65	1.00	7728	0.01	0.43	54.8	4.4	0.88	21	1.07	33
CBD005	47.65	48.60	0.95	7729	0.01	0.39	43.7	5.1	0.81	15.4	1.31	30
CBD005	48.60	49.70	1.10	7731	0.02	0.51	46.5	6.2	0.72	19.3	1.79	39
CBD005	49.70	50.70	1.00	7732	0.02	1.31	73.8	53.3	0.69	251	14.55	97
CBD005	50.70	51.70	1.00	7733	0.02	0.89	71.7	28.6	0.71	71.1	7.05	34
CBD005	51.70	52.83	1.13	7734	0.01	0.55	51	11.9	0.65	19.5	2.99	35
CBD005	52.83	53.75	0.92	7735	0.01	0.42	27.7	14.4	0.73	31	4	60
CBD005	53.75	54.82	1.07	7736	0.01	0.37	17.3	10.1	1.26	26.2	2.65	54
CBD005	54.82	55.13	0.31	7737	0.02	1.61	108	8.6	3.36	55.8	2.19	97
CBD005	55.13	56.05	0.92	7738	0.01	0.23	14.4	4	1.14	12.9	0.97	67
CBD005	56.05	56.80	0.75	7739	0.01	0.20	12.8	4.3	0.56	49.1	1.1	62
CBD005	56.80	57.45	0.65	7740	0.01	0.26	34.1	2.8	0.39	25.1	0.54	34
CBD005	57.45	58.60	1.15	7741	0.01	0.21	17	5.8	0.4	75.4	1.35	37
CBD005	58.60	59.80	1.20	7742	0.01	0.39	26.4	17	0.47	420	4.91	44
CBD005	68.61	69.55	0.94	7743	0.01	0.16	28.5	5.4	0.37	8.5	1.24	59
CBD005	69.55	69.85	0.30	7744	0.01	0.20	24	7.8	0.43	34.5	1.87	76
CBD005	69.85	71.10	1.25	7745	0.01	0.20	31.2	7.7	0.43	11.2	1.19	68
CBD005	79.00	80.05	1.05	7746	0.02	0.50	55.1	10.5	0.71	33	2.44	60
CBD005	80.05	80.80	0.75	7747	0.02	5.77	61.3	263	2.09	3990	43.6	3380
CBD005	80.80	81.78	0.98	7748	0.03	0.63	71.3	6.1	0.52	18.5	1.28	63
CBD005	108.45	109.30	0.85	7749	0.01	0.27	55	5	0.58	31.1	1.23	69
CBD005	109.30	109.60	0.30	7750	0.03	0.35	63.2	7.1	3.71	38.3	1.84	246
CBD005	109.60	111.15	1.55	8001	0.01	0.17	27.8	4.1	0.58	12.2	0.87	85
CBD005	111.15	112.00	0.85	8003	0.01	0.15	11.8	5.9	0.4	5.2	0.97	94
CBD005	112.00	112.65	0.65	8004	0.01	0.13	11.2	4	0.63	7.8	0.97	140
CBD005	135.15	136.25	1.10	8005	-0.01	0.11	9.1	4.3	1.04	14.7	1.04	101

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD005	136.25	137.25	1.00	8006	0.01	0.13	27.3	4	2.04	19.7	0.74	95
CBD005	137.25	138.25	1.00	8007	0.01	0.17	12.7	7	4.84	112	1.12	171
CBD005	138.25	139.25	1.00	8008	0.01	0.32	59.5	24.6	4.46	221	3.41	122
CBD005	139.25	139.65	0.40	8009	0.01	0.17	29.4	4.5	2.36	32.5	1.1	52
CBD005	139.65	140.05	0.40	8010	0.01	0.21	32.6	4.3	2.84	45.5	1.13	40
CBD005	140.05	140.35	0.30	8011	0.01	0.20	29.8	8.3	2.64	81.4	1.55	331
CBD005	140.35	141.13	0.78	8012	0.01	0.50	48.1	58.9	3.84	2160	4.9	337
CBD005	141.13	142.30	1.17	8013	0.01	0.20	32.2	9.3	4.09	68.7	1.75	68
CBD005	142.30	142.85	0.55	8014	-0.01	0.03	4.5	7.2	0.5	15.8	0.73	126
CBD005	142.85	143.15	0.30	8015	0.01	0.19	21.2	23.8	1.98	78.1	3.29	118
CBD005	143.15	144.00	0.85	8016	0.01	0.17	41.8	3.6	2.83	35.5	0.84	92
CBD005	144.00	145.00	1.00	8017	0.01	0.22	21.4	5.5	3.57	61.6	1.31	50
CBD005	145.00	145.55	0.55	8018	0.01	0.33	32.2	10.5	3.82	62.4	2.57	51
CBD005	145.55	146.75	1.20	8019	0.01	0.28	28.8	6.8	1.25	25.7	1.63	46
CBD005	146.75	147.15	0.40	8092	0.01	0.29	73	12.2	1.46	23.1	1.38	261
CBD005	147.15	148.05	0.90	8093	0.01	0.17	19.3	9.6	1.72	66	1.08	229
CBD005	148.05	149.55	1.50	8094	-0.01	0.07	17.9	3.9	1.65	13.9	0.57	86
CBD005	149.55	151.00	1.45	8095	-0.01	0.05	10.3	4.6	0.59	10.3	0.64	82
CBD005	151.00	152.50	1.50	8096	-0.01	0.04	5.8	3.5	0.44	8.6	0.5	75
CBD005	152.50	154.00	1.50	8097	-0.01	0.05	10.5	4.3	0.67	8.4	0.62	64
CBD005	154.00	155.50	1.50	8098	-0.01	0.05	7.8	4.9	0.36	6.3	0.97	66
CBD005	155.50	157.00	1.50	8099	-0.01	0.04	4.9	2.8	0.51	6.8	0.48	55
CBD005	157.00	158.50	1.50	8100	-0.01	0.05	4.5	3.6	1	6.5	0.53	65
CBD005	158.50	160.07	1.57	8101	-0.01	0.07	6.9	4	1.63	5.7	0.72	53
CBD005	160.07	160.67	0.60	8102	-0.01	0.05	4.8	3	0.54	5	0.46	53
CBD005	160.67	162.00	1.33	8103	0.01	0.13	15	5.4	0.68	10.6	0.91	54
CBD005	162.00	163.00	1.00	8104	-0.01	0.06	4.3	3.9	0.34	6.5	0.74	53
CBD005	163.00	164.25	1.25	8105	-0.01	0.10	7.8	5	0.41	6.9	1.06	67
CBD005	164.25	165.30	1.05	8106	0.01	0.09	10.6	6.3	0.8	6.4	1.33	77
CBD005	165.30	166.80	1.50	8107	-0.01	0.16	57.8	11.7	2.3	13.3	2.9	92
CBD005	166.80	168.30	1.50	8108	0.01	0.20	41.6	14	6.3	16.1	3.13	83
CBD005	168.30	169.65	1.35	8109	0.01	0.11	17.3	7.8	2.83	8.1	1.6	85
CBD005	169.65	171.25	1.60	8020	0.01	0.06	11.1	4.7	0.38	3.6	0.94	88
CBD005	171.25	171.95	0.70	8021	0.01	0.15	15.5	5.3	0.12	5.9	1.12	103
CBD005	171.95	173.05	1.10	8022	0.01	0.98	60.7	130	1.08	1395	33.7	273
CBD005	173.05	174.00	0.95	8023	-0.01	0.26	20.3	32	2.98	1285	3.15	382
CBD005	174.00	175.00	1.00	8024	0.01	0.16	18.2	9.4	1.57	272	1.29	297
CBD005	175.00	176.25	1.25	8025	0.01	0.28	20.9	62.5	2.49	339	4.87	1060
CBD005	176.25	177.25	1.00	8027	-0.01	0.04	3.2	2.6	0.6	7.7	0.45	199
CBD005	177.25	178.30	1.05	8028	-0.01	0.06	2.9	2.7	1.21	5.5	0.47	201
CBD005	178.30	179.70	1.40	8029	-0.01	0.02	0.9	1.8	0.35	3.8	0.28	219
CBD005	179.70	180.80	1.10	8030	0.01	0.04	2.6	4.3	0.29	7.3	0.9	223
CBD005	180.80	181.85	1.05	8031	0.01	0.08	13.7	5.8	0.33	11.3	1.15	270

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD005	181.85	182.45	0.60	8032	-0.01	0.05	1.3	1.7	0.13	18.6	0.19	151
CBD005	182.45	183.35	0.90	8033	0.01	0.76	79.1	134.5	4.15	755	17.2	595
CBD005	183.35	184.15	0.80	8034	0.01	1.20	115	196	8.05	1595	21.7	785
CBD005	184.15	185.20	1.05	8035	0.01	0.83	66.3	96.3	2.92	588	9.87	832
CBD005	185.20	186.50	1.30	8036	-0.01	0.33	28.9	72.1	8.82	189.5	5.78	638
CBD005	186.50	187.40	0.90	8037	-0.01	0.04	4.7	7	0.26	46.3	0.25	332
CBD005	187.40	188.25	0.85	8038	-0.01	0.01	2.1	1.4	0.11	13.8	0.16	262
CBD005	188.25	189.26	1.01	8039	-0.01	0.01	2.1	2.8	0.09	11.3	0.08	247
CBD005	189.26	190.40	1.14	8040	-0.01	0.02	1.7	2.7	0.2	14.6	0.17	225
CBD005	190.40	191.84	1.44	8041	-0.01	0.06	2.1	16.7	0.26	32.5	0.18	274
CBD005	191.84	192.25	0.41	8042	-0.01	0.06	2.6	6.8	0.12	28.3	0.08	362
CBD005	192.25	192.85	0.60	8043	-0.01	0.03	2.5	13.8	0.1	22.6	0.1	371
CBD005	192.85	193.85	1.00	8044	-0.01	0.43	8.5	57	1.75	394	0.36	496
CBD005	193.85	194.60	0.75	8045	-0.01	0.80	11.7	103.5	6.46	423	1.65	1360
CBD005	194.60	195.10	0.50	8046	0.01	8.98	99	4880	25.2	4660	1.13	17050
CBD005	195.10	195.70	0.60	8047	-0.01	0.23	3	66	0.26	1665	0.21	2090
CBD005	195.70	196.97	1.27	8048	-0.01	0.07	3.7	12.5	0.59	194.5	1.31	320
CBD005	196.97	197.90	0.93	8049	0.01	0.03	3.8	8.3	0.31	57.3	1.36	339
CBD005	197.90	198.90	1.00	8051	-0.01	0.09	3.4	11.5	0.27	70.2	1.12	351
CBD005	198.90	199.95	1.05	8052	-0.01	0.03	2.7	5.8	0.19	54.7	0.94	400
CBD005	199.95	200.90	0.95	8053	-0.01	0.80	5.9	88.6	1.73	1750	0.79	2210
CBD005	200.90	202.30	1.40	8054	-0.01	0.72	6.6	66.6	1.01	1335	0.9	1040
CBD005	202.30	203.70	1.40	8055	-0.01	1.05	6.9	346	0.52	2990	1.13	4200
CBD005	203.70	204.45	0.75	8056	-0.01	0.50	5.9	451	0.44	2840	1.44	4340
CBD005	204.45	205.75	1.30	8057	-0.01	0.18	3.5	34.6	0.38	534	0.84	1060
CBD005	205.75	206.90	1.15	8058	-0.01	0.24	4.1	37.6	0.88	589	0.49	1260
CBD005	206.90	208.25	1.35	8059	-0.01	0.19	3.1	20.8	1.45	324	0.29	843
CBD005	208.25	209.65	1.40	8060	0.01	2.17	16.3	87.6	1.1	2780	0.42	2410
CBD005	209.65	210.05	0.40	8061	0.01	34.30	103.5	10100	11.8	5310	0.86	8320
CBD005	210.05	210.75	0.70	8062	0.02	49.60	285	18900	8.89	4190	1.99	8310
CBD005	210.75	211.75	1.00	8064	-0.01	2.25	19.9	573	1.28	685	0.35	1570
CBD005	211.75	212.75	1.00	8065	-0.01	0.46	9.4	24.9	1.49	292	0.3	543
CBD005	212.75	213.75	1.00	8066	0.01	1.70	32.1	1250	6.42	525	0.59	1160
CBD005	213.75	214.90	1.15	8067	0.02	29.80	268	17350	17.7	12400	2.7	22400
CBD005	214.90	215.68	0.78	8068	0.01	19.25	75	7800	9.19	2500	0.61	5950
CBD005	215.68	216.50	0.82	8069	-0.01	0.59	20.2	286	3.07	575	0.26	1960
CBD005	216.50	217.45	0.95	8070	-0.01	0.13	4.7	32.5	4.75	194	0.12	934
CBD005	217.45	218.70	1.25	8071	0.01	7.76	42.6	2820	56	16900	1.91	29400
CBD005	218.70	219.60	0.90	8072	0.01	1.79	74.7	790	46.1	3620	1.16	13250
CBD005	219.60	220.60	1.00	8073	0.01	2.76	56.8	757	39.6	5860	2.15	12950
CBD005	220.60	221.85	1.25	8074	0.01	1.91	27.3	448	8.44	5720	0.75	7200
CBD005	221.85	222.45	0.60	8075	0.01	1.08	41.7	95.1	12.05	652	5.95	695
CBD005	222.45	224.01	1.56	8076	-0.01	0.06	1.9	8.4	0.74	71.6	0.31	250

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD005	224.01	225.70	1.69	8077	-0.01	0.15	0.7	2.1	0.22	20.8	0.1	83
CBD005	225.70	227.18	1.48	8078	-0.01	0.06	0.9	3.9	0.23	50.3	0.14	179
CBD005	227.18	227.65	0.47	8079	0.01	5.12	95.6	758	21.4	7850	5.49	6940
CBD005	227.65	228.30	0.65	8080	-0.01	0.72	19.4	448	6.79	1015	1.26	1240
CBD005	228.30	228.60	0.30	8081	-0.01	6.26	12	873	6.13	16200	1.35	17500
CBD005	228.60	229.60	1.00	8082	-0.01	0.50	7	101.5	4.19	875	0.37	870
CBD005	229.60	231.00	1.40	8083	-0.01	0.36	22.4	111	3.63	287	1.01	895
CBD005	231.00	232.05	1.05	8084	-0.01	0.34	15	118	3.39	342	0.89	511
CBD005	232.05	232.35	0.30	8085	-0.01	1.65	3.1	135	7.68	3640	0.21	7120
CBD005	232.35	233.45	1.10	8086	-0.01	0.14	6.5	36.5	2.68	64.7	0.59	605
CBD005	233.45	234.80	1.35	8087	-0.01	0.60	7.7	43.1	0.92	275	0.47	713
CBD005	234.80	235.80	1.00	8088	-0.01	0.53	10.6	76.5	4.8	438	0.73	1000
CBD005	235.80	236.45	0.65	8089	0.01	4.05	52.1	1045	2.74	7590	0.78	12050
CBD005	236.45	237.55	1.10	8090	-0.01	0.16	4.3	30.8	1.05	88.3	0.21	351
CBD007	2.30	3.30	1.00	8848	0.01	0.54	22.1	15.9	1.59	43.7	1.21	255
CBD007	3.30	4.76	1.46	8849	-0.01	0.18	17.9	36.5	0.46	15.9	5.59	146
CBD007	4.76	6.20	1.44	8850	-0.01	0.20	24.1	60	0.41	41.4	6.37	133
CBD007	6.20	7.00	0.80	8851	0.02	2.05	67.9	14.7	3.12	945	1.92	201
CBD007	7.00	7.85	0.85	8852	0.01	0.25	46.3	7.3	0.76	18.6	0.9	60
CBD007	7.85	9.20	1.35	8853	0.01	0.45	37.8	8.2	3.2	30.6	1.03	83
CBD007	9.20	10.65	1.45	8854	0.01	0.48	29.4	20.3	1.98	24.6	3	56
CBD007	10.65	11.65	1.00	8855	0.01	0.48	33.2	8.2	7.33	17.7	1.22	64
CBD007	11.65	12.40	0.75	8856	0.01	0.47	42.3	9.8	4.79	25.9	1.72	83
CBD007	12.40	13.20	0.80	8857	0.01	0.18	14.4	4.6	1.25	41.6	0.68	27
CBD007	13.20	13.70	0.50	8858	-0.01	0.25	11.4	8.3	3.15	110	0.6	99
CBD007	13.70	15.20	1.50	8859	-0.01	0.14	8.7	6.8	0.76	29.4	0.55	61
CBD007	15.20	16.70	1.50	8861	0.01	0.20	14.1	4.8	0.73	49.5	0.67	35
CBD007	16.70	18.14	1.44	8862	-0.01	0.17	11.5	4.1	0.29	19.8	0.46	43
CBD007	18.14	19.35	1.21	8863	-0.01	0.20	12.8	5.2	0.5	24.9	0.34	102
CBD007	19.35	20.85	1.50	8864	0.01	0.37	72.3	8.3	1.5	93.2	0.43	414
CBD007	20.85	22.30	1.45	8865	0.01	0.21	38.2	11.6	0.82	87.2	0.3	301
CBD007	22.30	23.80	1.50	8866	0.01	0.21	37.5	6.5	2.42	70	0.32	127
CBD007	23.80	25.30	1.50	8867	0.01	0.28	31.1	4.6	2.38	80	0.48	67
CBD007	25.30	26.80	1.50	8868	0.01	0.19	27.6	3.2	0.91	66.9	0.5	78
CBD007	26.80	28.20	1.40	8869	0.05	0.25	67.5	4.6	0.91	75.9	0.53	312
CBD007	28.20	29.70	1.50	8870	0.04	0.24	58.8	5.9	0.45	123.5	0.77	340
CBD007	29.70	31.20	1.50	8871	0.02	0.25	47.3	7.1	0.6	169.5	0.99	177
CBD007	31.20	32.70	1.50	8872	0.01	0.17	39.9	4.5	0.48	17	0.66	46
CBD007	32.70	34.20	1.50	8873	0.01	0.34	63.8	8.3	1.68	31.8	1.09	73
CBD007	34.20	34.98	0.78	8874	0.01	0.23	29	10.9	2.08	63.8	1.5	191
CBD007	34.98	36.30	1.32	8875	0.01	0.47	57	21.8	1.67	224	2.63	723
CBD007	36.30	37.85	1.55	8876	0.02	0.39	83.7	16.9	0.94	147	2.04	312
CBD007	37.85	38.60	0.75	8877	0.02	1.36	82.2	52.9	0.85	3480	2.06	4150

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD007	38.60	39.81	1.21	8878	0.01	0.38	78.5	8.2	0.66	41.6	1.2	163
CBD007	39.81	41.23	1.42	8879	0.01	0.37	59.7	8.6	0.5	58	1.13	104
CBD007	41.23	42.73	1.50	8880	0.01	0.15	18.4	5.5	0.43	31.7	0.84	111
CBD007	42.73	44.10	1.37	8882	0.01	0.16	36.3	6.2	0.41	56.4	0.91	84
CBD007	44.10	45.50	1.40	8883	0.01	0.19	23.4	6.1	0.31	78.2	0.74	193
CBD007	45.50	47.00	1.50	8462	0.01	0.14	15.9	5.5	0.45	50.9	0.89	57
CBD007	47.00	48.35	1.35	8463	0.01	0.19	19	9.6	0.45	54.2	2.25	51
CBD007	48.35	49.75	1.40	8464	0.01	0.19	19.7	11.1	0.77	44.1	2.36	52
CBD007	49.75	50.37	0.62	8465	0.01	0.37	23.7	34	0.59	82.4	8.05	68
CBD007	50.37	51.30	0.93	8466	-0.01	0.25	8.7	11.6	2.73	249	2.93	144
CBD007	51.30	52.30	1.00	8467	-0.01	0.34	4.1	21.6	1.54	166	2.64	29
CBD007	52.30	53.30	1.00	8468	-0.01	0.28	4.2	14.2	1.55	56	3.26	19
CBD007	53.30	54.30	1.00	8469	-0.01	1.12	11.7	37.8	3.33	76.6	8.14	108
CBD007	54.30	54.70	0.40	8470	0.01	0.11	8.3	13.7	0.71	24.1	2.11	251
CBD007	54.70	55.70	1.00	8471	-0.01	0.13	23.9	43.4	0.29	12.3	7.61	105
CBD007	55.70	56.80	1.10	8472	-0.01	0.08	16.9	18.1	0.38	17.3	4.15	119
CBD007	56.80	57.80	1.00	8473	0.01	0.41	74.6	104	0.93	18.1	26.4	126
CBD007	57.80	58.60	0.80	8474	0.01	0.71	91.3	54.2	1.32	827	6.91	750
CBD007	58.60	59.60	1.00	8475	0.01	2.17	108	393	2.52	2240	56.7	3900
CBD007	59.60	60.10	0.50	8476	0.01	1.29	27.9	99.4	1.72	3700	14.05	3600
CBD007	60.10	60.90	0.80	8477	0.01	0.84	49.6	95.3	1.65	2350	11.15	3240
CBD007	60.90	62.35	1.45	8478	0.01	0.52	97.3	11.5	2.01	88.5	2.32	61
CBD007	62.35	63.60	1.25	8480	0.01	0.43	109.5	8.9	1.67	83.3	1.54	59
CBD007	63.60	65.00	1.40	8481	-0.01	0.07	10.6	2.9	0.12	31.5	0.34	82
CBD007	65.00	66.15	1.15	8482	0.01	0.40	19.2	45.9	2.16	622	5.36	893
CBD007	66.15	66.90	0.75	8483	0.01	0.90	32.4	239	1.06	1940	7.64	5060
CBD007	66.90	67.90	1.00	8484	0.01	1.00	38	105.5	3.47	3020	6.11	4230
CBD007	67.90	68.70	0.80	8485	0.04	3.38	171.5	525	3.31	12200	19.05	21500
CBD007	68.70	69.45	0.75	8486	0.02	3.94	330	2500	2.9	6730	53.5	15150
CBD007	69.45	70.10	0.65	8487	0.01	1.69	82.7	189.5	2.6	3190	24.7	4140
CBD007	70.10	70.85	0.75	8488	0.01	2.09	71.5	214	4.35	5150	26.1	5790
CBD007	70.85	71.78	0.93	8489	0.01	3.77	215	749	12.1	4820	89.9	15850
CBD007	71.78	72.20	0.42	8490	0.03	11.55	978	3790	9.13	20600	300	41500
CBD007	72.20	72.78	0.58	8491	0.06	2.58	345	432	4.01	4050	50.1	2840
CBD007	72.78	73.80	1.02	8493	0.08	23.60	2350	6790	18	29100	580	44300
CBD007	73.80	74.75	0.95	8494	0.03	7.74	532	1370	2.91	6930	166	7140
CBD007	74.75	75.30	0.55	8495	0.02	1.71	101.5	154.5	1.41	1310	27.2	1160
CBD007	75.30	76.25	0.95	8496	0.02	29.40	1540	30800	3.5	157000	245	97700
CBD007	76.25	77.40	1.15	8497	0.15	45.80	2630	16000	28.6	141500	316	101500
CBD007	77.40	78.30	0.90	8498	0.05	54.90	557	4480	6.76	91900	243	97300
CBD007	78.30	79.10	0.80	8499	0.01	1.70	65.1	126	1.06	6500	1.39	9530
CBD007	79.10	80.10	1.00	8500	0.01	0.51	22	14.6	1.15	282	1.32	588
CBD007	80.10	83.10	1.50	8701	-0.01	0.04	1.3	2.7	0.25	26.5	0.23	120

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD007	81.60	83.10	1.50	8702	-0.01	0.03	1.4	2.8	0.22	13.7	0.1	116
CBD007	83.10	84.30	1.20	8884	-0.01	0.06	2.3	4.5	0.3	18.4	0.09	122
CBD007	84.30	84.75	0.45	8885	0.01	0.53	15.5	43.7	0.46	744	4.97	455
CBD007	84.75	85.35	0.60	8886	0.01	0.41	31.7	18.6	1.1	206	1.57	230
CBD007	85.35	85.70	0.35	8887	-0.01	0.11	5.2	14.6	0.31	45.3	0.47	187
CBD007	85.70	86.90	1.20	8888	0.01	1.03	50.1	11.2	1.51	219	0.99	79
CBD007	86.90	87.95	1.05	8889	0.01	1.69	53	6.4	1.6	673	0.7	50
CBD007	87.95	88.45	0.50	8890	0.03	0.93	81.6	9.4	3.52	32.5	0.69	77
CBD007	88.45	88.93	0.48	8891	0.02	0.25	76.3	5.8	1.14	18.5	0.8	45
CBD007	88.93	89.85	0.92	8892	-0.01	0.09	6.3	36	0.36	5.9	0.41	94
CBD007	89.85	90.85	1.00	8893	0.02	1.07	93.2	18.7	3.25	99.7	2.78	97
CBD007	90.85	92.10	1.25	8894	0.03	0.78	147.5	16.3	3.35	1020	1.86	102
CBD007	92.10	93.60	1.50	8895	0.01	0.37	81.1	8.9	3.07	29.8	1.07	42
CBD007	93.60	94.58	0.98	8896	0.03	0.74	115.5	9.8	8.76	26.6	1.12	54
CBD007	94.58	95.90	1.32	8897	0.01	0.52	76	13	3.83	34.1	2.33	26
CBD007	95.90	97.40	1.50	8898	0.01	0.25	51.5	8.8	0.74	16.6	1.43	54
CBD007	97.40	98.55	1.15	8900	0.01	0.25	66.6	7.5	0.47	18.3	1.03	43
CBD007	98.55	99.80	1.25	8901	0.01	0.76	75.5	11.9	0.77	34.3	1.8	75
CBD007	99.80	100.27	0.47	8902	0.01	0.52	33.8	71.6	0.57	443	10.1	273
CBD007	100.27	101.45	1.18	8903	0.01	0.66	103	8.3	1.2	51.6	1.28	100
CBD007	101.45	102.62	1.17	8904	0.02	0.85	153.5	12	3.52	555	1.67	124
CBD007	102.62	103.95	1.33	8905	0.01	0.49	79	12.1	1.16	123	1.54	110
CBD007	103.95	105.20	1.25	8906	0.01	0.41	68.8	18.3	0.76	27.3	3.08	83
CBD007	105.20	106.70	1.50	8907	0.01	0.42	68.4	15.8	1.03	66.8	2.62	152
CBD007	106.70	108.20	1.50	8908	0.01	0.68	61.5	13.2	1.85	45	2.21	86
CBD007	108.20	108.78	0.58	8909	0.02	1.91	23.7	42.8	1.49	346	9.36	375
CBD007	108.78	109.80	1.02	8910	0.01	2.71	29.2	99.3	0.63	3260	15.45	4730
CBD007	109.80	110.50	0.70	8911	0.01	1.25	24.3	44.9	3.45	816	6.76	1020
CBD007	110.50	111.30	0.80	8912	0.04	2.23	54.9	82.6	0.51	1425	8.22	2580
CBD007	111.30	112.35	1.05	8913	0.07	1.70	43.2	12.6	1.37	51.1	1.34	111
CBD007	112.35	113.35	1.00	8914	0.01	0.39	47.7	6.8	2.49	64.8	0.75	125
CBD007	113.35	114.40	1.05	8915	0.02	0.71	67	8.8	3.73	27.1	1.04	36
CBD007	114.40	115.90	1.50	8916	0.01	0.43	61.1	11.6	1.65	20.8	1.02	36
CBD007	115.90	117.28	1.38	8917	0.01	0.31	67.8	11.3	0.63	20.7	1.83	60
CBD007	117.28	117.58	0.30	8918	0.02	0.34	72.7	11.5	1.12	29.5	1.65	86
CBD007	117.58	117.96	0.38	8919	0.01	0.33	57.3	18.4	1	130.5	1.25	428
CBD007	117.96	118.26	0.30	8921	0.01	0.83	44.9	20.2	11.65	464	2.54	530
CBD007	118.26	119.57	1.31	8922	0.02	0.45	70.8	9	1.4	31.4	1.31	54
CBD007	119.57	119.87	0.30	8923	0.01	0.94	95	28.7	21.8	1060	1.68	1400
CBD007	119.87	121.35	1.48	8924	0.02	0.46	71.7	6.4	5.89	56.1	0.83	80
CBD007	121.35	122.80	1.45	8925	0.01	0.37	84.1	5.8	1.39	40.2	1.09	97
CBD007	122.80	124.30	1.50	8926	0.01	0.39	73.2	5.2	1.66	42.9	0.75	79
CBD007	124.30	125.70	1.40	8927	0.01	0.36	61.5	8	1.73	171.5	0.75	123

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD007	125.70	127.20	1.50	8928	0.02	0.44	54.2	4.1	2.65	39.8	0.7	51
CBD007	127.20	128.70	1.50	8929	0.01	0.35	36	5	1.19	29.5	0.76	69
CBD007	128.70	129.45	0.75	8930	0.01	1.09	25.5	4.8	0.87	20.6	0.8	56
CBD007	129.45	130.95	1.50	8931	0.01	0.23	42.2	5.8	0.91	20.2	0.76	34
CBD007	130.95	132.45	1.50	8932	0.01	0.48	64	11	0.83	27.5	1.72	138
CBD007	132.45	133.95	1.50	8933	0.02	0.39	82.1	7.9	0.77	43.1	1.1	60
CBD007	133.95	135.45	1.50	8934	0.02	0.29	66.2	4.1	1.1	57.8	0.61	44
CBD007	135.45	136.30	0.85	8935	0.04	0.84	84.2	17	5.16	80.4	2.19	254
CBD007	136.30	137.35	1.05	8936	0.01	0.41	47.3	14.3	1.28	177.5	1.46	163
CBD007	137.35	137.70	0.35	8937	0.01	2.47	155.5	641	1.13	10650	10.6	15650
CBD007	137.70	138.60	0.90	8938	0.01	0.40	39.1	14.6	0.79	92.8	1.47	266
CBD007	138.60	139.31	0.71	8939	0.01	0.32	13.9	11.3	0.7	32.1	0.86	356
CBD007	139.31	140.10	0.79	8940	-0.01	0.01	4.1	0.6	0.22	13.3	0.4	551
CBD007	140.10	141.05	0.95	8942	0.01	0.01	7.3	1.1	0.25	21.4	1.07	335
CBD007	141.05	142.05	1.00	8943	0.01	0.54	34.7	92	0.07	59.8	4.22	574
CBD007	142.05	142.55	0.50	8944	0.01	1.35	20	57.9	0.34	34.2	8.69	1280
CBD007	142.55	143.05	0.50	8945	0.01	0.09	18	3.1	0.06	12.8	2.36	77
CBD007	143.05	143.45	0.40	8946	0.01	0.36	35.7	18.9	0.08	36.3	8.31	140
CBD007	143.45	143.85	0.40	8947	-0.01	0.77	37.6	65.6	0.16	37.9	11.9	609
CBD007	143.85	144.60	0.75	8948	0.01	0.39	25	33.6	0.34	113.5	3.84	395
CBD007	144.60	145.48	0.88	8949	0.01	0.32	25.8	19.4	0.46	20.8	1.9	636
CBD007	145.48	146.25	0.77	8950	0.01	0.21	11.9	9.2	0.29	12.8	1.89	322
CBD007	146.25	147.60	1.35	8951	0.01	0.39	33.5	14	1.06	57.5	2.4	205
CBD007	147.60	149.10	1.50	8952	0.01	0.34	22.5	14.3	1.23	154.5	3.29	218
CBD007	149.10	150.60	1.50	8953	0.01	0.32	24.5	7.3	0.96	133	1.67	235
CBD007	150.60	151.45	0.85	8954	0.01	0.42	23.6	8.6	1.32	72.1	0.45	144
CBD007	151.45	152.45	1.00	8955	0.02	1.05	23.1	13.6	0.48	429	1.91	719
CBD007	152.45	153.70	1.25	8956	0.01	0.38	20.9	17.8	0.44	476	4.48	549
CBD007	153.70	154.27	0.57	8957	0.01	0.72	12.6	94.7	0.25	4170	4.81	7420
CBD007	154.27	155.10	0.83	8958	0.01	0.63	15.3	43.1	1.67	522	1.1	2580
CBD007	155.10	155.40	0.30	8959	0.03	0.71	26.1	5.3	11.3	55.6	0.61	205
CBD007	155.40	156.25	0.85	8960	0.01	1.02	51.4	31.4	33.1	2820	1.6	4150
CBD007	156.25	157.10	0.85	8961	0.03	3.94	18.2	32.8	3.82	9980	1.5	14250
CBD007	157.10	158.33	1.23	8963	0.01	0.58	29.3	24.1	0.81	2440	1.2	3310
CBD007	158.33	159.13	0.80	8964	0.01	4.23	34.1	615	1.13	5800	3.18	44300
CBD007	159.13	160.05	0.92	8965	0.01	7.38	39.7	800	2.22	42900	3.99	57800
CBD007	160.05	160.83	0.78	8966	-0.01	1.23	51.4	222	0.97	3910	8.24	9850
CBD007	160.83	161.88	1.05	8967	-0.01	1.68	13.4	92.7	0.49	2410	2.77	12950
CBD007	161.88	162.60	0.72	8968	0.01	0.20	18.3	6.5	0.3	694	0.36	1220
CBD007	162.60	163.50	0.90	8969	0.02	0.17	29	4.3	0.32	121	0.56	216
CBD007	163.50	164.35	0.85	8970	0.01	0.16	13.6	2	0.29	62.7	0.28	153
CBD007	164.35	165.85	1.50	8971	0.01	0.32	17.6	3.1	0.68	65.2	0.4	191
CBD007	165.85	167.10	1.25	8972	0.01	0.36	8.7	3.1	1.87	73.9	0.37	387

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD007	167.10	168.30	1.20	8973	0.01	0.41	8.6	11.6	0.93	675	1.35	1080
CBD007	168.30	169.45	1.15	8974	0.01	0.27	21.5	6.5	0.33	27.8	1.63	64
CBD007	169.45	170.20	0.75	8975	0.01	0.21	10.3	21.8	0.38	18.8	2.22	110
CBD007	170.20	170.98	0.78	8976	0.01	0.38	1.6	8.7	0.23	3570	0.59	3730
CBD007	170.98	171.85	0.87	8977	0.01	0.12	1.4	4.3	0.24	378	0.65	622
CBD007	171.85	172.75	0.90	8978	0.01	0.05	1.5	5.9	0.4	40.2	0.82	109
CBD007	172.75	174.05	1.30	8979	-0.01	0.06	2.5	3.1	0.29	16.5	0.31	165
CBD007	174.05	175.15	1.10	8980	0.01	0.16	21.1	11.8	0.48	29.3	0.65	495
CBD007	175.15	176.27	1.12	8981	0.01	0.44	17.8	46.6	0.38	65.8	1.22	2910
CBD007	176.27	176.92	0.65	8982	-0.01	0.30	7.1	25.6	0.52	28.4	3.29	741
CBD007	176.92	177.85	0.93	8984	0.01	0.32	9.2	29.1	0.36	42.6	6.52	313
CBD007	177.85	178.20	0.35	8985	0.01	0.05	2.3	5.8	0.34	10.3	1.03	200
CBD007	178.20	179.37	1.17	8986	0.01	0.23	21.3	29.2	0.25	418	4.55	335
CBD007	179.37	179.95	0.58	8987	0.01	0.14	2.6	8.7	0.51	20.4	1.77	220
CBD007	179.95	180.75	0.80	8988	0.02	0.25	36.5	14.2	1.52	31.9	0.43	693
CBD007	180.75	181.38	0.63	8989	0.03	1.13	62.4	39	2.85	301	0.55	1860
CBD007	181.38	182.50	1.12	8990	0.01	0.39	34.4	32.4	2.99	338	2.73	132
CBD007	182.50	183.50	1.00	8991	-0.01	0.09	10.1	25.4	0.09	9.3	0.45	133
CBD007	183.50	184.70	1.20	8992	0.01	0.31	17	21	0.5	16	3.93	96
CBD007	184.70	186.20	1.50	8993	0.01	0.27	24.4	4.1	0.24	46.9	0.44	73
CBD007	186.20	187.70	1.50	8994	0.01	0.44	19.8	5.7	0.42	16.3	0.69	76
CBD007	187.70	189.13	1.43	8995	0.01	0.20	13.5	7.4	0.37	19.1	1.32	150
CBD007	189.13	190.20	1.07	8996	0.01	0.10	11.6	2.7	0.22	6.4	0.25	85
CBD007	190.20	191.20	1.00	8997	0.01	0.16	17.3	2.6	0.36	5.9	0.29	61
CBD007	191.20	192.40	1.20	8998	0.01	0.26	25.7	7.6	1.2	27	0.97	70
CBD007	192.40	193.60	1.20	8999	0.01	0.27	20.8	4.3	0.46	17.8	0.49	215
CBD007	193.60	194.23	0.63	9000	0.01	0.04	5.5	3	0.35	11.6	0.07	44
CBD007	194.23	195.08	0.85	9001	0.01	0.77	12.9	84.8	4.02	4300	3.2	4590
CBD007	195.08	196.15	1.07	9002	0.01	0.11	3.5	7.1	0.83	487	0.2	892
CBD007	196.15	197.65	1.50	9003	0.01	0.19	32.9	2.5	1.56	74.4	0.2	122
CBD007	197.65	199.15	1.50	9005	0.01	0.17	25.7	2.9	1.99	33.2	0.33	74
CBD007	199.15	200.27	1.12	9006	0.01	0.26	37.1	4.3	0.61	13.9	0.62	103
CBD007	200.27	200.80	0.53	9007	0.01	0.04	0.9	2.1	0.17	15.8	0.23	388
CBD007	200.80	202.30	1.50	9008	0.02	0.38	111.5	7.8	1.04	12.4	1.2	165
CBD007	202.30	203.75	1.45	9009	0.03	0.48	154.5	9.9	1.52	25.6	1.58	176
CBD007	203.75	204.05	0.30	9010	0.01	0.20	62.1	2.9	0.25	10.1	0.44	172
CBD007	204.05	205.15	1.10	9011	0.02	0.44	100	9	1.29	23.1	1.01	166
CBD007	205.15	206.25	1.10	9012	0.02	0.45	119.5	8.9	0.93	35.1	1.11	235
CBD007	206.25	207.40	1.15	9013	0.02	0.58	139.5	7.3	1.75	70.5	1.07	200
CBD007	207.40	208.07	0.67	9014	0.04	4.55	107.5	816	6.72	12850	3.5	21100
CBD007	208.07	209.30	1.23	9015	0.02	0.38	77.6	9.1	1.74	54	0.9	342
CBD007	209.30	210.00	0.70	9016	0.01	0.15	5	8	0.22	37.3	0.59	609
CBD007	210.00	210.50	0.50	9017	0.03	0.83	155.5	26.9	1.65	75.2	4.26	585

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD007	210.50	211.60	1.10	9018	0.01	0.59	121	8.9	20.8	39.8	1.49	91
CBD007	211.60	212.90	1.30	9019	0.04	0.69	247	9.8	2.27	57.9	1.49	183
CBD007	212.90	213.85	0.95	9020	0.02	0.45	110	7.1	0.76	35.2	1.35	102
CBD007	213.85	215.10	1.25	9021	0.01	0.21	71.8	6.2	0.57	22.4	0.93	61
CBD007	215.10	216.60	1.50	9022	0.01	0.21	73.3	5.7	0.34	21.9	1.13	216
CBD007	216.60	217.75	1.15	9023	0.03	1.23	156	11.2	0.51	138.5	1.59	175
CBD007	217.75	218.80	1.05	9024	0.01	0.45	34.1	33.1	0.22	1475	2.48	844
CBD007	218.80	219.70	0.90	9026	0.02	0.47	145.5	9.6	0.3	35.8	1.93	198
CBD007	219.70	220.82	1.12	9027	0.03	1.92	82.8	139.5	1.97	5470	2.81	6490
CBD007	220.82	221.75	0.93	9028	0.01	0.87	48.7	151.5	1.29	6070	2.72	4720
CBD007	221.75	222.82	1.07	9029	0.02	0.45	108.5	13.4	0.92	215	1.15	339
CBD007	222.82	224.45	1.63	9030	0.01	0.04	1.6	3.2	0.1	11.1	0.17	76
CBD007	224.45	224.80	0.35	9031	0.01	0.98	36.3	51.2	1.46	1055	5.65	1280
CBD007	224.80	226.10	1.30	9032	0.02	0.94	153.5	156	5.32	2080	10.1	2760
CBD007	226.10	226.52	0.42	9033	0.01	0.27	70.1	17.3	1.17	389	1.47	657
CBD007	226.52	227.62	1.10	9034	0.02	0.60	92.1	81	4.66	1215	4.09	2190
CBD007	227.62	228.60	0.98	9035	0.01	1.33	73.3	143.5	11.95	3510	7.17	4710
CBD007	228.60	229.50	0.90	9036	0.01	2.50	158	599	6.92	8510	24.9	14500
CBD007	229.50	230.30	0.80	9037	0.01	0.92	38.9	28	2.92	403	2.9	548
CBD007	230.30	231.15	0.85	9038	0.03	10.50	168	450	26	4210	14.45	6730
CBD007	231.15	232.65	1.50	9039	0.03	4.35	142.5	231	7.37	2090	14.55	2620
CBD007	232.65	234.15	1.50	9040	0.01	0.54	36.1	17.3	5.91	222	1.43	280
CBD007	234.15	235.15	1.00	9041	0.01	0.51	30.4	23.8	1.96	210	1.24	264
CBD007	235.15	236.20	1.05	9042	0.01	0.80	46.6	17.8	1.12	273	0.46	1460
CBD007	236.20	237.60	1.40	9043	0.01	2.79	65.1	94.8	5.54	810	9.53	1740
CBD007	237.60	238.82	1.22	9044	0.01	1.27	50.3	51.8	6.89	331	4.67	770
CBD007	238.82	240.42	1.60	9045	0.01	1.38	79.8	53.7	32.3	298	4.55	1220
CBD007	240.42	241.35	0.93	9047	0.01	0.57	78.9	93.7	3.28	1005	3.98	1480
CBD007	241.35	241.95	0.60	9048	0.01	2.47	94	151	9.39	2500	7.87	3440
CBD007	241.95	242.60	0.65	9049	0.01	2.49	88.3	203	12.8	2680	8.83	4560
CBD007	242.60	243.73	1.13	9050	0.03	0.49	118	69.2	8.96	1260	3.2	1220
CBD007	243.73	245.12	1.39	9051	0.01	2.69	108	221	4.45	7100	4.92	5100
CBD007	245.12	245.88	0.76	9052	0.01	0.17	46.1	15.2	9.23	193	0.48	682
CBD007	245.88	246.60	0.72	9053	0.03	1.84	112	199	23.4	5300	3.07	6410
CBD007	246.60	247.80	1.20	9054	0.04	8.06	194.5	1360	11.55	16950	4.77	33300
CBD007	247.80	248.55	0.75	9055	0.02	0.24	75.9	40.6	6.03	1100	1.68	969
CBD007	248.55	249.65	1.10	9056	0.01	0.36	46	92.1	2.41	1455	1.42	2100
CBD007	249.65	250.20	0.55	9057	0.01	0.59	101.5	193.5	3.17	3160	3.51	3460
CBD007	250.20	251.10	0.90	9058	0.01	0.32	46.7	62.5	1.52	1250	2.12	1140
CBD007	251.10	252.55	1.45	9059	0.01	0.73	39.9	49.6	3.19	725	1.26	1030
CBD007	252.55	252.85	0.30	9060	0.01	1.77	77.9	118.5	8.1	1910	4.04	1360
CBD007	252.85	254.10	1.25	9061	0.01	0.43	18.7	4.8	1.43	245	0.14	648
CBD007	254.10	254.97	0.87	9062	0.01	0.12	0.5	2.5	2.56	154.5	-0.05	1140

Hole ID	Depth From	Depth To	Interval Length	Sample ID	Au g/t	Ag g/t	As_ppm	Cu_ppm	Mo_ppm	Pb_ppm	Sb_ppm	Zn_ppm
CBD007	254.97	255.98	1.01	9063	0.01	0.23	1.5	2.8	4.17	271	0.07	774
CBD007	255.98	257.10	1.12	9064	0.01	1.12	24	30.7	3.16	951	0.71	2550
CBD007	257.10	258.10	1.00	9065	0.01	0.70	4.8	23.8	0.39	2290	0.22	3680
CBD007	258.10	259.17	1.07	9066	0.01	0.64	5	20.3	0.51	1350	0.34	1580
CBD007	259.17	260.10	0.93	9068	0.01	0.32	1.8	2.8	3.32	272	0.05	722
CBD007	260.10	261.12	1.02	9069	-0.01	0.26	6.6	3.1	4.61	45.1	0.1	129
CBD007	261.12	262.20	1.08	9070	-0.01	0.17	15.2	10.2	0.59	210	0.78	269
CBD007	262.20	262.70	0.50	9071	-0.01	0.63	26.9	83.1	3.42	1960	2.69	3240
CBD007	262.70	263.90	1.20	9072	-0.01	0.55	30.1	102	1.17	2150	1.55	3970
CBD007	263.90	265.15	1.25	9073	0.01	1.71	43.5	126	3.45	1200	3.26	3110
CBD007	265.15	265.62	0.47	9074	0.01	7.53	76.3	1200	23.3	6590	15.6	7160
CBD007	265.62	266.33	0.71	9075	0.02	4.86	132	1570	5.74	1300	6.98	1900
CBD007	266.33	267.60	1.27	9076	-0.01	0.15	17.7	8.3	0.12	11.1	0.08	189
CBD007	267.60	269.10	1.50	9077	-0.01	0.07	7	5.4	0.11	7.7	0.05	208
CBD007	269.10	270.60	1.50	9078	-0.01	0.09	9.3	5.7	0.26	7.5	0.11	193
CBD007	270.60	270.97	0.37	9079	0.04	2.22	206	421	4.64	2250	23.1	2890
CBD007	270.97	271.55	0.58	9080	0.01	2.38	174	832	34.7	2550	47.4	399
CBD007	271.55	272.35	0.80	9081	0.01	0.13	19.7	5.9	3.18	98.3	0.35	236
CBD007	272.35	273.60	1.25	9082	0.01	1.05	169	999	44.2	446	32.2	372
CBD007	273.60	275.10	1.50	9083	0.01	0.47	71	187.5	6.77	127	12.45	286
CBD007	275.10	276.60	1.50	9084	-0.01	0.21	9.5	14.3	0.86	236	0.59	244
CBD007	276.60	277.13	0.53	9085	0.01	0.52	28.3	73.3	8.47	141	4.67	397
CBD007	277.13	277.90	0.77	9086	-0.01	0.72	37.3	112.5	3.24	257	11.45	205
CBD007	277.90	278.20	0.30	9087	-0.01	0.30	19.8	131	4.4	57	1.58	171
CBD007	278.20	279.60	1.40	9089	-0.01	0.20	4.2	42.5	8.16	15.6	1.36	94
CBD007	279.60	281.10	1.50	9090	-0.01	0.13	0.7	56	2.01	7.1	0.25	79