

## Spectacular Gold Intercepts at Rosella

### Results up to 27.0g/t Au from ongoing open-pit focused drill campaign

#### Highlights

- Results received from drilling at the Rosella and Exocet open pits as part of Vango's 2021 open-pit focused drilling campaign
- Drilling has returned spectacular results at Rosella including:
  - 1m at 4.0 g/t Au from 54m in VRORC0001
  - 3m at 10.0 g/t Au from 80m in VRORC0001 incl 1m @ 27.0 g/t Au from 80m
  - 11m at 4 g/t Au from 83m in VRORC0004 incl. 6m at 6.6 g/t Au from 85m
- These results are in addition to un-mined historical intercepts at Rosella which include:
  - 8m at 10.5 g/t Au from 44m in RODD0062
  - 7m at 5.3 g/t Au from 83m in RORC0031 incl. 1m at 29.7 g/t Au from 86m
  - 2m at 4.4 g/t Au from 24m in PBP01339
  - 5m at 2.8 g/t Au from 71m in PBR1749
  - 5m at 5.4 g/t Au from 59m in PBRC0022 incl. 3m at 1.4 g/t Au from 61m
  - 8m at 3.6 g/t Au from 69m in RORC0030
  - 12m at 2.1 g/t Au from 76m in RORC0032
  - 8m at 3.7 g/t Au from 81m in RORC0034
- Rosella is interpreted as a faulted-off continuation of the adjacent Parrot Open-Pit, offering potential for large-scale open-pit development and mining – Parrot results include: (ASX announcement, 20 October 2021)
  - 3m @ 1.3 g/t Au from 124m in VPARC0002
  - 1m @ 2.5 g/t Au from 177m in VPARC0001
  - 12m @ 2.6 g/t Au from 43m in PARC0073
  - 2m @ 11.1 g/t Au from 99m in PBR7977
  - 8m @ 1.6 g/t Au from 67m in PBRD1753
- Results add to the Resource upgrade potential at the Marymia Gold Project – resource upgrade planned following completion of all open-pit focused drilling
- Results from the final 2 holes at Rosella and from the other phase 1 drilling completed to date are pending and will be released when available

Vango Mining Limited (Vango, ASX: VAN) is pleased to announce exceptional gold intersections from its ongoing open-pit focused drilling campaign at the Company's flagship Marymia Gold Project (Marymia, the Project) in the Mid-West region of Western Australia.

The latest results are from three holes drilled at the Rosella open-pit target and five holes drilled at the Exocet open-pit area. Results from a further two holes at Rosella are pending.




Figure 1 Plan View Rosella Pit Area

## Rosella Open Pit

Rosella is interpreted to be a faulted-off continuation of the Parrot Open Pit. It hosts well-defined gold mineralisation along a moderately north-west dipping structure within mafics and near the contact, with sediments in places. Previous drilling below the existing Rosella pit has shown great potential and Vango's current drilling was designed to test for continuity of gold mineralisation at depth. This drilling has been highly successful, and the results have validated the Company's exploration approach (Figures 1, 2 and 3).

Results from three holes have been received to date, and holes VRORC0001 and VRORC0004 intersected impressive gold with the best intersections detailed here:

- **1m at 4.0 g/t Au from 54m in VRORC0001**
- **3m at 10.0 g/t Au from 80m in VRORC0001 incl 1m @ 27.0 g/t Au from 80m**
- **11m at 4 g/t Au from 83m in VRORC0004 incl. 6m at 6.6 g/t Au from 85m**

These results extend the known gold zones significantly and add to the existing historical intercepts from below the current pit, which include:

- **8m at 10.5 g/t Au from 44m in RODD0062**
- **7m at 5.3 g/t Au from 83m in RORC0031 incl. 1m at 29.7 g/t Au from 86m**
- **2m at 4.4 g/t Au from 24m in PBP01339**
- **5m at 2.8 g/t Au from 71m in PBR1749**
- **5m at 5.4 g/t Au from 59m in PBRC0022 incl. 3m at 1.4 g/t Au from 61m**
- **8m at 3.6 g/t Au from 69m in RORC0030**
- **12m at 2.1 g/t Au from 76m in RORC0032**
- **8m at 3.7 g/t Au from 81m in RORC0034**

Assays from holes VRORC0002 and 0003 are pending, and hole VRORC0005 is interpreted to have drilled to the south of the late fault that separated Parrot and Rosella.




Figure 2 Cross-section Rosella 13740E




Figure 3 Rosella Cross-section 13860E

## Exocet

- **At Exocet 4 of 5 holes drilled intercepted significant gold within an interpreted low angle thrust – these results complement historical intercepts from drilling outside the Exocet pit**

Drilling at Exocet was designed to test below and adjacent to the historical pit. There is significant potential at depth and to the north-east of these historical workings. The mineralisation appears to follow low angle thrust structures in the area and is hosted within ultramafics in the most part.

Vango's drilling to date consisted of five holes to define the continuity of the mineralised structures at depth. Results have confirmed these systems do continue to depth:

- **1m at 1.1 g/t Au from 83m in VEXRC0001**
- **6m at 1.3 g/t Au from 68m in VEXRC0002 incl. 1m at 3.7 g/t Au from 72m**
- **1m at 2.8 g/t Au from 97m in VEXRC0002**
- **2m at 0.8 g/t Au from 55m in VEXRC0003**
- **3m at 0.9 g/t Au from 71m in VEXRC0003 incl. 1m at 1.1 g/t Au from 72m**
- **1m at 5.2 g/t Au from 135m in VEXRC0004**

These results are surrounded by historical intercepts outside of the initial pit, which have the potential to define a mineable resource. Highlight results included:

- **6m at 2.1 g/t Au from 61m in EXRC0011 incl. 1m at 9.3 g/t Au from 61m**
- **9m at 2.9 g/t Au from 48m in EXRC0033 incl. 2m at 9.9 g/t Au from 49m**
- **10m at 3.0 g/t Au from 68m in EXRC0036**
- **15m at 1.6 g/t Au from 56m in EXRC0171 incl. 2m at 6.8 g/t Au from 56m**
- **12m at 1.4 g/t Au from 11m in EXRC0271 incl. 2m at 3.8 g/t Au from 16m**
- **11m at 2.3 g/t Au from 37m in EXRC0274**
- **3m at 3.0 g/t Au from 31m in EXRC0379**
- **12m at 1.8 g/t Au from 37m in EXRC0380 incl. 2m at 3.8 g/t Au from 37m**
- **6m at 3.7 g/t Au from 41m in EXRC0385**
- **9m at 1.8 g/t Au from 42m in EXRC0390**
- **15m at 2.1 g/t Au from 27m in EXRC0412**

There are some intercepts to the north-east that may provide another economic zone (EXRC0033 and EXRC0036, Figure 4).




Figure 4 Excet Plan view showing historical and current drilling

Note in the cross section in Figure 5 that the low angle thrust has some extensions to mineralisation in the supergene zone.




Figure 5 Cross section through 16340E Exocet

## 2021 Drilling Campaign Progress and Next Steps

Vango is targeting 11 priority open-pits in its 2021 drilling campaign (Figure 6). Drilling is designed to add resources to the substantial existing Marymia resource base, and to deliver 'critical mass' to Marymia's resource base to support a proposed stand-alone mining operation at the Project.

The first phase of drilling in all 11 open pits has now been completed and consisted of 8,914 metres of RC drilling across 56 holes. All results have now been reported from first-phase drilling at the Skyhawk, Parrot, Apollo, Prickleys, Ibis and Exocet open pits along with the first three holes from Rosella. Results from drilling at the remaining four open-pits will be progressively released as they become available.

Vango plans to conduct a follow-up, second phase of drilling at all targets that deliver positive results from the completed first round of drilling, to test for further extensions of gold mineralisation to add to the Marymia resource base.

Table 1 2021 Drilling Rosella Exocet and Collar information

HoleID	MGA E	MGA N	RL	North	East	Depth	Dip	Az	PIT
VEXRC0001	7209251	764587	595	8540	16400	164	-56.2	151	EXOCET
VEXRC0002	7209141	764577	595	8448	16337	122	-55.3	151.1	EXOCET
VEXRC0003	7209135	764515	595	8473	16280	170	-55.5	154.1	EXOCET
VEXRC0004	7209135	764447	595	8506	16221	168	-54.7	153.4	EXOCET
VEXRC0005	7209232	764439	595	8595	16261	162	-55.5	151.2	EXOCET
VRORC0001	7206298	763324	595	6574	13861	159	-59.4	149.3	ROSELLA
VRORC0002	7206262	763296	595	6557	13819	159	-58.9	153.2	ROSELLA
VRORC0003	7206242	763257	595	6558	13775	159	-59.2	151.4	ROSELLA
VRORC0004	7206196	763242	595	6525	13740	165	-59.3	148.7	ROSELLA
VRORC0005	7206189	763196	595	6541	13696	159	-61.2	151.8	ROSELLA




Figure 6 Marymia Gold Project showing the 11 priority open pits

Authorised for release by the Board of Vango Mining Limited.

-ENDS-

**For further information, contact:**

Bruce McInnes  
Chairman  
info@vangomining.com  
+61 418 183 466

James Moses  
Investor Relations  
james@mandatecorporate.com.au  
+61 420 991 574

The information in this announcement is extracted from reports lodged as market announcements:

- TSX-V: SGI Superior Gold Inc., Corporate Website [www.superior-gold.com](http://www.superior-gold.com)
- ASX: VAN 18/04/2019 "New Trident High-Grade Resource Upgrade"
- ASX: VAN 20/05/2020 "Vango Mineral Increases to One Million Ounces"
- ASX: VAN 14/09/2021 "Drill Results Confirm Potential Open-Pit Model at Marymia"
- ASX: VAN 21/09/2021 "Wide High-Grade Gold Intercept at Skyhawk"
- ASX: VAN 20/10/2021 "Vango Continues to Confirm Open-Pit Potential at Marymia"
- ASX: VAN 03/11/2021 "Multiple, Broad Gold Intercepts at Prickley's Open-Pit"
- ASX: VAN 10/11/2021 "Gold Intercepts from Ibis Open-Pit Drilling Campaign"

The information in this announcement is extracted from reports lodged as market announcements summarised above.

The Company confirms that it is not aware of any new information that materially affects the information included in the original market announcements and that all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons' findings are presented have not been materially modified from the original market announcements.




## About Vango Mining

Vango Mining Limited (ASX: VAN) is a minerals exploration mining company with ambitions of becoming a high-grade WA gold miner by developing the 100% owned Marymia Gold Project (**Marymia**) in the mid-west region of Western Australia. The Project comprises 45 granted mining leases over an area of 325.08km<sup>2</sup>. It has an established high-grade resource of 1Moz @ 3g/t Au<sup>^</sup>, underpinned by the Trident Deposit, whose resource is 410koz @ 8g/t Au, with immediate extensions open at depth/along strike.

The Marymia Project has the potential to become a significant Australian high-grade producer. The Greenstone Belt in the Marymia region includes six major gold corridors, which remain largely un-tested beyond 100m depth - supported with an extensive drilling and geophysical database. Previous mining between 1992-2001, produced 580,000 ounces of gold almost entirely from open-pits.

Vango is focused on growing its high-grade gold resource to support a proposed stand-alone gold mining and production operation at Marymia. The Project is located along strike, immediately to the north of Superior Gold's (TSX-V: SGI) Plutonic Gold Mine which has produced more than 5.5Moz of gold<sup>1</sup>.



*Figure 7: Location of Marymia Gold Project in the Yilgarn block of Western Australia.*

<sup>^</sup> VAN ASX, 20/05/20 Vango Mineral Increases to One Million Ounces

<sup>1</sup> Superior Gold Inc., TSX-V:SGL, Corporate Website [www.superior-gold.com](http://www.superior-gold.com)

## JORC compliant Mineral Resource Estimate (ASX Announcement dated 20 May 2020<sup>^</sup>)

MARYMIA GOLD PROJECT JORC 2012 MINERAL RESOURCE ESTIMATE – MAY 2020										
Deposit	Cut-off	Indicated			Inferred			Total		
		<i>Au g/t</i>	<i>K t</i>	<i>g/t</i>	<i>K oz</i>	<i>K t</i>	<i>g/t</i>	<i>Oz</i>	<i>K t</i>	<i>g/t</i>
Mineral Resource	<i>Au g/t</i>	<i>K t</i>	<i>g/t</i>	<i>K oz</i>	<i>K t</i>	<i>g/t</i>	<i>Oz</i>	<i>K t</i>	<i>g/t</i>	<i>K oz</i>
Open Pits	0.5	5,300	1.8	311	2,950	1.6	150	<b>8,250</b>	<b>1.7</b>	<b>461</b>
Underground	3.0	1,142	9.6	352	992	5.9	189	<b>2,134</b>	<b>7.9</b>	<b>541</b>
<b>Total</b>		<b>6,442</b>	<b>3.2</b>	<b>663</b>	<b>3,942</b>	<b>2.7</b>	<b>339</b>	<b>10,384</b>	<b>3.0</b>	<b>1,002</b>

\* VAN confirms all material assumptions and technical parameters underpinning the Resource Estimate and Reserve continue to apply, and have not materially changed as per Listing Rule 5.23.2

Mineral Resources reported in accordance with the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (Joint Ore Reserves Committee Code – JORC 2012 Edition). Open pit resources reported within optimised conceptual pit shells at A\$2,500/oz gold price above a 0.5 g/t Au cut off and include oxide, transition and fresh material.

Trident underground resources are retained as first reported 18 April 2019<sup>1</sup> above a 3.0 g/t Au cut-off grade, and modelled at a gold price of A\$2,000/oz, on the basis that the information has not materially changed since last reported. Other underground resources reported above a 3.0 g/t Au cut off (with minor 2.5 g/t Au cut-off material included for continuity purposes) and includes fresh material only. Totals may differ due to rounding, Mineral Resources reported on a dry in-situ basis.

### Competent Persons Statements

The Statement of Mineral Resource Estimates has been compiled by Dr. Spero Carras who is a full-time employee of Carras Mining Pty Ltd and a Fellow of the Australian Institute of Mining and Metallurgy (“FAusIMM”). Dr. Carras has sufficient experience, including over 40 years’ experience in gold mine evaluation, relevant to the style of mineralisation and type of deposits under consideration to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (“JORC”) Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves. Dr. Carras consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. The information in this report that relates to exploration results has been reviewed, compiled and fairly represented by Mr David Jenkins, a Member of the Australian Institute of Geologists and a full time employee of Terra Search Pty Ltd. Mr Jenkins has sufficient experience, including over 29 years’ experience in exploration and resource evaluation relevant to the style of mineralisation and type of deposits under consideration to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves. Mr Jenkins consents to the inclusion in this report of the matters based on this information in the form and context in which it appears.

### Forward Looking Statements

This announcement contains ‘forward-looking information’ that is based on the Company’s expectations, estimates and projections as of the date on which the statements were made. This forward-looking information includes, among other things, statements with respect to the Company’s business strategy, plans, development, objectives, performance, outlook, growth, cash flow, projections, targets and expectations, mineral reserves and resources, results of exploration and related expenses. Generally, this forward-looking information can be identified by the use of forward-looking terminology such as ‘outlook’, ‘anticipate’, ‘project’, ‘target’, ‘potential’, ‘likely’, ‘believe’, ‘estimate’, ‘expect’, ‘intend’, ‘may’, ‘would’, ‘could’, ‘should’, ‘scheduled’, ‘will’, ‘plan’, ‘forecast’, ‘evolve’ and similar expressions. Persons reading this announcement are cautioned that such statements are only predictions, and that the Company’s actual future results or performance may be materially different. Forward-looking information is subject to known and unknown risks, uncertainties and other factors that may cause the Company’s actual results, level of activity, performance or achievements to be materially different from those expressed or implied by such forward-looking information.

Table 2 Historical Drill collars

PIT	Hole	Drill Type	MGA E	MGA N	RL	North	East	Depth	Dip	Az
EXOCET	EXRC0011	RC	764607	7209092	595	8391	16340	100	-60	150
EXOCET	EXRC0033	RC	764665	7209317	595	8560	16500	60	-60	151
EXOCET	EXRC0171	RC	764578	7209104	595	8415	16320	80	-60	150
EXOCET	EXRC0271	RC	764512	7209016	596	8371	16220	50	-60	150
EXOCET	EXRC0274	RC	764483	7209069	596	8431	16220	60	-60	150
EXOCET	EXRC0379	RC	764524	7209056	595	8400	16250	65	-60	150
EXOCET	EXRC0380	RC	764514	7209074	595	8420	16250	55	-60	150
EXOCET	EXRC0385	RC	764494	7209069	596	8425	16230	60	-60	150
EXOCET	EXRC0390	RC	764470	7209072	596	8440	16210	60	-60	150
EXOCET	EXRC0412	RC	764550	7209049	594	8381	16270	50	-90	0
ROSELLA	PBP01339	PERC	763372	7206333	594	6582	13920	40	-60	150
ROSELLA	PBR1749	RC	763278	7206173	595	6487	13760	110	-60	150
ROSELLA	PBRC0022	RC	763271	7206103	596	6430	13720	70	-60	150
ROSELLA	RODD0062	DD	763277	7206093	596	6418	13720	70	-60	150
ROSELLA	RORC0030	RC	763315	7206230	595	6520	13820	85	-60	149
ROSELLA	RORC0031	RC	763305	7206248	594	6540	13820	90	-60	150
ROSELLA	RORC0032	RC	763297	7206220	595	6520	13800	95	-60	150
ROSELLA	RORC0034	RC	763267	7206192	595	6510	13760	95	-60	148

Table 3 Significant Assays current drilling

Hole ID	Sample	From	To	Samp Type	Au	Au1	PIT
VRORC0001	5214517	49	50	INT	0.005		ROSELLA
VRORC0001	5214518	50	51	INT	0.006		ROSELLA
VRORC0001	5214519	51	52	INT	0.007		ROSELLA
VRORC0001	5214521	51	52	DUP	-0.005		ROSELLA
VRORC0001	5214523	52	53	INT	-0.005		ROSELLA
VRORC0001	5214524	53	54	INT	-0.005		ROSELLA
VRORC0001	5214525	54	55	INT	3.99		ROSELLA
VRORC0001	5214526	55	56	INT	0.009		ROSELLA
VRORC0001	5214551	77	78	INT	0.065		ROSELLA
VRORC0001	5214552	78	79	INT	0.059		ROSELLA
VRORC0001	5214553	79	80	INT	0.48		ROSELLA
VRORC0001	5214554	80	81	INT	26.966	28.125	ROSELLA
VRORC0001	5214555	81	82	INT	1.715		ROSELLA
VRORC0001	5214556	82	83	INT	1.312		ROSELLA
VRORC0001	5214557	83	84	INT	0.272		ROSELLA
VRORC0001	5214558	84	85	INT	0.309		ROSELLA

Hole ID	Sample	From	To	Samp Type	Au	Au1	PIT
VRORC0001	5214559	85	86	INT	0.039		ROSELLA
VRORC0001	5214561	85	86	DUP	0.02		ROSELLA
VRORC0004	5215115	80	81	INT	0.009		ROSELLA
VRORC0004	5215116	81	82	INT	0.132		ROSELLA
VRORC0004	5215117	82	83	INT	0.264		ROSELLA
VRORC0004	5215118	83	84	INT	1.279		ROSELLA
VRORC0004	5215119	84	85	INT	0.526		ROSELLA
VRORC0004	5215121	84	85	DUP	0.562		ROSELLA
VRORC0004	5215123	85	86	INT	3.12		ROSELLA
VRORC0004	5215124	86	87	INT	4.37		ROSELLA
VRORC0004	5215125	87	88	INT	14.007		ROSELLA
VRORC0004	5215126	88	89	INT	7.888		ROSELLA
VRORC0004	5215127	89	90	INT	6.905	6.774	ROSELLA
VRORC0004	5215128	90	91	INT	3.387		ROSELLA
VRORC0004	5215129	91	92	INT	1.033		ROSELLA
VRORC0004	5215130	92	93	INT	0.885		ROSELLA
VRORC0004	5215131	93	94	INT	0.603		ROSELLA
VRORC0004	5215132	94	95	INT	0.123		ROSELLA
VRORC0004	5215133	95	96	INT	0.037		ROSELLA
VRORC0004	5215134	96	97	INT	0.012		ROSELLA
VRORC0004	5215135	97	98	INT	0.011		ROSELLA
VRORC0004	5215136	98	99	INT	0.026		ROSELLA
VRORC0001	2021630	52	56	COMP	0.381		ROSELLA
VRORC0001	2021631	56	60	COMP	0.016		ROSELLA
VRORC0004	2021731	80	84	COMP	0.469		ROSELLA
VRORC0004	2021732	85	89	COMP	9.506		ROSELLA
VEXRC0001	5215499	83	84	INT	1.106		EXOCET
VEXRC0001	5215501	83	84	DUP	1.349		EXOCET
VEXRC0002	5215675	68	69	INT	0.599		EXOCET
VEXRC0002	5215676	69	70	INT	1.969		EXOCET
VEXRC0002	5215677	70	71	INT	0.248		EXOCET
VEXRC0002	5215678	71	72	INT	0.183		EXOCET
VEXRC0002	5215679	72	73	INT	3.731		EXOCET
VEXRC0002	5215681	72	73	DUP	3.687		EXOCET
VEXRC0002	5215683	73	74	INT	0.989		EXOCET
VEXRC0002	5215684	74	75	INT	0.384		EXOCET

Hole ID	Sample	From	To	Samp Type	Au	Au1	PIT
VEXRC0002	5215685	75	76	INT	0.12		EXOCET
VEXRC0002	5215686	76	77	INT	0.243		EXOCET
VEXRC0002	5215707	94	95	INT	0.055		EXOCET
VEXRC0002	5215708	95	96	INT	0.112		EXOCET
VEXRC0002	5215709	96	97	INT	0.043		EXOCET
VEXRC0002	5215710	97	98	INT	2.824		EXOCET
VEXRC0002	5215711	98	99	INT	0.091		EXOCET
VEXRC0002	5215712	99	100	INT	0.024		EXOCET
VEXRC0002	5215713	100	101	INT	0.017		EXOCET
VEXRC0002	5215714	101	102	INT	0.022		EXOCET
VEXRC0002	5215715	102	103	INT			EXOCET
VEXRC0003	5215797	50	51	INT			EXOCET
VEXRC0003	5215798	51	52	INT			EXOCET
VEXRC0003	5215799	52	53	INT	0.018		EXOCET
VEXRC0003	5215801	52	53	DUP	0.015		EXOCET
VEXRC0003	5215803	53	54	INT	0.079		EXOCET
VEXRC0003	5215804	54	55	INT	0.093		EXOCET
VEXRC0003	5215805	55	56	INT	0.902		EXOCET
VEXRC0003	5215806	56	57	INT	0.62		EXOCET
VEXRC0003	5215807	57	58	INT	0.387		EXOCET
VEXRC0003	5215808	58	59	INT	0.329		EXOCET
VEXRC0003	5215809	59	60	INT	0.021		EXOCET
VEXRC0003	5215810	60	61	INT	0.024		EXOCET
VEXRC0003	5215819	69	70	INT	0.423		EXOCET
VEXRC0003	5215821	69	70	DUP	0.31		EXOCET
VEXRC0003	5215823	70	71	INT	0.451		EXOCET
VEXRC0003	5215824	71	72	INT	0.928		EXOCET
VEXRC0003	5215825	72	73	INT	1.126		EXOCET
VEXRC0003	5215826	73	74	INT	0.501		EXOCET
VEXRC0003	5215827	74	75	INT	0.377		EXOCET
VEXRC0003	5215828	75	76	INT	0.205		EXOCET
VEXRC0003	5215829	76	77	INT	0.041		EXOCET
VEXRC0003	5215830	77	78	INT	0.017		EXOCET
VEXRC0004	5026092	130	131	INT	0.101		EXOCET
VEXRC0004	5026093	131	132	INT	0.022		EXOCET
VEXRC0004	5026094	132	133	INT	0.459		EXOCET

Hole ID	Sample	From	To	Samp Type	Au	Au1	PIT
VEXRC0004	5026095	133	134	INT	0.107		EXOCET
VEXRC0004	5026096	134	135	INT	0.019		EXOCET
VEXRC0004	5026097	135	136	INT	5.16		EXOCET
VEXRC0004	5026098	136	137	INT	0.076		EXOCET
VEXRC0004	5026099	137	138	INT	0.056		EXOCET
VEXRC0004	5026101	137	138	DUP	0.037		EXOCET
VEXRC0004	5026103	138	139	INT	0.155		EXOCET
VEXRC0004	5026104	139	140	INT	0.058		EXOCET
VEXRC0004	5026105	140	141	INT	0.157		EXOCET
VEXRC0001	2021794	79	83	COMP	-0.005		EXOCET
VEXRC0001	2021795	84	88	COMP	0.221		EXOCET
VEXRC0002	2021822	64	68	COMP	0.097		EXOCET
VEXRC0002	2021823	68	72	COMP	0.666		EXOCET
VEXRC0002	2021824	73	77	COMP	0.481		EXOCET
VEXRC0003	2021845	53	57	COMP	0.332		EXOCET
VEXRC0003	2021846	57	61	COMP	0.21		EXOCET
VEXRC0003	2021849	70	74	COMP	0.675		EXOCET
VEXRC0004	2021884	133	137	COMP	0.253		EXOCET

**JORC Code, 2012 Edition: Table 1**  
**Section 1: Sampling Techniques and Data**  
*(Criteria in this section apply to all succeeding sections.)*

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li>• <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed</i></li> </ul>	<ul style="list-style-type: none"> <li>• RC Drilling assays are from 1m samples cone split on the cyclone for the key intercepts. 4m composites from these 1m splits are taken in zones of lower prospectivity at the Laboratory. Where the composite samples return &gt; 0.2g/t Au, they are re-assayed on 1m intervals</li> <li>• Historical drilling has been sampled on a 1m basis. By Battle Mt and Homestake Gold – split at rig.</li> <li>• Duplicates are taken of the second quarter of core every 20 samples to ensure the samples were representative.</li> </ul>

Criteria	JORC Code explanation	Commentary
	<i>information.</i>	
<i>Drilling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>• Face Sampling, Reverse Circulation hammer</li> </ul>
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• RC drilling was bagged on 1m intervals and an estimate of sample recovery has been made on the size of each sample.</li> </ul>
<i>Logging</i>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Reverse Circulation holes are being logged on 1m intervals</li> </ul>
<i>Sub-sampling techniques and sample preparation</i>	<ul style="list-style-type: none"> <li>• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li>• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li>• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise samples representivity</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Duplicates taken every 20 samples by sampling a second quarter of the NQ core, or from a second split directly from cyclone.</li> <li>• Standards submitted every 20 samples of tenor similar to those expected in the sampling.</li> <li>• Cone splitter on the cyclone was used to produce a 1m sub-sample on the RC rig.</li> <li>• Blanks were inserted every 20 samples also</li> <li>• In un-prospective lithologies these 1m samples were composited at the lab over 4m intervals.</li> </ul>
<i>Quality of assay data and laboratory tests</i>	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li>• <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> <li>• <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Samples analysed at Intertek Laboratories in Perth, WA, using a 50g Fire Assay method.</li> <li>• Samples are dried, crushed and pulverised prior to analysis.</li> </ul>

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>• The verification of significant intersections by either independent or alternative company personnel.</li> <li>• The use of twinned holes.</li> <li>• Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>• Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>• Intercepts have been calculated generally using a 0.5g/t cutoff and internal waste of up to 3m thickness with total intercepts greater than 0.3g/t. All repeats and duplicates have been included.</li> <li>• Historical work has been cross referenced against WAMEX reports A62112 (Battle Mt) and A64818 (Homestake)</li> </ul>
Location of data points	<ul style="list-style-type: none"> <li>• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>• Specification of the grid system used.</li> <li>• Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>• DGPS has been used to locate the drillholes.</li> <li>• REFLEX Gyro Tool used for downhole surveys on all holes</li> </ul>
Data spacing and distribution	<ul style="list-style-type: none"> <li>• Data spacing for reporting of Exploration Results.</li> <li>• Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> </ul>	<ul style="list-style-type: none"> <li>• Sample data down hole is at no more than 1m intervals</li> <li>• Data spacing varies from approx. 20m Assessment as to whether sufficient data has been generated to establish the degree of geological and grade continuity appropriate for Mineral Resource and estimation procedure(s) is underway and, if necessary, additional drilling will be carried out to establish continuity.</li> </ul>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>• If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>• Intercepts given are downhole widths with the true widths not determined.</li> </ul>
Sample security	<ul style="list-style-type: none"> <li>• The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>• Samples sealed in bulka bag with Security seal, unbroken when delivered to lab</li> </ul>
Audits or reviews	<ul style="list-style-type: none"> <li>• The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>• Review of standards, blanks and Duplicates indicate sampling and analysis has been effective for current and historical drilling where QA/QC has been available</li> </ul>



## Section 2: Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>Located in the Marymia - Plutonic Greenstone Belt ~218km northeast of Meekatharra in the Midwest mining district in WA</li> <li>Exocet M52/231 granted tenement in good standing. Rosella M52/258 tenement in good standing</li> <li>The tenements predate Native title interests, but are covered by the Gingirana Native Title claim</li> <li>The tenements are 100% owned by Vango Mining Limited and subsidiary Dampier Plutonic Pty Ltd.</li> <li>Gold production will be subject to a 1-4% royalty dependent on gold price (Currently 2%) capped at \$2M across the entire project area.</li> <li>Contingent production payments of up to \$4M across the entire project area.</li> </ul>
Exploration done by other parties.	<ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>Extensive previous work by Battle Mt and Homestake Gold</li> </ul>
Geology	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	
Drill hole Information	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level - elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> <li>hole length.</li> </ul> </li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this</li> </ul>	<ul style="list-style-type: none"> <li>Location of new drillholes based on surveyed sites, and DGPS, summarised in Table 2 and shown on Figures 1 and 2.</li> <li>Location of previous Drillholes based on historical reports and data, originally located on surveyed sites, and DGPS.</li> <li>Northing and easting data generally within 0.1m accuracy</li> <li>RL data +/-0.2m</li> <li>Down hole length =+- 0.1 m</li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p>	
Data aggregation methods	<ul style="list-style-type: none"> <li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<ul style="list-style-type: none"> <li>Intercepts have been calculated generally using a 1 g/t cut off or as otherwise stated (see Table 1) and internal waste of up to 3m thickness with total intercepts greater than 1g/t. All Duplicates and repeats are included</li> <li>No upper cut off has been applied to intersections.</li> </ul>
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <li><i>These relationships are particularly important in the reporting of Exploration Results.</i> <ul style="list-style-type: none"> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Orientation of mineralised zones are still to be ascertained by follow up drilling.</li> </ul>
Diagrams	<ul style="list-style-type: none"> <li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>Appropriate cross-sectional and plan view of the drilling are included.</li> <li>See Table 1 &amp;3, summary of drilling intersections and Table 2 &amp; 4, drillhole locations and Table 5, all significant assays, with repeats and duplicates.</li> </ul>
Balanced reporting	<ul style="list-style-type: none"> <li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>See Table 1 &amp;3, summary of drilling intersections and Table 2 &amp; 4, drillhole locations and Table 5, all significant assays, with repeats and duplicates.</li> </ul>
Other substantive exploration data	<ul style="list-style-type: none"> <li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>Geological interpretations are included on plan views (Figures 2), sectional view (Figures 3)</li> <li>No new exploration data has been generated apart from the drilling information included in this report.</li> </ul>

Criteria	JORC Code explanation	Commentary
Further work	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>Extensive further drilling is planned for the project</li> </ul>

Table 1 Selected Assays Historical Drilling Prickleys

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
EXRC0011	L40177	56	57	INT	0.28		EXOCET
EXRC0011	L40178	57	58	INT	0.13		EXOCET
EXRC0011	L40179	58	59	INT	0.27		EXOCET
EXRC0011	L40180	59	60	INT	0.22		EXOCET
EXRC0011	L40181	60	61	INT	0.32	0.32	EXOCET
EXRC0011	L40182	61	62	INT	9.25	2.96	EXOCET
EXRC0011	L40183	62	63	INT	0.3		EXOCET
EXRC0011	L40184	63	64	INT	0.23		EXOCET
EXRC0011	L40185	64	65	INT	1.22	0.63	EXOCET
EXRC0011	L40186	65	66	INT	0.8	3.16	EXOCET
EXRC0011	L40187	66	67	INT	0.63	0.48	EXOCET
EXRC0011	L40188	67	68	INT	0.18		EXOCET
EXRC0011	L40189	68	69	INT	0.08		EXOCET
EXRC0011	L40190	69	70	INT	0.03		EXOCET
EXRC0011	L40191	70	71	INT	0.03		EXOCET
EXRC0011	L40192	71	72	INT	0.03		EXOCET
EXRC0033	L42544	43	44	INT	0.19	0.14	EXOCET
EXRC0033	L42545	44	45	INT	0.5	0.4	EXOCET
EXRC0033	L42546	45	46	INT	0.49	0.44	EXOCET
EXRC0033	L42547	46	47	INT	0.25	0.23	EXOCET
EXRC0033	L42548	47	48	INT	0.09		EXOCET
EXRC0033	L42549	48	49	INT	0.75	0.53	EXOCET
EXRC0033	L42550	49	50	INT	1.24	0.9	EXOCET
EXRC0033	L42551	50	51	INT	9.89	7.5	EXOCET
EXRC0033	L42552	51	52	INT	0.74	0.64	EXOCET
EXRC0033	L42553	52	53	INT	4.15	2.97	EXOCET

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
EXRC0033	L42554	53	54	INT	5.96	3.74	EXOCET
EXRC0033	L42555	54	55	INT	0.98	0.7	EXOCET
EXRC0033	L42556	55	56	INT	0.62	0.48	EXOCET
EXRC0033	L42557	56	57	INT	1.5	1.27	EXOCET
EXRC0033	L42558	57	58	INT	0.19		EXOCET
EXRC0033	L42559	58	59	INT	0.06		EXOCET
EXRC0033	L42560	59	60	INT	0.04		EXOCET
EXRC0171	L93832	51	52	INT	0.27	0.27	EXOCET
EXRC0171	L93833	52	53	INT	0.28	0.29	EXOCET
EXRC0171	L93834	53	54	INT	0.27	0.31	EXOCET
EXRC0171	L93835	54	55	INT	0.1		EXOCET
EXRC0171	L93836	55	56	INT	0.11		EXOCET
EXRC0171	L93837	56	57	INT	4.17	3.67	EXOCET
EXRC0171	L93838	57	58	INT	6.78	4.94	EXOCET
EXRC0171	L93839	58	59	INT	0.09		EXOCET
EXRC0171	L93840	59	60	INT	0.54	0.46	EXOCET
EXRC0171	L93841	60	61	INT	0.38	0.29	EXOCET
EXRC0171	L93842	61	62	INT	1.67	1.31	EXOCET
EXRC0171	L93843	62	63	INT	0.45	0.52	EXOCET
EXRC0171	L93844	63	64	INT	2.55	1.98	EXOCET
EXRC0171	L93845	64	65	INT	1.67	1.35	EXOCET
EXRC0171	L93846	65	66	INT	1.26	0.79	EXOCET
EXRC0171	L93847	66	67	INT	0.43	0.41	EXOCET
EXRC0171	L93848	67	68	INT	1.82	2.93	EXOCET
EXRC0171	L93849	68	69	INT	0.12		EXOCET
EXRC0171	L93850	69	70	INT	1.78	1.6	EXOCET
EXRC0171	L93851	70	71	INT	0.8	0.8	EXOCET
EXRC0171	L93852	71	72	INT	0.39	0.38	EXOCET
EXRC0171	L93853	72	73	INT	0.07		EXOCET
EXRC0171	L93854	73	74	INT	0.09		EXOCET
EXRC0171	L93855	74	75	INT	0.07		EXOCET
EXRC0171	L93856	75	76	INT	0.09		EXOCET
EXRC0271	L97337	6	7	INT	- 0.01		EXOCET
EXRC0271	L97338	7	8	INT	0.04		EXOCET
EXRC0271	L97339	8	9	INT	0.02		EXOCET
EXRC0271	L97340	9	10	INT	0.03		EXOCET

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
EXRC0271	L97341	10	11	INT	0.07		EXOCET
EXRC0271	L97342	11	12	INT	0.74	0.75	EXOCET
EXRC0271	L97343	12	13	INT	2	1.68	EXOCET
EXRC0271	L97344	13	14	INT	0.32	0.32	EXOCET
EXRC0271	L97345	14	15	INT	0.11		EXOCET
EXRC0271	L97346	15	16	INT	0.11		EXOCET
EXRC0271	L97347	16	17	INT	3.62	2.88	EXOCET
EXRC0271	L97348	17	18	INT	3.82	2.51	EXOCET
EXRC0271	L97349	18	19	INT	0.58	0.43	EXOCET
EXRC0271	L97350	19	20	INT	3.6	2.86	EXOCET
EXRC0271	L97351	20	21	INT	0.66	0.49	EXOCET
EXRC0271	L97352	21	22	INT	0.23	0.21	EXOCET
EXRC0271	L97353	22	23	INT	1.13	0.95	EXOCET
EXRC0271	L97354	23	24	INT	0.3	0.28	EXOCET
EXRC0271	L97355	24	25	INT	0.27	0.22	EXOCET
EXRC0271	L97356	25	26	INT	0.15		EXOCET
EXRC0271	L97357	26	27	INT	0.09		EXOCET
EXRC0271	L97358	27	28	INT	0.1		EXOCET
EXRC0274	L97533	32	33	INT	0.01		EXOCET
EXRC0274	L97534	33	34	INT	0.01		EXOCET
EXRC0274	L97535	34	35	INT	0.06		EXOCET
EXRC0274	L97536	35	36	INT	0.14		EXOCET
EXRC0274	L97537	36	37	INT	0.11	0.11	EXOCET
EXRC0274	L97538	37	38	INT	3.78	3.24	EXOCET
EXRC0274	L97539	38	39	INT	11.3	8.34	EXOCET
EXRC0274	L97540	39	40	INT	2.14	1.67	EXOCET
EXRC0274	L97541	40	41	INT	0.11	0.08	EXOCET
EXRC0274	L97542	41	42	INT	0.1	0.1	EXOCET
EXRC0274	L97543	42	43	INT	0.57	0.44	EXOCET
EXRC0274	L97544	43	44	INT	2.99	2.95	EXOCET
EXRC0274	L97545	44	45	INT	1.5	1.55	EXOCET
EXRC0274	L97546	45	46	INT	0.93	0.95	EXOCET
EXRC0274	L97547	46	47	INT	0.33	0.31	EXOCET
EXRC0274	L97548	47	48	INT	1.14	0.28	EXOCET
EXRC0274	L97549	48	49	INT	0.17		EXOCET
EXRC0274	L97550	49	50	INT	0.05		EXOCET

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
EXRC0274	L97551	50	51	INT	0.04		EXOCET
EXRC0274	L97552	51	52	INT	0.03		EXOCET
EXRC0274	L97553	52	53	INT	0.02		EXOCET
EXRC0379	M44497	26	27	INT	0.07		EXOCET
EXRC0379	M44498	27	28	INT	0.02		EXOCET
EXRC0379	M44499	28	29	INT	0.04		EXOCET
EXRC0379	M44500	29	30	INT	0.19		EXOCET
EXRC0379	M44501	30	31	INT	0.18	0.109	EXOCET
EXRC0379	M44502	31	32	INT	5.13	4.142	EXOCET
EXRC0379	M44503	32	33	INT	2.73	2.064	EXOCET
EXRC0379	M44504	33	34	INT	1.21	1.391	EXOCET
EXRC0379	M44505	34	35	INT	0.28	0.209	EXOCET
EXRC0379	M44506	35	36	INT	0.06		EXOCET
EXRC0379	M44507	36	37	INT	0.1		EXOCET
EXRC0379	M44508	37	38	INT	-2		EXOCET
EXRC0379	M44509	38	39	INT	0.02		EXOCET
EXRC0380	M44573	32	33	INT	0.01		EXOCET
EXRC0380	M44574	33	34	INT	0.01		EXOCET
EXRC0380	M44575	34	35	INT	0.01		EXOCET
EXRC0380	M44576	35	36	INT	0.01		EXOCET
EXRC0380	M44577	36	37	INT	0.09		EXOCET
EXRC0380	M44578	37	38	INT	2.33	1.56	EXOCET
EXRC0380	M44579	38	39	INT	3.83	2.47	EXOCET
EXRC0380	M44580	39	40	INT	0.59	0.81	EXOCET
EXRC0380	M44581	40	41	INT	8.5	6.05	EXOCET
EXRC0380	M44582	41	42	INT	1.23	0.83	EXOCET
EXRC0380	M44583	42	43	INT	0.15	0.19	EXOCET
EXRC0380	M44584	43	44	INT	0.61	0.5	EXOCET
EXRC0380	M44585	44	45	INT	0.51	0.38	EXOCET
EXRC0380	M44586	45	46	INT	0.47	0.33	EXOCET
EXRC0380	M44587	46	47	INT	0.43	0.35	EXOCET
EXRC0380	M44588	47	48	INT	0.65	0.42	EXOCET
EXRC0380	M44589	48	49	INT	2.76	1.72	EXOCET
EXRC0380	M44590	49	50	INT	0.28	0.51	EXOCET
EXRC0380	M44591	50	51	INT	0.01		EXOCET
EXRC0380	M44592	51	52	INT	0.01		EXOCET

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
EXRC0380	M44593	52	53	INT	0.05		EXOCET
EXRC0380	M44594	53	54	INT	0.01		EXOCET
EXRC0385	M44847	36	37	INT	0.01		EXOCET
EXRC0385	M44848	37	38	INT	0.02		EXOCET
EXRC0385	M44849	38	39	INT	0.02		EXOCET
EXRC0385	M44850	39	40	INT	0.05		EXOCET
EXRC0385	M44851	40	41	INT	0.03		EXOCET
EXRC0385	M44852	41	42	INT	15.4	11.42	EXOCET
EXRC0385	M44853	42	43	INT	2.61	2.772	EXOCET
EXRC0385	M44854	43	44	INT	2.25	2.083	EXOCET
EXRC0385	M44855	44	45	INT	0.32	0.275	EXOCET
EXRC0385	M44856	45	46	INT	0.29	0.262	EXOCET
EXRC0385	M44857	46	47	INT	1.45	0.63	EXOCET
EXRC0385	M44858	47	48	INT	0.4	0.266	EXOCET
EXRC0385	M44859	48	49	INT	0.12	0.111	EXOCET
EXRC0385	M44860	49	50	INT	0.01		EXOCET
EXRC0385	M44861	50	51	INT	0.01		EXOCET
EXRC0385	M44862	51	52	INT	0.01		EXOCET
EXRC0390	M48088	37	38	INT	0.11		EXOCET
EXRC0390	M48089	38	39	INT	0.02		EXOCET
EXRC0390	M48090	39	40	INT	0.01		EXOCET
EXRC0390	M48091	40	41	INT	0.07		EXOCET
EXRC0390	M48092	41	42	INT	0.02		EXOCET
EXRC0390	M48093	42	43	INT	6.39	6.299	EXOCET
EXRC0390	M48094	43	44	INT	1.46	1.421	EXOCET
EXRC0390	M48095	44	45	INT	2.92	2.687	EXOCET
EXRC0390	M48096	45	46	INT	0.23	0.219	EXOCET
EXRC0390	M48097	46	47	INT	0.48	0.376	EXOCET
EXRC0390	M48098	47	48	INT	2.77	3.182	EXOCET
EXRC0390	M48099	48	49	INT	0.49	0.5	EXOCET
EXRC0390	M48100	49	50	INT	0.72	0.748	EXOCET
EXRC0390	M48101	50	51	INT	1.01	0.632	EXOCET
EXRC0390	M48102	51	52	INT	0.05		EXOCET
EXRC0390	M48103	52	53	INT	0.03		EXOCET
EXRC0390	M48104	53	54	INT	0.01		EXOCET
EXRC0390	M48105	54	55	INT	0.01		EXOCET

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
EXRC0390	M48106	55	56	INT	0.01		EXOCET
EXRC0412	M59173	22	23	INT	0.08		EXOCET
EXRC0412	M59174	23	24	INT	0.01		EXOCET
EXRC0412	M59175	24	25	INT	0.02		EXOCET
EXRC0412	M59176	25	26	INT	0.01		EXOCET
EXRC0412	M59177	26	27	INT	0.04		EXOCET
EXRC0412	M59178	27	28	INT	1.03	0.822	EXOCET
EXRC0412	M59179	28	29	INT	3.05	2.743	EXOCET
EXRC0412	M59180	29	30	INT	3.95	3.564	EXOCET
EXRC0412	M59181	30	31	INT	1.1	0.844	EXOCET
EXRC0412	M59182	31	32	INT	0.54	0.414	EXOCET
EXRC0412	M59183	32	33	INT	1.53	1.226	EXOCET
EXRC0412	M59184	33	34	INT	0.23		EXOCET
EXRC0412	M59185	34	35	INT	0.9	0.732	EXOCET
EXRC0412	M59186	35	36	INT	3	2.473	EXOCET
EXRC0412	M59187	36	37	INT	1.36	1.156	EXOCET
EXRC0412	M59188	37	38	INT	0.26		EXOCET
EXRC0412	M59189	38	39	INT	0.17		EXOCET
EXRC0412	M59190	39	40	INT	13	11.21	EXOCET
EXRC0412	M59191	40	41	INT	1.03	1.114	EXOCET
EXRC0412	M59192	41	42	INT	0.63	0.485	EXOCET
EXRC0412	M59193	42	43	INT	0.18		EXOCET
EXRC0412	M59194	43	44	INT	0.25		EXOCET
EXRC0412	M59195	44	45	INT	0.45	0.328	EXOCET
EXRC0412	M59196	45	46	INT	0.1		EXOCET
EXRC0412	M59197	46	47	INT	0.1		EXOCET
PBP01339	MA_1339020	20	22	INT	0.12		ROSELLA
PBP01339	MA_1339022	22	24	INT	0.02		ROSELLA
PBP01339	MA_1339024	24	25	INT	6.62		ROSELLA
PBP01339	MA_1339025	25	26	INT	2.16		ROSELLA
PBP01339	MA_1339026	26	28	INT	0.17		ROSELLA
PBP01339	MA_1339028	28	30	INT	0.05		ROSELLA
PBR1749	MA_1749066	66	67	INT	0.05		ROSELLA
PBR1749	MA_1749067	67	68	INT	0.03		ROSELLA
PBR1749	MA_1749068	68	69	INT	0.02		ROSELLA
PBR1749	MA_1749069	69	70	INT	0.04		ROSELLA



Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
PBR1749	MA_1749070	70	71	INT	0.28		ROSELLA
PBR1749	MA_1749071	71	72	INT	3.04		ROSELLA
PBR1749	MA_1749072	72	73	INT	3.45		ROSELLA
PBR1749	MA_1749073	73	74	INT	3.07		ROSELLA
PBR1749	MA_1749074	74	75	INT	3.46		ROSELLA
PBR1749	MA_1749075	75	76	INT	1.2		ROSELLA
PBR1749	MA_1749076	76	77	INT	0.09		ROSELLA
PBR1749	MA_1749077	77	78	INT	0.01		ROSELLA
PBR1749	MA_1749078	78	79	INT	0.01		ROSELLA
PBR1749	MA_1749079	79	80	INT	0.01		ROSELLA
PBR1749	MA_1749080	80	81	INT	0.01		ROSELLA
PBRC0022	MA_495325	54	55	INT	1.26		ROSELLA
PBRC0022	MA_495326	55	56	INT	0.5		ROSELLA
PBRC0022	MA_495327	56	57	INT	0.49		ROSELLA
PBRC0022	MA_495328	57	58	INT	0.07		ROSELLA
PBRC0022	MA_495329	58	59	INT	0.3		ROSELLA
PBRC0022	MA_495330	59	60	INT	0.51		ROSELLA
PBRC0022	MA_495331	60	61	INT	0.14		ROSELLA
PBRC0022	MA_495332	61	62	INT	23.9		ROSELLA
PBRC0022	MA_495333	62	63	INT	1.3		ROSELLA
PBRC0022	MA_495334	63	64	INT	1.37		ROSELLA
PBRC0022	MA_495335	64	65	INT	0.13		ROSELLA
PBRC0022	MA_495336	65	66	INT	0.25		ROSELLA
PBRC0022	MA_495337	66	67	INT	0.02		ROSELLA
PBRC0022	MA_495338	67	68	INT	0.01		ROSELLA
PBRC0022	MA_495339	68	69	INT	0.03		ROSELLA
RODD0062	K53520	39	40	INT	0.21		ROSELLA
RODD0062	K53521	40	41	INT	0.06		ROSELLA
RODD0062	K53522	41	42	INT	0.07		ROSELLA
RODD0062	K53523	42	43	INT	0.05		ROSELLA
RODD0062	K53524	43	44	INT	0.02		ROSELLA
RODD0062	K53525	44	45	INT	0.53		ROSELLA
RODD0062	K53526	45	46	INT	0.1		ROSELLA
RODD0062	K53527	46	47	INT	0.4		ROSELLA
RODD0062	K53528	47	48	INT	0.61		ROSELLA
RODD0062	K53529	48	49	INT	72.1		ROSELLA

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
RODD0062	K53530	49	50	INT	8.22		ROSELLA
RODD0062	K53531	50	51	INT	0.88		ROSELLA
RODD0062	K53532	51	52	INT	0.97		ROSELLA
RODD0062	K53533	52	53	INT	0.48		ROSELLA
RODD0062	K53534	53	54	INT	0.49		ROSELLA
RODD0062	K53535	54	55	INT	0.2		ROSELLA
RODD0062	K53536	55	56	INT	0.39		ROSELLA
RODD0062	K53537	56	57	INT	0.07		ROSELLA
RORC0030	K65655	64	65	INT	0.1		ROSELLA
RORC0030	K65656	65	66	INT	0.05		ROSELLA
RORC0030	K65657	66	67	INT	0.04		ROSELLA
RORC0030	K65658	67	68	INT	0.06		ROSELLA
RORC0030	K65659	68	69	INT	0.09		ROSELLA
RORC0030	K65660	69	70	INT	0.86		ROSELLA
RORC0030	K65661	70	71	INT	2.9		ROSELLA
RORC0030	K65662	71	72	INT	3.36		ROSELLA
RORC0030	K65663	72	73	INT	0.58		ROSELLA
RORC0030	K65664	73	74	INT	8.2		ROSELLA
RORC0030	K65665	74	75	INT	10.1		ROSELLA
RORC0030	K65666	75	76	INT	2.38		ROSELLA
RORC0030	K65667	76	77	INT	0.51		ROSELLA
RORC0030	K65668	77	78	INT	0.14		ROSELLA
RORC0030	K65669	78	79	INT	0.14		ROSELLA
RORC0030	K65670	79	80	INT	0.09		ROSELLA
RORC0030	K65671	80	81	INT	0.23		ROSELLA
RORC0030	K65672	81	82	INT	0.11		ROSELLA
RORC0031	K65759	78	79	INT	0.06		ROSELLA
RORC0031	K65760	79	80	INT	0.06		ROSELLA
RORC0031	K65761	80	81	INT	0.06		ROSELLA
RORC0031	K65762	81	82	INT	0.26		ROSELLA
RORC0031	K65763	82	83	INT	0.05		ROSELLA
RORC0031	K65764	83	84	INT	1.51		ROSELLA
RORC0031	K65765	84	85	INT	0.59		ROSELLA
RORC0031	K65766	85	86	INT	0.7		ROSELLA
RORC0031	K65767	86	87	INT	29.7		ROSELLA
RORC0031	K65768	87	88	INT	0.27		ROSELLA

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
RORC0031	K65769	88	89	INT	1.92		ROSELLA
RORC0031	K65770	89	90	INT	2.62		ROSELLA
RORC0032	K65842	71	72	INT	0.32		ROSELLA
RORC0032	K65843	72	73	INT	0.15		ROSELLA
RORC0032	K65844	73	74	INT	0.07		ROSELLA
RORC0032	K65845	74	75	INT	0.08		ROSELLA
RORC0032	K65846	75	76	INT	0.26		ROSELLA
RORC0032	K65847	76	77	INT	1.06		ROSELLA
RORC0032	K65848	77	78	INT	2.74		ROSELLA
RORC0032	K65849	78	79	INT	0.98		ROSELLA
RORC0032	K65850	79	80	INT	2.55		ROSELLA
RORC0032	K65851	80	81	INT	9.3		ROSELLA
RORC0032	K65852	81	82	INT	1.23		ROSELLA
RORC0032	K65853	82	83	INT	0.53		ROSELLA
RORC0032	K65854	83	84	INT	1.02		ROSELLA
RORC0032	K65855	84	85	INT	3.73		ROSELLA
RORC0032	K65856	85	86	INT	1.02		ROSELLA
RORC0032	K65857	86	87	INT	0.09		ROSELLA
RORC0032	K65858	87	88	INT	0.57		ROSELLA
RORC0032	K65859	88	89	INT	0.1		ROSELLA
RORC0032	K65860	89	90	INT	0.09		ROSELLA
RORC0032	K65861	90	91	INT	0.06		ROSELLA
RORC0032	K65862	91	92	INT	0.05		ROSELLA
RORC0032	K65863	92	93	INT	0.05		ROSELLA
RORC0034	K66047	76	77	INT	0.02		ROSELLA
RORC0034	K66048	77	78	INT	0.05		ROSELLA
RORC0034	K66049	78	79	INT	0.09		ROSELLA
RORC0034	K66050	79	80	INT	0.21		ROSELLA
RORC0034	K66051	80	81	INT	0.74		ROSELLA
RORC0034	K66052	81	82	INT	1.11		ROSELLA
RORC0034	K66053	82	83	INT	1.48		ROSELLA
RORC0034	K66054	83	84	INT	3.58		ROSELLA
RORC0034	K66055	84	85	INT	6.5		ROSELLA
RORC0034	K66056	85	86	INT	1.13		ROSELLA
RORC0034	K66057	86	87	INT	2.88		ROSELLA
RORC0034	K66058	87	88	INT	3.76		ROSELLA

Hole_ID	Sample	From	To	Samp Type	Au	Au1	PIT
RORC0034	K66059	88	89	INT	3.67		ROSELLA
RORC0034	K66060	89	90	INT	0.51		ROSELLA
RORC0034	K66061	90	91	INT	0.1		ROSELLA
RORC0034	K66062	91	92	INT	0.02		ROSELLA
RORC0034	K66063	92	93	INT	0.03		ROSELLA
RORC0034	K66064	93	94	INT	0.04		ROSELLA