

10 February 2023

ASSAY RESULTS AND DOWNHOLE GEOPHYSICAL SURVEYS STRENGTHEN IOCG CREDENTIALS OF THE GEORGINA PROJECT

Assays from Banks and Leichhardt West prospects confirm copper-bearing minerals and anomalous pathfinder elements for IOCG mineralisation

Key Highlights

- > Assay results from diamond drilling at Banks and Leichhardt West prospects confirm IOCG prospectivity and similarity to Tennant Creek IOCG deposits.
- > Leichhardt West hole intersected 0.22% Cu from 536.05-536.3m and 0.15% Cu from 600-600.8m (at the end of the hole)
- > Down-hole magnetic and electromagnetic geophysical surveying completed.
- > Leichhardt East drill core being prepared for assay and expected to be delivered to laboratory later this month.

Astro Resources NL (ASX: ARO) ("ARO", "Astro" or "the Company") is pleased to advise that latest exploration results have further upgraded the prospectivity of its 80%-owned Georgina IOCG Project in the Northern Territory (Figure 1), with assay results returned from diamond drilling at the Banks and Leichhardt West prospects, and downhole geophysical surveying completed.

Astro's Chairman, Tony Leibowitz commented: *"I am pleased with the positive early results that indicate drilling may have hit the outer edge of a mineralised IOCG system within the Central Tenement. We're now awaiting final results of our EM surveys, as well as assays from Leichhardt East, with this data to feed into a detailed review of the Central Tenement area to help plan next steps and prioritise drill targets."*

Assay Results

Assay results have been received for two diamond drill holes completed by previous owner, Greenvale Energy (ASX: GRV), at the **Banks** and **Leichhardt West** prospects in mid-2022. Visual results reported by GRV^{1,2} indicated that both holes intersected trace to minor chalcopyrite (copper mineral) mineralisation in prospective altered host-rocks. Laboratory assay results have now confirmed these visual observations of copper, as well as revealing anomalous levels of other elements commonly associated with IOCG deposits (e.g. bismuth which is commonly associated with Tennant Creek style IOCG deposits).

¹ ASX: GRV 29 June 2022 'First Diamond hole at the Banks Target intersects IOCG-style Alteration'

² ASX: GRV 27 July 2022 'Diamond hole at Leichhardt confirms IOCG potential at Georgina'

Results include:

- Leichhardt West hole KNXLW001RDD intersected 0.22% Cu from 536.05-536.3m associated with elevated bismuth and silver.
- Leichhardt West hole KNXLW001RDD intersected 0.15% Cu from 600-600.8m (end of hole) associated with elevated bismuth and silver.
- General increased anomalism in copper, bismuth and silver observed in spatial association with modelled 3D gravity and magnetic anomalies.
- Banks hole KNXBA001RDD intersected elevated copper, bismuth and silver from 433-440m.

The results are considered highly significant as they suggest the drilling may have intersected rocks peripheral to an IOCG system, indicate a hydrothermal component to the Banks and Leichhardt West prospects, and illustrate compelling similarity to Tennant Creek IOCG deposits.




Figure 1. – Astro's East Tennant tenement holding, showing neighbouring holders and key regional prospects.

Downhole Geophysical Surveying

Highly-regarded contractor, Gap Geophysics, was engaged to conduct a downhole survey campaign at Astro's highly prospective Central Tenement, comprising both a triaxial magnetic survey and EM. All three holes drilled in the Central Tenement area were surveyed as part of the campaign, with the Banks hole surveyed to 445m depth, Leichhardt West hole to 600m and Leichhardt East hole to 365m.

The main objective of the survey was to characterise the magnetic characteristics of the holes, as magnetic surveying is one of the principal tools utilised in IOCG exploration. Magnetics are important for several

reasons, including that remanent magnetism (a permanent magnetic field direction recorded in magnetic minerals) is observed in some IOCG deposits, such as at Tennant Creek. Furthermore, magnetic characteristics of overlying 'cover' rock types (such as the Helen Springs Volcanics, observed in all holes drilled to date at Georgina), may have a 'masking' or influencing effect on the response of underlying host rocks in surface geophysical data.

To complement data collected from the downhole surveys, a selection of drill samples displaying magnetic properties will be sent to CSIRO for magnetic remanence testwork. In addition to triaxial magnetic surveying, downhole EM was also conducted. Downhole EM is designed to test for off-hole conductors, which may be the result of sulphide mineralisation.

Downhole magnetic responses were observed in basement rocks of all three holes, with downhole EM data yet to be finalised and interpreted.



Figure 2. Gap Geophysics conducting downhole surveying on Leichhardt East drillhole KNXLE001RDD.




Figure 3. Triaxial downhole magnetic survey data from Leichhardt West hole KNXLW001RDD showing magnetic field responses from the Helen Springs Volcanics (yellow overlay) and targeted basement rocks (red).

Leichhardt East Drill Hole

Following completion of the Leichhardt East drillhole KNXLE001RDD in December 2022, work has been prioritised on mark-up and processing of drill core. As announced previously, this hole intersected anomalous copper mineralisation as bornite and chalcopyrite, ironstones with sulphide veining, and widespread chlorite and hematite IOCG-style alteration³.

Since completion, the hole has undergone detailed geological logging, with bulk density and magnetic susceptibility measurements taken. The drill core will be cut, sampled and despatched for assay in the current month. The Leichhardt East drilling is supported by an NT Government grant, following a successful application under Round 15 of the Resourcing the Territory Geophysics and Drilling Collaborations Program. As part of grant funding conditions, half-core must be supplied to the NT Geological Survey. The remaining half-core will be sampled for magnetic remanence testing at CSIRO, petrographical thin section preparation for microscopy and conventional multi-element assay including fire assay for gold.

³ ASX: ARO 12 December 2022 'IOCG-style mineralisation intersected at Georgina Project'




Figure 4. Veinlet/in-fill sulphide minerals pyrite (py) and chalcopyrite (cpy, yellow) in hematitic ironstone (689.5m) from Leichhardt East drillhole KNXLE001RDD.

Next Steps

Once the Company has received final data from the surveys and magnetic remanence testwork, Leichhardt East assays and petrography, a holistic review of the whole Central Tenement area will be conducted. This will include a broader review of elevated magnetic and gravity responses (see Figures 5 and 6) interpreted to be prospective for IOCG style mineralisation, supported by the rock types, alteration and geochemistry results received for drill holes completed to date.




Figure 5. Bouguer gravity anomaly image and Central Tenement drill collars




Figure 6. Analytic Signal magnetic anomaly image and Central Tenement drill collars

Drill holes

Below is a table of drill holes referenced in this announcement:

Hole ID	East (MGA)	North (MGA)	RL	Dip	Azimuth (MGA)	Depth
KNXLE001RDD	586519	7806821	225	-70	320.6	699.8
KNXLW001RDD	584975	7806808	225	-68.3	326.9°	600.8
KNXBA001RDD	588116	7809650	225	-75	127°	550

Table 1. Central Tenement drillhole collar details – as drilled

This announcement has been authorised for release by the Board.

More Information

Vince Fayad

Executive Director

Vince.fayad@vfassociates.com.au

+61 (0) 414 752 804

Nicholas Read / Kate Bell

Media & Investor Relations

nicholas@readcorporate.com.au

+61 (08) 9388 1474

The information in this report that relates to Exploration Results associated with the NT Georgina project is based on information compiled by Mr Matthew Healy, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy (AusIMM Member number 303597). Mr Healy is a full-time employee of Astro Resources NL. Mr Healy has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Healy consents to the inclusion in the report of the matters based on his information in the form and context in which it appears

APPENDIX 1 - JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<p>NQ drill core to be cut in half lengthwise and sampled on nominal 1m intervals or as determined by geological boundaries</p> <p>Downhole geophysical surveying conducted using a Gap Geopak High Power HPTX transmitter and DigiAtlantis 24-bit B-field 3 component probe</p> <p>Altitude for airborne magnetic surveying was determined using a Reninshaw ILM-500-R laser with a vertical accuracy of 0.1m</p> <p>Base station magnetic field monitoring was completed using GEM Overhauser and Scintrex ENVIMAG proton precession magnetometers with 1.0 and 0.5 Hz sampling rates respectively</p> <p>Radiometric surveying was completed using an RSI RS-500 gamma-ray spectrometer with a sampling rate of 2Hz</p> <p>Magnetic surveying was completed using a Geometrics G-823A caesium vapour magnetometer at a 20Hz sampling rate</p> <p>Gravity data collected using a CG-6 Autograv Gravity Meter and ESVE300PRO GNSS Rover Receiver and Base Receiver</p>
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<p>Mud-rotary methods employed to bit refusal in Banks and Leichhardt West drill holes, with HQ and NQ diamond core drilling methods thereafter</p> <p>Reverse Circulation pre-collar at Leichhardt East to 147m depth and HQ diamond methods thereafter</p> <p>Drill core that has intersected basement (Proterozoic) rocks has been oriented where possible</p>
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<p>Core blocks inserted between runs by drill crew record run length and recovered core</p> <p>Core recovery logged by field staff/contractors at the point of core markup</p>
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<p>Drill core logged by field geologists to capture interpreted lithology, weathering, alteration and veining, and structure orientations where appropriate</p> <p>Core logging is largely qualitative, with some quantitative estimates of notable minerals</p> <p>Core tray photography undertaken of wet drill core</p> <p>Preliminary logging undertaken on KNXLE001RDD with detailed logging to be completed prior to cutting of drill core</p> <p>All drill core logged</p>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and 	<p>Half-core crushed and pulverized to 85% passing 75 micron particle size prior to assay</p> <p>Half drill core considered representative of sample intervals</p>

	<p>appropriateness of the sample preparation technique.</p> <ul style="list-style-type: none"> Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>NATA-accredited Intertek Laboratories conducted preparation and analysis of samples</p> <p>Laboratory analysis includes Fire Assay and AAS finish for Au (Method FA25/OE) and 4-acid digest and ICP-MS finish for a 48-element suite (Method 4A/MS)</p> <p>Both techniques considered total for elements of interest</p> <p>Certified reference materials (CRMs) and blanks inserted in the sample stream to monitor accuracy and potential contamination as part of Company QAQC processes</p> <p>Intertek in-house QAQC includes the use of CRMs, splits and duplicates to monitor accuracy and precision</p> <p>Results from QAQC review indicate no material issues, and that assay result quality is acceptable</p>
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<p>Sample intervals assigned a unique sample identification number prior to core cutting and analysis</p> <p>Significant intersections checked against drill core photography and QAQC results by a company geologist</p> <p>Tabulated data provided for each assayed interval for the announced elements.</p>
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<p>Drill collar location determined using a Garmin hand-held GPS with location reported in GDA94 MGA Zone 53</p> <p>Downhole surveys determined using a north-seeking gyro</p> <p>Magnetic survey flight path recovery was established using a NovAtel OEM 719 DGPS Receiver with a 0.4m RMS accuracy and a 2Hz sampling rate</p>
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<p>Drill spacing is appropriate for early exploration purposes</p> <p>Downhole EM stations were taken at 10m intervals and 50cm for magnetic readings</p> <p>Gravity station measurements taken at a 200x200m grid pattern</p> <p>Flight lines were spaced at 100m with perpendicular tie-lines at 1000m intervals.</p>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<p>Insufficient information available due to early exploration status</p>
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<p>Samples delivered from the drill site to Freight agent by Company staff/contractors for delivery to external laboratory</p>
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<p>Not applicable</p>

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<p>Tenements held in 80% Astro subsidiary Knox Resources Pty Ltd. Remaining 20% interest held by Greenvale Energy Ltd</p> <p>Drilling conducted on granted exploration tenure</p> <p>Landholder access agreement in place</p>
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<p>Previous exploration conducted by Greenvale Energy, comprising airborne magnetic and ground gravity surveying, desktop studies and exploration drilling. Previous Greenvale exploration referenced in this announcement from the following ASX releases:</p> <p>ASX: GRV 29 June 2022 'First Diamond hole at the Banks Target intersects IOCG-style Alteration'</p> <p>ASX: GRV 27 July 2022 'Diamond hole at Leichhardt confirms IOCG potential at Georgina'</p>
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<p>The principal target deposit style is iron-oxide-copper-gold (IOCG). IOCG deposits are typically characterized by associated magnetic and gravity responses due the prevalence of dense and often magnetic iron oxide minerals as a substantial portion of the deposit footprint mineralogical constitution. IOCG deposits are known in the Tennant Creek region and recent Geoscience Australia prospectivity analysis indicates that basement rocks east of Tennant Creek, the location of the Company tenements, are prospective for IOCG deposits.</p>
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<p>Drill collar setup and orientation details as tabulated in body of announcement</p> <p>Collar locations and azimuths reported in GDA94 MGA Zone 53</p>
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) 	N/A

	<p>and cut-off grades are usually Material and should be stated.</p> <ul style="list-style-type: none"> Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	Insufficient information available due to early exploration status
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	Included in ASX announcement
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	This release describes all relevant information
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	This release describes all relevant information
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	Further interpretation to be completed once assay results, petrography and magnetic remanence results are returned for KNXLE001RDD. Future work beyond this point will be guided based on interpretation of these results.

APPENDIX 2 – Drill hole Assay results

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200501	KNXLW001RDD	271.62	272.27	<0.05	1.17	31.6
200502	KNXLW001RDD	272.27	273	<0.05	0.5	22.3
200503	KNXLW001RDD	273	274	<0.05	0.42	13.1
200504	KNXLW001RDD	274	275	<0.05	0.4	16.3
200505	KNXLW001RDD	275	276	<0.05	0.39	18.6
200506	KNXLW001RDD	276	277	<0.05	0.75	23.6
200507	KNXLW001RDD	277	278	<0.05	0.77	13.8
200508	KNXLW001RDD	278	279	<0.05	0.53	13
200509	KNXLW001RDD	279	280	<0.05	0.36	10.7
200510	KNXLW001RDD	280	281	<0.05	0.21	9
200511	KNXLW001RDD	281	281.4	<0.05	0.33	14.8
200512	KNXLW001RDD	281.4	282	<0.05	0.42	12.8
200513	KNXLW001RDD	282	283	<0.05	0.41	10.4
200514	KNXLW001RDD	283	284	<0.05	0.38	12.6
200515	KNXLW001RDD	284	285	<0.05	0.28	10.1
200516	KNXLW001RDD	285	286	<0.05	0.3	11.1
200517	KNXLW001RDD	286	287	<0.05	0.27	8.1
200518	KNXLW001RDD	287	288	<0.05	0.45	12.4
200519	KNXLW001RDD	288	289	<0.05	0.38	12.1
200521	KNXLW001RDD	289	290	<0.05	0.2	8.5
200522	KNXLW001RDD	290	291	<0.05	0.23	13.7
200523	KNXLW001RDD	291	292	<0.05	0.21	7.8
200524	KNXLW001RDD	292	292.54	<0.05	0.33	10.5
200525	KNXLW001RDD	292.54	293	<0.05	0.49	12.8
200526	KNXLW001RDD	293	294	<0.05	0.24	6.3
200527	KNXLW001RDD	294	295	<0.05	0.27	5.8
200528	KNXLW001RDD	295	296	<0.05	0.48	7
200529	KNXLW001RDD	296	297	<0.05	0.42	9.5
200530	KNXLW001RDD	297	298	<0.05	0.5	7.9
200531	KNXLW001RDD	298	298.42	<0.05	0.76	9.5
200532	KNXLW001RDD	298.42	299	<0.05	0.23	8.2
200533	KNXLW001RDD	299	300	<0.05	0.17	7.6
200534	KNXLW001RDD	300	301	0.07	1.32	128.4
200535	KNXLW001RDD	301	302.33	<0.05	0.45	142.1
200537	KNXLW001RDD	302.68	304	0.15	3.64	21.8
200538	KNXLW001RDD	304	305	0.29	5.91	20.6
200539	KNXLW001RDD	305	306	<0.05	0.34	6.1
200541	KNXLW001RDD	306	307	<0.05	0.45	10
200542	KNXLW001RDD	307	308	<0.05	0.92	10.5
200543	KNXLW001RDD	308	309	<0.05	0.44	9.9
200544	KNXLW001RDD	309	310	<0.05	0.44	8
200545	KNXLW001RDD	310	310.66	0.15	1.91	5.5
200546	KNXLW001RDD	310.66	312	<0.05	1.07	8.3
200547	KNXLW001RDD	312	313	<0.05	0.87	5.4
200548	KNXLW001RDD	313	314	<0.05	1.01	5.2
200549	KNXLW001RDD	314	315.2	<0.05	0.59	7.1
200550	KNXLW001RDD	315.2	316	<0.05	0.4	11.1
200551	KNXLW001RDD	316	317	<0.05	0.58	11.1
200552	KNXLW001RDD	317	318	0.26	5.72	13.8
200553	KNXLW001RDD	318	319	0.11	2.63	82
200554	KNXLW001RDD	319	320.29	<0.05	0.34	6.2
200555	KNXLW001RDD	320.29	321	<0.05	0.3	5.6
200556	KNXLW001RDD	321	322	0.1	2.66	5.9
200557	KNXLW001RDD	322	323	<0.05	0.45	13.9
200558	KNXLW001RDD	323	324.25	0.11	1.65	11.9
200559	KNXLW001RDD	324.25	325	0.51	4.22	14.1
200560	KNXLW001RDD	325	326	0.15	1.99	13
200561	KNXLW001RDD	326	326.45	<0.05	0.37	19.5
200562	KNXLW001RDD	326.45	327	<0.05	0.24	3.9
200563	KNXLW001RDD	327	328	<0.05	0.28	3.2
200564	KNXLW001RDD	328	329	<0.05	0.2	2.8
200565	KNXLW001RDD	329	330	<0.05	0.16	2.9

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200566	KNXLW001RDD	330	331	<0.05	0.23	2.7
200567	KNXLW001RDD	331	332	<0.05	0.19	2.6
200568	KNXLW001RDD	332	333	<0.05	0.15	2.8
200569	KNXLW001RDD	333	334	<0.05	0.13	3
200571	KNXLW001RDD	334	335	<0.05	0.24	3.1
200572	KNXLW001RDD	335	336	<0.05	0.13	3.4
200573	KNXLW001RDD	336	337	<0.05	0.21	2
200574	KNXLW001RDD	337	338	<0.05	0.15	2.5
200575	KNXLW001RDD	338	339	<0.05	0.15	2.2
200576	KNXLW001RDD	339	340	<0.05	0.2	2.2
200577	KNXLW001RDD	340	341	<0.05	0.2	2.3
200578	KNXLW001RDD	341	342	<0.05	0.26	2.9
200579	KNXLW001RDD	342	343	<0.05	0.41	2.4
200580	KNXLW001RDD	343	344	<0.05	0.17	2.5
200581	KNXLW001RDD	344	345	<0.05	0.28	2.7
200582	KNXLW001RDD	345	346	<0.05	0.18	2.5
200583	KNXLW001RDD	346	347	<0.05	0.17	2.7
200584	KNXLW001RDD	347	348	<0.05	0.17	2.3
200585	KNXLW001RDD	348	349	<0.05	0.18	2
200586	KNXLW001RDD	349	350	<0.05	0.16	3
200587	KNXLW001RDD	350	351	<0.05	0.11	3.9
200588	KNXLW001RDD	351	352	<0.05	0.13	2.2
200589	KNXLW001RDD	352	353	<0.05	0.14	2.7
200591	KNXLW001RDD	353	354	0.25	0.23	13.2
200592	KNXLW001RDD	354	354.62	<0.05	0.14	5.1
200593	KNXLW001RDD	354.62	355	<0.05	0.14	4.2
200594	KNXLW001RDD	355	356	<0.05	0.14	6.5
200595	KNXLW001RDD	356	357	<0.05	0.24	7.4
200596	KNXLW001RDD	357	357.7	<0.05	0.28	10.5
200598	KNXLW001RDD	358	359	0.23	1.45	18.6
200599	KNXLW001RDD	359	360	<0.05	0.28	8.7
200600	KNXLW001RDD	360	361.1	0.44	2.39	20.1
200601	KNXLW001RDD	361.1	362	0.09	0.59	10
200602	KNXLW001RDD	362	363	<0.05	0.37	5.6
200603	KNXLW001RDD	363	364.27	<0.05	0.73	7.4
200604	KNXLW001RDD	364.27	365	0.11	0.47	7.1
200605	KNXLW001RDD	365	366	<0.05	0.28	5.1
200606	KNXLW001RDD	366	367	0.1	0.18	80.5
200607	KNXLW001RDD	367	368	<0.05	0.15	5.8
200608	KNXLW001RDD	368	369	<0.05	0.23	43.2
200609	KNXLW001RDD	369	370	0.07	0.29	88.3
200610	KNXLW001RDD	370	371	0.56	3.32	192.1
200611	KNXLW001RDD	371	371.63	0.13	0.99	17
200612	KNXLW001RDD	371.63	372	<0.05	0.26	8.7
200613	KNXLW001RDD	372	373	<0.05	0.62	7.6
200614	KNXLW001RDD	373	374	<0.05	0.22	15.7
200615	KNXLW001RDD	374	375	<0.05	0.29	112.4
200616	KNXLW001RDD	375	376	<0.05	0.42	77.7
200617	KNXLW001RDD	376	377	0.06	0.69	103.7
200618	KNXLW001RDD	377	378	<0.05	0.42	136.2
200619	KNXLW001RDD	378	379	<0.05	0.14	17.3
200621	KNXLW001RDD	379	380.14	0.07	0.28	104
200622	KNXLW001RDD	380.14	381	<0.05	0.16	28.7
200623	KNXLW001RDD	381	382	<0.05	0.1	17.5
200624	KNXLW001RDD	382	383	<0.05	0.1	20.9
200625	KNXLW001RDD	383	384	<0.05	0.16	36
200626	KNXLW001RDD	384	384.62	<0.05	0.12	31.7
200627	KNXLW001RDD	384.62	385	0.11	1.41	6.8
200628	KNXLW001RDD	385	386	0.42	2.07	5.9
200629	KNXLW001RDD	386	387	<0.05	0.17	6.5
200630	KNXLW001RDD	387	388	0.31	1.41	14.1
200631	KNXLW001RDD	388	388.67	0.39	1.5	26.4

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200632	KNXLW001RDD	388.67	390	0.38	1.91	57.7
200633	KNXLW001RDD	390	391	0.31	2.26	30.5
200634	KNXLW001RDD	391	392	0.09	0.65	69.2
200635	KNXLW001RDD	392	392.35	0.09	0.78	8.7
200636	KNXLW001RDD	392.35	393	<0.05	0.33	77.6
200637	KNXLW001RDD	393	394	<0.05	0.12	12.7
200638	KNXLW001RDD	394	395	<0.05	0.08	25.5
200639	KNXLW001RDD	395	396	<0.05	0.51	21.9
200641	KNXLW001RDD	396	397	0.07	0.13	20.6
200642	KNXLW001RDD	397	398.19	<0.05	0.26	52.2
200643	KNXLW001RDD	398.19	399	<0.05	0.32	51.6
200644	KNXLW001RDD	399	400	0.17	0.83	24.5
200645	KNXLW001RDD	400	401	0.07	0.94	131.8
200646	KNXLW001RDD	401	402	0.1	1.02	187.1
200647	KNXLW001RDD	402	403	<0.05	0.2	123.6
200648	KNXLW001RDD	403	404	0.1	0.51	10.8
200649	KNXLW001RDD	404	405	0.07	0.65	39.2
200650	KNXLW001RDD	405	406	0.09	0.68	92.9
200651	KNXLW001RDD	406	407	0.06	0.28	28.7
200652	KNXLW001RDD	407	408	<0.05	0.33	51.8
200653	KNXLW001RDD	408	409	<0.05	0.19	12.7
200654	KNXLW001RDD	409	410	0.06	0.41	295.4
200655	KNXLW001RDD	410	411	0.2	1.53	25.5
200656	KNXLW001RDD	411	412	0.15	0.59	35.8
200657	KNXLW001RDD	412	412.41	<0.05	0.07	5
200658	KNXLW001RDD	412.41	412.71	<0.05	0.22	43.3
200659	KNXLW001RDD	412.71	414	<0.05	0.28	16.6
200660	KNXLW001RDD	414	415	0.08	0.38	38.9
200661	KNXLW001RDD	415	416	0.2	1.41	114.8
200662	KNXLW001RDD	416	417	0.07	0.31	20.7
200663	KNXLW001RDD	417	418	0.13	0.93	122.8
200664	KNXLW001RDD	418	419	0.05	0.64	25.8
200665	KNXLW001RDD	419	420	0.18	1.34	99.7
200666	KNXLW001RDD	420	421	<0.05	0.24	17.8
200667	KNXLW001RDD	421	422	0.06	0.42	85.1
200668	KNXLW001RDD	422	423	0.51	2.01	328
200669	KNXLW001RDD	423	424	0.22	1.33	254.2
200671	KNXLW001RDD	424	425	0.08	0.59	85.2
200672	KNXLW001RDD	425	426	0.23	1.09	62.3
200673	KNXLW001RDD	426	427	0.15	0.76	63
200674	KNXLW001RDD	427	428	0.05	0.21	17.1
200675	KNXLW001RDD	428	429	0.6	4.01	427.4
200676	KNXLW001RDD	429	430	0.79	3.87	273.9
200677	KNXLW001RDD	430	431	0.09	0.21	24.6
200678	KNXLW001RDD	431	432	0.12	0.8	73.5
200679	KNXLW001RDD	432	433	0.25	1.12	66.2
200680	KNXLW001RDD	433	434	0.09	0.79	148
200681	KNXLW001RDD	434	435	0.06	0.39	13.7
200682	KNXLW001RDD	435	436	0.29	2.43	198
200683	KNXLW001RDD	436	437	0.07	0.31	42.8
200684	KNXLW001RDD	437	438	0.09	0.51	96.1
200685	KNXLW001RDD	438	439	0.07	0.27	55.8
200686	KNXLW001RDD	439	440	0.08	0.5	107.1
200687	KNXLW001RDD	440	441	0.44	2.41	997
200688	KNXLW001RDD	441	442	0.59	2.91	1044.5
200689	KNXLW001RDD	442	443	0.07	0.4	84.2
200691	KNXLW001RDD	443	444	0.39	2.15	412.5
200692	KNXLW001RDD	444	445	0.41	2.57	881
200693	KNXLW001RDD	445	446	0.37	2.74	1200.4
200694	KNXLW001RDD	446	447	0.18	1.33	564.1
200695	KNXLW001RDD	447	448	0.31	2.11	680.3
200696	KNXLW001RDD	448	449	0.64	3.02	421

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200697	KNXLW001RDD	449	450	0.06	0.23	13.5
200698	KNXLW001RDD	450	451	<0.05	0.14	7
200699	KNXLW001RDD	451	452	<0.05	0.19	6.6
200700	KNXLW001RDD	452	453	0.15	1.33	201
200701	KNXLW001RDD	453	454	0.15	1.38	275.1
200702	KNXLW001RDD	454	455.14	<0.05	0.19	23.4
200703	KNXLW001RDD	455.14	456.37	0.07	0.26	25.5
200704	KNXLW001RDD	456.37	457	0.15	1.3	418.5
200705	KNXLW001RDD	457	458	0.11	0.76	306.3
200706	KNXLW001RDD	458	459	0.08	0.57	117.3
200707	KNXLW001RDD	459	460	0.05	0.28	52
200708	KNXLW001RDD	460	461	0.11	0.68	229.4
200709	KNXLW001RDD	461	462	0.26	1.64	310.3
200710	KNXLW001RDD	462	462.74	0.14	0.6	305.5
200711	KNXLW001RDD	462.74	463.42	0.08	0.41	13.2
200712	KNXLW001RDD	463.42	464	0.07	0.77	247.8
200713	KNXLW001RDD	464	465	<0.05	0.26	68.2
200714	KNXLW001RDD	465	466	0.05	0.6	111.5
200715	KNXLW001RDD	466	467	<0.05	0.17	16.7
200716	KNXLW001RDD	467	468	<0.05	0.2	8.5
200717	KNXLW001RDD	468	469	<0.05	0.17	6.5
200718	KNXLW001RDD	469	470	0.1	0.66	212
200719	KNXLW001RDD	470	471	<0.05	0.48	19.1
200721	KNXLW001RDD	471	472	<0.05	0.41	43.4
200722	KNXLW001RDD	472	472.79	0.11	1.12	215.7
200723	KNXLW001RDD	472.79	473.31	0.15	1.43	182.7
200724	KNXLW001RDD	473.31	474	0.06	0.57	92
200725	KNXLW001RDD	474	475	0.06	0.58	66.7
200726	KNXLW001RDD	475	476	0.06	0.49	158.1
200727	KNXLW001RDD	476	477	<0.05	0.34	63.6
200728	KNXLW001RDD	477	478	<0.05	0.31	44.9
200729	KNXLW001RDD	478	479	<0.05	0.47	35.5
200730	KNXLW001RDD	479	480	<0.05	0.25	22.8
200731	KNXLW001RDD	480	481	<0.05	0.48	10.7
200732	KNXLW001RDD	481	482	<0.05	0.43	38.9
200733	KNXLW001RDD	482	483	<0.05	0.28	12.2
200734	KNXLW001RDD	483	484	0.08	0.8	189.4
200735	KNXLW001RDD	484	484.71	0.05	0.57	64.9
200736	KNXLW001RDD	484.71	486	0.17	1.65	296.9
200737	KNXLW001RDD	486	487	0.06	0.67	160.3
200738	KNXLW001RDD	487	488	<0.05	0.23	40.9
200739	KNXLW001RDD	488	489	0.05	0.36	38.4
200741	KNXLW001RDD	489	490	0.06	0.22	41
200742	KNXLW001RDD	490	491	0.12	0.86	118
200743	KNXLW001RDD	491	492	0.09	0.6	31.4
200744	KNXLW001RDD	492	492.86	<0.05	0.3	26
200746	KNXLW001RDD	492.99	494	0.07	0.52	50.2
200747	KNXLW001RDD	494	495	0.07	1.58	137.2
200748	KNXLW001RDD	495	496	0.06	0.57	45
200749	KNXLW001RDD	496	497	0.07	0.79	100
200750	KNXLW001RDD	497	498	0.15	1.5	225
200751	KNXLW001RDD	498	499	0.18	1.59	244.7
200752	KNXLW001RDD	499	500	0.07	0.73	150.1
200753	KNXLW001RDD	500	501	0.08	1.01	174.5
200754	KNXLW001RDD	501	502	<0.05	0.17	17.3
200755	KNXLW001RDD	502	503	0.27	2.18	313.5
200756	KNXLW001RDD	503	504	0.17	1.46	301.3
200757	KNXLW001RDD	504	505	0.06	0.42	46.6
200758	KNXLW001RDD	505	506	0.05	0.43	35
200759	KNXLW001RDD	506	507	0.08	0.92	108.6
200760	KNXLW001RDD	507	508	0.37	1.61	67.9
200761	KNXLW001RDD	508	509	0.09	2.14	125.6

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200762	KNXLW001RDD	509	509.56	<0.05	0.75	84.6
200763	KNXLW001RDD	509.56	510	<0.05	0.5	55.2
200764	KNXLW001RDD	510	511	<0.05	0.16	22.4
200765	KNXLW001RDD	511	512	<0.05	0.18	12.3
200766	KNXLW001RDD	512	513	<0.05	0.19	9
200767	KNXLW001RDD	513	514.14	<0.05	0.19	18.7
200768	KNXLW001RDD	514.14	515	0.42	3.33	122.3
200769	KNXLW001RDD	515	516	0.29	1.44	164
200771	KNXLW001RDD	516	517	0.37	1.63	140.9
200772	KNXLW001RDD	517	518	0.16	0.87	24.9
200773	KNXLW001RDD	518	519	0.05	0.77	29.1
200774	KNXLW001RDD	519	520	<0.05	0.98	47
200775	KNXLW001RDD	520	521	0.07	1.58	92.3
200776	KNXLW001RDD	521	522	0.09	1.26	89.7
200777	KNXLW001RDD	522	523	0.05	1.2	54
200778	KNXLW001RDD	523	524	0.11	1.79	34.9
200779	KNXLW001RDD	524	525	0.15	1.6	86
200780	KNXLW001RDD	525	526	0.06	0.93	11.6
200781	KNXLW001RDD	526	527	0.07	1.07	89.7
200782	KNXLW001RDD	527	528	0.06	1.41	76.8
200783	KNXLW001RDD	528	529	0.11	1.89	56.4
200784	KNXLW001RDD	529	530	<0.05	0.27	10.3
200785	KNXLW001RDD	530	531	0.18	0.94	49.4
200786	KNXLW001RDD	531	532	0.13	0.41	14.7
200787	KNXLW001RDD	532	533	0.06	0.33	17.9
200788	KNXLW001RDD	533	534	0.06	0.4	29.8
200789	KNXLW001RDD	534	535	0.12	0.83	73.2
200791	KNXLW001RDD	535	536.05	0.22	1.53	182.9
200792	KNXLW001RDD	536.05	536.3	1.17	18.67	2214.2
200793	KNXLW001RDD	536.3	537	0.07	0.77	45.4
200794	KNXLW001RDD	537	538	<0.05	0.36	8.4
200795	KNXLW001RDD	538	539	0.08	1.03	61.2
200796	KNXLW001RDD	539	540	0.09	0.7	69.6
200797	KNXLW001RDD	540	541	0.05	0.71	48.1
200798	KNXLW001RDD	541	542.22	<0.05	0.41	27.8
200799	KNXLW001RDD	542.22	542.5	0.05	0.56	69.6
200800	KNXLW001RDD	542.5	543	0.11	1.12	139.7
200801	KNXLW001RDD	543	544	0.18	1.3	125.5
200802	KNXLW001RDD	544	545	0.07	0.64	75.9
200803	KNXLW001RDD	545	545.44	0.12	1.4	234.8
200804	KNXLW001RDD	545.44	545.71	<0.05	0.31	47.2
200805	KNXLW001RDD	545.71	547	0.22	0.98	40.2
200806	KNXLW001RDD	547	548	<0.05	0.29	18.9
200807	KNXLW001RDD	548	549	<0.05	0.3	32.5
200808	KNXLW001RDD	549	550	0.15	3.08	341.1
200809	KNXLW001RDD	550	551	0.06	1.19	169.8
200810	KNXLW001RDD	551	551.78	<0.05	0.79	80.3
200811	KNXLW001RDD	551.78	552.46	0.06	0.19	22.6
200813	KNXLW001RDD	552.56	552.68	<0.05	0.8	55.9
200814	KNXLW001RDD	552.68	554	<0.05	3.08	31.5
200815	KNXLW001RDD	554	555	<0.05	6.2	56.5
200816	KNXLW001RDD	555	556	<0.05	1.75	24
200817	KNXLW001RDD	556	556.79	<0.05	1.14	24.8
200818	KNXLW001RDD	556.79	558	<0.05	1.89	99
200819	KNXLW001RDD	558	559	<0.05	0.47	21.5
200821	KNXLW001RDD	559	560	<0.05	2.3	104.5
200822	KNXLW001RDD	560	561	<0.05	1.48	66.1
200823	KNXLW001RDD	561	562	<0.05	0.31	9.6
200824	KNXLW001RDD	562	563	0.1	0.59	75.8
200825	KNXLW001RDD	563	564	<0.05	1.18	60.1
200826	KNXLW001RDD	564	565	<0.05	0.86	107.3
200827	KNXLW001RDD	565	566	<0.05	0.62	17.8

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200828	KNXLW001RDD	566	567	<0.05	0.26	17
200829	KNXLW001RDD	567	568	0.08	2.28	77.9
200830	KNXLW001RDD	568	569	<0.05	1.85	65.4
200831	KNXLW001RDD	569	570	0.11	6.56	179.3
200832	KNXLW001RDD	570	571	1.18	13.4	466.1
200833	KNXLW001RDD	571	572	1.63	50.73	793.9
200834	KNXLW001RDD	572	573	0.27	17.15	94.2
200835	KNXLW001RDD	573	574	0.22	22.47	257.9
200836	KNXLW001RDD	574	575	0.16	18.52	374.9
200837	KNXLW001RDD	575	576	<0.05	1.21	69
200838	KNXLW001RDD	576	577	0.05	4.85	89.1
200839	KNXLW001RDD	577	578	<0.05	1.68	54.8
200841	KNXLW001RDD	578	579	0.18	1.06	243.7
200842	KNXLW001RDD	579	580	0.18	1.38	197.7
200843	KNXLW001RDD	580	581	<0.05	0.82	4.6
200844	KNXLW001RDD	581	582	<0.05	1	20
200845	KNXLW001RDD	582	583	<0.05	0.88	30.1
200846	KNXLW001RDD	583	584	0.06	2.08	7
200847	KNXLW001RDD	584	585	<0.05	3.03	5.7
200848	KNXLW001RDD	585	586	0.08	5.9	34.8
200849	KNXLW001RDD	586	587	<0.05	2.09	3.5
200850	KNXLW001RDD	587	588	0.1	1.52	14.2
200851	KNXLW001RDD	588	589	<0.05	0.35	103.8
200852	KNXLW001RDD	589	590	<0.05	1.21	34.2
200853	KNXLW001RDD	590	591	<0.05	1.83	6.6
200854	KNXLW001RDD	591	592	0.46	5.69	369.1
200855	KNXLW001RDD	592	593	0.09	4.22	39.4
200856	KNXLW001RDD	593	594	0.06	3.47	24.4
200857	KNXLW001RDD	594	595	0.06	4.59	38.9
200858	KNXLW001RDD	595	596	<0.05	0.34	7.6
200859	KNXLW001RDD	596	597	0.08	1.16	55.3
200860	KNXLW001RDD	597	598	0.3	6	82.8
200861	KNXLW001RDD	598	599	1.15	39.91	354
200862	KNXLW001RDD	599	600	0.13	0.67	39.9
200863	KNXLW001RDD	600	600.8	1.72	5.18	1513.6
200001	KNXBA001RDD	270.2	271	<0.05	0.25	29
200002	KNXBA001RDD	271	272.05	<0.05	0.64	14
200003	KNXBA001RDD	272.05	273	0.09	0.34	12.4
200004	KNXBA001RDD	273	274	<0.05	0.22	16.2
200005	KNXBA001RDD	274	275	<0.05	0.41	17.9
200006	KNXBA001RDD	275	276	<0.05	0.5	10.7
200007	KNXBA001RDD	276	277	<0.05	0.69	9.7
200008	KNXBA001RDD	277	278	0.06	0.81	31.3
200009	KNXBA001RDD	278	279	<0.05	0.3	15
200010	KNXBA001RDD	279	280	<0.05	0.33	13.8
200011	KNXBA001RDD	280	281	<0.05	0.43	37
200012	KNXBA001RDD	281	281.38	<0.05	0.48	12
200013	KNXBA001RDD	281.38	282	<0.05	0.43	12.1
200014	KNXBA001RDD	282	283	<0.05	0.57	7.7
200015	KNXBA001RDD	283	284	0.44	0.41	11.8
200016	KNXBA001RDD	284	285	<0.05	0.61	11.9
200017	KNXBA001RDD	285	286	0.07	1.6	5.5
200018	KNXBA001RDD	286	287	<0.05	2.33	4.7
200019	KNXBA001RDD	287	287.6	<0.05	1.23	4
200021	KNXBA001RDD	287.6	288	0.63	1.22	9
200022	KNXBA001RDD	288	289	<0.05	0.51	8.7
200023	KNXBA001RDD	289	290	<0.05	1.05	12.8
200024	KNXBA001RDD	290	290.6	<0.05	0.74	12.2
200025	KNXBA001RDD	290.6	291	<0.05	0.4	3
200026	KNXBA001RDD	291	292	<0.05	0.38	4.6
200027	KNXBA001RDD	292	293	<0.05	0.34	5.8
200028	KNXBA001RDD	293	294	<0.05	0.64	7

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200029	KNXBA001RDD	294	295	<0.05	0.64	5.3
200030	KNXBA001RDD	295	296	<0.05	0.54	4.7
200031	KNXBA001RDD	296	297	<0.05	0.64	7.5
200032	KNXBA001RDD	297	298	<0.05	0.59	4.9
200033	KNXBA001RDD	298	299	<0.05	0.68	4.2
200034	KNXBA001RDD	299	300	<0.05	0.62	4.5
200035	KNXBA001RDD	300	301	<0.05	0.59	6.3
200036	KNXBA001RDD	301	302	<0.05	0.61	5.9
200037	KNXBA001RDD	302	303	<0.05	1.04	15.2
200038	KNXBA001RDD	303	304	<0.05	0.46	11.3
200039	KNXBA001RDD	304	305	<0.05	1.18	13.6
200041	KNXBA001RDD	305	305.48	<0.05	0.88	11.8
200042	KNXBA001RDD	305.48	306	<0.05	0.65	5.6
200043	KNXBA001RDD	306	307	<0.05	0.43	6.2
200044	KNXBA001RDD	307	308	<0.05	0.55	4.9
200045	KNXBA001RDD	308	308.48	<0.05	0.66	7.1
200299	KNXBA001RDD	308.48	309	0.05	11.94	26.8
200046	KNXBA001RDD	309	310.15	<0.05	0.96	7
200047	KNXBA001RDD	310.15	311	<0.05	0.62	5.4
200048	KNXBA001RDD	311	312	<0.05	0.46	6.4
200049	KNXBA001RDD	312	313	0.06	0.88	3.4
200050	KNXBA001RDD	313	314	0.05	0.93	17
200051	KNXBA001RDD	314	315	<0.05	1.23	63.8
200052	KNXBA001RDD	315	316	<0.05	1.14	11.1
200053	KNXBA001RDD	316	317	0.06	1.41	5.2
200054	KNXBA001RDD	317	318	<0.05	1.93	12.6
200055	KNXBA001RDD	318	319	<0.05	0.64	10.3
200056	KNXBA001RDD	319	320	<0.05	1.16	22.3
200057	KNXBA001RDD	320	321	0.06	1.35	26.9
200058	KNXBA001RDD	321	322	<0.05	1.21	10.9
200059	KNXBA001RDD	322	323	<0.05	0.47	8.5
200060	KNXBA001RDD	323	324	<0.05	0.25	12.5
200061	KNXBA001RDD	324	325	<0.05	0.34	26.6
200062	KNXBA001RDD	325	326	0.23	1.17	147.6
200063	KNXBA001RDD	326	327	0.15	0.54	175.9
200064	KNXBA001RDD	327	328	0.29	1.34	177.4
200065	KNXBA001RDD	328	329	<0.05	0.38	6
200066	KNXBA001RDD	329	330	0.1	1.05	5.9
200067	KNXBA001RDD	330	331	0.07	0.95	4.8
200068	KNXBA001RDD	331	332	<0.05	0.4	2.7
200069	KNXBA001RDD	332	333	<0.05	0.43	3.1
200071	KNXBA001RDD	333	334	0.08	0.59	5.5
200072	KNXBA001RDD	334	335	0.09	0.63	16
200073	KNXBA001RDD	335	336	<0.05	0.39	3.6
200074	KNXBA001RDD	336	337	<0.05	0.52	2.4
200075	KNXBA001RDD	337	338	<0.05	0.4	4.1
200076	KNXBA001RDD	338	339	0.2	0.68	10.7
200077	KNXBA001RDD	339	340	0.05	1.45	5.1
200078	KNXBA001RDD	340	341	0.05	1.86	4.5
200079	KNXBA001RDD	341	342	<0.05	0.84	6.2
200080	KNXBA001RDD	342	343	<0.05	0.89	41.4
200081	KNXBA001RDD	343	344	0.1	4.88	68.5
200082	KNXBA001RDD	344	345	<0.05	0.54	59.3
200083	KNXBA001RDD	345	346	<0.05	0.34	30.6
200084	KNXBA001RDD	346	347	<0.05	0.38	8.7
200085	KNXBA001RDD	347	348	0.06	1.27	73.7
200086	KNXBA001RDD	348	349	<0.05	0.53	46
200087	KNXBA001RDD	349	350	<0.05	0.36	3
200088	KNXBA001RDD	350	351	0.13	0.81	13.4
200089	KNXBA001RDD	351	352	0.27	0.87	4.2
200091	KNXBA001RDD	352	353	0.18	0.55	8.9
200092	KNXBA001RDD	353	354	0.05	0.21	6.8

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200093	KNXBA001RDD	354	355	<0.05	0.32	5.9
200094	KNXBA001RDD	355	356.1	<0.05	0.42	5.3
200095	KNXBA001RDD	356.1	357	0.06	0.42	3
200096	KNXBA001RDD	357	358	<0.05	0.38	1.9
200097	KNXBA001RDD	358	359	0.05	0.5	4.1
200098	KNXBA001RDD	359	360	0.17	1.6	4.6
200099	KNXBA001RDD	360	361	0.07	0.13	6
200100	KNXBA001RDD	361	362	<0.05	0.14	3.3
200101	KNXBA001RDD	362	363	<0.05	0.35	5
200102	KNXBA001RDD	363	364	<0.05	0.28	5.8
200103	KNXBA001RDD	364	365	0.05	1.09	2.6
200104	KNXBA001RDD	365	366	0.13	3.6	66.7
200105	KNXBA001RDD	366	367	<0.05	0.74	48.1
200106	KNXBA001RDD	367	368	<0.05	0.57	15.9
200107	KNXBA001RDD	368	369	<0.05	0.18	9.7
200108	KNXBA001RDD	369	370	<0.05	0.21	5.5
200109	KNXBA001RDD	370	371	<0.05	0.33	4.6
200110	KNXBA001RDD	371	372	<0.05	0.28	5.2
200111	KNXBA001RDD	372	372.71	<0.05	0.48	4.6
200112	KNXBA001RDD	372.71	374	<0.05	0.32	5.4
200113	KNXBA001RDD	374	375	<0.05	0.63	10
200114	KNXBA001RDD	375	376	<0.05	0.74	6.5
200115	KNXBA001RDD	376	377	<0.05	0.31	5.3
200116	KNXBA001RDD	377	378	<0.05	0.2	6.2
200117	KNXBA001RDD	378	379	<0.05	0.26	7.5
200118	KNXBA001RDD	379	380	<0.05	0.33	17.9
200119	KNXBA001RDD	380	381	<0.05	0.41	12.6
200121	KNXBA001RDD	381	382	<0.05	0.28	8.7
200122	KNXBA001RDD	382	383	<0.05	0.43	11.8
200123	KNXBA001RDD	383	384	<0.05	0.45	15.9
200124	KNXBA001RDD	384	385	<0.05	0.38	6.3
200125	KNXBA001RDD	385	386	<0.05	1.35	11.7
200126	KNXBA001RDD	386	387	<0.05	0.37	33.1
200127	KNXBA001RDD	387	387.51	0.06	0.85	135.1
200128	KNXBA001RDD	387.51	388	<0.05	0.32	13.2
200129	KNXBA001RDD	388	389	<0.05	0.54	24.1
200130	KNXBA001RDD	389	390	<0.05	0.24	9.1
200131	KNXBA001RDD	390	391	<0.05	0.35	6.8
200132	KNXBA001RDD	391	392	<0.05	0.57	10.1
200133	KNXBA001RDD	392	393	<0.05	0.28	5.6
200134	KNXBA001RDD	393	394	<0.05	0.16	4.3
200135	KNXBA001RDD	394	395	<0.05	0.76	11.2
200136	KNXBA001RDD	395	396	<0.05	0.45	12.4
200137	KNXBA001RDD	396	397	<0.05	0.41	9.1
200138	KNXBA001RDD	397	398	<0.05	0.49	5.9
200139	KNXBA001RDD	398	399	<0.05	0.69	6
200141	KNXBA001RDD	399	400.29	0.11	0.4	16.1
200142	KNXBA001RDD	400.29	401	0.13	0.37	7
200143	KNXBA001RDD	401	402	<0.05	0.19	3.2
200144	KNXBA001RDD	402	403	<0.05	0.38	9.9
200145	KNXBA001RDD	403	404	<0.05	0.35	4.1
200146	KNXBA001RDD	404	405	0.3	2.13	16
200147	KNXBA001RDD	405	406	0.12	1.61	32.1
200148	KNXBA001RDD	406	407	0.06	0.65	18.3
200149	KNXBA001RDD	407	408	<0.05	0.3	8.2
200150	KNXBA001RDD	408	409	<0.05	0.24	3.3
200151	KNXBA001RDD	409	410	<0.05	0.38	3.1
200152	KNXBA001RDD	410	411	<0.05	0.2	3.1
200153	KNXBA001RDD	411	411.95	<0.05	0.41	20.5
200154	KNXBA001RDD	411.95	413	<0.05	0.69	58.1
200155	KNXBA001RDD	413	414	<0.05	0.46	47.3
200156	KNXBA001RDD	414	415	0.1	1.29	15.1

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200157	KNXBA001RDD	415	416	0.08	1.7	13.4
200158	KNXBA001RDD	416	417	<0.05	0.53	15.6
200159	KNXBA001RDD	417	418	<0.05	0.57	15.7
200160	KNXBA001RDD	418	419	<0.05	0.34	5.6
200161	KNXBA001RDD	419	420	<0.05	0.44	13.7
200162	KNXBA001RDD	420	421	<0.05	0.2	12.6
200163	KNXBA001RDD	421	422	0.06	0.26	8.4
200164	KNXBA001RDD	422	422.81	0.06	0.5	79.5
200165	KNXBA001RDD	422.81	424	0.09	0.37	46.3
200166	KNXBA001RDD	424	425	0.08	0.55	30.8
200167	KNXBA001RDD	425	426	0.07	0.3	34.1
200168	KNXBA001RDD	426	427	0.17	1	153.1
200169	KNXBA001RDD	427	428	<0.05	0.16	24.1
200171	KNXBA001RDD	428	429	<0.05	0.24	32.6
200172	KNXBA001RDD	429	430	<0.05	0.53	7.7
200173	KNXBA001RDD	430	431	<0.05	0.29	4.1
200174	KNXBA001RDD	431	432	<0.05	0.25	7.4
200175	KNXBA001RDD	432	433	<0.05	0.21	6.2
200176	KNXBA001RDD	433	434	0.09	0.86	42.6
200177	KNXBA001RDD	434	435	0.21	0.97	62.7
200178	KNXBA001RDD	435	436	0.08	0.64	110.4
200179	KNXBA001RDD	436	437	0.69	1.14	359.8
200180	KNXBA001RDD	437	438	0.27	1.12	125.6
200181	KNXBA001RDD	438	439	0.5	2.21	207.5
200182	KNXBA001RDD	439	440	0.24	1.74	211.7
200183	KNXBA001RDD	440	441.03	<0.05	0.25	13.3
200184	KNXBA001RDD	441.03	442	<0.05	0.21	5.8
200185	KNXBA001RDD	442	442.89	<0.05	0.21	8
200186	KNXBA001RDD	442.89	444	<0.05	0.19	21.2
200187	KNXBA001RDD	444	445	<0.05	0.29	8.1
200188	KNXBA001RDD	445	446	<0.05	0.21	9.9
200189	KNXBA001RDD	446	447.05	<0.05	0.23	16.1
200191	KNXBA001RDD	447.05	448	<0.05	0.26	7
200192	KNXBA001RDD	448	448.59	<0.05	0.29	15.5
200193	KNXBA001RDD	448.59	449.4	<0.05	1.01	11
200194	KNXBA001RDD	449.4	450	<0.05	0.39	3.4
200195	KNXBA001RDD	450	450.97	<0.05	0.22	6.3
200196	KNXBA001RDD	450.97	452	<0.05	0.37	6.2
200197	KNXBA001RDD	452	453	<0.05	0.39	21.5
200198	KNXBA001RDD	453	454	<0.05	0.13	2.9
200199	KNXBA001RDD	454	455	<0.05	0.27	15.9
200200	KNXBA001RDD	455	456	<0.05	0.27	7
200201	KNXBA001RDD	456	457	<0.05	0.2	5.4
200202	KNXBA001RDD	457	458	<0.05	0.18	16.8
200203	KNXBA001RDD	458	459	<0.05	0.93	19
200204	KNXBA001RDD	459	460	<0.05	0.11	9.4
200205	KNXBA001RDD	460	461	<0.05	0.41	27.1
200206	KNXBA001RDD	461	462	<0.05	0.96	6.9
200207	KNXBA001RDD	462	463.01	<0.05	0.79	136.9
200208	KNXBA001RDD	463.01	464	<0.05	0.76	23.2
200209	KNXBA001RDD	464	465	<0.05	0.75	36.2
200210	KNXBA001RDD	465	466	<0.05	0.4	12.4
200211	KNXBA001RDD	466	467	<0.05	0.47	10.7
200212	KNXBA001RDD	467	468	<0.05	0.32	49
200213	KNXBA001RDD	468	469	0.06	0.52	93.4
200214	KNXBA001RDD	469	470	<0.05	0.31	30.3
200215	KNXBA001RDD	470	471	<0.05	0.1	7.6
200216	KNXBA001RDD	471	472.3	<0.05	0.33	17.2
200217	KNXBA001RDD	472.3	473	<0.05	0.9	44.4
200218	KNXBA001RDD	473	474	<0.05	0.93	34.5
200219	KNXBA001RDD	474	475	<0.05	0.83	22
200221	KNXBA001RDD	475	476	<0.05	0.54	8.8

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200222	KNXBA001RDD	476	477	<0.05	0.24	10.7
200223	KNXBA001RDD	477	478	<0.05	0.81	14
200224	KNXBA001RDD	478	479	<0.05	0.34	14.5
200225	KNXBA001RDD	479	480	<0.05	0.4	26.9
200226	KNXBA001RDD	480	481	<0.05	0.72	42.4
200227	KNXBA001RDD	481	482	0.1	0.75	73.9
200228	KNXBA001RDD	482	483	<0.05	0.44	32.7
200229	KNXBA001RDD	483	484	<0.05	0.56	30
200230	KNXBA001RDD	484	485	<0.05	0.39	33.7
200231	KNXBA001RDD	485	486	<0.05	0.62	36.7
200232	KNXBA001RDD	486	487	<0.05	0.29	17.1
200233	KNXBA001RDD	487	488	<0.05	0.4	23.4
200234	KNXBA001RDD	488	489	<0.05	0.5	42.7
200235	KNXBA001RDD	489	490	<0.05	0.37	46
200236	KNXBA001RDD	490	491	<0.05	0.46	37
200237	KNXBA001RDD	491	492	<0.05	0.44	33.3
200238	KNXBA001RDD	492	493	<0.05	0.65	27.1
200239	KNXBA001RDD	493	494	0.07	0.66	30.3
200241	KNXBA001RDD	494	495	0.07	0.41	34.4
200242	KNXBA001RDD	495	496	0.09	0.68	44.8
200243	KNXBA001RDD	496	497	<0.05	0.31	57.4
200244	KNXBA001RDD	497	498	<0.05	0.32	18.3
200245	KNXBA001RDD	498	499	<0.05	0.74	15.6
200246	KNXBA001RDD	499	500	<0.05	0.64	29.9
200247	KNXBA001RDD	500	501	<0.05	1.47	3.9
200248	KNXBA001RDD	501	502	<0.05	0.39	5.9
200249	KNXBA001RDD	502	503	<0.05	0.4	10.3
200250	KNXBA001RDD	503	504	<0.05	0.33	7.4
200251	KNXBA001RDD	504	505	0.06	0.65	21.8
200252	KNXBA001RDD	505	506	<0.05	0.35	18.7
200253	KNXBA001RDD	506	506.8	<0.05	0.37	11.9
200254	KNXBA001RDD	506.8	508	<0.05	1	14.8
200255	KNXBA001RDD	508	509	<0.05	0.56	16.9
200256	KNXBA001RDD	509	510	<0.05	0.74	21.8
200257	KNXBA001RDD	510	511	<0.05	0.47	5.5
200258	KNXBA001RDD	511	512	<0.05	0.37	72
200259	KNXBA001RDD	512	513	<0.05	0.52	28.7
200260	KNXBA001RDD	513	514	<0.05	0.6	32.5
200261	KNXBA001RDD	514	515	<0.05	0.58	10.6
200262	KNXBA001RDD	515	516	<0.05	0.75	11.9
200263	KNXBA001RDD	516	517	<0.05	0.43	11.4
200264	KNXBA001RDD	517	518	<0.05	0.66	7.8
200265	KNXBA001RDD	518	519	<0.05	0.85	9.1
200266	KNXBA001RDD	519	520	<0.05	0.36	8.1
200267	KNXBA001RDD	520	521	<0.05	0.38	5.7
200268	KNXBA001RDD	521	522	<0.05	1.55	114.2
200269	KNXBA001RDD	522	523	<0.05	0.23	58.3
200271	KNXBA001RDD	523	524	<0.05	0.24	59.2
200272	KNXBA001RDD	524	525	<0.05	0.3	34.7
200273	KNXBA001RDD	525	525.8	<0.05	1.31	10.7
200274	KNXBA001RDD	525.8	527	<0.05	0.29	9.7
200275	KNXBA001RDD	527	528	<0.05	0.56	22.6
200276	KNXBA001RDD	528	529	<0.05	0.44	5.9
200277	KNXBA001RDD	529	530	<0.05	0.61	7.5
200278	KNXBA001RDD	530	531	<0.05	0.45	4.9
200279	KNXBA001RDD	531	532	<0.05	4.28	17.6
200280	KNXBA001RDD	532	533	<0.05	0.76	43.3
200281	KNXBA001RDD	533	534	<0.05	0.44	80.6
200282	KNXBA001RDD	534	535	0.07	0.24	84.7
200283	KNXBA001RDD	535	536	0.05	0.24	14.1
200284	KNXBA001RDD	536	537	0.05	0.29	29.3
200285	KNXBA001RDD	537	538	<0.05	0.16	5.1

Sample ID	Hole ID	From (m)	To (m)	Ag (ppm)	Bi (ppm)	Cu (ppm)
200286	KNXBA001RDD	538	539	<0.05	0.47	51
200287	KNXBA001RDD	539	539.8	<0.05	0.24	5.1
200289	KNXBA001RDD	541	542	<0.05	0.25	28.4
200291	KNXBA001RDD	542	543	0.08	0.29	23.7
200292	KNXBA001RDD	543	544	<0.05	0.57	11
200293	KNXBA001RDD	544	545	<0.05	0.3	8
200294	KNXBA001RDD	545	546	<0.05	0.45	7.7
200295	KNXBA001RDD	546	547	<0.05	0.31	15
200296	KNXBA001RDD	547	548	<0.05	0.32	9
200297	KNXBA001RDD	548	549	<0.05	0.48	5.6
200298	KNXBA001RDD	549	550	<0.05	0.33	3.6