

Tesorito continues to expand; Geophysics reveals another target

HIGHLIGHTS

- **Southern step out drilling at Tesorito continues to intercept high grade gold, including (uncut):**
 - **236m @ 1.0g/t Au from surface in TS-DH34 with the following higher-grade intercepts**
 - **26m @ 2.14g/t Au from 6m and**
 - **27.5m @ 2.73g/t Au from 121.5m**
 - **211m @ 0.8g/t Au from surface in TS-DH35 including**
 - **64.6m @ 1.25g/t Au from 128m**
 - **339m @ 0.54g/t Au from surface in TS-DH37 including**
 - **20m @ 1.0g/t Au from 10m and**
 - **23.7m @ 1.0g/t Au from 177m**
- **Northern step out drilling at Tesorito nearly doubles footprint of outer, low grade gold modelled envelopes confirming connection with Tesorito North**
- **Combined Tesorito South and Tesorito North mineralisation now interpreted to form part of a single mineralised system - the Tesorito Gold Porphyry - currently 600m long and open**
- **Recently defined IP anomaly beyond the low grade envelopes offers potential for further extensions to the north.**
- **A fifth diamond rig has been added to the drilling fleet to commence in November**
- **Los Cerros retains a robust balance sheet with over \$21M cash at end of October¹ and four diamond rigs currently deployed at the Quinchia Project, which includes Tesorito**

Los Cerros Limited (ASX: LCL) (Los Cerros or the Company) is pleased to update the market on recent drilling from Tesorito, a near surface gold porphyry discovery, which is part of the Company's 100% owned Quinchia Gold Project in Risaralda - Colombia.

The Company has had four diamond drill rigs assigned to Tesorito step-out drilling in recent months. This release describes drill assay results received to date from the southern step out campaign at Tesorito (drill holes TS-DH34, '35 and '37) and from the northern step out campaign (TS-DH31, '32, '33, '36 and '39).

Southern step out program

The southern step out drilling campaign at Tesorito continues to deliver high grade (>1g/t) gold assays and mineralisation remains open in a southerly direction (Figure 1).

Hole TS-DH34 and '35, drilled from the same pad, were the first southern step-out of the 2020/21 drilling program to test south of the very rewarding TS-DH27, '24, '07 and '16 drill fence which delivered some of the most spectacular results of the Tesorito discovery thus far. TS-DH34 and '35 results include:

- 236m @ 1.0g/t Au from surface in TS-DH34 including
 - 26m @ 2.14g/t Au from 6m, and

¹ Unaudited

- 27.5m @ 2.73g/t Au from 121.5m.
- 211m @ 0.8g/t Au from surface in TS-DH35 including
 - 64.6m @ 1.25g/t Au from 128m

Results confirm continuation of high grade gold associated with the early diorite (porphyry core), particularly in a SSE direction. Three additional step-out fences, extending to the SSE, are in progress or planned.

TS-DH37 was intended to test the western edge of the same drill fence and delivered a very long intercept of low grade material with frequent sub-intervals of ~1g/t gold material. Results included:

- 339m @ 0.54g/t Au from surface in TS-DH37 including
 - 20m @ 1.0g/t Au from 10m and
 - 23.7m @ 1.0g/t Au from 177m.

TS-DH37 transitioned across the west (secondary) fault via a series of shear zones from 332m to ~418m and then entered typical andesites and diorites with propylitic and chlorite-sericite alteration.

Northern step out program

The northern step out drilling campaign at Tesorito has delivered multiple very long, low grade gold intercepts with occasional high grade (>1g/t) intercepts boosting the overall gold grade (Figure 1). Results include (uncut):

- 114m @ 0.53g/t Au from 358m in TS-DH31
- 226m @ 0.5g/t Au from 120m in TS-DH32
- 550m @ 0.5g/t Au from 34m in TS-DH33
- 480m @ 0.42g/t Au from surface in TS-DH36 including
 - 8m @ 1.36g/t Au from 472m (**beyond west fault**)
- 376.2m @ 0.5g/t Au from 16m in TS-DH39 including
 - 8.0m @ 1.44g/t Au from 100m

At 392m, TS-DH36 crossed the west (secondary) fault marking the western edge of the Tesorito porphyry suite, however the drill core remained in andesites and diorites (and included the deeper high grade intercept reported above) until EOH at 661.8m. Whilst other recent holes (TS-DH16, '24)² have reported porphyry associated alteration and gold mineralisation west of the fault (Tesorito West), the intercept of 8m at 1.36g/t Au from 472m reported in TS-DH36 is the **highest gold grade interval reported west of the fault and is in a location approaching the recently revealed significant IP target reported on 26 October 2021**³.

Also of note across the northern campaign is the persistence of low gold grade material in andesite country rock and diorite pulses in an area 300+m north of the high grade areas of Tesorito South, in particular in TS-DH31. This has resulted in a considerable expansion of the modelled low gold grade envelopes into a clearly developed NNE to NE trend orientation adjacent to the Marmato Fault (Figure 1). This also confirms the connection between Tesorito North and Tesorito South gold mineralisation.

² See announcements 6 April 2021 (TS-DH16) and 22 June 2021 (TS-DH24). The Company confirms that it is not aware of any new information that affects the information contained in the announcement.

³ See announcements 26 October 2021. The Company confirms that it is not aware of any new information that affects the information contained in the announcement.




Figure 1: Plan view of Tesorito showing drill traces over modelled gold envelopes and key structures. Recent drilling has expanded low grade envelopes northward and has confirmed significant potential for extension of high grade to the SSE. A recently defined IP anomaly beyond the low grade envelopes offers potential for further extensions to the north.




Figure 2: Cross Section C-D looking north, of Tesorito with new (in **bold**) and significant drill assay results over modelled gold grade blocks and key structures⁴. See Figure 1 for section location.

New IP anomaly beyond low grade envelopes offers potential for further extensions to the north

Interpretation and assimilation of recent deep penetrating IP (Induced Polarisation) geophysical survey data has identified a compelling gold porphyry target conforming to the NNE orientation of above-mentioned gold envelopes and adjacent to the Marmato Fault (Figure 3).

The target lies immediately north of previous Tesorito North drilling and has never been drill tested however TS-DH09 and TS-DH13⁵ drilled near the halo of the new chargeability high reported strongly potassic altered andesites and intrusive breccia dykes, both suggestive of a nearby intrusive (possible porphyry). Follow up drilling of these holes has been on hold pending completion of further geophysical surveys to fine tune targeting.

The Company has flagged the target as a priority for drill testing.

⁴ See announcement 9 August 2021 (TS-DH27), 22 June 2021 (TS-DH24), 6 April 2021 (TS-DH16), and 31 July 2018 and 30 August 2018 for the initial reporting of the assays for drill holes TS-DH07. The Company confirms that it is not aware of any new information that affects the information contained in the announcements.

⁵ See announcement 9 October 2020 (TS-DH09) and 21 January 2021 (TS-DH13). The Company confirms that it is not aware of any new information that affects the information contained in the announcements.

Fifth rig added to drilling fleet

A drill rig capable of drilling ~1,200m NQ diameter diamond holes has been added to the drill fleet specifically to test the new and growing number of exciting geophysics targets. By the end of November 2021, Los Cerros will have a fleet of five rigs at Quinchia.

Los Cerros Managing Director, Jason Stirbinskis added:

"We are increasingly confident that Tesorito South and Tesorito North mineralisation form part of the same gold porphyry - the Tesorito Gold Porphyry, currently defined over a 600m length.

The new northern IP target occurs under a topographic high. It might represent a further extension of the Tesorito Gold Porphyry and indicate a source for the expanse of lower grade gold mineralisation defined by drill intersections which extend northward.

Step out drilling to the south is delivering very encouraging potential for further expansion of gold envelopes in this direction and there still remains scope for further expansion to the east.

In addition, the presence of >1g/t gold intersected in hole TS-DH36 to the west of the secondary fault continues to support further western extensions to porphyry mineralisation at Tesorito West and beyond, towards the large scale coincident IP and drone survey magnetic anomaly reported on 26 October 2021.

The Tesorito Gold Porphyry is emerging as a major mineralised system with its ultimate size yet to be determined. To expedite further discovery, a fifth rig has been added to the drilling fleet."




Figure 3: N-S long sections, looking east, showing drill traces and structures, see Figure 1 for A-B section location. **Top:** modelled gold grade envelopes; recent drilling has expanded low grade modelled envelopes northward (left of image). **Centre:** a chargeability high (blue mass) to the north is a compelling drill target. **Bottom:** a resistivity low (conductivity high) to the north is coincident with the chargeability high.

For the purpose of ASX Listing Rule 15.5, the Board has authorised this announcement to be released.

For further enquiries contact:

Jason Stirbinskis

Managing Director - Los Cerros Limited
3/35 Outram Street
WEST PERTH WA 6005
jason@loscerros.com.au

FORWARD LOOKING STATEMENTS This document contains forward looking statements concerning Los Cerros. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes. Forward looking statements in this document are based on Los Cerros' beliefs, opinions and estimates of Los Cerros as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there can be no assurance that the forward-looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of gold, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. Readers should not place undue reliance on forward-looking information. The Company does not undertake to update any forward-looking information, except in accordance with applicable securities laws. No representation, warranty or undertaking, express or implied, is given or made by the Company that the occurrence of the events expressed or implied in any forward-looking statements in this presentation will actually occur.

JORC STATEMENTS - COMPETENT PERSONS STATEMENTS

The technical information related to Los Cerros assets contained in this report that relates to Exploration Results (excluding those pertaining to Mineral Resources and Reserves) is based on information compiled by Mr Cesar Garcia, who is a Member of the Australasian Institute of Mining and Metallurgy and who is a Geologist employed by Los Cerros on a full-time basis. Mr Garcia has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Garcia consents to the inclusion in the release of the matters based on the information he has compiled in the form and context in which it appears.

The information presented here that relates to Mineral Resources of the Dosquebradas Project, Quinchia District, Republic of Colombia is based on and fairly represents information and supporting documentation compiled by Mr. Scott E. Wilson of Resource Development Associates Inc, of Highlands Ranch Colorado, USA. Mr Wilson takes overall responsibility for the Resource Estimate. Mr. Wilson is Member of the American Institute of Professional Geologists, a "Recognised Professional Organisation" as defined by the Australasian Institute of Mining and Metallurgy (AusIMM). Mr Wilson is not an employee or related party of the Company. Mr. Wilson has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as Competent Persons as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012)'. Mr. Wilson consents to the inclusion in the news release of the information in the form and context in which it appears

The Company is not aware of any new information or data that materially affects the information included in this release.

TABLE 2 - MIRAFLORES PROJECT RESOURCES AND RESERVES

The Miraflores Project Mineral Resource estimate has been estimated by Metal Mining Consultants in accordance with the JORC Code (2012 Edition) and first publicly reported on 14 March 2017. No material changes have occurred after the reporting of these resource estimates since their first reporting.

Miraflores Mineral Resource Estimate, as at 14 March 2017 (100% basis)

Resource Classification	Tonnes (000t)	Au (g/t)	Ag (g/t)	Contained Metal (Koz Au)	Contained Metal (Koz Ag)
Measured	2,958	2.98	2.49	283	237
Indicated	6,311	2.74	2.90	557	588
Measured & Indicated	9,269	2.82	2.77	840	826
Inferred	487	2.36	3.64	37	57

Notes:

- i) Reported at a 1.2 g/t gold cut-off.
- ii) Mineral Resource estimated by Metal Mining Consultants Inc.
- iii) First publicly released on 14 March 2017. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Mineral Resource estimation.
- iv) These Mineral Resources are inclusive of the Mineral Reserves listed below.
- v) Rounding may result in minor discrepancies.

Miraflores Mineral Reserve Estimate, as at 27 November 2017 (100% basis)

The Miraflores Project Ore Reserve estimate has been estimated by Ausenco in accordance with the JORC Code (2012 Edition) and first publicly reported on 18 October 2017 and updated on 27 November 2017. No material changes have occurred after the reporting of these reserve estimates since their reporting in November 2017.

Reserve Classification	Tonnes (Mt)	Au (g/t)	Ag (g/t)	Contained Metal (Koz Au)	Contained Metal (Koz Ag)
Proved	1.70	2.75	2.20	150	120
Probable	2.62	3.64	3.13	307	264
Total	4.32	3.29	2.77	457	385

Notes:

- i) Rounding of numbers may result in minor computational errors, which are not deemed to be significant.
- ii) These Ore Reserves are included in the Mineral Resources listed in the Table above.
- iii) First publicly released on 27 November 2017. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Ore Reserve estimation.

Source: Ausenco, 2017

Dosquebradas Inferred Mineral Resource Estimate, as at 25 February 2020 (100% basis)

Cut-Off (g/t Au)	Tonnes ('000t)	Au (g/t)	Au (koz)	Ag (g/t)	Ag (koz)	Cu (%)	Cu (pounds)
0.3	57,794	0.50	920.8	0.6	1,036	0.04	56,767
0.4	34,593	0.60	664.1	0.6	683.8	0.05	38,428
0.5	20,206	0.71	459.1	0.7	431.7	0.06	24,867

Notes:

- i) No more than 6m internal waste is included in the weighted intervals
- ii) Inferred Mineral Resources shown using various cut offs.
- iii) Based on gold selling price of US\$1,470/oz.
- iv) Mineral Resource estimated by Resource Development Associates Inc.

First publicly released on 25 February 2020. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Mineral Resource estimation.

Assay Results, Note: It is not anticipated that pending assays (blank cells) will alter the interpretation and commentary in this release

TS-DH31:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.01	0.712	23.9	0.62
2	4	0.01	1.275	26.8	0.5
4	6	0.02	2.13	25.9	0.46
6	8	0.01	2.62	38.1	0.46
8	10	0.01	1.875	35.5	0.77
10	12	0.01	0.811	24.4	0.47
12	14	0.01	0.418	30.4	0.25
14	16	0.01	0.506	45.3	0.26
16	18	0.04	0.317	42.5	0.29
18	20	0.02	0.284	24.8	0.15
20	22	0.02	0.754	53.4	0.48
22	24	0.02	0.283	34.3	1.11
24	26	0.02	0.457	41.3	0.52
26	28	0.01	0.34	16.3	0.37
28	30	0.01	0.684	47.2	0.44
30	31.05	0.03	0.739	37.9	2.13
31.05	32.80	0.01	0.301	39.4	0.74
32.80	33.80	0.02	0.66	25	0.59
33.80	35	0.01	0.201	34.5	0.31
35	36	0.01	0.337	50.7	0.4
36	38	0.01	0.223	20.1	3.09
38	40	0.02	0.463	11.05	0.24
40	42	0.02	0.465	47.1	0.35
42	44	0.01	0.192	28	0.58
44	46	0.04	0.761	94.7	0.63
46	48	0.04	0.718	44.2	0.32
48	50	0.04	0.319	41.3	0.4
50	52	0.02	0.229	38.3	0.58
52	54	0.01	0.272	43.1	0.48
54	56	0.03	0.498	27.5	0.33
56	58	0.01	0.223	10.95	0.28
58	59.50	0.02	0.441	5.68	0.37
59.50	60.60	0.13	1.95	11.25	0.62
60.60	61.80	0.07	1.24	5.64	0.88
61.80	63.40	0.02	0.736	5.43	0.39
63.40	65.50	0.06	1.105	5.7	0.54
65.50	66.50	0.01	0.119	4.49	0.64
66.50	68	0.03	0.67	3.33	0.31
68	70	0.13	2.43	9.14	0.53
70	72	0.05	1.26	4.32	0.16
72	74	0.03	0.716	30.5	0.71

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
74	76	0.01	0.204	18.9	0.86
76	78	0.01	0.249	14.95	0.72
78	80	0.01	0.22	33.1	0.61
80	82	0.01	0.16	19.75	0.67
82	84	0.02	0.229	26.1	0.92
84	86	0.02	0.457	202	2.91
86	88	0.01	0.198	9.91	1.06
88	90	0.01	0.086	6.02	0.35
90	92	0.01	0.113	3.94	0.35
92	94	0.01	0.204	24.1	0.3
94	96	0.02	0.189	5.87	0.28
96	98	0.01	0.164	12.95	0.42
98	100	0.01	0.271	9.71	0.53
100	102	0.01	0.443	38.8	0.5
102	104	0.01	0.182	2.68	0.13
104	106	0.01	0.215	34.1	0.19
106	108	0.01	0.113	10.95	0.22
108	110	0.01	0.173	9.85	0.19
110	112	0.01	0.242	5.02	0.19
112	112.90	0.01	0.637	3.83	0.27
112.90	113.60	0.04	1.305	4.2	0.89
113.60	115.00	0.06	1.435	5.45	1.45
115	117.10	0.04	2.89	5.12	31.7
117.10	118	0.21	5.34	7.65	283
118	120	0.28	4.92	9.85	390
120	122	0.04	1.78	6.23	35.7
122	124	0.04	0.976	13.05	2.23
124	125.30	0.02	0.773	4.57	2.47
125.30	127	0.02	0.26	15.1	0.29
127	128.60	0.02	0.245	3.53	0.23
128.60	130.45	0.01	0.28	10.9	0.6
130.45	132	0.01	0.246	40	0.53
132	134	0.08	6.47	8.47	2.72
134	136	0.03	0.785	100	0.46
136.00	136.90	0.01	0.255	124.5	0.45
136.90	137.80	0.02	0.861	12.45	1.27
137.80	138.50	0.11	5.3	12.8	8.51
138.50	139.90	0.16	2.72	7.46	6.79
139.90	142	0.12	1.295	5.95	0.47
142	144	0.02	0.189	26.3	0.43
144	146	0.01	0.135	43.9	0.22
146	148	0.01	0.19	28	0.2
148	150	0.01	0.282	88.1	0.22
150	152	0.01	0.278	146	0.64
152	154	0.01	0.301	66.1	1.15
154	156	0.01	0.468	134.5	1.03

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
156	158	0.01	0.117	41.9	0.47
158	160	0.01	0.073	20.8	0.16
160	162	0.01	0.095	50.2	0.17
162	164	0.01	0.186	49.6	0.29
164	166	0.01	0.486	90.6	0.32
166	168	0.01	0.45	96.6	0.51
168	170	0.01	0.392	91.9	0.57
170	172	0.01	0.357	175	0.45
172	174	0.01	0.089	14.05	0.61
174	176	0.01	0.279	256	1.04
176	178	0.01	0.442	145	1.06
178	180	0.01	0.331	85.1	1.12
180	182	0.01	0.341	90.7	1.58
182	184	0.01	0.377	100.5	2.16
184	186	0.01	0.395	123	2.42
186	188	0.01	0.167	55.6	0.6
188	190	0.01	0.045	10.8	0.18
190	192	0.01	0.098	12.85	0.31
192	194	0.01	0.047	11.2	0.46
194	196	0.01	0.13	33.5	0.36
196	198	0.01	0.138	41.5	0.6
198	200	0.01	0.306	86.6	2.29
200	202	0.01	0.282	95.3	1.18
202	204	0.01	0.405	89.3	2.11
204	206	0.01	0.412	102	1.8
206	208	0.01	0.427	98.9	3.02
208	210	0.01	0.259	32.7	0.64
210	212	0.01	0.426	106	3.65
212	214	0.01	0.267	74.1	1.57
214	216	0.01	0.416	81	0.57
216	218	0.01	0.124	76.8	0.31
218	220	0.01	0.197	82.2	1.28
220	222	0.01	0.111	64.8	0.53
222	224	0.01	0.203	94.2	1.77
224	226	0.01	0.112	118.5	1.04
226	228	0.01	0.077	63.4	0.8
228	230	0.01	0.089	53.4	1.48
230	232	0.01	0.215	30.9	0.82
232	234	0.01	0.153	5.19	0.51
234	236	0.01	0.316	79.8	1.05
236	238	0.01	0.103	51.5	1.09
238	240	0.01	0.077	22.3	0.59
240	242	0.01	0.201	129	1.01
242	244	0.03	0.274	133	0.71
244	246	0.01	0.075	27.7	0.28
246	248	0.01	0.129	50.4	0.74

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
248	249	0.01	0.056	21.4	0.48
249	250.9	0.01	0.147	60.9	1.4
250.9	252	0.01	0.113	2.74	1.27
252	253.85	0.01	0.203	16.3	1.35
253.85	255	0.01	0.344	153.5	1.1
255	256	0.01	0.289	52.3	0.24
256	258	0.01	0.434	145.5	0.38
258	260	0.01	0.423	138	0.24
260	262	0.01	0.337	57.9	0.52
262	264	0.01	0.278	63.5	0.49
264	266	0.01	0.268	91.7	0.88
266	268	0.02	0.417	121.5	2.14
268	270	0.01	0.593	149.5	2.95
270	272	0.02	0.611	77.5	0.68
272	274	0.02	0.559	46.7	0.35
274	276	0.02	0.177	9.45	0.21
276	278	0.01	0.091	9.69	0.36
278	280	0.02	0.128	22.6	0.21
280	282	0.06	0.162	23.5	0.19
282	284	0.03	0.19	17.05	0.29
284	286	0.05	0.413	50.7	0.23
286	288	0.05	0.377	41.7	0.44
288	290	0.02	0.27	57.2	0.15
290	292	0.01	0.357	90.7	0.57
292	294	0.02	0.471	178	2.12
294	296	0.03	0.244	38.6	1.24
296	298	0.03	0.308	10.9	1.5
298	300	0.01	0.178	9.88	2.2
300	301.2	0.07	1.4	135.5	33.5
301.2	302.5	0.02	0.133	8.98	20.8
302.5	304	0.01	0.159	10.2	0.83
304	306	0.01	0.126	8.34	9.36
306	308	0.01	0.185	8.02	3.42
308	310	0.01	0.148	6.08	2.61
310	312	0.02	0.276	6.57	1.38
312	314	0.04	0.383	16.35	0.68
314	316	0.08	1.035	85.7	0.88
316	318	0.01	0.225	75	1.86
318	320	0.02	0.453	152	7.77
320	322	0.02	0.248	84.9	1.69
322	324	0.05	0.334	103	0.29
324	326	0.03	0.237	39.6	0.96
326	328	0.04	0.26	109.5	0.74
328	330	0.03	0.3	122	0.32
330	332	0.01	0.168	25.1	0.56
332	334	0.11	0.406	45.5	0.36

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
334	336	0.12	0.529	81.2	0.75
336	338	0.05	0.275	122	0.6
338	340	0.02	0.074	36.3	0.49
340	341	0.02	0.217	132	0.92
341	342.23	0.11	1.165	151	2.73
342.23	344	0.14	0.236	109.5	5.97
344	346	0.27	0.432	134.5	3.55
346	348	0.04	0.125	59.8	0.87
348	350	0.06	0.135	81.8	1.25
350	352	0.11	0.15	103.5	3.19
352	354	0.22	0.101	136.5	8.57
354	356	0.18	0.082	95.5	10.6
356	358	0.37	0.334	409	20.6
358	360	0.56	0.41	681	53.5
360	362	1.36	1.125	1230	144
362	364	0.41	0.23	385	10
364	366	0.59	0.313	468	201
366	368	0.54	0.264	467	81.7
368	369	0.81	0.296	347	41.7
369	369.4	1.09	0.498	738	182
369.4	371	0.57	0.304	334	113
371	373	0.5	0.322	413	29.7
373	374.85	0.13	0.145	100.5	9.4
374.85	375.44	0.18	0.109	109.5	6.49
375.44	377	0.38	0.216	285	262
377	379	1.52	0.637	1215	587
379	380.18	1.72	0.973	1565	276
380.18	382	0.94	0.576	940	90.5
382	384	0.99	0.806	946	63.5
384	386	0.93	0.767	907	59.9
386	388	0.24	0.221	188	9.81
388	390	0.24	0.168	183.5	5.39
390	392	0.74	0.455	531	107
392	394	0.62	0.473	458	51.2
394	396	0.49	0.633	476	17.7
396	398	0.28	0.266	227	54.4
398	400	0.23	0.278	212	13.2
400	402	0.2	0.313	153	10.8
402	404	0.48	0.587	469	136
404	406	0.68	0.519	660	55
406	408	0.2	0.226	186.5	6.78
408	410	0.65	0.56	614	48
410	412	0.58	0.519	405	23.8
412	414	1.17	0.786	1140	149
414	416	0.59	0.373	500	21.8
416	418	0.3	0.218	244	21.4

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
418	420	0.58	0.558	483	243
420	422	0.43	0.285	272	24.2
422	424	0.19	0.21	130	12.4
424	426	0.44	0.517	174.5	44.4
426	428	0.3	0.341	176	27.2
428	430	0.56	0.426	484	71.5
430	432	0.84	0.607	580	162
432	434	0.38	0.347	373	13.2
434	436	0.21	0.293	251	26
436	438	0.13	0.133	104.5	8.15
438	440	0.3	0.525	250	15.8
440	442	0.78	0.595	515	71.2
442	444	0.57	0.325	425	23.6
444	446	0.5	0.173	331	19.9
446	447.35	0.47	0.321	436	13.3
447.35	448.6	0.26	0.253	208	7.87
448.6	449.4	0.47	0.408	513	16.9
449.4	449.8	0.17	0.139	165	19.4
449.8	451	0.21	0.283	204	8.48
451	452	0.29	0.297	328	37.6
452	454	0.16	0.229	204	7.78
454	456	0.37	0.339	404	22.3
456	458	0.23	0.158	225	14.1
458	460	0.16	0.171	193	6.61
460	462	0.66	0.34	622	26.2
462	464	0.41	0.277	394	20.8
464	465	0.38	0.433	422	10.3
465	466.45	0.86	0.97	811	69
466.45	467.44	0.87	0.877	662	1560
467.44	469	0.33	0.354	295	16
469	470	0.68	0.528	560	119
470	472	0.67	0.661	615	46.6
472	474	0.38	0.272	281	16.4
474	476	0.07	0.077	45.4	2.42
476	478	0.26	0.272	243	3.24
478	480	0.33	0.347	209	2.64
480	482	0.27	0.225	235	2.97
482	484	0.25	0.288	232	29.3
484	486	0.26	0.29	218	11.1
486	488	0.35	0.43	366	2.79
488	490	0.29	0.33	254	2.93
490	492	0.25	0.242	172	1.9
492	494	0.11	0.151	78.9	1.9
494	496	0.13	0.261	72	1.91
496	498	0.17	0.262	122	5.87
498	500	0.71	0.515	446	66.6

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
500	502	0.16	0.194	124	3.31
502	504	0.42	0.408	317	6.17
504	506	0.26	0.315	187.5	6.23
506	508	0.27	0.466	201	31.2
508	510	0.38	0.301	228	4.77
510	512	0.23	0.229	158.5	5.09
512	514	0.55	0.547	192	22.8
514	516	0.33	0.537	231	5.57
516	517.8	0.25	0.475	187.5	2.66
517.8	519.7	0.26	0.585	84.7	3.72
519.7	521.7	0.33	0.697	157	9.64
521.7	523	0.16	0.349	133	8.2
523	524	0.13	0.265	100.5	4.67
524	526	0.11	0.144	54.9	5.48
526	528	0.21	0.256	185.5	18.9
528	530	0.48	0.592	533	29.2
530	531	0.11	0.213	105.5	9.4
531	532.55	0.31	0.522	329	25.9
532.55	533.6	0.15	0.313	151	12.1
533.6	534.71	0.69	0.523	214	25.4
534.71	536	0.09	0.302	38.1	4.01
536	538	0.09	0.104	63.2	6.66
538	540	0.16	0.152	149	6.11
540	542	0.18	0.296	85.4	3.46
542	544	0.2	0.31	146.5	6.39
544	546	0.16	0.264	168	9.12
546	548	0.16	0.211	142.5	3.97
548	550	0.3	0.441	265	14.5
550	552	0.21	0.214	140	7.41
552	554	0.35	0.311	286	15
554	556	0.52	0.345	347	19.9
556	558	0.31	0.374	263	11.6
558	560	0.1	0.107	80.6	3.93
560	562	0.45	0.281	327	6.47
562	564	0.2	0.204	138	7.33
564	565	0.09	0.098	70.7	2.8
565	566.3	0.2	0.195	155.5	4.12
566.3	567.9	0.24	0.211	199	9.89
567.9	569	0.4	0.228	307	9.45
569	570	0.13	0.201	166	4.34
570	572	0.21	0.241	176.5	11.1
572	574	0.31	0.323	203	5.75
574	576	0.37	0.379	263	29.1
576	578	0.07	0.088	45.2	2.41
578	580	0.47	0.387	345	13
580	582	0.48	0.621	423	23.3

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
582	583.35	0.3	0.303	199	9.82
583.35	584.5	0.22	0.4	202	21.2
584.5	585.85	0.27	0.505	201	25.2
585.85	587	0.05	0.086	27.5	1.96
587	588	0.11	0.154	63.7	3.39
588	590	0.16	0.241	112.5	7.44
590	592	0.09	0.063	31.7	1.83
592	594	0.17	0.24	124.5	1.77
594	596	0.18	0.253	176.5	9.78
596	598	0.04	0.039	14.5	1.45
598	600	0.46	0.452	340	13.9
600	602	0.1	0.253	112	6.84
602	604	0.13	0.25	153.5	3.16
604	606	0.17	0.241	162	13.4
606	608	0.1	0.171	111.5	4.13
608	610	0.06	0.042	8.22	0.95
610	612	0.23	0.689	227	2.32
612	614	0.41	0.754	244	46.7
614	616	0.17	0.202	129.5	3.79
616	618	0.07	0.135	33.8	2.52
618	620	0.23	0.279	156.5	15.5
620	622	0.19	0.237	161.5	9.04
622	624	0.13	0.197	117.5	0.92
624	626	0.17	0.291	84.1	20.4
626	628	0.35	0.546	159.5	7.8
628	630	0.28	0.405	226	5.63
630	632	0.19	0.244	101	4.81
632	633	0.14	0.257	37.5	0.8
633	634.5	0.09	0.087	18.85	0.49
634.5	636.4	0.25	0.353	99.3	0.7
636.4	638	0.18	0.192	30	0.96
638	640	0.26	0.36	133	1.19
640	642	0.17	0.361	79.9	2.6
642	644	0.22	0.391	102	2.47
644	646	0.37	0.341	185.5	4.47
646	648	0.19	0.316	111	1.45
648	650	0.3	0.878	168	5.04
650	652	0.12	0.25	92	6.23
652	653	0.17	0.239	57.8	2.63
653	654.2	0.35	0.369	82.6	12.1
654.2	656	0.15	0.16	48.2	0.92
656	658	0.14	0.314	70.8	2.16
658	660	0.13	0.33	113	9.46
660	662	0.17	0.319	98.1	5.89
662	664	0.11	0.251	41.5	0.61
664	666	0.18	0.292	57.1	1.24

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
666	667.25	0.24	0.346	109.5	10.5
667.25	667.9	0.15	0.323	45.3	1.75
667.9	669	0.16	0.284	79.5	1.98
669	670	0.1	0.164	18.4	1.08
670	672	0.11	0.202	33	1.9
672	674	0.44	0.489	255	13
674	676	0.07	0.141	35	0.68
676	678	0.07	0.16	38.8	0.87
678	680	0.13	0.306	71.5	4.03
680	682	0.07	0.123	39.2	1.3
682	684	0.09	0.243	33.2	0.75
684	686	0.16	0.318	57.9	1
686	688	0.08	0.189	48.4	2.25
688	690	0.05	0.133	29.7	1.4
690	692	0.1	0.305	22.9	2.12
692	694.1	0.13	0.393	70.8	1.07

EOH

TSDH32

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1.5	0.45	0.334	193.5	15.45
1.5	3	0.49	0.561	189	14
3	5	0.69	0.765	240	7.41
5	6.95	0.47	0.953	171.5	7
6.95	8	1.22	2.81	179	19.85
8	10	0.7	0.653	191.5	14.55
10	12	0.31	2.05	154	4.33
12	13	0.3	0.556	228	9.56
13	14.7	0.43	0.608	255	20.1
14.7	16	0.45	0.662	382	21.8
16	18	0.32	0.468	198	11.2
18	20	0.19	0.372	138	11.25
20	22	0.22	0.422	132	20.1
22	24	0.41	0.514	216	24.3
24	26	0.15	0.442	134	11.35
26	28	0.28	0.531	205	15.4
28	29	0.2	0.335	152.5	53.8
29	30.6	0.31	0.414	121	18.85
30.6	32	0.51	0.789	198.5	27.8
32	34	0.38	0.624	194.5	15.05
34	35	0.25	0.487	150	15.2
35	36.6	0.64	0.745	316	20.1
36.6	37.7	0.44	0.601	187	27.9
37.7	39	0.23	0.377	138	9.15
39	41	0.24	0.313	122.5	9.02

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
41	42	0.21	0.359	174	8.11
42	44	0.63	0.697	414	46.9
44	46	0.18	0.292	145.5	17.65
46	48	0.19	0.282	133.5	42.7
48	50	0.37	0.391	223	12.4
50	52	0.36	0.553	292	27.4
52	54	0.19	0.537	193.5	21
54	55	0.22	0.56	173.5	11.1
55	56.7	0.23	0.474	154.5	8.96
56.7	58	0.38	0.761	329	21.7
58	60	0.28	0.616	324	14.8
60	62	0.49	0.605	351	28.5
62	63.50	0.3	0.422	267	13.2
63.50	64.80	0.97	2.31	545	24.7
64.80	66	0.62	1.215	264	15.6
66	68	0.61	1.33	245	19
68	70	0.32	0.599	166	11.45
70	72	0.65	0.898	327	8.54
72	74	0.34	0.921	165	11.05
74	76	0.39	0.708	175	11.3
76	78	0.18	0.512	142.5	16
78	80	0.34	0.756	212	15.55
80	82	0.9	0.935	335	17.55
82	84	0.25	0.445	176.5	10.1
84	86	0.18	0.35	155.5	10.9
86	87.20	0.11	0.245	81	22.4
87.20	88.50	0.23	0.501	165	27.5
88.50	90	0.3	1.06	189	36.7
90	92	0.21	0.603	216	94.7
92	94	0.48	0.709	198	64.5
94	96	0.41	0.646	136	15.75
96	98	0.55	0.858	204	21.6
98	99.90	0.4	0.822	173	28.8
99.90	102	0.53	0.675	363	35.4
102	104	0.4	0.734	257	17.1
104	106	0.37	0.719	209	22.2
106	107	0.39	0.817	184	9.23
107	108.96	0.31	0.641	122.5	8.16
108.96	109.8	0.62	1.085	226	17.6
109.8	111	0.29	0.78	164	11.15
111	112	0.15	0.352	119.5	9.21
112	114	0.24	0.403	139	15.4
114	116	0.27	0.573	169.5	15.4
116	118	0.23	0.446	157.5	12.5
118	120	0.33	0.561	241	13.5
120	122	0.67	0.954	523	18

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
122	124	1.46	1.115	695	25.9
124	126	1.22	1.52	642	10.65
126	128	1.78	1.6	1100	20.6
128	130	0.37	0.632	223	13.65
130	132	0.39	0.481	275	16.8
132	134	0.37	0.45	292	14.6
134	136	0.99	0.934	625	17.25
136	138	0.6	0.66	436	11.25
138	140	0.65	0.844	593	11.15
140	142	0.59	0.953	538	13.7
142	144	0.71	0.927	819	13.75
144	146	0.4	0.461	355	7.28
146	148	0.63	0.822	553	10.3
148	150	0.54	0.812	369	5.76
150	152	0.51	0.482	362	7.24
152	154	0.34	0.36	197.5	5.69
154	156	0.34	0.399	253	6.57
156	158	0.26	0.407	182	5.02
158	160	0.8	0.655	568	15.1
160	162	0.71	0.669	438	20.3
162	164	0.36	0.464	272	20.8
164	166	0.59	1.03	320	13.9
166	168	0.49	0.639	305	16.2
168	170	0.61	0.985	515	18
170	172	0.6	0.713	283	20.4
172	174	0.36	0.422	305	9.82
174	176	0.81	1.02	825	12.85
176	178	0.64	0.718	566	13.7
178	180	1.1	0.702	686	21.9
180	182	0.68	0.465	367	37.7
182	183.50	0.42	0.463	342	46.6
183.50	184.65	0.36	0.34	200	13.4
184.65	186	0.86	1.375	633	23.4
186	187.20	0.62	1.49	462	15.65
187.20	189	0.27	0.44	239	9.16
189	190	0.31	0.356	220	7.23
190	192	0.52	0.554	323	234
192	194	0.44	0.425	288	29.8
194	196	0.44	0.32	382	165
196	198	0.25	0.314	191	20.7
198	199.50	0.3	0.463	366	13.25
199.50	200.50	0.58	0.812	634	52.9
200.50	202	1.44	1.465	1550	46
202	204	0.34	0.609	418	19.45
204	206	0.4	0.433	333	37.2
206	208	0.38	0.385	346	47.2

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
208	210	0.19	0.227	192.5	12.6
210	212	0.25	0.312	252	14.2
212	214	0.23	0.236	199.5	8.72
214	216	0.15	0.26	162.5	10.7
216	218	0.17	0.292	183	9.6
218	220	0.24	0.279	215	17.95
220	222	0.28	0.311	276	18.85
222	224	0.53	0.443	370	49
224	226	0.49	0.328	328	21.2
226	228	0.3	0.201	238	19.9
228	230	0.3	0.171	197	30.3
230	232	0.13	0.103	77.9	19.65
232	234	0.15	0.106	81.6	25.9
234	236	0.35	0.185	201	19.45
236	238	0.24	0.169	224	9.37
238	240	0.17	0.133	161.5	11.1
240	242	0.61	0.357	503	66.3
242	244	0.57	0.29	354	23.1
244	246	0.68	0.317	483	157.5
246	248	1.33	0.776	931	206
248	250	0.47	0.203	290	104.5
250	252	1.32	0.521	895	518
252	254	0.43	0.133	275	10.85
254	256	0.79	0.417	627	19.2
256	258	1.23	0.409	963	178
258	260	0.71	0.326	718	418
260	262	0.34	0.183	272	9.72
262	264	0.26	0.146	241	14.35
264	266	0.65	0.376	573	19.6
266	268	1.42	0.656	1090	63
268	270	0.46	0.288	393	10.65
270	272	0.35	0.181	222	8.13
272	274	0.46	0.191	376	27.1
274	276	0.2	0.125	116.5	11.45
276	278	0.81	0.439	1050	21.4
278	280	0.17	0.121	194	5.71
280	282	0.21	0.118	235	4.95
282	284	0.56	0.319	561	20.7
284	286	0.43	0.227	379	17.15
286	288	0.51	0.214	349	142
288	290	0.56	0.261	417	14.95
290	292	0.38	0.156	341	38
292	294	0.26	0.174	302	44.5
294	296	0.21	0.126	151	11.1
296	298	0.65	0.392	624	44.5
298	300	0.74	0.455	706	48.9

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
300	302	0.61	0.422	518	25.5
302	304	0.56	0.205	293	15.95
304	306	0.41	0.281	425	37.9
306	308	0.26	0.24	389	14.8
308	310	0.16	0.149	174.5	17.35
310	312	0.53	0.368	443	19.1
312	314	0.52	0.428	618	20.2
314	316	0.38	0.457	374	26.1
316	318	0.35	0.46	456	13.15
318	320	0.37	0.323	394	15.7
320	322	0.23	0.195	239	9.34
322	324	0.18	0.159	160.5	6.46
324	326	0.2	0.224	149	8.03
326	328	0.35	0.308	275	14.85
328	330	0.16	0.133	93.6	3.6
330	332	0.41	0.347	320	25.2
332	334	0.13	0.114	94	6.9
334	336	0.37	0.368	335	27.7
336	338	0.2	0.209	144.5	7.59
338	340	0.14	0.161	96.1	8.06
340	342	0.3	0.278	219	28.7
342	344	0.28	0.327	285	16.65
344	346	0.3	0.356	233	12.3
346	348	0.2	0.212	174	15.65
348	350	0.34	0.335	338	16.95
350	352	0.4	0.332	405	35.3
352	354	0.36	0.371	322	17.3
354	356	0.1	0.173	86.2	6.99
356	358	0.38	0.365	281	24.8
358	360	0.3	0.333	224	9.72
360	362	0.29	0.35	241	29.2
362	364	0.26	0.188	119.5	13.55
364	366	0.13	0.145	88.7	15.1
366	368	0.2	0.206	144.5	11.4
368	370	0.09	0.11	53.2	5.47
370	372	0.46	0.707	417	21.9
372	374	0.21	0.217	143	18.7
374	376	0.16	0.299	144.5	9.4
376	378	0.14	0.138	91.9	10
378	380	0.38	0.295	170.5	15.35
380	382	0.37	0.268	261	55.5
382	384	0.38	0.389	329	32.2
384	386	0.37	0.383	322	34.4
386	388	0.46	0.434	337	34.9
388	390	0.38	0.326	177	5.67
390	392	0.33	0.266	178	6.86

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
392	394	0.12	0.165	105	5.72
394	396	0.11	0.05	43.9	1.33
396	398	0.11	0.04	29.9	2.04
398	400	0.17	0.147	155.5	4.19
400	402	0.12	0.064	41.8	1.84
402	404	0.36	0.309	227	3.78
404	406	0.36	0.362	224	5.42
406	408	0.22	0.231	168	2.94
408	410	0.71	0.545	347	12.75
410	412	0.14	0.145	132.5	1.51
412	413.40	0.12	0.09	119	7.67
413.40	414.40	0.15	0.413	75.8	4.63
414.40	416	0.19	0.315	78.6	2.86
416	418	0.25	0.354	116.5	0.67
418	420	0.23	0.961	207	1.06
420	422	0.44	1.28	400	11.75
422	424	0.21	0.267	79.3	1.03
424	426	0.24	0.568	232	4.22
426	427.50	0.47	1.335	540	12
427.50	428.60	0.3	1.565	170	80.1
428.60	430	0.13	0.677	100	6.71
430	432	0.17	0.323	90.2	1.38
432	434	0.31	1.235	90.4	2.88
434	436	0.42	2.13	169	1.84
436	438	0.15	0.17	45.9	0.71
438	440	0.08	0.093	43.4	1.09
440	442	0.1	0.072	22.6	2.98
442	444	0.1	0.348	42	0.73
444	446	0.07	0.066	18.75	0.92
446	448	0.06	0.059	9.47	1.09
448	450	0.11	0.151	42.9	11.1
450	452	0.11	0.187	46.8	0.93
452	454	0.09	0.177	52.4	1.93
454	456	0.05	0.074	22.5	0.51
456	458	0.06	0.087	36	0.48
458	460	0.14	0.202	105	2.01
460	462	0.27	0.446	84.7	0.92
462	464	0.14	0.27	51.1	1.59
464	466	0.11	0.428	104.5	0.95
466	468	0.13	0.328	79.1	0.75
468	470	0.4	0.524	72.7	1.29
470	472	0.13	0.325	21.8	1.76
472	474	0.09	0.253	48.4	1.68
474	476	0.11	0.291	83.3	2.11
476	478	0.09	0.365	107	7.68
478	480	0.21	0.952	34	1.37

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
480	482	0.18	0.197	31.5	1.59
482	484	0.09	0.179	21.4	1.32
484	486	0.13	0.301	85.7	0.72
486	488	0.06	0.187	6.29	1.25
488	490	0.06	0.125	19.2	2.8
490	492	0.07	0.172	17.6	1.93
492	494	0.08	0.141	48.5	1.2
494	496	0.04	0.087	19.65	0.42
496	498	0.09	0.117	23.5	0.6
498	500	0.09	0.239	16.55	0.72
500	502	0.11	0.313	63.2	0.97
502	504	0.12	0.323	69.3	2.14
504	506	0.07	0.296	18.55	0.88
506	508	0.05	0.328	76.1	2.81
508	510	0.05	0.185	31.7	0.43
510	512	0.04	0.09	8.96	1.42
512	514	0.08	0.277	36.8	0.43
514	516	0.11	0.33	25.3	1.78
516	518	0.06	0.198	19.4	0.91
518	520	0.03	0.109	29.9	0.31
520	522	0.06	0.184	31.7	0.39
522	524	0.08	0.19	12.9	1.16
524	526	0.01	0.073	10.2	0.22
526	528	0.04	0.185	38.3	1.38
528	530	0.08	0.357	62.5	0.62
530	532	0.08	0.321	94.1	0.23
532	534	0.03	0.261	67.2	0.38
534	536	0.02	0.086	16.75	0.29

EOH

TSDH33

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.27	0.145	234	1.09
2	4	0.3	0.153	209	0.88
4	6	0.31	0.189	235	0.98
6	8	0.53	0.625	215	2.97
8	10	0.27	0.299	199	2.58
10	12	0.2	0.505	196	3.08
12	14	0.36	0.411	220	1.93
14	16	0.41	1.36	255	3.52
16	18	0.46	1.41	232	6.61
18	20	0.6	1.605	156.5	12.4
20	21	0.52	0.807	167	10.95
21	22.7	0.89	3.27	234	15.6
22.7	24	0.17	0.526	116	3.24

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
24	26	0.15	0.415	130.5	3.09
26	28	0.23	0.443	165.5	7.2
28	29	0.27	0.439	184	11.5
29	30.1	0.26	0.459	170.5	7.22
30.1	32	0.3	0.574	193.5	10.1
32	34	0.35	0.864	410	8.32
34	36	0.34	0.574	361	7.28
36	38	0.21	0.403	240	6.82
38	40	0.44	1.17	468	12.3
40	42	0.33	0.634	366	8.48
42	43	0.2	0.377	205	16.15
43	44.3	0.35	0.663	377	13.35
44.3	46.3	0.44	1.395	460	9.67
46.3	48	0.78	2.12	721	10.65
48	50	0.37	0.831	194	8.97
50	51.43	0.41	1.595	169	14.85
51.43	52.43	0.74	0.88	389	14.65
52.43	54	0.26	0.367	187.5	10.9
54	56	0.21	0.322	171.5	11.75
56	58	0.54	0.786	504	16.65
58	60	0.77	0.815	580	24.8
60	61.90	0.26	0.182	91.1	6.41
61.90	63.50	0.47	0.806	479	19.15
63.50	65.40	0.42	0.984	177.5	9.57
65.40	66.40	1.3	1.05	522	16.55
66.40	68	0.54	0.746	332	13.55
68	70	0.28	0.521	185.5	6.82
70	72	0.48	0.607	361	8.92
72	74	0.51	0.677	354	9.25
74	76	0.66	0.558	370	15.05
76	78	0.21	0.401	199.5	6.18
78	80	0.17	0.484	137.5	5.22
80	82	0.19	0.264	139	6.84
82	84	0.21	0.408	195	7.11
84	86	0.31	0.455	221	11.45
86	88	0.3	0.408	193.5	8.2
88	90	1.51	1.545	1050	18.2
90	92	0.63	0.944	525	11.95
92	94	0.38	0.66	240	7.3
94	96	0.33	0.719	266	7.53
96	98	0.34	0.578	275	8.16
98	100	0.34	0.762	329	8.11
100	101.20	0.31	0.484	289	9.48
101.20	102	0.38	1.355	159.5	4.76
102	104	0.55	0.738	435	10.85
104	106	0.48	0.644	314	13.9

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
106	108	0.56	1.01	437	9.57
108	110	0.32	0.612	193	10.4
110	112	0.33	0.543	204	10.4
112	114	0.59	0.51	221	6.56
114	116	0.37	0.665	173.5	12.3
116	117.80	0.57	1.415	345	20.5
117.80	119	0.65	0.835	536	10.8
119	120	0.92	0.991	981	9.84
120	122	0.37	0.824	441	15
122	124	0.25	0.457	202	13.4
124	126	0.24	0.514	273	13.2
126	127.50	0.11	0.482	188	16.5
127.50	128.80	0.2	0.641	114.5	14.05
128.80	130	0.19	0.359	187	30.8
130	132	0.57	0.672	366	18.35
132	134	0.29	0.575	270	13.1
134	136	0.23	0.493	203	11.2
136	138	0.21	0.503	154	28.7
138	140	0.62	0.614	368	21.1
140	142	0.65	0.811	571	15.1
142	144	0.28	0.295	218	10.5
144	146	0.32	0.528	332	13.65
146	148	0.74	0.743	616	10.05
148	150	0.34	0.24	217	11.25
150	152.15	0.45	0.343	350	16.85
152.15	152.95	0.3	1.075	301	23.5
152.95	154	0.33	0.31	354	11.15
154	156	0.91	0.495	597	20.2
156	158	0.57	0.181	257	45.4
158	160	0.68	0.407	423	34.4
160	162	0.58	0.253	330	12.25
162	164	0.55	0.229	366	31.8
164	166	0.42	0.24	289	11.55
166	168	0.48	0.246	308	17.3
168	170	0.27	0.179	189	16.2
170	z	0.23	0.143	180	8.7
172	174	1.3	0.305	546	24.1
174	176	0.68	0.227	320	19.95
176	178	0.96	0.234	350	25.2
178	180	0.68	0.387	392	19.55
180	182	0.48	0.391	323	13.45
182	184	0.89	0.624	734	18.8
184	186	1	0.539	724	21
186	188	0.44	0.408	294	23.8
188	190	0.53	0.277	359	17.25
190	192	1.53	0.395	609	32.3

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
192	194	0.66	0.482	445	11.4
194	196	0.43	0.367	283	26.8
196	198	0.69	0.269	239	192
198	200	0.77	0.274	248	57.9
200	202	0.33	0.218	178.5	7.5
202	204	0.32	0.247	221	105.5
204	206	0.15	0.295	102.5	60.8
206	208	0.21	0.166	142.5	12.35
208	210	0.15	0.204	145	20.8
210	212	0.24	0.567	182.5	21.4
212	214	0.25	0.242	205	11
214	216	0.29	0.475	285	42.2
216	218	0.41	0.437	391	35.6
218	220	0.11	0.164	89.4	12.5
220	222	0.2	0.408	260	169.5
222	224	0.79	1.265	549	36
224	226	0.32	0.231	235	20.5
226	228	0.32	0.248	207	20.4
228	230	0.44	0.31	398	15.65
230	232	0.37	0.292	331	50.4
232	234	0.32	0.239	189	138
234	236	0.42	0.224	310	72.5
236	238	0.42	0.296	323	102.5
238	240	0.66	0.525	613	72.3
240	241.9	0.24	0.244	155	38.5
241.9	243.1	0.43	0.618	191.5	14.95
243.1	244	0.23	0.368	128.5	7.7
244	246	0.26	0.257	185.5	24.3
246	248	0.32	0.24	256	9.29
248	250	0.29	0.27	284	16.6
250	252	0.43	0.389	306	28.2
252	254	0.16	0.215	137	9.44
254	256	0.13	0.45	292	43.5
256	258	0.82	0.368	258	13.15
258	260	0.39	0.496	402	17.2
260	261.20	0.26	0.594	476	16.4
261.20	262.40	0.36	0.279	362	18
262.40	263.75	0.07	0.151	61.5	6.44
263.75	265	0.39	0.354	459	53.1
265	266.20	0.69	0.378	694	19.95
266.20	267.50	0.15	0.214	131.5	7.67
267.50	269	0.21	0.197	211	32.3
269	270	0.19	0.144	169.5	14.35
270	272	0.27	0.288	323	15.45
272	274	0.38	0.262	367	12.3
274	276	0.33	0.442	386	19.8

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
276	278	0.54	0.415	488	259
278	280	0.38	0.434	410	38.8
280	282	0.37	0.46	434	60.7
282	284	0.26	0.383	231	29.1
284	286	0.21	0.26	182.5	8.87
286	288	0.52	0.339	489	331
288	290	0.4	0.484	491	19.15
290	292	0.27	0.205	204	106.5
292	294	0.96	0.835	636	69.3
294	296	1.1	0.966	635	69.1
296	298	0.58	0.417	529	90.4
298	300	0.65	0.428	556	30.8
300	302	0.44	0.28	385	37.2
302	304	0.58	0.426	526	96.7
304	306	0.73	0.888	672	152
306	308	0.85	0.726	526	46.7
308	310	0.85	0.584	639	44.4
310	312	0.75	0.561	768	88.7
312	314	0.54	0.387	602	53.3
314	316	0.32	0.513	250	27
316	318	0.39	0.436	383	19.15
318	320	0.9	0.959	927	87.5
320	322	0.24	0.312	171	17.6
322	323.50	0.19	0.239	148	8.16
323.50	324.40	0.49	0.635	263	12.05
324.40	326	0.27	0.262	126.5	9.12
326	328	0.28	0.312	183	9.22
328	329	0.28	0.314	226	10.8
329	330.40	0.29	0.501	351	70.1
330.40	332	0.47	0.536	434	21.8
332	334	0.43	0.542	445	23.2
334	336	0.68	0.531	560	26.3
336	338	0.42	0.394	326	47.8
338	340	0.35	0.226	288	15.45
340	342	0.13	0.237	171.5	10.5
342	344	0.27	0.26	283	10.9
344	346	0.47	0.363	421	15.6
346	348	0.58	0.417	620	15.6
348	350	0.52	0.276	375	22.9
350	352	0.82	0.472	589	16.35
352	354	0.45	0.313	381	18.8
354	356	0.48	0.445	523	25.6
356	358	0.76	0.524	493	9.7
358	360	0.53	0.438	417	23.4
360	362	0.58	0.522	561	30.5
362	364	0.91	0.424	696	64.3

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
364	366	0.88	0.418	635	28.4
366	368	1.67	0.682	1060	64.9
368	370	0.45	0.414	418	24.5
370	372	0.46	0.374	364	35.6
372	374	0.87	0.47	652	69.4
374	376	0.6	0.478	599	32.4
376	378	0.44	0.493	595	30.5
378	380	0.36	0.295	358	19.9
380	382	0.33	0.433	324	20
382	384	0.33	0.419	489	33.1
384	386	0.23	0.256	258	39.4
386	388.00	0.49	0.484	504	54.2
388.00	390.00	0.46	0.503	471	27.3
390.00	391	0.5	0.52	453	26.6
391	392.35	0.3	0.381	329	27.8
392.35	394	0.2	0.239	274	40.6
394	396.00	0.26	0.6	322	60.6
396	398	0.41	0.528	579	36.8
398.00	400	0.49	0.756	323	13.35
400	402	0.61	0.472	483	82.7
402	404	0.73	1.895	582	60.9
404	406	0.47	0.782	418	39.4
406	407.45	0.59	0.401	439	41.7
407.45	409	1.25	0.469	623	46.5
409	410	2.52	1.045	1250	69.8
410	412	1.16	0.556	747	76.4
412	414	1.33	0.562	668	29.1
414	416	0.28	0.212	224	22.5
416	418	0.49	0.416	380	22.3
418	420	0.82	0.276	488	20.5
420	422	0.83	0.347	494	116
422	424	0.46	0.147	215	22.2
424	426	1.23	0.372	595	33.9
426	428	2.69	1.025	1585	32.1
428	430	0.7	0.468	436	76.9
430	432	0.92	0.496	628	33.3
432	434	0.77	0.238	805	53.8
434	436	0.56	0.472	1000	28.8
436	438	0.42	0.3	565	22
438	440	0.59	0.524	460	18.9
440	442	1	0.454	563	77.9
442	444	0.44	0.441	480	18.1
444	446	0.28			
446	448	0.77			
448	450	0.38			
450	452	0.56	0.321	424	31.2

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
452	454	0.88	0.711	638	33
454	456	0.46	0.385	326	26
456	457.55	0.28	0.295	196.5	37.6
457.55	459	0.58	0.501	300	28.6
459	460	0.43	0.384	269	29.5
460	462	0.91	0.53	351	21.6
462	464	0.5	0.38	458	63.6
464	465	0.5	0.783	670	18.05
465	466.4	0.67	0.756	697	18.15
466.4	468	1.6	2.09	1915	39.8
468	470	0.81			
470	472	0.27			
472	474	0.44			
474	476	0.26			
476	478	0.51			
478	480	0.39			
480	482	0.25			
482	484	0.33			
484	486	0.26			
486	488	0.24			
488	490	0.15			
490	492	0.38			
492	494	0.2			
494	496	0.17	0.308	216	10.3
496	498	0.63	0.628	362	15.2
498	500	0.2	0.521	267	10.55
500	501	0.16	0.637	206	13.7
501	502.3	0.09	0.479	177.5	13.1
502.3	503.5	0.12	0.646	61.6	18.4
503.5	505.3	0.11	0.537	65.9	17.4
505.3	507	0.29	0.644	505	22.5
507	508	0.29	0.736	431	27.1
508	510	0.3	0.414	418	25.7
510	512	0.75	0.984	1040	92.3
512	514	0.45	0.603	565	97.5
514	516	0.23	0.559	359	17.3
516	518	0.38	0.655	522	53.5
518	520	0.4	0.486	378	36
520	522	0.38	0.594	531	27.1
522	523	0.39	0.459	358	46.6
523	524.85	0.37	1.565	424	39.7
524.85	526.5	0.52	3.46	1020	125.5
526.5	528.2	0.27	1.81	570	91.8
528.2	528.6	0.09	0.281	109	9.29
528.6	530	0.14	0.444	162.5	14.9
530	532	0.14	0.336	169	10.05

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
532	534	0.26	0.727	157	12.65
534	536	0.35	0.356	161	16.7
536	538	0.2	0.251	92.1	11.05
538	540	0.1	0.21	66.5	6.62
540	542	0.14	0.241	96.7	7.53
542	544	0.37	0.573	271	33
544	546	0.72	0.441	479	49.3
546	548	1.51	1.115	1240	103
548	549	0.36	0.988	624	97.8
549	549.6	0.14	0.163	175.5	56.3
549.6	551	0.26	0.377	299	25.8
551	552	0.16	0.227	178.5	29.3
552	554	0.9	0.995	858	118
554	556	1.21	1.23	966	97.1
556	558	0.31	0.564	326	28.1
558	560	0.36	0.883	392	44.9
560	561.95	0.31	0.835	387	29
561.95	563.45	0.12	0.256	90.9	9.39
563.45	565	0.54	0.741	374	26.6
565	566.25	0.28	0.477	272	12
566.25	568.2	0.21	0.445	185.5	10.85
568.2	570	0.29	0.36	237	19.15
570	572	0.63	0.892	544	62.8
572	574	0.28	0.356	175.5	52.5
574	576	0.79	0.952	539	34.3
576	578	0.48	0.494	331	22.8
578	580	0.44	0.431	282	30.7
580	582	1.09	0.897	520	17.8
582	584	1.03	1.175	664	25.8
584	586	0.12	0.47	146	31.5
586	588	0.39	0.789	326	190
588	590	0.28	0.616	187.5	2.43
590	592	0.15	0.35	156	7.64
592	594	0.15	0.348	137	4.48
594	596	0.24	0.407	219	7.36
596	598	0.15	0.282	128.5	37.3
598	600	0.25	0.64	238	47
600	602	0.17	0.224	98.5	14.45
602	604	0.18	0.234	124	3.42
604	606	0.28	0.321	167	5.23
606	608	1.96	1.535	639	16.5
608	610	0.24	0.294	139.5	1.53
610	612	0.1	0.285	73.8	1.55
612	614	0.06	0.224	53.3	1.11
614	615	0.27	0.463	213	67.6

EOH

TS-DH34

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.5	0.9	596	13
1	2	0.5	0.4	888	14
2	4	0.6	0.3	549	12
4	6	0.6	3	704	10
6	8	2.5	3.7	1110	35
8	10	2.9	2.3	1500	12
10	12	2.4	1.5	1310	14
12	14	3.8	1.6	1090	4.5
14	16	1.2	1.7	1430	4.9
16	18	2	2.6	1420	1.5
18	20	1.8	1.2	1010	3
20	22	1.4	1	1030	2.8
22	24	1.8	1.2	1080	3.7
24	26	2.5	1.4	1180	3.1
26	28	1	1.3	963	1.3
28	30	3.4	2.2	1290	1.4
30	32	1.2	2.5	1180	11
32	34	0.9	1.2	948	51
34	36	0.6	0.9	482	64
36	38	0.5	0.8	533	37
38	40	0.3	0.4	196	15
40	42	0.6	0.4	276	40
42	43	0.6	0.4	226	29
43	44	0.8	1.2	1235	42
44	45	0.7	0.8	904	88
45	46	1.6	2.5	1065	102
46	48	0.4	0.7	665	71
48	50	0.4	0.6	610	97
50	52	0.4	0.7	559	97
52	54	0.3	0.7	322	67
54	55.25	0.4	0.5	291	104
55.25	56.3	0.8	0.6	485	126
56.3	58	0.6	0.4	316	155
58	59	1.2	0.4	442	59
59	60.2	0.5	0.4	381	36
60.2	61.5	2.3	1.7	1595	268
61.5	63	1.3	0.9	836	156
63	64	0.2	0.3	128	28
64	65.05	0.5	0.7	329	37
65.05	65.7	0.6	1.3	440	28
65.7	67	0.7	1.1	481	87
67	68	0.4	2	366	50
68	70	0.4	1	642	54

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
70	72	0.5	0.9	835	47
72	74	0.5	1.1	863	50
74	76	0.4	0.7	698	66
76	78	0.5	0.6	489	33
78	80	0.7	0.6	661	83
80	82	0.5	0.6	653	122
82	84	0.7	0.7	690	929
84	86	0.3	0.4	365	72
86	88	1.1	1	1120	71
88	90	0.9			
90	92	1.2			
92	94	0.5			
94	96	0.8			
96	98	0.6			
98	100	0.6			
100	102	0.6			
102	104	0.5			
104	106	0.6			
106	108	0.7			
108	110	0.2			
110	112	0.3			
112	114	0.3			
114	116	0.4			
116	118	0.6			
118	119	0.4			
119	120.3	0.7			
120.3	121.5	0.7			
121.5	122.95	1			
122.95	124	1.7			
124	126	2			
126	128	2			
128	130	5.9			
130	132	4.8			
132	134	1.2			
134	136	1.7			
136	138	4.3			
138	140	3.3			
140	142	3			
142	144	1.9			
144	146	2.2			
146	147	4.5			
147	149	1.5			
149	150	0.6			
150	151	0.5			
151	153	0.9			
153	154.8	0.8			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
154.8	156	0.7			
156	157.45	0.8			
157.45	159	0.7			
159	160	0.7			
160	162	0.5			
162	164	0.7			
164	166	0.5			
166	168	0.4			
168	170	0.6			
170	172	0.6			
172	174	0.5			
174	176	0.6			
176	178	0.9			
178	180	0.7			
180	182	0.2			
182	184	0.3			
184	186	0.8			
186	188	0.6			
188	190	0.3			
190	192	0.5			
192	194	0.8			
194	195	0.7			
195	196.15	0.6			
196.15	198	0			
198	200	0			
200	202	0			
202	204	0			
204	206	0			
206	208	0			
208	210	0			
210	212	0			
212	213.8	0			
213.8	215	0.7			
215	216	0.8			
216	218	0.9			
218	220	0.6			
220	222	0.6			
222	224	1			
224	226	0.6			
226	228	0.9			
228	230	0.8			
230	232	1.2			
232	234	0.9			
234	236	1.3			
236	238	0.9			
238	240	0.3			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
240	242	0.4			
242	244	0.4			
244	246	0.6			
246	248	0.5			
248	250	0.9			
250	252	0.6			
252	254	0.3			
254	256	0.2			
256	258	0.2	0.3	308	7.6
258	259.1	0.3	0.6	508	8.3
259.1	260.9	0.5	1	794	17
260.9	262	0.5			
262	264	0.3			
264	266	0.2			
266	268	0.2			
268	270	0.6			
270	272	0.4			
272	274	0.2			
274	276	0.3			
276	278	0.4			
278	280	0.7			
280	282	0.5			
282	284	0.5			
284	286	0.5			
286	288	0.4			
288	290	0.4			
290	291.8	0.3			
291.8	292.45	0			
292.45	294	0			
294	295	0			
295	296.85	0			
296.85	298	0.1			
298	300	0			
300	302	0			
302	304	0			
304	306	0			
306	308	0			
308	310	0			
310	312	0			
312	313	0			
313	314.45	0			
314.45	316	0			
316	318	0			
318	320	0			
320	322	0			
322	324	0			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
324	326	0			
326	328	0			
328	330	0			
330	332	0			
332	334	0			
334	336	0			
336	338	0			
338	340	0			
340	342	0			
342	344	0			
344	346	0			
346	348	0.1			
348	350	0			
350	352	0.1			
352	354	0			
354	356	0			
356	358	0			
358	360	0			
360	362	0			
362	364	0			
364	365	0			
365	366.50	0			
366.50	368	0			
368	370	0			
370	371.35	0			
371.35	373	0			
373	374	0			
374	376	0			
376	378	0			
378	380	0			
380	382	0			
382	384	0			
384	386	0			
386	388	0			
388	389.50	0			
389.50	391	0			
391	392.50	0			
392.50	393.52	0			
393.52	395	0.2			
395	396	0.5			
396	398	0.6			
398	400	0.6			
400	402	0.5			
402	404	0.4			
404	406	0.9			
406	408	0.9			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
408	410	0.7			
410	412	0.8			
412	414	0.7			
414	416	0.7			
416	418	1			
418	420	1			
420	422	0.9			
422	424	1			
424	426	0.9			
426	428	0.5			
428	430	0.6			
430	432	0.5			
432	434	0.7			
434	436	0.7			
436	438	0.5			
438	440	0.6			
440	442	0.5			
442	444	0.6			
444	445.80	1.4			
445.80	446.30	1.9			
446.30	448.2	0.4			
448.20	450	1			
450	452	0.4			
452	454	0.1			
454	456	0.1			
456	458	0.4			
458	460	0.2			
460	462	0.2			
462	464	0.1			
464	466	0.1			
466	468	0.2			
468	470	0.1			
470	472	0.1			
472	474	0.3			
474	476	0.1			
476	478	0.2			
478	480.05	0.7			
480.05	482	0.4			
482	484	0.3			
484	486	0.2			
486	488	0.3			
488	490	0.2			
490	492	0.1			
492	494	0.4			
494	496	0.6			
496	498	0.2			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
498	500	0.1			
500	502	0.2			
502	504	0.2			
504	506	0.2			
506	508	0.2			
508	510	0.2			
510	512	0.2			
512	514	0.2			
514	516	0.3			
516	518	0.2			
518	520	0.1			
520	522	0.3			
522	524	0.2			
524	526	0.3			
526	528	0.1			
528	530	0.2			
530	532	0.3			
532	534	0.4			
534	536	0.2			
536	538	0.2			
538	540	0.3			
540	542	0.1			
542	544	0.2			
544	546	0.2			
546	548	0.1			
548	550	0.2			
550	552	0.1			
552	554	0.1			
554	556	0.1			
556	558	0.1			
558	560	0.2			
560	562	0.2			
562	564	0.2			
564	566	0.2			
566	568	0.2			
568	570	0.5			
570	572	0.4			
572	574	0.4			
574	576	0.4			
576	578	0.6			
578	580	0.5			
580	582	0.4			
582	584	0.4			
584	585.30	0.4			
585.30	586.50	0.4			
586.50	588	0.2			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
588	590	0.3			
590	592	0.2			
592	594	0.2			
594	596	0.4			
596	598	0.3			
598	600	0.2			
600	602	0.2			
602	604	0.2			
604	606	0.1			
606	608	0.2			
608	610	0.1			
610	612	0.1			
612	614	0.1			
614	615.40	0.1			
EOH					

TS-DH35

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.31			
2	4	0.7			
4	6	0.71			
6	6.90	0.84			
6.90	8	0.84			
8	10	1.38			
10	12	0.63			
12	14	0.91			
14	16	1.23			
16	18	0.6			
18	20	0.42			
20	21	0.55			
21	22.10	0.36			
22.10	24	0.41			
24	26	0.5			
26	28	0.28			
28	30	0.3			
30	32	0.76			
32	34	0.35			
34	36	1.29			
36	38.10	0.28			
38.10	40	0.61			
40	42	0.82			
42	44	1.23			
44	46	0.47			
46	48	0.42			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
48	49	1.41			
49	50.30	0.58			
50.30	51.80	0.42			
51.80	53	0.46			
53	54	0.49			
54	56	0.44			
56	58	0.71			
58	60	0.59			
60	62	0.79			
62	64	0.93			
64	66	0.61			
66	68	2.09			
68	70	0.79			
70	72	0.51			
72	74	1.04			
74	75.70	0.75			
75.70	77	0.49			
77	78	0.3			
78	80	0.16			
80	82	0.13			
82	84	0.39			
84	86	0.57			
86	88	0.38			
88	90	0.46			
90	92	0.46			
92	94	0.32			
94	96	0.38			
96	98	0.62			
98	100	0.91			
100	102	1.03			
102	104	1			
104	106	0.31			
106	108	0.35			
108	110	0.26			
110	112	0.26			
112	114	0.14			
114	116	0.07			
116	118	0.31			
118	120	0.2			
120	122	0.15			
122	124	0.25			
124	126	0.62			
126	128	0.97			
128	130	1.25			
130	132	1.49			
132	134	1.45			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
134	136	1.19			
136	138	1.23			
138	140	1.02			
140	141	0.48			
141	142	0.93			
142	144	1.05			
144	146	0.55			
146	148	1.15			
148	150	1.93			
150	151	2.89			
151	152.60	1.66			
152.60	154.70	2.47			
154.70	156	2.84			
156	158	0.68			
158	160	0.98			
160	162	1.56			
162	164	0.72			
164	166	0.77			
166	168	1.82			
168	170	0.74			
170	172	1.99			
172	174	1.03			
174	176	0.61			
176	178	1.49			
178	180	0.59			
180	182	0.9			
182	184	0.9			
184	186	1.04			
186	188	0.92			
188	189.50	0.97			
189.50	191.50	1.28			
191.50	192.60	2.68			
192.60	193.60	0.47			
193.60	194.60	0.42			
194.60	196.20	0.37			
196.20	198	0.37			
198	200	0.42			
200	202	0.44			
202	204	0.58			
204	206	1.16			
206	208	0.78			
208	210	0.66			
210	211.05	1.23			
211.05	212.50	0.61			
212.50	214	0.59			
214	216	0.29			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
216	218	0.34			
218	220	0.32			
220	222	0.44			
222	224	0.38			
224	226	0.46			
226	227.53	0.62			
227.53	229.53	0.21			
229.53	231.53	0.16			
231.53	232.24	0.09			
232.24	234	0.04			
234	236	0.03			
236	238	0.04			
238	240	0.04			
240	242	0.04			
242	244	0.02			
244	246	0.02			
246	248	0.02			
248	250	0.01			
250	252	0.01			
252	253	0.17			
253	255	0.03			
255	256.30	0.02			
256.30	258	0.01			
258	260	0.01			
260	261	0.01			
261	262	0.01			
262	264	0.01			
264	265	0.01			
265	266.90	0.01			
266.90	268	0.01			
268	270	0.01			
270	272	0.01			
272	274	0.01			
274	276	0.01			
276	278	0.01			
278	280	0.01			
280	282	0.02			
282	284	0.01			
284	286	0.01			
286	288	0.01			
288	290	0.01			
290	292	0.02			
292	294	0.01			
294	296	0.01			
296	298	0.01			
298	300	0.01			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
300	302	0.01			
302	304	0.01			
304	306	0.01			
306	308	0.01			
308	310	0.01			
310	312	0.01			
312	314	0.01			
314	316	0.01			
316	318	0.01			
318	320	0.01			
320	322	0.01			
322	324	0.01			
324	326	0.01			
326	328	0.01			
328	330	0.01			
330.00	331.20	0.01			
331.20	332.20	0.01			
EOH					

TS-DH36

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.63	0.3	200	15
2	4	0.43	0.3	320	19
4	6	0.28	0.3	321	5.9
6	8	0.71	0.5	323	6.2
8	10	0.4	0.8	262	9.2
10	12	0.35	1.1	153	4.9
12	13	0.21	1.1	102	4.4
13	14.8	0.21	0.7	82.4	5.7
14.8	16	0.24	0.5	79.7	6.2
16	18	0.28	0.7	219	8.8
18	20	0.32	0.5	211	16
20	22	0.21	0.5	163	24
22	24	0.31	0.5	186	13
24	26	0.23	0.4	140	11
26	28	0.21	0.3	90.2	9.4
28	30	0.18	0.4	116	12
30	32	0.17	0.4	93.9	6.5
32	34	0.22	0.5	107	6.6
34	36	0.23	0.5	89.5	6.9
36	38	0.21	0.5	116	13
38	40	0.19	0.6	155	11
40	42	0.21	0.6	157	13
42	44	0.16	0.4	125	9.4

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
44	46	0.21	0.4	85.7	9.7
46	48	0.65	1	335	17
48	50	0.22	0.5	127	21
50	52	0.22	0.5	133	90
52	54	0.37	0.9	242	33
54	55	0.27	1.1	123	17
55	56.7	0.23	0.8	108	16
56.7	57.8	0.24	0.9	219	14
57.8	59	0.18	0.7	150	246
59	60	0.32	0.8	283	18
60	62	0.18	0.3	91.9	27
62	64	0.16	0.5	146	27
64	66	0.15	0.6	124	34
66	68	0.16	0.5	93.1	12
68	70	0.23	0.5	174	8.6
70	71.5	0.17	0.5	96.3	11
71.5	73.5	0.23	0.7	105	13
73.5	75.1	0.42	1.2	166	18
75.1	77	0.21	0.6	111	12
77	78	0.16	0.5	118	11
78	80	0.28	0.5	161	10
80	82	0.26	0.5	167	11
82	84	0.11	0.3	94.5	17
84	85.21	0.19	0.3	140	14
85.21	87	0.18	0.3	111	13
87	88	0.14	0.3	141	15
88	89	0.09	0.3	103	20
89	90	0.14	0.2	112	11
90	92	0.14	0.2	79.5	17
92	93	0.1	0.2	71.8	15
93	94	0.28	0.6	179	18
94	96	0.22	0.4	196	21
96	98	0.48	0.6	292	33
98	100	0.41	0.4	223	18
100	102	0.43	0.6	253	43
102	104	0.48	0.9	282	28
104	106	0.34	0.3	246	80
106	108	0.25	0.3	212	25
108	110	0.2	0.2	185	17
110	112	0.43	0.3	306	17
112	114	0.2	0.3	206	14
114	116	0.24	0.2	186	13
116	118	0.19	0.3	198	14
118	120	0.41	0.3	220	9.8
120	122	0.29	0.2	158	12
122	124	0.45	0.3	313	18

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
124	125	1.59	0.6	636	35
125	126.4	0.44	0.4	336	13
126.4	128	0.33	0.3	270	9.2
128	130	0.28	0.3	213	17
130	132	0.31	0.5	272	23
132	134	0.44	0.4	327	30
134	136	0.16	0.2	120	10
136	138	0.23	0.3	217	13
138	140	1.19	0.4	495	10
140	141	0.46	0.4	407	15
141	142.6	0.39	0.4	344	12
142.6	144	0.48	0.4	326	13
144	146	0.38	0.3	281	16
146	148	0.92	0.4	447	10
148	150	0.2	0.3	243	16
150	152	0.44	0.4	297	21
152	154	0.39	0.3	301	17
154	156	0.67	0.4	368	18
156	158	0.47	0.4	344	22
158	160	0.45	0.4	276	13
160	162	0.3	0.3	286	13
162	164	0.9	0.6	471	55
164	166	0.47	0.5	312	11
166	168	0.33	0.3	265	24
168	170	0.32	0.3	248	15
170	172	0.16	0.2	203	11
172	174	0.48	0.3	289	14
174	176	0.4	0.3	293	12
176	178	0.26	0.2	188	23
178	180	0.31	0.3	400	14
180	182	0.32	0.3	320	9.9
182	184	0.39	0.3	297	15
184	186	0.4	0.3	233	23
186	188	0.17	0.2	192	12
188	190	0.38	0.4	320	11
190	192	0.41	0.3	263	14
192	193	0.16	0.3	158	31
193	195	0.2	0.2	194	18
195	196	0.23	0.2	203	17
196	198	0.31	0.3	275	13
198	199	0.26	0.2	238	8.3
199	200.65	0.23	0.3	214	7.8
200.65	202	0.34	0.5	244	6.4
202	204	0.4			
204	206	0.2			
206	208	0.24			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
208	210	0.09			
210	212	0.37			
212	213.8	0.69			
213.8	214.9	0.99			
214.9	216	0.27			
216	218	0.3			
218	220	0.4			
220	221.7	0.31			
221.7	223.2	0.28			
223.2	225	0.71			
225	226	0.51			
226	228	0.55			
228	230	0.54			
230	232	0.6			
232	234	1.01			
234	235.8	1.3			
235.8	237	0.37			
237	239	1.41			
239	240	0.97			
240	242	0.89			
242	244	0.48			
244	246	0.59			
246	248	0.69			
248	250	0.66			
250	252	0.77			
252	253	0.98			
253	254.45	0.4			
254.45	256	0.41			
256	258	0.71			
258	260	0.37			
260	262	0.19			
262	264	0.42			
264	266	0.54			
266	268	0.63			
268	270	0.26			
270	272	0.53			
272	274	0.25			
274	276	0.29			
276	278	0.29			
278	280	0.68			
280	282	0.6			
282	284	0.62			
284	286	0.45			
286	288	0.5			
288	289	0.4			
289	290	0.87			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
290	292	0.7			
292	294	0.93			
294	296	0.83			
296	298	0.86			
298	300	0.86			
300	302	0.5			
302	304	0.62			
304	306	0.43			
306	308	0.55			
308	309	0.29			
309	310.5	0.96			
310.5	312.1	0.76			
312.1	312.95	0.57			
312.95	314	0.24			
314	316	0.34			
316	318	0.94	0.5	666	35
318	320	1.14	0.6	756	96
320	321.3	0.52	0.5	452	47
321.3	321.75	0.76	0.7	584	45
321.75	323.75	0.68			
323.75	324.3	0.92			
324.3	326	0.22			
326	328	0.83			
328	329.75	0.79			
329.75	331.4	0.84			
331.4	333	0.49			
333	334	0.59			
334	336	0.47			
336	338	0.98			
338	340	0.56			
340	342	0.36			
342	344	0.54			
344	346	0.47			
346	348	0.38			
348	349	0.49			
349	350	0.49			
350	352	0.29			
352	354	0.3			
354	356	0.37			
356	358	0.28			
358	359	0.3			
359	360.53	0.28			
360.53	362	1.05			
362	364	0.25			
364	366	1.18			
366	367	0.4			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
367	368	0.45			
368	370	0.42			
370	372	0.35			
372	374	0.37			
374	376	0.42			
376	378	0.27			
378	380	0.11			
380	382	0.19	0.3	176	6.7
382	384	0.19	0.3	171	9.2
384	386	0.14	0.2	117	7.2
386	388	0.54	0.4	344	19
388	390	0.18	0.1	49.4	5.9
390	391.5	0.18	0.8	129	6.6
391.5	393.05	0.16			
393.05	395	0.16			
395	396	0.15			
396	397.65	0.11			
397.65	397.95	0.44			
397.95	399	0.23			
399	400	0.16			
400	402	0.36			
402	404	0.2			
404	406	0.21			
406	408	0.25			
408	410	0.33			
410	412	0.1			
412	414	0.17			
414	416	0.34			
416	418	0.29			
418	420	0.95	0.5	564	36
420	422	0.12	0.3	124	17
422	424	0.1			
424	426	0.13			
426	428	0.1			
428	430	0.46			
430	432	0.32			
432	434	0.23			
434	436	0.06			
436	438	0.04	0.1	24.2	2.9
438	440	0.06	0.1	64.6	3.8
440	442	0.08	0.2	79	4
442	444	0.16	0.4	107	8.4
444	445	0.19	0.7	107	8.1
445	446.2	0.36	0.5	283	30
446.2	448	0.45	0.6	553	244
448	448.8	2.33	1.4	1530	177

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
448.8	449.35	0.83	1	608	42
449.35	450.53	0.62	1.4	747	80
450.53	452	0.17	0.3	176	8.1
452	454	0.13	0.3	152	16
454	456	0.3	0.4	301	23
456	458	0.27	0.4	304	17
458	460	0.38	0.3	217	77
460	462	0.3	0.4	317	22
462	464	0.16	0.2	124	67
464	466	0.27	0.3	205	19
466	468	0.11	0.1	79	5.9
468	470	0.32	0.3	214	11
470	472	0.17	0.2	90.2	11
472	474	1.42	1	1060	92
474	476	1.08	1.1	964	114
476	478	1.82	2.1	1740	184
478	480	1.1	0.8	858	81
480	482	0.1	0.4	121	6.9
482	484	0.3	0.4	255	19
484	486	0.81	1.2	676	45
486	488	0.56	1.3	591	27
488	490	0.15	0.4	164	9.1
490	492	0.68	1.2	691	52
492	494	0.06	0.2	67.6	1
494	496	0.12			
496	498	0.13			
498	500	0.54			
500	502	0.14			
502	504	0.17			
504	506	0.35			
506	508	0.23			
508	509	0.17			
509	510.6	0.27			
510.6	512.5	0.21			
512.5	514	0.23			
514	516	0.16			
516	518	0.14			
518	520	0.37			
520	522	0.12			
522	524	0.07			
524	526	0.1			
526	528	0.35			
528	530	0.19			
530	531	0.09			
531	532.45	0.13			
532.45	533.23	0.13			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
533.23	535	0.08			
535	536	0.06			
536	538	0.05			
538	540	0.08			
540	542	0.16			
542	544	0.27			
544	546	0.45			
546	548	0.38			
548	550	0.34			
550	552	0.25			
552	554	0.1			
554	556	0.03			
556	558	0.18			
558	560	0.16			
560	562	0.11			
562	564	0.06			
564	566	0.1			
566	568	0.09			
568	570	0.11			
570	572	0.13			
572	574	0.17			
574	576	0.21			
576	578	0.16			
578	580	0.15			
580	582	0.09			
582	584	0.11			
584	586	0.1			
586	587	0.2			
587	588	0.19			
588	590	0.17			
590	592	0.15			
592	594	0.19			
594	595	0.4			
595	596	0.39			
596	598	0.19			
598	600	0.2			
600	602	0.2			
602	604	0.14			
604	606	0.15			
606	608	0.15			
608	610	0.15			
610	612	0.17			
612	614	0.15			
614	616	0.19			
616	618	0.14			
618	619	0.03			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
619	620.3	0.04			
620.3	621.85	0.08			
621.85	623.5	0.04			
623.5	625.5	0.46			
625.5	627.27	0.2			
627.27	629	0.08			
629	630	0.1			
630	632	0.14			
632	634	0.43			
634	636	0.28			
636	638	0.19			
638	640	0.13			
640	642	0.3			
642	644	0.62			
644	646	0.4			
646	648	0.26			
648	650	0.13			
650	652	0.11			
652	654	0.09			
654	656	0.13			
656	658	0.1			
658	660	0.07			
660	661.8	0.16			
EOH					

TS-DH37

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	1.68	0.2		
1	2.5	2.73	0.4		
2.5	4	1.37	0.3		
4	6	1.45	0.7		
6	8	1.6	0.7		
8	10	2.03	0.7		
10	12	5.31	0.9		
12	14	5.69	0.4		
14	16	7.79	0.6		
16	18	6.52	0.4		
18	20	7.42	0.7		
20	22	7.01	0.2		
22	24	6.42	0.4		
24	26	7.35	0.5		
26	28	6.57	0.6		
28	30	7.65	5.4		
30	32	7.85	0.6		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
32	34	7.61	0.4		
34	36	7.48	0.3		
36	38	7	0.4		
38	40	6.74	0.3		
40	41.6	5.37	0.2		
41.6	43	6.07	0.5		
43	44	4.19	0.2		
44	46	7.54	0.2		
46	48	7.73	0.2		
48	50	6.86	0.3		
50	51	3.49	0.4		
51	52.8	7.01	0.2		
52.8	54	3.63	0.3		
54	55.6	5.84	0.3		
55.6	57	5.02	0.3		
57	58	3.5	0.2		
58	60	5.86	0.2		
60	62	8.65	0.2		
62	64	7.73	0.1		
64	66	8.36	0.1		
66	68	7.68	0.1		
68	70	6.64	0.3		
70	72	7.25	0.1		
72	74	6.2	0.1		
74	76	7.5	0.3		
76	78	6.87	0.2		
78	80	7.73	0.3		
80	82	7.2	0.3		
82	84	7.16	0.2		
84	85.20	4.33	0.3		
85.20	85.95	2.64	0.3		
85.95	88	7.41	0.4		
88	90	7.04	0.2		
90	92	6.45	0.2		
92	94	6.98	0.3		
94	96	5.91	0.2		
96	97.60	4.05	0.3		
97.60	99.25	7.1	0.2		
99.25	100.40	2.9	0.3		
100.40	102	3.73	0.3		
102	104	6.92	0.4		
104	106	4.66	0.3		
106	108	5.63	0.2		
108	110	6.62	0.4		
110	112	8.13	0.6		
112	114	7.86	0.9		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
114	116	7.45	0.7		
116	118	7.07	0.9		
118	120	7.91	1.3		
120	122	7.43	0.5		
122	124	6.99	0.3		
124	126	7.82	0.3		
126	128	7.74	2.2		
128	130	7.02	0.9		
130	132	7.46	0.3		
132	134	6.94	0.4		
134	136	7.47	0.7		
136	138	7.46	0.5		
138	140	7.17	0.5		
140	142	8.88	0.4		
142	144	9.22	0.6		
144	146	9.88	0.5		
146	147	4.76	0.6		
147	148	4	1.2		
148	150	7.06	0.8		
150	152	7.14	0.5		
152	153	3.65	0.2		
153	154.2	4.32	0.3		
154.2	156	9.27	0.7		
156	157.9	9.94	0.5		
157.9	159	4.01	0.3		
159	160	3.87	0.3		
160	162	7.6	0.2		
162	164	7.58	0.4		
164	166	7.44	0.5		
166	168	7.65	0.4		
168	170	7.73	0.3		
170	172	7.85	0.3		
172	174	7.21	0.3		
174	175.50	5.58	0.2		
175.50	177	6.47	0.5		
177	178.60	6.54	0.7		
178.60	180	6.15	1		
180	181.50	5.67	2.8		
181.50	182.83	5.64	2		
182.83	184	3.88	0.4		
184	186	7.6	0.3		
186	187.50	5.65	0.4		
187.50	188.70	4.3	0.6		
188.70	190	6.91	1		
190	192	9.79	0.8		
192	194	9.4	0.7		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
194	196	9.14	0.6		
196	198	7.77	2.3		
198	199	4.13	0.6		
199	200.70	6.74	0.8		
200.70	202	4.14	0.1		
202	204	8.07	0		
204	206	7.2	0.4		
206	208	7.67	0.1		
208	209.10	4.32	0		
209.10	211	6.87	0.4		
211	212	3.66	0.3		
212	214	7.92	0.9		
214	216	8.24	1		
216	218	7.51	0.9		
218	220	7.76	0.4		
220	222	8.15	0.4		
222	224	7.86	0.5		
224	226	7.35	0.7		
226	228	8.6	0.6		
228	230	7.18	0.8		
230	232	8.3	0.6		
232	234	7.27	0.5		
234	236	7.54	0.8		
236	238	8.23	0.7		
238	240	7.95	1		
240	242	8.07	0.5		
242	244	7.12	0.5		
244	246	6.78	0.6		
246	248	7.95	0.4		
248	250	7.37	0.5		
250	252	7.46	0.2		
252	254	8.03	0.5		
254	256	7.33	1.2		
256	258	7.43	0.9		
258	260	7.55	0.5		
260	262	7.49	0.6		
262	264	7.62	0.8		
264	266	7.25	0.5		
266	268	7.43	1.2		
268	270	7.92	1		
270	272	6.43	0.9		
272	274	6.74	0.7		
274	276	7.37	0.9		
276	278	8.17	0.5		
278	280	7.22	0.5		
280	282	7.78	0.6		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
282	284	7.3	0.5		
284	286	7.87	0.6		
286	288	7.4	0.3		
288	290	7.51	0.1		
290	292	7.72	0.3		
292	294	7.2	0.3		
294	296	7.29	0.4		
296	298	7.33	0.4		
298	300	7.82	0.5		
300	302	7.19	0.5		
302	304	7.26	0.2		
304	306	7.86	0.3		
306	308	7.55	0.3		
308	310	8.13	0.3		
310	312	7.68	0.4		
312	314	7.53	0.6		
314	316	7.44	0.3		
316	318	8.03	0.5		
318	319	4.11	0.3		
319	320	3.47	0.5		
320	322	6.43	0.5		
322	323	4.67	0.2		
323	324	3.71	0.1		
324	325.50	5.67	0		
325.50	326.50	3.65	0		
326.50	327.60	5.63	0.1		
327.60	329	5.24	0.8		
329	330.15	4.32	0.8		
330.15	332.15	7.55	0.6		
332.15	334	8.7	0.6		
334	336	8.42	0.5		
336	337.50	7.3	0.2		
337.50	338.71	5.73	4		
338.71	339	0.89	0.1		
339	340	4.4	0.1		
340	341.40	6.54	0.1		
341.40	343	6.96	0.2		
343	344	4.19	0.4		
344	346	9.04	0.6		
346	348	6.7	0.4		
348	350	8.75	0.5		
350	352.15	9.56	0.5		
352.15	354	7.36	0.4		
354	356	9.74	0.1		
356	358	9.49	0		
358	359.50	6.59	0.1		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
359.50	360.90	5.42	0.1		
360.90	362	4.51	0.2		
362	363.50	6.44	0.1		
363.50	365	6.36	0.1		
365	366	4.43	0.1		
366	368	7.27	0.1		
368	370	8.61	0.2		
370	372	8.14	0.1		
372	374	8	0		
374	376	8.04	0.2		
376	378	7.84	0.1		
378	380	8.02	0.1		
380	382	7.12	0.1		
382	384	7.82	0.1		
384	386	8.12	0.1		
386	387.50	5.99	0.2		
387.50	388.65	4.66	0.1		
388.65	390	4.87	0.1		
390	392	7.65	0.1		
392	394	7.87	0.1		
394	395	3.83	0.2		
395	396.40	5.36	0.1		
396.40	398.40	9.2	0.2		
398.40	400.18	8.21	0.3		
400.18	401.50	5.43	0		
401.50	402.50	4.23	0		
402.50	404	6.04	0.3		
404	406	9.1	0.2		
406	408	9.38	0.2		
408	410	9.01	0.3		
410	412	9.37	0.4		
412	414	10.1	0.3		
414	416	7.81	0.3		
416	418	9.92	0.2		
418	420	9.67	0.3		
420	422	8.57	0.2		
422	424	9.51	0.2		
424	426	8.86	0.3		
426	428	9.21	0.2		
428	429.10	4.55	0.2		
429.10	431	8.92	0.3		
431	432	4.99	0.1		
432	434	8.62	0.1		
434	436	8.2	0		
436	438	8.43	0.1		
438	440	8.49	0.1		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
440	442	7.55	0.1		
442	444	7.69	0.1		
444	446	8.06	0.1		
446	448	8.24	0.1		
448	450	8.33	0.3		
450	452	7.01	0.3		
452	454	8.42	0.2		
454	456	8.56	0.1		
456	458	7.19	0.2		
458	460	7.36	0		
460	462	7.76	0.2		
462	464	8.13	0.1		
464	466	8.19	0.1		
466	468	8.21	0.1		
468	469.55	5.01	0		
469.55	471	6.52	0.2		
471	472.40	7.25	0.3		
472.40	474	6.13	0.4		
474	476	7.41	0.4		
476	478	7.22	0.2		
478	480	7.68	0.2		
480	482	7.92	0.1		
482	484	7.97	0.1		
484	486	7.77	0.3		
486	488	7.8	0.2		
488	490	7.54	0.2		
490	492	7.47	0.2		
492	494	7.97	0.1		
494	496	7.21	0.1		
496	498	7.89	0.2		
498	500	8.09	0.3		
500	502	8.24	0.3		
502	504	8.46	0.2		
504	506	7.63	0.3		
506	508	7.86	0.2		
508	510	7.39	0.2		
510	512	8.67	0.1		
512	513	3.91	0.5		
513	514.55	5.43	0.2		
514.55	516	6.55	0.1		
516	518	7.38	0.2		
518	520	8.39	0.2		
520	522	7.48	0.1		
522	524	7.54	0.3		
524	526	6.61	0.5		

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
526	528	7.59	0.2		
528	530	7.99	0.2		
530	532	6.52	0.2		
532	534	7.07	0.2		
534	536	7.1	0.1		
536	538	7.45	0.4		
538	540	7.18	0.2		
540	542	7.46	0.4		
542	544	7.72	0.1		
544	546	7.69	0.1		
546	548	7.66	0.1		
548	550	7.99	0.1		
550	552	7.64	0.1		
552	554	7.3	0.1		
554	556	6.95	0.2		
556	557	3.56	0.1		
557	558	4.37	0.2		
558	560	7.3	0.1		
560	562	7.06	0.1		
562	564	8.47	0.2		
564	566	8.24	0.2		
566	568	7.29	0.3		
568	570	6.69	0.2		
570	572	7.21	0.3		
572	574	8.95	0.2		
574	576	8.67	0.2		
576	577.60	6.39	0.4		
EOH					

TS-DH38

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.29			
2	4	0.22			
4	6	0.17			
6	8	0.18			
8	10	0.29			
10	12	0.35			
12	14	0.24			
14	16	0.18			
16	18	0.19			
18	20	0.24			
20	22	0.09			
22	24	0.19			

TS-D

TS-DH39

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
24	25.1	0.17			
25.1	27	0.81			
27	28	0.36			
28	29.3	0.4			
29.3	30.1	0.14			
30.1	30.9	0.15			
30.9	32	0.11			
32	34	0.46			
34	36	0.3			
36	38	0.16			
38	40	0.44			
40	42	0.23			
42	44	0.35			
44	46	0.38			
46	48	0.18			
48	50	0.43			
50	52	1.16			
52	54	0.41			
54	56	0.19			
56	58	0.71			
58	60	<0.01			
60	62	0.22			
62	64	0.22			
64	66	0.1			
66	68	0.32			
68	70	0.37			
70	72	0.7			
72	73	0.49			
73	74.8	0.81			
74.8	75.6	0.53			
75.6	77	0.97			
77	78	0.91			
78	80	0.42			
80	82	0.39			
82	84	0.24			
84	86	0.43			
86	88	0.13			
88	90	0.71			
90	92.1	0.41			
EOH					

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.14			
2	4	0.26			
4	6	0.24			
6	8	0.15			
8	10	0.09			
10	12	0.14			
12	14	0.37			
14	16	0.19			
16	18	1.09			
18	20	0.42			
20	22	0.3			
22	23	0.07			
23	24.7	0.29			
24.7	26	0.27			
26	28	0.11			
28	30	0.07			
30	32	0.31			
32	34	0.43			
34	36	0.4			
36	38	0.18			
38	40	0.49			
40	42	0.57			
42	44	0.47			
44	46	0.82			
46	48	0.42			
48	50	0.64			
50	52	0.58			
52	54	0.35			
54	56	0.38			
56	58	0.31			
58	60	0.15			
60	62	0.1			
62	64	0.19			
64	66	0.26			
66	68	0.48			
68	70	0.36			
70	72	0.46			
72	74	0.29			
74	76	0.22			
76	78	0.14			
78	80	0.34			
80	82	0.34			
82	84	1.61			
84	85.85	0.85			
85.85	87	0.22			
87	88.4	0.09			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
88.4	89.4	0.06			
89.4	91	0.05			
91	92	0.05			
92	94	0.09			
94	96	0.19			
96	98	0.16			
98	100	0.6			
100	102	1.83			
102	104	1.59			
104	106	1.28			
106	108	1.06			
108	110	0.4			
110	112	0.33			
112	114	0.18			
114	116	0.58			
116	118	0.26			
118	119	0.41			
119	120.55	0.35			
120.55	121.8	0.46			
121.8	123	0.3			
123	125	0.55			
125	126.3	0.62			
126.3	127.8	0.55			
127.8	128.32	0.71			
128.32	130	0.89			
130	132	0.38			
132	134	0.41			
134	136	0.23			
136	138	0.1			
138	140	0.06			
140	142	0.34			
142	144	0.19			
144	145	0.59			
145	146.45	0.37			
146.45	148	0.78			
148	150	0.57			
150	152	0.38			
152	154	0.31			
154	156	0.74			
156	158	0.4			
158	159	0.6			
159	160	0.44			
160	162	0.33			
162	164	0.18			
164	166	0.38			
166	168	0.27			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
168	170	0.39			
170	171	0.47			
171	172.7	0.73			
172.7	174.5	1.34			
174.5	176.5	1.53			
176.5	178	1.15			
178	180	0.45			
180	182	0.61			
182	184	0.52			
184	185.3	1.01			
185.3	187	0.98			
187	188	2.41			
188	190	0.82			
190	192	0.29			
192	194	0.39			
194	196	0.55			
196	198	0.51			
198	200	1.3			
200	201	0.8			
201	202.55	1.93			
202.55	203.9	0.62			
203.9	204.9	1.73			
204.9	206	0.39			
206	208	0.38			
208	210	0.74			
210	211	0.51			
211	212.6	1.05			
212.6	214	0.84			
214	216	0.53			
216	218	0.47			
218	220	1.29			
220	222	0.29			
222	224	0.48			
224	226	0.29			
226	228	0.33			
228	230	1.42			
230	232	0.39			
232	234	0.29			
234	236	0.36			
236	238	0.28			
238	240	0.13			
240	242	0.28			
242	244	0.28			
244	246	0.27			
246	248	0.25			
248	250	0.35			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
250	252	0.25			
252	254	0.36			
254	256	0.18			
256	258	0.22			
258	260	0.27			
260	262	0.22			
262	264	0.69			
264	266	0.54			
266	268	0.26			
268	270	0.43			
270	272	0.46			
272	274	0.23			
274	276	1.29			
276	278	0.43			
278	280	0.18			
280	282	0.13			
282	284	0.22			
284	286	0.42			
286	288	0.52			
288	290	0.72			
290	292	0.54			
292	294	0.36			
294	296	0.77			
296	298	1.08			
298	300	0.3			
300	302	1.49			
302	304	0.82			
304	306	0.61			
306	308	0.57			
308	310	0.24			
310	312	0.37			
312	314	0.33			
314	316	0.75			
316	318	0.41			
318	320	0.52			
320	322	0.41			
322	324	0.24			
324	326	0.49			
326	328	0.2			
328	330	0.21			
330	332	0.28			
332	334	0.46			
334	334.85	0.7			
334.85	336	0.26			
336	338	0.51			
338	339	1.15			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
339	340.36	0.97			
340.36	341.9	0.15			
341.9	344	0.34			
344	345.5	0.75			
345.5	346.95	0.21			
346.95	348.3	0.89			
348.3	350	0.95			
350	352	0.19			
352	354	0.29			
354	356	0.3			
356	358	0.71			
358	360	0.67			
360	362	0.72			
362	364	0.46			
364	366	0.25			
366	368	0.18			
368	370	0.45			
370	372	0.25			
372	374	0.36			
374	376	0.39			
376	378	0.34			
378	380	0.26			
380	382	0.2			
382	384	0.5			
384	385.45	0.28			
385.45	387.12	0.93			
387.12	389	0.44			
389	390.45	1.68			
390.45	392.25	0.56			
392.25	393.45	0.02			
393.45	395	0.01			
395	396	0.01			
396	398	0.02			
398	400	0.01			
400	402	0.01			
402	403.05	0.01			
403.05	405	0.01			
405	407	0.01			
407	408	0.01			
408	410	0.01			
410	412	0.01			
412	414	0.26			
414	415	0.01			
415	417	0.01			
417	418	0.01			
418	420	0.01			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
420	422	0.01			
422	424	0.07			
424	426	0.41			
426	428	0.84			
428	430	0.33			
430	432	0.18			
432	434	0.39			
434	436	0.04			
436	438	0.02			
438	439.50	0.01			
439.50	440.55	0.1			
440.55	442	0.01			
442	444	0.35			
444	446	1.45			
446	448	0.1			
448	449.50	0.04			
449.50	450.70	0.61			
450.70	452.40	0.3			
452.40	454	0.57			
454	456	0.25			
456	458	0.48			
458	460	0.18			
460	462	0.03			
462	464	0.01			
464	466	0.01			
466	468	0.01			
468	470	0.01			
470	472	0.01			
472	474	0.01			
474	476	0.01			
476	478	0.01			
478	480	0.01			
480	482	0.01			
482	484	0.36			
484	486	0.25			
486	488	0.06			
488	490	0.02			
490	492	0.02			
492	494	0.01			
494	496	0.01			
496	498	0.01			
498	500	0.01			
500	502	0.01			
502	504	0.01			
504	506	0.01			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
506	508	0.02			
508	510	0.01			
510	512	0.03			
512	514	0.02			
514	516	0.08			
516	518	0.02			
518	520	0.01			
520	522	0.02			
522	523	0.11			
523	524	0.01			
524	526	0.01			
526	528	0.01			
528	530	0.01			
530	532	0.02			
532	534	0.01			
534	536	0.01			
536	538	0.01			
538	540	0.01			
540	542	0.02			
542	544	0.05			
544	546	0.02			
546	548	0.01			
548	550	0.01			
550	552	0.01			
552	554	0.02			
554	556	0.02			
556	558	0.01			
558	560	0.01			
560	562	0.01			
562	564	0.01			
564	565	0.01			
565	566.15	0.02			
566.15	568	0.23			
568	570	0.37			
570	572	0.75			
572	574	0.17			
574	576	0.2			
576	578	0.26			
578	580	0.26			
580	582	0.28			
582	584	0.35			
584	586	0.62			
586	588	0.59			
588	590	0.72			
590	592.10	0.24			
592.10	594	0.24			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
594	596	0.28			
596	598	0.14			
598	600	0.54			
600	602	0.45			
602	604	0.46			
604	606	0.35			
606	608	0.18			
608	610	0.46			
610	612	0.34			
612	614	0.46			
614	616	0.17			
616	618	0.81			
618	620	0.14			
620	622	0.24			
622	624	0.18			
624	626	0.3			
626	628	0.09			
628	630	0.33			
630	632	0.12			
632	634	0.17			
634	636	0.17			
636	638	0.14			
638	640	0.12			
640	642	0.36			
642	644	0.24			
644	646	0.26			
646	648	0.25			
648	650	0.24			
650	652	0.64			
652	654	0.43			
654	656	0.33			
656	658	0.31			
658	660	0.31			
660	662	0.11			
662	664	0.37			
664	666	0.55			
666	668	0.44			
668	670	0.79			
670	672	0.24			
672	674	0.53			
674	676	0.19			
676	678	0.21			
678	680	0.23			
680	682	0.12			
682	684	0.28			
684	686	0.48			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
686	688	0.25			
688	690	0.1			
690	691.55	0.23			
EOH					

JORC Code, 2012 Edition – Table 1 report template -Tesorito Drill Results

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Diamond drilling is carried out to produce HQ and NQ core. Following verification of the integrity of sealed core boxes and the core within them at the Company’s core shed in Quinchia, the core is ‘quick logged’ by a Project Geologist and marked for sampling. Following the marking of the cutting line and allocation of sample numbers, allowing for insertion of QAQC samples, the core is cut by employees in the Company’s facility within the core-shed. Nominally core is cut in half and sampled on 2m intervals, however the interval may be reduced by the Project Geologist based on the visual ‘quick log’. Samples are bagged in numbered calico sacks and these placed in heavy duty plastic bags with the sample tag. Groups of 5 samples are bagged in a hessian sack, labelled and sealed, for transport. Sample preparation is carried out by ALS’ Laboratory in Medellin where the whole sample is crushed to -2mm and then 1kg split for pulverising to -75micron. Splits are then generated for fire assay (Au-AA26) and analyses for an additional 48 elements using multi-acid (four acid) digest with ICP finish (MEMS61) at ALS’ laboratory in Lima, Peru.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> The Tesorito drilling program is a diamond drilling program using HQ diameter core. In the case of operational necessity this will be reduced to NQ core. Where ground conditions permit, core orientation is conducted on a regular basis.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. 	<ul style="list-style-type: none"> The drillers are required to meet a minimum recovery rate of 95%. On site, a Company employee is responsible for labelling (wood spacer block) the beginning and end depth of each drill run plus actual and expected recovery in meters. This and other field processes are audited on a daily basis.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> On receipt the core is visually verified for inconsistencies including depth labels, degree of fracturing (core breakage versus natural), lithology progression etc. If the core meets the required conditions it is cleaned, core pieces are orientated and joined, lengths and labelling are verified, and geotechnical observations made. The core box is then photographed. Orientated sections of core are aligned, and a geology log prepared. Following logging, sample intervals are determined and marked up and the cutting line transferred to the core. Core quality is, in general, high and far exceeding minimum recovery conditions.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Logging is carried out visually by the Project Geologists focusing on lithology, structure, alteration and mineralization characteristics. Initially a 'quick log' is carried out to guide sampling and this is then followed by detailed logging. The level of logging is appropriate for exploration and initial resource estimation evaluation. All core is photographed following the initial verification on receipt of the core boxes and then again after the 'quick log', cutting and sampling. ie half core. All core is logged and sampled, nominally on 2m intervals respectively but in areas of interest more dense logging and sampling may be undertaken. On receipt of the multi-element geochemical data this is interpreted for consistency with the geologic logging.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is 	<ul style="list-style-type: none"> After logging and definition of sample intervals by the geologist, the marked core is cut in half using a diamond saw in a specially designed facility on site. All core is cut and sampled. The standard sample interval is 2m but may be varied by the geologist to reflect lithology, alteration or mineralization variations. As appropriate, all half or quarter core generated for a specific sample interval is collected and bagged. The other half of the core remains in the core box as a physical archive. The large size (4-8kg) of individual samples and continuous sampling of the drill hole, provides representative samples for exploration activities.

Criteria	JORC Code explanation	Commentary
	<p><i>representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • Through the use of QAQC sample procedure in this phase of drilling, any special sample preparation requirements eg due to unexpectedly coarse gold, will be identified and addressed prior to the resource drilling phase.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • Gold assays will be obtained using a lead collection fire assay technique (AuAA26) and analyses for an additional 48 elements obtained using multi-acid (four acid) digest with ICP finish (ME-MS61) at ALS' laboratory in Lima, Peru. • Fire assay for gold is considered a "total" assay technique. • An acid (4 acid) digest is considered a total digestion technique. However, for some resistant minerals, not considered of economic value at this time, the digestion may be partial e.g. Zr, Ti etc. • No field non-assay analysis instruments were used in the analyses reported. • Los Cerros uses certified reference material and sample blanks and field duplicates inserted into the sample sequence. • Geochemistry results are reviewed by the Company for indications of any significant analytical bias or preparation errors in the reported analyses. • Internal laboratory QAQC checks are also reported by the laboratory and are reviewed as part of the Company's QAQC analysis. The geochemical data is only accepted where the analyses are performed within acceptable limits.
Verification of sampling and assaying	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • All digital data received is verified and validated by the Company's Competent Person before loading into the assay database. • Over limit gold or base metal samples are re-analysed using appropriate, alternative analytical techniques (Au-Grav22 50g and OG46). • Reported results are compiled by the Company's geologists and verified by the Company's database administrator and exploration manager. • No adjustments to assay data were made.
Location of data points	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> 	<ul style="list-style-type: none"> • The drill hole is located using a handheld GPS and LIDER DTM. This has an approximate accuracy of 3-5m considered sufficient at this stage of exploration. • On completion of the drilling program the collars of all holes will be surveyed

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> using high precision survey equipment. Downhole deviations of the drill hole are evaluated on a regular basis and recorded in a drill hole survey file to allow plotting in 3D. The grid system is WGS84 UTM Z18N.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The interpretation of surface mapping and sampling relies on correlating isolated points of information that are influenced by factors such as weathering, accessibility and sample representivity. This impacts on the reliability of interpretations which are strongly influenced by the experience of the geologic team. Structures, lithologic and alteration boundaries based on surficial information are interpretations based on the available data and will be refined as more data becomes available during the exploration program. It is only with drilling, that provides information in the third dimension, that the geologic model can be refined.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drill hole is preferentially located in prospective area. All drillholes are planned to best test the lithologies and structures as known taking into account that steep topography limits alternatives for locating holes. Drill holes are oriented to determine underlying lithologies and porphyry vectors and to intercept the two principal sets of veining.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> All core boxes are nailed closed and sealed at the drill platform. On receipt at the Quinchia core shed the core boxes are examined for integrity. If there are no signs of damage or violation of the boxes, they are opened and the core is evaluated for consistency and integrity. Only then is receipt of the core formally signed off. The core shed and all core boxes, samples and pulps are secured in a closed Company facility at Quinchia secured by armed guard on a 24/7 basis. Each batch of samples are transferred in a locked vehicle and driven 165 km to ALS laboratories for sample preparation in Medellin. The transfer is accompanied by a Company employee.

Criteria	JORC Code explanation	Commentary
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> At this stage no audits have been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> The Exploration Titles were validly issued as Concession Agreements pursuant to the Mining Code. The Concession Agreement grants its holders the exclusive right to explore for and exploit all mineral substances on the parcel of land covered by such concession agreement. There are no outstanding encumbrances or charges registered against the Exploration Title at the National Registry.
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Artisanal gold production was most significant from the Miraflores mines during the 1950s. Interest was renewed in the area in the late 1970s. In the 1980s the artisanal mining cooperative "Asociación de Mineros de Miraflores" (AMM) was formed. In 2000, the Colombian government's geological division, INGEOMINAS, with the permission of the AMM, undertook a series of technical studies at Miraflores, which included geological mapping, geochemical and geophysical studies, and non-JORC compliant resource estimations. In 2005, Sociedad Kedahda S.A. (Kedahda), now called AngloGold Ashanti Colombia S.A., a subsidiary of AngloGold Ashanti Ltd., entered into an exploration agreement with the AMM, and carried out exploration including diamond drilling in 2005 to 2007 at Miraflores, completing 1,414.75m. In 2007 Kedahda optioned the project to B2Gold Corp. (B2Gold), which carried out exploration including additional diamond drilling from 2007 to 2009. B2Gold made a NI 43-101 technical study of the Miraflores Project in 2007. On 24 March 2009, B2Gold advised the AMM that it had decided to not make further option payments and the property reverted to AMM under the terms of the option agreement.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> Seafield Resources Ltd. (Seafield) signed a sale-purchase contract with AMM to acquire a 100% interest in the Mining Contract on 16 April 2010. Seafield completed the payments to acquire 100% of rights and obligations on the Miraflores property in 30 November 2012. AMM stopped the artisanal exploitation activities in the La Cruzada tunnel on the same date, and transferred control of the mine to Seafield. Since June 2010, Seafield drilled 63 drillholes for a total of 22,259m on the Miraflores Project adjacent to Tesorito. The initial exploration undertaken by Seafield at Tesorito in 2012 and 2013 included systematic geological mapping, rock and soil sampling, followed by trenching within the area of anomalous Au and Cu in soils. Seafield commissioned an Induced Polarisation (IP) survey over the Tesorito Prospect in August 2012 and undertook a three-hole diamond drilling program for a total of 1,150.5m in 2013.
<p><i>Geology</i></p>	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Tesorito area is underlain mainly by fine to coarse grained, intrusive porphyritic rocks of granodioritic to dioritic composition, which intrude an andesite porphyry body of the Miocene Combia formation, Tertiary sandstones and mudstones of the Amaga Formation, as well as basaltic rocks of the Barroso Formation of Cretaceous age. The intrusives suite show variable intensities of hydrothermal alteration, including potassic alteration overprinted by quartz-sericite and sericite-chlorite alteration. NNE to EW faulting controls the intrusive emplacement and mineralization, including faulting of contacts between the rock units. The depth of sulphide oxidation observed in the drill holes is approximately 20m. Gold, copper and molybdenite observed in the intrusive rocks is typical of Au-Cu-Mo rich porphyry deposit; mineralisation occurs as sulphides and magnetite in disseminations as well as in veinlets and stockworks of quartz. Pyrite, chalcopyrite and molybdenite have been recognised.
<p><i>Drill hole Information</i></p>	<ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar</i> 	

Criteria	JORC Code explanation	Commentary																																																																						
	<ul style="list-style-type: none"> elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<table border="1"> <thead> <tr> <th>HOLE</th> <th>EASTING</th> <th>NORTHING</th> <th>RL (m)</th> <th>EOH (m)</th> <th>AZIMUTH</th> <th>DIP</th> </tr> </thead> <tbody> <tr> <td>TSDH31</td> <td>424171</td> <td>584652</td> <td>1307.33</td> <td>694.1</td> <td>290</td> <td>50</td> </tr> <tr> <td>TSDH32</td> <td>423876.06</td> <td>584626.31</td> <td>1230</td> <td>536</td> <td>350</td> <td>55</td> </tr> <tr> <td>TSDH33</td> <td>423948.96</td> <td>584665</td> <td>1235.8</td> <td>615</td> <td>245</td> <td>55</td> </tr> <tr> <td>TSDH34</td> <td>423772</td> <td>584444</td> <td>1236.39</td> <td>615.4</td> <td>240</td> <td>70</td> </tr> <tr> <td>TSDH35</td> <td>423772</td> <td>584444</td> <td>1236.39</td> <td>332.2</td> <td>60</td> <td>65</td> </tr> <tr> <td>TSDH36</td> <td>423842.22</td> <td>584657.24</td> <td>1247.30</td> <td>661.8</td> <td>245</td> <td>65</td> </tr> <tr> <td>TSDH37</td> <td>423718.45</td> <td>584413</td> <td>1243.79</td> <td>577.6</td> <td>240</td> <td>70</td> </tr> <tr> <td>TSDH38</td> <td>423948.57</td> <td>584708.45</td> <td>1238.36</td> <td>92.1</td> <td>235</td> <td>70</td> </tr> <tr> <td>TSDH39</td> <td>423948.57</td> <td>584708.45</td> <td>1238.36</td> <td>691.55</td> <td>245</td> <td>70</td> </tr> </tbody> </table>	HOLE	EASTING	NORTHING	RL (m)	EOH (m)	AZIMUTH	DIP	TSDH31	424171	584652	1307.33	694.1	290	50	TSDH32	423876.06	584626.31	1230	536	350	55	TSDH33	423948.96	584665	1235.8	615	245	55	TSDH34	423772	584444	1236.39	615.4	240	70	TSDH35	423772	584444	1236.39	332.2	60	65	TSDH36	423842.22	584657.24	1247.30	661.8	245	65	TSDH37	423718.45	584413	1243.79	577.6	240	70	TSDH38	423948.57	584708.45	1238.36	92.1	235	70	TSDH39	423948.57	584708.45	1238.36	691.55	245	70
HOLE	EASTING	NORTHING	RL (m)	EOH (m)	AZIMUTH	DIP																																																																		
TSDH31	424171	584652	1307.33	694.1	290	50																																																																		
TSDH32	423876.06	584626.31	1230	536	350	55																																																																		
TSDH33	423948.96	584665	1235.8	615	245	55																																																																		
TSDH34	423772	584444	1236.39	615.4	240	70																																																																		
TSDH35	423772	584444	1236.39	332.2	60	65																																																																		
TSDH36	423842.22	584657.24	1247.30	661.8	245	65																																																																		
TSDH37	423718.45	584413	1243.79	577.6	240	70																																																																		
TSDH38	423948.57	584708.45	1238.36	92.1	235	70																																																																		
TSDH39	423948.57	584708.45	1238.36	691.55	245	70																																																																		
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No metal equivalent values have been stated. Quoted intervals use a weighted average compositing method of all assays within the interval. Uncut intervals include values below 0.1 g/t Au. No cut of high grades has been done. All widths quoted are intercept widths, not true widths, as there is insufficient information at this stage of exploration to know the geometries within the system. 																																																																						
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> The results reported in this announcement are considered to be of an early stage in the exploration of the project. Mineralisation geometry is not accurately known as the exact number, orientation and extent of mineralised structures are not yet determined. 																																																																						
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate 	<ul style="list-style-type: none"> Geological maps showing the location of drill holes and exploration results including drilling over the Tesorito Prospect is shown in the body of the announcement. 																																																																						

Criteria	JORC Code explanation	Commentary
	<i>sectional views.</i>	
<i>Balanced reporting</i>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Reporting is considered balanced.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> A ground magnetic survey that covered the Chuscal and Tesorito Prospects was performed in 2019 and presented two magnetic high anomalies that are spatially related to the soil gold and molybdenum anomalies. The magnetic high anomalies appear associated with the presence of potassic alteration and quartz-magnetite veining and stockworks. An induced polarisation survey (IP) completed in 2021 has revealed a chargeability high discussed in this report.
<i>Further work</i>	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Additional drilling is required to systematically test the nature and extent of mineralisation. The objective of the Tesorito drill program is to test two anomalous zones, the southern and northern Tesorito targets.

JORC Code, 2012 Edition – Table 1 report template Tesorito Geophysics

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. 	<ul style="list-style-type: none"> Full-Waveform Distributed Array IP (AG-DAS). 60 receiver channels with 100m electrode spacing, two for each 200m x 200m grid station. Total Areas covered -1.0km²

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	
<i>Drilling techniques</i>	<ul style="list-style-type: none"> • <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> • Not Applicable.
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> • <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> 	<ul style="list-style-type: none"> • Not applicable
<i>Logging</i>	<ul style="list-style-type: none"> • <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> • Surveys were operated by expert geophysics service providers and overview by the Company's senior Geologists. • IP Survey was conducted using IRIS VIP4000 transmitters with IRIS V-FW 2 channel full waveform receivers. • Outputs are incorporated into the Company's geology models

Criteria	JORC Code explanation	Commentary
<i>Sub-sampling techniques and sample preparation</i>	<ul style="list-style-type: none"> <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> Not applicable
<i>Quality of assay data and laboratory tests</i>	<ul style="list-style-type: none"> <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> Surveys were operated by expert geophysics service providers and overview by the Company's senior Geologists. IP Survey was conducted using IRIS VIP4000 transmitters with IRIS V-FW 2 channel full waveform receivers.
<i>Verification of sampling and assaying</i>	<ul style="list-style-type: none"> <i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> Survey methodology, outputs and interpretation was reviewed by an independent Geophysicist. The Company's team of senior Geologists and expert advises were also involved in modelling and interpretation of results.

Criteria	JORC Code explanation	Commentary
<i>Location of data points</i>	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • The company uses a handheld GPS and LIDER DTM. This has an approximate accuracy of 3-5m considered sufficient at this stage of exploration. • The grid system is WGS84 UTM Z18N.
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<ul style="list-style-type: none"> • Full-Waveform Distributed Array IP (AG-DAS). 60 receiver channels with 100m electrode spacing, two for each 200m x 200m grid station. Total Areas covered -1.0km²
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> • Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> • Surveys were conducted with regular grid spacing over a broad area of structural and lithological interest.
<i>Sample security</i>	<ul style="list-style-type: none"> • The measures taken to ensure sample security. 	<ul style="list-style-type: none"> • Not applicable
<i>Audits or reviews</i>	<ul style="list-style-type: none"> • The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> • At this stage no audits have been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> • Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national 	<ul style="list-style-type: none"> • The Exploration Titles were validly issued as Concession Agreements pursuant to the Mining Code. • The Concession Agreement grants its holders the exclusive right to explore for and exploit all mineral substances on the parcel of land covered by such

Criteria	JORC Code explanation	Commentary
	<p><i>park and environmental settings.</i></p> <ul style="list-style-type: none"> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<p>concession agreement.</p> <ul style="list-style-type: none"> There are no outstanding encumbrances or charges registered against the Exploration Title at the National Registry
<p><i>Exploration done by other parties</i></p>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Artisanal gold production was most significant from the Miraflores mines during the 1950s. Interest was renewed in the area in the late 1970s. In the 1980s the artisanal mining cooperative "Asociación de Mineros de Miraflores" (AMM) was formed. In 2000, the Colombian government's geological division, INGEOMINAS, with the permission of the AMM, undertook a series of technical studies at Miraflores, which included geological mapping, geochemical and geophysical studies, and non-JORC compliant resource estimations. In 2005, Sociedad Kedadha S.A. (Kedadha), now called AngloGold Ashanti Colombia S.A., a subsidiary of AngloGold Ashanti Ltd., entered into an exploration agreement with the AMM, and carried out exploration including diamond drilling in 2005 to 2007 at Miraflores, completing 1,414.75m. In 2007 Kedadha optioned the project to B2Gold Corp. (B2Gold), which carried out exploration including additional diamond drilling from 2007 to 2009. B2Gold made a NI 43-101 technical study of the Miraflores Project in 2007. On 24 March 2009, B2Gold advised the AMM that it had decided to not make further option payments and the property reverted to AMM under the terms of the option agreement. Seafield Resources Ltd. (Seafield) signed a sale-purchase contract with AMM to acquire a 100% interest in the Mining Contract on 16 April 2010. Seafield completed the payments to acquire 100% of rights and obligations on the Miraflores property in 30 November 2012. AMM stopped the artisanal exploitation activities in the La Cruzada tunnel on the same date, and transferred control of the mine to Seafield. Since June 2010, Seafield drilled 63 drillholes for a total of 22,259m on the Miraflores Project adjacent to Tesorito. The initial exploration undertaken by Seafield at Tesorito in 2012 and 2013 included systematic geological mapping, rock and soil sampling, followed by trenching within the area of anomalous Au and Cu in soils.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> Seafield commissioned an Induced Polarisation (IP) survey over the Tesorito Prospect in August 2012 and undertook a three-hole diamond drilling program for a total of 1,150.5m in 2013.
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Tesorito area is underlain mainly by fine to coarse grained, intrusive porphyritic rocks of granodioritic to dioritic composition, which intrude an andesite porphyry body of the Miocene Combia formation, Tertiary sandstones and mudstones of the Amaga Formation, as well as basaltic rocks of the Barroso Formation of Cretaceous age. The intrusives suite show variable intensities of hydrothermal alteration, including potassic alteration overprinted by quartz-sericite and sericite-chlorite alteration. NNE to EW faulting controls the intrusive emplacement and mineralization, including faulting of contacts between the rock units. The depth of sulphide oxidation observed in the drill holes is approximately 20m. Gold, copper and molybdenite observed in the intrusive rocks is typical of Au-Cu-Mo rich porphyry deposit; mineralisation occurs as sulphides and magnetite in disseminations as well as in veinlets and stockworks of quartz. Pyrite, chalcopyrite and molybdenite have been recognised.
Drill hole Information	<ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar</i> <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> <i>dip and azimuth of the hole</i> <i>down hole length and interception depth</i> <i>hole length.</i> <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> Figures in the text of the release describe the location of the surveyed area.

Criteria	JORC Code explanation	Commentary
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No Applicable
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> Not applicable
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Geological maps are presented in the body of the announcement.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Reporting is considered balanced.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious 	<ul style="list-style-type: none"> A ground magnetic survey that covered the area was performed in 2019 and presented two magnetic high anomalies that are spatially related to the soil gold and molybdenum anomalies. The magnetic high anomalies appear associated with the presence of potassic alteration and quartz-magnetite veining and stockworks. The company is actively drilling at the Tesorito South porphyry discovery which

Criteria	JORC Code explanation	Commentary
	<p><i>or contaminating substances.</i></p>	<p>is captured in the survey area.</p> <ul style="list-style-type: none"> The western edge of the survey area captures the Miraflores deposit which has an established mineral Reserve and detailed geological modelling.
<p><i>Further work</i></p>	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> Additional drilling is required to systematically test the nature and extent of potential mineralisation in the survey area. .