

More high grade gold from surface at Tesorito

HIGHLIGHTS

- **Wide zones of high grade gold encountered from surface with in-fill drilling expanding the central high grade core. Drill results include (uncut):**
 - **100m @ 1.01g/t Au from surface in TS-DH52, including 31m @ 1.72g/t Au from surface**
 - **88m @ 1.02g/t Au from surface in TS-DH53, including 26m @ 1.93g/t Au from surface**
- **Southern step-out drilling defines near surface gold mineralisation margins.**
- **Maiden Tesorito JORC Resource estimate underway targeting Q2 2022 release.**
- **5-rig diamond drill program ramping back up post Christmas break:**
 - **3 rigs already drilling and 2 additional rigs due to commence in February.**
- **Deep penetrating IP geophysics survey has resumed over the Chuscal area, the 4th IP program at Quinchia.**
- **MD video commentary on this announcement available on Company website <https://www.loscerros.com.au/site/news/Presentations>**

Los Cerros Limited (ASX: LCL) (Los Cerros or the Company) is pleased to update the market on recent drilling from the Tesorito Gold Porphyry, a near surface gold porphyry discovery, which is part of the Company's 100% owned Quinchia Gold Project in Risaralda - Colombia.

Drill holes TS-DH52 and '53 have again returned remarkably strong and wide gold zones for a porphyry system, further expanding the central high grade surface zone¹ (Figure 1), potentially forming an economically appealing starter pit. Results include:

- **100m @ 1.01g/t Au from surface** in TS-DH52 including **31m @ 1.72g/t Au from surface**
- **88m @ 1.02g/t Au from surface** in TS-DH53 including **26m @ 1.93g/t Au from surface.**

As anticipated, the recent southern drilling campaign (holes TS-DH47 to '50; TS-DH54 to '55; TS-DH58 to '59) has effectively defined the southern margin to gold mineralisation of interest. Drill assays reported extensive intercepts of 0.2 to 0.4g/t Au, indicative of waning influence of the high grade porphyry intrusive core as drilling moves further south, away from the core. Results of note from the southern campaign include:

- 18.4m @ 0.74g/t Au from 9.6m in TS-DH47
- 6m @ 1.03g/t Au from surface within 70.9m @ 0.6g/t Au in TS-DH48
- 380m @ 0.28g/t Au from surface in TS-DH49
- 138m @ 0.43g/t Au from 19.5m including 26.5m @ 0.60g/t Au from 19.5m in TS-DH55
- 137.2m @ 0.55g/t Au from 10m including 38m @ 0.76g/t Au from 74m in TS-DH59.

The first hole (TS-DH56) of a program to test an IP anomaly on the northern edge of existing Tesorito drilling (see ASX announcement 10 November 2021) produced low grade mineralisation in andesite

¹ See ASX announcements released 28 September 2021 and 12 July 2021 for further detail.

country rock before crossing the Marmato Fault at 351m without explaining the cause of the IP anomaly. This anomalous zone has not been fully tested and follow up drilling is underway to further test the anomaly.




Figure 1: Plan view of Tesorito showing drill traces over modelled gold envelopes and key structures. The cluster of southern extension drilling has defined the southern margins of Tesorito. The Company believes there is a possibility of further extensions to the north, which will form part of the Q1 2022 drilling campaign.

The Company intends to sustain the pace of investigating Tesorito and has commissioned a JORC Resource estimate for release in Q2 2022 and commenced discussions around metallurgical and mining scoping studies which will also consider synergies between Tesorito and the advanced Miraflores project such as shared mineral processing and infrastructure.

Target generation and testing will continue at pace, building on the comprehensive early work completed in 2021. Further targets will be drill tested as the multi-rig drilling program shifts away from Tesorito step-out drilling and focusses on the search for the next 'Tesorito'.

Currently there are three diamond drill rigs on site in continuous 24-hour operation including a rig drilling a deep geophysical central target between Tesorito and Miraflores². A fourth rig, also with deep drilling capacity, is expected to arrive in February and will be allocated to follow up drilling at the Ceibal porphyry discovery just ~1km from, and along the same structure, as Tesorito. A fifth rig is planned to return in late February.

The fourth deep penetrating IP geophysics survey is underway this quarter and covers the Chuscal area. It is anticipated that outputs of the survey will guide the next campaign of drilling at Chuscal and surrounds.

Jason Stirbinskis concluded:

"Los Cerros remains in a strong position to maximise benefits to our shareholders and other stakeholders in 2022 as we drive our advanced Miraflores and Tesorito discoveries and continue our pursuit of other targets.

We are one of the most active junior gold explorers on the ASX and very fortunate to hold what is arguably some of the most prospective ground on the Mid-Cauca porphyry belt of Colombia. With \$19.2 million cash at year end³ to fund the exploration programs, we look forward to a very exciting year."

Supplemental commentary on this announcement by Mr Stirbinskis, including a 3-D rotating view of modelled gold envelopes of the Tesorito porphyry, can be accessed from the presentations page of the Company's website <https://www.loscerros.com.au/site/news/Presentations>.

For the purpose of ASX Listing Rule 15.5, the Board has authorised this announcement to be released.

For further enquiries contact:

Jason Stirbinskis

Managing Director - Los Cerros Limited
3/35 Outram Street
WEST PERTH WA 6005
jason@loscerros.com.au

FORWARD LOOKING STATEMENTS This document contains forward looking statements concerning Los Cerros. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes. Forward looking statements in this document are based on Los Cerros' beliefs, opinions and estimates of Los Cerros as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there

² See ASX announcement 26 October 2021 for more detail.

³ Unaudited.

can be no assurance that the forward-looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of gold, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. Readers should not place undue reliance on forward-looking information. The Company does not undertake to update any forward-looking information, except in accordance with applicable securities laws. No representation, warranty or undertaking, express or implied, is given or made by the Company that the occurrence of the events expressed or implied in any forward-looking statements in this presentation will actually occur.

JORC STATEMENTS - COMPETENT PERSONS STATEMENTS

The technical information related to Los Cerros assets contained in this report that relates to Exploration Results (excluding those pertaining to Mineral Resources and Reserves) is based on information compiled by Mr Cesar Garcia, who is a Member of the Australasian Institute of Mining and Metallurgy and who is a Geologist employed by Los Cerros on a full-time basis. Mr Garcia has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Garcia consents to the inclusion in the release of the matters based on the information he has compiled in the form and context in which it appears.

The information presented here that relates to Mineral Resources of the Dosquebradas Project, Quinchia District, Republic of Colombia is based on and fairly represents information and supporting documentation compiled by Mr. Scott E. Wilson of Resource Development Associates Inc, of Highlands Ranch Colorado, USA. Mr Wilson takes overall responsibility for the Resource Estimate. Mr. Wilson is Member of the American Institute of Professional Geologists, a "Recognised Professional Organisation" as defined by the Australasian Institute of Mining and Metallurgy (AusIMM). Mr Wilson is not an employee or related party of the Company. Mr. Wilson has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as Competent Persons as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012)'. Mr. Wilson consents to the inclusion in the news release of the information in the form and context in which it appears

The Company is not aware of any new information or data that materially affects the information included in this release.

TABLE 2 - MIRAFLORES PROJECT RESOURCES AND RESERVES

The Miraflores Project Mineral Resource estimate has been estimated by Metal Mining Consultants in accordance with the JORC Code (2012 Edition) and first publicly reported on 14 March 2017. No material changes have occurred after the reporting of these resource estimates since their first reporting.

Miraflores Mineral Resource Estimate, as at 14 March 2017 (100% basis)

Resource Classification	Tonnes (000t)	Au (g/t)	Ag (g/t)	Contained Metal (Koz Au)	Contained Metal (Koz Ag)
Measured	2,958	2.98	2.49	283	237
Indicated	6,311	2.74	2.90	557	588
Measured & Indicated	9,269	2.82	2.77	840	826
Inferred	487	2.36	3.64	37	57

Notes:

- i) Reported at a 1.2 g/t gold cut-off.
- ii) Mineral Resource estimated by Metal Mining Consultants Inc.
- iii) First publicly released on 14 March 2017. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Mineral Resource estimation.
- iv) These Mineral Resources are inclusive of the Mineral Reserves listed below.
- v) Rounding may result in minor discrepancies.

Miraflores Mineral Reserve Estimate, as at 27 November 2017 (100% basis)

The Miraflores Project Ore Reserve estimate has been estimated by Ausenco in accordance with the JORC Code (2012 Edition) and first publicly reported on 18 October 2017 and updated on 27 November 2017. No material changes have occurred after the reporting of these reserve estimates since their reporting in November 2017.

Reserve Classification	Tonnes (Mt)	Au (g/t)	Ag (g/t)	Contained Metal (Koz Au)	Contained Metal (Koz Ag)
Proved	1.70	2.75	2.20	150	120
Probable	2.62	3.64	3.13	307	264
Total	4.32	3.29	2.77	457	385

Notes:

- i) Rounding of numbers may result in minor computational errors, which are not deemed to be significant.

- ii) These Ore Reserves are included in the Mineral Resources listed in the Table above.
iii) First publicly released on 27 November 2017. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Ore Reserve estimation.

Source: Ausenco, 2017

Dosquebradas Inferred Mineral Resource Estimate, as at 25 February 2020 (100% basis)

Cut-Off (g/t Au)	Tonnes ('000t)	Au (g/t)	Au (koz)	Ag (g/t)	Ag (koz)	Cu (%)	Cu (pounds)
0.3	57,794	0.50	920.8	0.6	1,036	0.04	56,767
0.4	34,593	0.60	664.1	0.6	683.8	0.05	38,428
0.5	20,206	0.71	459.1	0.7	431.7	0.06	24,867

Notes:

- i) No more than 6m internal waste is included in the weighted intervals
ii) Inferred Mineral Resources shown using various cut offs.
iii) Based on gold selling price of US\$1,470/oz.
iv) Mineral Resource estimated by Resource Development Associates Inc.

First publicly released on 25 February 2020. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Mineral Resource estimation.

Assay Results, Note: It is not anticipated that pending assays (blank cells) will alter the interpretation and commentary in this release

TS-DH47:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	0.7	0.03	0.147	141	5.27
0.7	2	0.04	0.212	175	1.2
2	3.8	0.05	0.179	137.5	0.63
3.8	5.8	0.01	0.229	157.5	0.39
5.8	7.6	0.03	0.458	159.5	0.28
7.6	9.6	0.6	2.08	356	11.8
9.6	11	1.29	1.09	623	14.55
11	12	0.34	0.457	321	21.5
12	14	0.75	0.565	410	35.7
14	16	0.35	0.387	363	49.8
16	18	0.76	0.843	666	210
18	20	0.91	0.946	827	99.7
20	22	0.47	0.657	493	88.3
22	24	0.71	0.629	484	40.1
24	26	1.01	0.807	793	72.1
26	28	0.97	0.616	576	28.8
28	30	0.54	0.416	392	23.1
30	31.2	0.65	0.542	591	41.4
31.2	31.8	0.34	0.522	104	70.9
31.80	33	0.34	0.408	462	19.75
33	34	0.38	0.426	326	48.9
34	36	0.17	0.355	211	11
36	38	0.12	0.251	126.5	5.98
38	40	0.21	0.324	172.5	5.45
40	42	0.23	0.393	226	13.2
42	44	0.39	0.372	421	43.3
44	46	0.21	0.32	294	19.45
46	47.40	0.25	0.404	398	34.4
47.40	48	0.3	0.271	209	71.5
48	50	0.34	0.396	390	36.9
50	52	0.14	0.218	149.5	6.4
52	54	0.14	0.199	131	40.2
54	56	0.34	0.339	276	26.3
56	58	0.45	0.373	394	22.4
58	59.80	1.16	0.706	1050	50.8
59.80	60.60	0.24	0.155	99.2	251
60.60	62	0.69	0.424	593	42.6
62	64	0.48	0.376	300	31.3
64	66	0.46	0.28	367	42.2
66	68	0.13	0.196	160	11.4
68	68.90	0.67	0.393	508	69.1

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
68.90	70	0.4	0.347	374	25.5
70	72	0.73	0.491	577	62.9
72	74	0.3	0.242	246	62.3
74	76	0.21	0.266	146.5	12.5
76	78	0.1	0.105	72.2	20.9
78	80	0.12	0.144	105	7.67
80	82	0.13	0.15	128.5	8.78
82	84	0.09	0.161	72.2	4.41
84	86	0.2	0.173	140	17
86	87	0.16	0.195	172	6.13
87	88	0.14	0.183	117.5	5.92
88	89.20	0.13	0.181	131.5	6.76
89.20	90	0.17	0.242	15.1	56.7
90	92	0.13	0.195	125.5	7.23
92	94	0.24	0.346	304	9.05
94	95	0.64	0.49	522	18.05
95	96.35	0.5	0.38	484	21.3
96.35	97.60	0.62	0.55	348	32.1
97.60	99	0.14	0.255	164	11.3
99	100	0.09	0.182	119.5	20.3
100	102	0.19	0.233	181.5	18.15
102	104	0.25	0.335	271	11.4
104	106	0.22	0.357	251	18.35
106	108	0.26	0.321	227	42.1
108	110	0.57	0.384	381	20.6
110	112	1.02	0.601	637	29.6
112	113.25	1.51	0.933	1145	76.9
113.25	115	0.36	0.428	466	34.8
115	116	0.34	0.331	332	26.9
116	118	0.56	0.431	460	34.3
118	119	0.42	0.498	283	17.85
119	120	0.52	0.497	267	13.4
120	122	0.26	0.298	242	12.2
122	124	0.17	0.223	174.5	6.95
124	126	0.13	0.235	117	6.56
126	128	0.12	0.165	118	17.55
128	130	0.08	0.207	127	1.04
130	132	0.01	0.087	16.8	0.64
132	134	0.02	0.123	14.8	0.93
134	135	0.01	0.081	16.7	0.84
135	136.70	0.01	0.166	45.1	1.76
136.70	138	0.22	0.541	352	22.2
138	139	0.29	0.432	234	455
139	140.80	0.1	0.331	131.5	8.04
140.80	142.75	0.03	0.119	24.4	0.65
142.75	144	0.57	0.429	402	45.3

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
144	146	0.34	0.493	447	30.2
146	148	0.63	0.647	558	245
148	150	0.33	0.422	286	176
150	152	0.74	0.634	499	84.1
152	154	0.42	0.508	480	327
154	156	0.36	0.507	433	56.8
156	158	0.33	0.452	363	48.6
158	160	0.25	0.363	240	46.3
160	162	0.45	0.636	312	16.05
162	164	0.5	0.536	331	82.5
164	166.00	0.43	0.529	390	35.9
166.00	168	0.31	0.378	178	3.36
168	168.4	0.44	0.599	260	3.06
168.4	170.00	0.24	0.35	181	2.59
170.00	172	0.32	0.358	221	8.47
172	174	0.31	0.261	219	15
174	176	0.28	0.26	184	26.2
176	178	0.3	0.28	184	1.63
178	180	0.21	0.286	156	1.5
180	182	0.14	0.181	103	1.03
182	183.9	0.23	0.208	98.4	0.92
183.9	184.4	0.23	0.144	157.5	2.79
184.4	185.66	0.01	0.297	163	2.68
185.66	187	0.01	0.425	199	0.18
187	188	0.01	0.323	87.5	0.13
188	190	0.01	0.393	84.1	0.17
190	192	0.01	0.389	116.5	0.2
192	194	0.05	1.9	75.5	0.54
194	196	0.23	3.55	53.9	0.18
196	198	0.05	0.804	69.4	0.27
198	200	0.02	0.41	42.8	0.22
200	201	0.09	1.29	7.03	0.37
201	202.90	0.34	5.52	58.2	0.26
202.90	203.40	0.76	10.95	26	2.2
203.40	204	0.05	0.684	18.95	0.33
204	206	0.15	1.875	28.7	0.32
206	207	0.02	0.42	13.5	0.22
207	208.85	0.18	4.12	28.7	0.34
208.85	210	0.1	2.02	288	0.32
210	212	0.04	1.49	331	0.29
212	214	0.03	1.23	290	0.27
214	216	0.05	2.3	283	0.25
216	217.60	0.02	0.916	386	0.25
	EOH				

TS-DH48:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.46	0.148	251	6.68
2	3	1.34	0.329	487	9.46
3	4.2	1.32	0.452	514	8.98
4.2	6	1.31	0.375	845	7.91
6	8	0.58	0.329	968	5
8	10	0.68	0.347	992	4.91
10	11.7	0.47	1.025	826	6.17
11.7	13.4	0.15	1.185	460	3.05
13.4	15	0.19	0.738	488	2.33
15	16	0.52	1.195	948	4.25
16	18	0.36	1.59	1190	14.4
18	20	0.51	1.545	1190	20.4
20	22	0.52	1.055	879	11.8
22	24	0.29	0.743	611	9.82
24	26	0.62	1.715	1105	9.94
26	28	0.64	2.9	1360	14.6
28	30	0.9	1.605	1185	14.9
30	32	0.73	1.555	1085	12.1
32	34	0.57	1.36	1095	15.7
34	36	0.6	1.265	1060	9.81
36	38	0.3	1.19	609	17.4
38	40	0.45	2.53	973	18.4
40	41.50	0.65	3.08	1250	31.6
41.50	42.20	1.27	2.5	1715	23.1
42.20	43.30	0.33	0.653	331	5.02
43.30	47	0.54	0.491	9100	5.68
47	48	0.42	0.386	399	2.69
48	49.30	0.31	0.413	292	3.1
49.30	50	0.58	1.2	434	2.23
50	52	0.35	0.359	320	1.76
52	54	0.14	0.227	213	2.16
54	55.20	0.06	0.198	120.5	1.7
55.20	57	0.12	0.22	154.5	1.07
57	58	0.18	0.295	184	1.26
58	59	0.57	0.594	633	6.46
59	60	0.64	0.71	641	5.37
60	62	1.15	1.03	1040	5.94
62	64	1.83	1.835	1690	13.4
64	65	1.17	1.25	1005	6.12
65	66.30	0.66	0.689	631	8.8
66.30	68	0.31	0.61	354	1.41
68	69	0.27	0.463	241	2.12
69	70.90	1.04	1.115	681	8.4
70.90	72.70	0.19	0.322	129.5	1.64
72.70	73.30	0.86	10.9	337	1.8

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
73.30	75	0.1	0.365	182.5	0.63
75	76	0.15	0.423	376	1.43
76	78	0.03	0.141	107	2.41
78	80	0.08	0.56	266	5.11
80	82	0.1	0.487	177.5	2.91
82	84	0.02	0.161	33.9	0.98
84	86	0.05	0.228	91.6	4.56
86	88	0.04	0.32	129	7.23
88	90	0.01	0.18	23.3	0.98
90	92	0.01	0.123	28.6	0.55
92	94	0.01	0.101	13.55	0.53
94	96	0.02	0.153	27.4	0.98
96	98	0.04	0.254	44.5	1.25
98	100	0.01	0.116	15.25	0.86
100	102	0.01	0.076	16.3	0.67
102	104	0.01	0.135	22.6	1.59
104	105.20	0.02	0.219	34	1.89
105.20	107	0.65	1.135	998	105
107	108.10	0.8	0.774	969	44.4
108.10	110.10	0.32	0.573	410	24.5
110.10	112.10	0.78	0.535	911	29.6
112.10	114	0.28	0.319	408	5.65
114	116	0.28	0.66	499	11.1
116	118	0.26	0.768	519	6.15
118	120	0.05	0.245	110	2.62
120	122	0.16	0.413	376	6.05
122	124	0.11	0.164	110	1.74
124	125	0.11	2.28	219	1.8
125	126.90	0.14	0.812	116.5	1.06
126.90	127.75	0.2	0.654	407	5.24
127.75	129	0.21	0.511	358	3.62
129	130.35	0.22	0.472	262	4.13
130.35	132	0.02	0.095	78.8	1.45
132	134	0.03	0.1	87.2	2.49
134	136	0.04	0.135	118	5.01
136	138	0.03	0.135	83.8	0.99
138	140	0.08	0.137	105.5	3.78
140	142	0.13	0.192	204	1.49
142	144	0.2	0.124	135.5	2.45
144	146	0.06	0.073	58.4	2.13
146	148	0.06	0.109	66.1	0.33
148	150	0.02	0.084	6.28	0.2
150	152	0.01	0.137	4.02	0.51
152	154	0.02	0.145	65.8	0.83
154	156	0.03	0.164	95.8	0.25
156	158	0.01	0.053	13.7	0.2

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
158	159.90	0.01	0.123	56.7	0.49
159.90	162	0.01	0.034	63.4	0.56
162	164	0.02	0.081	18.55	0.88
164	166	0.02	0.051	3.65	1.67
166	168	0.02	0.119	43.2	1.32
168	170	0.03	0.076	17.75	3.63
170	172	0.02	0.05	8.77	1.29
172	173	0.02	0.099	41.9	7.72
173	173.60	0.01	0.264	195	13.1
173.60	174.70	0.01	0.068	35.9	1.34
174.70	176	0.02	0.226	237	1.58
176	178	0.01	0.177	234	0.29
178	180	0.01	0.107	131	0.13
180	182	0.01	0.094	111.5	0.14
182	184	0.01	0.148	194	0.18
184	186	0.01	0.098	92.1	0.18
186	188	0.01	0.11	130.5	0.26
188	190	0.01	0.19	125	0.31
190	192	0.01	0.226	113	0.23
192	194	0.01	0.367	155	0.39
194	196	0.01	0.255	106	0.25
196	198	0.01	0.265	103	0.29
198	200	0.01	0.407	156.5	0.28
200	202	0.02	0.62	177.5	0.42
202	204	0.01	0.195	96	0.25
204	206	0.01	0.225	96.5	0.2
206	208	0.01	0.24	144	0.2
208	209.5	0.01	0.154	98.3	0.17
	EOH				

TS-DH49:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.01	1.045	25.7	1.56
1	2.25	0.02	1.925	75.6	13.65
2.25	4	0.03	0.873	110	3.36
4	6	0.02	0.153	161	3.69
6	8	0.04	0.198	144	4.75
8	9.8	0.13	0.112	186	18.1
9.8	11.5	0.1	0.334	184	11.1
11.5	13.4	0.08	0.654	287	4.74
13.4	15	0.23	0.383	344	12.05
15	17	0.34	0.453	317	7.41
17	18.35	0.24	0.395	328	2.18
18.35	20	0.37	0.675	348	1.4

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
20	22	1.57	1.88	387	5.29
22	24	0.36	0.751	427	24
24	26	0.24	0.317	293	6.79
26	28	0.17	0.388	212	13
28	30	0.37	0.408	279	15.8
30	31	0.45	0.479	403	24.3
31	32	0.09	0.247	148.5	15.7
32	34	0.16	0.304	138	15.1
34	36	0.18	0.33	138	21.9
36	38	0.32	0.489	211	20.7
38	40	0.58	0.726	354	69.3
40	42	0.26	0.421	159	13.35
42	44	0.26	0.499	227	11.25
44	46	0.16	0.326	142.5	11.15
46	48	0.44	0.535	304	22.9
48	50	0.27	0.427	192.5	21.5
50	52	0.42	0.701	332	15.15
52	54	0.45	0.514	259	54.2
54	56	0.36	0.661	251	18.95
56	58	1.1	0.575	138.5	13.3
58	60	0.19	0.461	166	18.75
60	62	0.73	0.307	145	27
62	64	0.17	0.382	130.5	24.7
64	66	0.12	0.222	93.3	3.76
66	68	0.14	0.279	113.5	5.64
68	70	0.22	0.326	211	16.95
70	72	0.37	0.567	290	7.83
72	74	0.16	0.303	139	7.31
74	76	0.12	0.273	105	4.88
76	78	0.2	0.317	193	47.3
78	80	0.18	0.328	159.5	5.19
80	82	0.22	0.221	155	8.25
82	84	0.19	0.191	151	8.85
84	85.90	0.15	0.198	179.5	3.96
85.90	86.30	0.28	0.259	121	33.3
86.30	88	1.19	0.303	307	63.4
88	90	1.47	0.356	313	29.4
90	92	0.48	0.447	249	67
92	94	0.34	0.404	222	135
94	96	0.66	0.353	182.5	392
96	98	0.52	0.386	272	39.8
98	100	0.3	0.322	227	13.4
100	102	1.06	0.872	672	19.25
102	104	0.4	0.452	279	8.41
104	106	0.16	0.377	217	9.86
106	108	0.66	0.484	422	31.6

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
108	110	0.2	0.26	205	16.35
110	112	0.36	0.259	228	9.95
112	114	0.47	0.27	262	23.8
114	116	0.29	0.345	263	10.9
116	118	0.35	0.469	381	13.45
118	120	0.53	0.533	381	6.21
120	122	0.34	0.456	255	9.67
122	124	0.48	0.398	378	8.46
124	126	0.33	0.248	242	4.7
126	128	0.23	0.199	144.5	28.8
128	130	0.29	0.275	283	2.8
130	132	0.54	0.339	387	10.35
132	134	0.41	0.298	296	5.29
134	136	0.43	0.412	302	16.65
136	138	0.71	0.585	388	16.7
138	140	0.31	0.312	234	15.85
140	142	0.18	0.165	132	14.4
142	144	0.33	0.217	151	5.82
144	145	0.4	0.23	241	9.97
145	146.20	1.24	0.383	594	30.8
146.20	148	0.57	0.267	275	27.5
148	150	0.46	0.299	290	14.6
150	152	0.44	0.243	287	19.55
152	154	0.33	0.225	218	41.6
154	156	0.24	0.192	134.5	2.39
156	158	0.21	0.296	176.5	12.75
158	160	0.22	0.174	203	8.09
160	162	0.41	0.261	291	6.91
162	164	0.18	0.184	139	5.96
164	166	0.36	0.262	280	15.5
166	168	0.26	0.149	173	4.86
168	169.57	0.57	0.449	488	21.1
169.57	171	0.02	0.144	57.2	0.97
171	172	0.01	0.082	16.4	0.33
172	174	0.01	0.079	13.1	0.36
174	176	0.01	0.085	12.95	0.48
176	177	0.01	0.073	15.65	0.43
177	178.67	0.01	0.069	17.6	0.49
178.67	180	0.14	0.205	131	19.85
180	181.55	0.25	0.423	291	38
181.55	183	0.17	0.263	188	8.79
183	184	0.32	0.327	281	16.3
184	186	0.2	0.267	170.5	22.6
186	188	0.36	0.332	213	23
188	190	0.29	0.243	204	11.95
190	192	0.2	0.226	207	21.1

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
192	194	0.19	0.192	167.5	29.8
194	196	0.35	0.379	304	23.3
196	198	0.23	0.233	172	5.93
198	199.22	0.3	0.282	254	7.87
199.22	201	0.39	0.497	385	19.7
201	202.25	0.55	0.774	483	73.3
202.25	204	0.45	0.34	321	5.88
204	206	0.43	0.425	303	9.25
206	208	0.4	0.493	474	4.44
208	210	0.45	0.335	325	11.55
210	212	0.27	0.308	196.5	5.53
212	214	0.29	0.375	212	9.94
214	216	0.28	0.408	265	4.19
216	218	0.38	0.325	236	9.76
218	220	0.19	0.256	159.5	3.87
220	222	0.28	0.286	162	32.1
222	224	0.22	0.213	133.5	1.94
224	226	0.12	0.11	39.6	3.63
226	227	0.12	0.15	51.2	9.97
227	228.80	0.18	0.268	109	2.12
228.80	230	0.19	0.322	159	8.64
230	231.40	0.19	0.251	87.9	5.47
231.40	233	0.13	0.2	85.9	2.4
233	233.75	0.2	0.165	105	3.97
233.75	234.70	0.23	0.255	105.5	7.53
234.70	236	0.21	0.184	94.5	2.03
236	238	0.15	0.16	71.7	1.95
238	239	0.09	0.105	43.4	0.52
239	240.90	0.14	0.175	69.5	1.46
240.90	241.80	0.14	0.176	64.2	5.96
241.80	243	0.12	0.228	94.7	1.01
243	244	0.09	0.147	57.8	0.71
244	246	0.09	0.146	49.1	0.88
246	248	0.12	0.152	71.2	2.07
248	250	0.07	0.143	37	9.37
250	252	0.13	0.165	89.3	1.29
252	254	0.11	0.136	68.1	1.01
254	256	0.2	0.187	128.5	3.09
256	258	0.35	0.231	140.5	0.67
258	260	0.33	0.225	111.5	0.97
260	261.50	0.71	0.403	219	4.48
261.50	262.20	0.42	0.212	128.5	41.2
262.20	264	0.49	0.38	197.5	6.32
264	266	0.16	0.182	86.8	14.25
266	268	0.24	0.211	147	1.11
268	270	0.17	0.117	55.5	8.92

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
270	272	0.18	0.18	52.6	1.63
272	274	0.29	0.179	105.5	1.98
274	276	0.33	0.218	140	5.89
276	278	0.1	0.121	13.45	5.5
278	280	0.27	0.331	166.5	9.79
280	282	0.11	0.202	63.9	0.67
282	283	0.11	0.187	38	0.43
283	284	0.2	0.359	55.9	0.78
284	285	0.13	0.219	35.8	0.78
285	286.45	0.16	0.25	88.1	1.29
286.45	288.45	0.29	0.347	161	4.45
288.45	290	0.24	0.304	92.6	0.82
290	292	0.12	0.185	38.6	1.39
292	294	0.12	0.186	30	0.61
294	296	0.16	0.194	59.7	0.74
296	298	0.13	0.248	52.2	2.32
298	300	0.13	0.211	58.3	1.06
300	302	0.16	0.288	70.3	1.05
302	304	0.1	0.116	38.6	2.49
304	306	0.12	0.159	66.4	2.49
306	308	0.12	0.178	76.9	1.44
308	310	0.09	0.128	55.2	1.14
310	312	0.36	0.227	138	2.71
312	314	0.17	0.154	54.1	1.94
314	316	0.19	0.202	95.9	2.32
316	318	0.15	0.132	65.8	0.82
318	320	0.41	0.188	66.9	2.09
320	322	0.35	0.169	110.5	0.33
322	324	0.19	0.133	91.8	0.47
324	326	0.18	0.117	43.7	0.53
326	327.05	0.21	0.169	34	0.41
327.05	328	0.13	0.163	64.8	0.36
328	330	0.13	0.124	60.3	0.44
330	332	0.25	0.194	88.3	1.06
332	334	0.3	0.135	45.6	0.71
334	336	0.12	0.14	57.1	0.58
336	338	0.17	0.152	71.3	0.31
338	340	0.15	0.128	61.2	0.88
340	342	0.14	0.124	73.8	0.73
342	344	0.2	0.214	149.5	2.35
344	346	0.22	0.268	101	2.28
346	348	0.08	0.168	60.4	0.51
348	350	0.1	0.185	66.6	1.01
350	352	0.06	0.115	52	0.33
352	354	0.06	0.08	39.7	0.36
354	356	0.03	0.15	35.8	0.34

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
356	358	0.07	0.2	61.1	0.48
358	360	0.12	0.242	96.7	0.42
360	362	0.09	0.183	48.9	0.5
362	364	0.15	0.207	95.6	0.57
364	366	0.18	0.174	80.5	0.5
366	368	0.28	0.221	81.3	1.64
368	370	0.26	0.16	72.1	1.1
370	371.37	0.18	0.189	47.3	0.98
371.37	372.25	0.16	0.17	90.8	0.54
372.25	374	0.61	0.274	111	12.4
374	374.8	0.54	0.276	15.9	1.44
374.8	376	0.22	0.285	96	5.68
376	378	0.21	0.192	70	0.99
378	379	0.27	0.274	79.4	0.5
379	380.3	0.26	0.194	104.5	0.37
	EOH				

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
46	48	0.24	0.234	99.9	42.4
48	50	0.83	0.609	471	5.55
50	52	0.34	0.41	261	10.55
52	54	0.57	0.585	412	14.25
54	56	0.49	0.582	343	11.75
56	58	0.29	0.216	176	11.75
58	60	0.27	0.325	197.5	7.26
60	62	0.22	0.333	192	3.6
62	64	0.49	0.406	312	13
64	66	0.41	0.472	350	7.91
66	68	0.76	0.533	447	14.65
68	70	1.0	0.587	529	9.21
70	72	0.25	0.321	204	4.4
72	74	0.12	0.278	172	2.79
74	76	0.09	0.17	113	3.48
76	78	0.04	0.165	64.5	10.1
78	80	0.08	0.182	75.7	18.75
80	82	0.15	0.203	80.4	8.15
82	84	0.06	0.181	75.6	11.1
84	86	0.13	0.269	170	40.7
86	88	0.8	0.509	138.5	15.7
88	90	0.51	0.324	365	16.9
90	92	0.16	0.266	175.5	23.8
92	94	0.11	0.177	127.5	5.76
94	96	0.14	0.204	123.5	14.55
96	98	0.07	0.12	96.1	1.76
98	100	0.05	0.106	46.1	1.36
100	102	0.1	0.148	100.5	2.43
102	104	0.13	0.184	129.5	4.44
104	106	0.07	0.145	48.9	2.21
106	108	0.04	0.13	41	1.54
108	110	0.09	0.149	96.5	2.07
110	112	0.11	0.215	102	2.28
112	114	0.06	0.147	56.5	0.78
114	116	0.27	0.422	229	14.45
116	118	0.25	0.393	389	16.9
118	120	0.13	0.214	246	18.7
120	122	0.18	0.282	117	6.7
122	124	0.11	0.217	115.5	1.54
124	126	0.15	0.278	113	7.44
126	128	0.37	0.305	305	3
128	130	0.7	0.537	471	69.6
130	132	0.82	0.373	547	3.32
132	134	0.31	0.331	303	0.41
134	136	0.21	0.251	144.5	2.34
136	138	0.24	0.172	55.2	1.47

TS-DH50:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.03	0.06	127.5	1.24
2	4	0.04	0.057	168.5	1.06
4	5.3	0.05	0.102	163.5	1.53
5.3	7	0.51	0.141	172.5	0.33
7	8	0.02	0.123	164.5	0.45
8	10	0.03	0.397	317	0.83
10	12	0.02	0.29	159.5	0.57
12	14	0.01	0.253	128	0.73
14	15.9	0.05	0.219	141	1.74
15.9	18	0.45	0.433	243	6.21
18	20	0.65	0.593	249	4.72
20	21.3	0.44	0.443	141.5	4.58
21.3	23	0.71	1.03	556	96.5
23	24	0.88	0.771	519	73.2
24	26	0.54	0.769	424	30.9
26	28	0.24	0.254	179	13.4
28	30	0.2	0.295	182	27.7
30	32	0.18	0.249	194	14.55
32	34	0.13	0.304	110	4.59
34	36	0.12	0.178	62.5	11.05
36	38	0.05	0.112	30.8	4.06
38	40	0.21	0.419	141.5	12.8
40	42	0.16	0.269	117.5	9.39
42	44	0.26	0.282	170.5	19.45
44	46	0.33	0.40	259	19.9

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
138	140	0.23	0.20	146.5	1.06
140	141	0.21	0.162	144.5	3.42
141	142	0.01	0.088	13.45	1
142	144	0.01	0.085	8.43	0.8
144	146	0.01	0.094	17.45	1
146	148	0.01	0.085	11.8	1.07
148	150	0.01	0.092	11.45	0.84
150	152	0.04	0.157	62.5	0.66
152	154	0.05	0.283	52.7	1.08
154	156	0.16	0.20	117	2.98
156	158	0.12	0.232	59	1.51
158	160	0.29	0.264	168.5	8.04
160	162	0.92	0.428	519	21.5
162	163.85	0.22	0.236	158	5.93
163.85	164.7	0.28	0.287	160	5.27
164.7	166	0.21	0.224	86.8	2.85
166	168	0.25	1.225	178.5	8
168	170	0.51	0.483	268	3.22
170	172	0.22	0.191	93.2	2.33
172	174	0.17	0.209	98	1.83
174	176	0.26	0.302	128.5	7.27
176	176.93	0.31	0.215	124	4.78
176.93	178	0.36	0.29	196	76.7
178	180	0.14	0.181	57.2	2.7
180	182	0.35	0.315	174	1.86
182	184	0.18	0.178	52.3	3.03
184	186	0.35	0.331	117	6.11
186	188	0.35	0.361	138	5.2
188	190	0.47	0.264	130	0.33
190	192	0.2	0.211	59.4	1.03
192	194	0.26	0.241	90.6	2.77
194	196	0.2	0.226	68.7	0.84
196	198	0.24	0.203	68.6	0.92
198	200	0.22	0.209	42.7	1.47
200	202	0.16	0.149	59	0.55
202	204	0.16	0.348	108	0.47
204	206	0.17	0.156	55.8	0.98
206	207	0.17	0.131	33.7	0.83
207	208.15	0.2	0.133	58.7	0.47
208.15	210	0.27	0.208	73.2	2.13
210	211	0.27	0.474	93.3	0.93
211	212.5	0.25	0.199	79.1	1.38
212.5	214	0.36	0.20	82.3	1.58
214	216	0.25	0.194	74.5	2.15
216	218	0.09	0.131	56.9	0.34
218	220	0.11	0.174	91.9	0.42

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
220	222	0.31	0.203	122	1.1
222	224	0.31	0.185	109	1.99
224	226	0.08	0.135	45.7	0.45
226	228	0.15	0.163	72.4	0.57
228	230	0.21	0.296	125.5	0.83
230	232	0.29	0.301	156.5	0.44
232	234	0.36	0.234	118.5	0.45
234	236	0.07	0.155	51.6	2.22
236	238	0.18	0.198	60.8	0.64
238	240	0.13	0.23	51.2	0.64
240	242	0.17	0.261	95.1	0.69
242	244	0.11	0.183	48.5	0.35
244	246	0.27	0.236	63.1	0.64
246	248	0.41	0.259	121	1.31
248	250	0.42	0.466	185	0.53
250	252	0.14	0.212	44.7	0.28
252	254	0.29	0.238	56.9	1.56
254	256	0.12	0.258	50.6	0.33
256	258	0.14	0.346	75.6	0.54
258	260	0.27	2.92	184	5.3
260	262	0.35	0.228	71.2	1.16
262	264	0.09	0.126	83.4	0.52
264	266	0.1	0.337	55.6	0.49
266	268	0.08	0.294	37.9	0.6
268	270	0.06	0.123	50.1	0.8
270	272	0.1	0.14	64.2	0.59
272	274	0.19	0.209	57.3	0.78
274	276	0.11	0.154	87.3	0.61
276	278	0.12	0.123	31.6	1.36
278	280	0.21	0.123	48.8	1.21
280	282	0.19	0.159	31.1	1.3
282	284	0.17	0.182	27	0.57
284	286	0.15	0.162	17.25	0.44
286	288	0.17	0.171	32.6	0.55
288	290	0.19	0.143	45.7	0.48
290	292	0.15	0.094	27.5	0.31
292	294	0.1	0.111	21.9	0.39
294	296	0.21	0.105	21.3	0.93
296	298	0.15	0.185	20	0.57
298	300	0.24	0.21	15.85	0.56
300	302	0.19	0.158	18.7	0.77
	EOH				

TS-DH52:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	2.12	2.96	414	35
1	2	2.45	2.37	470	83.9
2	4	1.73	1.03	724	30.5
4	6	5.21	1.575	753	224
6	8	1.38	0.558	848	27.1
8	10	1.53	0.532	785	18.85
10	12	2.56	0.727	760	20.8
12	14	2.71	0.696	816	28.5
14	16	1.24	0.506	803	27
16	18	0.81	0.676	682	14.8
18	20	0.55	1.275	541	18.3
20	22	0.82	3.39	581	28.8
22	23.60	0.81	1.73	836	18.55
23.60	25	0.93	0.968	564	24.2
25	26	1.12	0.983	828	32.2
26	27	2.56	1.415	1435	37.5
27	28.85	1.61	1.025	883	17.85
28.85	29.30	1.31	0.745	550	119
29.30	31	1.06	0.847	755	27.8
31	32	0.62	0.474	772	69.8
32	34	0.8	0.623	530	62.8
34	36	1.02	0.626	475	85
36	37	0.48	0.286	210	26.9
37	38.80	1.07	0.606	490	92.3
38.80	40	1.1	0.485	605	34.2
40	42	1.15	0.434	370	68.1
42	44	0.94	0.476	411	61.2
44	46	0.5	0.348	220	16.75
46	48	0.87	0.455	397	18.5
48	50	0.27	0.237	163	27.6
50	52	0.25	0.491	250	14.95
52	54	0.28	0.414	264	30.1
54	56	1.06	0.557	681	40.5
56	58	1.02	0.442	683	47.1
58	60	0.22	0.233	196	40.9
60	62	0.3	0.209	172.5	24.3
62	64	0.4	0.287	342	99.3
64	66	0.56	0.70	542	46.3
66	68	0.66	0.47	497	19.65
68	70	0.7	0.574	539	32.5
70	72	0.74	0.562	750	39.4
72	74	0.92	0.372	545	47.2
74	76	0.63	0.334	457	56.1
76	78	0.65	0.571	541	95.5
78	79.60	0.77	0.475	603	24.3

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
79.60	81	0.52	0.673	396	31.7
81	82	1.03	1.58	777	22
82	84	0.5	0.551	513	33.2
84	86	0.67	0.512	507	22.4
86	88	0.95	1.41	849	30
88	90	1.02	1.185	964	26.6
90	92	0.92	0.991	965	47.8
92	94	1.03	0.819	921	32.5
94	96	0.45	0.303	269	18
96	98	0.21	0.324	248	12.35
98	100	0.58	0.359	430	115
100	101	0.51	0.272	379	21.4
101	102.9	0.31	0.294	317	40.7
102.9	104	0.34	0.241	328	27
104	106	0.21	0.188	215	34.1
106	107	0.36	0.206	291	16
107	108.75	0.65	0.296	558	44.9
108.75	110	0.37	0.348	433	12.45
110	112	0.31	0.25	234	38.1
112	114	0.27	0.305	265	48.1
114	116	0.43	0.352	299	70.4
116	118	0.5	0.379	349	16.45
118	120	0.23	0.33	191	24.4
120	122	0.16	0.366	232	14.4
122	124	0.39	0.585	348	27
124	126	0.32	0.45	193	36.3
126	128	0.18	0.332	151	60.5
128	129	0.22	0.351	164	30.2
129	130.9	0.23	0.412	195.5	21.2
130.9	132	0.16	0.283	159	17.2
132	134	0.24	0.398	141.5	7.42
134	136	0.3	0.48	239	69.1
136	138	0.2	0.258	126.5	12.35
138	140	0.29	0.35	263	109.5
140	142	0.14	0.259	120	17.55
142	144	0.16	0.302	139.5	26.6
144	146	0.42	0.554	273	30.1
146	147	0.34	0.285	207	20.3
147	148.9	0.36	0.38	217	25.7
148.9	150	0.41	0.367	278	13.3
150	152	0.59	0.835	538	57
152	154	0.33	0.349	298	15.3
154	156	0.26	0.299	179	24.6
156	158	0.19	0.374	162	34.9
158	160	0.27	0.612	210	66
160	162	0.25	0.602	179.5	23.8

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
162	163.45	0.16	0.495	116	17.85
163.45	165	0.28	0.347	180.5	9.74
165	166	0.15	0.194	127.5	29.8
166	168	0.55	0.567	399	171
168	170	0.36	0.477	335	34.6
170	172	0.38	0.875	218	23.7
172	174	0.98	0.706	584	52.7
174	176	0.23	0.294	196	11
176	178	0.31	0.25	265	20.6
178	179.11	0.33	0.413	269	17.05
179.11	181	0.56	0.295	294	29.5
181	182	0.97	0.422	542	102
182	184	0.43	0.284	372	20.9
184	186	0.35	0.29	224	11.15
186	188	0.5	0.455	372	69.2
188	190	0.37	0.245	241	45.5
190	192	0.29	0.313	200	25.8
192	194	0.24	0.357	192	10.8
194	195	0.41	0.295	295	127
195	196	0.13	0.186	105	2.92
196	198	0.15	0.257	127	7.42
198	200	0.13	0.184	122	5.19
200	202	0.66	0.464	765	27.1
202	204	0.32	0.264	167	10.8
204	205	0.36	0.267	280	4.68
205	206	0.42	0.264	219	6.57
206	208	0.4	0.436	311	11.9
208	210	1.02	0.695	595	69
210	212	0.72	0.57	387	43.1
212	213	1.22	0.459	634	31.8
213	214.65	0.47	0.42	277	38.5
214.65	216.2	0.52	1.55	263	25.9
216.2	218	0.16	0.241	146	14.6
218	220	0.17	0.214	135	12.25
220	222	0.22	0.374	203	21.3
222	224	0.2	0.259	193	11.1
224	226	0.27	0.268	185.5	14.6
226	228	0.16	0.188	116.5	28.8
228	229	0.33	0.254	153	11.3
229	230.4	0.47	0.486	314	7.08
	EOH				

TS-DH53:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.87	0.293	221	22.8
1	2	1.92	0.703	309	55.4
2	4	4.5	0.871	379	94.2
4	6	2.91	0.834	547	31.9
6	8	2.11	0.465	603	17.5
8	10	1.99	0.554	838	24
10	12	2.14	0.669	792	14.2
12	14	1.98	2.71	781	70.7
14	16	2.44	1.37	640	37.5
16	18	1.71	1.065	793	30.5
18	20	1.43	1.71	523	21.6
20	22	0.87	1.57	451	21.4
22	23	0.67	0.925	1235	8.47
23	24	0.36	1.35	734	4.29
24	26	1.09	1.325	662	6.02
26	28	0.56	0.669	534	3.7
28	30	0.98	1.10	625	3.04
30	32	0.57	0.941	468	14.5
32	33.5	0.8	0.647	461	1.91
33.5	35.5	0.46	0.462	287	3.44
35.5	37.5	0.54	0.697	351	11.6
37.5	39.5	0.82	0.498	353	41.5
39.5	41	0.27	0.241	172	9.48
41	42	0.45	0.397	234	8.54
42	44	0.72	0.549	426	33.3
44	46	0.4	0.358	325	68.2
46	48	0.59	0.501	379	24.9
48	50	0.43	0.288	216	92.7
50	52	0.89	0.389	408	20.3
52	54	1.51	0.521	657	31.1
54	56	0.64	0.446	441	21.9
56	57	0.87	0.553	464	33.2
57	58.6	0.56	0.384	346	70.6
58.6	60	0.5	0.464	283	25.9
60	62	0.51	0.453	289	21.6
62	64	0.54	0.638	271	28.9
64	66	0.9	0.781	411	34.5
66	68	0.47	0.686	296	17.5
68	70	0.62	0.534	543	25.1
70	72	1.91	0.771	942	24.4
72	74	0.58	0.591	418	16.8
74	76	0.34	0.344	201	33
76	78	0.51	0.541	387	26.7
78	80	0.59	0.411	384	22.6
80	82	0.4	0.476	367	21.7

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
82	84	0.33	0.377	281	22
84	86	0.38	0.418	314	32
86	88	0.47	0.467	358	32.3
88	90	0.43	0.393	350	57.7
90	92	0.21	0.28	203	18.6
92	94	0.65	0.36	369	118
94	95	0.22	0.256	150	187
95	96.6	0.4	0.365	257	82.5
96.6	98	0.28	0.25	216	23.8
98	100	0.32	0.318	316	51.6
100	102	0.36	0.233	310	34
102	104	0.46	0.312	319	36.2
104	106	0.28	0.282	183	115
106	107.3	0.58	0.332	367	73.1
107.3	108.4	0.43	0.551	293	65.8
108.4	110	0.35	0.261	195	22.7
110	112	0.3	0.176	214	22.4
112	114	0.22	0.212	155	42.4
114	116	0.26	0.305	198	83
116	118	0.25	0.258	220	18.6
118	120	0.24	0.208	165	25.3
120	122	0.35	0.31	331	41.5
122	124	0.41	0.316	274	62.3
124	126	0.57	0.394	391	48.2
126	128	0.3	0.311	255	38.7
128	129	0.24	0.321	262	98
129	130.5	0.17	0.229	166	13.7
130.5	131.7	0.58	0.845	188	28.4
131.7	133	0.5	0.733	488	42.1
133	134.5	0.59	1.075	296	19.8
134.50	136	0.75	1.705	391	182
136	136.8	1.29	0.693	504	112
136.80	137.8	0.79	1.25	409	396
137.80	139	0.52	0.544	355	112
139	140	0.41	0.195	197	65.8
140	142	0.29	0.248	221	192
142	144	0.26	0.247	218	25.2
144	145	0.4	0.332	315	166
145	146.95	0.24	0.223	157	65.4
146.95	148	0.34	0.263	236	23.2
148	150	0.05	0.058	32.2	1.28
150	152	0.08	0.103	44.5	0.89
152	154	0.06	0.08	61.7	0.39
154	156	0.13	0.208	27.6	0.49
156	158	0.11	0.222	33.8	0.63
158	160	0.16	0.118	105.5	0.35

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
160	162	0.37	0.093	119	0.55
162	164	0.14	0.107	101	0.93
164	166	0.13	0.124	113	0.4
166	168	0.06	0.114	87.4	0.22
168	170	0.04	0.095	77.4	0.5
170	172	0.03	0.171	169	0.59
172	174	0.03	0.264	90.7	0.38
174	176	0.01	0.206	110	0.43
176	177.7	0.01	0.402	114	4.7
177.7	178.2	0.01	0.058	16.2	1.81
178.2	180	0.01	0.135	52.8	1
180	182.0	0.02	0.339	196	1.03
182.00	183.95	0.01	0.147	62.9	0.47
183.95	184.85	0.02	0.153	30.8	1.29
184.85	186.0	0.01	0.164	73.8	0.77
186.0	187.15	0.01	0.165	39.2	0.89
187.15	189	0.01	0.089	32.5	0.36
189	190	0.01	0.177	116	0.51
190	192	0.01	0.291	113.5	0.58
192	192.5	0.01	0.294	150.5	6.16
192.5	194	0.01	0.259	119.5	7.61
194	196	0.01	0.10	34	0.6
196	198	0.01	0.115	36.6	0.85
198	200	0.01	0.162	61.8	0.38
200	202	0.01	0.118	55.9	0.32
202	204	0.01	0.042	9.11	0.25
204	206	0.01	0.114	9.63	0.28
206	208	0.01	0.129	20.8	0.38
208	209.1	0.01	0.136	4.33	0.31
209.1	211	0.09	3.32	4.88	1.42
211	212.65	0.11	1.245	4.41	0.44
212.65	214	0.01	0.09	17.25	0.45
214	216	0.005	0.165	31.2	0.35
216	217.7	0.005	0.183	51.5	0.31
	EOH				

TS-DH54:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1.2	0.03	0.073	138	1.2
1.2	3	0.05	0.092	230	0.5
3	4	0.03	0.117	197	0.4
4	6	0.02	0.152	156	0.3
6	8	0.02	0.114	173	0.14
8	10	0.13	1.015	207	0.4

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
10	12	0.03	0.511	315	0.5
12	14	0.03	0.248	165	0.4
14	15	0.01	0.206	108	0.45
15	16.8	0.06	0.390	113	1.3
16.8	18	0.15	0.225	121	1.5
18	20	0.11	0.194	91.5	1
20	22	0.17	0.373	166	1.4
22	24	0.19	100.0	1070	1.6
24	25	0.2	1.245	133	2.3
25	26.3	0.29	0.527	172	2.2
26.3	27.4	0.26	0.460	312	7.9
27.4	28.5	0.26	0.279	245	6.6
28.50	29.7	0.17	0.238	154	3.7
29.7	31	0.76	0.513	572	11
31	32	0.27	0.374	188	4.9
32	34	0.25	0.318	165	13
34	36	0.46	0.206	172	19
36	38	0.21	0.243	126	5.5
38	40	0.22	0.264	176	4.9
40	42	0.11	0.171	94.1	9.8
42	44	0.1	0.174	83.3	4.4
44	46	0.23	0.458	170	24
46	48	0.14	0.258	116	9.8
48	50	0.12	0.189	91.6	4.8
50	52	0.13	0.251	127	5.3
52	54	0.15	0.243	133	8.4
54	56	0.44	2.670	266	12
56	58	0.19	0.307	230	8.4
58	60	0.3	0.345	353	21
60	62	0.47	1.040	402	29
62	64	0.16	0.212	140	9
64	66	0.25	0.251	245	7.2
66	68	0.24	0.378	318	10
68	69	0.2	0.252	258	11
69	70.8	0.34	0.474	254	18
70.8	72	0.15	0.170	104	11
72	74	0.12	0.318	145	5.6
74	76	0.38	0.800	238	24
76	78	0.07	0.171	89.7	17
78	80	0.2	0.296	125	13
80	82	0.27	0.307	140	9.7
82	84	0.15	0.226	161	11
84	86	0.17	0.272	205	1.2
86	88	0.12	0.330	139	4.3
88	90	0.28	0.200	224	12
90	92	0.24	0.404	203	4

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
92	94	0.18	0.242	159	1.9
94	96	0.22	0.183	112	4.6
96	98	0.2	0.244	166	9.5
98	100	0.06	0.109	29.2	2.9
100	101.8	0.15	0.197	61.3	8.1
101.8	103	0.03	0.190	63	1.7
103	104	0.02	0.124	27.4	1.5
104	106	0.01	0.090	15.6	1.1
106	107	0.01	0.083	27.7	1.2
107	108.4	0.01	0.084	20.5	1
108.4	110	0.2	0.293	200	7.3
110	112	0.14	0.224	107	2.6
112	114	1.03	0.567	450	5.6
114	116	0.43	0.461	257	7.3
116	118	0.34	0.349	174	11
118	120	0.17	0.289	113	7.3
120	122	0.21	0.362	131	5.5
122	124	0.24	0.34	152.5	4.74
124	126	0.35	0.332	229	12.9
126	128	0.18	0.282	119	1.35
128	130	0.25	0.268	159.5	1
130	132	0.27	0.284	116	11.75
132	134	0.23	0.319	159	4.9
134	136	0.36	0.278	190	3.85
136	138	0.22	0.229	101.5	1.16
138	140	0.26	0.282	191	18
140	142	0.21	0.211	72.1	3.3
142	144	0.31	0.230	138	6.2
144	146	0.24	0.243	101	4.4
146	148	0.34	0.328	190	11
148	150	0.22	0.241	105	2.1
150	152	0.27	0.332	151	3.2
152	154	0.33	0.399	148	6
154	156	0.36	0.368	212	2.8
156	158	0.16	0.270	130	2.3
158	160	0.14	0.244	107	1.9
160	162	0.24	0.272	124	4.7
162	164	0.52	0.343	177	13
164	166	0.3	0.401	136	2.4
166	167.4	0.47	1.085	179	1.7
167.4	169	0.11	0.198	182.5	5.84
169	170	0.1	0.311	232	9.04
170	171.5	0.06	0.786	335	17
171.5	173	0.59	1.355	916	51
173	174.2	0.56	1.50	754	38.4
174.2	176	0.47	0.793	632	43.2

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
176	178	0.29	0.944	495	32
178	180	0.58	1.150	614	2
180	182	0.12	1.025	431	7
182	184	0.3	2.560	337	6.6
184	186	0.09	0.376	176	7
186	188	0.1	0.178	155	4.9
188	189.05	0.25	0.332	287	10
189.05	190.2	0.16	0.306	187	14
	EOH				

TS-DH55:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	0.90	0.04			
0.90	2	0.02			
2	6	0.04			
6	10	0.04			
10	12	0.04			
12	14	0.03			
14	19.50	0.04			
19.50	21	0.58			
21	23	0.77			
23	24	0.55			
24	26	0.5			
26	28	0.54			
28	30	0.29			
30	31.65	0.63			
31.65	33.45	0.84			
33.45	35.45	0.44			
35.45	37.10	1.19			
37.10	39	0.8			
39	40.40	0.56			
40.40	42	0.33			
42	44	0.38			
44	46	0.67			
46	48	0.21			
48	50	0.26			
50	52	0.22			
52	54	0.33			
54	56	0.39			
56	58	0.35			
58	60	0.45			
60	62	0.3			
62	64	0.26			
64	66	0.34			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
66	68	0.57	0.526	511	180.5
68	70	0.54	0.498	499	113
70	72	0.39	0.422	511	29.8
72	74	0.62	0.267	351	57.5
74	75	0.41	0.293	404	41
75	76.60	0.7	0.216	194	234
76.60	78	0.28	0.335	218	1.3
78	80	0.02	0.092	15.55	1.59
80	82	0.01			
82	84	0.03	0.081	7.16	0.68
84	85	0.25	0.255	277	83.5
85	86.20	0.13	0.21	124.5	16
86.20	88	0.93	0.578	756	93.6
88	90	0.57	0.514	582	54.5
90	92	0.97	0.635	704	51.9
92	94	0.22	0.344	250	35.8
94	95	0.33	0.442	323	28
95	96.10	0.33	0.401	302	44.4
96.10	98	0.52	0.528	370	30.3
98	100	0.4	0.441	340	31.9
100	102	0.51	0.507	370	29.5
102	104	0.52	0.749	421	50.4
104	106	0.62	1.19	730	35.3
106	108	0.57	0.831	562	44
108	110	0.63	0.977	558	55.3
110	112	0.19	0.342	210	39.5
112	114	0.22	0.363	228	46.5
114	116	0.38	0.532	414	19.2
116	118	0.43	0.639	480	45.8
118	120	0.62	0.569	509	27.1
120	122	0.84	0.772	422	53.1
122	124	0.46	0.517	465	47.7
124	126	0.28	0.403	250	51.6
126	128	0.44	0.665	484	56.9
128	130	0.09	0.184	65.9	8.6
130	132	0.21	0.295	204	29.6
132	134	0.22	0.297	204	2.85
134	136	0.58	0.438	428	24.4
136	138	0.54	0.46	490	43.8
138	140	0.25	0.335	368	280
140	142	0.22	0.282	269	37.8
142	144	0.22	0.28	273	78
144	146	0.25	0.191	245	25.1
146	148	0.28	0.264	240	72.1
148	149	0.22	0.257	198	38.9
149	150.6	0.46	0.383	446	21.9

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
150.6	151.5	0.51	0.567	458	108
151.5	153.5	0.32	0.356	351	34.1
153.5	155.05	0.64	0.605	619	79.1
155.05	155.5	0.24	0.223	242	10.1
155.5	157.5	0.21	0.148	123.5	1.03
157.5	159.5	0.07	0.397	171	3.68
159.5	160.4	0.07	0.991	98.1	1.59
160.4	161.7	0.05			
161.7	162.8	0.03	0.245	127.5	1.61
162.85	163.35	0.01			
163.35	164.6	0.02			
164.6	166	0.02	0.129	296	1.11
166	168	0.02	0.116	354	0.52
168	170	0.02	0.121	298	0.58
170	172	0.03	0.239	245	1.04
172	173	0.23	8.37	211	0.74
173	174.6	0.05	0.747	7.69	1.29
174.6	176	0.04	0.623	42.3	1.4
176	178	0.02	0.372	34.7	1.27
178	179.9	0.04	0.562	329	0.4
179.9	181.5	0.1	0.532	305	0.31
181.5	183	0.07	1.875	149	0.34
183	184.2	0.16	3.92	123.5	1.31
184.2	185.05	0.17	3.39	315	0.3
185.05	187	0.01	0.761	264	31.3
187	188	0.01	0.426	150.5	0.35
188	190	0.01	0.537	202	1.38
190	191	0.01	0.512	194	1.02
191	192.5	0.01	0.202	63	0.3
192.5	193.5	0.01			
193.5	194.34	0.02	0.103	2.53	1.25
	EOH				

TS-DH56:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1.95	0.12	0.071	63.6	2.06
1.95	4	0.15	0.06	54.9	0.89
4	6	0.07	0.111	30.1	0.29
6	8	0.1	0.103	74.5	1.18
8	10	0.19	0.827	158	1.69
10	12	0.13	0.609	59.3	0.54
12	14	0.24	0.426	177	1.0
14	16	0.16	0.333	175.5	1.82
16	18	0.28	0.611	166.5	1.12

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
18	20	0.36	0.607	345	3.22
20	21	0.34	0.612	253	8.97
21	22.4	0.25	0.553	187.5	9.02
22.40	24.4	0.89	0.621	117.5	30
24.4	26	0.25	0.309	154.5	7.12
26	28	0.19	0.23	94	3.79
28	30	0.14	0.095	84.8	1.38
30	32	0.21	0.204	117	2.89
32	34	0.18	0.18	116.5	2.06
34	36	0.09	0.09	98	4.45
36	37	0.25	0.149	107.5	3.17
37	38	0.2	0.133	164	10.3
38	40	0.32	0.217	219	5.56
40	42	0.61	0.378	197.5	5.24
42	44	0.2	0.385	74	1.63
44	46	0.74	0.73	358	28.7
46	48	0.12	0.185	99.9	7.67
48	50	0.25	0.498	149.5	12.6
50	52	0.27	0.993	136.5	7.63
52	54	0.28	0.399	98.7	3.27
54	56	0.29	0.489	128.5	15.1
56	58	0.31	0.80	144.5	9.34
58	60	0.45	0.647	148	12.15
60	62	0.42	0.723	174.5	26
62	64	0.61	0.836	199.5	37.5
64	66	0.41	0.587	132	20.3
66	68	0.3	0.549	151.5	22.5
68	70	0.28	0.341	113	13.95
70	72	0.28	0.287	130	21.1
72	74	0.29	0.569	128	33.7
74	76	0.29	0.586	107.5	27.8
76	78	0.5	0.81	222	13.1
78	80	0.25	0.496	115	27.3
80	82	0.19	0.314	121	12.3
82	84	0.31	0.553	162	14.8
84	86	0.3	0.425	167	16.9
86	88	0.35	0.345	194.5	18.8
88	90	0.39	0.375	167	39.5
90	92	0.33	0.331	164	28
92	94	0.6	0.506	236	24.7
94	96	0.72	1.015	463	29.1
96	98	0.27	0.467	136	16.35
98	100	0.28	0.519	143	5.92
100	102	0.21	0.404	126	3.98
102	104	0.17	0.28	99.6	7.48
104	106	0.27	0.381	232	14.2

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
106	108	0.3	0.58	182	3.15
108	110	0.22	0.394	88.1	3.3
110	112	0.19	0.238	106.5	1.37
112	114	0.42	0.238	210	16.15
114	116	0.16	0.227	157	7.26
116	118	0.17	0.183	133	14.3
118	120	0.13	0.333	76.2	2.92
120	122	0.24	0.334	129.5	14.65
122	124	0.27	0.294	114	6.3
124	125	0.36	0.435	175.5	8.71
125	126.9	0.24	0.159	85.8	6.06
126.9	128	0.34	0.497	88.8	7.87
128	130	0.19	0.383	82.4	3.98
130	132	0.08	0.392	12.6	1.32
132	134	0.11	0.429	59	6.77
134	136	0.09	0.372	76.7	3.21
136	138	0.12	0.344	52	1.0
138	140	0.23	0.624	222	6.03
140	142	0.16	0.345	123	1.93
142	144	0.26	0.359	110.5	2.42
144	146	0.18	0.366	70.2	2.56
146	148	0.36	0.374	175.5	3.64
148	150	0.49	0.343	85.4	1.02
150	152	0.25	0.298	19.8	1.92
152	154	0.25	0.416	54.7	4.14
154	156	0.22	0.253	138.5	2.19
156	158	0.14	0.215	53.2	1.01
158	160	0.21	0.281	140.5	1.74
160	162	0.22	0.268	94.7	0.86
162	164	0.62	0.401	338	24.7
164	166	0.5	0.476	289	5.6
166	168	0.24	0.345	172	6.92
168	170	0.18	0.341	130.5	2.85
170	172	0.26	0.475	129.5	3.99
172	174	0.45	0.424	227	19.55
174	176	0.36	0.459	216	4.51
176	178	0.16	0.463	105	3.07
178	180	0.15	0.308	85.8	1.32
180	182	0.4	0.595	152.5	12.3
182	184	0.32	0.521	243	57.1
184	186	0.17	0.242	104.5	4.15
186	188	0.16	0.325	103	2.31
188	190	0.62	0.69	324	52.1
190	192	0.17	0.217	86.5	1.14
192	194	0.18	0.214	93.6	2.33
194	196	1.08	1.02	532	28.9

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
196	198	0.34	0.406	160	4.33
198	200	0.41	0.608	234	12.15
200	202	0.26	0.458	162	7.53
202	204	0.08	0.076	9.51	0.58
204	206	0.18	0.287	86.2	1.68
206	208	0.12	0.422	45.9	1.43
208	210	0.18	0.226	67	4.29
210	212	0.16	0.302	83.8	1.9
212	214	0.22	0.417	122	1.09
214	216	0.21	0.534	157.5	5.08
216	218	0.28	0.527	174	8.72
218	220	0.06	0.141	42.1	1.12
220	222	0.19	0.271	95.8	1.48
222	224	0.21	0.351	48.6	1.49
224	226	0.19	0.287	70.1	1.35
226	228	0.21	0.338	85.3	19.25
228	230	0.2	0.353	78.5	4.08
230	232	0.1	0.162	73.1	1.1
232	234	0.19	0.34	123.5	2.7
234	236	0.1	0.121	34.9	1.05
236	238	0.09	0.11	32.7	0.97
238	240	0.19	0.162	60.6	1.39
240	242	0.26	0.202	57.8	1.88
242	244	0.23	0.233	94.4	2.64
244	246	0.13	0.209	76.9	1.48
246	248	0.14	0.247	77.3	7.95
248	250	0.27	0.409	131	18.5
250	252	0.18	0.308	109.5	8.31
252	254	0.12	0.634	71	21.7
254	256	0.28	0.438	191.5	13.3
256	258	0.16	0.254	80.1	7.85
258	260	0.13	0.273	91.7	4.03
260	262	0.08	0.125	32.5	1.34
262	264	0.09	0.173	67.9	3.5
264	265.3	0.19	0.403	152	48.9
265.3	266.1	0.71	0.991	288	149.5
266.10	268	0.08	0.131	50.9	2.42
268	270	0.19	0.36	99.1	4.96
270	272	0.31	0.361	138	3.15
272	274	0.19	0.292	65	2.4
274	276	0.19	0.354	76.9	1.02
276	278	0.2	0.353	79.1	1.59
278	280	0.34	0.483	88.7	7.83
280	282	0.25	0.465	137	2.44
282	284	0.16	0.27	39	0.74
284	286	0.24	0.281	97.8	3.32

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
286	288	0.25	0.177	32.9	11.45
288	290	0.24	0.293	98	0.87
290	291.8	0.19	0.208	52.1	3.17
291.8	292.4	0.18	0.249	48.1	4
292.4	294	0.34	0.288	105.5	2.8
294	296	0.54	0.48	224	12.7
296	298	0.26	0.224	67.3	2.01
298	299.3	0.23	0.341	95.7	3.27
299.3	301	0.23	0.203	27.1	2.04
301	302	0.38	0.427	90.7	5.47
302	304	0.22	0.224	36.6	1.4
304	306	0.24	0.113	43.2	0.77
306	308	0.31	0.207	130	12
308	310	0.31	0.219	176	0.94
310	312	0.3	0.156	117	2.97
312	313	0.37	0.352	255	2.48
313	314.83	0.21	0.158	128.5	1.56
314.83	315.7	0.17	0.132	65.6	3.47
315.7	317	0.19	0.164	72.4	2.52
317	318	0.1	0.109	41	1.86
318	320	0.22	0.187	44.7	2.38
320	322	0.13	0.167	48.4	1.05
322	324	0.2	0.327	101.5	2.61
324	325.45	0.2	0.332	65.8	1.35
325.45	326.6	0.54	0.593	317	17.5
326.6	328	0.21	0.348	106	1.35
328	330	0.55	0.598	282	13.95
330	332	0.3	0.37	94.9	1.67
332	334	0.45	0.541	366	3.63
334	336	0.8	0.496	265	11.45
336	338	0.57	0.472	218	7.47
338	340	0.19	0.363	40.4	1.45
340	342	0.3	100	2800	1.35
342	344	0.35	0.436	128.5	1.08
344	346	0.2	0.403	110	5.43
346	348	0.14	0.342	72.6	4.47
348	349	0.08	0.4	61.3	0.46
349	350.9	0.13	0.309	79.6	2.45
350.9	352	0.08	0.333	54.1	1.24
352	354	0.04	0.347	47.7	0.76
354	356	0.03	0.719	86.3	1.06
356	358	0.01	0.81	102.5	2.15
358	360	0.01	1.02	129.5	3.16
360	362	0.01	0.41	5.84	0.35
362	364	0.01	0.087	2.33	0.35
364	366	0.01	0.178	2.49	0.5

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
366	368	0.01	0.183	19.6	0.32
368	370	0.01	0.187	19.55	0.25
370	372	0.01	0.33	97.8	0.25
372	374	0.01	0.744	221	0.43
374	376	0.01	0.544	133.5	0.49
376	378	0.01	0.515	54.9	0.56
378	380	0.01	0.777	266	1
380	382	0.01	0.097	28.8	0.65
382	384	0.01	0.301	93.4	2.21
384	386	0.01	0.28	68.7	0.81
386	388	0.01	0.419	124	1.85
388	390	0.01	0.209	53.3	1.08
390	392	0.01	0.277	84.9	0.65
392	393	0.01	0.17	79.9	1.38
393	394.45	0.01	0.309	96.6	1
394.45	395.15	0.04	0.351	55.5	0.54
395.15	397	0.01	0.118	33.5	0.27
397	398	0.01	0.182	58.9	0.64
398	400	0.01	0.084	83.5	0.64
400	402	0.01	0.188	55.3	3.06
402	404	0.01	0.328	91.6	1.21
404	406	0.01	0.193	67.9	0.57
406	407.1	0.01	0.102	44	0.48
	EOH				

TS-DH58:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.17	0.093	193	1.32
2	4	0.03	0.133	122	0.55
4	6	0.01	0.172	125.5	0.51
6	8	0.21	0.367	262	2.08
8	9	0.35	0.574	612	9.36
9	10.18	1.04	0.539	485	7.45
10.18	11.2	0.98	0.796	431	14.7
11.2	12.8	0.4	0.416	273	17.5
12.8	13.6	0.12	0.296	220	16.3
13.6	15	0.3	0.472	447	29.2
15	16	0.76	0.672	391	58
16	18	0.3	0.047	28	3.36
18	20	0.22	0.286	186.5	15.8
20	22	0.47	0.61	351	34.8
22	24	0.37	0.458	363	38.4
24	26	0.37	0.447	276	23.9
26	28	0.49	0.441	346	72.4

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
28	30	0.3	0.408	260	38.3
30	32	1.63	0.55	496	51
32	34	0.58	0.478	515	68.7
34	36	0.66	0.646	601	31.4
36	38	0.23	0.29	222	49.8
38	40	0.29	0.31	265	23.6
40	42	0.39	0.316	331	18.8
42	44	0.39	0.344	365	70.6
44	46	0.35	0.343	338	26.7
46	48	0.22	0.275	292	33.5
48	50	0.55	0.375	501	37.1
50	52	0.7	0.418	606	41.2
52	54	2.04	0.58	697	83
54	56	0.47	0.444	485	46.1
56	58	0.24	0.397	296	20.1
58	60	0.23	0.287	210	36.8
60	62	0.19	0.304	202	32.4
62	64	0.27	0.261	189	36.7
64	66	0.33	0.352	283	51.7
66	68	0.26	0.309	244	26.2
68	70	0.3	0.309	304	25.3
70	72	0.16	0.207	149	22.7
72	74	0.33	0.288	220	28.9
74	76	0.42	0.45	389	27.5
76	78	0.32	0.342	273	47.4
78	80	0.27	0.31	292	48.7
80	82	0.18	0.21	157.5	9.31
82	84	0.21	0.281	230	39.5
84	86	0.86	0.539	701	44.4
86	88	0.15	0.233	190.5	214
88	90	0.28	0.352	379	33
90	92	0.36	0.324	360	24.9
92	93.5	0.36	0.273	272	44.3
93.5	95	0.02	0.111	24.6	2.5
95	96	0.01	0.093	24.1	0.91
96	97.7	0.05	0.11	25.9	0.86
97.7	99	0.21	0.305	183	9.19
99	100	0.28	0.307	212	28.7
100	102	0.69	0.616	685	28.5
102	104	0.34	0.546	366	18.85
104	106	0.71	0.588	592	41.2
106	108	0.73	0.648	751	84.4
108	110	0.36	0.523	443	48.2
110	112	0.23	0.307	223	42.6
112	114	0.23	0.368	214	87.8
114	116	0.27	0.332	231	81.9

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
116	117.4	0.42	0.43	352	31.5
117.4	118.35	0.22	0.20	115.5	93.2
118.35	120	0.23	0.389	215	28.5
120	122	0.17	0.317	191.5	41.9
122	124	0.25	0.375	240	17.2
124	126	0.22	0.371	250	35.3
126	128	0.36	0.516	342	45.2
128	130	0.16	0.273	137.5	17.6
130	132	0.19	0.265	141.5	16.2
132	134	0.43	0.552	392	35.3
134	136	0.53	0.496	484	51.6
136	138	0.4	0.373	409	20.5
138	140	0.3	0.469	302	25
140	142	0.26	0.363	230	21.2
142	144	0.64	0.708	615	12.1
144	146	0.4	0.473	311	3.7
146	148	0.29	0.31	248	3.32
148	150	0.15	0.403	167	6.93
150	152	0.56	0.462	252	7.62
152	154	0.31	0.206	186.5	3.43
154	156	0.14	0.14	94	0.6
156	157.8	0.21	0.207	163	1.98
157.8	159	0.25	0.234	356	5.13
159	160.69	0.19	0.436	151.5	1.49
160.69	161.9	0.05	0.505	214	8.17
161.9	162.9	0.05	0.595	84.8	2.73
162.9	164	0.13	0.177	228	2.55
164	166	0.06	0.257	343	10.4
166	168	0.1	0.374	498	16.8
168	169	0.15	0.574	347	4.79
169	170	0.41	4.88	393	2.85
170	172	0.31	14.05	212	6.21
172	174	1.08	18.25	144.5	5.37
174	176	0.02	0.857	238	5.42
176	178	0.04	1.965	138.5	3.97
178	180	0.01	0.652	179	2.6
180	182	0.11	4.76	186.5	3.53
182	184	0.02	1.13	197	1.45
184	185	0.02	0.565	209	1.97
185	186.7	0.02	0.395	178.5	1.35
	EOH				

TSDH59:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	0.90	0.02			
0.90	2	0.02			
2	4	0.07			
4	6	0.04			
6	8	0.04			
8	10	0.07			
10	11.1	1.23			
11.1	12.5	1.13			
12.5	13.7	0.4			
13.7	15	0.27			
15	16	0.27			
16	18	0.57			
18	20	0.2			
20	22	0.35			
22	24	0.55			
24	26	0.18			
26	27	0.18			
27	28.1	0.4			
28.1	28.7	0.23			
28.7	30	0.36			
30	32	0.45			
32	34	0.51			
34	36	0.53			
36	38	0.79			
38	40	0.62			
40	42	0.47			
42	44	0.27			
44	46	0.52			
46	48	0.29			
48	50	0.38			
50	52	0.25			
52	54	0.95			
54	56	0.63			
56	58	0.55			
58	60	0.32			
60	61	0.72			
61	62.35	0.96			
62.35	64	0.4			
64	65	0.42			
65	66	0.14			
66	68	0.03			
68	70	0.05			
70	71.7	0.1			
71.7	73	0.56			
73	74	0.48			

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
74	76	1.01			
76	78	0.72			
78	80	0.78			
80	82	0.31	0.323	330	39.3
82	84	0.93	0.394	502	32.5
84	86	0.84	1.065	739	51.7
86	88	0.91	1.265	1035	123
88	90	0.55	0.537	799	49.4
90	92	0.59	0.541	524	112.5
92	94	1.09	0.766	873	96.2
94	96	0.64	0.53	623	356
96	98	0.65	0.684	699	98.7
98	100	0.69	0.898	724	105.5
100	102	1.02	0.978	966	158.5
102	104	0.85	0.766	778	141
104	106	0.58	0.619	610	138.5
106	108	0.84	0.93	863	102
108	110	0.5	0.662	575	107
110	112	0.89	0.807	776	180
112	114	0.36			
114	116	0.53			
116	118	0.46			
118	120	0.65	0.678	603	91.8
120	122	0.69	0.508	702	132
122	124	0.55	0.442	591	79.1
124	126	0.72	0.645	816	116
126	128	0.81	0.707	714	88.8
128	130	0.41	0.37	470	50.6
130	132	0.44	0.58	541	48.6
132	134	0.36	0.479	435	46.7
134	136	0.24	0.352	371	28
136	138	0.3			
138	140	0.96			
140	142	0.28			
142	144	0.36			
144	146	0.35			
146	147.2	0.34			
147.2	149	0.19			
149	150	0.03			
150	152	0.04			
152	154	0.02			
154	155	0.01			
155	156.2	0.01			
	EOH				

JORC Code, 2012 Edition – Table 1 report template -Tesorito Drill Results

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Diamond drilling is carried out to produce HQ and NQ core. Following verification of the integrity of sealed core boxes and the core within them at the Company’s core shed in Quinchia, the core is ‘quick logged’ by a Project Geologist and marked for sampling. Following the marking of the cutting line and allocation of sample numbers, allowing for insertion of QAQC samples, the core is cut by employees in the Company’s facility within the core-shed. Nominally core is cut in half and sampled on 2m intervals, however the interval may be reduced by the Project Geologist based on the visual ‘quick log’. Samples are bagged in numbered calico sacks and these placed in heavy duty plastic bags with the sample tag. Groups of 5 samples are bagged in a hessian sack, labelled and sealed, for transport. Sample preparation is carried out by ALS’ Laboratory in Medellin where the whole sample is crushed to -2mm and then 1kg split for pulverising to -75micron. Splits are then generated for fire assay (Au-AA26) and analyses for an additional 48 elements using multi-acid (four acid) digest with ICP finish (MEMS61) at ALS’ laboratory in Lima, Peru.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> The Tesorito drilling program is a diamond drilling program using HQ diameter core. In the case of operational necessity this will be reduced to NQ core. Where ground conditions permit, core orientation is conducted on a regular basis.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. 	<ul style="list-style-type: none"> The drillers are required to meet a minimum recovery rate of 95%. On site, a Company employee is responsible for labelling (wood spacer block) the beginning and end depth of each drill run plus actual and expected recovery in meters. This and other field processes are audited on a daily basis.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> On receipt the core is visually verified for inconsistencies including depth labels, degree of fracturing (core breakage versus natural), lithology progression etc. If the core meets the required conditions it is cleaned, core pieces are orientated and joined, lengths and labelling are verified, and geotechnical observations made. The core box is then photographed. Orientated sections of core are aligned, and a geology log prepared. Following logging, sample intervals are determined and marked up and the cutting line transferred to the core. Core quality is, in general, high and far exceeding minimum recovery conditions.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Logging is carried out visually by the Project Geologists focusing on lithology, structure, alteration and mineralization characteristics. Initially a 'quick log' is carried out to guide sampling and this is then followed by detailed logging. The level of logging is appropriate for exploration and initial resource estimation evaluation. All core is photographed following the initial verification on receipt of the core boxes and then again after the 'quick log', cutting and sampling. ie half core. All core is logged and sampled, nominally on 2m intervals respectively but in areas of interest more dense logging and sampling may be undertaken. On receipt of the multi-element geochemical data this is interpreted for consistency with the geologic logging.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is 	<ul style="list-style-type: none"> After logging and definition of sample intervals by the geologist, the marked core is cut in half using a diamond saw in a specially designed facility on site. All core is cut and sampled. The standard sample interval is 2m but may be varied by the geologist to reflect lithology, alteration or mineralization variations. As appropriate, all half or quarter core generated for a specific sample interval is collected and bagged. The other half of the core remains in the core box as a physical archive. The large size (4-8kg) of individual samples and continuous sampling of the drill hole, provides representative samples for exploration activities.

Criteria	JORC Code explanation	Commentary
	<p><i>representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • Through the use of QAQC sample procedure in this phase of drilling, any special sample preparation requirements eg due to unexpectedly coarse gold, will be identified and addressed prior to the resource drilling phase.
<p><i>Quality of assay data and laboratory tests</i></p>	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • Gold assays will be obtained using a lead collection fire assay technique (AuAA26) and analyses for an additional 48 elements obtained using multi-acid (four acid) digest with ICP finish (ME-MS61) at ALS' laboratory in Lima, Peru. • Fire assay for gold is considered a "total" assay technique. • An acid (4 acid) digest is considered a total digestion technique. However, for some resistant minerals, not considered of economic value at this time, the digestion may be partial e.g. Zr, Ti etc. • No field non-assay analysis instruments were used in the analyses reported. • Los Cerros uses certified reference material and sample blanks and field duplicates inserted into the sample sequence. • Geochemistry results are reviewed by the Company for indications of any significant analytical bias or preparation errors in the reported analyses. • Internal laboratory QAQC checks are also reported by the laboratory and are reviewed as part of the Company's QAQC analysis. The geochemical data is only accepted where the analyses are performed within acceptable limits.
<p><i>Verification of sampling and assaying</i></p>	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • All digital data received is verified and validated by the Company's Competent Person before loading into the assay database. • Over limit gold or base metal samples are re-analysed using appropriate, alternative analytical techniques (Au-Grav22 50g and OG46). • Reported results are compiled by the Company's geologists and verified by the Company's database administrator and exploration manager. • No adjustments to assay data were made.
<p><i>Location of data points</i></p>	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> 	<ul style="list-style-type: none"> • The drill hole is located using a handheld GPS and LIDER DTM. This has an approximate accuracy of 3-5m considered sufficient at this stage of exploration. • On completion of the drilling program the collars of all holes will be surveyed

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> using high precision survey equipment. Downhole deviations of the drill hole are evaluated on a regular basis and recorded in a drill hole survey file to allow plotting in 3D. The grid system is WGS84 UTM Z18N.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The interpretation of surface mapping and sampling relies on correlating isolated points of information that are influenced by factors such as weathering, accessibility and sample representivity. This impacts on the reliability of interpretations which are strongly influenced by the experience of the geologic team. Structures, lithologic and alteration boundaries based on surficial information are interpretations based on the available data and will be refined as more data becomes available during the exploration program. It is only with drilling, that provides information in the third dimension, that the geologic model can be refined.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drill hole is preferentially located in prospective area. All drillholes are planned to best test the lithologies and structures as known taking into account that steep topography limits alternatives for locating holes. Drill holes are oriented to determine underlying lithologies and porphyry vectors and to intercept the two principal sets of veining.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> All core boxes are nailed closed and sealed at the drill platform. On receipt at the Quinchia core shed the core boxes are examined for integrity. If there are no signs of damage or violation of the boxes, they are opened and the core is evaluated for consistency and integrity. Only then is receipt of the core formally signed off. The core shed and all core boxes, samples and pulps are secured in a closed Company facility at Quinchia secured by armed guard on a 24/7 basis. Each batch of samples are transferred in a locked vehicle and driven 165 km to ALS laboratories for sample preparation in Medellin. The transfer is accompanied by a Company employee.

Criteria	JORC Code explanation	Commentary
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> At this stage no audits have been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> The Exploration Titles were validly issued as Concession Agreements pursuant to the Mining Code. The Concession Agreement grants its holders the exclusive right to explore for and exploit all mineral substances on the parcel of land covered by such concession agreement. There are no outstanding encumbrances or charges registered against the Exploration Title at the National Registry.
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Artisanal gold production was most significant from the Miraflores mines during the 1950s. Interest was renewed in the area in the late 1970s. In the 1980s the artisanal mining cooperative "Asociación de Mineros de Miraflores" (AMM) was formed. In 2000, the Colombian government's geological division, INGEOMINAS, with the permission of the AMM, undertook a series of technical studies at Miraflores, which included geological mapping, geochemical and geophysical studies, and non-JORC compliant resource estimations. In 2005, Sociedad Kedahda S.A. (Kedahda), now called AngloGold Ashanti Colombia S.A., a subsidiary of AngloGold Ashanti Ltd., entered into an exploration agreement with the AMM, and carried out exploration including diamond drilling in 2005 to 2007 at Miraflores, completing 1,414.75m. In 2007 Kedahda optioned the project to B2Gold Corp. (B2Gold), which carried out exploration including additional diamond drilling from 2007 to 2009. B2Gold made a NI 43-101 technical study of the Miraflores Project in 2007. On 24 March 2009, B2Gold advised the AMM that it had decided to not make further option payments and the property reverted to AMM under the terms of the option agreement.

Criteria	JORC Code explanation	Commentary																					
		<ul style="list-style-type: none"> Seafield Resources Ltd. (Seafield) signed a sale-purchase contract with AMM to acquire a 100% interest in the Mining Contract on 16 April 2010. Seafield completed the payments to acquire 100% of rights and obligations on the Miraflores property in 30 November 2012. AMM stopped the artisanal exploitation activities in the La Cruzada tunnel on the same date, and transferred control of the mine to Seafield. Since June 2010, Seafield drilled 63 drillholes for a total of 22,259m on the Miraflores Project adjacent to Tesorito. The initial exploration undertaken by Seafield at Tesorito in 2012 and 2013 included systematic geological mapping, rock and soil sampling, followed by trenching within the area of anomalous Au and Cu in soils. Seafield commissioned an Induced Polarisation (IP) survey over the Tesorito Prospect in August 2012 and undertook a three-hole diamond drilling program for a total of 1,150.5m in 2013. 																					
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Tesorito area is underlain mainly by fine to coarse grained, intrusive porphyritic rocks of granodioritic to dioritic composition, which intrude an andesite porphyry body of the Miocene Combia formation, Tertiary sandstones and mudstones of the Amaga Formation, as well as basaltic rocks of the Barroso Formation of Cretaceous age. The intrusives suite show variable intensities of hydrothermal alteration, including potassic alteration overprinted by quartz-sericite and sericite-chlorite alteration. NNE to EW faulting controls the intrusive emplacement and mineralization, including faulting of contacts between the rock units. The depth of sulphide oxidation observed in the drill holes is approximately 20m. Gold, copper and molybdenite observed in the intrusive rocks is typical of Au-Cu-Mo rich porphyry deposit; mineralisation occurs as sulphides and magnetite in disseminations as well as in veinlets and stockworks of quartz. Pyrite, chalcopyrite and molybdenite have been recognised. 																					
Drill hole Information	<ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar</i> 	<table border="1"> <thead> <tr> <th>HOLE</th> <th>EASTING</th> <th>NORTHING</th> <th>RL (m)</th> <th>EOH (m)</th> <th>AZIMUTH</th> <th>DIP</th> </tr> </thead> <tbody> <tr> <td>TSDH47</td> <td>423794</td> <td>584340</td> <td>1214</td> <td>217.6</td> <td>240</td> <td>60</td> </tr> <tr> <td>TSDH48</td> <td>423912.5</td> <td>584413.9</td> <td>1209.5</td> <td>209.5</td> <td>240</td> <td>60</td> </tr> </tbody> </table>	HOLE	EASTING	NORTHING	RL (m)	EOH (m)	AZIMUTH	DIP	TSDH47	423794	584340	1214	217.6	240	60	TSDH48	423912.5	584413.9	1209.5	209.5	240	60
HOLE	EASTING	NORTHING	RL (m)	EOH (m)	AZIMUTH	DIP																	
TSDH47	423794	584340	1214	217.6	240	60																	
TSDH48	423912.5	584413.9	1209.5	209.5	240	60																	

Criteria	JORC Code explanation	Commentary							
	<ul style="list-style-type: none"> ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. ● If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	TSDH49	423713.1	584365.2	1252.7	380.3	240	60	
		TSDH50	423726	584301	1228.9	302	240	60	
		TSDH52	423860	584540	1237	230.4	360	60	
		TSDH53	423860	584540	1237.4	217.7	45	60	
		TSDH54	423726	584301	1243.7	190.2	195	60	
		TSDH55	423726	584301	1288.9	194.34	170	60	
		TSDH56	423896	584960	1310	407.1	140	60	
		TSDH58	423794	584340	1214	186.7	195	60	
		TSDH59	423794	584340	1214	156.2	140	60	
Data aggregation methods	<ul style="list-style-type: none"> ● In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. ● Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. ● The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> ● No metal equivalent values have been stated. ● Quoted intervals use a weighted average compositing method of all assays within the interval. Uncut intervals include values below 0.1 g/t Au. ● No cut of high grades has been done. ● All widths quoted are intercept widths, not true widths, as there is insufficient information at this stage of exploration to know the geometries within the system. 							
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> ● These relationships are particularly important in the reporting of Exploration Results. ● If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. ● If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> ● The results reported in this announcement are considered to be of an early stage in the exploration of the project. ● Mineralisation geometry is not accurately known as the exact number, orientation and extent of mineralised structures are not yet determined. 							
Diagrams	<ul style="list-style-type: none"> ● Appropriate maps and sections (with scales) and tabulations 	<ul style="list-style-type: none"> ● Geological maps showing the location of drill holes and exploration results 							

Criteria	JORC Code explanation	Commentary
	<i>of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	including drilling over the Tesorito Prospect is shown in the body of the announcement.
<i>Balanced reporting</i>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Reporting is considered balanced.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> A ground magnetic survey that covered the Chuscal and Tesorito Prospects was performed in 2019 and presented two magnetic high anomalies that are spatially related to the soil gold and molybdenum anomalies. The magnetic high anomalies appear associated with the presence of potassic alteration and quartz-magnetite veining and stockworks. An induced polarisation survey (IP) completed in 2021 revealed a chargeability high.
<i>Further work</i>	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Additional drilling is required to systematically test the nature and extent of mineralisation. The objective of the Tesorito drill program is to test two anomalous zones, the southern and northern Tesorito targets.