

Excellent RC Drill Assay Results from Inaugural Drill Program at Burracoppin Gold Project, WA

Highlights:

- Shallow high-grade gold intersected in inaugural drilling program at the Burracoppin Gold Project, located along strike of Ramelius Resources Edna May Gold Mine in the eastern wheatbelt of Western Australia
- Assay results from the Phase I drilling program has identified mineralisation below and along strike of the historic workings at Burracoppin, as well as identifying a new and unexplored mineralised unit east of the current system
- Assay results include:
 - Benbur West Area – Below historic leach pad
 - 4m @ 4.27 g/t Au from 25m in ABRC010, including
 - 2m @ 7.88 g/t Au from 25m; and
 - 1m @ 14.60 g/t Au from 26m
 - 2m @ 2.38 g/t Au from 22m in ABRC013, including
 - 1m @ 4.01 g/t Au from 22m
 - Benbur Area
 - 2m @ 2.03 g/t Au from 16m in ABRC008, including
 - 1m @ 3.07 g/t Au from 16m
 - 3m @ 1.58 g/t Au from 102m in ABRC006
 - Christmas Gift Area
 - 3m @ 3.57 g/t Au from 40m in ABRC005, including
 - 1m @ 7.40 g/t Au from 40m; and
 - 1m @ 2.99 g/t Au from 42m
 - Easter Gift Area
 - 1m @ 2.95 g/t Au from 19m in ABRC015
 - Lone Tree Area
 - 3m @ 1.21 g/t Au from 15m in ABRC018
- Several drill holes intercepted mineralisation greater than 1 g/t Au indicating the presence of a potentially large gold endowment at the Burracoppin Gold Project
- Total potential strike of the mineralisation almost 1.7 km from north to south
- Work is currently underway on a follow up exploration drilling program designed to further test those high priority areas identified during the Phase I drilling campaign and other targets identified from interpretation geophysical structures

Askari Metals Limited (**ASX: AS2**) (“Askari Metals” or “Company”), an Australia based exploration company with a portfolio of copper and gold projects across Western Australia and New South Wales, is pleased to announce the results of the inaugural drill campaign at



the Company's 100% owned Burracoppin Gold Project located in the eastern wheatbelt of Western Australia along strike from the Ramelius Resources Edna May Gold Mine. The Company drilled a total of seventeen (17) Reverse Circulation (RC) drill holes for 1,424 meters commenced which was completed in mid-August 2021.

The Phase I drilling program was designed to target mineralised zones and their extensions associated with historic workings. It aimed to provide not only an indication of the gold mineralisation in the area but also the geological and mineralogical relationships beneath the historic workings and the outcropping and sub-cropping mineralisation. The assay results from this first phase of drilling include very encouraging results and indicates that there is high-grade gold mineralisation present across the Burracoppin Project. The drilling has also defined that the gold mineralisation is shallow and appears to be coincident with geophysical magnetic features which are associated with major structures across the project area.

With the Phase I assay results received, the Company will now complete its interpretation and combined with the outcome of its further analysis of the geophysical data will plan the next phase of exploration.

Vice President - Exploration and Geology, Mr Johan Lambrechts, commented:

"These results are very encouraging and highlight the potential for further mineralisation associated with the historic workings and on separate structures in the project area. We are busy analysing the data in more detail, in conjunction with geophysical interpretations and other datasets. The follow-up exploration design will commence soon and promises for a thrilling next phase of work."

Overview

The Burracoppin Gold Project is located approximately 20km east of Merredin and 15km west of the Edna May Gold Mine in the eastern wheat belt of Western Australia.




Figure 1: Locality map of the Burracoppin Project

** This announcement is authorised by the executive board on behalf of the Company **

The area is dominated by gently undulating topography with isolated lateritic breakaways preserved on an intensely developed regolith. It is underlain by Archaean granite/gneiss greenstone terrane metamorphosed to amphibolite/granulite grade. Minor banded iron formation outcrops are known, and aplite-pegmatite dykes intrude the amphibolites at the Burgess Find gold workings.

Burges Find, Christmas Gift, Benbur and Easter Gift were the four main areas mined at the Burracoppin Project (refer to Figure 2). The Burgess Find, Christmas Gift and Benbur mines reported historical production figures of 410 tonnes, 750 tonnes and 1,030 tonnes respectively. Production of the original miners in the 1930s was reported in the “Daily News” newspaper (June 1933), which wrote that the first parcel processed from Burracoppin had produced gold grades of 49g/t Au.

The workings targeted mineralisation hosted in narrow, vertically dipping veins that occur within a gabbro dyke at or close to its western margin in pelitic sediments. The veins and gabbro strike north-south and are folded into a series of open folds. The Easter Gift workings occur in mafic granulite and metasediments and occupy a similar stratigraphic position to that of the Christmas Gift-Benbur North-Benbur workings to the north.

Laterites that cover the Archaean rock sequence also carry gold mineralisation. The laterite consists of loose pisolites with a significant sand matrix component at the surface, grading into a poorly to well cemented nodular laterite layer. Gold mineralisation appears to be restricted to the iron-rich laterites.

Discussion of Results

Seventeen holes were drilled in four main areas targeting local strike, and dip extensions of the mineralised lodes mined historically. Two regions distant from the main workings were also targeted (west of Benbur and the South-Eastern / Lone Tree workings).

The results from this Phase I drilling program and their implication on the future exploration plans for Burracoppin are currently being reviewed in detail, in conjunction with geophysical data. The next steps in the Burracoppin exploration plan will be finalised and reported to shareholders over the coming weeks.

Significant shallow high-grade gold mineralisation has been encountered in the drilling at Burracoppin with assay results including:

- **Benbur West Area – Below historic leach pad**
 - 4m @ 4.27 g/t Au from 25m in ABRC010, including
 - 2m @ 7.88 g/t Au from 25m; and
 - 1m @ 14.60 g/t Au from 26m
 - 2m @ 2.38 g/t Au from 22m in ABRC013, including
 - 1m @ 4.01 g/t Au from 22m
- **Benbur Area**
 - 2m @ 2.03 g/t Au from 16m in ABRC008, including
 - 1m @ 3.07 g/t Au from 16m
 - 3m @ 1.58 g/t Au from 102m in ABRC006
- **Christmas Gift Area**
 - 3m @ 3.57 g/t Au from 40m in ABRC005, including
 - 1m @ 7.40 g/t Au from 40m; and
 - 1m @ 2.99 g/t Au from 42m
- **Easter Gift Area**
 - 1m @ 2.95 g/t Au from 19m in ABRC015
- **Lone Tree Area**
 - 3m @ 1.21 g/t Au from 15m in ABRC018

** This announcement is authorised by the executive board on behalf of the Company **

Significantly, the overall strike length of the mineralisation between Burgess Find in the north and Benbur is about 650 m while Easter Gift is a further 1.3 km south of Benbur. This suggests that the total potential strike of the mineralisation almost 1.7 km from north to south. The South-Eastern Area (Lone Tree) is another 850 m to the southeast of the Easter Gift workings and represents a separate mineralised structure which has only been discovered during this Phase I drilling program and has not been adequately drill tested.

This will be investigated by follow up drilling and has the potential to positively change the size and scale of the Burracoppin project significantly.




Figure 2: Map indicating the drilling completed during Phase I at Burracoppin

Christmas Gift

Two holes were completed in the Christmas Gift area with ABRC005 intercepting **3m at 3.75 g/t Au from 40m downhole**. This intersection also included **1m at 7.40 g/t Au from 40m** and **1m @ 2.99g/t Au from 42m**. This intersection is a down dip extension of mineralisation previously intersected at this location in the historical drilling (*refer to Figure 3*).

ABRC004 also intersected the mineralised lode, but with significantly reduced gold grade. This short grade continuity is a common characteristic of epithermal gold deposits and the orientation of the high-grade shoot will be a target of the follow up exploration plan at Burracoppin.




Figure 3: Section through Christmas Gift area indicating the phase1 AS2 drillhole data

** This announcement is authorised by the executive board on behalf of the Company **

Benbur

Benbur produced multiple good intersections from a total of seven (7) holes drilled into the prospect testing strike extent and historic intercepts below the workings.

ABRC008 produced 2m at 2.03 g/t Au from 16m, including 1m at 3.07 g/t Au from 16m. It also returned 1m at 1.01 g/t Au from 12m indicating two separate mineralised units in the area.

ABRC006 returned results of 3m at 1.58 g/t Au from 102m and also 1m at 1.04 g/t Au from 81m intersecting the same two units as ABRC008, but at greater depth (refer to Figure 4).

ABRC011 returned 1m at 1.33 g/t Au from 15m, but this sample is part of a 5m wide intersection with an average grade of 0.90 g/t Au from 11m.

ABRC007 produced 1m at 1.16 g/t Au from 63m, and ABRC014 returned 1m at 1.08 g/t Au from 22m.




Figure 4: Section through Benbur area indicating the Phase I AS2 drillhole data

** This announcement is authorised by the executive board on behalf of the Company **

Benbur-West

The drilling in this area included two holes designed to test shallow historic intercepts to the west of the main Bebur shaft.

ABRC010 returned excellent results of 4m at 4.27 g/t Au from 25m which included 2m at 7.88 g/t Au from 25m and 1m at 14.60 g/t Au from 26m downhole, while ABRC013 returned similarly exciting results of 2m at 2.38 g/t Au from 22m which included 1m at 4.01 g/t Au from 22m.

These intersections represent validation of the historical results as well as deeper intercepts increasing the known down-dip extent of the mineralisation.

Easter Gift

Easter Gift is a historic shaft to the south of Benbur. There are several historical holes that intersected mineralisation at shallow depths, and the recent drilling completed by Askari was designed to validate the mineralisation.

ABRC015 intersected the lode with a result of 1m at 2.95 g/t Au from 19m, while ABRC017 intersected the same mineralised unit with 1m at 1.97 g/t Au from 26m.

Lone Tree

The Lone Tree area is removed from the main shafts and includes a small and isolated vertical working. The drilling completed by Askari in this area was designed to identify the mineralised horizon and host lithology since there is minimal historical data.

Two holes were drilled in a scissor configuration, and ABRC018 returned exceptional results of 4m at 1.07 g/t Au from 14m. The mineralised zone also included intercepts of 1m at 1.16 g/t Au from 15m and 1m at 1.63 g/t Au from 17m. Deeper in the hole, the drilling also intersected 1m at 1.19 g/t Au from 59m.

This opens up exploration opportunities on a separate and untested structure to the one hosting the shafts and historic workings to the west and, therefore, may represent significant strike extensional potential.

Table 1 below depicts the results for gold and its generic trace elements discussed in the announcement.

Table 1: Table depicting a summary of the results discussed in the announcement.

Hole ID	mFrom	mTo	Au_ppm	Ag_ppm	As_ppm	Bi_ppm	W_ppm	Sb_ppm	Se_ppm	Te_ppm
ABRC005	40	41	7.40	0.07	0.80	7.74	4.90	0.05	1.00	0.01
ABRC005	41	42	0.32	0.07	3.40	1.01	7.60	0.05	2.00	0.01
ABRC005	42	43	2.99	0.09	2.00	3.68	9.10	0.05	1.00	0.01
ABRC006	81	82	1.04	0.12	2.60	4.62	29.30	0.05	1.00	0.20
ABRC006	82	83	0.39	0.14	1.20	4.91	26.20	0.05	2.00	0.10
ABRC006	93	94	0.35	0.00	1.00	0.71	41.00	0.05	2.00	0.01
ABRC006	101	102	0.28	0.16	1.20	0.98	10.90	0.05	1.00	0.01
ABRC006	102	103	2.38	0.18	0.20	4.08	7.80	0.05	2.00	0.50
ABRC006	109	110	1.33	0.08	6.00	14.30	6.00	0.25	1.00	0.01
ABRC006	110	111	1.82	0.03	11.20	36.80	5.80	0.20	2.00	0.01
ABRC007	48	49	0.46	0.06	4.00	0.88	5.20	0.15	2.00	0.10
ABRC007	63	64	0.51	0.04	0.60	2.79	9.80	0.15	2.00	0.20
ABRC007	64	65	1.16	0.05	1.00	2.36	10.10	0.05	1.00	0.01
ABRC007	65	66	0.41	0.06	0.60	0.73	12.00	0.10	1.00	0.01
ABRC008	11	12	0.93	0.00	3.60	2.52	4.10	0.10	2.00	0.20
ABRC008	12	13	1.01	0.00	17.00	1.40	5.60	0.05	2.00	0.10
ABRC008	13	14	0.49	0.00	2.20	0.25	2.40	0.05	1.00	0.01
ABRC008	14	15	0.48	0.00	2.20	0.52	3.40	0.10	1.00	0.10
ABRC008	15	16	0.47	0.11	9.60	4.25	2.50	0.10	1.00	0.20
ABRC008	16	17	3.07	0.31	3.60	2.49	6.40	0.05	1.00	0.30
ABRC008	17	18	0.99	0.05	1.80	1.03	5.20	0.05	1.00	0.20
ABRC009	48	49	0.98	0.08	34.20	1.14	809.00	0.10	2.00	0.20
ABRC009	49	50	0.47	0.02	10.20	3.17	206.00	0.05	3.00	0.01
ABRC009	54	55	0.65	0.10	9.00	1.02	113.00	0.05	3.00	0.01
ABRC009	55	56	0.80	0.25	7.20	1.37	110.00	0.10	2.00	0.01
ABRC009	56	57	0.70	0.14	0.60	0.75	78.90	0.05	2.00	0.01
ABRC009	57	58	0.67	0.13	1.80	1.06	47.40	0.05	2.00	0.20
ABRC009	58	59	0.51	0.15	1.80	0.93	28.70	0.10	1.00	0.20
ABRC010	24	25	0.26	0.00	121.00	0.44	148.00	0.20	1.00	0.01
ABRC010	25	26	1.16	0.04	81.80	0.41	35.90	0.10	1.00	0.01
ABRC010	26	27	14.60	0.09	158.00	0.42	70.60	0.15	1.00	0.01
ABRC010	27	28	0.76	0.06	35.80	0.17	20.70	0.10	1.00	0.01
ABRC010	28	29	0.57	0.05	25.80	0.26	14.70	0.15	1.00	0.01
ABRC010	35	36	0.92	0.05	6.80	0.09	5.70	0.10	1.00	0.01
ABRC011	11	12	0.56	0.04	110.00	1.15	6.50	0.15	2.00	0.30
ABRC011	12	13	0.87	0.06	41.60	2.08	5.10	0.15	8.00	0.30
ABRC011	13	14	0.98	0.31	53.80	2.04	6.30	0.10	2.00	0.30
ABRC011	14	15	0.78	0.15	240.00	1.45	14.00	0.10	3.00	0.40
ABRC011	15	16	1.33	0.06	70.20	1.98	9.80	0.10	2.00	0.10
ABRC012	33	34	1.02	0.06	24.80	1.00	66.90	0.05	1.00	0.30
ABRC012	34	35	0.76	0.02	21.60	1.76	24.80	0.05	1.00	0.30
ABRC012	48	49	0.73	0.12	204.00	0.69	5.00	0.10	2.00	0.01
ABRC013	0	1	0.80	0.03	40.20	3.80	731.00	0.30	5.00	0.30
ABRC013	1	2	0.51	0.02	31.00	3.38	1020.00	0.25	4.00	0.30
ABRC013	22	23	4.01	0.00	7.00	2.70	24.30	0.20	2.00	0.40
ABRC013	23	24	0.74	0.00	5.20	2.57	15.30	0.15	2.00	0.40
ABRC014	22	23	1.08	0.11	0.60	3.19	153.00	0.10	5.00	0.30
ABRC015	19	20	2.95	0.18	1.20	0.09	5.90	0.05	1.00	0.01
ABRC017	26	27	1.97	0.25	1.6	0.06	25	0.15	2	0.2
ABRC018	10	11	0.46	0.08	11.8	22.6	10.6	0.05	1	1.2
ABRC018	14	15	0.65	0.10	11.2	14.6	78.9	0.1	2	0.4
ABRC018	15	16	1.16	0.11	2.6	79.8	27.4	0.05	2	1.8
ABRC018	16	17	0.85	0.12	4.6	42.4	4.1	0.05	2	0.7
ABRC018	17	18	1.63	0.15	17	241	17	0.05	1	3.7
ABRC018	18	19	0.50	0.08	17.6	1.28	3.3	0.05	2	0.1
ABRC018	59	60	1.19	0.18	1	21.3	55.8	0.15	2	1.2

** This announcement is authorised by the executive board on behalf of the Company **

ENDS

For further information, contact:

Gino D'Anna
Director
M +61 400 408 878
gino@askarimetals.com

Rod North, Managing Director
Bourse Communications Pty Ltd
M: +61 408 670 706
rod@boursecommunications.com.au

Johan Lambrechts
Vice President – Exploration and Geology
M +61 431 477 145
johan@askarimetals.com

About Askari Metals Limited

Askari Metals was incorporated for the primary purpose of acquiring, exploring and developing high-grade gold and copper-gold projects in **New South Wales** and **Western Australia**. The Company has assembled an attractive portfolio of gold and copper-gold exploration/mineral resource development projects in Western Australia and New South Wales.

For more information please visit: www.askarimetals.com

Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning Askari Metals Limited. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the company's beliefs, opinions and estimates of Askari Metals Limited as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Person Statement

The information in this report that relates to Exploration Targets, Exploration Results or Mineral Resources is based on information compiled by Johan Lambrechts, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr. Lambrechts is a full-time employee of Askari Metals Limited, who has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Lambrechts consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Appendix 1 – JORC Code, 2012 Edition, Table 1 report
Section 1 Sampling Techniques and Data (Criteria in this section applies to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report.	- All holes were sampled on a 1m down hole interval basis. - A representation of the rock chips from each 1m interval was collected and stored in RC chip trays for later use. - Each interval was scanned with an XRF scanner and the data recorded. <u>NOTE: The XRF data collected was not used for reporting purposes</u>, but rather to inform the geologist of potential increase of trace element values, which in turn help prevent the potential of stopping the hole in unseen mineralisation. - All sampling lengths and other logging data was recorded in GRL's standard sampling record spreadsheets. Data includes from and to measurements, colour, lithology, magnetic susceptibility, structures etc. Visible sulphide content was logged as well as alteration and weathering. - Industry standard practice was used in the processing of samples for assay, with 1m intervals of RC chips collected in green plastic and calico bags.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details.	- In this program, reverse circulation (RC) percussion drill holes were used. Hole dip was -50°. - RC percussion drilling was performed with a face sampling hammer bit (bit diameter between 4½ and 5 ¼ inches) and samples were collected by a cone splitter.
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed.	- RC drill chip sample recovery was recorded by visual estimation of the reject sample, expressed as a percentage recovery. Overall estimated recovery was high. - All samples were dry as a result of appropriate air pressure and volume and the lack of major ground water. - Measures taken to ensure maximum RC sample recoveries included maintaining a clean cyclone and drilling equipment, as well as regular communication with the drillers and slowing drill advance rates when variable to poor ground conditions are encountered.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level	The drill chips were geologically logged at 1m intervals with detailed recording of lithology, alteration, mineralisation and other observations such as colour,


Criteria	JORC Code explanation	Commentary
	of detail to support appropriate Mineral Resource Estimation, mining studies and metallurgical studies.	moisture and recovery. Drill chips were collected and sieved before being placed into reference chip trays for visual logging at 1m intervals. • Logging was performed at the time of drilling, and planned drill hole target lengths adjusted by the geologist during drilling. The geologist also oversaw all sampling and drilling practices. A small selection of representative chips were collected for every 1 meter interval and stored in chip-trays as well as a representative split of mineralised areas stored for potential future use.
Sub-sampling techniques and sample preparation	• For all sample types, the nature, quality and appropriateness of the sample preparation technique.	• 1m Samples were recovered using a rig mounted cone splitter during drilling into a calico sample bag. Sample target weight was between 2 and 4kg. • QAQC was employed. A standard, blank or duplicate sample was inserted into the sample stream at regular intervals and also at specific intervals based on the geologist's discretion. Standards were quantified industry standards. Duplicate samples were taken using the same sample sub sample technique as the original sub sample and inserted at the geologist's discretion. Sample sizes are appropriate for the nature of mineralisation.
Quality of assay data and laboratory tests	• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	• All AS2 samples were submitted to Bureau Veritas laboratories in Adelaide. • The samples were sorted, wet weighed, dried then weighed again. Primary preparation involved crushing and splitting the sample with a riffle splitter where necessary to obtain a sub-fraction which was pulverised in a vibrating pulveriser. All coarse residues have been retained. • The samples have been analysed by a 40g lead collection fire assay as well as multi acid digest with an Inductively Coupled Plasma (ICP) Optical Emission Spectrometry finish for multi elements • The lab randomly inserts analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. • AS2 also inserted Certified Reference Material (CRM) samples and blanks were inserted at least every 10 samples to assess the accuracy and reproducibility of the drill core results. • All of the QAQC data has been statistically assessed to determine if results were within the certified standard deviations of the reference material. If required a batch or a portion of the batch may be re-assayed. (no re-assays required for the data in the release).
Verification of sampling and assaying	• The verification of significant intersections by either independent or alternative company personnel. • Documentation of primary data, data entry procedures, data verification, data storage	• The lab randomly insert analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. • AS2 also inserted QAQC samples as mentioned above • All of the QAQC data has been statistically assessed, 100% of which are within acceptable QAQC limits as stated by the standard deviation stipulated on the certificate for the reference material used. This fact combined with the fact that the data is demonstrably consistent has meant that the results are considered to be acceptable and suitable for reporting.


Criteria	JORC Code explanation	Commentary
	(physical and electronic) protocols. Discuss any adjustment to assay data.	
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	- Collar Survey - Collars were surveyed by a survey consultancy and are accurate to within a few millimetres. - Down Hole Survey - Down hole surveys were conducted using a Gyro and were also conducted by the survey consultancy
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- The holes in this announcement were designed to target areas with relatively sparse drill density. - Grade continuity of the targeted lodes cannot be determined from this data alone. - Compositing of sample results was applied for the announcement and details are provided in the text, a summary table and a table showing all drill intervals in appendix 3.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	- The holes were drilled perpendicular to the mapped strike of the lodes and surface outcropping lithologies and drilled from the hanging wall side toward the steeply east dipping lodes. - The orientation of the drilling is deemed appropriate and unbiased.
Sample security	The measures taken to ensure sample security.	- All samples were collected and accounted for by AS2 employees/consultants during drilling. All samples were bagged into calico and plastic bags and closed with cable ties. Samples were transported to Perth from the logging site by AS2 employees/ consultants and submitted to the lab using courier companies. - The appropriate manifest of sample numbers and a sample submission form containing laboratory instructions were submitted to the laboratory. Any discrepancies between sample submissions and samples received were routinely followed up and accounted for.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audits have been conducted on the historic data to our knowledge.

Section 2 Reporting of Exploration Results (Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	- The Burracoppin Project (E70/5049) is located approximately 20km east of Merredin and 15km west of the Edna May Gold Mine in the eastern wheat belt of WA. The project is easily accessible from Merredin using the Great Eastern Highway. The Burracoppin South Road cross cuts some of the tenure. - The exploration rights to the project are owned 100% by the Askari Metals Limited through the granted exploration license E70/5049.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	See appendix 2
Geology	Deposit type, geological setting and style of mineralisation.	The area is dominated by gently undulating topography with isolated lateritic breakaways preserved on an intensely developed regolith. It is underlain by Archaean granite/gneiss greenstone terrane metamorphosed to amphibolite/granulite grade. Minor banded iron formation outcrops are known, and aplite-pegmatite dykes intrude the amphibolites at the Burgess Find gold workings. Burges Find, Christmas Gift, Benbur and Easter Gift were the four main areas mined at Burracoppin. (See Figure 2 below) The Burgess Find, Christmas Gift and Benbur mines reported production figures of 410 tonnes, 750 tonnes and 1030 tonnes, respectively. Production of the original miners in the 1930s was reported in the “Daily News” newspaper (June 1933), which wrote that the first parcel processed from Burracoppin had produced golds grades of 49g/t. The workings targeted mineralisation hosted in narrow, vertically dipping veins that occur within a gabbro dyke at or close to its western margin in pelitic sediments. The veins and gabbro strike north south and are folded into a series of open folds. The Easter Gift workings occur in mafic granulite and metasediments and occupy a similar stratigraphic position to that of the Christmas Gift-Benbur North-Benbur workings to the north. Laterites that cover the Archaean rock sequence also carries gold mineralisation. The laterite consists of loose pisolites with a significant sand matrix component at the surface, grading into a poorly to well cemented nodular laterite layer. Gold mineralisation appears to be restricted to the iron-rich laterites.

Criteria	JORC Code explanation	Commentary																																																																																																																																																																
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	Total drilling to the date of this report was 9,352 metres comprising of: <table><tr><th>Drillhole Type</th><th># Holes</th><th>Total metres</th><th>Ave Depth (m)</th></tr><tr><td>RAB</td><td>889</td><td>4074.3</td><td>4.6</td></tr><tr><td>RC</td><td>96</td><td>5255</td><td>54.7</td></tr><tr><td>Aircore</td><td>4</td><td>23</td><td>5.8</td></tr></table> Note: The RAB and Aircore holes were used as soils samples as is indicated by their average depth. Table below shows recent AS2 RC drill details <table><tr><th>Hole ID</th><th>Total Depth</th><th>Grid ID</th><th>Easting</th><th>Northing</th><th>Elevation</th><th>Dip</th><th>Azimuth</th></tr><tr><td>ABRC004</td><td>101</td><td>MGA94_50</td><td>647667</td><td>6513504</td><td>374</td><td>-50</td><td>309</td></tr><tr><td>ABRC005</td><td>70</td><td>MGA94_50</td><td>647645</td><td>6513491</td><td>375</td><td>-49</td><td>308</td></tr><tr><td>ABRC006</td><td>124</td><td>MGA94_50</td><td>647702</td><td>6513156</td><td>374</td><td>-50</td><td>269</td></tr><tr><td>ABRC007</td><td>112</td><td>MGA94_50</td><td>647690</td><td>6513118</td><td>375</td><td>-51</td><td>271</td></tr><tr><td>ABRC008</td><td>65</td><td>MGA94_50</td><td>647653</td><td>6513146</td><td>378</td><td>-50</td><td>265</td></tr><tr><td>ABRC009</td><td>65</td><td>MGA94_50</td><td>647609</td><td>6513114</td><td>380</td><td>-51</td><td>270</td></tr><tr><td>ABRC010</td><td>70</td><td>MGA94_50</td><td>647561</td><td>6513117</td><td>385</td><td>-50</td><td>270</td></tr><tr><td>ABRC011</td><td>100</td><td>MGA94_50</td><td>647686</td><td>6513089</td><td>376</td><td>-51</td><td>271</td></tr><tr><td>ABRC012</td><td>65</td><td>MGA94_50</td><td>647618</td><td>6513028</td><td>379</td><td>-50</td><td>261</td></tr><tr><td>ABRC013</td><td>65</td><td>MGA94_50</td><td>647575</td><td>6513030</td><td>386</td><td>-50</td><td>270</td></tr><tr><td>ABRC014</td><td>100</td><td>MGA94_50</td><td>647653</td><td>6512989</td><td>378</td><td>-50</td><td>264</td></tr><tr><td>ABRC015</td><td>80</td><td>MGA94_50</td><td>647516</td><td>6512034</td><td>375</td><td>-50</td><td>102</td></tr><tr><td>ABRC016</td><td>88</td><td>MGA94_50</td><td>647495</td><td>6512010</td><td>375</td><td>-51</td><td>100</td></tr><tr><td>ABRC017</td><td>80</td><td>MGA94_50</td><td>647491</td><td>6511975</td><td>377</td><td>-50</td><td>99</td></tr><tr><td>ABRC018</td><td>80</td><td>MGA94_50</td><td>648091</td><td>6511208</td><td>376</td><td>-51</td><td>115</td></tr><tr><td>ABRC019</td><td>80</td><td>MGA94_50</td><td>648154</td><td>6511199</td><td>381</td><td>-50</td><td>287</td></tr><tr><td>ABRC020</td><td>80</td><td>MGA94_50</td><td>647656</td><td>6513011</td><td>378</td><td>-51</td><td>293</td></tr></table>	Drillhole Type	# Holes	Total metres	Ave Depth (m)	RAB	889	4074.3	4.6	RC	96	5255	54.7	Aircore	4	23	5.8	Hole ID	Total Depth	Grid ID	Easting	Northing	Elevation	Dip	Azimuth	ABRC004	101	MGA94_50	647667	6513504	374	-50	309	ABRC005	70	MGA94_50	647645	6513491	375	-49	308	ABRC006	124	MGA94_50	647702	6513156	374	-50	269	ABRC007	112	MGA94_50	647690	6513118	375	-51	271	ABRC008	65	MGA94_50	647653	6513146	378	-50	265	ABRC009	65	MGA94_50	647609	6513114	380	-51	270	ABRC010	70	MGA94_50	647561	6513117	385	-50	270	ABRC011	100	MGA94_50	647686	6513089	376	-51	271	ABRC012	65	MGA94_50	647618	6513028	379	-50	261	ABRC013	65	MGA94_50	647575	6513030	386	-50	270	ABRC014	100	MGA94_50	647653	6512989	378	-50	264	ABRC015	80	MGA94_50	647516	6512034	375	-50	102	ABRC016	88	MGA94_50	647495	6512010	375	-51	100	ABRC017	80	MGA94_50	647491	6511975	377	-50	99	ABRC018	80	MGA94_50	648091	6511208	376	-51	115	ABRC019	80	MGA94_50	648154	6511199	381	-50	287	ABRC020	80	MGA94_50	647656	6513011	378	-51	293
Drillhole Type	# Holes	Total metres	Ave Depth (m)																																																																																																																																																															
RAB	889	4074.3	4.6																																																																																																																																																															
RC	96	5255	54.7																																																																																																																																																															
Aircore	4	23	5.8																																																																																																																																																															
Hole ID	Total Depth	Grid ID	Easting	Northing	Elevation	Dip	Azimuth																																																																																																																																																											
ABRC004	101	MGA94_50	647667	6513504	374	-50	309																																																																																																																																																											
ABRC005	70	MGA94_50	647645	6513491	375	-49	308																																																																																																																																																											
ABRC006	124	MGA94_50	647702	6513156	374	-50	269																																																																																																																																																											
ABRC007	112	MGA94_50	647690	6513118	375	-51	271																																																																																																																																																											
ABRC008	65	MGA94_50	647653	6513146	378	-50	265																																																																																																																																																											
ABRC009	65	MGA94_50	647609	6513114	380	-51	270																																																																																																																																																											
ABRC010	70	MGA94_50	647561	6513117	385	-50	270																																																																																																																																																											
ABRC011	100	MGA94_50	647686	6513089	376	-51	271																																																																																																																																																											
ABRC012	65	MGA94_50	647618	6513028	379	-50	261																																																																																																																																																											
ABRC013	65	MGA94_50	647575	6513030	386	-50	270																																																																																																																																																											
ABRC014	100	MGA94_50	647653	6512989	378	-50	264																																																																																																																																																											
ABRC015	80	MGA94_50	647516	6512034	375	-50	102																																																																																																																																																											
ABRC016	88	MGA94_50	647495	6512010	375	-51	100																																																																																																																																																											
ABRC017	80	MGA94_50	647491	6511975	377	-50	99																																																																																																																																																											
ABRC018	80	MGA94_50	648091	6511208	376	-51	115																																																																																																																																																											
ABRC019	80	MGA94_50	648154	6511199	381	-50	287																																																																																																																																																											
ABRC020	80	MGA94_50	647656	6513011	378	-51	293																																																																																																																																																											
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	No grade aggregation, weighting, or cut-off methods were used for this announcement.																																																																																																																																																																
Relationship between mineralisation	These relationships are particularly important in the reporting of Exploration Results.	The mineralised units are near vertical and drilling has almost exclusively been conducted from the east at optimal angles with the mineralised units. The drill																																																																																																																																																																

Criteria	JORC Code explanation	Commentary
widths and intercept lengths	If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.	angle is about -50 degrees, resulting in mineralised intersections slightly longer than the true width. Interpretation of the mineralised units honour the true width.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	 The left diagram, titled 'Section through Benbur west Indicating historic drilling along with Phase 1 AS2 drilling', shows a geological cross-section with drill holes ABRC010 and ABRC012. It includes a scale bar from 325m to 400m and a north arrow. The right diagram, titled 'Section through Benbur Indicating historic drilling along with Phase 1 AS2 drilling', shows a similar cross-section with drill holes ABRC010, ABRC012, and ABRC013. It includes a scale bar from 300m to 400m and a north arrow. Both diagrams show mineralised units as colored blocks and drill holes as lines with intercepts.

Criteria	JORC Code explanation	Commentary
		
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of results.	All results of Askari Metals' samples from the RC program have been reported in this release...See appendix 3
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of	

Criteria	JORC Code explanation	Commentary
	treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	
Further work	The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).	Currently under assessment. Follow-up work is required, as mentioned in body of the announcement.

Appendix 2. Historic Exploration in the area of E70/5049_Burracoppin

REPORT_YEAR	OPERATOR	TARGET_COMMODITY	PROJECT	ANUMBER
1981	VALIANT CONSOLIDATED LTD	Au	Burgess Find	9736
1981	VALIANT CONSOLIDATED LTD	Au	Burgess Find	16524
1985	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	16639
1753	CARPENTARIA EXP CO PTY LTD	Au	Westonia	17401
1986	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	18730
1986	CARPENTARIA EXP CO PTY LTD	Au	Westonia	18974
1986	WESTONIA MINES PTY LTD	Au	West Westonia	19535
1986	MIRALGA MINING	Au	Burgess Find	20003
1987	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	20186
1987	AUREX PTY LTD	Au	Westonia	20818
1987	QESTORE PTY LTD	Au	West Westonia	21701
1987	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	22011
1988	AUST CONSOLIDATED MINERALS LTD	Au	Corsini's - Westonia	24889
1988	WESTONIA MINES PTY LTD	Au	Westonia West	25229
1988	AUST CONSOLIDATED MINERALS LTD	Au	West Westonia	27080
1988	AUST CONSOLIDATED MINERALS LTD	Au	Leaches Block	27082
1988	AUST CONSOLIDATED MINERALS LTD	Au	West Westonia	27083
1988	AUST CONSOLIDATED MINERALS LTD	Au	Corsini's	27084
1989	MIRALGA MINING	Au	Burgess Find	29857
1993	MR FIRTH DA	Au	Burgess and Bennett Find	39454
1994	MR RUTHERFORD JW	Au	Burracoppin	42589
1994	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	43181
1995	CAMBRIAN RESOURCES NL	Au	Benbur West	45912
1995	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	46217
1996	CAMBRIAN RESOURCES NL	Au	Burracoppin	47133
1996	CAMBRIAN RESOURCES NL	Au	Benbur West	49289
1996	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	49338
1996	CAMBRIAN RESOURCES NL	Au	Burracoppin	49526
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin	50656
1997	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	52467
1997	CAMBRIAN RESOURCES NL	Au	Benbur West	52468
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin exploration gold	52479
1997	CAMBRIAN RESOURCES NL	Au	Benbur West	52481
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin	53321
1998	CAMBRIAN RESOURCES NL	Au	Burracoppin	53845
1998	CAMBRIAN RESOURCES NL	Au	Burracoppin	55244
2007	MAGNETIC RESOURCES NL	Au; Ni	Koonadgin	76560
2008	MAGNETIC RESOURCES NL	Au	Koonadgin	79047
2008	MAGNETIC RESOURCES NL	Au	Koonadgin	79048
2009	MAGNETIC RESOURCES NL	Au; Fe	Koonadgin	84076
2010	MAGNETIC RESOURCES NL	Au; Fe	Koonadgin	87284
2011	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	90428
2012	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	93797
2012	ENTERPRISE METALS LTD	Au; PGE's	Burracoppin	93879
2012	Maka Minerals Pty Ltd	Au; Fe; Ni; PGE's	Koonadgin	94704
2012	Maka Minerals Pty Ltd	Au; Fe; Ni; PGE's	Tandagin	95629
2013	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	97794
2013	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	98573
2013	ENTERPRISE METALS LTD	Au; Fe	Burracoppin	98860
2013	ENTERPRISE METALS LTD	Au; Fe	Burracoppin	100065
2013	Maka Minerals Pty Ltd	COBALT; Au; Ni	Tandagin	100275
2014	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	101937
2014	ENTERPRISE METALS LTD	Fe; Au; BaseMet; PGE's	Burracoppin	104197
2015	ENTERPRISE METALS LTD	Fe; Au; BaseMet; PGE's	Burracoppin	105931
2020	CYGNUS GOLD LIMITED	Au	Burracoppin	124414

Appendix 3: Table of assay results from the recent Askari Metals Ltd RC drill program

Hole_ID	mFro m	mT o	Au pp m	As pp m	Sn pp m	W_ppm	Hole_ID	mFro m	mT o	Au pp m	As pp m	Sn pp m	W_ppm
ABRC004	0	1	0.04	4.40	1.00	14.40	ABRC012	0	1	0.10	2.80	1.20	31.80
ABRC004	1	2	0.05	3.40	1.00	8.60	ABRC012	1	2	0.01	1.80	0.60	13.50
ABRC004	2	3	0.02	0.20	0.60	3.20	ABRC012	2	3	0.02	3.00	0.60	6.90
ABRC004	3	4	0.02	0.80	0.80	7.90	ABRC012	3	4	0.03	5.20	1.00	5.40
ABRC004	4	5	0.01	0.80	0.60	5.30	ABRC012	4	5	0.02	9.20	0.80	13.70
ABRC004	5	6	0.02	3.20	2.20	60.40	ABRC012	5	6	0.09	7.40	0.80	10.10
ABRC004	6	7	0.04	2.20	1.60	59.30	ABRC012	6	7	0.03	5.20	0.60	4.80
ABRC004	7	8	0.10	1.40	1.00	13.10	ABRC012	7	8	0.01	9.40	1.00	3.80
ABRC004	8	9	0.03	1.60	1.00	10.70	ABRC012	8	9	0.02	20.40	1.60	3.70
ABRC004	9	10	0.02	0.20	1.60	2.90	ABRC012	9	10	0.01	23.80	1.00	3.60
ABRC004	10	11	0.05	0.20	0.80	1.70	ABRC012	10	11	0.01	35.80	1.00	4.20
ABRC004	11	12	0.00	0.80	0.80	1.90	ABRC012	11	12	0.01	47.20	1.00	3.90
ABRC004	12	13	0.01	0.20	1.00	1.80	ABRC012	12	13	0.01	56.20	1.20	3.90
ABRC004	13	14	0.00	4.00	0.60	2.40	ABRC012	13	14	0.01	62.40	1.00	3.20
ABRC004	14	15	0.00	1.60	0.80	1.90	ABRC012	14	15	0.00	48.00	1.00	3.10
ABRC004	15	16	0.00	3.00	0.80	1.50	ABRC012	15	16	0.01	38.20	0.80	2.70
ABRC004	16	17	0.09	1.20	0.60	1.20	ABRC012	16	17	0.01	24.00	0.80	3.20
ABRC004	17	18	0.12	1.40	0.80	1.00	ABRC012	17	18	0.00	47.80	1.00	6.90
ABRC004	18	19	0.00	0.80	0.80	1.70	ABRC012	18	19	0.00	35.40	2.20	6.20
ABRC004	19	20	0.04	1.80	0.40	7.00	ABRC012	19	20	0.00	18.00	1.80	4.40
ABRC004	20	21	0.66	1.00	0.60	4.90	ABRC012	20	21	0.00	17.00	1.80	5.10
ABRC004	21	22	0.00	0.20	0.60	1.50	ABRC012	21	22	0.01	19.20	1.40	4.20
ABRC004	22	23	0.04	0.20	0.60	1.70	ABRC012	22	23	0.01	71.20	0.80	4.90
ABRC004	23	24	0.04	0.20	0.60	1.10	ABRC012	23	24	0.01	36.80	0.80	3.90
ABRC004	24	25	0.04	19.60	0.60	4.50	ABRC012	24	25	0.00	25.20	1.20	7.60
ABRC004	25	26	0.06	1.40	0.80	1.30	ABRC012	25	26	0.00	35.80	1.20	3.00
ABRC004	26	27	0.04	2.20	0.60	1.30	ABRC012	26	27	0.01	29.00	1.20	2.90
ABRC004	27	28	0.00	0.80	0.60	0.80	ABRC012	27	28	0.01	36.60	0.80	5.00
ABRC004	28	29	0.01	0.20	0.40	0.50	ABRC012	28	29	0.17	72.80	0.60	8.40
ABRC004	29	30	0.00	1.00	0.80	0.80	ABRC012	29	30	0.37	65.60	0.60	4.80
ABRC004	30	31	0.00	0.40	0.80	1.10	ABRC012	30	31	0.19	33.00	0.40	96.30
ABRC004	31	32	0.00	0.20	0.60	1.10	ABRC012	31	32	0.03	42.00	0.60	31.10
ABRC004	32	33	0.00	0.20	0.40	0.50	ABRC012	32	33	0.02	23.00	0.40	7.90
ABRC004	33	34	0.00	0.80	0.60	0.70	ABRC012	33	34	1.02	24.80	0.40	66.90
ABRC004	34	35	0.00	0.20	0.60	0.60	ABRC012	34	35	0.76	21.60	0.40	24.80
ABRC004	35	36	0.00	1.40	0.60	0.80	ABRC012	35	36	0.05	29.00	0.40	37.80
ABRC004	36	37	0.00	0.20	0.60	0.80	ABRC012	36	37	0.03	53.60	0.60	49.90
ABRC004	37	38	0.01	3.00	0.80	4.00	ABRC012	37	38	0.02	35.80	0.40	35.60
ABRC004	38	39	0.00	1.60	0.60	1.90	ABRC012	38	39	0.04	41.60	0.40	67.00
ABRC004	39	40	0.00	0.80	0.60	1.30	ABRC012	39	40	0.02	55.40	0.80	43.70
ABRC004	40	41	0.00	2.20	0.60	1.90	ABRC012	40	41	0.02	39.80	1.00	12.60
ABRC004	41	42	0.00	2.40	0.60	0.90	ABRC012	41	42	0.01	29.60	1.00	6.00
ABRC004	42	43	0.00	1.00	0.60	0.80	ABRC012	42	43	0.07	35.20	1.00	5.10
ABRC004	43	44	0.00	1.80	0.60	0.80	ABRC012	43	44	0.05	71.20	0.80	11.10
ABRC004	44	45	0.00	2.20	0.80	1.90	ABRC012	44	45	0.05	40.40	0.80	10.10
ABRC004	45	46	0.00	2.60	1.00	2.90	ABRC012	45	46	0.06	15.20	0.80	3.30
ABRC004	46	47	0.00	0.40	1.00	4.50	ABRC012	46	47	0.09	58.60	0.80	3.60
ABRC004	47	48	0.01	0.80	1.60	5.60	ABRC012	47	48	0.09	107.00	0.60	2.40
ABRC004	48	49	0.00	0.80	1.40	8.80	ABRC012	48	49	0.73	204.00	2.40	5.00
ABRC004	49	50	0.01	0.20	1.20	5.70	ABRC012	49	50	0.06	56.60	3.00	1.30
ABRC004	50	51	0.00	0.80	1.00	6.20	ABRC012	50	51	0.04	9.40	0.80	3.20
ABRC004	51	52	0.00	0.20	1.00	7.50	ABRC012	51	52	0.02	10.60	0.80	3.60
ABRC004	52	53	0.00	0.20	0.80	4.60	ABRC012	52	53	0.04	14.00	0.80	6.50
ABRC004	53	54	0.00	1.00	0.80	5.50	ABRC012	53	54	0.02	2.60	0.80	4.10
ABRC004	54	55	0.01	7.40	1.20	6.70	ABRC012	54	55	0.02	1.20	0.80	3.20
ABRC004	55	56	0.02	6.20	1.00	8.50	ABRC012	55	56	0.00	2.20	0.80	3.20
ABRC004	56	57	0.66	1.20	1.20	93.00	ABRC012	56	57	0.01	2.20	0.80	3.20
ABRC004	57	58	0.05	1.60	1.20	12.60	ABRC012	57	58	0.02	2.00	0.80	3.30
ABRC004	58	59	0.06	1.20	1.00	7.50	ABRC012	58	59	0.00	0.80	0.80	3.90
ABRC004	59	60	0.03	2.40	1.20	13.00	ABRC012	59	60	0.01	1.00	0.80	4.10
ABRC004	60	61	0.00	1.20	0.60	7.00	ABRC012	60	61	0.00	0.40	0.80	4.20
ABRC004	61	62	0.00	0.20	0.80	7.50	ABRC012	61	62	0.01	0.20	0.80	3.90
ABRC004	62	63	0.01	0.20	0.80	7.90	ABRC012	62	63	0.02	0.20	0.80	3.20
ABRC004	63	64	0.02	1.40	1.00	6.20	ABRC012	63	64	0.01	2.20	0.40	5.60
ABRC004	64	65	0.01	1.60	1.00	5.30	ABRC012	64	65	0.00	0.20	0.80	5.00
ABRC004	65	66	0.00	1.60	1.00	5.40	ABRC013	0	1	0.80	40.20	1.60	731.00
ABRC004	66	67	0.01	0.80	1.00	6.00	ABRC013	1	2	0.51	31.00	1.40	1020.00
ABRC004	67	68	0.01	0.60	1.20	4.70	ABRC013	2	3	0.04	11.20	0.80	197.00
ABRC004	68	69	0.01	1.00	1.60	7.80	ABRC013	3	4	0.04	17.40	0.40	32.00
ABRC004	69	70	0.01	2.00	1.00	5.70	ABRC013	4	5	0.02	9.60	0.80	30.10
ABRC004	70	71	0.02	2.60	1.00	6.20	ABRC013	5	6	0.15	10.20	1.40	155.00
ABRC004	71	72	0.06	4.40	0.80	10.10	ABRC013	6	7	0.10	10.80	1.60	226.00
ABRC004	72	73	0.09	3.80	1.00	17.60	ABRC013	7	8	0.04	11.60	1.80	303.00
ABRC004	73	74	0.04	21.00	1.20	10.80	ABRC013	8	9	0.01	4.80	0.80	31.40
ABRC004	74	75	0.01	8.00	1.20	9.50	ABRC013	9	10	0.02	1.00	1.60	29.60
ABRC004	75	76	0.01	8.00	1.40	10.30	ABRC013	10	11	0.02	0.80	1.40	17.70
ABRC004	77	78	0.01	1.60	1.40	8.40	ABRC013	11	12	0.00	1.40	0.80	9.50
ABRC004	78	79	0.01	1.00	1.00	156.00	ABRC013	12	13	0.01	4.60	1.00	8.00
ABRC004	79	80	0.00	1.60	5.80	17.80	ABRC013	13	14	0.07	6.20	0.80	8.00
ABRC004	80	81	0.01	2.60	2.00	9.60	ABRC013	14	15	0.02	3.40	1.20	10.30
ABRC004	81	82	0.00	2.40	1.00	7.30	ABRC013	15	16	0.03	4.80	1.00	6.60
ABRC004	82	83	0.01	1.00	1.20	5.70	ABRC013	16	17	0.03	4.80	1.00	10.40
ABRC004	83	84	0.02	7.20	5.00	10.10	ABRC013	17	18	0.03	3.00	1.00	16.00
ABRC004	84	85	0.01	2.00	1.20	352.00	ABRC013	18	19	0.02	1.60	1.40	7.00
ABRC004	85	86	0.01	2.60	1.60	1290.00	ABRC013	19	20	0.04	1.20	1.40	5.00
ABRC004	86	87	0.01	1.00	1.60	13.30	ABRC013	20	21	0.02	3.20	1.80	12.30
ABRC004	87	88	0.01	3.60	1.20	23.90	ABRC013	21	22	0.05	3.40	1.00	41.80
ABRC004	88	89	0.01	1.00	1.40	600.00	ABRC013	22	23	4.01	7.00	1.00	24.30
ABRC004	89	90	0.05	1.40	1.60	120.00	ABRC013	23	24	0.74	5.20	1.40	15.30
ABRC004	90	91	0.05	0.80	2.00	3000.00	ABRC013	24	25	0.22	3.20	1.20	36.20
ABRC004	91	92	0.11	0.80	1.40	219.00	ABRC013	25	26	0.08	2.00	9.00	66.80
ABRC004	92	93	0.04	1.80	1.20	162.00	ABRC013	26	27	0.03	2.40	6.00	34.00
ABRC004	93	94	0.09	2.40	1.00	44.80	ABRC013	27	28	0.09	2.60	1.80	24.50
ABRC004	94	95	0.01	2.20	1.00	106.00	ABRC013	28	29	0.20	3.80	1.00	16.10
ABRC004	95	96	0.01	1.00	1.20	19.00	ABRC013	29	30	0.05	2.40	1.40	10.00
ABRC004	96	97	0.02	1.00	1.60	19.80	ABRC013	30	31	0.02	12.20	1.00	8.70
ABRC004	97	98	0.01	2.20	1.60	39.60	ABRC013	31	32	0			

Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm		Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_pp m
ABRC004	100	101	0.01	0.60	1.00	1380.00		ABRC013	34	35	0.02	8.00	1.80	5.10
ABRC005	0	1	0.03	3.40	0.80	7.10		ABRC013	35	36	0.03	4.20	1.80	4.80
ABRC005	1	2	0.02	3.20	0.80	4.20		ABRC013	36	37	0.01	4.80	1.80	4.90
ABRC005	2	3	0.05	4.60	0.80	3.70		ABRC013	37	38	0.00	5.20	2.40	5.30
ABRC005	3	4	0.01	2.40	0.60	3.50		ABRC013	38	39	0.01	2.00	2.60	5.20
ABRC005	4	5	0.03	3.40	0.40	3.20		ABRC013	39	40	0.02	2.40	2.20	5.80
ABRC005	5	6	0.04	0.80	0.40	2.20		ABRC013	40	41	0.00	2.60	2.00	4.80
ABRC005	6	7	0.02	1.00	0.40	2.20		ABRC013	41	42	0.01	2.40	2.00	4.90
ABRC005	7	8	0.01	1.60	0.40	1.90		ABRC013	42	43	0.01	2.40	1.80	4.50
ABRC005	8	9	0.03	2.60	0.60	1.40		ABRC013	43	44	0.01	1.60	2.40	4.90
ABRC005	9	10	0.01	3.60	0.40	1.90		ABRC013	44	45	0.01	1.60	2.80	11.40
ABRC005	10	11	0.01	0.20	0.40	1.50		ABRC013	45	46	0.00	2.40	3.20	6.30
ABRC005	11	12	0.01	2.40	1.00	4.20		ABRC013	46	47	0.02	2.40	1.60	6.30
ABRC005	12	13	0.01	0.20	0.40	1.90		ABRC013	47	48	0.00	3.00	1.20	6.00
ABRC005	13	14	0.01	3.00	0.60	3.10		ABRC013	48	49	0.00	2.00	2.00	5.80
ABRC005	14	15	0.01	0.60	0.40	1.70		ABRC013	49	50	0.00	1.40	1.20	4.90
ABRC005	15	16	0.01	12.60	1.80	8.60		ABRC013	50	51	0.00	2.20	1.60	5.20
ABRC005	16	17	0.02	22.40	0.80	4.10		ABRC013	51	52	0.01	3.80	1.40	5.10
ABRC005	17	18	0.02	34.00	0.60	2.20		ABRC013	52	53	0.00	2.00	1.80	8.90
ABRC005	18	19	0.01	24.80	0.60	1.70		ABRC013	53	54	0.02	1.80	1.40	5.10
ABRC005	19	20	0.00	23.40	0.40	1.30		ABRC013	54	55	0.02	0.40	1.80	3.00
ABRC005	20	21	0.02	7.80	0.60	1.00		ABRC013	55	56	0.02	0.80	1.60	3.20
ABRC005	21	22	0.05	1.20	0.80	1.10		ABRC013	56	57	0.00	1.40	1.40	3.30
ABRC005	22	23	0.08	5.00	0.60	1.30		ABRC013	57	58	0.01	3.20	1.40	3.10
ABRC005	23	24	0.13	7.20	1.00	11.50		ABRC013	58	59	0.01	1.80	1.20	3.10
ABRC005	24	25	0.07	7.00	0.80	5.10		ABRC013	59	60	0.01	1.40	1.00	2.80
ABRC005	25	26	0.11	8.00	0.80	4.90		ABRC013	60	61	0.01	2.00	1.00	5.80
ABRC005	26	27	0.09	9.00	1.00	2.50		ABRC013	61	62	0.01	2.60	2.00	4.20
ABRC005	27	28	0.05	45.80	1.00	2.50		ABRC013	62	63	0.01	1.40	1.00	4.00
ABRC005	28	29	0.03	27.20	0.80	1.90		ABRC013	63	64	0.00	1.60	0.80	3.10
ABRC005	29	30	0.02	1.00	1.00	1.60		ABRC013	64	65	0.01	1.80	0.80	2.90
ABRC005	30	31	0.06	5.60	0.60	2.80		ABRC014	0	1	0.07	3.20	1.00	1.70
ABRC005	31	32	0.06	5.20	0.20	3.20		ABRC014	1	2	0.02	4.40	1.00	2.00
ABRC005	32	33	0.03	3.00	0.40	1.30		ABRC014	2	3	0.00	7.00	0.60	1.80
ABRC005	33	34	0.02	3.20	0.20	2.20		ABRC014	3	4	0.07	6.60	0.80	5.10
ABRC005	34	35	0.02	1.20	0.40	2.40		ABRC014	4	5	0.19	2.80	0.80	9.60
ABRC005	35	36	0.02	2.00	0.80	1.70		ABRC014	5	6	0.05	3.80	1.00	7.60
ABRC005	36	37	0.00	0.60	1.00	1.50		ABRC014	6	7	0.08	5.60	0.80	8.50
ABRC005	37	38	0.03	0.20	1.00	2.50		ABRC014	7	8	0.03	1.20	0.80	9.60
ABRC005	38	39	0.02	0.20	1.00	0.80		ABRC014	8	9	0.00	0.20	0.40	3.40
ABRC005	39	40	0.13	2.20	1.20	2.30		ABRC014	9	10	0.01	0.20	0.40	1.70
ABRC005	40	41	7.40	0.80	1.60	4.90		ABRC014	10	11	0.22	0.20	0.60	1.00
ABRC005	41	42	0.32	3.40	1.40	7.60		ABRC014	11	12	0.19	0.20	0.80	2.70
ABRC005	42	43	2.99	2.00	1.80	9.10		ABRC014	12	13	0.08	0.20	1.00	30.50
ABRC005	43	44	0.29	0.80	2.00	5.20		ABRC014	13	14	0.06	0.20	0.80	1.40
ABRC005	44	45	0.07	1.80	1.40	4.00		ABRC014	14	15	0.36	0.20	0.60	1.50
ABRC005	45	46	0.05	2.40	1.00	2.90		ABRC014	15	16	0.18	0.20	0.20	0.90
ABRC005	46	47	0.06	1.80	1.00	2.90		ABRC014	16	17	0.04	0.60	1.40	4.50
ABRC005	47	48	0.04	4.00	1.00	3.90		ABRC014	17	18	0.00	1.20	0.80	2.60
ABRC005	48	49	0.06	6.40	1.00	4.40		ABRC014	18	19	0.04	0.80	0.80	2.60
ABRC005	49	50	0.03	0.80	0.80	1.40		ABRC014	19	20	0.15	0.40	3.00	5.00
ABRC005	50	51	0.03	4.40	1.00	3.20		ABRC014	20	21	0.01	0.20	1.60	254.00
ABRC005	51	52	0.00	1.80	0.60	2.60		ABRC014	21	22	0.00	1.00	2.00	216.00
ABRC005	52	53	0.01	1.20	0.40	2.50		ABRC014	22	23	1.08	0.60	2.00	153.00
ABRC005	53	54	0.00	0.20	0.60	1.90		ABRC014	23	24	0.25	0.20	1.40	20.40
ABRC005	54	55	0.02	0.20	0.60	1.10		ABRC014	24	25	0.03	0.20	0.80	17.00
ABRC005	55	56	0.02	0.20	0.80	1.30		ABRC014	25	26	0.02	0.60	1.20	174.00
ABRC005	56	57	0.02	0.80	0.60	1.40		ABRC014	26	27	0.03	5.00	1.60	193.00
ABRC005	57	58	0.00	0.20	0.60	1.80		ABRC014	27	28	0.03	1.20	1.40	50.00
ABRC005	58	59	0.01	0.20	0.60	1.20		ABRC014	28	29	0.07	0.60	2.60	15.30
ABRC005	59	60	0.02	1.40	0.80	3.20		ABRC014	29	30	0.05	0.60	1.40	15.20
ABRC005	60	61	0.01	5.00	1.60	33.00		ABRC014	30	31	0.03	0.20	1.20	38.00
ABRC005	61	62	0.00	2.60	1.20	698.00		ABRC014	31	32	0.03	0.20	0.60	6.20
ABRC005	62	63	0.00	2.00	1.20	90.00		ABRC014	32	33	0.02	0.40	1.20	132.00
ABRC005	63	64	0.00	1.40	1.20	38.40		ABRC014	33	34	0.00	1.20	1.40	39.80
ABRC005	64	65	0.01	0.60	0.80	17.60		ABRC014	34	35	0.01	1.40	1.00	5.80
ABRC005	65	66	0.00	0.60	0.80	10.30		ABRC014	35	36	0.02	0.40	0.60	5.20
ABRC005	66	67	0.00	1.80	0.60	8.40		ABRC014	36	37	0.03	0.20	0.60	42.00
ABRC005	67	68	0.00	1.80	1.00	15.90		ABRC014	37	38	0.03	0.40	1.00	19.10
ABRC005	68	69	0.00	0.40	1.00	8.20		ABRC014	38	39	0.06	1.00	1.20	13.80
ABRC005	69	70	0.00	0.20	1.00	4.90		ABRC014	39	40	0.02	0.20	0.80	1.90
ABRC006	1	2	0.12	10.60	1.60	34.70		ABRC014	40	41	0.04	0.20	1.00	3.90
ABRC006	2	3	0.09	10.80	1.80	20.70		ABRC014	41	42	0.01	0.40	1.80	35.20
ABRC006	3	4	0.03	4.40	1.60	11.80		ABRC014	42	43	0.00	0.60	1.40	12.70
ABRC006	4	5	0.03	9.00	1.80	28.40		ABRC014	43	44	0.00	0.80	1.00	9.10
ABRC006	5	6	0.00	10.40	1.80	10.20		ABRC014	44	45	0.02	1.20	1.60	5.50
ABRC006	6	7	0.00	7.20	1.40	12.80		ABRC014	45	46	0.02	1.00	1.60	4.00
ABRC006	7	8	0.00	9.40	2.00	5.60		ABRC014	46	47	0.00	0.80	1.60	4.40
ABRC006	8	9	0.00	14.80	2.80	17.20		ABRC014	47	48	0.01	0.20	0.80	1.00
ABRC006	9	10	0.00	5.00	1.60	4.20		ABRC014	48	49	0.01	0.20	1.00	1.50
ABRC006	10	11	0.01	2.60	1.40	17.20		ABRC014	49	50	0.03	0.80	1.40	1.70
ABRC006	11	12	0.01	2.80	1.20	7.10		ABRC014	50	51	0.02	0.20	1.00	2.90
ABRC006	12	13	0.00	6.00	1.80	7.90		ABRC014	51	52	0.01	0.40	1.00	5.00
ABRC006	13	14	0.00	4.00	1.60	3.80		ABRC014	52	53	0.01	0.20	1.80	2.80
ABRC006	14	15	0.00	4.80	1.40	10.10		ABRC014	53	54	0.02	0.20	2.00	3.70
ABRC006	15	16	0.01	7.40	1.80	5.20		ABRC014	54	55	0.01	1.00	1.40	4.40
ABRC006	16	17	0.01	21.80	1.40	6.90		ABRC014	55	56	0.01	0.80	0.80	3.50
ABRC006	17	18	0.00	6.20	0.80	3.30		ABRC014	56	57	0.01	1.20	1.20	2.00
ABRC006	18	19	0.00	1.60	0.80	8.70		ABRC014	57	58	0.04	2.00	1.20	6.50
ABRC006	19	20	0.00	4.40	1.20	8.30		ABRC014	58	59	0.00	0.80	1.00	7.10
ABRC006	20	21	0.00	5.80	1.40	16.50		ABRC014	59	60	0.00	3.60	1.00	7.10
ABRC006	21	22	0.02	9.80	1.20	8.50		ABRC014	60	61	0.00	2.20	1.20	7.20
ABRC006	22	23	0.05	7.40	1.00	20.70		ABRC014	61	62	0.01	1.40	0.80	5.80
ABRC006	23	24	0.02	7.20	0.40	14.50		ABRC014	62	63	0.00	1.40	0.60	5.60
ABRC006	24	25	0.01	5.00	0.60	33.00		ABRC014	63	64	0.00	0.80	0.80	5.80
ABRC006	25	26	0.01	5.60	1.00									

Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm		Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_pp m
ABRC006	33	34	0.01	12.80	0.40	14.10		ABRC014	72	73	0.01	1.60	0.60	6.40
ABRC006	34	35	0.02	3.40	0.40	10.60		ABRC014	73	74	0.00	1.00	0.60	5.70
ABRC006	35	36	0.00	2.00	0.40	7.40		ABRC014	74	75	0.00	1.00	0.80	5.40
ABRC006	36	37	0.03	2.60	0.60	10.20		ABRC014	75	76	0.00	0.80	0.80	5.00
ABRC006	37	38	0.00	2.40	2.60	4.10		ABRC014	76	77	0.01	0.60	1.60	3.40
ABRC006	38	39	0.00	2.20	2.80	7.70		ABRC014	77	78	0.00	3.20	1.60	4.90
ABRC006	39	40	0.00	1.40	5.00	5.60		ABRC014	78	79	0.00	0.40	0.80	1.00
ABRC006	40	41	0.07	2.60	12.40	7.60		ABRC014	79	80	0.00	0.40	1.00	4.70
ABRC006	41	42	0.05	2.20	14.20	7.30		ABRC014	80	81	0.00	0.20	1.00	4.40
ABRC006	42	43	0.02	2.40	5.40	17.30		ABRC014	81	82	0.00	0.60	0.80	5.30
ABRC006	43	44	0.03	4.80	4.20	28.40		ABRC014	82	83	0.00	1.20	0.80	5.30
ABRC006	44	45	0.01	23.60	2.20	33.60		ABRC014	83	84	0.01	0.80	1.00	5.50
ABRC006	45	46	0.01	3.80	1.40	24.80		ABRC014	84	85	0.00	0.20	1.00	5.20
ABRC006	46	47	0.01	3.40	1.60	9.60		ABRC014	85	86	0.00	0.60	1.00	5.90
ABRC006	47	48	0.02	5.00	1.60	7.30		ABRC014	86	87	0.00	1.20	1.20	6.30
ABRC006	48	49	0.01	3.00	3.40	5.00		ABRC014	87	88	0.00	0.20	1.20	5.50
ABRC006	49	50	0.00	0.40	3.00	4.40		ABRC014	88	89	0.00	4.40	1.00	4.80
ABRC006	50	51	0.12	7.20	2.40	11.80		ABRC014	89	90	0.01	2.40	1.00	6.70
ABRC006	51	52	0.00	2.40	2.60	4.10		ABRC014	90	91	0.00	2.40	0.80	6.70
ABRC006	52	53	0.00	1.80	2.20	3.80		ABRC014	91	92	0.00	1.80	1.00	6.70
ABRC006	53	54	0.00	1.80	4.00	4.40		ABRC014	92	93	0.01	1.40	1.00	6.80
ABRC006	54	55	0.00	1.80	1.60	4.70		ABRC014	93	94	0.00	0.60	1.20	4.90
ABRC006	55	56	0.00	2.40	2.40	4.80		ABRC014	94	95	0.01	0.40	1.60	3.00
ABRC006	56	57	0.00	1.60	1.60	3.50		ABRC014	95	96	0.00	1.40	1.20	2.70
ABRC006	57	58	0.00	1.60	3.00	1.50		ABRC014	96	97	0.01	1.60	0.60	6.80
ABRC006	58	59	0.00	1.60	2.60	1.40		ABRC014	97	98	0.01	1.40	0.60	5.50
ABRC006	59	60	0.00	2.60	2.20	4.10		ABRC014	98	99	0.01	1.80	0.80	5.20
ABRC006	60	61	0.00	5.00	2.40	4.10		ABRC014	99	100	0.01	0.40	0.60	4.90
ABRC006	61	62	0.00	1.60	2.60	5.70		ABRC015	1	2	0.00	1.20	2.00	8.30
ABRC006	62	63	0.00	2.80	2.20	3.50		ABRC015	2	3	0.00	5.80	1.80	17.40
ABRC006	63	64	0.00	3.40	2.20	3.30		ABRC015	3	4	0.00	2.00	1.40	6.40
ABRC006	64	65	0.01	2.20	3.00	4.10		ABRC015	4	5	0.00	1.00	1.80	7.30
ABRC006	65	66	0.07	2.40	1.60	3.70		ABRC015	5	6	0.00	0.60	2.00	6.50
ABRC006	66	67	0.15	1.60	1.40	6.90		ABRC015	6	7	0.01	0.20	1.80	3.00
ABRC006	67	68	0.03	1.40	2.80	7.10		ABRC015	7	8	0.00	0.40	2.00	2.50
ABRC006	68	69	0.01	1.60	2.60	3.90		ABRC015	8	9	0.00	0.40	2.00	1.90
ABRC006	69	70	0.01	2.40	2.60	3.70		ABRC015	9	10	0.00	1.80	2.40	16.70
ABRC006	70	71	0.03	1.00	3.20	11.60		ABRC015	10	11	0.00	1.20	2.00	2.70
ABRC006	71	72	0.04	4.60	3.00	8.30		ABRC015	11	12	0.02	0.80	1.60	2.60
ABRC006	72	73	0.00	9.20	2.40	6.00		ABRC015	12	13	0.00	0.20	1.80	2.30
ABRC006	73	74	0.00	5.20	2.40	5.60		ABRC015	13	14	0.00	0.20	2.80	5.40
ABRC006	74	75	0.00	3.40	2.60	5.10		ABRC015	14	15	0.03	0.20	3.20	2.70
ABRC006	75	76	0.00	9.80	2.00	7.20		ABRC015	15	16	0.00	0.20	2.40	2.30
ABRC006	76	77	0.02	3.00	2.20	5.30		ABRC015	16	17	0.00	0.20	1.60	2.00
ABRC006	77	78	0.02	3.40	1.60	4.40		ABRC015	17	18	0.00	0.20	1.40	3.30
ABRC006	78	79	0.05	13.20	0.80	7.60		ABRC015	18	19	0.02	0.20	1.20	3.70
ABRC006	79	80	0.03	7.60	0.80	7.40		ABRC015	19	20	2.95	1.20	1.80	5.90
ABRC006	80	81	0.01	3.80	0.80	7.20		ABRC015	20	21	0.08	0.20	2.00	3.80
ABRC006	81	82	1.04	2.60	0.60	29.30		ABRC015	21	22	0.05	0.20	2.20	2.90
ABRC006	82	83	0.39	1.20	7.40	26.20		ABRC015	22	23	0.00	0.20	2.00	3.20
ABRC006	83	84	0.14	0.20	5.20	11.80		ABRC015	23	24	0.00	1.20	1.60	2.20
ABRC006	84	85	0.08	3.00	0.80	9.00		ABRC015	24	25	0.00	0.20	1.00	3.80
ABRC006	85	86	0.02	0.60	0.80	10.70		ABRC015	25	26	0.00	0.40	1.20	2.20
ABRC006	86	87	0.11	1.20	0.60	9.90		ABRC015	26	27	0.04	0.80	1.60	4.70
ABRC006	87	88	0.10	0.20	1.40	9.00		ABRC015	27	28	0.01	0.60	1.20	3.10
ABRC006	88	89	0.19	0.20	2.00	11.90		ABRC015	28	29	0.01	0.20	1.20	2.70
ABRC006	89	90	0.09	0.20	1.40	20.40		ABRC015	29	30	0.04	2.40	3.00	13.60
ABRC006	90	91	0.06	0.20	1.40	11.00		ABRC015	30	31	0.02	1.80	2.80	5.00
ABRC006	91	92	0.01	0.20	1.60	9.50		ABRC015	31	32	0.00	0.40	1.20	2.90
ABRC006	92	93	0.05	0.40	1.00	9.20		ABRC015	32	33	0.01	1.00	2.00	2.80
ABRC006	93	94	0.35	1.00	2.00	41.00		ABRC015	33	34	0.01	1.40	1.20	3.10
ABRC006	94	95	0.05	0.40	1.40	12.40		ABRC015	34	35	0.01	0.40	1.80	2.60
ABRC006	95	96	0.02	1.00	1.60	10.00		ABRC015	35	36	0.02	1.40	1.80	5.70
ABRC006	96	97	0.01	0.20	2.00	11.20		ABRC015	36	37	0.00	0.60	1.00	5.10
ABRC006	97	98	0.03	0.20	1.20	10.40		ABRC015	37	38	0.01	8.80	0.60	4.20
ABRC006	98	99	0.09	0.20	1.40	13.20		ABRC015	38	39	0.01	2.80	2.20	3.80
ABRC006	99	100	0.08	0.20	1.40	12.00		ABRC015	39	40	0.01	2.60	1.40	9.00
ABRC006	100	101	0.18	0.20	1.00	7.20		ABRC015	40	41	0.00	1.60	0.80	4.30
ABRC006	101	102	0.28	1.20	1.00	10.90		ABRC015	41	42	0.00	1.20	0.40	4.80
ABRC006	102	103	2.38	0.20	0.60	7.80		ABRC015	42	43	0.00	1.40	1.20	2.50
ABRC006	103	104	0.26	0.20	0.60	9.10		ABRC015	43	44	0.00	0.20	1.40	2.00
ABRC006	104	105	0.14	0.20	0.60	9.70		ABRC015	44	45	0.00	0.60	7.80	1.90
ABRC006	105	106	0.06	0.40	0.60	6.70		ABRC015	45	46	0.00	1.00	4.00	2.30
ABRC006	106	107	0.00	0.20	0.60	6.10		ABRC015	46	47	0.01	0.40	1.80	2.00
ABRC006	107	108	0.10	3.40	0.80	7.40		ABRC015	47	48	0.01	0.40	1.60	1.90
ABRC006	108	109	0.26	5.60	0.60	9.70		ABRC015	48	49	0.01	0.20	1.20	1.60
ABRC006	109	110	1.33	6.00	0.60	6.00		ABRC015	49	50	0.00	0.40	1.60	1.90
ABRC006	110	111	1.82	11.20	1.00	5.80		ABRC015	50	51	0.00	0.60	3.40	3.10
ABRC006	111	112	0.09	2.60	0.80	5.60		ABRC015	51	52	0.00	0.20	2.40	3.00
ABRC006	112	113	0.23	0.20	0.80	6.10		ABRC015	52	53	0.00	0.20	1.20	3.30
ABRC006	113	114	0.05	0.20	0.60	5.50		ABRC015	53	54	0.00	0.20	1.40	4.00
ABRC006	114	115	0.02	0.20	0.60	5.80		ABRC015	54	55	0.00	0.20	0.80	3.10
ABRC006	115	116	0.18	0.20	0.60	602.00		ABRC015	55	56	0.00	0.20	1.00	3.80
ABRC006	116	117	0.07	2.00	0.60	24.80		ABRC015	56	57	0.01	0.20	1.20	4.10
ABRC006	117	118	0.02	0.20	0.60	15.60		ABRC015	57	58	0.00	0.20	1.20	4.60
ABRC006	118	119	0.02	1.40	0.60	52.80		ABRC015	58	59	0.01	0.80	1.20	4.10
ABRC006	119	120	0.00	0.20	1.00	14.90		ABRC015	59	60	0.00	0.20	1.00	4.40
ABRC006	120	121	0.00	0.20	1.00	12.50		ABRC015	60	61	0.01	0.20	0.60	4.40
ABRC006	121	122	0.04	0.60	1.60	10.50		ABRC015	61	62	0.00	0.20	0.80	3.70
ABRC006	122	123	0.21	2.40	0.80	28.50		ABRC015	62	63	0.01	0.60	0.60	12.00
ABRC006	123	124	0.01	3.00	0.80	9.40		ABRC015	63	64	0.01	1.40	1.00	4.20
ABRC007	1	2	0.09	4.00	1.80	6.10		ABRC015	64	65	0.00	1.60	1.60	3.80
ABRC007	2	3	0.05	3.00	1.60	4.90		ABRC015	65	66	0.01	1.40	2.20	7.00
ABRC007	3	4	0.04	2.40	1.20	3.60		ABRC015	66	67	0.01	1.80	1.20	5.20
ABRC007	4													

Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm	Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_pp m
ABRC007	13	14	0.03	32.60	2.40	4.20	ABRC015	76	77	0.00	1.00	2.20	9.00
ABRC007	14	15	0.02	12.40	2.40	13.30	ABRC015	77	78	0.00	0.80	2.00	6.90
ABRC007	15	16	0.02	11.00	2.20	15.20	ABRC015	78	79	0.00	4.00	2.00	8.50
ABRC007	16	17	0.03	5.20	1.40	4.20	ABRC015	79	80	0.01	1.20	2.00	9.10
ABRC007	17	18	0.03	3.60	1.60	3.60	ABRC016	1	2	0.00	0.40	1.80	2.40
ABRC007	18	19	0.03	10.00	2.80	11.40	ABRC016	2	3	0.00	1.00	3.60	1.70
ABRC007	19	20	0.06	7.00	2.80	46.80	ABRC016	3	4	0.00	0.20	5.40	1.40
ABRC007	20	21	0.03	2.00	1.60	37.70	ABRC016	4	5	0.01	0.20	1.20	3.40
ABRC007	21	22	0.02	2.60	1.40	18.10	ABRC016	5	6	0.00	0.80	17.20	3.60
ABRC007	22	23	0.02	2.80	1.20	7.80	ABRC016	6	7	0.04	0.80	2.80	5.20
ABRC007	23	24	0.03	3.60	1.40	14.80	ABRC016	7	8	0.00	0.20	4.20	3.20
ABRC007	24	25	0.03	2.60	2.00	7.10	ABRC016	8	9	0.02	1.80	3.00	5.10
ABRC007	25	26	0.03	1.80	2.00	13.10	ABRC016	9	10	0.02	1.40	2.00	3.10
ABRC007	26	27	0.03	2.00	2.40	34.90	ABRC016	10	11	0.02	1.20	1.40	3.10
ABRC007	27	28	0.02	1.00	2.80	39.20	ABRC016	11	12	0.00	0.40	0.80	1.90
ABRC007	28	29	0.02	1.40	2.40	6.80	ABRC016	12	13	0.00	0.20	1.20	1.10
ABRC007	29	30	0.02	1.00	2.20	3.30	ABRC016	13	14	0.00	0.20	1.20	1.00
ABRC007	30	31	0.02	1.20	1.80	3.70	ABRC016	14	15	0.01	1.80	1.40	1.60
ABRC007	31	32	0.04	2.00	2.20	3.80	ABRC016	15	16	0.00	0.80	1.80	1.10
ABRC007	32	33	0.24	2.00	1.80	5.20	ABRC016	16	17	0.00	0.20	0.80	2.20
ABRC007	33	34	0.04	1.60	1.40	5.50	ABRC016	17	18	0.02	0.40	3.40	2.00
ABRC007	34	35	0.08	1.80	1.60	2.90	ABRC016	18	19	0.07	1.60	1.80	1.90
ABRC007	35	36	0.03	1.60	1.60	3.80	ABRC016	19	20	0.02	0.60	1.80	1.10
ABRC007	36	37	0.02	1.60	1.60	8.90	ABRC016	20	21	0.03	1.20	1.60	1.90
ABRC007	37	38	0.02	1.60	1.60	4.40	ABRC016	21	22	0.03	0.80	4.00	9.80
ABRC007	38	39	0.01	1.60	1.20	1.90	ABRC016	22	23	0.00	0.60	1.40	2.20
ABRC007	39	40	0.01	1.00	1.20	1.70	ABRC016	23	24	0.02	1.80	1.20	2.40
ABRC007	40	41	0.02	0.80	2.20	12.50	ABRC016	24	25	0.03	0.40	1.60	3.80
ABRC007	41	42	0.04	2.20	1.40	5.50	ABRC016	25	26	0.02	0.60	1.60	2.70
ABRC007	42	43	0.04	1.60	0.60	6.40	ABRC016	26	27	0.12	2.20	2.20	10.30
ABRC007	43	44	0.03	2.20	0.80	3.90	ABRC016	27	28	0.08	1.20	2.40	8.90
ABRC007	44	45	0.05	3.80	0.80	5.40	ABRC016	28	29	0.04	0.40	1.60	5.50
ABRC007	45	46	0.06	3.40	1.00	3.20	ABRC016	29	30	0.07	0.40	1.40	6.50
ABRC007	46	47	0.10	1.80	2.80	2.30	ABRC016	30	31	0.03	0.20	1.80	4.10
ABRC007	47	48	0.27	0.80	2.40	5.00	ABRC016	31	32	0.03	0.40	0.80	4.30
ABRC007	48	49	0.46	4.00	2.80	5.20	ABRC016	32	33	0.03	0.80	2.00	5.80
ABRC007	49	50	0.09	3.20	3.00	6.80	ABRC016	33	34	0.05	0.20	1.80	4.80
ABRC007	50	51	0.11	3.80	2.20	69.90	ABRC016	34	35	0.03	1.20	1.20	7.20
ABRC007	51	52	0.18	2.20	2.60	17.00	ABRC016	35	36	0.04	2.00	1.00	9.00
ABRC007	52	53	0.03	0.80	2.00	9.10	ABRC016	36	37	0.43	1.80	2.60	14.10
ABRC007	53	54	0.03	2.20	1.60	5.20	ABRC016	37	38	0.12	0.60	1.20	5.90
ABRC007	54	55	0.05	2.40	1.40	4.30	ABRC016	38	39	0.04	0.20	1.20	4.70
ABRC007	55	56	0.03	1.00	0.40	3.40	ABRC016	39	40	0.03	1.20	1.60	83.20
ABRC007	56	57	0.03	2.60	0.80	7.40	ABRC016	40	41	0.02	1.20	1.00	11.20
ABRC007	57	58	0.03	0.20	0.60	4.00	ABRC016	41	42	0.02	3.60	2.20	366.00
ABRC007	58	59	0.04	2.20	0.60	4.90	ABRC016	42	43	0.02	0.20	2.00	37.70
ABRC007	59	60	0.04	0.80	0.60	5.80	ABRC016	43	44	0.02	0.20	2.00	12.30
ABRC007	60	61	0.03	1.20	0.60	4.00	ABRC016	44	45	0.11	0.20	1.00	10.30
ABRC007	61	62	0.07	2.20	1.00	6.60	ABRC016	45	46	0.03	1.60	1.80	178.00
ABRC007	62	63	0.18	1.80	0.60	8.20	ABRC016	46	47	0.02	3.60	2.00	25.10
ABRC007	63	64	0.51	0.60	0.60	9.80	ABRC016	47	48	0.02	7.00	1.60	9.90
ABRC007	64	65	1.16	1.00	0.60	10.10	ABRC016	48	49	0.01	5.40	2.20	6.40
ABRC007	65	66	0.41	0.60	1.00	12.00	ABRC016	49	50	0.01	2.20	2.00	6.10
ABRC007	66	67	0.34	0.40	0.80	9.60	ABRC016	50	51	0.00	1.00	2.00	7.00
ABRC007	67	68	0.08	0.80	0.80	7.00	ABRC016	51	52	0.02	1.40	2.00	4.80
ABRC007	68	69	0.08	1.60	0.60	6.30	ABRC016	52	53	0.01	0.60	2.40	6.20
ABRC007	69	70	0.14	1.20	0.40	5.40	ABRC016	53	54	0.01	0.20	1.20	4.30
ABRC007	70	71	0.04	0.80	0.80	5.90	ABRC016	54	55	0.01	1.40	1.20	3.80
ABRC007	71	72	0.02	0.20	0.80	6.10	ABRC016	55	56	0.02	0.80	1.40	5.00
ABRC007	72	73	0.04	0.80	0.60	6.20	ABRC016	56	57	0.02	1.20	1.80	4.40
ABRC007	73	74	0.17	1.20	1.20	5.00	ABRC016	57	58	0.01	0.80	2.20	4.80
ABRC007	74	75	0.07	0.20	0.80	6.10	ABRC016	58	59	0.01	0.20	1.40	5.00
ABRC007	75	76	0.10	0.80	0.80	18.50	ABRC016	59	60	0.01	0.20	1.20	5.90
ABRC007	76	77	0.22	2.80	0.60	6.50	ABRC016	60	61	0.00	0.20	1.20	6.00
ABRC007	77	78	0.07	1.80	0.60	7.30	ABRC016	61	62	0.01	0.60	1.80	5.40
ABRC007	78	79	0.08	2.40	0.80	7.20	ABRC016	62	63	0.01	0.20	1.20	4.80
ABRC007	79	80	0.04	2.60	1.00	6.30	ABRC016	63	64	0.01	1.80	1.20	4.80
ABRC007	80	81	0.24	1.40	1.00	6.80	ABRC016	64	65	0.01	2.20	1.20	5.00
ABRC007	81	82	0.06	2.20	1.00	7.70	ABRC016	65	66	0.01	0.60	1.00	6.10
ABRC007	82	83	0.04	2.00	1.00	6.40	ABRC016	66	67	0.00	0.60	1.00	5.70
ABRC007	83	84	0.12	2.20	1.00	8.20	ABRC016	67	68	0.01	0.20	1.00	5.50
ABRC007	84	85	0.17	3.40	0.80	11.60	ABRC016	68	69	0.01	0.60	0.60	6.10
ABRC007	85	86	0.17	7.60	1.00	10.60	ABRC016	69	70	0.01	0.20	0.60	5.30
ABRC007	86	87	0.15	4.80	1.20	9.50	ABRC016	70	71	0.01	0.40	0.80	4.80
ABRC007	87	88	0.06	3.20	1.20	8.70	ABRC016	71	72	0.02	0.20	0.60	4.70
ABRC007	88	89	0.07	2.40	1.20	7.90	ABRC016	72	73	0.02	0.20	1.00	4.10
ABRC007	89	90	0.32	10.80	1.00	7.60	ABRC016	73	74	0.01	0.20	1.00	5.50
ABRC007	90	91	0.18	1.60	1.00	8.20	ABRC016	74	75	0.01	0.20	0.60	5.80
ABRC007	91	92	0.08	0.40	1.00	7.00	ABRC016	75	76	0.01	1.60	0.60	5.30
ABRC007	92	93	0.10	0.80	1.20	8.00	ABRC016	76	77	0.01	1.40	0.80	3.60
ABRC007	93	94	0.10	2.80	1.40	7.00	ABRC016	77	78	0.01	3.20	0.60	2.70
ABRC007	94	95	0.05	7.00	1.40	7.60	ABRC016	78	79	0.01	1.20	0.60	3.20
ABRC007	95	96	0.12	1.80	1.20	8.50	ABRC016	79	80	0.01	3.40	0.60	3.10
ABRC007	96	97	0.04	1.20	0.60	5.90	ABRC016	80	81	0.00	10.80	1.80	7.90
ABRC007	97	98	0.02	1.80	0.80	5.70	ABRC016	81	82	0.01	17.20	1.40	6.10
ABRC007	98	99	0.03	2.80	1.00	8.00	ABRC016	82	83	0.01	2.80	0.80	8.00
ABRC007	99	100	0.02	2.20	0.60	6.40	ABRC016	83	84	0.01	3.20	5.00	5.30
ABRC007	100	101	0.02	2.80	0.80	7.00	ABRC016	84	85	0.01	1.80	2.60	5.30
ABRC007	101	102	0.02	0.80	0.60	5.50	ABRC016	85	86	0.01	2.40	3.00	5.00
ABRC007	102	103	0.01	1.20	0.60	5.80	ABRC016	86	87	0.01	0.40	1.00	4.10
ABRC007	103	104	0.01	5.40	0.80	4.80	ABRC016	87	88	0.01	0.80	1.20	3.60
ABRC007	104	105	0.03	5.80	0.80	5.50	ABRC017	1	2	0.01	0.80	1.60	3.30
ABRC007	105	106	0.02	5.20	0.60	4.40	ABRC017	2	3	0.02	0.20	1.40	1.70
ABRC007	106	107	0.01	2.80	0.60	4.80	ABRC017	3	4	0.02	1.20	2.20	1.90
ABRC007	107	108	0.01	3.40	0.60	4.90	ABRC017	4	5	0.02	1.80	2.00	4.60
ABRC007	108	109	0.01	2.60	0.80	4.70	ABRC017	5	6	0.01	0.40	1.00	3.60
ABRC007	109	110	0.02	2.60	0.80	5.40	ABRC017	6	7	0.03	0.40	1.40	4.10
ABRC007	110	111	0.02	2.20	0.80	4.70							

Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm		Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_pp m
ABRC008	4	5	0.06	4.80	2.00	9.40		ABRC017	13	14	0.03	0.20	2.60	8.10
ABRC008	5	6	0.06	3.20	2.00	3.90		ABRC017	14	15	0.16	1.00	1.40	114.00
ABRC008	6	7	0.04	11.60	2.00	6.20		ABRC017	15	16	0.34	1.80	1.40	46.60
ABRC008	7	8	0.04	2.40	2.00	2.50		ABRC017	16	17	0.18	0.20	1.00	11.40
ABRC008	8	9	0.16	1.80	3.00	3.30		ABRC017	17	18	0.04	0.60	1.60	8.10
ABRC008	9	10	0.07	2.60	3.20	4.70		ABRC017	18	19	0.05	0.60	1.40	8.60
ABRC008	10	11	0.13	7.40	3.20	2.80		ABRC017	19	20	0.05	1.00	1.60	7.40
ABRC008	11	12	0.93	3.60	1.40	4.10		ABRC017	20	21	0.02	0.60	0.80	10.30
ABRC008	12	13	1.01	17.00	2.20	5.60		ABRC017	21	22	0.02	0.80	1.00	12.40
ABRC008	13	14	0.49	2.20	1.40	2.40		ABRC017	22	23	0.05	7.60	1.00	12.40
ABRC008	14	15	0.48	2.20	1.40	3.40		ABRC017	23	24	0.03	2.80	1.00	9.30
ABRC008	15	16	0.47	9.60	0.60	2.50		ABRC017	24	25	0.06	2.00	1.40	6.70
ABRC008	16	17	3.07	3.60	0.60	6.40		ABRC017	25	26	0.02	1.80	2.40	152.00
ABRC008	17	18	0.99	1.80	0.80	5.20		ABRC017	26	27	1.97	1.60	1.00	25.00
ABRC008	18	19	0.17	5.20	1.20	3.30		ABRC017	27	28	0.05	1.00	1.00	20.30
ABRC008	19	20	0.04	2.00	1.40	3.10		ABRC017	28	29	0.03	1.40	0.80	9.70
ABRC008	20	21	0.09	1.80	1.60	2.90		ABRC017	29	30	0.05	2.80	1.20	17.00
ABRC008	21	22	0.03	0.60	2.00	2.80		ABRC017	30	31	0.06	1.20	1.20	16.80
ABRC008	22	23	0.03	0.60	1.40	1.80		ABRC017	31	32	0.04	0.80	1.80	276.00
ABRC008	23	24	0.02	0.60	1.40	1.50		ABRC017	32	33	0.02	1.00	1.20	128.00
ABRC008	24	25	0.18	0.40	1.80	3.00		ABRC017	33	34	0.02	0.80	1.00	25.00
ABRC008	25	26	0.06	0.60	1.20	1.90		ABRC017	34	35	0.01	1.00	1.40	21.30
ABRC008	26	27	0.04	1.80	1.40	2.00		ABRC017	35	36	0.01	1.00	1.20	9.00
ABRC008	27	28	0.02	0.20	0.80	2.40		ABRC017	36	37	0.01	1.40	1.40	7.40
ABRC008	28	29	0.16	3.00	0.80	2.10		ABRC017	37	38	0.02	3.20	1.20	6.30
ABRC008	29	30	0.19	2.20	0.80	2.00		ABRC017	38	39	0.01	1.20	1.20	5.90
ABRC008	30	31	0.03	1.00	0.60	1.80		ABRC017	39	40	0.01	3.60	1.80	4.40
ABRC008	31	32	0.10	2.00	0.60	2.20		ABRC017	40	41	0.01	2.20	1.60	4.40
ABRC008	32	33	0.17	1.20	0.40	2.80		ABRC017	41	42	0.01	0.40	0.60	3.00
ABRC008	33	34	0.04	1.80	0.60	3.10		ABRC017	42	43	0.02	1.20	2.80	4.20
ABRC008	34	35	0.06	3.00	0.80	2.10		ABRC017	43	44	0.00	0.60	3.80	3.50
ABRC008	35	36	0.06	1.80	1.20	5.00		ABRC017	44	45	0.01	0.20	2.40	3.40
ABRC008	36	37	0.01	1.00	0.60	3.30		ABRC017	45	46	0.01	1.00	1.60	22.30
ABRC008	37	38	0.01	0.60	1.00	3.60		ABRC017	46	47	0.01	1.00	1.80	4.60
ABRC008	38	39	0.03	0.40	0.80	2.60		ABRC017	47	48	0.01	0.20	0.80	3.40
ABRC008	39	40	0.05	1.00	0.60	3.30		ABRC017	48	49	0.01	0.80	0.80	2.60
ABRC008	40	41	0.02	0.60	0.60	2.40		ABRC017	49	50	0.01	0.20	1.40	2.60
ABRC008	41	42	0.26	1.60	0.80	2.50		ABRC017	50	51	0.01	0.40	1.00	4.90
ABRC008	42	43	0.13	0.20	1.20	1.80		ABRC017	51	52	0.01	0.80	1.40	2.60
ABRC008	43	44	0.22	1.00	1.00	3.50		ABRC017	52	53	0.02	0.80	3.00	4.60
ABRC008	44	45	0.13	1.60	1.20	7.10		ABRC017	53	54	0.01	0.80	0.80	3.80
ABRC008	45	46	0.07	0.20	1.20	3.40		ABRC017	54	55	0.01	0.60	0.80	4.90
ABRC008	46	47	0.09	0.20	0.80	3.40		ABRC017	55	56	0.01	1.00	0.80	4.40
ABRC008	47	48	0.13	1.40	1.00	3.50		ABRC017	56	57	0.01	1.40	1.00	4.10
ABRC008	48	49	0.11	1.60	0.80	7.20		ABRC017	57	58	0.01	0.20	0.80	4.90
ABRC008	49	50	0.04	2.80	1.20	5.30		ABRC017	58	59	0.01	0.40	0.80	5.10
ABRC008	50	51	0.01	0.80	1.40	6.40		ABRC017	59	60	0.01	0.60	1.00	6.10
ABRC008	51	52	0.01	1.40	1.20	7.80		ABRC017	60	61	0.01	0.20	0.80	5.10
ABRC008	52	53	0.01	1.40	1.40	8.90		ABRC017	61	62	0.01	0.20	0.80	4.60
ABRC008	53	54	0.02	1.20	1.20	8.60		ABRC017	62	63	0.01	0.40	0.80	5.70
ABRC008	54	55	0.02	1.00	1.20	4.10		ABRC017	63	64	0.01	0.80	0.80	9.30
ABRC008	55	56	0.03	0.40	1.00	3.90		ABRC017	64	65	0.01	0.40	0.80	6.00
ABRC008	56	57	0.14	3.00	0.80	3.30		ABRC017	65	66	0.01	0.20	0.80	4.90
ABRC008	57	58	0.12	3.80	1.00	3.90		ABRC017	66	67	0.01	0.80	0.80	5.30
ABRC008	58	59	0.06	1.20	0.80	2.70		ABRC017	67	68	0.01	0.20	1.00	4.50
ABRC008	59	60	0.02	0.60	1.20	2.70		ABRC017	68	69	0.01	2.20	0.80	4.50
ABRC008	60	61	0.02	2.20	1.00	2.60		ABRC017	69	70	0.01	1.20	0.60	3.40
ABRC008	61	62	0.02	2.20	1.40	4.20		ABRC017	70	71	0.01	0.60	0.60	5.20
ABRC008	62	63	0.01	0.40	1.40	2.60		ABRC017	71	72	0.02	5.00	0.80	3.00
ABRC008	63	64	0.04	1.40	1.00	2.10		ABRC017	72	73	0.01	5.40	1.60	8.40
ABRC008	64	65	0.08	1.40	0.80	1.60		ABRC017	73	74	0.01	2.60	1.80	5.50
ABRC009	0	1	0.01	1.60	1.00	4.10		ABRC017	74	75	0.01	1.20	2.40	4.50
ABRC009	1	2	0.01	1.60	1.00	3.00		ABRC017	75	76	0.01	5.40	10.00	3.10
ABRC009	2	3	0.01	1.60	1.00	3.70		ABRC017	76	77	0.01	1.20	4.20	3.70
ABRC009	3	4	0.00	3.60	1.00	2.50		ABRC017	77	78	0.01	0.20	1.40	5.30
ABRC009	5	6	0.01	4.00	1.20	4.60		ABRC017	78	79	0.01	0.20	1.40	4.60
ABRC009	6	7	0.00	3.20	0.80	3.60		ABRC017	79	80	0.01	0.60	0.80	3.90
ABRC009	7	8	0.01	3.00	1.00	3.50		ABRC018	0	1	0.01	20.40	0.40	1.40
ABRC009	8	9	0.00	1.40	1.00	2.50		ABRC018	1	2	0.02	42.40	0.80	2.10
ABRC009	9	10	0.00	15.00	0.80	17.20		ABRC018	2	3	0.02	50.80	0.80	1.40
ABRC009	10	11	0.01	7.40	0.60	7.60		ABRC018	3	4	0.02	16.40	0.60	1.50
ABRC009	11	12	0.01	2.00	1.40	5.30		ABRC018	4	5	0.02	15.00	0.60	2.50
ABRC009	12	13	0.01	1.40	1.60	4.30		ABRC018	5	6	0.04	22.60	0.80	4.20
ABRC009	13	14	0.02	1.40	1.80	3.80		ABRC018	6	7	0.09	12.00	0.80	1.40
ABRC009	14	15	0.03	0.20	2.00	3.20		ABRC018	7	8	0.06	15.40	0.60	2.10
ABRC009	15	16	0.00	0.60	4.40	4.60		ABRC018	8	9	0.03	15.00	0.80	2.10
ABRC009	16	17	0.01	1.20	5.60	7.00		ABRC018	9	10	0.38	11.80	0.60	1.30
ABRC009	17	18	0.01	1.20	1.60	3.20		ABRC018	10	11	0.46	11.80	0.80	10.60
ABRC009	18	19	0.00	1.40	2.00	4.20		ABRC018	11	12	0.03	12.20	0.60	1.50
ABRC009	19	20	0.00	1.00	2.00	3.70		ABRC018	12	13	0.02	7.60	0.40	1.00
ABRC009	20	21	0.00	1.80	1.00	3.70		ABRC018	13	14	0.02	7.00	0.60	1.20
ABRC009	21	22	0.01	1.20	1.20	3.40		ABRC018	14	15	0.65	11.20	0.60	78.90
ABRC009	22	23	0.01	1.40	1.20	3.00		ABRC018	15	16	1.16	2.60	0.40	27.40
ABRC009	23	24	0.00	1.20	1.20	2.90		ABRC018	16	17	0.85	4.60	0.40	4.10
ABRC009	24	25	0.00	1.40	2.00	3.60		ABRC018	17	18	1.63	17.00	0.60	17.00
ABRC009	25	26	0.03	0.20	2.20	6.40		ABRC018	18	19	0.50	17.60	1.00	3.30
ABRC009	26	27	0.03	0.20	1.60	6.80		ABRC018	19	20	0.10	14.20	0.80	2.50
ABRC009	27	28	0.02	1.00	1.80	4.10		ABRC018	20	21	0.03	7.60	0.80	2.30
ABRC009	28	29	0.00	0.20	2.00	3.70		ABRC018	21	22	0.01	10.20	0.60	1.40
ABRC009	29	30	0.01	0.40	1.80	11.00		ABRC018	22	23	0.01	3.00	0.60	1.30
ABRC009	30	31	0.01	1.60	1.40	5.20		ABRC018	23	24	0.05	9.20	0.80	5.30
ABRC009	31	32	0.02	2.00	1.40	2.90		ABRC018	24	25	0.01	2.60	0.60	1.40
ABRC009	32	33	0.01	1.80	1.00	5.10		ABRC018	25	26	0.02	22.00	1.00	3.70
ABRC009	33	34	0.00	1.60	0.80	5.80		ABRC018	26	27	0.01	13.40	0.80	1.90
ABRC009	34	35	0.00	2.40	1.00	5.50		ABRC018	27	28</				

Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm	Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm
ABRC009	43	44	0.03	6.60	0.60	65.50	ABRC018	36	37	0.00	1.60	1.40	0.80
ABRC009	44	45	0.04	9.40	0.60	96.10	ABRC018	37	38	0.00	1.20	1.60	1.10
ABRC009	45	46	0.07	25.20	0.60	205.00	ABRC018	38	39	0.01	1.20	1.40	0.90
ABRC009	46	47	0.07	102.00	0.60	749.00	ABRC018	39	40	0.01	0.60	1.20	0.50
ABRC009	47	48	0.36	34.60	1.60	557.00	ABRC018	40	41	0.00	0.40	1.00	0.80
ABRC009	48	49	0.98	34.20	1.00	809.00	ABRC018	41	42	0.01	0.20	1.40	0.40
ABRC009	49	50	0.47	10.20	0.60	206.00	ABRC018	42	43	0.01	1.20	1.40	1.30
ABRC009	50	51	0.11	10.60	0.60	414.00	ABRC018	43	44	0.02	0.20	2.00	1.00
ABRC009	51	52	0.09	7.20	0.60	324.00	ABRC018	44	45	0.01	1.00	1.40	1.80
ABRC009	52	53	0.10	10.60	0.40	598.00	ABRC018	45	46	0.01	1.20	0.80	2.10
ABRC009	53	54	0.25	5.60	0.60	235.00	ABRC018	46	47	0.01	3.00	4.00	3.70
ABRC009	54	55	0.65	9.00	1.00	113.00	ABRC018	47	48	0.01	12.20	1.20	3.50
ABRC009	55	56	0.80	7.20	0.60	110.00	ABRC018	48	49	0.04	918.00	0.80	1.80
ABRC009	56	57	0.70	0.60	0.60	78.90	ABRC018	49	50	0.01	15.60	1.00	2.90
ABRC009	57	58	0.67	1.80	0.60	47.40	ABRC018	50	51	0.02	7.40	1.00	4.20
ABRC009	58	59	0.51	1.80	0.80	28.70	ABRC018	51	52	0.18	1.20	0.80	2.80
ABRC009	59	60	0.18	9.20	0.60	25.10	ABRC018	52	53	0.19	1.80	0.80	2.20
ABRC009	60	61	0.05	5.40	0.60	18.20	ABRC018	53	54	0.08	0.60	0.80	24.00
ABRC009	61	62	0.31	3.80	0.80	43.90	ABRC018	54	55	0.04	1.20	1.00	19.30
ABRC009	62	63	0.07	1.80	0.60	25.50	ABRC018	55	56	0.14	2.60	1.00	10.60
ABRC009	63	64	0.38	1.40	0.60	29.80	ABRC018	56	57	0.04	14.00	0.80	6.00
ABRC009	64	65	0.08	0.60	1.00	18.40	ABRC018	57	58	0.01	0.60	1.00	5.60
ABRC010	0	1	0.06	18.40	2.60	17.40	ABRC018	58	59	0.03	0.60	1.00	4.20
ABRC010	1	2	0.05	18.80	2.60	20.70	ABRC018	59	60	1.19	1.00	1.20	55.80
ABRC010	2	3	0.02	12.20	1.60	17.10	ABRC018	60	61	0.03	0.60	1.20	11.00
ABRC010	3	4	0.02	12.40	1.20	32.80	ABRC018	61	62	0.02	1.40	1.40	7.40
ABRC010	4	5	0.03	33.40	1.00	690.00	ABRC018	62	63	0.01	0.60	0.80	6.70
ABRC010	5	6	0.03	21.00	1.00	472.00	ABRC018	63	64	0.01	0.20	0.60	5.50
ABRC010	6	7	0.02	16.00	1.40	195.00	ABRC018	64	65	0.00	0.20	0.60	4.90
ABRC010	7	8	0.01	13.40	1.40	122.00	ABRC018	65	66	0.00	0.20	0.40	5.60
ABRC010	8	9	0.01	10.00	1.80	46.60	ABRC018	66	67	0.01	0.40	1.40	4.20
ABRC010	9	10	0.01	5.80	2.20	29.70	ABRC018	67	68	0.01	0.20	1.40	3.20
ABRC010	10	11	0.02	8.00	1.40	23.10	ABRC018	68	69	0.01	0.40	2.80	3.50
ABRC010	11	12	0.03	2.80	1.40	24.40	ABRC018	69	70	0.01	0.20	2.20	2.20
ABRC010	12	13	0.02	4.80	2.00	39.80	ABRC018	70	71	0.02	0.20	1.40	1.10
ABRC010	13	14	0.03	4.40	1.40	19.80	ABRC018	71	72	0.00	0.20	1.60	1.60
ABRC010	14	15	0.02	4.80	1.20	12.50	ABRC018	72	73	0.00	0.20	1.40	2.50
ABRC010	15	16	0.02	6.20	1.20	12.20	ABRC018	73	74	0.00	0.20	1.40	2.00
ABRC010	16	17	0.11	8.60	1.20	14.70	ABRC018	74	75	0.00	2.40	1.00	6.30
ABRC010	17	18	0.05	15.00	1.00	87.50	ABRC018	75	76	0.00	0.60	1.40	4.60
ABRC010	18	19	0.05	11.20	0.80	229.00	ABRC018	76	77	0.01	1.00	1.60	3.60
ABRC010	19	20	0.03	15.60	0.80	840.00	ABRC018	77	78	0.00	1.00	1.80	2.90
ABRC010	20	21	0.06	6.40	1.00	341.00	ABRC018	78	79	0.01	0.40	1.40	2.50
ABRC010	21	22	0.10	9.20	0.80	767.00	ABRC018	79	80	0.00	0.20	2.00	3.30
ABRC010	22	23	0.09	13.00	0.80	859.00	ABRC019	0	1	0.09	25.00	1.00	2.30
ABRC010	23	24	0.02	20.40	0.80	201.00	ABRC019	1	2	0.02	5.00	0.80	0.80
ABRC010	24	25	0.26	121.00	1.80	148.00	ABRC019	2	3	0.00	5.20	0.80	2.50
ABRC010	25	26	1.16	81.80	0.80	35.90	ABRC019	3	4	0.01	6.60	1.60	4.70
ABRC010	26	27	14.60	158.00	0.60	70.60	ABRC019	4	5	0.01	6.40	1.60	6.70
ABRC010	27	28	0.76	35.80	0.80	20.70	ABRC019	5	6	0.01	4.40	1.00	2.60
ABRC010	28	29	0.57	25.80	1.40	14.70	ABRC019	6	7	0.01	4.40	1.20	5.10
ABRC010	29	30	0.12	6.40	1.20	11.60	ABRC019	7	8	0.04	1.60	1.20	2.80
ABRC010	30	31	0.09	11.40	0.80	8.00	ABRC019	8	9	0.07	1.80	0.80	1.20
ABRC010	31	32	0.05	5.60	0.80	5.30	ABRC019	9	10	0.02	5.20	1.00	2.50
ABRC010	32	33	0.02	8.20	1.00	5.20	ABRC019	10	11	0.01	2.60	0.80	0.60
ABRC010	33	34	0.03	7.20	0.60	3.80	ABRC019	11	12	0.01	4.00	0.60	0.40
ABRC010	34	35	0.03	5.80	1.00	5.60	ABRC019	12	13	0.02	7.80	0.60	0.30
ABRC010	35	36	0.92	6.80	0.80	5.70	ABRC019	13	14	0.02	11.60	1.40	1.30
ABRC010	36	37	0.40	6.80	1.60	5.00	ABRC019	14	15	0.01	7.40	0.80	0.60
ABRC010	37	38	0.09	10.00	1.00	2.80	ABRC019	15	16	0.01	8.20	0.80	0.40
ABRC010	38	39	0.07	2.60	1.20	3.90	ABRC019	16	17	0.01	7.80	0.60	0.20
ABRC010	39	40	0.03	2.20	1.40	3.60	ABRC019	17	18	0.00	4.80	0.80	0.30
ABRC010	40	41	0.19	2.20	1.00	3.30	ABRC019	18	19	0.01	19.00	1.40	7.50
ABRC010	41	42	0.08	3.00	0.80	1.70	ABRC019	19	20	0.01	7.00	1.20	2.90
ABRC010	42	43	0.02	2.60	0.80	1.90	ABRC019	20	21	0.01	5.40	1.00	2.00
ABRC010	43	44	0.02	6.80	0.80	8.90	ABRC019	21	22	0.01	7.80	1.20	1.10
ABRC010	44	45	0.09	8.20	1.20	8.60	ABRC019	22	23	0.01	4.20	1.80	2.30
ABRC010	45	46	0.07	6.80	1.20	8.00	ABRC019	23	24	0.01	6.20	1.00	1.00
ABRC010	46	47	0.09	4.80	1.00	2.70	ABRC019	24	25	0.02	4.80	1.20	4.80
ABRC010	47	48	0.02	2.80	0.60	1.70	ABRC019	25	26	0.01	2.20	3.60	1.80
ABRC010	48	49	0.04	6.20	1.00	2.30	ABRC019	26	27	0.01	1.60	3.60	1.80
ABRC010	49	50	0.14	9.00	1.20	7.40	ABRC019	27	28	0.01	2.20	2.60	2.30
ABRC010	50	51	0.23	7.20	1.20	6.00	ABRC019	28	29	0.01	2.80	3.40	2.90
ABRC010	51	52	0.08	3.00	0.80	4.50	ABRC019	29	30	0.01	2.20	4.20	3.50
ABRC010	52	53	0.39	6.80	1.00	4.10	ABRC019	30	31	0.01	2.60	3.60	1.80
ABRC010	53	54	0.27	5.20	2.20	10.60	ABRC019	31	32	0.01	2.00	3.40	1.50
ABRC010	54	55	0.23	17.60	2.20	44.40	ABRC019	32	33	0.01	0.80	2.80	4.40
ABRC010	55	56	0.36	12.20	1.40	14.50	ABRC019	33	34	0.01	1.00	2.20	5.00
ABRC010	56	57	0.01	2.80	0.40	5.70	ABRC019	34	35	0.01	1.00	0.60	3.70
ABRC010	57	58	0.01	3.00	0.40	6.20	ABRC019	35	36	0.01	1.00	0.60	4.00
ABRC010	58	59	0.03	14.80	1.20	27.80	ABRC019	36	37	0.01	1.00	1.60	3.10
ABRC010	59	60	0.02	17.00	1.20	52.10	ABRC019	37	38	0.01	4.40	3.00	3.50
ABRC010	60	61	0.13	14.60	1.40	32.70	ABRC019	38	39	0.01	2.80	2.60	2.90
ABRC010	61	62	0.05	4.20	1.20	19.80	ABRC019	39	40	0.01	4.60	1.00	1.70
ABRC010	62	63	0.04	4.00	1.00	11.50	ABRC019	40	41	0.01	3.60	2.40	21.20
ABRC010	63	64	0.03	3.00	1.20	9.90	ABRC019	41	42	0.01	28.60	3.60	12.50
ABRC010	64	65	0.07	5.80	0.80	9.00	ABRC019	42	43	0.06	5.60	1.20	3.90
ABRC010	65	66	0.03	9.00	1.20	11.40	ABRC019	43	44	0.03	3.80	1.20	6.00
ABRC010	66	67	0.02	8.40	1.60	6.90	ABRC019	44	45	0.04	4.40	1.00	1.60
ABRC010	67	68	0.10	5.40	1.40	7.70	ABRC019	45	46	0.01	4.60	2.80	4.90
ABRC010	68	69	0.13	4.00	1.20	6.70	ABRC019	46	47	0.01	5.60	2.40	7.30
ABRC010	69	70	0.21	6.80	1.20	8.20	ABRC019	47	48	0.01	3.20	3.00	4.60
ABRC011	1	2	0.10	7.60	0.80	2.30	ABRC019	48	49	0.01	12.80	2.20	5.40
ABRC011	2	3	0.03	4.80	0.60	1.00	ABRC019	49	50	0.01	5.60	2.80	5.80
ABRC011	3	4	0.15	3.80	0.80	1.40	ABRC019	50	51	0.01	1.40	2.60	2.40
ABRC011	4	5	0.06	9.80	0.40	1.00	ABRC019	51	52	0.01	1.20	2.20	1.40
ABRC011	5	6	0.03	6.60	1.00	6.20	ABRC019	52	53	0.01	2.20	2.00	1.30
ABRC01													

Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_ppm	Hole_ID	mFro m	mT o	Au_pp m	As_pp m	Sn_pp m	W_pp m
ABRC011	12	13	0.87	41.60	1.60	5.10	ABRC019	60	61	0.01	1.00	0.80	3.70
ABRC011	13	14	0.98	53.80	2.00	6.30	ABRC019	61	62	0.01	0.80	1.20	2.70
ABRC011	14	15	0.78	240.00	2.20	14.00	ABRC019	62	63	0.01	0.40	0.80	3.50
ABRC011	15	16	1.33	70.20	2.00	9.80	ABRC019	63	64	0.01	0.60	0.80	4.80
ABRC011	16	17	0.02	9.40	1.00	3.80	ABRC019	64	65	0.01	0.20	1.20	2.40
ABRC011	17	18	0.02	6.40	0.80	2.60	ABRC019	65	66	0.01	0.20	2.20	2.40
ABRC011	18	19	0.02	4.40	1.20	2.10	ABRC019	66	67	0.01	0.20	4.60	1.60
ABRC011	19	20	0.02	5.60	0.80	2.20	ABRC019	67	68	0.01	0.20	2.80	1.60
ABRC011	20	21	0.02	4.80	0.60	3.10	ABRC019	68	69	0.01	0.20	2.80	2.40
ABRC011	21	22	0.02	4.40	0.80	4.30	ABRC019	69	70	0.01	0.20	2.20	1.00
ABRC011	22	23	0.02	4.60	0.80	2.90	ABRC019	70	71	0.01	0.20	1.80	1.30
ABRC011	23	24	0.02	3.80	0.80	2.60	ABRC019	71	72	0.01	0.20	1.20	2.00
ABRC011	24	25	0.02	4.40	0.60	2.10	ABRC019	72	73	0.01	0.20	0.80	0.60
ABRC011	25	26	0.02	4.00	0.80	2.00	ABRC019	73	74	0.01	0.20	1.40	1.30
ABRC011	26	27	0.02	5.00	1.00	2.40	ABRC019	74	75	0.01	0.20	1.20	1.30
ABRC011	27	28	0.00	3.20	0.60	1.60	ABRC019	75	76	0.01	0.20	1.00	2.30
ABRC011	28	29	0.01	2.40	1.00	1.60	ABRC019	77	78	0.01	2.80	1.40	5.40
ABRC011	29	30	0.01	3.00	1.00	1.60	ABRC019	78	79	0.01	1.00	1.40	2.60
ABRC011	30	31	0.00	3.60	1.20	1.60	ABRC019	79	80	0.01	0.40	1.40	2.00
ABRC011	31	32	0.02	3.00	1.00	1.80	ABRC020	1	2	0.12	22.20	1.40	81.90
ABRC011	32	33	0.10	4.20	1.00	1.80	ABRC020	2	3	0.02	6.20	1.00	31.00
ABRC011	33	34	0.13	4.00	0.60	1.60	ABRC020	3	4	0.02	9.20	1.00	8.30
ABRC011	34	35	0.03	2.80	1.00	1.30	ABRC020	4	5	0.03	27.80	0.80	10.40
ABRC011	35	36	0.02	1.60	0.80	0.80	ABRC020	5	6	0.00	4.20	0.80	3.30
ABRC011	36	37	0.02	1.80	1.20	0.90	ABRC020	6	7	0.01	2.00	1.00	7.90
ABRC011	37	38	0.02	1.60	0.80	0.70	ABRC020	7	8	0.01	3.80	1.00	109.00
ABRC011	38	39	0.00	1.40	0.80	0.70	ABRC020	8	9	0.05	2.60	1.00	13.10
ABRC011	39	40	0.01	1.20	0.80	0.60	ABRC020	9	10	0.03	6.00	2.40	7.10
ABRC011	40	41	0.02	0.80	0.60	0.40	ABRC020	10	11	0.08	3.20	2.20	8.40
ABRC011	41	42	0.01	1.80	1.00	0.80	ABRC020	11	12	0.06	1.60	1.00	7.50
ABRC011	42	43	0.01	2.00	0.80	0.60	ABRC020	12	13	0.02	3.60	1.20	5.60
ABRC011	43	44	0.01	2.20	0.80	0.70	ABRC020	13	14	0.01	0.80	1.00	6.00
ABRC011	44	45	0.00	3.00	1.20	1.00	ABRC020	14	15	0.06	3.20	2.20	7.20
ABRC011	45	46	0.01	2.60	1.00	0.80	ABRC020	15	16	0.03	0.80	5.20	6.60
ABRC011	46	47	0.02	4.60	1.00	1.80	ABRC020	16	17	0.05	1.80	6.40	4.30
ABRC011	47	48	0.16	7.00	1.20	2.00	ABRC020	17	18	0.02	2.80	1.80	3.40
ABRC011	48	49	0.10	5.20	1.20	4.60	ABRC020	18	19	0.04	4.40	1.00	5.30
ABRC011	49	50	0.09	4.20	2.00	7.50	ABRC020	19	20	0.02	2.80	1.60	4.30
ABRC011	50	51	0.09	3.20	2.00	11.30	ABRC020	20	21	0.01	0.80	1.00	2.50
ABRC011	51	52	0.03	2.20	1.40	6.00	ABRC020	21	22	0.05	0.40	1.00	2.10
ABRC011	52	53	0.06	2.20	0.80	2.80	ABRC020	22	23	0.02	0.20	1.00	15.00
ABRC011	53	54	0.04	2.00	0.80	2.50	ABRC020	23	24	0.02	3.20	1.00	20.40
ABRC011	54	55	0.02	8.80	0.80	2.20	ABRC020	24	25	0.00	3.80	1.20	7.30
ABRC011	55	56	0.08	3.00	0.60	2.80	ABRC020	25	26	0.00	1.80	1.20	9.70
ABRC011	56	57	0.02	4.20	0.60	2.80	ABRC020	26	27	0.05	1.60	1.80	10.70
ABRC011	57	58	0.02	3.20	0.60	2.90	ABRC020	27	28	0.02	0.80	5.20	5.60
ABRC011	58	59	0.02	4.80	0.60	3.50	ABRC020	28	29	0.01	0.80	1.00	4.90
ABRC011	59	60	0.03	3.40	0.60	4.00	ABRC020	29	30	0.00	0.20	0.80	8.90
ABRC011	60	61	0.10	10.60	2.60	14.00	ABRC020	30	31	0.01	0.20	1.00	3.40
ABRC011	61	62	0.06	14.80	1.80	8.80	ABRC020	31	32	0.01	0.20	1.00	6.00
ABRC011	62	63	0.03	5.40	1.60	3.40	ABRC020	32	33	0.00	0.40	0.80	7.20
ABRC011	63	64	0.02	4.60	1.80	3.60	ABRC020	33	34	0.01	0.80	1.00	4.50
ABRC011	64	65	0.04	3.20	2.00	3.30	ABRC020	34	35	0.01	1.00	1.20	9.60
ABRC011	65	66	0.06	3.80	2.40	6.20	ABRC020	35	36	0.01	0.60	1.00	7.00
ABRC011	66	67	0.21	4.20	2.20	6.20	ABRC020	36	37	0.01	0.40	1.00	10.80
ABRC011	67	68	0.20	2.40	2.00	4.00	ABRC020	37	38	0.02	6.00	1.20	9.20
ABRC011	68	69	0.04	2.60	1.00	4.00	ABRC020	38	39	0.01	0.80	1.00	8.80
ABRC011	69	70	0.02	2.60	1.40	3.60	ABRC020	39	40	0.02	4.40	1.20	7.20
ABRC011	70	71	0.01	2.20	1.20	4.00	ABRC020	40	41	0.02	2.80	1.00	6.20
ABRC011	71	72	0.02	2.00	1.40	3.20	ABRC020	41	42	0.01	0.40	1.20	5.40
ABRC011	72	73	0.02	1.20	1.40	3.60	ABRC020	42	43	0.01	0.80	1.20	6.40
ABRC011	73	74	0.13	2.20	2.20	4.60	ABRC020	43	44	0.01	2.20	1.20	6.80
ABRC011	74	75	0.10	2.40	2.00	6.00	ABRC020	44	45	0.01	1.80	1.20	4.90
ABRC011	75	76	0.03	2.60	1.80	8.20	ABRC020	45	46	0.01	0.80	1.00	4.40
ABRC011	76	77	0.13	3.80	2.00	18.10	ABRC020	46	47	0.00	2.80	1.00	5.70
ABRC011	77	78	0.03	2.40	1.40	25.90	ABRC020	47	48	0.01	5.60	1.00	7.60
ABRC011	78	79	0.02	2.60	1.20	1350.00	ABRC020	48	49	0.00	1.20	1.20	4.50
ABRC011	79	80	0.01	1.40	0.80	76.10	ABRC020	49	50	0.00	0.60	1.40	4.10
ABRC011	80	81	0.02	7.40	1.20	403.00	ABRC020	50	51	0.14	4.80	0.80	9.60
ABRC011	81	82	0.05	10.80	1.00	33.40	ABRC020	51	52	0.12	4.60	0.80	22.20
ABRC011	82	83	0.07	10.40	1.60	1460.00	ABRC020	52	53	0.02	2.20	1.60	5.50
ABRC011	83	84	0.03	6.60	1.60	91.20	ABRC020	53	54	0.01	0.60	1.20	3.10
ABRC011	84	85	0.03	5.40	1.60	39.00	ABRC020	54	55	0.01	1.00	1.20	3.20
ABRC011	85	86	0.04	14.00	3.60	30.90	ABRC020	55	56	0.01	16.20	1.00	3.90
ABRC011	86	87	0.06	130.00	2.00	50.40	ABRC020	56	57	0.00	1.00	0.80	3.30
ABRC011	87	88	0.04	7.80	1.00	23.70	ABRC020	57	58	0.01	0.80	0.80	3.40
ABRC011	88	89	0.02	4.00	1.60	28.50	ABRC020	58	59	0.01	1.80	1.00	3.30
ABRC011	89	90	0.02	4.20	1.60	22.40	ABRC020	59	60	0.01	2.00	0.80	3.90
ABRC011	90	91	0.00	3.60	1.80	8.70	ABRC020	60	61	0.03	1.40	1.20	3.70
ABRC011	91	92	0.00	5.80	1.20	382.00	ABRC020	61	62	0.01	0.40	1.20	5.60
ABRC011	92	93	0.03	13.00	2.00	62.20	ABRC020	62	63	0.00	4.60	1.20	4.50
ABRC011	93	94	0.03	14.20	1.20	3510.00	ABRC020	63	64	0.02	0.20	1.40	4.80
ABRC011	94	95	0.08	12.40	1.00	1180.00	ABRC020	64	65	0.02	0.20	1.20	5.60
ABRC011	95	96	0.06	10.20	0.80	190.00	ABRC020	65	66	0.00	1.60	1.20	5.60
ABRC011	96	97	0.05	4.40	0.80	32.60	ABRC020	66	67	0.03	0.60	1.00	5.60
ABRC011	97	98	0.02	2.60	0.60	468.00	ABRC020	67	68	0.01	6.20	0.80	4.50
ABRC011	98	99	0.02	0.20	0.60	130.00	ABRC020	68	69	0.08	0.60	0.80	7.10
ABRC011	99	100	0.02	5.60	0.80	31.40	ABRC020	69	70	0.01	1.60	0.80	6.40
							ABRC020	70	71	0.06	2.40	0.80	5.90
							ABRC020	71	72	0.02	1.80	0.80	5.40
							ABRC020	72	73	0.01	2.00	1.00	6.20
							ABRC020	73	74	0.01	3.60	1.00	7.10
							ABRC020	74	75	0.02	2.40	1.00	6.90
							ABRC020	75	76	0.02	0.60	1.00	4.90
							ABRC020	76	77	0.05	0.20	1.00	4.80
							ABRC020	77	78	0.04	0.60	1.20	4.90
							ABRC020	78	79	0.02	0.60	1.20	5.40
							ABRC020	79	80	0.02	0.20	1.20	15.20