

2 December 2021

DRILLING CONFIRMS 500M STRIKE LENGTH OF COPPER MINERALISATION, LAS PETACAS, CHILE

Culpeo Minerals Limited (ASX:CPO, Culpeo or the Company) is pleased to give an update on its ongoing exploration programs in Chile.

The Las Petacas drilling program (Figure 2) continues with 6 holes completed to date for 2,052m. Geophysical surveys have now been finalised over the project area, with data currently being processed and results to become available by mid-December 2021.

Highlights

- Drilling is ongoing at Las Petacas. 6 holes completed to date for 2,052m.
- Visual copper mineralisation continues to be intersected in all holes (Figure 1).
- 500m strike length of copper mineralisation defined within a larger 6km copper trend.
- Initial assays results expected mid-December 2021.
- Two additional high priority targets identified (Diego East and Far East) from Pole-dipole (PDIP) and ground magnetics survey (ground-mag) recently completed at Las Petacas.



Figure 1: Visual copper mineralisation (malachite and chrysocolla) intersected in drillhole CMPDD006 at 16m downhole.

The Company notes this is based on a visual inspection only and the samples are yet to be assayed or analysed.



Culpeo Minerals' Managing Director, Max Tuesley, commented:

"We are encouraged with the amount of visual copper mineralisation being intersected by our drilling program at Las Petacas. The occurrence of oxide copper minerals such as malachite and chrysocolla at shallow levels, transitioning into chalcocite and chalcopyrite at depth is very promising, suggesting a large mineralised system that is open along strike and at depth.

The completion of the PDIP survey as well as the ground-mag survey at Diego will enable us to refine our ongoing drill program and explore recently identified targets. The Company looks forward to drilling these additional prospects in early 2022."




Figure 2: Las Petacas Project Map, showing prospect locations and current drillhole collar locations.

Las Petacas Drilling Program

Six diamond drillholes totalling 2,052m are now complete at Las Petacas and the seventh hole is underway. Three holes have been completed on the Peta 1 Prospect, where significant trench assay results were returned historically (Figure 3), and three holes have targeted anomalies previously defined at Diego.





Figure 3: Peta 1 target showing drill hole positions (yellow), historic trench results (white) and mineralised zone (black).

(Refer to Prospectus dated 23 June 2021)

To date all holes have intercepted variable widths of visible copper mineralisation (Figure 4) present as copper oxide and sulphide minerals with drilling at the Peta 1 Prospect confirming visual copper mineralisation over 500m of strike and up to 200m of depth. Drill pad preparation is ongoing for hole CMPDD008 at Peta 1, geological mapping of the area has identified extensive outcropping copper mineralisation over a strike length of 50m and up to 20m wide.

The Company has submitted four holes to ALS Laboratories for analysis of copper and gold and initial results are expected in mid-December 2021. A summary of the drill holes to date is set out in Table 1.

As a demonstration of support for the project, the local council authority of Copiapo City has instigated the upgrade of the main access road to the Las Petacas Property. This work will link the project site to the Pan-American highway, a distance of 12km (Figure 5).





Figure 4: Core samples from CMPDD004, showing visible copper mineralisation in skarn over 3 metres from 41m to 44m.

The Company notes this is based on a visual inspection only and the samples are yet to be assayed or analysed.



Figure 5: The local council is currently upgrading 12 km of access road from the Pan-American highway to Las Petacas.



Las Petacas PDIP and Ground-Mag Survey

The Company has expanded the PDIP geophysical survey coverage at Las Petacas¹ with a program of 5 new PDIP survey lines completed, for a total of 9 line-kms. This survey follows-up the high amplitude Gradient Array IP (**GAIP**) chargeability and conductivity anomalies previously identified (ASX announcement 20 October 2021).

This survey has identified new targets at the Diego East, Far East and a deeper target at the Pedro Prospect (Figure 6). Historical drilling has not tested any of these targets and geological mapping is underway prior to drill hole design.

A ground-magnetic survey has also been completed over the Diego Prospect, where two magnetic anomalies have been identified, possibly associated with magnetite alteration, commonly associated with Iron Oxide Copper-Gold (**IOCG**) systems in the district. These anomalies have yet to be tested with drilling, both anomalies are over several hundreds of metres in length and geological interpretation is ongoing (Figure 7).




Figure 6: 3D model of the recently completed PDIP survey and GAIP results at Las Petacas (looking north).

¹For further details on previous GAIP / DDIP survey, refer to Culpeo Minerals Limited Prospectus dated 23 June 2021.






Figure 7: Ground magnetics image, Total Magnetic Intensity Analytical Signal (TMI-AS) showing high magnetic responses identified at the Diego Prospect.

This announcement has been authorised by the Board of Directors of Culpeo Minerals Limited.

COMPANY

Max Tuesley Managing Director

E: max.tuesley@culpeominerals.com.au

P: +61 (08) 9322 1587

MEDIA/INVESTORS

Peter Taylor NWR Communications

E: peter@nwrcommunications.com.au

P: +61 (0) 412 036 23



About Culpeo Minerals Limited

Culpeo Minerals is a copper exploration and development company with assets in Chile, the world's number one copper producer. The Company is exploring and developing high grade copper systems in the coastal Cordillera region of Chile.

The Company's principal project, the Las Petacas Project, is located in the Atacama Fault System near the world-class Candelaria Mine. Historic exploration has identified significant surface mineralisation with numerous outcrops of high-grade copper mineralisation which provide multiple compelling exploration targets.

San Sebastian Project
Caldera
Candelaria
Petacas Project

CHILE

ARGENTINA

La Serana
Andacollo

Quelon Project

Quelon Project

San Sebastian Project

Candelaria

Petacas Project

ARGENTINA

Description

Quelon Project

Culpeo Minerals has a strong board and management team with significant Chilean country expertise and has an excellent in-country network. All these elements enable the company to gain access to quality assets in a non-competitive environment. We leverage the experience and relationships developed over 10 years in-country to deliver low cost and effective discovery and resource growth.

We aim to create value for our shareholders through exposure to the acquisition, discovery and development of mineral properties which feature high grade, near surface copper mineralisation.



Competent Persons' Statements

The information in this disclosure that relates to Exploration Results is based on information compiled by Mr Maxwell Donald Tuesley ,BSc (Hons) Economic Geology, MAusIMM (No 111470). Mr Tuesley is a member of the Australian Institute of Mining and Metallurgy and is a shareholder and Director of the Company. Mr Tuesley has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Tuesley consents to the inclusion in this report of the matters based on this information in the form and context in which it appears.

The information in this disclosure that relates to historical Exploration Results is based on information compiled by Mr Jason Froud BSc (Hons), Grad Dip (Fin Mkts), MAIG) and was reviewed by Christine Standing BSc (Hons), MSc, MAusIMM, MAIG, who are both full time employees of Optiro Pty Ltd, acting as independent consultant to Culpeo Minerals Limited. Mr Froud and Ms Standing have sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as Competent Persons as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' (the JORC Code).

The information in this disclosure that relates to Geophysical Results is based on information compiled by Nigel Cantwell. Mr Cantwell is a Member of the Australian Institute of Geoscientists (AIG) and the Australian Society of Exploration Geophysics (ASEG). Mr Cantwell is a consultant to Culpeo Minerals Limited. Mr Cantwell has sufficient experience which is relevant to the style of mineralization and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources & Ore Reserves. Mr Cantwell consents to the inclusion in this report of the matters based on this information in the form and context in which it appears.

The information relating to historical Exploration Results in this announcement is extracted from the Company's Prospectus dated 23 June 2021 which is available from the Company's website at www.culpeominerals.com.au or on the ASX website www.asx.com.au. The Company confirms that it is not aware of any new information or data that materially affects the Exploration Results information included in the Prospectus and confirms that the form and context in which the applicable Competent Persons' findings are presented have not been materially modified from the Prospectus.

Table 1: Drill hole locations

The locations of the drillholes are presented in Table 1 below.

Prospect	Hole No.	Easting	Northing	Elevation	Azimuth	Inclination	Total depth
Diego	CMPDD001	363448	6935521	1215	90	-60	450
Diego	CMPDD003	363341	6935487	1225	90	-70	425
Diego	CMPDD002	363814	6935811	1148	90	-60	438
Peta 1	CMPDD004	364964	6937169	1328	200	-55	207.2
Peta 1	CMPDD005	364882	6937112	1338	160	-55	250.5
Peta 1	CMPDD006	364650	6937020	1355	160	-55	281.7
Peta 1	CMPDD007	364580	6936995	1360	160	-60	In Progress



Appendix A JORC Code Table 1 – Las Petacas Project

SECTION 1 SAMPLING TECHNIQUES AND DATA

Criteria	JORC Code explanation	Commentary
Sampling techniques	Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation' drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	 Surface sampling was completed as channel sampling. No records of sampling techniques for drill core and RC chip sampling are available. Drill core and RC chips where routinely assayed for Cu, Au, Ag, Fe and Mo. A total 792 historic surface samples have been taken, these were routinely assayed for Cu, Au, Ag, Fe and Mo. Drill samples were collected as either 1 m or 2 m composites. Surface samples were collected as channel samples between 1 to 3 m wide. 91 grab samples were taken in January 2021, these samples were analysed for Au, multi-element and ore grade Cu. For the 2021 drilling program, sampling was completed based on geological logging, with intervals usually between 0.3 to 2.0 metres in width. Any visible mineralisation, alteration or other salient features were recorded in the mapping and drill logs. Industrywide, acceptable, standard practices were adhered to.
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).	54 drillholes have been completed at the project for a total of 17,251 m. 21 diamond drill holes (DDH) for 7,984 m 31 reverse circulation (RC) Holes for 7,963 m Two mixed RC/DD holes for 1,304 m. For the 2021 program the program has been undertaken using diamond core drilling.
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure	Drill samples were taken before Culpeo's involvement, and no records are available detailing drill
	representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	core recovery. Core photos are available for a small portion of the drill core and these show good drill core recovery.
		For the 2021 program core recoveries are on average higher than 95%, with core photography untaken prior to core cutting and



Criteria	JORC Code explanation	Commentary		
		sampling.		
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. The total length and percentage of the relevant intersections logged.	 Partial records exist for the historic drill core logs, with 23 holes considered to have appropriate core logging coverage. For the 2021 program, geological, structural and alteration is carried 		
		out on all drill core.		
Sub-sampling techniques and sample	If core, whether cut or sawn and whether quarter, half or all core taken.	 No records are available. The 2021 program consists of cutting 		
preparation	If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.	of core and half samples sent to th laboratory.		
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	Standards, duplicates and blanks are sent to the lab on a routine basis		
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	with approximately 10% of all samples assigned for QAQC		
	Measures taken to ensure that the sampling is representative of the insitu material collected, including for instance results for field duplicate/second-half sampling.	purposes.		
	Whether sample sizes are appropriate to the grain size of the material being sampled.			
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	 The sample preparation technique is unknown. Analysis for total Cu, Mo, Pb, Zn and 		
	For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their	Ag was undertaken using a three acid digest and an AAS read.		
	derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks,	Analysis for acid soluble Cu was undertaken using a 5% H2SO4 leach with an AAS finish.		
	duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	Analysis for Au was undertaken using fire assay techniques with an AAS finish.		
		 Internal laboratory standards, blanks and duplicates were undertaken for every sample batch. 		
		The recent Culpeo sampling programme was undertaken with samples sent to ALS laboratories using preparation code PREP-31B, multi-element analysis ME-ME61 and analysis of Au by AU-AA24.		
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel.	Previous company staff reviewed the historic intersections. Due to		
	The use of twinned holes.	the early nature of the project,		
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	Culpeo staff have not independently verified the sampling and assaying.		
	Discuss any adjustment to assay data.	 No twin holes have been completed due to the early stage of the project. 		
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Location of drillhole collars and surface samples were recorded by handheld GPS. Accuracy is not		
	Specification of the grid system used.	known but is considered reasonable		
	Quality and adequacy of topographic control.	for early stage exploration.		
	Data spacing for reporting of Exploration Results.	The historical drilling and surface		



Criteria	JORC Code explanation	Commentary
Data spacing and distribution	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied	sampling are widely-spaced and no systematic sampling/drilling grid has been implemented.
	Whether sample compositing has been applied.	1
Orientation of data in relation to geological	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	In general, the surface sampling has been undertaken perpendicular to the main northeast trend to the
structure	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	mineralisation.
		Drilling orientations are not considered to be biased with several drilling orientations used.
		With respect to the 2021 program, drillholes are located perpendicular to the strike of mineralisation.
Sample security	The measures taken to ensure sample security.	No records are available.
		For the 2021 program, samples are delivered to the ALS collection point in Copiapo.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No records are available, but it is assumed no audits have been completed.



SECTION 2 REPORTING OF EXPLORATION RESULTS

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	The project area comprises twenty-two exploitation concessions, which cover a total area of approximately 14 km². Culpeo Minerals has 58% ownership of these concessions and has agreements in place to earn an additional 27%.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Historically four companies have undertaken exploration in the project area. These include:
Geology	Deposit type, geological setting and style of mineralisation.	The project is prospective for IOCG, vein hosted and skarn style Cu/Ag/Au/Mo mineralisation.
Drillhole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes: easting and northing of the drillhole collar elevation or RL (elevation above sea level in metres) of the drillhole collar dip and azimuth of the hole down hole length and interception depth hole length	Refer to Culpeo Minerals Limited Prospectus dated 23 June 2021.
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	No sample weighting or metal equivalent values have been used in reporting. Only raw assay results have been reported.
Relationship between mineralisation widths and intercept lengths	If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'Down hole length, true width not known').	Only down hole lengths have been reported with respect to drilling intercepts, true width of mineralisation is unknown.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Diagrams are included in the main body of the report.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Results have been reported for the main elements targeted (Cu, Au, Ag, Fe and Mo). All drillhole locations are reported for context. Recent surface grab samples have had a suite of multi-element assay results reported.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater,	A gradient array IP (GAIP) and dipole- dipole IP (DDIP) survey was undertaken over two field campaigns starting on 01/12/2020 and ending on 01/02/2021. The GAIP surveys consisted of three



Criteria	JORC Code explanation	Commentary
	geotechnical and rock characteristics; potential deleterious or contaminating substances.	survey blocks, which were each about 1.4 km long by 1.35 km wide.
		An extensional GAIP survey was undertaken in September / October 2021 covering the southeast portion of the concessions
		GAIP data were acquired with 50 m receiver dipole separation and 50 m station moves along 100 m spaced survey lines. The GAIP transmitter bi-pole and receiver survey lines were oriented E-W for the southernmost survey block located over the Juan and Diego prospects, and NW-SE for the other two survey blocks located over the Pedro, Peta-1 and Peta-2 prospects.
		The extension GAIP survey was located in the southeastern section of the concessions.
		The GAIP surveys were oriented so that survey lines crossed perpendicular over the existing Cu mineralised trends.
		A single DDIP survey line was carried out over a coincident GAIP chargeability anomaly and coincident anomaly near the Diego prospect. The survey line was 1.9 km long and data were acquired with a mix of 100 m and 300 m transmitter dipole spacing, and 100 m receiver dipole separation, to a maximum of 16 n-levels (proxy for depth).
		 In October 2021 a program of 5 new PDIP survey was completed approximately 9 line-km of coverage.
		 Field mapping was carried over the area of the phase one GAIP surveys, which were termed "West", "Central" and "East".
		The West area is dominated by a N-S structural system, where silicified veins contain abundant barite and contain high Ag values.
		Silicified structures and quartz porphyry are generally aligned NE-SW in the Central area, except for the more complex zone in the southern part of this area, which is also an area of interest in the GAIP survey results.
		In the East area, silicified structures and quartz porphyry occur in a variety of orientations and there is increased biotite mineralization noted in the porphyry dykes, as well as stockwork alteration.
Further work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale stepout drilling).	 A comprehensive drilling programme is now underway at the project site. Drilling is being undertaken using diamond drilling techniques producing HQ core.
		A Pole-Dipole IP surveys is currently underway.

