

Mt Cannindah project continues to impress with hole 7 delivering excellent intercepts of copper, gold and silver along with hole 8 returning an impressive 278m @ 1.26%CuEq from surface

HIGHLIGHTS

- Hole 7 delivers 75m of copper across two separate zones being 20m @ 1.19 Copper Equivalent (CuEq) from 95m and a further 55m @ 0.97CuEq from 192m
- A completely new high grade gold zone discovery in hole 7 being 3m @ 28.87g/tAu, 39.2g/tAg from 449m including 1m @ bonanza grade of 81.6g/tAu.
- Hole 8 returned an impressive 278m @ 1.26%CuEq from surface
- Supergene zone of 2m @ 4.78%CuEq from 17m in hole 8
- High grade gold 1m @ 8.18g/tAu from 478m also in hole 8
- Both holes are located 140m to the south of holes 2 and 3 in the southern section of Mt Cannindah and open up the possibilities of the southern section
- New Gold zone is a good chance to extend through to the gold zone in lower section of hole 3 approximately 150m horizontal distance away

The company's Executive Chairman commented:

"The Mt Cannindah project has been delivering amazing exploration results for Cannindah Resources Limited since this drilling program commenced. The fact is we are not even close to establishing how big the project area can be yet. The recent drilling within Mt Cannindah has resulted in the likelihood of it being considerably larger and more robust than previously thought. Significant improvements have been made in size and in grade, along with opening up extensions to the south, and to the north, and at depth, as well as the discovery of completely new gold zones. These results from holes 7 and 8 are very impressive being 140m south of the collars of holes 2 and 3. The success of the program to date is a testament to the dedication of our geological team in planning, reporting and execution of their work, along with excellent work from the drillers. We are definitely taking notice of what is occurring here in terms of it opening up the mineralisation further to the south. What's also interesting is what is occurring 200m further to the north in hole 9 and how that may open the northern extent as well. We look forward to the weeks and months ahead where we will be providing updates on further exploration over the Mt Cannindah breccia, Cannindah east, and other identified target areas of interest."

Technical highlights and details of hole 7 and hole 8 below

Thick intersections of copper, gold, silver in hydrothermal breccia :

- In Hole 8 : 278m @ 0.87% Cu , 0.43 g/t Au, 15 g/t Ag from surface , converts to 278m @ 1.26% Copper Equivalent (Cu Eq).
 - includes 43m @ 1.33% Cu, 0.67 g/t Au, 29 g/t Ag from 41m in hole 8 (43m @ 1.98 % Cu Eq).
 - and 29m @ 1.34% Cu, 0.3 g/t Au, 22.2 g/t Ag from 166m in hole 8 (29m @ 1.70 % Cu Eq)
- In Hole 7 : 20m @ 1.19% Cu , 0.55 g/t Au, 46 g/t Ag from 95m, converts to 20m @ 1.89% Cu Eq.
- In Hole 7 : 55m @ 0.77% Cu , 0.21 g/t Au, 8.7 g/t Ag from 192m, converts to 55m @ 0.97 % Cu Eq

New discovery of high grade gold zone 200m further down hole than previous copper resource :

- In Hole 7 : 3m @ 28.87 g/t Au, 39.2 g/t Ag from 449m
 - Includes 1m @ 81.6 g/t Au , 107 g/t Ag (450m-451m ,hole 7)
- In hole 8 : 1m @ 8.18 g/t Au , 478m-479m.

HIGHLIGHTS Hole 7

- Oxidised Breccia : 14m @ 0.38% Cu, from 0m to 14m , this converts to 14m @ 0.46% Cu Eq.
- Upper Zone Hydrothermal Infill Breccia (primary chalcopyrite rich) : 20m @ 1.19% Cu, 0.55g/t Au ,46g/t Ag from 95m to 115m, converts to 20m @ 1.89% Cu Eq.
- Lower Zone Hydrothermal Infill Breccia (primary chalcopyrite rich): 55m @ 0.77% Cu, 0.21g/t Au ,8.7g/t Ag from 192m to 247m, converts to 55m @ 0.97 % Cu Eq.
- Lower zone includes some higher copper , gold silver sections eg. :
 - 2m @ 2.78% Cu, 0.92g/t Au ,36.8g/t Ag ,193m to 195m (2m @ 3.64 % Cu Eq)
 - 10m @ 1.19% Cu, 0.34g/t Au ,13.5g/t Ag ,204m to 214m (10m @ 1.51% Cu Eq)
 - 1m @ 1.78% Cu, 0.97 g/t Au, 17.8 g/t Ag ,211m to 212m (1m @ 2.51% Cu Eq)
 - 8m @ 1.26% Cu, 0.26g/t Au ,13.8g/t Ag, 224m to 232m (8m @ 1.53 % Cu Eq)
- New Discovery, well below copper breccia of high grade gold zone manifested by steep dipping semi-massive sulphide & quartz vein filled structure from 449m-452m in an overall 30m zone of elevated gold from 424m..
- Average of samples over 3m from 449m to 452m is 28.67 g/t Au, 39.2 g/t Ag supported by 3m sludge sampling.


- Most prominent sulphidic 1m section from 450m to 451m returned 96.9 g/t Au & 66.4 g/t Au averaging 81.6 g/t Au, 109.2 g/t Ag, 30.5% S.

HIGHLIGHTS Hole 8

- Total mineralised intercept of infill breccia from hole 8 from surface aggregates to 278m @ 0.87% Cu , 0.43 g/t Au, 16 g/t Ag (0m to 278m) , this converts to 278m @ 1.26% Copper Equivalent (Cu Eq).
- Oxidised Breccia : 17m @ 0.23 % Cu, 1.09 g/t Au, 12.8 g/t Ag (0m to 17m) this converts to 17m @ 1.00 % Cu Eq
- Supergene zone : 2m @ 3.75% Cu, 1.4 g/t u, 19.7 g/t Ag (17m to 19m), this converts to 2m @ 4.78 % Cu Eq
- Near surface gold zone, hydrothermal breccia : 4m @ 0.3 % Cu, 1.53 g/t Au, 11.5 g/t Ag (28m to 32m), this converts to 4m @ 1.33 % Cu Eq
- Upper ,high grade chalcopyrite rich infill hydrothermal breccia : 43m @ 1.33 % Cu, 0.67 g/t Au, 29.8 g/t Ag (41m to 84m), this converts to 43m @ 1.98 % Cu Eq
- high grade chalcopyrite rich breccia : 8m @ 1.50 % Cu, 0.17 g/t Au, 44.5 g/t Ag (131m to 139m), this converts to 8m @ 1.96% Cu Eq
- Gold zone within infill hydrothermal breccia : 2m @ 1.28 % Cu, 6.91 g/t Au, 32.8 g/t Ag (145m to 147m), this converts to 2m @ 5.76 % Cu Eq
- Gold zone within infill hydrothermal breccia : 1m @ 0.35 % Cu, 4.69 g/t Au, 10.2 g/t Ag (159m to 160m), this converts to 1m @ 3.29 % Cu Eq
- Lower ,high grade chalcopyrite rich infill hydrothermal breccia : 29m @ 1.34 % Cu, 0.30 g/t Au, 22.2 g/t Ag (166m to 195m), this converts to 29m @ 1.70 % Cu Eq
- Lower ,high grade chalcopyrite rich infill hydrothermal breccia : 17m @ 1.35 % Cu, 0.30 g/t Au, 13.6 g/t Ag (218m to 235m), this converts to 17m @ 1.64 % Cu Eq
- Lower ,high grade chalcopyrite rich infill hydrothermal breccia : 22m @ 1.24 % Cu, 0.35 g/t Au, 12.4 g/t Ag (255m to 277m), this converts to 22m @ 1.55 % Cu Eq
- Gold Zone 478m-479m , 1m @ 8.18 g/t Au quartz sulphide vein in hydrothermal breccia.
- Gold Zone 506m-509m , 3m @ 0.41 g/t Au in hydrothermal breccia.

TECHNICAL DETAILS & RESULTS OF CAE HOLES 7 & 8 AT MT CANNINDAH

Cannindah Resources Limited ("Cannindah", "CAE") is pleased to announce the next set of completed assay results from the drilling program currently underway at Mt Cannindah, copper gold silver project south of Gladstone near Monto in central Queensland (Figs 1 to 2) pertaining to full results for holes 21CAEDD007 & 21CAEDD008.



Tenure

EPM 14524

- 9 sub-blocks
- ~ 28 sq km

EPM 15261

- 14 sub-blocks
- ~ 43.5 sq km

MLs 3201-3209 (contiguous)

- ~ 5.7 sq km

**Total of 71.5 sq km of Exploration Permits
& 5.7 sq km of Mining Leases**

OWNERSHIP

The Mt Cannindah Project is 100%
owned by Cannindah Resources Limited

Mt Cannindah Projects

Mt Cannindah Mining Pty Ltd
wholly owned subsidiary of




Cannindah Resources
Limited



Terra Search Pty Ltd
March 2021

CAE_MC_210001_Tenure2021.WOR

Fig 1. Mt Cannindah Project Tenure



Mt Cannindah

5.5Mt @ 0.92 % Cu, 0.34 g/t Au
& 14.9 g/t Ag (JORC, 2004)

Cannindah East

245,000 t @ 2.8 g/t Au
(Non-JORC)

United Allies

2Mt @ 0.5% Cu, 179ppm Mo
(Non-JORC)

Monument/Lifesaver

8Mt @ 0.4% Cu
Inferred (Non-JORC)

Apple Tree

30,000 t @ 2.1% Cu , 1.7 g/t Au
& 20 g/t Ag (Non-JORC)

Mt Cannindah Projects

Mineral Resources

Mt Cannindah Mining Pty Ltd
wholly owned subsidiary of
Cannindah Resources
Limited

0 500
meters
MGA Zone 56 (GDA94)



Terra Search Pty Ltd
November 2021

CAE_MC_210004_Resource_Nov2021.wor

Fig 2. Mt Cannindah project Location of identified resources , known targets .

CAE holes 7 & 8 were designed to test grade, mineralisation style and continuity, and the geological relationships of the copper-gold-silver bearing infill breccia as it plunges to the west. Holes 7 & 8 are in the southern section of the Mt Cannindah Mine area, 140m south of the collars of Holes 2 & 3. These are the first holes in this area to drill from east to west with the objective of drilling down the long axis of the Mt Cannindah breccia.

CAE hole # 7, drilled along the western margin of breccia, drilling through a large hornfels block before intersecting two sections of infill chalcopyrite rich hydrothermal breccia down to 320m ie **20m @ 1.19% Cu, 0.55 g/t Au, 46 g/t Ag from 95m-115m; 55m @ 0.77% Cu, 0.21g/t Au, 8.7g/t Ag from 192m to 247m**. Hole 7 then drilled a mixture of pyritic clast supported breccia, strongly altered, bleached, dioritic porphyry and post mineral andesitic dykes before passing back into hydrothermal infill breccia with variable chalcopyrite contents at 424m.

CAE then discovered a notable **gold bearing zone** from 438m to 452m, associated with semi-massive pyrite and quartz infill within a steeply dipping vein structure. Elevated gold is also present associated with felsic dykes. Bonanza gold grades up to **1m @ 81.64 g/t Au and 109.2 g/t Ag** demonstrate the significance and potential of the discovery. The Au value for this metre is an average of original analysis of 96.9 g/t Au and repeat analysis of 66.4 g/t Au. Hole # 7 then passed through a rock crush/fault zone and drilled mainly pyritic clast supported breccia, some strongly altered, bleached, dioritic porphyry and post mineral andesitic dykes through to the end of hole at 538.9m.

CAE hole # 8, was drilled 40m to the east and underneath CAE hole # 7 to determine the continuity of copper bearing breccia under the large hornfels block intersected in hole # 7. The latter block was interpreted as being a probable barrier to mineralising fluid and may have led to copper and other metal deposition on the footwall (eastern side) of the steeply dipping block. Hole # 8 successfully drilled a thick intersection of chalcopyrite rich, hydrothermal infill breccia, aggregating **278m @ 0.87% Cu, 0.43 g/t Au, 16 g/t Ag** from surface. Hole # 8 then drilled (in a similar fashion to Hole # 7) a mixture of pyritic clast-supported breccia, strongly altered, bleached, dioritic porphyry and post mineral andesitic dykes, passing in and out of hydrothermal infill breccia with variable chalcopyrite content. Gold was present at 478m to 479m, (1m @ 8.18 g/t Au) and again at 507m to 508m, with elevated silver.

These gold bearing zones sit below measured and oriented, sub-vertical structures in hole # 7, (see Fig 12) consequently, Terra Search consultant geologists have interpreted the gold bearing zones to be connected. **In a similar fashion, the measured north west orientation of the high gold bearing structure in hole # 7 is on trend and has a good chance of extending through to the gold zone that CAE recently discovered in the lower part of hole # 3 (11m @ 3.4 g/t Au from 567m to 578m), 150m horizontal distance away.** These spatial relationships are presented in plan and section in Figs 6 & 7.

Hole # 8 was drilled to 762.7m, half core samples from the bottom of the hole have been cut and are currently being analysed , results will be reported when they become available.

Table 1. Assay Highlights Drillhole 21CAEDD007

Down Hole Mineralized Zones Hole 21CAEDD007	From	To	m	Cu %	Au g/t	Ag g/t	S %
Oxidised Breccia	0	14	14	0.38	0.11	1.7	0.15
Upper Zone Hydrothermal Infill Breccia (primary)	95	115	20	1.19	0.55	46.0	6.87
Hydrothermal Infill Breccia (HBX)	incl 95	105	10	1.55	0.87	63.2	7.87
Hydrothermal Infill Breccia (high Cu,Ag)	incl 98	101	3	2.33	0.48	98.1	8.84
Hydrothermal Infill Breccia (high Cu,Au,Ag, elevated As)	incl 101	105	4	1.28	1.56	56.2	6.64
HBX (high Au, elevated As)	128	129	1	0.02	2.04	0.3	1.32
Lower Zone HBX (primary)	192	247	55	0.77	0.21	8.7	2.24
HBX (high Cu,Au,Ag)	incl 193	195	2	2.78	0.92	36.8	7.42
Hydrothermal Infill Breccia (mod Cu)	incl 204	214	10	1.19	0.34	13.5	2.92
Hydrothermal Infill Breccia (mod Cu,Au,Ag)	incl 211	212	1	1.78	0.97	17.8	6.51
Hydrothermal Infill Breccia (mod Cu)	incl 224	232	8	1.26	0.26	13.8	3.16
Hydrothermal Infill Breccia (mod Au)	incl 235	236	1	0.49	0.81	8.3	1.63
Clast Supported Breccia (elevated Cu)	247	320	73	0.14	0.06	2.5	1.29
Clast Supported Breccia (elevated Cu)	337	351	14	0.16	0.06	5.4	1.78
Sliver HBX in andestite dyke	418	419	1	0.48	0.04	7.4	1.11
Clast Supported Breccia (elevated Cu,Au)	424	446	22	0.20	0.25	5.4	1.59
Clast Supported Breccia (mod Cu)	incl 424	427	3	0.39	0.07	8.1	1.88
Clast Supported Breccia (mod Cu)	incl 434	437	3	0.37	0.05	7.7	1.56
Pyritic breccia & felsic dyke (Au)	incl 438	440	2	0.09	2.44	8.8	2.76
Pyritic shears & breccia (Au bearing)	incl 445	446	1	0.99	0.20	23.5	3.43
Semi-massive sulphide & quartz vein filled steep, dipping structure	449	452	3	0.06	28.67	39.2	12.33
Semi-massive sulphide & quartz vein filled steep, dipping structure	Incl 450	451	1	0.14	81.64	107.3	30.50

Note Steep dipping semi-massive sulphide & quartz vein filled structure from 449m-452m is a possible Au feeder .The individual 3m samples are 1.53, 81.64 and 2.84 g/t Au averaging 28.67 g/t, a result supported by 3m sludge sampling. The 2 analyses from 450m-451m returned 96.854 g/t Au & 66.432 g/t Au averaging 81.64 g/t Au.

Table 2. Assay Highlights Drillhole 21CAEDD008

Down Hole Mineralized Zones Hole 21CAEDD008	From	To	m	Cu %	Au g/t	Ag g/t	S %
Overall Aggregate Infill Breccia Interval	0	278	278	0.87	0.43	15.4	3.71
Oxide Breccia	0	17	17	0.23	1.09	12.8	0.17
Supergene zone	17	19	2	3.75	1.4	19.7	3.15
Hydrothermal Infill Breccia marginal to andesite dyke.	28	32	4	0.3	1.53	11.5	2.08
Hydrothermal Infill Breccia (primary)	41	84	43	1.33	0.67	29.8	4.46
Hydrothermal Infill Breccia (primary)	131	139	8	1.5	0.17	44.5	6.06
Hydrothermal Infill Breccia (primary)	145	147	2	1.28	6.91	32.8	6.74
Hydrothermal Infill Breccia (primary)	159	160	1	0.35	4.69	10.2	5.55
Hydrothermal Infill Breccia (primary)	166	195	29	1.34	0.3	22.2	5.62
Hydrothermal Infill Breccia (primary)	218	235	17	1.35	0.3	13.6	4.24
Hydrothermal Infill Breccia (primary)	255	277	22	1.24	0.35	12.4	3.37
Hydrothermal Infill Breccia & clast supported lower total sulphide breccia	286	291	5	0.27	0.46	4.2	1.82
Hydrothermal Infill Breccia & clast supported lower total sulphide breccia	344	351	7	0.22	0.13	9.4	2.30
Hydrothermal Infill Breccia	375	376	1	0.45	0.04	17.6	4.25
Thin quartz sulphide vein in Hydrothermal Infill Breccia & clast supported breccia	478	479	1	0.03	8.18	4.5	2.88
Hydrothermal Infill Breccia & clast supported breccia	505	516	11	0.14	0.15	10	0.88
Hydrothermal Infill Breccia & clast supported breccia	incl 506	509	3	0.17	0.41	24.5	1.33

The location of CAE holes in plan & section view in relation to historic holes are presented in Appendix 2. Figs 3 to 4 are respectively Cu,Au down hole cross sections showing recent CAE results for the whole length of the 500m to 760m plus holes. Fig 5 shows the distribution of Cu in the upper section of the holes , down to 400m. Figs 6 is a plan view showing CAE's recent new gold discovery in relation to the Mt Cannindah chalcopyrite rich breccia, plotted with Au assays and CAE and historic drillholes. Appendix 2 Fig 3 shows a plan view of the new gold zones plotted against Cu assays.

The overall geological interpretation building up from the recent and historical drilling is of a steeply west dipping, roughly north south oriented, tabular body of breccia, bounded on the east by hornfels and on the west by diorite and wedges of hornfels. In the southern section of the breccia deposit, at around 300m RL, there is an apparent transition from chalcopyrite rich hydrothermal infill breccia to a pyritic clast supported breccia with variable ,but often lower amounts of chalcopyrite. The boundary between the hydrothermal infill breccia and the clast supported breccia appears deeper in the northern section of the breccia deposit , suggesting a northerly plunge for this contact. Bleached, altered, diorite porphyries and post mineral andesite dykes cut the clast supported breccia.

Geological observations from drill core indicate that there is often a general gentle easterly dip to the slabs/clasts within the hydrothermal breccia (see Fig 11) . This essentially means that , far from drilling down dip, the CAE holes drilling from the east have in actual fact been often drilling at right angles to the structural grain of the breccia. The simplified geological relationships as interpreted from the recent drilling of CAE holes are presented in cross section for holes 7 & 8 in Fig 7. The geological interpretations are plotted with an overlay of Cu and Au respectively in Appendix 2. The recently discovered gold zones , including the structure in CAE hole 7 with bonanza grades are clearly shown to be well outside any previous resource envelope and in the order of 150m down dip from the main body of hydrothermal infill breccia, see Fig 7.

Appendix 1 present tables listing the complete Cu,Au,Ag,S assays and pyrite, chalcopyrite visual estimates for the individual metres of CAE hole 7 (0m to 531.8m) and selected sections hole of CAE hole 8. (0m to 300m: and 475m to 520m). Selected photo examples of the mineralisation are presented in Figs 8 to 12.




Fig 3. Mt Cannindah mine area east west cross section CAE holes 7 & 8, bottom of CAE hole # 2, with Cu lab assay results plotted down hole, annotated significant intersections in holes 7 & 8. CAE holes only plotted, See Appendix 2 for section layout in plan view. & relationship to historical holes.





Fig 4. Mt Cannindah mine area east west cross section CAE holes 7 & 8, bottom of CAE hole # 2, with Au lab assay results plotted down hole, annotated significant intersections in holes 7 & 8. CAE holes only plotted, See Appendix 2 for section layout in plan view. & relationship to historical holes.

Fig 5. Mt Cannindah mine area east west cross section CAE holes 7 & 8, bottom of CAE hole # 2, with Cu lab assay results plotted down hole, annotated significant intersections in holes 7 & 8. CAE holes and holes used in previous resource estimation only plotted, See Appendix 2 for section layout in plan view. & relationship to historical holes.



CAE_MC_220012

Fig 6. Mt Cannindah mine area plan view of CAE drillholes and historic drillholes showing relationship to new gold discoveries in CAE holes 3, 7 & 8. Au assays plotted. Note the new gold zones are 200m to 300m west of previous drilled gold assays contained within the historical mineralised Au envelope.




Fig 7. Mt Cannindah mine, Cross section of recent CAE holes 7 & 8, showing Simplified Interpretive Geology, Note relationships between infill breccia and clast supported breccia and overall steep, west dipping, attitude of breccia body. Newly discovered sub vertical gold zones shown well below main body of infill breccia. Cross sections overlain with Cu & Au assay data are presented in Appendix 2.




Fig 8 HQ Core photo hole 21CAEDD008, 218.5m. Chalcopyrite rich infill in clast supported hornfels breccia. Primary zone 218m-219m assays 1m @ 2.18% Cu, 0.38 g/t Au, 21 g/t Ag, 4.71 % S.



Fig 9 HQ Core photo hole 21CAEDD008, 275m-277m. Chalcopyrite rich infill in clast supported hornfels breccia. Primary zone 275m-277m assays 2m @ 1.69% Cu, 0.23 g/t Au, 16.8 g/t Ag, 3.22 % S.



Fig 10 HQ Core photo hole 21CAEDD007, 445.8m. chalcopyrite rich infill in clast supported hornfels diorite breccia. Primary zone 445m-446m assays 1m @ 0.99% Cu, 0.2 g/t Au, 23.5 g/t Ag .



Fig 11a & b. HQ Core Photo in Core Oriented frame CAE hole # 8, 46.7m showing “splinter breccia” with gently east dipping hornfels slabs , infill of chalcopyrite. A common observation suggesting that CAE’s drilling direction ,which is steep from from the east ,means that drilling is almost right angles to the breccia structural grain, and drilling down the long axis of the breccia body.



Fig 12. NQ Core Photo in Core Oriented frame CAE hole # 7, 451m showing sub vertical to steep west dipping fault quartz pyrite infill in sharp contact with rock crush zone/breccia . Massive pyrite with some quartz vein material infills the structure . View is looking south , orientation of contact is striking SE (140 magnetic). Interval 450m to 451m , 1m @ 81.64 g/t Au, 107.3 g/t Ag, 0.14 % Cu, 30.5 % S.

The high copper grades, with silver and gold credits, from CAE holes 7 & 8 will build confidence in the grade model for the southern sector of the resource at Mt Cannindah .

High grade copper gold silver mineralisation has also been noted in the northern holes , 140m to approx. 200m north of the cross section line containing hole 7 & 8 (see ASX release dated 9th of November 2021 for hole 3, 25th of January for hole 4 and 14th of February for holes 5 and 6) Hole 2 is oriented in a SW direction and joins the northern and southern areas with high grade mineralisation 282m @ 1.28% Cu Eq (see ASX release dated 19th October 2021). CAE hole 9 is currently drilling 45m north of the collars of hole 2 & 3 , significant high grade chalcopryrite mineralisation has been intersected (see ASX release for hole 2 dated 19th October 2021 and hole 3 dated 9th November 2021). Results will be reported as they become available, along with results from the bottom of hole 8 down to final depth of 762.7m

Drilling at the Mt Canindah project is ongoing and continuing to further establish size and grade extensions along with exploration across new areas of interest.

COMPETENT PERSON STATEMENT

The information in this report that relates to exploration results is based on information compiled by Dr. Simon D. Beams, a full-time employee of Terra Search Pty Ltd, geological consultants employed by Cannindah Resources Limited to carry out geological evaluation of the mineralisation potential of their Mt Cannindah Project, Queensland, Australia. Dr Beams is also a non-Executive Director of Cannindah Resources Limited.

Dr. Beams has BSc Honours and PhD degrees in geology; he is a Member of the Australasian Institute of Mining and Metallurgy (Member #107121) and a Member of the Australian Institute of Geoscientists (Member # 2689). Dr. Beams has sufficient relevant experience in respect to the style of mineralization, the type of deposit under consideration and the activity being undertaken to qualify as a Competent Person within the definition of the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves ("JORC Code).

Dr. Beams consents to the inclusion in the report of the matters based on this information in the form and context in which it appears.

Disclosure:

Dr Beams' employer Terra Search Pty Ltd holds ordinary shares in Cannindah Resources Limited.

For further information, please contact:

Tom Pickett
Executive Chairman
Ph: 61 7 55578791

Appendix 1 Table 1 Cu,Au,Ag,S assays , chalcopryrite, pyrite visual estimates, CAE hole 7 - 0m -531.8m

Appendix 1 Table 2 Cu,Au,Ag,S assays , visual estimates, CAE hole 8 - 0m to 300m & 475m to 520m



Appendix 2 Plan & section view in relation to historic holes , Mt Cannindah

Appendix 3 JORC Table 1

Appendix 1 Table 1 Cu,Au,Ag,S assays chalcopyrite, pyrite visual estimates, hole 21CAEDD007 0m-531.8m

Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	0	1	0.25	0.68	5.3	0.07			FILL
DD007	1	2	0.29	0.40	1.6	0.02			Mottled Clay
DD007	2	3	0.37	0.11	1.0	0.08			Hydrothermal Infill Breccia
DD007	3	4	0.31	0.06	0.9	0.02			Diorite
DD007	4	5	0.26	0.04	1.2	0.04			Diorite
DD007	5	6	0.25	0.05	2.3	0.05			Hydrothermal Infill Breccia
DD007	6	7	0.26	0.04	1.4	0.03			Diorite
DD007	7	8	0.59	0.04	1.9	0.02			Diorite
DD007	8	9	0.35	0.02	1.5	0.01			Diorite
DD007	9	10	0.28	0.01	0.7	0.01			Diorite
DD007	10	11	0.27	0.01	1.5	0.04			Diorite
DD007	11	12	0.73	0.04	2.9	0.14			Diorite
DD007	12	13	0.45	0.01	1.2	0.28			Hydrothermal Infill Breccia
DD007	13	14	0.70	0.01	0.8	1.33	1.5		Hornfels
DD007	14	15	0.08	0.01	1.1	0.98	2		Hornfels
DD007	15	16	0.03	0.01	-0.5	0.36	0.5		Hornfels
DD007	16	17	0.12	0.04	2.6	1.57	3		Hornfels
DD007	17	18	0.02	0.01	-0.5	0.32	0.5		Hornfels
DD007	18	19	0.05	0.02	0.7	0.60	1		Hornfels
DD007	19	20	0.04	0.01	0.6	0.44	1		Hornfels
DD007	20	21	0.01	0.01	-0.5	0.31	0.5		Hornfels
DD007	21	22	0.04	0.01	0.6	0.75	1.5	0.1	Hornfels
DD007	22	23	0.32	0.07	4.5	1.21	2	1	Hornfels
DD007	23	24	0.18	0.03	1.8	0.54	0.5	0.5	Hornfels
DD007	24	25	0.03	0.02	0.7	0.57	1		Hornfels
DD007	25	26	0.03	0.01	0.5	0.55	1		Hornfels
DD007	26	27	0.06	0.02	0.7	0.51	1		Hornfels
DD007	27	28	0.03	0.01	0.5	0.67	1.5	0.1	Hornfels
DD007	28	29	0.62	0.12	8.2	3.92	8	2	Hornfels
DD007	29	30	0.12	0.02	1.9	1.44	2.5	0.5	Hornfels
DD007	30	31	0.08	0.02	1.0	2.08	4	0.2	Hornfels
DD007	31	32	0.13	0.07	1.8	0.83	1.5	0.5	Hornfels
DD007	32	33	0.27	0.05	4.2	0.77	1	1	Hornfels
DD007	33	34	0.04	0.02	1.6	0.95	2	0.1	Hornfels



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	34	35	0.05	0.02	0.7	1.85	4		Hornfels
DD007	35	36	0.04	0.02	0.6	1.44	3		Hornfels
DD007	36	37	0.02	0.01	-0.5	1.31	2.5		Hornfels
DD007	37	38	0.01	-0.01	-0.5	0.77	1.5		Hornfels
DD007	38	39	0.06	0.02	0.7	1.40	2.5	0.1	Hornfels
DD007	39	40	0.03	0.01	0.6	0.51	1		Hornfels
DD007	40	41	0.02	0.01	-0.5	0.09	0.2		Hornfels
DD007	41	42	0.03	0.01	0.6	0.08	0.1		Hornfels
DD007	42	43	0.03	0.01	0.6	0.11	0.2		Hornfels
DD007	43	44	0.03	0.01	-0.5	0.09	0.1		Hornfels
DD007	44	45	0.11	0.03	1.9	0.08		0.2	Hornfels
DD007	45	46	0.05	0.03	0.7	0.14	0.2	0.1	Hornfels
DD007	46	47	0.04	0.01	0.6	0.06		0.1	Hornfels
DD007	47	48	0.07	0.02	1.4	0.25	0.5	0.2	Hornfels
DD007	48	49	0.05	0.02	0.7	0.10	0.1	0.1	Hornfels
DD007	49	50	0.04	0.01	0.7	0.77	1.5	0.1	Hornfels
DD007	50	51	0.10	0.02	1.2	4.92	10	0.2	Hornfels
DD007	51	52	0.11	0.05	1.4	2.22	4	0.2	Hornfels
DD007	52	53	0.07	0.02	1.0	1.62	3	0.2	Hornfels
DD007	53	54	0.06	0.02	0.9	2.05	4	0.2	Hornfels
DD007	54	55	0.08	0.02	1.0	1.43	2.5	0.2	Hornfels
DD007	55	56	0.05	0.01	0.6	1.53	3	0.1	Hornfels
DD007	56	57	0.04	0.01	0.6	1.34	2.5	0.1	Hornfels
DD007	57	58	0.04	0.03	0.5	2.31	5		Hornfels
DD007	58	59	0.02	0.01	-0.5	1.22	2.5		Hornfels
DD007	59	60	0.01	0.01	-0.5	0.62	1		Hornfels
DD007	60	61	0.03	0.02	-0.5	1.47	3		Hornfels
DD007	61	62	0.04	0.02	0.6	2.14	4		Hornfels
DD007	62	63	0.03	0.01	-0.5	0.60	1		Hornfels
DD007	63	64	0.04	0.02	0.6	1.08	2		Hornfels
DD007	64	65	0.08	0.02	1.1	1.49	3	0.2	Feldspar Porphyry
DD007	65	66	0.02	0.01	-0.5	0.92	2		Hornfels
DD007	66	67	0.01	0.01	-0.5	0.53	1		Hornfels
DD007	67	68	0.03	0.01	-0.5	0.50	1		Hornfels
DD007	68	69	0.03	0.02	0.5	0.67	1.5		Hornfels
DD007	69	70	0.04	0.02	0.7	1.70	3		Hornfels
DD007	70	71	0.13	0.09	1.7	2.35	4	0.5	Hornfels
DD007	71	72	0.02	0.01	-0.5	0.96	2		Hornfels



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	72	73	0.02	0.02	-0.5	0.80	1.5		Hornfels
DD007	73	74	0.10	0.04	1.2	1.23	2.5	0.2	Hornfels
DD007	74	75	0.03	0.01	0.5	1.05	2		Hornfels
DD007	75	76	0.02	0.01	0.5	0.63	1		Hornfels
DD007	76	77	0.03	0.01	0.6	0.75	1.5		Hornfels
DD007	77	78	0.14	0.04	1.5	1.56	3	0.5	Hornfels
DD007	78	79	0.06	0.06	0.8	0.93	2	0.2	Hornfels
DD007	79	80	0.03	0.01	0.6	0.53	1		Hornfels
DD007	80	81	0.05	0.02	1.0	1.72	3		Hornfels
DD007	81	82	0.04	0.01	0.7	0.70	1.5		Hornfels
DD007	82	83	0.03	0.01	0.6	0.58	1		Hornfels
DD007	83	84	0.08	0.02	1.2	0.57	1	0.2	Hornfels
DD007	84	85	0.07	0.01	1.4	0.51	1	0.2	Hornfels
DD007	85	86	0.05	0.02	0.7	0.68	1.5	0.1	Hornfels
DD007	86	87	0.12	0.02	1.2	1.32	2.5	0.5	Diorite
DD007	87	88	0.10	0.03	1.1	1.32	2.5	0.2	Diorite
DD007	88	89	0.06	0.01	0.8	1.47	3	0.2	Diorite
DD007	89	90	0.07	0.02	0.9	1.57	3	0.2	Diorite
DD007	90	91	0.04	0.02	0.7	0.83	1.5	0.1	Hornfels
DD007	91	92	0.05	0.02	0.8	1.53	3	0.1	Hornfels
DD007	92	93	0.04	0.02	1.2	1.16	2		Hornfels
DD007	93	94	0.02	0.01	0.5	0.53	1		Andesite Post Mineral Dyke
DD007	94	95	0.04	0.01	1.0	0.85	1.5	0.1	Hornfels
DD007	95	96	0.75	0.27	25.2	8.84	15	2	Hydrothermal Infill Breccia
DD007	96	97	1.35	0.55	38.8	9.75	15	4	Hydrothermal Infill Breccia
DD007	97	98	1.24	0.17	49.0	7.03	10	4	Hydrothermal Infill Breccia
DD007	98	99	1.58	0.37	77.8	6.62	10	5	Hydrothermal Infill Breccia
DD007	99	100	2.05	0.42	61.4	10.37	15	5	Hydrothermal Infill Breccia
DD007	100	101	3.36	0.65	155.0	9.54	10	10	Hydrothermal Infill Breccia
DD007	101	102	1.30	1.32	63.6	6.91	10	4	Hydrothermal Infill Breccia
DD007	102	103	1.41	1.01	45.9	5.36	8	4	Hydrothermal Infill Breccia
DD007	103	104	1.43	2.14	70.2	8.47	15	4	Hydrothermal Infill Breccia
DD007	104	105	0.99	1.75	45.2	5.81	10	3	Hydrothermal Infill Breccia
DD007	105	106	0.28	0.34	19.2	2.62	5	1	Hydrothermal Infill Breccia
DD007	106	107	0.43	0.41	18.4	3.83	8	1.5	Hydrothermal Infill Breccia
DD007	107	108	0.75	0.43	26.3	7.72	15	2	Hydrothermal Infill Breccia
DD007	108	109	0.27	0.11	11.6	7.08	15	1	Hydrothermal Infill Breccia
DD007	109	110	1.40	0.14	42.3	6.62	10	4	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	110	111	0.87	0.11	27.3	6.81	10	2.5	Hydrothermal Infill Breccia
DD007	111	112	1.05	0.07	31.9	3.53	5	3	Hydrothermal Infill Breccia
DD007	112	113	1.01	0.26	36.7	6.96	10	3	Hydrothermal Infill Breccia
DD007	113	114	0.31	0.14	17.3	3.01	5	1	Hornfels
DD007	114	115	1.96	0.36	55.9	10.56	15	5	Hydrothermal Infill Breccia
DD007	115	116	0.22	0.06	3.3	1.60	3	0.5	Hornfels
DD007	116	117	0.06	0.03	0.6	1.64	3	0.2	Hornfels
DD007	117	118	0.23	0.25	2.3	1.82	3	0.5	Hornfels
DD007	118	119	0.05	0.03	-0.5	1.04	2	0.1	Hornfels
DD007	119	120	0.08	0.03	1.5	1.99	4	0.2	Hornfels
DD007	120	121	0.04	0.06	-0.5	1.42	3	0.1	Hornfels
DD007	121	122	0.08	0.09	0.9	2.38	5	0.2	Hornfels
DD007	122	123	0.04	0.03	-0.5	1.32	2.5	0.1	Hornfels
DD007	123	124	0.08	0.08	0.8	2.20	4	0.2	Hornfels
DD007	124	125	0.05	0.08	0.6	1.45	3	0.2	Hornfels
DD007	125	126	0.06	0.12	1.3	1.18	2	0.2	Hornfels
DD007	126	127	0.05	0.25	1.1	2.82	5	0.2	Hornfels
DD007	127	128	0.13	0.09	2.6	3.11	5	0.5	Hornfels
DD007	128	129	0.02	2.04	-0.5	1.32	2.5		Hornfels
DD007	129	130	0.01	0.06	-0.5	1.43	3		Hornfels
DD007	130	131	0.02	0.01	-0.5	0.97	2		Hornfels
DD007	131	132	0.04	0.02	0.6	2.25	4	0.1	Hornfels
DD007	132	133	0.07	0.05	1.8	5.36	10	0.2	Hornfels
DD007	133	134	0.04	0.02	-0.5	2.52	5	0.1	Hornfels
DD007	134	135	0.01	0.01	-0.5	1.78	4		Hornfels
DD007	135	136	0.05	0.02	0.8	1.02	2	0.1	Diorite
DD007	136	137	0.03	0.02	1.4	0.51	1		Diorite
DD007	137	138	0.10	0.08	3.9	0.63	1	0.2	Diorite
DD007	138	139	0.07	0.05	3.3	0.55	1	0.2	Diorite
DD007	139	140	0.04	0.02	1.6	0.38	0.5		Diorite
DD007	140	141	0.07	0.02	0.8	1.46	3	0.2	Hornfels
DD007	141	142	0.07	0.02	0.9	1.66	3	0.2	Hornfels
DD007	142	143	0.03	0.01	-0.5	0.95	2	0.1	Hornfels
DD007	143	144	0.15	0.04	1.7	2.18	4	0.5	Hornfels
DD007	144	145	0.08	0.04	0.8	1.96	4	0.2	Hornfels
DD007	145	146	0.02	0.02	-0.5	0.74	1.5		Hornfels
DD007	146	147	0.05	0.04	-0.5	1.84	4	0.1	Hydrothermal Infill Breccia
DD007	147	148	0.14	0.09	2.5	3.53	8	0.5	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	148	149	0.02	0.01	-0.5	0.92	2		Diorite
DD007	149	150	0.04	0.02	-0.5	1.37	2.5	0.1	Hornfels
DD007	150	151	0.06	0.05	0.6	2.22	4	0.2	Hornfels
DD007	151	152	0.94	0.19	16.1	5.42	10	3	Fault/Crush Zone
DD007	152	153	0.07	0.04	0.8	2.32	5	0.2	Hornfels
DD007	153	154	0.04	0.02	0.6	1.78	3	0.1	Hornfels
DD007	154	155	0.01	0.01	-0.5	0.85	1.5		Hornfels
DD007	155	156	0.06	0.03	0.7	1.99	4	0.2	Hornfels
DD007	156	157	0.01	0.01	-0.5	0.43	1		Hornfels
DD007	157	158	0.00	0.02	-0.5	2.09	4		Diorite
DD007	158	159	0.01	0.03	-0.5	0.61	1		Hornfels
DD007	159	160	0.03	0.04	-0.5	0.78	1.5	0.1	Hornfels
DD007	160	161	0.08	0.04	0.9	2.18	4	0.2	Hornfels
DD007	161	162	0.03	0.10	0.5	1.31	2.5	0.1	Hornfels
DD007	162	163	0.07	0.06	1.3	1.46	3	0.2	Diorite
DD007	163	164	0.08	0.09	1.2	1.64	3	0.2	Diorite
DD007	164	165	0.07	0.06	2.6	1.36	2.5	0.2	Hornfels
DD007	165	166	0.11	0.14	1.6	1.85	3	0.2	Hornfels
DD007	166	167	0.03	0.21	0.5	1.39	2.5	0.1	Hornfels
DD007	167	168	0.08	0.05	1.4	2.20	4	0.2	Hornfels
DD007	168	169	0.04	0.02	0.7	1.02	2	0.1	Hornfels
DD007	169	170	0.12	0.02	0.7	1.07	2	0.5	Hornfels
DD007	170	171	0.41	0.24	2.4	1.82	3	1	Hornfels
DD007	171	172	0.06	0.01	0.5	1.42	2.5	0.2	Hornfels
DD007	172	173	0.03	0.01	0.5	1.12	2		Hornfels
DD007	173	174	0.01	-0.01	0.6	0.46	1		Hornfels
DD007	174	175	0.04	0.13	2.4	1.06	2		Hornfels
DD007	175	176	0.05	0.01	1.8	0.49	1	0.1	Hornfels
DD007	176	177	0.06	0.04	2.1	1.91	4	0.1	Hornfels
DD007	177	178	0.01	0.01	-0.5	0.82	1.5		Hornfels
DD007	178	179	0.01	0.01	-0.5	1.96	4		Hornfels
DD007	179	180	0.03	0.01	0.6	1.08	2		Hornfels
DD007	180	181	0.03	0.01	0.8	1.05	2		Hornfels
DD007	181	182	0.01	-0.01	-0.5	0.85	1.5		Hornfels
DD007	182	183	0.01	-0.01	-0.5	0.59	1		Hornfels
DD007	183	184	0.02	-0.01	-0.5	1.26	2.5		Hornfels
DD007	184	185	0.04	0.01	0.8	1.45	3		Hornfels
DD007	185	186	0.01	0.01	-0.5	0.82	1.5		Hornfels



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	186	187	0.04	0.01	0.7	1.26	2.5		Hornfels
DD007	187	188	0.05	0.02	1.0	2.17	4		Calc Silicate Rock
DD007	188	189	0.02	0.01	0.7	1.26	2.5		Hornfels
DD007	189	190	0.05	0.02	0.6	1.06	2		Hornfels
DD007	190	191	0.03	0.01	0.6	0.76	1.5		Diorite
DD007	191	192	0.03	0.01	0.6	1.03	2		Hornfels
DD007	192	193	1.30	0.26	11.0	3.51	4	4	Hornfels
DD007	193	194	3.00	0.91	34.2	6.73	8	10	Hydrothermal Infill Breccia
DD007	194	195	2.56	0.93	39.3	8.10	10	8	Hydrothermal Infill Breccia
DD007	195	196	0.87	0.30	8.3	1.98	2	2.5	Hydrothermal Infill Breccia
DD007	196	197	0.21	0.07	2.6	0.48	0.5	0.5	Andesite Post Mineral Dyke
DD007	197	198	0.01	-0.01	-0.5	0.03			Andesite Post Mineral Dyke
DD007	198	199	0.01	-0.01	-0.5	0.01			Andesite Post Mineral Dyke
DD007	199	200	0.01	-0.01	-0.5	0.02			Andesite Post Mineral Dyke
DD007	200	201	0.01	-0.01	-0.5	0.02			Andesite Post Mineral Dyke
DD007	201	202	0.24	0.05	3.7	1.38	2.5	0.5	Hydrothermal Infill Breccia
DD007	202	203	0.23	0.04	2.4	0.76	1	0.5	Hydrothermal Infill Breccia
DD007	203	204	0.52	0.14	5.6	1.13	1	1.5	Hydrothermal Infill Breccia
DD007	204	205	1.38	0.43	17.4	2.99	3	4	Hydrothermal Infill Breccia
DD007	205	206	0.57	0.06	5.3	0.92	0.5	1.5	Hydrothermal Infill Breccia
DD007	206	207	1.08	0.17	10.2	1.98	2	3	Fault/Crush Zone
DD007	207	208	1.08	0.30	18.5	2.19	2	3	Hydrothermal Infill Breccia
DD007	208	209	1.41	0.34	16.5	2.32	2	4	Hydrothermal Infill Breccia
DD007	209	210	0.94	0.45	10.4	2.46	3	3	Hydrothermal Infill Breccia
DD007	210	211	1.45	0.28	14.4	2.89	3	4	Hydrothermal Infill Breccia
DD007	211	212	1.78	0.97	17.8	6.51	10	5	Hydrothermal Infill Breccia
DD007	212	213	0.96	0.16	10.5	3.31	5	3	Hydrothermal Infill Breccia
DD007	213	214	1.25	0.30	13.5	3.64	5	4	Hydrothermal Infill Breccia
DD007	214	215	0.40	0.03	3.8	1.99	3	1	Hydrothermal Infill Breccia
DD007	215	216	0.91	0.15	9.0	2.83	4	2.5	Hydrothermal Infill Breccia
DD007	216	217	0.14	0.06	1.8	3.35	5	0.5	Hydrothermal Infill Breccia
DD007	217	218	0.20	0.10	2.1	2.25	4	0.5	Hornfels
DD007	218	219	0.14	0.06	1.2	2.63	5	0.5	Hornfels
DD007	219	220	0.43	0.08	4.4	0.85	1	1.5	Hydrothermal Infill Breccia
DD007	220	221	0.09	0.02	1.0	1.04	2	0.2	Hydrothermal Infill Breccia
DD007	221	222	0.18	0.05	2.2	1.17	2	0.5	Hydrothermal Infill Breccia
DD007	222	223	0.12	0.04	1.3	1.32	2.5	0.5	Hydrothermal Infill Breccia
DD007	223	224	0.75	0.10	6.8	1.76	2	2	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	224	225	1.38	0.21	13.0	2.99	3	4	Hydrothermal Infill Breccia
DD007	225	226	1.32	0.43	14.5	2.27	2	4	Hydrothermal Infill Breccia
DD007	226	227	1.65	0.62	20.6	3.56	4	5	Hydrothermal Infill Breccia
DD007	227	228	0.85	0.11	7.9	2.87	4	2.5	Hydrothermal Infill Breccia
DD007	228	229	0.97	0.09	9.5	1.78	1.5	3	Hydrothermal Infill Breccia
DD007	229	230	1.61	0.16	16.9	4.82	5	5	Hydrothermal Infill Breccia
DD007	230	231	1.33	0.22	16.2	4.41	5	4	Hydrothermal Infill Breccia
DD007	231	232	1.00	0.20	11.4	2.61	3	3	Hydrothermal Infill Breccia
DD007	232	233	0.59	0.10	5.9	1.25	1.5	2	Hydrothermal Infill Breccia
DD007	233	234	0.04	0.01	0.6	1.91	4		Hornfels
DD007	234	235	0.63	0.17	6.6	2.57	4	2	Hydrothermal Infill Breccia
DD007	235	236	0.49	0.81	8.3	1.63	2.5	1.5	Hydrothermal Infill Breccia
DD007	236	237	0.73	0.14	7.6	1.37	1.5	2	Hydrothermal Infill Breccia
DD007	237	238	0.20	0.09	3.0	1.39	2.5	0.5	Hornfels
DD007	238	239	0.15	0.02	1.9	1.01	1.5	0.5	Hydrothermal Infill Breccia
DD007	239	240	0.30	0.12	4.2	0.92	1	1	Hydrothermal Infill Breccia
DD007	240	241	0.84	0.12	11.7	2.22	3	2.5	Hydrothermal Infill Breccia
DD007	241	242	1.29	0.32	12.0	2.63	2.5	4	Hydrothermal Infill Breccia
DD007	242	243	0.79	0.08	7.0	1.29	1	2.5	Hydrothermal Infill Breccia
DD007	243	244	0.83	0.13	8.8	1.92	2	2.5	Hydrothermal Infill Breccia
DD007	244	245	0.39	0.19	4.1	2.01	3	1	Hydrothermal Infill Breccia
DD007	245	246	0.15	0.07	1.4	0.86	1.5	0.5	Hydrothermal Infill Breccia
DD007	246	247	0.72	0.08	11.4	2.11	3	2	Hydrothermal Infill Breccia
DD007	247	248	0.24	0.08	3.3	1.28	2	0.5	Hydrothermal Infill Breccia
DD007	248	249	0.15	0.02	1.2	0.72	1	0.5	Hydrothermal Infill Breccia
DD007	249	250	0.09	0.02	0.8	0.42	0.5	0.2	Hydrothermal Infill Breccia
DD007	250	251	0.16	0.11	2.5	1.72	3	0.5	Hydrothermal Infill Breccia
DD007	251	252	0.14	0.02	1.3	0.59	1	0.5	Hydrothermal Infill Breccia
DD007	252	253	0.03	0.01	-0.5	0.41	1	0.1	Hornfels
DD007	253	254	0.67	0.12	5.6	1.20	1	2	Hornfels
DD007	254	255	0.05	0.02	0.6	0.32	0.5	0.1	Hydrothermal Infill Breccia
DD007	255	256	0.14	0.04	1.6	0.58	1	0.5	Hydrothermal Infill Breccia
DD007	256	257	0.05	0.03	1.1	0.84	1.5	0.2	Hydrothermal Infill Breccia
DD007	257	258	0.01	-0.01	-0.5	0.07	0.1		Andesite Post Mineral Dyke
DD007	258	259	0.00	0.01	-0.5	0.02			Andesite Post Mineral Dyke
DD007	259	260	0.01	-0.01	-0.5	0.03	0.1		Andesite Post Mineral Dyke
DD007	260	261	0.01	0.01	-0.5	0.11	0.2		Andesite Post Mineral Dyke
DD007	261	262	0.06	0.03	1.2	1.85	4	0.2	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	262	263	0.06	0.04	1.1	1.55	3	0.2	Hydrothermal Infill Breccia
DD007	263	264	0.03	0.02	0.6	0.64	1	0.1	Hydrothermal Infill Breccia
DD007	264	265	0.05	0.07	0.6	0.57	1	0.1	Hydrothermal Infill Breccia
DD007	265	266	0.09	0.04	0.8	0.82	1.5	0.2	Hydrothermal Infill Breccia
DD007	266	267	0.15	0.05	2.7	1.18	2	0.5	Hydrothermal Infill Breccia
DD007	267	268	0.10	0.10	1.4	0.69	1	0.2	Hydrothermal Infill Breccia
DD007	268	269	0.34	0.06	4.1	1.31	2	1	Hydrothermal Infill Breccia
DD007	269	270	0.29	0.09	2.5	1.12	1.5	1	Hydrothermal Infill Breccia
DD007	270	271	0.33	0.11	6.1	4.69	8	1	Hydrothermal Infill Breccia
DD007	271	272	0.04	0.01	0.7	0.58	1	0.1	Hydrothermal Infill Breccia
DD007	272	273	0.22	0.03	-0.5	-0.01		0.5	Hydrothermal Infill Breccia
DD007	273	274	0.29	0.07	2.9	0.93	1.5	1	Hydrothermal Infill Breccia
DD007	274	275	0.14	0.03	1.3	2.02	4	0.5	Hydrothermal Infill Breccia
DD007	275	276	0.03	0.02	0.5	2.71	5	0.1	Hydrothermal Infill Breccia
DD007	276	277	0.26	0.68	7.9	4.06	8	1	Hydrothermal Infill Breccia
DD007	277	278	0.14	0.04	1.5	1.62	3	0.5	Hydrothermal Infill Breccia
DD007	278	279	0.23	0.04	3.2	1.32	2	0.5	Hydrothermal Infill Breccia
DD007	279	280	0.42	0.10	4.7	4.38	8	1.5	Hydrothermal Infill Breccia
DD007	280	281	0.14	0.04	1.6	1.53	3	0.5	Hydrothermal Infill Breccia
DD007	281	282	0.13	0.05	1.7	1.91	4	0.5	Hydrothermal Infill Breccia
DD007	282	283	0.42	0.07	5.3	2.03	3	1.5	Hydrothermal Infill Breccia
DD007	283	284	0.19	0.04	2.5	1.37	2.5	0.5	Hydrothermal Infill Breccia
DD007	284	285	0.13	0.08	1.9	2.14	4	0.5	Hydrothermal Infill Breccia
DD007	285	286	0.13	0.03	2.2	1.27	2.5	0.5	Hydrothermal Infill Breccia
DD007	286	287	0.16	0.02	1.7	1.78	3	0.5	Hydrothermal Infill Breccia
DD007	287	288	0.02	0.03	1.5	4.13	8	0.1	Hydrothermal Infill Breccia
DD007	288	289	0.02	0.01	0.7	0.77	1.5	0.1	Hydrothermal Infill Breccia
DD007	289	290	0.03	0.02	0.5	1.71	3	0.1	Hornfels
DD007	290	291	0.02	0.01	-0.5	0.64	1	0.1	Calc Silicate Rock
DD007	291	292	0.25	0.13	1.9	1.35	2	0.5	Hydrothermal Infill Breccia
DD007	292	293	0.02	0.04	0.5	1.39	2.5	0.1	Hydrothermal Infill Breccia
DD007	293	294	0.05	0.04	0.6	0.98	2	0.1	Hydrothermal Infill Breccia
DD007	294	295	0.40	0.07	12.7	1.46	2	1	Hydrothermal Infill Breccia
DD007	295	296	0.04	0.03	0.9	1.03	2	0.1	Hydrothermal Infill Breccia
DD007	296	297	0.02	0.01	0.7	0.63	1	0.1	Hydrothermal Infill Breccia
DD007	297	298	0.05	0.02	1.8	1.01	2	0.1	Hydrothermal Infill Breccia
DD007	298	299	0.32	0.08	7.6	1.54	2.5	1	Hydrothermal Infill Breccia
DD007	299	300	0.07	0.02	1.0	0.86	1.5	0.2	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	300	301	0.07	0.03	1.4	1.29	2.5	0.2	Hydrothermal Infill Breccia
DD007	301	302	0.26	0.05	2.5	1.26	2	1	Hydrothermal Infill Breccia
DD007	302	303	0.12	0.03	2.3	1.30	2.5	0.5	Hydrothermal Infill Breccia
DD007	303	304	0.08	0.08	1.3	1.15	2	0.2	Hydrothermal Infill Breccia
DD007	304	305	0.26	0.12	4.3	1.16	2	1	Hydrothermal Infill Breccia
DD007	305	306	0.05	0.02	1.6	0.60	1	0.2	Hydrothermal Infill Breccia
DD007	306	307	0.02	0.12	-0.5	0.58	1	0.1	Hydrothermal Infill Breccia
DD007	307	308	0.04	0.40	0.5	1.04	2	0.1	Hornfels
DD007	308	309	0.06	0.02	1.3	0.31	0.5	0.2	Hydrothermal Infill Breccia
DD007	309	310	0.04	0.01	0.7	0.76	1.5	0.1	Hydrothermal Infill Breccia
DD007	310	311	0.03	0.01	0.7	0.49	1	0.1	Hydrothermal Infill Breccia
DD007	311	312	0.07	0.04	2.2	4.23	8	0.2	Hydrothermal Infill Breccia
DD007	312	313	0.17	0.11	4.7	1.12	2	0.5	Hydrothermal Infill Breccia
DD007	313	314	0.16	0.04	4.4	1.14	2	0.5	Hydrothermal Infill Breccia
DD007	314	315	0.32	0.14	23.4	1.70	3	1	Hydrothermal Infill Breccia
DD007	315	316	0.19	0.02	4.3	2.08	4	0.5	Hydrothermal Infill Breccia
DD007	316	317	0.25	0.02	7.0	0.87	1	0.5	Hydrothermal Infill Breccia
DD007	317	318	0.06	0.02	1.4	1.03	2	0.2	Hydrothermal Infill Breccia
DD007	318	319	0.04	0.01	3.2	1.02	2	0.1	Hydrothermal Infill Breccia
DD007	319	320	0.15	0.02	6.5	0.86	1.5	0.5	Fault/Crush Zone
DD007	320	321	0.01	0.01	1.3	1.05	2		Hornfels
DD007	321	322	0.01	0.01	-0.5	0.75	1.5		Hornfels
DD007	322	323	0.02	0.06	0.9	0.30	0.5		Hornfels
DD007	323	324	0.01	0.01	0.7	0.27	0.5		Pyritic Hydrothermal Infill Breccia
DD007	324	325	0.01	0.01	-0.5	0.28	0.5		Pyritic Hydrothermal Infill Breccia
DD007	325	326	0.02	0.01	0.8	0.22	0.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	326	327	0.02	0.02	1.1	1.35	2.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	327	328	0.02	0.01	0.7	0.81	1.5		Pyritic Hydrothermal Infill Breccia
DD007	328	329	0.02	0.01	1.2	0.88	1.5		Pyritic Hydrothermal Infill Breccia
DD007	329	330	0.02	0.01	1.6	1.97	4		Pyritic Hydrothermal Infill Breccia
DD007	330	331	0.04	0.79	2.9	2.93	5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	331	332	0.03	0.01	1.0	1.10	2	0.1	Pyritic Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	332	333	0.01	0.01	1.5	3.75	8		Pyritic Hydrothermal Infill Breccia
DD007	333	334	0.01	0.02	0.8	0.96	2		Pyritic Hydrothermal Infill Breccia
DD007	334	335	0.02	0.01	0.9	0.40	1	0.1	Pyritic Hydrothermal Infill Breccia
DD007	335	336	0.06	0.01	2.6	0.43	0.5	0.2	Pyritic Hydrothermal Infill Breccia
DD007	336	337	0.01	0.01	1.3	2.91	5		Pyritic Hydrothermal Infill Breccia
DD007	337	338	0.24	0.01	6.2	3.24	5	0.5	Hydrothermal Infill Breccia
DD007	338	339	0.44	0.04	10.9	1.57	2.5	1.5	Hydrothermal Infill Breccia
DD007	339	340	0.03	0.06	1.0	1.29	2.5	0.1	Hydrothermal Infill Breccia
DD007	340	341	0.05	0.01	2.4	3.18	5	0.2	Fault/Crush Zone
DD007	341	342	0.03	0.40	0.8	0.75	1.5	0.1	Hydrothermal Infill Breccia
DD007	342	343	0.02	0.01	2.6	2.82	5	0.1	Hydrothermal Infill Breccia
DD007	343	344	0.01	0.01	0.7	2.72	5		
DD007	344	345	0.06	0.01	2.4	0.58	1	0.2	Hydrothermal Infill Breccia
DD007	345	346	0.55	0.11	18.9	3.47	5	1.5	Altered Bleached Diorite "Porphyry"
DD007	346	347	0.04	0.02	1.9	1.41	2.5	0.1	Fault/Crush Zone
DD007	347	348	0.07	0.01	3.0	0.55	1	0.2	Altered Bleached Diorite "Porphyry"
DD007	348	349	0.25	0.04	10.2	1.10	1.5	1	Altered Bleached Diorite "Porphyry"
DD007	349	350	0.16	0.01	6.2	0.48	0.5	0.5	Altered Bleached Diorite "Porphyry"
DD007	350	351	0.25	0.03	7.7	1.75	3	1	Altered Bleached Diorite "Porphyry"
DD007	351	352	0.04	0.03	1.2	0.26	0.5	0.1	Altered Bleached Diorite "Porphyry"
DD007	352	353	0.02	0.01	1.1	0.61	1		Altered Bleached Diorite "Porphyry"
DD007	353	354	0.01	0.01	-0.5	0.66	1.5		Altered Bleached Diorite "Porphyry"
DD007	354	355	0.00	-0.01	-0.5	0.22	0.5		Altered Bleached Diorite "Porphyry"
DD007	355	356	0.01	0.01	-0.5	1.19	2.5		Altered Bleached Diorite "Porphyry"
DD007	356	357	0.00	-0.01	-0.5	0.90	2		Altered Bleached Diorite "Porphyry"
DD007	357	358	0.01	0.01	0.6	0.73	1.5		Altered Bleached Diorite "Porphyry"
DD007	358	359	0.05	0.02	4.1	0.82	1.5	0.2	Altered Bleached Diorite "Porphyry"



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	359	360	0.04	0.03	3.0	0.84	1.5	0.1	Altered Bleached Diorite "Porphyry"
DD007	360	361	0.03	0.02	5.2	0.43	1	0.1	Altered Bleached Diorite "Porphyry"
DD007	361	362	0.04	0.03	4.9	0.67	1.5	0.1	Altered Bleached Diorite "Porphyry"
DD007	362	363	0.02	-0.01	-0.5	0.40	1		Altered Bleached Diorite "Porphyry"
DD007	363	364	0.01	-0.01	-0.5	0.52	1		Altered Bleached Diorite "Porphyry"
DD007	364	365	0.01	-0.01	-0.5	0.27	0.5		Altered Bleached Diorite "Porphyry"
DD007	365	366	0.07	0.01	1.2	0.39	0.5	0.2	Altered Bleached Diorite "Porphyry"
DD007	366	367	0.01	-0.01	-0.5	0.13	0.5		Altered Bleached Diorite "Porphyry"
DD007	367	368	0.05	0.01	5.7	0.25	0.5	0.1	Altered Bleached Diorite "Porphyry"
DD007	368	369	0.02	-0.01	0.5	0.14	0.2	0.1	Altered Bleached Diorite "Porphyry"
DD007	369	370	0.02	0.01	1.2	0.26	0.5	0.1	Altered Bleached Diorite "Porphyry"
DD007	370	371	0.02	-0.01	-0.5	0.97	2	0.1	Altered Bleached Diorite "Porphyry"
DD007	371	372	0.01	-0.01	-0.5	0.61	1		Altered Bleached Diorite "Porphyry"
DD007	372	373	0.01	-0.01	0.5	0.56	1		Altered Bleached Diorite "Porphyry"
DD007	373	374	0.01	-0.01	-0.5	0.16	0.5		Diorite
DD007	374	375	0.02	0.01	0.9	1.37	2.5		Diorite
DD007	375	376	0.01	0.01	1.9	5.87	10		Diorite
DD007	376	377	0.18	0.02	7.8	0.77	1	0.5	Hydrothermal Infill Breccia
DD007	377	378	0.06	0.02	3.5	1.14	2	0.2	Altered Bleached Diorite "Porphyry"
DD007	378	379	0.01	-0.01	-0.5	0.59	1		Pyritic Hydrothermal Infill Breccia
DD007	379	380	0.01	-0.01	0.5	0.64	1.5		Pyritic Hydrothermal Infill Breccia
DD007	380	381	0.01	-0.01	-0.5	0.56	1		Pyritic Hydrothermal Infill Breccia
DD007	381	382	0.01	0.01	0.6	0.46	1		Pyritic Hydrothermal Infill Breccia
DD007	382	383	0.01	0.01	0.5	0.49	1		Pyritic Hydrothermal Infill Breccia
DD007	383	384	0.01	0.01	0.7	0.85	1.5		Pyritic Hydrothermal Infill Breccia
DD007	384	385	0.01	-0.01	-0.5	0.64	1.5		Pyritic Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	385	386	0.01	-0.01	-0.5	0.98	2		Pyritic Hydrothermal Infill Breccia
DD007	386	387	0.00	-0.01	-0.5	1.75	3		Pyritic Hydrothermal Infill Breccia
DD007	387	388	0.01	0.01	0.6	2.53	5		Pyritic Hydrothermal Infill Breccia
DD007	388	389	0.03	0.01	1.0	1.54	3	0.1	Pyritic Hydrothermal Infill Breccia
DD007	389	390	0.14	0.03	1.5	0.56	1	0.5	Pyritic Hydrothermal Infill Breccia
DD007	390	391	0.02	-0.01	1.0	1.07	2	0.1	Pyritic Hydrothermal Infill Breccia
DD007	391	392	0.07	0.01	1.5	0.54	1	0.2	Pyritic Hydrothermal Infill Breccia
DD007	392	393	0.12	0.01	3.1	1.06	2	0.2	Pyritic Hydrothermal Infill Breccia
DD007	393	394	0.04	-0.01	1.4	0.60	1	0.1	Pyritic Hydrothermal Infill Breccia
DD007	394	395	0.09	0.01	2.9	1.06	2	0.2	Pyritic Hydrothermal Infill Breccia
DD007	395	396	0.02	-0.01	1.0	1.06	2	0.1	Pyritic Hydrothermal Infill Breccia
DD007	396	397	0.02	-0.01	0.6	1.28	2.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	397	398	0.03	-0.01	1.0	1.24	2.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	398	399	0.02	0.01	1.3	0.57	1	0.1	Pyritic Hydrothermal Infill Breccia
DD007	399	400	0.03	-0.01	1.2	0.91	2	0.1	Pyritic Hydrothermal Infill Breccia
DD007	400	401	0.02	0.01	2.4	3.18	5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	401	402	0.03	-0.01	0.8	0.33	0.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	402	403	0.02	-0.01	1.1	1.84	4	0.1	Pyritic Hydrothermal Infill Breccia
DD007	403	404	0.01	-0.01	1.2	0.52	1		Pyritic Hydrothermal Infill Breccia
DD007	404	405	0.05	-0.01	1.4	3.05	5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	405	406	0.01	-0.01	0.9	1.00	2	0.1	Pyritic Hydrothermal Infill Breccia
DD007	406	407	0.03	-0.01	0.7	0.44	1	0.1	Pyritic Hydrothermal Infill Breccia
DD007	407	408	0.02	0.01	1.4	1.69	3	0.1	Pyritic Hydrothermal Infill Breccia
DD007	408	409	0.04	0.02	2.7	2.74	5	0.1	Pyritic Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	409	410	0.04	-0.01	0.9	0.26	0.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	410	411	0.04	0.01	2.4	1.93	4	0.1	Pyritic Hydrothermal Infill Breccia
DD007	411	412	0.06	0.02	3.2	4.02	8	0.2	Pyritic Hydrothermal Infill Breccia
DD007	412	413	0.00	-0.01	-0.5	0.08	0.2		Andesite Post Mineral Dyke
DD007	413	414	0.00	-0.01	-0.5	0.06	0.1		Andesite Post Mineral Dyke
DD007	414	415	0.00	-0.01	0.5	0.10	0.2		Andesite Post Mineral Dyke
DD007	415	416	0.00	0.01	-0.5	0.06	0.1		Andesite Post Mineral Dyke
DD007	416	417	0.00	-0.01	-0.5	0.03	0.1		Andesite Post Mineral Dyke
DD007	417	418	0.00	-0.01	-0.5	0.17	0.5		Andesite Post Mineral Dyke
DD007	418	419	0.48	0.04	7.4	1.11	1.5	1.5	Hydrothermal Infill Breccia
DD007	419	420	0.00	-0.01	-0.5	0.05	0.1		Andesite Post Mineral Dyke
DD007	420	421	0.00	-0.01	-0.5	0.01			Andesite Post Mineral Dyke
DD007	421	422	0.00	-0.01	-0.5	0.03			Andesite Post Mineral Dyke
DD007	422	423	0.00	-0.01	-0.5	0.02			Andesite Post Mineral Dyke
DD007	423	424	0.00	-0.01	-0.5	0.06	0.1		Andesite Post Mineral Dyke
DD007	424	425	0.13	0.01	8.2	1.21	2	0.5	Hydrothermal Infill Breccia
DD007	425	426	0.57	0.16	11.3	3.12	5	1.5	Hydrothermal Infill Breccia
DD007	426	427	0.46	0.05	4.8	1.32	1.5	1.5	Hydrothermal Infill Breccia
DD007	427	428	0.06	0.02	1.8	0.80	1.5	0.2	Hydrothermal Infill Breccia
DD007	428	429	0.10	0.02	2.3	2.43	5	0.3	Hydrothermal Infill Breccia
DD007	429	430	0.08	0.01	2.2	0.38	0.5	0.2	Hydrothermal Infill Breccia
DD007	430	431	0.06	0.02	3.3	2.70	5	0.2	Hydrothermal Infill Breccia
DD007	431	432	0.06	0.01	1.7	0.71	1.5	0.2	Hydrothermal Infill Breccia
DD007	432	433	0.14	0.02	5.2	1.30	2.5	0.5	Altered Bleached Diorite "Porphyry"
DD007	433	434	0.15	0.03	2.7	1.30	2.5	0.5	Hydrothermal Infill Breccia
DD007	434	435	0.50	0.06	11.8	1.95	3	1.5	Hydrothermal Infill Breccia
DD007	435	436	0.40	0.02	6.2	0.99	1	1	Hydrothermal Infill Breccia
DD007	436	437	0.23	0.06	5.1	1.74	3	0.5	Hydrothermal Infill Breccia
DD007	437	438	0.03	0.01	1.1	1.69	3	0.1	Hydrothermal Infill Breccia
DD007	438	439	0.09	1.89	7.6	2.93	5	0.3	Hydrothermal Infill Breccia
DD007	439	440	0.10	2.98	9.9	2.58	5	0.3	Andesite Post Mineral Dyke
DD007	440	441	0.09	0.02	3.4	1.95	4	0.3	Hydrothermal Infill Breccia
DD007	441	442	0.00	-0.01	-0.5	0.07	0.1		Andesite Post Mineral Dyke
DD007	442	443	0.00	-0.01	-0.5	0.01			Andesite Post Mineral Dyke
DD007	443	444	0.03	-0.01	1.2	0.96	2	0.1	Hydrothermal Infill Breccia
DD007	444	445	0.16	0.01	5.5	1.36	2.5	0.5	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	445	446	0.99	0.20	23.5	3.43	5	3	Hydrothermal Infill Breccia
DD007	446	447	0.01	0.01	1.4	2.97	5		Hydrothermal Infill Breccia
DD007	447	448	0.01	-0.01	-0.5	0.07	0.1		Andesite Post Mineral Dyke
DD007	448	449	0.03	0.01	0.8	1.58	3	0.1	Hydrothermal Infill Breccia
DD007	449	450	0.01	1.53	4.2	3.58	8		Fault/Crush Zone
DD007	450	451	0.14	81.64	107.3	30.50	50	0.5	Semi-massive pyrite
DD007	451	452	0.01	2.84	6.0	2.89	5		Fault/Crush Zone
DD007	452	453	0.00	0.04	-0.5	0.66	1.5		Pyritic Hydrothermal Infill Breccia
DD007	453	454	0.00	0.40	1.2	1.98	4		Pyritic Hydrothermal Infill Breccia
DD007	454	455	0.00	0.01	-0.5	0.20	0.5		Pyritic Hydrothermal Infill Breccia
DD007	455	456	0.00	0.01	-0.5	1.62	3		Pyritic Hydrothermal Infill Breccia
DD007	456	457	0.00	0.01	0.5	1.99	4		Pyritic Hydrothermal Infill Breccia
DD007	457	458	0.01	0.01	0.8	2.24	4		Pyritic Hydrothermal Infill Breccia
DD007	458	459	0.00	-0.01	-0.5	0.48	1		Pyritic Hydrothermal Infill Breccia
DD007	459	460	0.00	-0.01	-0.5	0.25	0.5		Pyritic Hydrothermal Infill Breccia
DD007	460	461	0.00	-0.01	-0.5	1.19	2.5		Pyritic Hydrothermal Infill Breccia
DD007	461	462	0.00	-0.01	-0.5	0.37	0.5		Pyritic Hydrothermal Infill Breccia
DD007	462	463	0.00	-0.01	-0.5	0.05	0.1		Pyritic Hydrothermal Infill Breccia
DD007	463	464	0.00	-0.01	-0.5	0.45	1		Pyritic Hydrothermal Infill Breccia
DD007	464	465	0.00	-0.01	-0.5	0.98	2		Pyritic Hydrothermal Infill Breccia
DD007	465	466	0.00	-0.01	-0.5	0.70	1.5		Pyritic Hydrothermal Infill Breccia
DD007	466	467	0.00	-0.01	-0.5	0.21	0.5		Pyritic Hydrothermal Infill Breccia
DD007	467	468	0.01	0.01	-0.5	0.12	0.2		Pyritic Hydrothermal Infill Breccia
DD007	468	469	0.00	-0.01	-0.5	0.12	0.2		Pyritic Hydrothermal Infill Breccia
DD007	469	470	0.00	0.01	-0.5	0.15	0.5		Pyritic Hydrothermal Infill Breccia
DD007	470	471	0.04	0.05	1.0	0.54	1	0.1	Altered Bleached Diorite "Porphyry"
DD007	471	472	0.01	0.07	-0.5	0.37	0.5		Fault/Crush Zone



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	472	473	0.00	0.02	-0.5	0.52	1		Pyritic Hydrothermal Infill Breccia
DD007	473	474	0.00	0.01	0.7	1.51	3		Pyritic Hydrothermal Infill Breccia
DD007	474	475	0.00	-0.01	0.6	0.95	2		Pyritic Hydrothermal Infill Breccia
DD007	475	476	0.01	0.13	3.0	1.05	2		Pyritic Hydrothermal Infill Breccia
DD007	476	477	0.06	0.21	7.6	2.69	5	0.2	Pyritic Hydrothermal Infill Breccia
DD007	477	478	0.00	0.01	1.1	1.83	4		Pyritic Hydrothermal Infill Breccia
DD007	478	479	0.02	-0.01	-0.5	0.53	1		Pyritic Hydrothermal Infill Breccia
DD007	479	480	0.03	-0.01	16.1	2.05	4	0.1	Pyritic Hydrothermal Infill Breccia
DD007	480	481	0.01	-0.01	-0.5	0.31	0.5		Pyritic Hydrothermal Infill Breccia
DD007	481	482	0.01	0.01	0.6	0.91	2		Pyritic Hydrothermal Infill Breccia
DD007	482	483	0.00	0.01	-0.5	0.54	1		Pyritic Hydrothermal Infill Breccia
DD007	483	484	0.01	0.03	-0.5	0.30	0.5		Pyritic Hydrothermal Infill Breccia
DD007	484	485	0.01	-0.01	-0.5	0.28	0.5		Hornfels
DD007	485	486	0.06	0.02	1.5	1.00	2	0.2	Pyritic Hydrothermal Infill Breccia
DD007	486	487	0.03	0.01	3.2	1.20	2.5	0.1	Fault/Crush Zone
DD007	487	488	0.05	0.01	4.3	0.50	1	0.1	Fault/Crush Zone
DD007	488	489	0.02	-0.01	0.6	0.34	0.5	0.1	Fault/Crush Zone
DD007	489	490	0.03	-0.01	0.8	0.42	1	0.1	Fault/Crush Zone
DD007	490	491	0.02	-0.01	2.5	1.14	2	0.1	Pyritic Hydrothermal Infill Breccia
DD007	491	492	0.03	0.01	0.8	0.13	0.2	0.1	Pyritic Hydrothermal Infill Breccia
DD007	492	493	0.03	0.01	1.2	0.71	1.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	493	494	0.01	0.01	0.5	0.90	2		Pyritic Hydrothermal Infill Breccia
DD007	494	495	0.02	0.01	0.8	1.16	2.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	495	496	0.08	0.01	2.6	0.40	0.5	0.2	Pyritic Hydrothermal Infill Breccia
DD007	496	497	0.03	-0.01	0.7	0.20	0.5	0.1	Pyritic Hydrothermal Infill Breccia
DD007	497	498	0.00	-0.01	-0.5	0.18	0.5		Altered Bleached Diorite "Porphyry"



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	498	499	0.01	-0.01	0.9	0.40	1		Pyritic Hydrothermal Infill Breccia
DD007	499	500	0.12	0.02	5.7	1.33	2.5	0.5	Fault/Crush Zone
DD007	500	501	0.06	0.01	2.4	0.59	1	0.2	Altered Bleached Diorite "Porphyry"
DD007	501	502	0.06	0.01	2.0	0.46	1	0.2	Altered Bleached Diorite "Porphyry"
DD007	502	503	0.08	0.03	6.0	0.87	1.5	0.2	Fault/Crush Zone
DD007	503	504	0.02	0.02	0.7	0.11	0.2	0.1	Fault/Crush Zone
DD007	504	505	0.00	-0.01	-0.5	0.02			Andesite Post Mineral Dyke
DD007	505	506	0.00	-0.01	-0.5	0.04	0.1		Andesite Post Mineral Dyke
DD007	506	507	0.00	-0.01	-0.5	0.13	0.5		Andesite Post Mineral Dyke
DD007	507	508	0.00	-0.01	-0.5	0.45	1		Andesite Post Mineral Dyke
DD007	508	509	0.08	0.02	4.2	0.55	1	0.3	Pyritic Hydrothermal Infill Breccia
DD007	509	510	0.00	0.01	-0.5	0.20	0.5		Pyritic Hydrothermal Infill Breccia
DD007	510	511	0.00	0.01	0.6	1.39	3		Pyritic Hydrothermal Infill Breccia
DD007	511	512	0.00	-0.01	-0.5	0.33	0.5		Pyritic Hydrothermal Infill Breccia
DD007	512	513	0.01	0.01	0.5	0.88	1.5		Pyritic Hydrothermal Infill Breccia
DD007	513	514	0.01	0.01	0.5	0.78	1.5		Hornfels
DD007	514	515	0.01	0.01	0.6	0.33	0.5		Hornfels
DD007	515	516	0.01	0.01	0.7	0.40	1		Hornfels
DD007	516	517	0.01	0.01	0.6	0.80	1.5		Pyritic Hydrothermal Infill Breccia
DD007	517	518	0.00	0.01	-0.5	0.37	0.5		Altered Bleached Diorite "Porphyry"
DD007	518	519	0.00	0.01	-0.5	0.17	0.5		Pyritic Hydrothermal Infill Breccia
DD007	519	520	0.00	-0.01	-0.5	0.21	0.5		Pyritic Hydrothermal Infill Breccia
DD007	520	521	0.01	0.01	-0.5	0.16	0.5		Pyritic Hydrothermal Infill Breccia
DD007	521	522	0.00	-0.01	-0.5	0.20	0.5		Pyritic Hydrothermal Infill Breccia
DD007	522	523	0.00	0.01	-0.5	0.06	0.1		Andesite Post Mineral Dyke
DD007	523	524	0.00	-0.01	-0.5	0.03	0.1		Andesite Post Mineral Dyke
DD007	524	525	0.00	-0.01	-0.5	0.01			Andesite Post Mineral Dyke
DD007	525	526	0.00	0.01	-0.5	0.01			Andesite Post Mineral Dyke
DD007	526	527	0.00	0.01	-0.5	0.01			Andesite Post Mineral Dyke
DD007	527	528	0.00	-0.01	-0.5	0.01			Andesite Post Mineral Dyke



Cannindah Resources
Limited

ASX RELEASE

22 February 2022

ASX Code: CAE

Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur%	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD007	528	529	0.01	-0.01	0.8	0.03			Andesite Post Mineral Dyke
DD007	529	530	0.00	0.01	-0.5	0.10	0.2		Andesite Post Mineral Dyke
DD007	530	531	0.01	0.01	0.9	0.18	0.5		Pyritic Hydrothermal Infill Breccia
DD007	531	531.8	0.02	0.01	1.2	0.15	0.5	0.1	Pyritic Hydrothermal Infill Breccia



Appendix 1 Table 2 Cu,Au,Ag,S assays , chalcopyrite, pyrite visual estimates, hole 21CAEDD008 0m to 300m & 475m to 520m

Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	0	1	0.25	0.06	1.8	0.09			FILL
DD008	1	2	0.22	0.20	7.7	0.43			FILL
DD008	2	3	0.25	0.72	6.3	0.11			Hydrothermal Infill Breccia
DD008	3	4	0.19	1.50	15.9	0.05			Hydrothermal Infill Breccia
DD008	4	5	0.11	0.57	7.8	0.02			Hydrothermal Infill Breccia
DD008	5	6	0.14	1.83	17.2	0.25			Hydrothermal Infill Breccia
DD008	6	7	0.16	3.01	16.7	0.45			Hydrothermal Infill Breccia
DD008	7	8	0.25	2.53	12.7	0.07			Hydrothermal Infill Breccia
DD008	8	9	0.35	0.31	5.4	0.05			Hydrothermal Infill Breccia
DD008	9	10	0.12	0.31	5.9	0.07			Hydrothermal Infill Breccia
DD008	10	11	0.20	0.55	6.0	0.12			Hydrothermal Infill Breccia
DD008	11	12	0.17	0.59	11.3	0.41			Hydrothermal Infill Breccia
DD008	12	13	0.12	2.18	19.8	0.14			Hydrothermal Infill Breccia
DD008	13	14	0.29	1.45	23.0	0.06			Hydrothermal Infill Breccia
DD008	14	15	0.18	0.59	11.9	0.05			Hydrothermal Infill Breccia
DD008	15	16	0.29	1.92	38.0	0.19			Hydrothermal Infill Breccia
DD008	16	17	0.69	0.14	9.4	0.29			Hydrothermal Infill Breccia
DD008	17	18	5.85	0.52	13.6	1.49			Hydrothermal Infill Breccia
DD008	18	19	1.67	2.29	25.8	4.80	5		Hydrothermal Infill Breccia
DD008	19	20	0.14	0.23	5.7	1.71	3		Hydrothermal Infill Breccia
DD008	20	21	0.06	0.20	4.3	2.41	5		Hornfels
DD008	21	22	0.11	0.32	3.1	1.54	3		Hornfels
DD008	22	23	0.58	0.43	16.3	2.42	4	1.5	Hydrothermal Infill Breccia
DD008	23	24	0.09	0.08	4.5	1.48	3	0.5	Hydrothermal Infill Breccia
DD008	24	25	0.23	0.18	23.2	2.57	5	0.5	Hydrothermal Infill Breccia
DD008	25	26	0.28	0.39	18.1	2.60	5	1	Hydrothermal Infill Breccia
DD008	26	27	0.05	0.04	1.8	1.30	2.5	0.2	Hydrothermal Infill Breccia
DD008	27	28	0.02	0.02	0.6	0.70	1.5	0.1	Hydrothermal Infill Breccia
DD008	28	29	0.34	4.57	17.5	3.41	5	1	Hydrothermal Infill Breccia
DD008	29	30	0.52	0.32	20.7	1.98	3	1.5	Hydrothermal Infill Breccia
DD008	30	31	0.17	0.18	4.0	1.91	3	0.5	Hydrothermal Infill Breccia
DD008	31	32	0.18	1.05	3.7	1.02	1.5	0.5	Andesite Post Mineral Dyke
DD008	32	33	0.01	-0.01	-0.5	0.06		0	Andesite Post Mineral Dyke
DD008	33	34	0.01	-0.01	-0.5	0.03		0	Andesite Post Mineral Dyke



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	34	35	0.00	-0.01	-0.5	0.02		0	Andesite Post Mineral Dyke
DD008	35	36	0.00	-0.01	-0.5	0.02		0	Andesite Post Mineral Dyke
DD008	36	37	0.00	-0.01	-0.5	0.02		0	Andesite Post Mineral Dyke
DD008	37	38	0.00	-0.01	-0.5	0.03		0	Andesite Post Mineral Dyke
DD008	38	39	0.00	-0.01	-0.5	0.08		0	Andesite Post Mineral Dyke
DD008	39	40	0.03	0.42	2.8	1.03	2	0.1	Andesite Post Mineral Dyke
DD008	40	41	0.85	0.23	12.1	3.63	5	2.5	Hydrothermal Infill Breccia
DD008	41	42	2.21	0.30	28.9	4.59	5	8	Hydrothermal Infill Breccia
DD008	42	43	2.54	0.58	47.5	7.40	10	8	Hydrothermal Infill Breccia
DD008	43	44	1.05	0.20	14.7	4.10	5	3	Hydrothermal Infill Breccia
DD008	44	45	1.40	0.21	24.9	4.47	5	4	Hydrothermal Infill Breccia
DD008	45	46	1.45	0.37	25.5	3.38	4	4	Hydrothermal Infill Breccia
DD008	46	47	2.32	0.63	37.6	5.11	5	8	Hydrothermal Infill Breccia
DD008	47	48	1.61	0.64	28.3	3.43	4	5	Hydrothermal Infill Breccia
DD008	48	49	1.05	0.13	17.0	2.20	2.5	3	Hydrothermal Infill Breccia
DD008	49	50	1.41	0.38	27.4	3.09	3	4	Hydrothermal Infill Breccia
DD008	50	51	1.80	0.33	32.2	4.84	5	5	Hydrothermal Infill Breccia
DD008	51	52	0.07	0.02	1.6	1.41	2.5	0.2	Hornfels
DD008	52	53	0.50	0.24	9.5	5.68	10	1.5	Hydrothermal Infill Breccia
DD008	53	54	0.74	0.15	11.7	3.07	5	2	Hydrothermal Infill Breccia
DD008	54	55	1.61	0.65	26.9	3.32	3	5	Hydrothermal Infill Breccia
DD008	55	56	1.58	1.15	28.2	3.54	4	5	Hydrothermal Infill Breccia
DD008	56	57	1.15	0.70	20.3	2.46	2.5	3	Hydrothermal Infill Breccia
DD008	57	58	0.97	0.38	15.7	2.25	2.5	3	Hydrothermal Infill Breccia
DD008	58	59	2.09	0.77	35.5	3.86	4	5	Hydrothermal Infill Breccia
DD008	59	60	1.39	0.76	18.7	3.28	4	4	Hydrothermal Infill Breccia
DD008	60	61	1.32	0.67	16.7	2.93	3	4	Hydrothermal Infill Breccia
DD008	61	62	0.61	0.28	10.8	1.40	1.5	2	Hydrothermal Infill Breccia
DD008	62	63	1.28	1.33	28.1	2.96	3	4	Hydrothermal Infill Breccia
DD008	63	64	1.14	0.64	32.1	3.48	5	3	Hydrothermal Infill Breccia
DD008	64	65	1.01	0.29	31.1	2.85	4	3	Hydrothermal Infill Breccia
DD008	65	66	2.46	0.58	48.7	5.03	5	8	Hydrothermal Infill Breccia
DD008	66	67	2.16	1.51	63.9	5.21	6	5	Hydrothermal Infill Breccia
DD008	67	68	0.68	1.37	24.9	3.72	6	2	Hydrothermal Infill Breccia
DD008	68	69	0.50	1.80	21.7	8.37	15	1.5	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	69	70	2.36	1.20	63.5	7.10	9	8	Hydrothermal Infill Breccia
DD008	70	71	1.49	1.10	54.7	10.70	20	4	Hydrothermal Infill Breccia
DD008	71	72	1.21	0.88	38.3	7.59	15	4	Hydrothermal Infill Breccia
DD008	72	73	1.51	2.06	50.0	7.24	10	5	Hydrothermal Infill Breccia
DD008	73	74	0.33	0.05	10.4	0.97	1.5	1	Hornfels
DD008	74	75	0.59	0.06	29.6	1.71	2.5	2	Hornfels
DD008	75	76	0.81	0.79	28.5	5.08	8	2.5	Hydrothermal Infill Breccia
DD008	76	77	1.97	0.48	92.0	5.02	5	5	Hydrothermal Infill Breccia
DD008	77	78	2.12	0.45	39.7	5.42	8	5	Hydrothermal Infill Breccia
DD008	78	79	1.98	0.46	42.1	5.01	5	5	Hydrothermal Infill Breccia
DD008	79	80	0.36	0.72	11.9	3.51	5	1	Hydrothermal Infill Breccia
DD008	80	81	0.41	0.93	17.2	3.51	5	1	Hydrothermal Infill Breccia
DD008	81	82	0.44	0.25	9.8	4.76	8	1.5	Hydrothermal Infill Breccia
DD008	82	83	1.31	1.84	22.3	9.35	15	4	Hydrothermal Infill Breccia
DD008	83	84	2.24	0.50	42.6	7.26	10	8	Hydrothermal Infill Breccia
DD008	84	85	0.86	0.34	22.6	4.07	5	2.5	Hydrothermal Infill Breccia
DD008	85	86	0.66	0.12	20.1	1.96	2.5	2	Hydrothermal Infill Breccia
DD008	86	87	0.26	0.16	11.1	1.88	3	1	Hydrothermal Infill Breccia
DD008	87	88	0.71	0.30	25.9	4.69	8	2	Hydrothermal Infill Breccia
DD008	88	89	0.39	0.16	15.5	2.21	4	1	Hydrothermal Infill Breccia
DD008	89	90	0.08	0.08	2.6	2.25	4	0.2	Hydrothermal Infill Breccia
DD008	90	91	1.50	0.53	30.5	9.63	15	4	Hydrothermal Infill Breccia
DD008	91	92	0.78	0.27	20.3	4.01	5	2.5	Hydrothermal Infill Breccia
DD008	92	93	0.51	0.09	12.1	2.68	4	1.5	Hydrothermal Infill Breccia
DD008	93	94	0.55	0.16	13.5	1.98	3	1.5	Hydrothermal Infill Breccia
DD008	94	95	0.80	0.63	36.0	2.75	4	2.5	Hydrothermal Infill Breccia
DD008	95	96	0.78	0.90	28.4	5.51	10	2.5	Hydrothermal Infill Breccia
DD008	96	97	0.42	0.31	14.9	1.97	3	1.5	Hydrothermal Infill Breccia
DD008	97	98	0.07	0.02	2.3	0.67	1	0.2	Hydrothermal Infill Breccia
DD008	98	99	0.56	0.11	10.3	6.12	10	1.5	Hydrothermal Infill Breccia
DD008	99	100	2.31	0.33	40.8	7.55	10	8	Hydrothermal Infill Breccia
DD008	100	101		0.44	40.7	8.93	15	8	Hydrothermal Infill Breccia
DD008	101	102	0.24	0.05	7.4	1.65	3	0.5	Hydrothermal Infill Breccia
DD008	102	103	0.05	0.01	-0.5	0.72	1.5	0.1	Hornfels
DD008	103	104	0.05	0.08	0.5	0.81	1.5	0.2	Hornfels
DD008	104	105	0.72	0.11	18.1	2.29	3	2	Hornfels
DD008	105	106	0.62	0.13	30.4	4.52	8	2	Hydrothermal Infill Breccia
DD008	106	107	1.35	0.53	30.5	9.61	15	4	Hydrothermal Infill Breccia
DD008	107	108	0.26	0.03	5.0	1.99	3	1	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual	Chalcopyrite Visual %	Lithology
DD008	108	109	0.39	0.05	6.6	2.33	4	1	Hydrothermal Infill Breccia
DD008	109	110	0.79	0.17	14.2	5.30	10	2.5	Hydrothermal Infill Breccia
DD008	110	111	1.17	0.24	21.9	5.85	10	4	Hydrothermal Infill Breccia
DD008	111	112	1.73	0.25	28.3	5.10	7	5	Hydrothermal Infill Breccia
DD008	112	113	2.19	0.37	33.3	8.38	10	8	Hydrothermal Infill Breccia
DD008	113	114	0.60	0.05	10.2	1.70	2	2	Hydrothermal Infill Breccia
DD008	114	115	0.63	0.18	11.4	6.77	10	2	Hydrothermal Infill Breccia
DD008	115	116	0.33	0.05	5.8	2.49	4	1	Hydrothermal Infill Breccia
DD008	116	117	0.36	0.05	5.0	1.94	3	1	Hydrothermal Infill Breccia
DD008	117	118	1.31	0.81	29.0	8.31	15	4	Hydrothermal Infill Breccia
DD008	118	119	1.30	0.18	24.5	8.04	15	4	Hydrothermal Infill Breccia
DD008	119	120	0.85	0.15	22.1	5.52	10	2.5	Hydrothermal Infill Breccia
DD008	120	121	0.35	0.13	8.8	6.22	10	1	Hydrothermal Infill Breccia
DD008	121	122	0.29	0.24	7.4	9.48	20	1	Hydrothermal Infill Breccia
DD008	122	123	1.06	0.29	22.3	6.39	10	3	Hydrothermal Infill Breccia
DD008	123	124	0.95	0.15	15.1	5.01	8	3	Hydrothermal Infill Breccia
DD008	124	125	0.17	0.07	5.8	3.72	8	0.5	Hydrothermal Infill Breccia
DD008	125	126	0.74	0.08	13.1	3.87	5	2	Hydrothermal Infill Breccia
DD008	126	127	0.97	0.16	18.1	5.65	10	3	Hydrothermal Infill Breccia
DD008	127	128	0.71	0.08	15.0	3.31	5	2	Hydrothermal Infill Breccia
DD008	128	129	0.43	0.03	8.4	3.52	5	1.5	Hydrothermal Infill Breccia
DD008	129	130	0.21	0.04	5.8	2.61	5	0.5	Hornfels
DD008	130	131	0.09	0.07	2.7	2.10	4	0.5	Hornfels
DD008	131	132	0.61	0.07	40.7	2.56	4	2	Hydrothermal Infill Breccia
DD008	132	133	1.73	0.14	61.7	6.22	10	5	Hydrothermal Infill Breccia
DD008	133	134	1.75	0.19	45.3	8.79	15	5	Hydrothermal Infill Breccia
DD008	134	135	1.96	0.15	28.4	5.46	7	5	Hydrothermal Infill Breccia
DD008	135	136	1.41	0.06	27.1	3.83	5	4	Hydrothermal Infill Breccia
DD008	136	137	1.82	0.12	54.6	7.80	10	5	Hydrothermal Infill Breccia
DD008	137	138	1.91	0.28	73.3	8.98	15	5	Hydrothermal Infill Breccia
DD008	138	139	0.78	0.36	24.6	4.88	8	2.5	Hydrothermal Infill Breccia
DD008	139	140	0.05	0.02	1.3	2.16	4	0.2	Hydrothermal Infill Breccia
DD008	140	141	0.55	0.05	12.2	2.79	4	1.5	Diorite
DD008	141	142	0.30	0.05	9.0	3.57	8	1	Hydrothermal Infill Breccia
DD008	142	143	0.13	0.06	4.4	2.32	4	0.5	Hydrothermal Infill Breccia
DD008	143	144	0.08	0.02	1.7	2.69	5	0.2	Hydrothermal Infill Breccia
DD008	144	145	0.15	0.19	5.9	6.29	10	0.5	Hydrothermal Infill Breccia
DD008	145	146	0.17	13.19	8.5	6.25	10	0.5	Hydrothermal Infill Breccia
DD008	146	147	2.39	0.63	57.0	7.22	10	8	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	147	148	0.81	0.10	14.6	2.74	4	2.5	Hydrothermal Infill Breccia
DD008	148	149	0.09	0.25	3.4	2.63	5	0.5	Hydrothermal Infill Breccia
DD008	149	150	0.25	0.17	14.0	4.19	8	1	Hydrothermal Infill Breccia
DD008	150	151	0.47	0.38	13.8	6.11	10	1.5	Hydrothermal Infill Breccia
DD008	151	152	0.04	0.05	1.7	1.04	2	0.1	Hydrothermal Infill Breccia
DD008	152	153	0.02	0.02	1.3	0.72	1.5	0.1	Hydrothermal Infill Breccia
DD008	153	154	0.03	0.01	1.2	1.00	2	0.1	Hydrothermal Infill Breccia
DD008	154	155	0.05	0.02	1.0	1.42	2.5	0.1	Hydrothermal Infill Breccia
DD008	155	156	0.02	0.01	-0.5	2.02	4	0.1	Hydrothermal Infill Breccia
DD008	156	157	0.01	-0.01	-0.5	0.39	1	0	Andesite Post Mineral Dyke
DD008	157	158	0.03	0.01	0.7	0.52	1	0.1	Andesite Post Mineral Dyke
DD008	158	159	0.23	0.15	5.5	3.12	5	0.5	Hydrothermal Infill Breccia
DD008	159	160	0.35	4.69	10.2	5.55	10	1	Hydrothermal Infill Breccia
DD008	160	161	0.23	0.02	4.3	1.20	2	0.5	Diorite
DD008	161	162	0.18	0.03	6.6	0.75	1	0.5	Diorite
DD008	162	163	0.29	0.14	11.9	0.74	1	1	Diorite
DD008	163	164	0.35	0.15	12.9	1.05	1.5	1	Diorite
DD008	164	165	0.34	0.04	6.4	0.51	0.5	1	Diorite
DD008	165	166	0.41	0.07	4.7	0.80	1	1	Diorite
DD008	166	167	1.71	0.33	19.9	3.24	3	5	Hydrothermal Infill Breccia
DD008	167	168	2.67	0.62	32.3	6.67	8	8	Hydrothermal Infill Breccia
DD008	168	169	1.82	0.46	27.6	5.85	8	5	Hydrothermal Infill Breccia
DD008	169	170	1.78	0.24	20.6	4.54	5	5	Hydrothermal Infill Breccia
DD008	170	171	2.00	0.43	16.2	3.93	4	5	Hydrothermal Infill Breccia
DD008	171	172	1.21	0.32	19.3	6.50	10	4	Hydrothermal Infill Breccia
DD008	172	173	1.37	0.23	14.2	3.48	4	4	Hydrothermal Infill Breccia
DD008	173	174	0.43	0.12	8.1	6.60	10	1.5	Hornfels
DD008	174	175	1.01	0.16	9.1	10.19	20	3	Hydrothermal Infill Breccia
DD008	175	176	1.77	0.35	26.8	7.40	10	5	Hydrothermal Infill Breccia
DD008	176	177	0.94	0.14	11.7	4.43	8	3	Hydrothermal Infill Breccia
DD008	177	178	1.59	0.25	12.8	5.79	8	5	Hydrothermal Infill Breccia
DD008	178	179	0.81	0.36	9.7	6.41	10	2.5	Hydrothermal Infill Breccia
DD008	179	180	1.53	0.38	20.9	7.66	10	5	Hydrothermal Infill Breccia
DD008	180	181	1.87	0.35	24.0	8.52	15	5	Hydrothermal Infill Breccia
DD008	181	182	1.19	0.26	15.1	6.06	10	4	Hydrothermal Infill Breccia
DD008	182	183	0.94	0.18	13.8	3.55	5	3	Hydrothermal Infill Breccia
DD008	183	184	1.81	0.36	18.9	6.73	10	5	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	184	185	1.98	0.53	21.6	5.69	8	5	Hydrothermal Infill Breccia
DD008	185	186	0.80	0.31	15.7	3.84	5	2.5	Hydrothermal Infill Breccia
DD008	186	187	1.66	0.52	27.8	5.80	8	5	Hydrothermal Infill Breccia
DD008	187	188	1.77	0.41	91.3	4.23	5	5	Hydrothermal Infill Breccia
DD008	188	189	1.02	0.21	15.6	3.10	4	3	Hydrothermal Infill Breccia
DD008	189	190	0.52	0.12	92.5	2.77	4	1.5	Hydrothermal Infill Breccia
DD008	190	191	0.71	0.20	9.0	5.28	10	2	Hydrothermal Infill Breccia
DD008	191	192	0.92	0.16	14.3	4.88	8	3	Hydrothermal Infill Breccia
DD008	192	193	1.33	0.40	18.6	9.68	15	4	Hydrothermal Infill Breccia
DD008	193	194	0.51	0.12	7.3	6.26	10	1.5	Hydrothermal Infill Breccia
DD008	194	195	1.09	0.18	9.5	3.90	5	3	Hydrothermal Infill Breccia
DD008	195	196	0.75	0.25	8.0	4.16	8	2	Hydrothermal Infill Breccia
DD008	196	197	0.37	0.11	4.1	6.15	10	1	Hydrothermal Infill Breccia
DD008	197	198	0.81	0.16	9.3	7.26	15	2.5	Hydrothermal Infill Breccia
DD008	198	199	0.99	0.30	9.8	4.68	8	3	Hydrothermal Infill Breccia
DD008	199	200	0.29	0.11	3.5	5.40	10	1	Hydrothermal Infill Breccia
DD008	200	201	0.45	0.09	5.9	5.25	10	1.5	Hydrothermal Infill Breccia
DD008	201	202	0.41	0.17	4.7	6.59	10	1	Hydrothermal Infill Breccia
DD008	202	203	0.27	0.08	3.3	3.68	8	1	Hydrothermal Infill Breccia
DD008	203	204	0.11	0.05	1.3	6.07	10	0.5	Hydrothermal Infill Breccia
DD008	204	205	0.03	0.06	-0.5	6.26	10	0.1	Hydrothermal Infill Breccia
DD008	205	206	0.05	0.05	-0.5	7.25	15	0.2	Hydrothermal Infill Breccia
DD008	206	207	0.26	0.12	3.0	7.26	15	1	Hydrothermal Infill Breccia
DD008	207	208	0.43	0.11	5.0	5.97	10	1.5	Hydrothermal Infill Breccia
DD008	208	209	1.43	0.64	20.1	7.04	10	4	Hydrothermal Infill Breccia
DD008	209	210	0.39	0.16	4.0	3.36	5	1	Hydrothermal Infill Breccia
DD008	210	211	0.06	0.02	0.5	1.60	3	0.2	Hydrothermal Infill Breccia
DD008	211	212	0.52	0.14	5.6	3.91	8	1.5	Hydrothermal Infill Breccia
DD008	212	213	0.43	0.15	4.6	3.02	5	1.5	Hydrothermal Infill Breccia
DD008	213	214	0.77	0.10	5.9	4.68	8	2.5	Hydrothermal Infill Breccia
DD008	214	215	0.65	0.13	6.4	5.53	10	2	Hydrothermal Infill Breccia
DD008	215	216	0.64	0.17	6.3	3.71	5	2	Hydrothermal Infill Breccia
DD008	216	217	0.63	0.07	3.9	4.74	8	2	Hydrothermal Infill Breccia
DD008	217	218	1.12	0.10	8.5	3.88	5	3	Hydrothermal Infill Breccia
DD008	218	219	2.18	0.38	21.0	4.71	5	8	Hydrothermal Infill Breccia
DD008	219	220	2.37	0.27	27.7	5.77	8	8	Hydrothermal Infill Breccia
DD008	220	221	1.76	0.73	15.9	5.04	8	5	Hydrothermal Infill Breccia
DD008	221	222	1.07	0.15	10.0	4.48	8	3	Hydrothermal Infill Breccia
DD008	222	223	1.80	0.71	17.6	5.71	8	5	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	223	224	1.69	0.21	16.4	4.16	5	5	Hydrothermal Infill Breccia
DD008	224	225	1.21	0.29	11.2	4.13	5	4	Hydrothermal Infill Breccia
DD008	225	226	0.74	0.05	6.5	1.99	2.5	2	Hydrothermal Infill Breccia
DD008	226	227	0.09	0.21	0.8	1.89	4	0.5	Hydrothermal Infill Breccia
DD008	227	228	1.32	0.30	20.5	7.07	10	4	Hydrothermal Infill Breccia
DD008	228	229	0.87	0.10	10.5	3.21	5	2.5	Hydrothermal Infill Breccia
DD008	229	230	1.23	0.21	12.0	3.78	5	4	Hydrothermal Infill Breccia
DD008	230	231	1.63	0.38	15.7	4.27	5	5	Hydrothermal Infill Breccia
DD008	231	232	1.61	0.22	14.5	4.56	5	5	Hydrothermal Infill Breccia
DD008	232	233	0.99	0.18	9.3	2.96	4	3	Hydrothermal Infill Breccia
DD008	233	234	1.22	0.16	12.0	3.90	5	4	Hydrothermal Infill Breccia
DD008	234	235	1.16	0.48	9.7	4.43	8	3	Hydrothermal Infill Breccia
DD008	235	236	0.48	0.08	4.2	3.46	5	1.5	Hydrothermal Infill Breccia
DD008	236	237	0.08	0.10	0.6	2.57	5	0.2	Hydrothermal Infill Breccia
DD008	237	238	0.45	0.06	3.5	2.25	4	1.5	Hydrothermal Infill Breccia
DD008	238	239	1.15	0.48	10.1	3.67	5	3	Hydrothermal Infill Breccia
DD008	239	240	0.76	0.17	6.7	7.77	15	2.5	Hydrothermal Infill Breccia
DD008	240	241	0.50	0.46	6.1	5.60	10	1.5	Hydrothermal Infill Breccia
DD008	241	242	0.81	0.15	13.3	6.14	10	2.5	Hydrothermal Infill Breccia
DD008	242	243	2.89	0.41	29.2	8.48	10	8	Hydrothermal Infill Breccia
DD008	243	244	1.03	1.01	9.5	3.43	5	3	Hydrothermal Infill Breccia
DD008	244	245	0.14	0.03	2.1	2.63	5	0.5	Hydrothermal Infill Breccia
DD008	245	246	1.03	0.77	11.0	3.43	5	3	Hydrothermal Infill Breccia
DD008	246	247	0.80	0.19	7.7	3.45	5	2.5	Hydrothermal Infill Breccia
DD008	247	248	0.92	0.21	11.0	3.48	5	2.5	Hydrothermal Infill Breccia
DD008	248	249	0.86	0.43	6.5	7.34	15	2.5	Hydrothermal Infill Breccia
DD008	249	250	1.05	0.61	9.8	4.37	8	3	Hydrothermal Infill Breccia
DD008	250	251	0.50	0.10	4.6	4.51	8	1.5	Hydrothermal Infill Breccia
DD008	251	252	0.31	0.05	3.7	1.46	2.5	1	Hydrothermal Infill Breccia
DD008	252	253	1.20	0.37	13.9	8.36	15	4	Hydrothermal Infill Breccia
DD008	253	254	0.16	0.02	1.1	0.72	1	0.5	Hydrothermal Infill Breccia
DD008	254	255	0.57	0.09	5.4	2.21	3	1.5	Hydrothermal Infill Breccia
DD008	255	256	1.29	0.29	12.2	4.66	8	4	Hydrothermal Infill Breccia
DD008	256	257	0.64	1.05	5.4	3.53	5	2	Hydrothermal Infill Breccia
DD008	257	258	1.39	0.46	10.1	3.04	3	4	Hydrothermal Infill Breccia
DD008	258	259	1.89	0.24	15.8	3.19	2.5	5	Hydrothermal Infill Breccia
DD008	259	260	1.73	0.12	15.2	2.88	2.5	5	Hydrothermal Infill Breccia
DD008	260	261	1.60	0.36	14.9	3.00	3	5	Hydrothermal Infill Breccia
DD008	261	262	0.67	0.91	7.6	2.47	4	2	Hydrothermal Infill Breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	262	263	0.85	0.13	8.5	2.35	3	2.5	Hornfels
DD008	263	264	1.19	0.13	12.3	3.16	4	4	Hydrothermal Infill Breccia
DD008	264	265	1.58	0.67	19.5	5.04	8	5	Hydrothermal Infill Breccia
DD008	265	266	0.82	0.43	9.0	3.24	5	2.5	Hydrothermal Infill Breccia
DD008	266	267	0.53	0.09	5.4	1.45	2	1.5	Hornfels
DD008	267	268	1.38	0.36	14.2	6.75	10	4	Hydrothermal Infill Breccia
DD008	268	269	1.09	0.10	10.4	3.09	4	3	Hydrothermal Infill Breccia
DD008	269	270	1.11	0.66	9.5	2.20	2	3	Hydrothermal Infill Breccia
DD008	270	271	1.75	0.31	19.1	4.83	5	5	Hydrothermal Infill Breccia
DD008	271	272	2.15	0.54	26.6	6.40	8	5	Hydrothermal Infill Breccia
DD008	272	273	0.61	0.06	6.7	1.14	1	2	Hydrothermal Infill Breccia
DD008	273	274	1.27	0.19	12.8	3.64	5	4	Hydrothermal Infill Breccia
DD008	274	275	0.36	0.06	4.2	1.60	2.5	1	Hydrothermal Infill Breccia
DD008	275	276	1.06	0.09	11.8	2.06	2	3	Hydrothermal Infill Breccia
DD008	276	277	2.32	0.37	21.8	4.37	4	8	Hydrothermal Infill Breccia
DD008	277	278	0.59	0.10	7.8	2.03	3	2	Clast supported breccia
DD008	278	279	0.06	0.02	1.2	0.27	0.5	0.2	Clast supported breccia
DD008	279	280	0.04	0.04	0.7	0.24	0.5	0.1	Clast supported breccia
DD008	280	281	0.01	0.16	-0.5	0.11	0	0	Clast supported breccia
DD008	281	282	0.01	-0.01	-0.5	0.02	0	0	Andesite Post Mineral Dyke
DD008	282	283	0.15	0.07	1.4	0.58	1	0.5	Andesite Post Mineral Dyke
DD008	283	284	0.08	0.05	0.8	1.27	2.5	0.2	Clast supported breccia
DD008	284	285	0.06	0.01	0.7	0.93	1.5	0.2	Clast supported breccia
DD008	285	286	0.04	0.02	0.9	0.76	1.5	0.1	Hydrothermal Infill Breccia
DD008	286	287	0.22	0.11	3.1	1.46	2.5	0.5	Hydrothermal Infill Breccia
DD008	287	288	0.50	0.29	5.6	2.74	4	1.5	Hydrothermal Infill Breccia
DD008	288	289	0.29	0.39	5.8	1.90	3	1	Hydrothermal Infill Breccia
DD008	289	290	0.29	0.19	5.4	1.45	2.5	1	Hydrothermal Infill Breccia
DD008	290	291	0.07	1.30	1.3	1.54	3	0.2	Hydrothermal Infill Breccia
DD008	291	292	0.03	0.04	0.8	2.07	4	0.1	Hydrothermal Infill Breccia
DD008	292	293	0.12	0.03	1.1	1.12	2	0.5	Hydrothermal Infill Breccia
DD008	293	294	0.03	0.06	-0.5	1.26	2.5	0.1	Hornfels
DD008	294	295	0.09	0.03	0.8	1.16	2	0.5	Hornfels
DD008	295	296	0.02	0.13	-0.5	0.85	1.5	0.1	Hornfels
DD008	296	297	0.03	0.08	-0.5	1.12	2	0.1	Hydrothermal Infill Breccia
DD008	297	298	0.16	0.14	1.0	1.57	3	0.5	Clast supported breccia
DD008	298	299	0.02	0.02	-0.5	2.05	4	0.1	Clast supported breccia



Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	299	300	0.02	0.01	-0.5	0.99	2	0.1	Clast supported breccia
DD008	475	476	0.00	0.01	-0.5	0.61	1	0	Hydrothermal Infill Breccia
DD008	476	477	0.12	0.04	3.0	2.06	4	0.5	Hydrothermal Infill Breccia
DD008	477	478	0.02	0.13	1.2	2.00	4	0.1	Hydrothermal Infill Breccia
DD008	478	479	0.03	8.18	4.5	2.88	6	0.1	Clast supported breccia
DD008	479	480	0.00	0.06	-0.5	1.26	2.5	0	Clast supported breccia
DD008	480	481	0.01	0.01	-0.5	1.32	2.5	0	Clast supported breccia
DD008	481	482	0.00	0.02	-0.5	0.84	1.5	0	Clast supported breccia
DD008	482	483	0.01	0.01	-0.5	1.29	2.5	0	Clast supported breccia
DD008	483	484	0.01	0.01	-0.5	0.61	1	0	Clast supported breccia
DD008	484	485	0.00	-0.01	-0.5	0.25	0.5	0	Clast supported breccia
DD008	485	486	0.01	0.01	1.1	0.57	1	0	Clast supported breccia
DD008	486	487	0.02	0.02	2.2	0.43	1	0.1	Clast supported breccia
DD008	487	488	0.01	-0.01	1.0	0.40	1	0	Clast supported breccia
DD008	488	489	0.00	0.01	-0.5	0.23	0.5	0	Clast supported breccia
DD008	489	490	0.01	0.01	0.8	0.64	1.5	0	Clast supported breccia
DD008	490	491	0.00	-0.01	-0.5	0.25	0.5	0	Clast supported breccia
DD008	491	492	0.01	0.01	0.7	0.80	1.5	0	Clast supported breccia
DD008	492	493	0.02	0.01	0.8	0.53	1	0.1	Clast supported breccia
DD008	493	494	0.02	0.01	6.9	1.49	3	0.1	Clast supported breccia
DD008	494	495	0.01	0.01	0.6	0.47	1	0	Clast supported breccia
DD008	495	496	0.01	0.01	0.6	0.67	1.5	0	Clast supported breccia
DD008	496	497	0.01	-0.01	0.5	0.34	0.5	0	Clast supported breccia
DD008	497	498	0.06	-0.01	6.1	0.31	0.5	0.2	Clast supported breccia
DD008	498	499	0.01	0.01	1.0	0.45	1	0	Clast supported breccia
DD008	499	500	0.00	0.01	0.6	0.35	0.5	0	Hydrothermal Infill Breccia
DD008	500	501	0.05	0.02	1.2	0.51	1	0.2	Hydrothermal Infill Breccia
DD008	501	502	0.04	0.07	2.3	0.62	1	0.1	Hydrothermal Infill Breccia
DD008	502	503	0.10	0.02	6.3	0.80	1.5	0.5	Hydrothermal Infill Breccia
DD008	503	504	0.06	0.02	3.8	0.61	1	0.2	Hydrothermal Infill Breccia
DD008	504	505	0.03	0.01	1.6	0.57	1	0.1	Hydrothermal Infill Breccia
DD008	505	506	0.15	0.04	3.5	0.43	0.5	0.5	Hydrothermal Infill Breccia
DD008	506	507	0.18	0.11	6.2	1.30	2.5	0.5	Hydrothermal Infill Breccia
DD008	507	508	0.12	0.81	38.9	1.62	3	0.5	Hydrothermal Infill Breccia
DD008	508	509	0.21	0.30	27.8	1.07	1.5	0.5	Hydrothermal Infill Breccia
DD008	509	510	0.10	0.01	3.5	0.41	0.5	0.5	Hydrothermal Infill Breccia
DD008	510	511	0.05	0.03	1.5	0.22	0.5	0.1	Hydrothermal Infill Breccia
DD008	511	512	0.17	0.20	8.4	1.09	2	0.5	Hydrothermal Infill Breccia



Cannindah Resources
Limited

ASX RELEASE


22 February 2022

ASX Code: CAE

Hole ID 21CAE#	From Depth m	To Depth m	Lab Cu %	Lab Au g/t	Lab Ag g/t	Lab Sulphur %	Pyrite Visual %	Chalcopyrite Visual %	Lithology
DD008	512	513	0.09	0.02	3.8	0.77	1.5	0.5	Hydrothermal Infill Breccia
DD008	513	514	0.09	0.01	3.3	0.19	0	0.5	Hydrothermal Infill Breccia
DD008	514	515	0.10	0.03	3.1	0.70	1	0.5	Hydrothermal Infill Breccia
DD008	515	516	0.33	0.08	9.6	1.25	2	1	Clast supported breccia
DD008	516	517	0.02	0.01	1.1	0.24	0.5	0.1	Clast supported breccia
DD008	517	518	0.01	0.01	0.6	1.01	2	0	Clast supported breccia
DD008	518	519	0.01	-0.01	-0.5	0.92	2	0	Clast supported breccia
DD008	519	520	0.03	0.01	1.2	0.23	0.5	0.1	Clast supported breccia



Appendix 2 Plans & Sections of CAE and Historical Drilling Mt Cannindah



- ★ CAE Drillhole
- Historical Drillhole (other Companies)


MGA Zone 56 (GDA94)
0 100
meters
Scale 1:2,500
CAE_MC_220010

Mt Cannindah Mine
Plan view of CAE & Historical Drilling
showing Cross section
+/- 15m envelope
21CAEDD007 & 21CAEDD008




Cannindah Resources
Limited


App2, Fig1 . Plan View of Mt Cannindah showing CAE hole traces (blue) in relation to historical holes . Cross Section line incorporates CAE holes 8 & 9. Note hole #9 still drilling mid Feb, 2022, drill trace drawn to 450m.



App 2, Fig 2. Mt Cannindah mine area east west cross section CAE holes 7 & 8, bottom of CAE hole # 2, with Au lab assay results plotted down hole, annotated significant intersections in holes 7 & 8. CAE holes and holes used in previous resource estimation only plotted,




App 2, Fig 3. Mt Cannindah mine area east west cross section CAE holes 7 & 8, bottom of CAE hole # 2, with Ag lab assay results plotted down hole, annotated significant intersections in holes 7 & 8. CAE holes and holes used in previous resource estimation only plotted,




CAE_MC_220012

App 2, Fig 4. Mt Cannindah mine area plan view of CAE drillholes and historic drillholes showing relationship to new gold discoveries in CAE holes 3, 7 & 8. Cu assays plotted. Note the new gold zones are 200m to 300m west of previous drilled gold assays contained within the historical mineralised Au envelope.



App 2, Fig 5. Mt Cannindah mine, Cross section of recent CAE holes 7 & 8, showing Simplified Interpretive Geology, Note relationships between infill breccia and clast supported breccia and overall steep, west dipping, attitude of breccia body. Newly discovered sub vertical gold zones shown well below main body of infill breccia. Overlain with Cu lab assay data. CAE & historical holes plotted.



App 2, Fig 6. Mt Cannindah mine, Cross section of recent CAE holes 7 & 8, showing Simplified Interpretive Geology, Note relationships between infill breccia and clast supported breccia and overall steep, west dipping, attitude of breccia body. Newly discovered sub vertical gold zones shown well below main body of infill breccia. Overlain with Au lab assay data. CAE & historical holes plotted.

JORC Code Table 1 Cannindah Resources Limited announcement 21st February, 2022.

Section 1: Sampling Techniques and Data

Criteria	Explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.) These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sampling representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1m samples from which 3kg was pulverised to produce a 30g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i>	. Sampling results are based on sawn half core samples of both PQ ,HQ and NQ diameter diamond drill core. An orientation line was marked along all core sections. One side of the core was consistently sent for analysis and the other side was consistently retained for archive purposes. The orientation line was consistently preserved. Half core samples were sawn up on a diamond saw on a metre basis for HQ,NQ diameter core and a 0.5m basis for PQ diameter core. Samples were forwarded to commercial NATA standard laboratories for crushing, splitting and grinding ,Laboratory used in this instance is Intertek Genalysis , Townsville. Analytical sample size was in the order of 2.5kg to 3kg.
Drilling techniques	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.)</i>	Drill type is diamond core. Core diameter at top of hole is PQ, below 30m core diameter is HQ and NQ. Triple tube methodology was deployed for PQ & HQ, which resulted in excellent core recovery throughout the hole. Core was oriented , utilizing an Ace Orientaion equipment and rigorously supervised by on-site geologist.
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	Core recovery was recorded for all drill runs and documented in a Geotechnical log. The Triple Tube technology and procedure ensured core recoveries were excellent throughout the hole. Triple tube methodology ensure excellent core recoveries. Core was marked up in metre lengths and reconciled with drillers core blocks. An orientation line was drawn on the core . Core sampling was undertaken by an experienced operator who ensured that half core was sawn up with one side consistently sent for analysis and the other side was consistently retained for archive purposes. The



Criteria	Explanation	Commentary
		orientation line was consistently preserved.
	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	Core recoveries were good. An unbiased , consistent half core section was submitted for the entire hole, on the basis of continuous 1m sampling. 0.5m in the case of PQ.The entire half core section was crushed at the lab and then split , The representative subsample was then fine ground and a representative unbiased sample was extracted for further analysis.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies</i>	Geological logging was carried out by well-trained/experienced geologist and data entered via a well-developed logging system designed to capture descriptive geology, coded geology and quantifiable geology. All logs were checked for consistency by the Principal Geologist. Data captured through Excel spread sheets and Explorer 3 Relational Data Base Management System. A geotechnical log was prepared.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel etc.) photography.</i>	Logging was qualitative in nature. A detailed log was described on the basis of visual observations. A comprehensive Core photograph catalogue was completed with full core dry, full core wet and half core wet photos taken of all core.
	<i>The total length and percentage of the relevant intersections logged.</i>	The entire length of all drill holes has been geologically logged.
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	Half core samples were sawn up on a diamond saw on a metre basis for HQ, NQ diameter core and a 0.5m basis for PQ diameter core. . .
	<i>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</i>	All sampling was of diamond core
	<i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>	The above techniques are considered to be of a high quality, and appropriate for the nature of mineralisation anticipated.
	<i>Quality control procedures adopted for all sub-sampling stages to maximise representativity of samples.</i>	QA/QC protocols were instigated such that they conform to mineral industry standards and are compliant with the JORC code. Terra Search's input into the Quality Assurance (QA) process with respect to chemical analysis of mineral exploration diamond core samples includes the addition of blanks, standards to each batch so that checks can be done after they are analysed. As part of the Quality Control (QC) process, Terra Search checks the resultant assay data against known or previously determined assays to determine the quality of the analysed batch of samples. An assessment is made on the data and a report on the quality of the data is compiled.

Criteria	Explanation	Commentary
	<i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i>	The lab results are checked against visual estimations and PXRF sampling of sludge and coarse crush material.
	<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	The standard 2kg -5kg sample is more than appropriate for the grainsize of the rock-types and sulphide grainsize. The sample sizes are considered to be appropriate to represent the style of the mineralisation, the thickness and consistency of the intersections.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>	After crushing splitting and grinding at Intertek/Genalysis lab Townsville samples were assayed for gold using the 50g fire assay method The primary assay method used is designed to measure both the total gold in the sample as per classic fire assay. The total amount of economic metals tied up in sulphides and oxides such as Cu, Pb, Zn, Ag, As, Mo, Bi, S is captured by the 4 acid digest method ICP finish. This is regarded as a total digest method and is checked against QA-QC procedures which also employ these total techniques. Major elements which are present in silicates, such as K, Ca, Fe, Ti, Al, Mg are also digested by the 4 acid digest Total method. The techniques are considered to be entirely appropriate for the porphyry, skarn and vein style deposits in the area. The economically important elements in these deposits are contained in sulphides which is liberated by 4 acid digest, all gold is determined with a classic fire assay.
	<i>For geophysical tools, spectrometers, handheld XRF instruments, etc. the parameters used in determining the analysis including instrument make and model, reading times, calibration factors applied and their derivation, etc.</i>	Magnetic susceptibility measurements utilizing Exploranium KT10 instrument, zeroed between each measurement. No PXRF results are reported here. although PXRF analysis has been utilized to provide multi-element data for the prospect and will be reported separately. The lab pulps are considered more than appropriate samples for this purpose. PXRF Analysis is carried out in an air-conditioned controlled environment in Terra Search offices in Townsville. The instrument used was Terra Search's portable Niton XRF analyser (Niton 'trugeo' analytical mode) analysing for a suite of 40 major and minor elements. in. The PXRF equipment is set up on a bench and the sub-sample (loose powder in a thin clear plastic freezer bag) is placed in a lead-lined stand. An internal detector autocalibrates the portable machine, and

Criteria	Explanation	Commentary
		Terra Search standard practice is to instigate recalibration of the equipment every 2 to 3 hours. Readings are undertaken for 60 seconds on a circular area of approximately 1cm diameter. A higher number of measurements are taken from the centre of the circle and decreasing outwards. PXRF measures total concentration of particular elements in the sample. Reading of the X-Ray spectra is effected by interferences between different elements. The matrix of the sample eg iron content has to be taken into account when interpreting the spectra. The reliability and accuracy of the PXRF results are checked regularly by reference to known standards. There are some known interferences relevant to particular elements eg W & Au; Th & Bi, Fe & Co. Awareness of these interferences is taken into account when assessing the results.
	<i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i>	QAQC samples are monitored on a batch-by-batch basis, Terra Search has well established sampling protocols including blanks, certified reference material, and in-house standards which are matrix matched against the samples in the program. Terra Search quality control included determinations on certified OREAS samples and analyses on duplicate samples interspersed at regular intervals through the sample suite of both the commercial laboratory batch. Standards were checked and found to be within acceptable tolerances. Laboratory assay results for these quality control samples are within 5% of accepted values.
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	Significant intersections were verified by Terra Search Pty Ltd, geological consultants who conducted drilling. Validation is checked by comparing assay results with logged mineralogy eg sulphide material in relation to copper and gold grade.
	<i>The use of twinned holes.</i>	There has been little direct twinning of holes, the hole reported here pass close to earlier drill holes, assay results and geology are entirely consisted with previous results.
	<i>Documentation of primary data, data entry procedures, data verifications, data storage (physical and electronic) protocols.</i>	Data is collected by qualified geologists and experienced field assistants and entered into excel spreadsheets.



Criteria	Explanation	Commentary
		Data is imported into database tables from the Excel spreadsheets with validation checks set on different fields. Data is then checked thoroughly by the Operations Geologist for errors. Accuracy of drilling data is then validated when imported into MapInfo. Location and analysis data are then collated into a single Excel spreadsheet. Data is stored on servers in the Consultants office and also with CAE. There have been regular backups and archival copies of the database made. Data is also stored at Terra Search's Townsville Office. Data is validated by long-standing procedures within Excel Spreadsheets and Explorer 3 data base and spatially validated within MapInfo GIS.
	<i>Discuss any adjustment to assay data.</i>	No adjustments are made to the Commercial lab assay data. Data is imported into the database in its original raw format.
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	Collar location information was originally collected with a Garmin 76 hand held GPS. X-Y accuracy is estimated at 3-5m, whereas height is +/- 10m. Coordinates will be reassessed with DGPS survey. Down hole surveys were conducted on all holes using a Reflex downhole digital camera. Surveys were generally taken every 30m downhole, dip, magnetic azimuth and magnetic field were recorded.
	<i>Specification of the grid system used.</i>	Coordinate system is UTM Zone 55 (MGA) and datum is GDA94
	<i>Quality and adequacy of topographic control.</i>	Pre-existing DTM is high quality and available.
Data spacing and distribution	<i>Data spacing for reporting of Exploration Results.</i>	At the Mt Cannindah mine area previous drilling program total over 100 deep diamond and Reverse Circulation percussion holes.. Almost all have been drilled in 25m to 50m spaced fences, from west to east, variously positioned over a strike length of 350m and a cross strike width of at least 500m.. Down hole sample spacing is in the order of 1m to 2m which is entirely appropriate for the style of the deposit and sampling procedures.
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	Previous resource estimates on Mt Cannindah include Golders 2008 for Queensland Ores and Helman & Schofield 2012 for Drummond Gold. Both these estimates utilised 25m to 50m fences of west to east drillholes, but expressed concerns regarding confidence in assay continuity both between 50m sections and between holes within the plane of the cross sections. The hole reported here addresses some of the concerns about

Criteria	Explanation	Commentary
		grade continuity, by linking mineralisation from section to section and also in the plane of the cross sections. Further drilling is necessary to enhance and fine tune the previous Mineral Resource. estimates at Mt Cannindah and lift the category from Inferred to Indicated and Measured and compliant with JORC 2012. .
	<i>Whether sample compositing has been applied.</i>	No sample compositing has been applied, Most are 0.5m to 1m downhole samples..
Orientation of data in relation to geological structure	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	The main objective of holes 21CAEDD007, and 21CAEDD008 reported here is to determine geological and structural relationships in the southern sector of the Mt Cannindah copper-gold-silver breccia deposit. The main purpose being to probe, with diamond drill core, for the potential western and southern extent of the copper rich breccia where it was interpreted to be in contact with diorite and to establish grade continuity of the primary Cu, Au, Ag, chalcopyrite -pyrite breccia mineralisation.. Both holes 21CAEDD007 & 8 are drilled from east to west, down the plunge of the breccia body. The Infill breccia is massive textured, recent interpretation suggests the clasts may have an imbrication or preferred orientation, that is relatively flat. The holes drilled from east to west may actually be drilling orthogonal to the layering in the breccia, as was observed during drilling. Pre and post mineral dykes cut the drill hole, generally in two orientations, east west, and north south,
	<i>If the relationship between drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	The Infill breccia is massive textured, recent interpretation suggests the clasts may have an imbrication or preferred orientation, that is relatively flat. The holes drilled from east to west may actually be drilling orthogonal to the layering in the breccia, as was observed during drilling. No sampling bias is evident in the logging, or the presentation of results or drill cross and long sections. Steep structures are evident and with steep holes these are cut at oblique angles. The breccia zone at Mt Cannindah is of sufficient width and depth that drillholes 21CAEDD007 & 8 provide valuable unbiased information concerning grade continuity of the breccia body. The complete geometry of the breccia body is unknown at this stage. Similarly vein structures have several orientations and only in certain instances is it evident that vein orientations have introduced a sampling bias.
Sample security	<i>The measures taken to ensure sample security.</i>	Chain of custody was managed by Terra Search Pty Ltd. Core trays were freighted in sealed pallets from Monto where they

Criteria	Explanation	Commentary
		were dispatched by Terra Search . The core was processed and sawn in Terra Search's Townsville facilities and half core samples were delivered by Terra Search to Intertek/Genalysis laboratory Townsville lab.
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	There have been numerous independent reviews carried out on the Mt Cannindah project reviewing sampling, data sets, geological controls, the most notable ones are Newcrest circa 1996; Coolgardie Gold 1999; Queensland Ores 2008; Metallica ,2008; Drummond Gold, 2011; CAE 2014.

APPENDIX 2 – JORC Code Table 2

Section 2: Reporting of Exploration Results

Mineral tenement and land tenure status	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national and environmental settings.</i>	Exploration conducted on MLs 2301, 2302, 2303, 2304, 2307, 2308, 2309, EPM 14524, and EPM 15261. 100% owned by Cannindah Resources Pty Ltd. The MLs were acquired in 2002 by Queensland Ores Limited (QOL), a precursor company to Cannindah Resources Limited. QOL acquired the Cannindah Mining Leases from the previous owners, Newcrest and MIM, As part of the purchase arrangement a 1.5% net smelter return (NSR) royalty on any production is payable to MIM/Newcrest and will be shared 40% by MIM and 60% by Newcrest. An access agreement with the current landholders in in place.
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</i>	No impediments to operate are known.
Exploration done by other parties	<i>Acknowledgement and appraisal of exploration by other parties.</i>	Previous exploration has been conducted by multiple companies. Data used for evaluating the Mt Cannindah project include : Drilling & geology, surface sampling by MIM (1970 onwards) drilling data Astrik (1987), Drill, Soil, IP & ground magnetics and geology data collected by Newcrest (1994-1996), rock chips collected by Dominion (1992),. Drilling data collected by Coolgardie Gold (1999), Queensland Ores (2008-2011), Planet Metals-Drummond Gold (2011-2013) . Since 2014 Terra Search Pty Ltd, Townsville QLD has provided geological consultant support to Cannindah Resources.

Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	Breccia and porphyry intrusive related Cu-Au-Ag-Mo , base metal skarns and shear hosted Au bearing quartz veins occur adjacent to a Cu-Mo porphyry.
Drill hole information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> • <i>Easting and northing of the drill hole collar</i> • <i>Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> • <i>Dip and azimuth of the hole</i> • <i>Down hole length and interception depth</i> • <i>Hole length</i> <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	A major drill data base exists for the Mt Cannindah district amounting to over 400 holes. Selected Cu and Au down hole intervals of interest have been listed in CAE's ASX announcement, March,2021.
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations be shown in detail</i>	No cut-offs have been routinely applied in reporting of the historical drill results or the drillhole 21CAEDD002 reported here. The Cu-Au-Ag breccia style mineralisation at Mt Cannindah is developed over considerable downhole lengths. The breccia is generally mineralised, although copper grade and sulphide content is variable. In addition pre and post mineral dykes and intrusive bodies can mask the mineralisation .Down hole Cu-Au-Ag intercepts have been quoted both as a semi-continuous, aggregated down hole interval and also as tighter higher grade Cu-Au-Ag sections. In addition, historical results have been reported in the aggregated form displayed in the ASX Announcement for CAE , March,2021, many times previously. There are some zones of high grade which can influence the longer intercepts, however the variance in copper and gold grade within the breccia is generally of a low order..
	<i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	A copper equivalent has been used to report the wider copper bearing intercepts that carry Au and Ag credits with copper being dominant. Only raw economic values have been used based on Q4 2021 metal prices. No formal metallurgical work is available for Mt Cannindah at this stage , so metal recoveries have not been used in the copper equivalent calculation. a 30 day average prices in USD for Q4,2021, have been used for Cu, Au , Ag ,



		specifically copper @ USD\$9250/tonne, gold @ USD\$1750/oz and silver @ USD\$23/oz.
Relationship between mineralisation widths and intercept lengths	<i>The relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. down hole length, true width not known).</i>	21CAEDD004 reported here is a vertical hole collared within the 100m plus-wide infill breccia zone at Mt Cannindah. . The Infill breccia is massive textured , recent interpretation suggests the clasts may have an imbrication or preferred orientation, that is relatively flat dipping to the east. If this is the case, the holes drilled vertically or from east to west may be actually be drilling orthogonal to the layering in the breccia. . Pre and post mineral dykes cut the drill hole , generally in two orientations , east west, and north south , Previous resource estimations at Mt Cannindah model the breccia body as elongated NNE-SSW and at least 100m plus thick in an east west direction. Previous estimations indicate a potentially depth extension to 350m plus.. The breccia body geometry, as modelled at surface has the long axis oriented NNE-SSW. In this context hole 21CAEDD004 is drilled down vertical through a steep breccia body and through the footwall contact into hornfels. The potential true width of the body is oriented at an oblique angle to vertical hole 21CAEDD004. However, geological consultants, Terra Search argue that the dimensions of the mineralised body are uncertain , the longest axis could well be plunging to greater depths, and the upper and lower contacts are still to be firmly established. ,
Diagrams	<i>Appropriate maps and sections (with scale) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Sections and plans of the drillhole 21CAEDD004 reported here are included in this report. Geological data is still being assembled at the time of this report.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practised to avoid misleading reporting of Exploration Results.</i>	All Cu,Au,Ag assays from the 0m to 121m section of hole 21CAEDD004 are listed with this report. Significant intercepts are tabulated. All holes were sampled over their entire length, Reported intercepts have been aggregated where mineralization extends over significant down hole widths. This aggregation has allowed for the order of 10m non mineralized late dykes or lower grade breccia sections. to be incorporated within the reported intersections. .
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and</i>	The latest drill results from the Mt Cannindah project are reported here. The report concentrates on the Cu,Au, Ag results. Other data, although not material



	<i>method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	to this update will be collected and reported in due course.
Further work	<i>The nature and scale of planned further work (e.g. test for lateral extensions or depth extensions or large-scale step-out drilling).</i>	Drill targets are identified and further drilling is required. Drilling has continued after the completion of hole 21CAEDD004. To date a further 4 holes have been drilled Other drilling is planned at Mt Cannindah Breccia.
	<i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Not yet determined, further work is being conducted.

APPENDIX 3– JORC Code Table 2

Section 3: Estimation and Reporting of Mineral Resources

Audits or Review	<i>The results of audits and reviews of any ore resource Estimates.</i>	There have been several resource estimations made over the various deposits at Mt Cannindah. These have been in the public domain for a number of years. The most recent resource statement by by Hellman & Schofield in 2011 is for Drummond Gold on the resource at Mt Cannindah itself. This was reported under the JORC 2004 code and has not been updated to comply with JORC 2012 on the basis that the information has not materially changed since it was last reported. The resource statement from the Drummond Gold 2013 report is set out below. Mt Cannindah (Hellman & Schofield for Drummond Gold,2011) JORC,2004
-------------------------	---	---

Deposit Area	Mt Cannindah						
Source	Hellman & Schofield 2011 Using JORC 2004				Estimated indicative contained In situ Metal		
Category	Tonnage	Copper %	Gold g/t	Silver g/t	Cu tonnes	Au ozs	Ag ozs
Measured (H&S)	1,888,290	0.96	0.39	16.2	18,128	23,680	983,611
Indicated (H&S)	2,529,880	0.86	0.34	14.5	21,757	27,658	1,182,780
Inferred (H&S)	1,135,000	0.97	0.27	13.6	11,010	9,854	494,875
Total	5,553,170	0.92	0.34	14.9	50,894	61,191	2,661,265

Table 1.1 Mt Cannindah Project Previously identified Resources . CAE advises that no economic or mining parameters have been applied to the estimated indicative in-situ contained metal amounts. All resources are contained in granted mining leases.