

Further High-Grade Assay Results from Phase II RC Drilling at the Burracoppin Gold Project, WA

***** 8.5m @ 4.88g/t Au from 19.5m *****

****** incl. 2.5m @ 11.24 g/t Au from 19.5m ******

******* incl. 0.5m @ 48.6 g/t Au from 19.5m *******

******** 1m @ 13.2 g/t Au from 34m ********

Highlights:

- Shallow high-grade gold intersected at the Burracoppin Gold Project, located along strike of Ramelius Resources Edna May Gold Mine in the eastern Wheatbelt of Western Australia
 - Phase II drilling focused on the central portion of the current mineralised area and has resulted in a substantially larger lode gold target
- Assay results from the Phase II drilling program have identified multiple sub-parallel mineralised units interpreted in the Project's first-ever 3D mineralisation model
- Phase II successfully tested a second and parallel zone of mineralisation west of the main zone, substantially increasing the Project's potential
- Phase II assay results include:
 - 8.5m @ 4.88 g/t Au from 19.5m in ABRC027, including
 - 2.5m @ 11.24 g/t Au from 19.5m
 - 2.5m @ 5.67 g/t Au from 26m
 - and
 - 2m @ 2.15 g/t Au from 111m
 - 2m @ 1.20 g/t Au from 46m
 - 1m @ 13.2 g/t Au from 34m in ABRC028
 - 2m @ 1.42 g/t Au from 91m in ABRC021
 - 2m @ 1.44 g/t Au from 61m in ABRC032
 - 2m @ 1.14 g/t Au from 5m in ABRC024
- Potential large gold endowment at the Burracoppin Gold Project based on the drill results received from the RC drilling campaigns completed by Askari Metals
- A further 3,000m of RC drilling planned to commence in the coming weeks to follow up on the significant results from the Phase II program and test new targets

Askari Metals Limited (ASX: AS2) ("Askari Metals" or "Company"), an Australian based exploration company with a portfolio of battery metals (Li + Cu) and gold projects across Western Australia, Northern Territory and New South Wales, is pleased to announce that the Company has received the results for the second phase of RC drilling completed on its 100% owned Burracoppin Gold Project, located in the Wheatbelt region of Western Australia along strike of the Ramelius Resources "Edna May Gold Mine" (JORC (2012) Mineral Resource of 31Mt @ 1.0 g/t Au for 990,000 ounces of gold – refer to February 2022 resource update).

Registered Office
Askari Metals Limited (ASX:AS2)
17 Lacey Street
Perth WA 6000
T +61 400 408 878
E info@askarimetals.com

Board of Directors and Senior Management
Chairman - Mr Robert Downey
Executive Director - Mr Gino D'Anna
Technical Director - Lithium - Mr Chris Evans
Technical Director - Mr Brendan Cummins
Technical Director - Mr David Greenwood
Company Secretary / CFO - Mr Paul Fromson
VP Exploration and Geology - Johan Lambrechts

Projects	
Yarrie Lithium Project (Li)	100% owned
Barrow Creek Lithium Project (Li)	100% owned
Springdale Copper-Gold Project (Cu/Au)	100% owned
Horry Copper Project (Cu)	100% owned
Callawa Copper Project (Cu)	100% owned
Burracoppin Gold Project (Au)	100% owned
Mt Maguire Gold & Base Metal Project (Au)	100% owned



Vice President - Exploration and Geology, Mr Johan Lambrechts, commented:

"The results of the second phase of drilling at Burracoppin validated the Company's interpretation of the geology and mineralisation within this new untested zone of mineralisation. The Phase II drilling focused on the central portion of the current mineralised area and has resulted in a substantially larger lode gold target than we started with, supporting our belief that the Burracoppin Project can support a potentially large gold endowment. The successful validation adds further confidence to the Company's understanding of the project's geology and provides significant momentum as we advance into our third RC drilling program, commencing in the coming weeks."

The planned Phase III RC drilling campaign is designed to expand upon each of the known areas of gold mineralisation and drill across a very exciting area that has not been drill tested previously.

We look forward to keeping our investors informed of our progress."

The first phase of drilling on the Burracoppin Gold Project was designed to target mineralised zones and their extensions associated with historic workings and shafts from the 1930s. It aimed to verify the gold mineralisation in the area and understand the geological and mineralogical relationships beneath the historical workings. The second phase of drilling was designed to target a specific area of mineralisation interpreted below a mineralised laterite cap and topographic rise immediately west of the Benbur shaft. The area tested has been subjected to limited historic drilling greater than 5m depth. The Company targeted the laterite cap where it believed there was high potential to encounter multiple subparallel zones of mineralisation. The second phase of RC drilling has confirmed the discovery of these interpreted mineralised units. The drilling results reported in this ASX release have been used to generate an initial 3D mineralisation model at the Burracoppin Gold Project.

Overview

The Burracoppin Gold Project is located approximately 20km east of Merredin and 15km west of the Edna May Gold Mine in the eastern wheat belt of Western Australia.




Figure 1: Locality map of the Burracoppin Gold Project

** This announcement is authorised by the executive board on behalf of the Company **

The area has gently undulating topography with isolated lateritic breakaways preserved on a well-developed regolith. It is underlain by Archaean granite/gneiss greenstone terrane metamorphosed to amphibolite/granulite grade. Minor banded iron formation outcrops are known, and aplite-pegmatite dykes intrude the amphibolites at the Burgess Find gold workings.

Burgess Find, Christmas Gift, Benbur and Easter Gift were the four main areas mined at the Burracoppin Project (refer to Figure 2). The Burgess Find, Christmas Gift and Benbur mines reported historical production figures of 410 tonnes, 750 tonnes and 1,030 tonnes, respectively. Production of the original miners in the 1930s was reported in the “Daily News” newspaper (June 1933), which wrote that the first parcel processed from Burracoppin had produced gold grades of 49g/t Au.

The workings targeted mineralisation hosted in narrow, steeply-dipping veins and fault zones within a sequence of gabbro and granite at or close to its western margin in pelitic sediments. The general strike is north-south, and units are folded into a series of open folds. The Easter Gift workings occur in mafic granulite and metasediments and occupy a similar stratigraphic position to the Christmas Gift-Benbur North-Benbur workings to the north.

Laterites that cover the Archaean rock sequence also carry gold mineralisation. The laterite consists of loose pisolites with a significant sand matrix component at the surface, grading into a poorly to well cemented nodular laterite layer. Gold mineralisation appears to be restricted to the iron-rich laterites.

Phase II RC Drilling Campaign: Discussion of Results

The Phase II RC drilling program was completed in late February 2022 and comprised 13 holes for 1,300m. This second drill program was designed using historical drill data, Phase I drill results and the new detailed magnetic data acquired by the Company.

The design of the second phase focused on an area west of the Benbur historical mine and below the previously mined area of laterite hosted shallow gold oxide material. Phase I drill results from the Company’s inaugural drilling campaign intersected high-grade results at depth. These results include **4m @ 4.27 g/t Au from 25m** in ABRC010, including **2m @ 7.88 g/t Au from 25m**, as well as **2m @ 2.38 g/t Au from 22m** in ABRC013.

The area also includes several physical characteristics that provide additional weight to its mineralisation potential and scalability. One such feature is that the mineralisation is associated with a ridge that follows the structural orientation as indicated by the high definition magnetic survey.

Twelve holes were drilled along 200m of strike west of the Benbur mine, testing an area below a historical cyanide leach pad. The design was formulated after two Phase I drill holes targeting potential mineralisation interpreted from 5m deep RAB holes beneath an old leach pad, returned very positive results, including **4m at 4.27 g/t Au from 25m** in ABRC010. (see AS2 ASX Announcement dated 14 October 2021).

The Phase II program tested strike extensions north and south beyond the leach pad and tested for depth extensions. Figure 2 below depicts a plan view of the drill program.

Mineralisation beneath the central portion of the leach pad was tested by a fence of three holes drilled below each other. Hole ABRC027 is the deepest of a three-hole stack targeting the central part of the leach pad. It was collared furthest east and drilled through the Benbur workings a few meters south of the shafts to reach its target.

It intersected mineralisation associated with the Benbur workings (including a 1m wide void) and encountered **8.5m at 4.88 g/t from 19.5m**. It also continued to intersect its design target at depth and returned two deeper intercepts of **2m at 1.2 g/t Au from 46m** and **2m at 2.15 g/t Au from 111m** downhole. Figure 3 depicts section “B” (refer to Figure 1) through the three-hole stack, including holes ABRC027, ABRC028 and ABRC029.

On section (refer to Figure 3, below), it appears likely that extending ABRC027 may result in the intersection of a fourth zone of mineralisation. As part of the third phase of RC drilling, ABRC027 will be re-entered and drilled deeper to intersect the fourth zone of mineralisation.

The continuation of mineralisation along strike to the north was tested and confirmed by another line of three holes drilled below the other. The three-hole stack consists of holes ABRC022, ABRC023, and ABRC024, as well as hole ABRC021 drilled along strike and to the north.

Figure 4 depicts section "A" through this stack and shows the intercepts achieved by the second phase of drilling and the interpreted mineralisation model through the area. The Company is pleased that the drilling identified a continuation of the mineralised strike of this new and western zone of mineralisation and plans to test the extension of both this zone and the main parallel zone to the east with future drill programs. The third phase of drilling is scheduled to commence in late May 2022.




Figure 2: Plan view of the second phase of drilling on the Burracoppin Gold Project

** This announcement is authorised by the executive board on behalf of the Company **

Burracoppin Gold Project: Mineralisation Model

The Burracoppin Gold Project has been drill tested by explorers prior to the exploration work completed by the Company; however, the drill data has never been combined into a coherent mineralisation model. After completing two drill phases comprising 29 drill holes in addition to the historic drilling, the Company engaged an independent geological consulting company to construct a mineralisation model of the current dataset. The data is not comprehensive in all areas, and so the model aims to provide a 3D interpretation of the various gold intercepts using the Company's interpretation of the characteristics of the mineralisation based on surface mapping, structural interpretation of the HD magnetic survey completed over the project, historic drill intercepts and historical maps.

The completed mineralisation model focussed on the area around the Benbur historic workings because this area contains the bulk of the drill data. The model will be extended further along strike as the drill intercepts from AS2 drill campaigns continue. The mineralisation model identified several sub-parallel units beneath the old leach pad and identified similar units to the east beneath the area mined by the Benbur mine.

This 3D model will be concept tested by future drill campaigns but will allow the Company to design drill targets based on a 3D model, which has never been possible before. The model will be reinterpreted with the new data from each future drill campaign, therefore becoming more robust as work continues.




Figure 3: Section "A" through ABRC027-29. (see Figure 2) Gold grades depicted in g/t Au and 3D mineralisation model shown

** This announcement is authorised by the executive board on behalf of the Company **




Figure 4: Section "B" through ABRC21-24. (See Figure 2) Gold grades depicted in g/t Au and 3D mineralisation model shown

Eight of the twelve drill holes returned intercepts of greater than 1 g/t Au over at least 1m with hole ABRC028, for example, returning 1m @ 13.2 g/t Au from 34m. The table of significant intercepts is shown below.

Hole	Width (m) (Downhole depth)		Au g/t	From (m) (Downhole depth)	To (m) (Downhole depth)
ABRC027	8.5	@	4.88	19.5	28.0
	including				
	2.5	@	11.24	19.5	22.0
	including				
	2.00	@	5.67	26.0	28.0
	and				
ABRC028	2.00	@	2.15	111.0	113.0
	and				
	2.00	@	1.20	46.0	48.0
ABRC021	1.00	@	13.2	34.0	35.0
ABRC022	2.00	@	1.42	91.0	93.0
ABRC032	2.00	@	1.44	61.0	63.0
ABRC024	2.00	@	1.14	5.0	7.0
ABRC022	2.00	@	1.10	87.0	89.0
	and				
ABRC025	1.00	@	1.03	93.0	94.0
ABRC023	1.00	@	1.25	5.0	6.0
ABRC023	1.00	@	1.18	53.0	54.0

Table 1: Table depicting a summary of the significant intercepts and results discussed in the announcement

** This announcement is authorised by the executive board on behalf of the Company **

Table 2 below shows the intercepts greater than 1g/t Au as well as the samples in their immediate vicinity.

Hole_ID	From	To	Au_ppm	Hole_ID	From	To	Au_ppm
ABRC021	89	90	0.22	ABRC027	19.5	20	48.60
ABRC021	90	91	0.30	ABRC027	20	21	2.46
ABRC021	91	92	1.27	ABRC027	21	22	1.35
ABRC021	92	93	1.57	ABRC027	22	23	0.65
ABRC021	93	94	0.33	ABRC027	23	24	0.16
ABRC021	94	95	0.48	ABRC027	24	25	0.66
ABRC021	95	96	0.29	ABRC027	25	26	0.53
ABRC022	87	88	0.60	ABRC027	26	27	7.02
ABRC022	88	89	1.60	ABRC027	27	28	4.32
ABRC022	89	90	0.09	ABRC027	28	29	0.32
ABRC022	90	91	0.03	ABRC027	29	30	0.21
ABRC022	91	92	0.01	ABRC027	45	46	0.65
ABRC022	92	93	0.11	ABRC027	46	47	0.95
ABRC022	93	94	1.03	ABRC027	47	48	1.44
ABRC022	94	95	0.02	ABRC027	48	49	0.31
ABRC023	52	53	0.03	ABRC027	108	109	0.52
ABRC023	53	54	1.18	ABRC027	109	110	0.21
ABRC023	54	55	0.03	ABRC027	110	111	0.90
ABRC024	3	4	0.31	ABRC027	111	112	2.46
ABRC024	4	5	0.71	ABRC027	112	113	1.84
ABRC024	5	6	1.09	ABRC027	113	114	0.08
ABRC024	6	7	1.18	ABRC028	33	34	0.02
ABRC024	7	8	0.76	ABRC028	34	35	13.20
ABRC024	8	9	0.41	ABRC028	35	36	0.26
ABRC024	9	10	0.35	ABRC028	36	37	0.05
ABRC025	4	5	0.35	ABRC032	60	61	0.04
ABRC025	5	6	1.25	ABRC032	61	62	1.12
ABRC025	6	7	0.63	ABRC032	62	63	1.75
ABRC025	7	8	0.67	ABRC032	63	64	0.05
ABRC025	8	9	0.52				
ABRC025	9	10	0.41				
ABRC025	10	11	0.40				

Table 2: Table of the main intercepts greater than 1 g/t Au as well as the surrounding results in each hole.

Future work

The Company plans to commence the third phase of RC drilling on the Burracoppin Gold Project before the end of May 2022. This phase will test a new and untested zone of potential mineralisation identified by soil samples to the east of the main mineralised zone. It will also test strike extensional opportunities identified by the first and second phases of drilling, as well as areas of mineralisation inferred by historical soil sampling aligning with the newly identified western units as discussed in this announcement.

The Company looks forward to providing shareholders with further information as we continue to progress our exploration activities and RC drilling at the Burracoppin Gold Project.

ENDS

** This announcement is authorised by the executive board on behalf of the Company **

For further information, contact:

Gino D'Anna
Executive Director
M +61 400 408 878
gino@askarimetals.com

Rod North, Managing Director
Bourse Communications Pty Ltd
M: +61 408 670 706
rod@boursecommunications.com.au

Johan Lambrechts
Vice President – Exploration and Geology
M +61 431 477 145
johan@askarimetals.com

About Askari Metals Limited

Askari Metals was incorporated for the primary purpose of acquiring, exploring and developing a portfolio of high-grade battery (Li + Cu) and precious (Au + Ag) metal projects across **Western Australia, Northern Territory and New South Wales**. The Company has assembled an attractive portfolio of lithium, copper, gold and copper-gold exploration/mineral resource development projects in Western Australia, Northern Territory and New South Wales.

For more information please visit: www.askarimetals.com

Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning Askari Metals Limited. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the Company's beliefs, opinions and estimates of Askari Metals Limited as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Person Statement

The information in this report that relates to Exploration Targets, Exploration Results or Mineral Resources is based on information compiled by Johan Lambrechts, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr. Lambrechts is a full-time employee of Askari Metals Limited, who has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Lambrechts consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Appendix 1 – JORC Code, 2012 Edition, Table 1 report

Section 1 Sampling Techniques and Data (Criteria in this section applies to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report.	- All holes were sampled on a 1m down hole interval basis. - A representation of the rock chips from each 1m interval was collected and stored in RC chip trays for later use. - All sampling lengths and other logging data was recorded in AS2's standard sampling record spreadsheets. Data includes from and to measurements, colour, lithology, magnetic susceptibility, structures etc. Visible sulphide content was logged as well as alteration and weathering. - Industry standard practice was used in the processing of samples for assay, with 1m intervals of RC chips collected in green plastic and calico bags.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details.	- In this program, reverse circulation (RC) percussion drill holes were used. Hole dip was -50°. - RC percussion drilling was performed with a face sampling hammer bit (bit diameter between 4½ and 5 ¼ inches) and samples were collected by a cone splitter.
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed.	- RC drill chip sample recovery was recorded by visual estimation of the reject sample, expressed as a percentage recovery. Overall estimated recovery was high. - All samples were dry as a result of appropriate air pressure and volume and the lack of major ground water. - Measures taken to ensure maximum RC sample recoveries included maintaining a clean cyclone and drilling equipment, as well as regular communication with the drillers and slowing drill advance rates when variable to poor ground conditions are encountered.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level	The drill chips were geologically logged at 1m intervals with detailed recording of lithology, alteration, mineralisation and other observations such as colour,


Criteria	JORC Code explanation	Commentary
	of detail to support appropriate Mineral Resource Estimation, mining studies and metallurgical studies.	moisture and recovery. Drill chips were collected and sieved before being placed into reference chip trays for visual logging at 1m intervals. • Logging was performed at the time of drilling, and planned drill hole target lengths adjusted by the geologist during drilling. The geologist also oversaw all sampling and drilling practices. A small selection of representative chips were collected for every 1 meter interval and stored in chip-trays as well as a representative split of mineralised areas stored for potential future use.
Sub-sampling techniques and sample preparation	• For all sample types, the nature, quality and appropriateness of the sample preparation technique.	• 1m Samples were recovered using a rig mounted cone splitter during drilling into a calico sample bag. Sample target weight was between 2 and 4kg. • QAQC was employed. A standard, blank or duplicate sample was inserted into the sample stream at regular intervals and also at specific intervals based on the geologist's discretion. Standards were quantified industry standards. Duplicate samples were taken using the same sample sub sample technique as the original sub sample and inserted at the geologist's discretion. Sample sizes are appropriate for the nature of mineralisation.
Quality of assay data and laboratory tests	• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	• All AS2 samples were submitted to Bureau Veritas laboratories in Adelaide. • The samples were sorted, wet weighed, dried then weighed again. Primary preparation involved crushing and splitting the sample with a riffle splitter where necessary to obtain a sub-fraction which was pulverised in a vibrating pulveriser. All coarse residues have been retained. • The samples have been analysed by a 40g lead collection fire assay as well as multi acid digest with an Inductively Coupled Plasma (ICP) Optical Emission Spectrometry finish for multi elements • The lab randomly inserts analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. • AS2 also inserted Certified Reference Material (CRM) samples and blanks were inserted at least every 10 samples to assess the accuracy and reproducibility of the drill core results. • All of the QAQC data has been statistically assessed to determine if results were within the certified standard deviations of the reference material. If required a batch or a portion of the batch may be re-assayed. (no re-assays required for the data in the release).
Verification of sampling and assaying	• The verification of significant intersections by either independent or alternative company personnel. • Documentation of primary data, data entry procedures, data verification, data storage	• The lab randomly insert analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. • AS2 also inserted QAQC samples as mentioned above • All of the QAQC data has been statistically assessed, 100% of which are within acceptable QAQC limits as stated by the standard deviation stipulated on the certificate for the reference material used. This fact combined with the fact that the data is demonstrably consistent has meant that the results are considered to be acceptable and suitable for reporting.

Criteria	JORC Code explanation	Commentary
	(physical and electronic) protocols. Discuss any adjustment to assay data.	
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	- Collar Survey - Collars were surveyed by a survey consultancy and are accurate to within a few millimetres. - Down Hole Survey - Down hole surveys were conducted using a Gyro and were also conducted by the survey consultancy
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- The holes in this announcement were designed to target areas with relatively sparse drill density. - Grade continuity of the targeted lodes cannot be determined from this data alone. - Compositing of sample results was applied for the announcement and details are provided in the text, a summary table and a table showing all drill intervals in appendix 3.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	- The holes were drilled perpendicular to the mapped strike of the lodes and surface outcropping lithologies and drilled from the hanging wall side toward the steeply east dipping lodes. - The orientation of the drilling is deemed appropriate and unbiased.
Sample security	The measures taken to ensure sample security.	- All samples were collected and accounted for by AS2 employees/consultants during drilling. All samples were bagged into calico and plastic bags and closed with cable ties. Samples were transported to Perth from the logging site by AS2 employees/ consultants and submitted to the lab using courier companies. - The appropriate manifest of sample numbers and a sample submission form containing laboratory instructions were submitted to the laboratory. Any discrepancies between sample submissions and samples received were routinely followed up and accounted for.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audits have been conducted on the historic data to our knowledge.

Section 2 Reporting of Exploration Results (Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	- The Burracoppin Project (E70/5049) is located approximately 20km east of Merredin and 15km west of the Edna May Gold Mine in the eastern wheat belt of WA. The project is easily accessible from Merredin using the Great Eastern Highway. The Burracoppin South Road cross cuts some of the tenure. - The exploration rights to the project are owned 100% by the Askari Metals Limited through the granted exploration license E70/5049.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	See appendix 2
Geology	Deposit type, geological setting and style of mineralisation.	The area is dominated by gently undulating topography with isolated lateritic breakaways preserved on an intensely developed regolith. It is underlain by Archaean granite/gneiss greenstone terrane metamorphosed to amphibolite/granulite grade. Minor banded iron formation outcrops are known, and aplite-pegmatite dykes intrude the amphibolites at the Burgess Find gold workings. Burges Find, Christmas Gift, Benbur and Easter Gift were the four main areas mined at Burracoppin. (See Figure 2 below) The Burgess Find, Christmas Gift and Benbur mines reported production figures of 410 tonnes, 750 tonnes and 1030 tonnes, respectively. Production of the original miners in the 1930s was reported in the “Daily News” newspaper (June 1933), which wrote that the first parcel processed from Burracoppin had produced golds grades of 49g/t. The workings targeted mineralisation hosted in narrow, vertically dipping veins that occur within a gabbro dyke at or close to its western margin in pelitic sediments. The veins and gabbro strike north south and are folded into a series of open folds. The Easter Gift workings occur in mafic granulite and metasediments and occupy a similar stratigraphic position to that of the Christmas Gift-Benbur North-Benbur workings to the north. Laterites that cover the Archaean rock sequence also carries gold mineralisation. The laterite consists of loose pisolites with a significant sand matrix component at the surface, grading into a poorly to well cemented nodular laterite layer. Gold mineralisation appears to be restricted to the iron-rich laterites.

Criteria	JORC Code explanation	Commentary																																																																																																																																																																
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	Total drilling to the date of this report was 9,352 metres comprising of: <table><tr><th>Drillhole Type</th><th># Holes</th><th>Total metres</th><th>Ave Depth (m)</th></tr><tr><td>RAB</td><td>889</td><td>4074.3</td><td>4.6</td></tr><tr><td>RC</td><td>96</td><td>5255</td><td>54.7</td></tr><tr><td>Aircore</td><td>4</td><td>23</td><td>5.8</td></tr></table> Note: The RAB and Aircore holes were used as soils samples as is indicated by their average depth. Table below shows recent AS2 RC drill details <table><tr><th>Hole ID</th><th>Total Depth</th><th>Grid ID</th><th>Easting</th><th>Northing</th><th>Elevation</th><th>Dip</th><th>Azimuth</th></tr><tr><td>ABRC004</td><td>101</td><td>MGA94_50</td><td>647667</td><td>6513504</td><td>374</td><td>-50</td><td>309</td></tr><tr><td>ABRC005</td><td>70</td><td>MGA94_50</td><td>647645</td><td>6513491</td><td>375</td><td>-49</td><td>308</td></tr><tr><td>ABRC006</td><td>124</td><td>MGA94_50</td><td>647702</td><td>6513156</td><td>374</td><td>-50</td><td>269</td></tr><tr><td>ABRC007</td><td>112</td><td>MGA94_50</td><td>647690</td><td>6513118</td><td>375</td><td>-51</td><td>271</td></tr><tr><td>ABRC008</td><td>65</td><td>MGA94_50</td><td>647653</td><td>6513146</td><td>378</td><td>-50</td><td>265</td></tr><tr><td>ABRC009</td><td>65</td><td>MGA94_50</td><td>647609</td><td>6513114</td><td>380</td><td>-51</td><td>270</td></tr><tr><td>ABRC010</td><td>70</td><td>MGA94_50</td><td>647561</td><td>6513117</td><td>385</td><td>-50</td><td>270</td></tr><tr><td>ABRC011</td><td>100</td><td>MGA94_50</td><td>647686</td><td>6513089</td><td>376</td><td>-51</td><td>271</td></tr><tr><td>ABRC012</td><td>65</td><td>MGA94_50</td><td>647618</td><td>6513028</td><td>379</td><td>-50</td><td>261</td></tr><tr><td>ABRC013</td><td>65</td><td>MGA94_50</td><td>647575</td><td>6513030</td><td>386</td><td>-50</td><td>270</td></tr><tr><td>ABRC014</td><td>100</td><td>MGA94_50</td><td>647653</td><td>6512989</td><td>378</td><td>-50</td><td>264</td></tr><tr><td>ABRC015</td><td>80</td><td>MGA94_50</td><td>647516</td><td>6512034</td><td>375</td><td>-50</td><td>102</td></tr><tr><td>ABRC016</td><td>88</td><td>MGA94_50</td><td>647495</td><td>6512010</td><td>375</td><td>-51</td><td>100</td></tr><tr><td>ABRC017</td><td>80</td><td>MGA94_50</td><td>647491</td><td>6511975</td><td>377</td><td>-50</td><td>99</td></tr><tr><td>ABRC018</td><td>80</td><td>MGA94_50</td><td>648091</td><td>6511208</td><td>376</td><td>-51</td><td>115</td></tr><tr><td>ABRC019</td><td>80</td><td>MGA94_50</td><td>648154</td><td>6511199</td><td>381</td><td>-50</td><td>287</td></tr><tr><td>ABRC020</td><td>80</td><td>MGA94_50</td><td>647656</td><td>6513011</td><td>378</td><td>-51</td><td>293</td></tr></table>	Drillhole Type	# Holes	Total metres	Ave Depth (m)	RAB	889	4074.3	4.6	RC	96	5255	54.7	Aircore	4	23	5.8	Hole ID	Total Depth	Grid ID	Easting	Northing	Elevation	Dip	Azimuth	ABRC004	101	MGA94_50	647667	6513504	374	-50	309	ABRC005	70	MGA94_50	647645	6513491	375	-49	308	ABRC006	124	MGA94_50	647702	6513156	374	-50	269	ABRC007	112	MGA94_50	647690	6513118	375	-51	271	ABRC008	65	MGA94_50	647653	6513146	378	-50	265	ABRC009	65	MGA94_50	647609	6513114	380	-51	270	ABRC010	70	MGA94_50	647561	6513117	385	-50	270	ABRC011	100	MGA94_50	647686	6513089	376	-51	271	ABRC012	65	MGA94_50	647618	6513028	379	-50	261	ABRC013	65	MGA94_50	647575	6513030	386	-50	270	ABRC014	100	MGA94_50	647653	6512989	378	-50	264	ABRC015	80	MGA94_50	647516	6512034	375	-50	102	ABRC016	88	MGA94_50	647495	6512010	375	-51	100	ABRC017	80	MGA94_50	647491	6511975	377	-50	99	ABRC018	80	MGA94_50	648091	6511208	376	-51	115	ABRC019	80	MGA94_50	648154	6511199	381	-50	287	ABRC020	80	MGA94_50	647656	6513011	378	-51	293
Drillhole Type	# Holes	Total metres	Ave Depth (m)																																																																																																																																																															
RAB	889	4074.3	4.6																																																																																																																																																															
RC	96	5255	54.7																																																																																																																																																															
Aircore	4	23	5.8																																																																																																																																																															
Hole ID	Total Depth	Grid ID	Easting	Northing	Elevation	Dip	Azimuth																																																																																																																																																											
ABRC004	101	MGA94_50	647667	6513504	374	-50	309																																																																																																																																																											
ABRC005	70	MGA94_50	647645	6513491	375	-49	308																																																																																																																																																											
ABRC006	124	MGA94_50	647702	6513156	374	-50	269																																																																																																																																																											
ABRC007	112	MGA94_50	647690	6513118	375	-51	271																																																																																																																																																											
ABRC008	65	MGA94_50	647653	6513146	378	-50	265																																																																																																																																																											
ABRC009	65	MGA94_50	647609	6513114	380	-51	270																																																																																																																																																											
ABRC010	70	MGA94_50	647561	6513117	385	-50	270																																																																																																																																																											
ABRC011	100	MGA94_50	647686	6513089	376	-51	271																																																																																																																																																											
ABRC012	65	MGA94_50	647618	6513028	379	-50	261																																																																																																																																																											
ABRC013	65	MGA94_50	647575	6513030	386	-50	270																																																																																																																																																											
ABRC014	100	MGA94_50	647653	6512989	378	-50	264																																																																																																																																																											
ABRC015	80	MGA94_50	647516	6512034	375	-50	102																																																																																																																																																											
ABRC016	88	MGA94_50	647495	6512010	375	-51	100																																																																																																																																																											
ABRC017	80	MGA94_50	647491	6511975	377	-50	99																																																																																																																																																											
ABRC018	80	MGA94_50	648091	6511208	376	-51	115																																																																																																																																																											
ABRC019	80	MGA94_50	648154	6511199	381	-50	287																																																																																																																																																											
ABRC020	80	MGA94_50	647656	6513011	378	-51	293																																																																																																																																																											
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	No grade aggregation, weighting, or cut-off methods were used for this announcement.																																																																																																																																																																
Relationship between mineralisation	These relationships are particularly important in the reporting of Exploration Results.	The mineralised units are near vertical and drilling has almost exclusively been conducted from the east at optimal angles with the mineralised units. The drill																																																																																																																																																																

Criteria	JORC Code explanation	Commentary
		
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of results.	All results of Askari Metals' samples from the RC program have been reported in this release. See Appendix 3
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of	

Criteria	JORC Code explanation	Commentary
	treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	
Further work	The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).	Currently under assessment. Follow-up work is required, as mentioned in body of the announcement.

Appendix 2. Historic Exploration in the area of E70/5049_Burracoppin

REPORT_YEAR	OPERATOR	TARGET_COMMODITY	PROJECT	ANUMBER
1981	VALIANT CONSOLIDATED LTD	Au	Burgess Find	9736
1981	VALIANT CONSOLIDATED LTD	Au	Burgess Find	16524
1985	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	16639
1753	CARPENTARIA EXP CO PTY LTD	Au	Westonia	17401
1986	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	18730
1986	CARPENTARIA EXP CO PTY LTD	Au	Westonia	18974
1986	WESTONIA MINES PTY LTD	Au	West Westonia	19535
1986	MIRALGA MINING	Au	Burgess Find	20003
1987	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	20186
1987	AUREX PTY LTD	Au	Westonia	20818
1987	QESTORE PTY LTD	Au	West Westonia	21701
1987	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	22011
1988	AUST CONSOLIDATED MINERALS LTD	Au	Corsini's - Westonia	24889
1988	WESTONIA MINES PTY LTD	Au	Westonia West	25229
1988	AUST CONSOLIDATED MINERALS LTD	Au	West Westonia	27080
1988	AUST CONSOLIDATED MINERALS LTD	Au	Leaches Block	27082
1988	AUST CONSOLIDATED MINERALS LTD	Au	West Westonia	27083
1988	AUST CONSOLIDATED MINERALS LTD	Au	Corsini's	27084
1989	MIRALGA MINING	Au	Burgess Find	29857
1993	MR FIRTH DA	Au	Burgess and Bennett Find	39454
1994	MR RUTHERFORD JW	Au	Burracoppin	42589
1994	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	43181
1995	CAMBRIAN RESOURCES NL	Au	Benbur West	45912
1995	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	46217
1996	CAMBRIAN RESOURCES NL	Au	Burracoppin	47133
1996	CAMBRIAN RESOURCES NL	Au	Benbur West	49289
1996	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	49338
1996	CAMBRIAN RESOURCES NL	Au	Burracoppin	49526
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin	50656
1997	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	52467
1997	CAMBRIAN RESOURCES NL	Au	Benbur West	52468
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin exploration gold	52479
1997	CAMBRIAN RESOURCES NL	Au	Benbur West	52481
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin	53321
1998	CAMBRIAN RESOURCES NL	Au	Burracoppin	53845
1998	CAMBRIAN RESOURCES NL	Au	Burracoppin	55244
2007	MAGNETIC RESOURCES NL	Au; Ni	Koonadgin	76560
2008	MAGNETIC RESOURCES NL	Au	Koonadgin	79047
2008	MAGNETIC RESOURCES NL	Au	Koonadgin	79048
2009	MAGNETIC RESOURCES NL	Au; Fe	Koonadgin	84076
2010	MAGNETIC RESOURCES NL	Au; Fe	Koonadgin	87284
2011	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	90428
2012	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	93797
2012	ENTERPRISE METALS LTD	Au; PGE's	Burracoppin	93879
2012	Maka Minerals Pty Ltd	Au; Fe; Ni; PGE's	Koonadgin	94704
2012	Maka Minerals Pty Ltd	Au; Fe; Ni; PGE's	Tandagin	95629
2013	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	97794
2013	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	98573
2013	ENTERPRISE METALS LTD	Au; Fe	Burracoppin	98860
2013	ENTERPRISE METALS LTD	Au; Fe	Burracoppin	100065
2013	Maka Minerals Pty Ltd	COBALT; Au; Ni	Tandagin	100275
2014	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	101937
2014	ENTERPRISE METALS LTD	Fe; Au; BaseMet; PGE's	Burracoppin	104197
2015	ENTERPRISE METALS LTD	Fe; Au; BaseMet; PGE's	Burracoppin	105931
2020	CYGNUS GOLD LIMITED	Au	Burracoppin	124414

Appendix 3: Table of assay results from the recent Askari Metals Ltd RC drill program

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC021	0	1	0.04	5.80	2.20	10.80	ABRC026	67	68	0.03	6.00	1.20	7.50
ABRC021	1	2	0.03	5.00	2.20	10.30	ABRC026	68	69	0.05	4.80	1.20	16.40
ABRC021	2	3	0.03	5.40	2.20	10.00	ABRC026	69	70	0.04	2.80	1.00	8.70
ABRC021	3	4	0.00	2.60	2.40	9.40	ABRC026	70	71	0.01	9.40	0.60	35.20
ABRC021	4	5	0.00	1.80	2.80	5.80	ABRC026	71	72	0.08	11.20	1.40	51.80
ABRC021	5	6	0.00	0.80	2.80	3.90	ABRC026	72	73	0.17	8.60	0.80	24.10
ABRC021	6	7	0.00	1.00	2.40	3.20	ABRC026	73	74	0.03	5.40	0.60	3.90
ABRC021	7	8	0.00	1.20	3.20	3.90	ABRC026	74	75	0.02	4.20	1.20	3.10
ABRC021	8	9	0.00	1.80	2.40	2.10	ABRC026	75	76	0.01	11.00	1.00	7.30
ABRC021	9	10	0.00	2.60	3.60	6.80	ABRC026	76	77	0.01	3.60	1.00	5.50
ABRC021	10	11	0.00	8.60	1.60	4.20	ABRC026	77	78	0.01	7.60	1.00	3.30
ABRC021	11	12	0.01	8.80	2.00	7.20	ABRC026	78	79	0.00	3.00	0.80	4.20
ABRC021	12	13	0.04	8.00	1.80	12.10	ABRC026	79	80	0.00	4.80	1.00	2.40
ABRC021	13	14	0.00	4.20	1.00	4.50	ABRC026	80	81	0.01	6.00	0.80	5.20
ABRC021	14	15	0.00	9.20	3.20	4.20	ABRC026	81	82	0.00	2.00	0.80	3.80
ABRC021	15	16	0.00	7.20	1.40	3.10	ABRC026	82	83	0.02	28.40	1.40	4.80
ABRC021	16	17	0.00	1.60	1.00	2.80	ABRC026	83	84	0.00	4.00	1.20	4.00
ABRC021	17	18	0.00	2.40	1.80	2.50	ABRC026	84	85	0.00	2.00	1.00	6.10
ABRC021	18	19	0.00	1.40	2.00	2.20	ABRC026	85	86	0.00	1.40	1.00	5.50
ABRC021	19	20	0.01	1.40	1.60	2.30	ABRC026	86	87	0.03	4.80	1.20	77.30
ABRC021	20	21	0.00	1.80	1.00	3.90	ABRC026	87	88	0.03	4.00	0.80	26.80
ABRC021	21	22	0.00	3.80	0.80	2.50	ABRC026	88	89	0.01	2.20	1.20	7.50
ABRC021	22	23	0.00	4.00	0.60	2.60	ABRC026	89	90	0.00	1.80	1.40	2.40
ABRC021	23	24	0.00	4.00	0.80	3.10	ABRC026	90	91	0.01	1.60	1.00	2.40
ABRC021	24	25	0.00	3.20	0.80	2.30	ABRC026	91	92	0.00	4.80	1.20	3.10
ABRC021	25	26	0.00	2.20	0.80	3.10	ABRC026	92	93	0.01	4.80	1.00	3.90
ABRC021	26	27	0.00	2.00	1.00	6.80	ABRC026	93	94	0.00	3.60	1.20	3.00
ABRC021	27	28	0.00	0.80	0.80	3.10	ABRC026	94	95	0.00	1.80	1.40	6.40
ABRC021	28	29	0.00	0.60	1.00	5.20	ABRC026	95	96	0.00	2.00	0.80	4.50
ABRC021	29	30	0.00	1.60	1.00	3.70	ABRC026	96	97	0.01	2.00	1.00	3.50
ABRC021	30	31	0.00	0.80	0.80	2.30	ABRC026	97	98	0.00	1.40	0.80	4.20
ABRC021	31	32	0.00	0.80	1.20	2.10	ABRC026	98	99	0.00	1.60	1.00	5.40
ABRC021	32	33	0.00	2.40	1.60	7.80	ABRC026	99	100	0.01	2.60	1.00	23.10
ABRC021	33	34	0.00	3.40	1.40	5.60	ABRC026	100	101	0.01	11.20	3.00	4.40
ABRC021	34	35	0.01	4.40	1.00	14.90	ABRC026	101	102	0.00	5.20	1.00	3.20
ABRC021	35	36	0.01	12.80	0.80	33.80	ABRC026	102	103	0.00	4.60	1.00	3.00
ABRC021	36	37	0.00	5.40	1.00	22.30	ABRC026	103	104	0.00	4.00	1.00	3.50
ABRC021	37	38	0.00	5.60	1.00	23.70	ABRC026	104	105	0.00	2.20	1.20	4.00
ABRC021	38	39	0.00	4.00	0.60	10.60	ABRC026	105	106	0.00	2.40	1.20	4.50
ABRC021	39	40	0.00	3.60	0.60	6.20	ABRC026	106	107	0.00	1.60	1.00	4.80
ABRC021	40	41	0.01	8.40	1.00	17.90	ABRC026	107	108	0.00	1.60	0.80	9.70
ABRC021	41	42	0.00	3.60	0.60	8.80	ABRC026	108	109	0.01	1.80	1.00	3.60
ABRC021	42	43	0.00	2.00	0.60	6.90	ABRC026	109	110	0.01	1.00	1.20	2.90
ABRC021	43	44	0.05	12.60	1.00	12.50	ABRC026	110	111	0.00	1.80	1.20	2.50
ABRC021	44	45	0.04	12.60	1.20	6.60	ABRC026	111	112	0.00	2.40	1.00	3.70
ABRC021	45	46	0.08	9.00	1.40	3.00	ABRC026	112	113	0.00	2.00	1.20	3.00
ABRC021	46	47	0.05	7.60	2.00	3.10	ABRC026	113	114	0.00	1.40	0.80	2.90
ABRC021	47	48	0.03	5.40	1.20	3.60	ABRC026	114	115	0.00	1.80	1.00	2.50
ABRC021	48	49	0.01	4.60	1.00	2.30	ABRC026	115	116	0.01	1.40	1.20	3.30
ABRC021	49	50	0.01	4.40	1.00	2.20	ABRC026	116	117	0.00	0.80	1.00	2.70
ABRC021	50	51	0.12	2.60	1.00	1.10	ABRC026	117	118	0.00	0.80	1.00	2.50
ABRC021	51	52	0.25	1.00	1.20	1.30	ABRC026	118	119	0.00	1.40	0.80	4.60
ABRC021	52	53	0.09	1.60	0.80	1.20	ABRC026	119	120	0.00	1.20	0.60	4.90
ABRC021	53	54	0.06	0.80	1.00	1.60	ABRC026	120	121	0.00	1.80	1.00	4.50
ABRC021	54	55	0.30	2.20	0.80	1.70	ABRC026	121	122	0.00	1.60	0.80	4.20
ABRC021	55	56	0.28	3.60	1.00	3.00	ABRC026	122	123	0.00	1.80	1.00	3.10
ABRC021	56	57	0.12	1.20	1.00	1.40	ABRC026	123	124	0.00	1.80	1.20	4.00
ABRC021	57	58	0.10	0.80	1.00	1.50	ABRC027	0	1	0.05	9.80	2.20	9.40
ABRC021	58	59	0.07	1.20	0.80	1.00	ABRC027	1	2	0.01	3.40	1.80	1.40
ABRC021	59	60	0.01	0.80	0.80	0.60	ABRC027	2	3	0.14	9.00	2.20	5.90
ABRC021	60	61	0.06	1.60	1.00	0.70	ABRC027	3	4	0.02	6.60	2.60	3.10
ABRC021	61	62	0.01	0.80	0.80	0.50	ABRC027	4	5	0.01	10.60	2.80	2.00
ABRC021	62	63	0.00	-0.20	0.80	1.10	ABRC027	5	6	0.00	7.20	1.00	2.00
ABRC021	63	64	0.01	0.40	0.80	0.70	ABRC027	6	7	0.03	20.00	3.80	14.80
ABRC021	64	65	0.00	-0.20	0.80	0.70	ABRC027	7	8	0.01	11.80	3.60	17.30
ABRC021	65	66	0.00	-0.20	0.80	1.00	ABRC027	8	9	0.00	4.00	3.80	4.20
ABRC021	66	67	0.00	-0.20	1.00	1.70	ABRC027	9	10	0.00	17.60	2.20	3.50
ABRC021	67	68	0.00	-0.20	0.80	3.00	ABRC027	10	11	0.05	18.60	1.40	4.60
ABRC021	68	69	0.00	0.40	0.80	3.00	ABRC027	11	12	0.01	16.60	2.00	3.60
ABRC021	69	70	0.00	-0.20	1.00	2.90	ABRC027	12	13	0.01	13.60	1.20	3.60
ABRC021	70	71	0.00	1.60	1.00	1.70	ABRC027	13	14	0.00	15.80	1.00	2.10
ABRC021	71	72	0.00	1.80	0.80	1.70	ABRC027	14	15	0.01	15.80	1.40	2.10
ABRC021	72	73	0.00	0.60	1.00	2.00	ABRC027	15	16	0.03	22.80	1.00	1.90
ABRC021	73	74	0.00	0.80	0.80	2.40	ABRC027	16	17	0.12	15.60	2.00	2.40
ABRC021	74	75	0.00	-0.20	0.80	2.60	ABRC027	17	18	0.23	10.00	1.20	2.10
ABRC021	75	76	0.00	0.60	1.00	2.40	ABRC027	18	19	0.29	10.40	1.20	2.60
ABRC021	76	77	0.00	-0.20	1.00	2.30	ABRC027	19	20	48.60	24.40	1.00	3.60
ABRC021	77	78	0.00	-0.20	0.80	1.90	ABRC027	20	21	2.46	14.80	0.80	5.90
ABRC021	78	79	0.00	1.60	0.80	8.50	ABRC027	21	22	1.35	5.60	0.80	6.80
ABRC021	79	80	0.00	1.00	0.80	6.00	ABRC027	22	23	0.65	6.00	1.00	4.70
ABRC021	80	81	0.00	-0.20	0.80	3.60	ABRC027	23	24	0.16	5.80	1.40	2.90
ABRC021	81	82	0.00	0.60	0.80	3.30	ABRC027	24	25	0.66	9.60	1.20	2.80
ABRC021	82	83	0.00	0.80	0.60	2.70	ABRC027	25	26	0.53	18.40	2.60	1.60
ABRC021	83	84	0.00	-0.20	0.60	2.30	ABRC027	26	27	7.02	29.60	1.20	2.20
ABRC021	84	85	0.00	-0.20	1.00	2.70	ABRC027	27	28	4.32	16.80	1.60	2.10
ABRC021	85	86	0.00	0.60	1.00	3.40	ABRC027	28	29	0.32	10.60	1.40	1.90
ABRC021	86	87	0.00	0.80	1.00	3.80	ABRC027	29	30	0.21	6.20	0.80	3.60
ABRC021	87	88	0.02	0.60	1.00	3.30	ABRC027	30	31	0.10	3.00	0.80	1.90
ABRC021	88	89	0.09	6.60	1.00	6.80	ABRC027	31	32	0.01	1.60	0.60	1.40

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC021	89	90	0.22	3.40	0.60	10.30	ABRC027	32	33	0.01	1.40	0.60	1.30
ABRC021	90	91	0.30	4.60	0.60	12.10	ABRC027	33	34	0.01	2.20	0.40	1.30
ABRC021	91	92	1.27	4.80	0.80	15.00	ABRC027	34	35	0.04	3.20	0.40	1.10
ABRC021	92	93	1.57	3.60	1.00	14.10	ABRC027	35	36	0.04	2.80	0.40	1.10
ABRC021	93	94	0.33	1.80	0.80	12.90	ABRC027	36	37	0.04	2.40	0.80	1.20
ABRC021	94	95	0.48	2.20	0.40	11.80	ABRC027	37	38	0.16	3.60	0.80	1.30
ABRC021	95	96	0.29	1.60	0.60	10.60	ABRC027	38	39	0.75	6.00	0.80	1.60
ABRC021	96	97	0.06	1.40	1.20	11.70	ABRC027	39	40	0.20	4.20	0.60	1.80
ABRC021	97	98	0.16	1.60	0.60	12.70	ABRC027	40	41	0.19	4.60	0.60	1.60
ABRC021	98	99	0.01	1.60	1.00	13.40	ABRC027	41	42	0.61	4.60	0.60	1.60
ABRC021	99	100	0.01	0.40	1.00	6.30	ABRC027	42	43	0.44	2.60	1.20	2.00
ABRC021	100	101	0.01	0.40	1.00	5.40	ABRC027	43	44	0.74	2.80	0.80	2.00
ABRC021	101	102	0.00	2.20	0.80	6.50	ABRC027	44	45	0.21	2.00	0.60	2.00
ABRC021	102	103	0.01	0.40	0.80	4.80	ABRC027	45	46	0.65	1.60	0.60	3.70
ABRC021	103	104	0.00	-0.20	1.20	2.10	ABRC027	46	47	0.95	3.40	0.60	2.30
ABRC021	104	105	0.00	-0.20	1.60	2.30	ABRC027	47	48	1.44	6.20	0.80	2.50
ABRC021	105	106	0.00	5.20	1.40	2.60	ABRC027	48	49	0.31	3.20	1.20	1.80
ABRC021	106	107	0.00	2.20	1.40	3.10	ABRC027	49	50	0.69	4.00	1.00	2.00
ABRC021	107	108	0.00	2.60	2.20	3.00	ABRC027	50	51	0.57	5.60	1.20	1.60
ABRC021	108	109	0.00	0.80	1.40	2.40	ABRC027	51	52	0.81	4.00	1.20	1.60
ABRC021	109	110	0.00	1.00	1.20	1.50	ABRC027	52	53	0.82	6.40	1.00	2.50
ABRC021	110	111	0.00	1.40	1.20	0.90	ABRC027	53	54	0.38	7.40	1.20	3.10
ABRC021	111	112	0.00	0.60	1.40	1.10	ABRC027	54	55	0.04	2.60	1.20	2.50
ABRC021	112	113	0.00	0.60	1.40	0.90	ABRC027	55	56	0.56	3.80	1.00	3.60
ABRC021	113	114	0.00	0.40	1.60	1.30	ABRC027	56	57	0.31	6.80	1.00	3.60
ABRC021	114	115	0.00	0.40	1.60	1.70	ABRC027	57	58	0.16	3.40	1.20	2.10
ABRC021	115	116	0.00	0.80	1.60	0.90	ABRC027	58	59	0.34	2.80	1.40	2.40
ABRC021	116	117	0.00	-0.20	1.80	1.40	ABRC027	59	60	0.08	1.80	1.40	1.60
ABRC021	117	118	0.00	0.60	1.60	1.30	ABRC027	60	61	0.40	3.80	1.40	2.00
ABRC021	118	119	0.00	0.40	1.40	1.10	ABRC027	61	62	0.19	2.20	0.80	1.90
ABRC021	119	120	0.00	0.40	1.40	0.90	ABRC027	62	63	0.21	3.60	1.80	3.20
ABRC021	120	121	0.00	0.40	1.20	1.10	ABRC027	63	64	0.07	3.00	1.40	3.20
ABRC021	121	122	0.00	0.60	1.40	1.10	ABRC027	64	65	0.02	9.60	1.60	3.60
ABRC021	122	123	0.00	0.80	1.40	1.00	ABRC027	65	66	0.03	3.40	1.60	4.00
ABRC021	123	124	0.00	1.40	1.20	0.70	ABRC027	66	67	0.04	3.60	1.60	3.30
ABRC022	0	1	0.01	4.40	3.00	4.60	ABRC027	67	68	0.07	4.20	1.40	2.40
ABRC022	1	2	0.02	20.20	2.00	62.00	ABRC027	68	69	0.18	8.60	1.20	6.50
ABRC022	2	3	0.01	16.20	1.40	26.50	ABRC027	69	70	0.02	1.60	1.20	11.20
ABRC022	3	4	0.01	7.40	1.40	16.50	ABRC027	70	71	0.01	3.00	1.40	4.50
ABRC022	4	5	0.01	11.60	1.40	31.20	ABRC027	71	72	0.00	2.00	1.00	3.30
ABRC022	5	6	0.06	15.40	1.20	49.70	ABRC027	72	73	0.00	1.20	0.80	3.30
ABRC022	6	7	0.07	14.80	3.20	20.40	ABRC027	73	74	0.01	2.40	0.80	3.10
ABRC022	7	8	0.11	21.60	3.60	49.90	ABRC027	74	75	0.01	4.20	0.80	4.10
ABRC022	8	9	0.11	11.20	1.40	16.70	ABRC027	75	76	0.00	1.80	0.80	2.70
ABRC022	9	10	0.01	4.80	1.20	8.30	ABRC027	76	77	0.01	2.40	0.80	3.30
ABRC022	10	11	0.01	2.80	1.00	6.10	ABRC027	77	78	0.01	1.20	0.80	3.70
ABRC022	11	12	0.00	3.00	1.00	5.20	ABRC027	78	79	0.01	1.60	1.00	4.10
ABRC022	12	13	0.00	1.00	1.60	4.60	ABRC027	79	80	0.01	1.40	0.80	3.70
ABRC022	13	14	0.00	-0.20	1.40	3.90	ABRC027	80	81	0.00	1.20	0.80	3.10
ABRC022	14	15	0.00	1.40	1.40	3.70	ABRC027	81	82	0.00	1.60	1.80	3.20
ABRC022	15	16	0.00	0.80	1.20	3.20	ABRC027	82	83	0.01	1.20	1.00	3.60
ABRC022	16	17	0.00	1.20	1.40	3.40	ABRC027	83	84	0.01	4.60	1.00	2.20
ABRC022	17	18	0.00	-0.20	1.20	3.00	ABRC027	84	85	0.00	2.80	1.00	2.90
ABRC022	18	19	0.00	-0.20	1.00	2.60	ABRC027	85	86	0.00	1.80	1.20	3.50
ABRC022	19	20	0.00	1.20	0.80	2.30	ABRC027	86	87	0.00	1.80	1.40	4.10
ABRC022	20	21	0.01	4.60	1.20	14.60	ABRC027	87	88	0.01	2.40	1.00	4.30
ABRC022	21	22	0.02	4.60	0.80	14.40	ABRC027	88	89	0.00	1.60	1.00	3.90
ABRC022	22	23	0.21	1.60	0.80	6.00	ABRC027	89	90	0.00	2.20	1.40	4.20
ABRC022	23	24	0.01	1.40	1.00	4.30	ABRC027	90	91	0.01	1.60	0.80	3.70
ABRC022	24	25	0.06	1.80	0.80	3.70	ABRC027	91	92	0.00	1.40	0.80	3.80
ABRC022	25	26	0.01	1.00	2.00	18.60	ABRC027	92	93	0.00	1.40	1.00	3.40
ABRC022	26	27	0.00	1.20	2.00	4.90	ABRC027	93	94	0.00	1.20	1.00	3.40
ABRC022	27	28	0.00	-0.20	1.40	3.80	ABRC027	94	95	0.00	1.60	1.00	3.40
ABRC022	28	29	0.00	0.40	1.60	3.40	ABRC027	95	96	0.00	1.40	1.00	3.50
ABRC022	29	30	0.00	-0.20	2.80	3.40	ABRC027	96	97	0.00	1.40	0.80	3.50
ABRC022	30	31	0.00	1.00	2.00	2.90	ABRC027	97	98	0.00	1.60	1.00	4.30
ABRC022	31	32	0.00	1.20	1.60	3.20	ABRC027	98	99	0.00	1.60	1.20	3.40
ABRC022	32	33	0.00	1.60	2.60	2.40	ABRC027	99	100	0.00	1.40	1.00	3.30
ABRC022	33	34	0.00	2.20	1.80	6.20	ABRC027	100	101	0.00	2.00	1.00	3.60
ABRC022	34	35	0.00	1.60	2.00	9.80	ABRC027	101	102	0.00	1.80	1.20	3.00
ABRC022	35	36	0.00	0.60	1.40	4.00	ABRC027	102	103	0.00	1.20	1.00	3.90
ABRC022	36	37	0.00	-0.20	1.60	3.40	ABRC027	103	104	0.00	1.80	1.20	4.60
ABRC022	37	38	0.00	-0.20	1.00	6.20	ABRC027	104	105	0.00	1.60	1.00	5.40
ABRC022	38	39	0.01	1.60	1.60	13.00	ABRC027	105	106	0.02	1.40	1.60	6.00
ABRC022	39	40	0.01	1.60	1.60	22.80	ABRC027	106	107	0.44	3.60	1.40	9.80
ABRC022	40	41	0.01	7.00	1.00	30.80	ABRC027	107	108	0.48	3.60	2.20	19.70
ABRC022	41	42	0.01	2.60	1.00	24.50	ABRC027	108	109	0.52	3.60	1.40	11.10
ABRC022	42	43	0.00	3.00	1.00	16.40	ABRC027	109	110	0.21	3.60	1.80	14.00
ABRC022	43	44	0.02	4.20	0.80	12.90	ABRC027	110	111	0.90	2.40	1.00	13.90
ABRC022	44	45	0.10	5.00	0.80	15.20	ABRC027	111	112	2.46	2.20	0.80	14.30
ABRC022	45	46	0.04	3.40	0.60	16.60	ABRC027	112	113	1.84	4.20	1.40	31.40
ABRC022	46	47	0.01	3.20	0.80	9.30	ABRC027	113	114	0.08	7.00	1.80	11.40
ABRC022	47	48	0.04	3.40	1.40	7.50	ABRC028	0	1	0.25	32.40	2.40	46.00
ABRC022	48	49	0.03	5.20	2.40	10.80	ABRC028	1	2	0.06	9.00	0.80	865.00
ABRC022	49	50	0.11	1.80	1.00	9.20	ABRC028	2	3	0.01	14.60	0.60	172.00
ABRC022	50	51	0.12	1.40	1.00	11.10	ABRC028	3	4	0.01	19.00	0.80	99.10
ABRC022	51	52	0.07	1.20	1.20	6.80	ABRC028	4	5	0.05	27.60	1.00	114.00
ABRC022	52	53	0.13	1.60	1.20	8.90	ABRC028	5	6	0.04	40.60	0.80	126.00
ABRC022	53	54	0.03	1.20	1.20	8.30	ABRC028	6	7	0.02	20.20	0.80	56.20
ABRC022	54	55	0.11	1.60	1.40	8.70	ABRC028	7	8	0.11	34.40	0.80	45.80
ABRC022	55	56	0.07	2.00	1.40	14.50	ABRC028	8	9	0.03	35.00	0.60	42.30

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC022	56	57	0.26	1.60	1.00	10.50	ABRC028	9	10	0.38	51.00	0.60	57.60
ABRC022	57	58	0.05	3.20	1.00	37.20	ABRC028	10	11	0.06	13.20	0.60	72.60
ABRC022	58	59	0.14	1.40	1.00	37.40	ABRC028	11	12	0.07	18.40	0.60	38.00
ABRC022	59	60	0.05	0.80	1.20	13.40	ABRC028	12	13	0.03	7.40	4.00	37.20
ABRC022	60	61	0.12	3.60	1.00	13.70	ABRC028	13	14	0.20	23.60	0.80	94.20
ABRC022	61	62	0.71	5.80	1.00	31.60	ABRC028	14	15	0.05	18.40	1.00	24.80
ABRC022	62	63	0.60	3.40	0.80	15.90	ABRC028	15	16	0.03	8.40	0.80	19.80
ABRC022	63	64	0.13	2.60	1.00	12.10	ABRC028	16	17	0.06	8.00	1.00	9.30
ABRC022	64	65	0.03	0.80	1.00	8.60	ABRC028	17	18	0.04	7.00	0.80	12.20
ABRC022	65	66	0.01	0.80	1.00	5.90	ABRC028	18	19	0.04	10.60	0.60	7.00
ABRC022	66	67	0.00	0.40	1.00	3.00	ABRC028	19	20	0.06	15.40	1.00	25.40
ABRC022	67	68	0.00	1.40	1.00	2.80	ABRC028	20	21	0.02	20.20	0.80	11.20
ABRC022	68	69	0.00	0.60	1.20	1.70	ABRC028	21	22	0.01	20.00	1.00	15.10
ABRC022	69	70	0.01	1.00	1.00	1.80	ABRC028	22	23	0.00	17.80	1.00	10.60
ABRC022	70	71	0.01	3.20	1.00	2.10	ABRC028	23	24	0.03	135.00	1.00	57.10
ABRC022	71	72	0.00	1.60	1.20	3.30	ABRC028	24	25	0.03	68.20	1.60	41.00
ABRC022	72	73	0.00	0.40	1.00	3.70	ABRC028	25	26	0.16	25.60	1.80	24.70
ABRC022	73	74	0.00	0.40	1.00	4.40	ABRC028	26	27	0.01	24.60	1.60	10.20
ABRC022	74	75	0.00	-0.20	0.80	3.00	ABRC028	27	28	0.00	19.00	1.80	12.10
ABRC022	75	76	0.00	-0.20	1.00	3.60	ABRC028	28	29	0.00	20.20	2.00	23.70
ABRC022	76	77	0.00	0.60	1.00	3.60	ABRC028	29	30	0.00	14.00	0.80	32.70
ABRC022	77	78	0.00	-0.20	1.00	4.00	ABRC028	30	31	0.02	40.80	1.40	14.90
ABRC022	78	79	0.00	-0.20	1.00	3.40	ABRC028	31	32	0.01	11.80	0.60	20.10
ABRC022	79	80	0.00	-0.20	1.00	2.90	ABRC028	32	33	0.01	27.60	1.00	6.00
ABRC022	80	81	0.01	-0.20	1.00	2.10	ABRC028	33	34	0.02	10.40	1.00	2.90
ABRC022	81	82	0.00	0.80	1.00	2.80	ABRC028	34	35	13.20	61.40	1.20	11.30
ABRC022	82	83	0.00	9.40	1.00	2.70	ABRC028	35	36	0.26	21.60	1.20	5.00
ABRC022	83	84	0.00	2.60	0.80	3.40	ABRC028	36	37	0.05	8.20	1.20	3.60
ABRC022	84	85	0.01	0.80	0.80	4.00	ABRC028	37	38	0.04	16.60	2.00	16.80
ABRC022	85	86	0.01	3.00	1.00	5.30	ABRC028	38	39	0.03	7.80	2.00	6.10
ABRC022	86	87	0.15	9.80	1.20	8.20	ABRC028	39	40	0.01	2.60	2.20	8.90
ABRC022	87	88	0.60	18.40	1.60	5.40	ABRC028	40	41	0.00	3.00	3.00	22.70
ABRC022	88	89	1.60	78.60	2.20	8.50	ABRC028	41	42	0.01	2.20	2.20	6.00
ABRC022	89	90	0.09	49.40	1.20	6.30	ABRC028	42	43	0.00	2.80	3.00	11.00
ABRC022	90	91	0.03	31.80	1.00	4.80	ABRC028	43	44	0.01	1.40	2.00	3.40
ABRC022	91	92	0.01	14.00	1.00	4.40	ABRC028	44	45	0.06	1.40	1.60	2.30
ABRC022	92	93	0.11	26.20	1.00	4.50	ABRC028	45	46	0.01	1.40	1.20	1.30
ABRC022	93	94	1.03	9.60	1.00	4.80	ABRC028	46	47	0.01	1.20	0.80	1.20
ABRC022	94	95	0.02	8.40	1.00	4.00	ABRC028	47	48	0.02	1.60	1.00	1.40
ABRC022	95	96	0.00	1.20	0.60	4.00	ABRC028	48	49	0.00	3.40	1.40	2.90
ABRC022	96	97	0.01	2.20	0.80	3.30	ABRC028	49	50	0.01	4.20	2.20	1.60
ABRC022	97	98	0.00	3.00	0.80	5.00	ABRC028	50	51	0.02	5.80	4.60	3.60
ABRC022	98	99	0.00	1.20	0.60	3.20	ABRC028	51	52	0.15	3.60	1.80	2.30
ABRC022	99	100	0.00	0.60	1.00	2.50	ABRC028	52	53	0.26	4.20	1.40	2.60
ABRC022	100	101	0.00	3.80	1.00	5.30	ABRC028	53	54	0.11	10.20	1.80	2.90
ABRC022	101	102	0.01	2.80	1.00	6.90	ABRC028	54	55	0.05	6.00	1.00	2.60
ABRC022	102	103	0.00	1.00	1.00	4.80	ABRC028	55	56	0.87	5.00	1.20	1.50
ABRC022	103	104	0.00	0.40	1.00	7.50	ABRC028	56	57	0.04	4.40	1.00	1.50
ABRC022	104	105	0.00	0.80	0.80	3.70	ABRC028	57	58	0.04	11.80	1.00	10.10
ABRC022	105	106	0.00	-0.20	0.80	5.60	ABRC028	58	59	0.14	8.00	0.80	4.50
ABRC022	106	107	0.00	0.80	0.80	2.70	ABRC028	59	60	0.48	13.80	1.00	2.20
ABRC022	107	108	0.00	-0.20	0.80	2.70	ABRC028	60	61	0.27	14.80	1.00	3.80
ABRC022	108	109	0.00	-0.20	0.80	2.30	ABRC028	61	62	0.03	13.80	0.80	4.60
ABRC022	109	110	0.00	0.40	1.00	1.80	ABRC028	62	63	0.20	51.80	1.20	13.90
ABRC022	110	111	0.00	0.60	0.80	1.40	ABRC028	63	64	0.05	23.40	2.20	7.60
ABRC022	111	112	0.00	1.00	1.00	2.20	ABRC028	64	65	0.05	30.80	1.60	12.10
ABRC022	112	113	0.00	0.40	1.00	1.60	ABRC028	65	66	0.09	8.40	6.60	5.30
ABRC022	113	114	0.00	1.20	1.00	1.80	ABRC028	66	67	0.02	2.80	1.20	6.10
ABRC022	114	115	0.00	0.80	1.00	1.80	ABRC028	67	68	0.03	1.40	1.20	1.60
ABRC022	115	116	0.00	0.60	1.00	1.40	ABRC028	68	69	0.05	1.60	1.20	1.80
ABRC022	116	117	0.00	-0.20	1.00	1.70	ABRC028	69	70	0.03	1.60	3.00	2.30
ABRC022	117	118	0.00	-0.20	1.00	1.80	ABRC028	70	71	0.00	2.80	2.80	4.60
ABRC022	118	119	0.00	-0.20	1.00	1.50	ABRC028	71	72	0.01	2.00	1.20	2.20
ABRC022	119	120	0.00	-0.20	1.00	1.50	ABRC028	72	73	0.01	1.40	1.00	2.20
ABRC022	120	121	0.00	-0.20	1.00	1.20	ABRC028	73	74	0.01	1.60	1.20	4.00
ABRC022	121	122	0.00	3.60	1.00	2.40	ABRC028	74	75	-0.02	0.80	1.20	2.40
ABRC022	122	123	0.00	2.20	1.00	1.40	ABRC028	75	76	-0.02	0.80	1.40	5.30
ABRC022	123	124	0.00	1.40	1.00	1.60	ABRC028	76	77	0.01	2.00	1.60	9.00
ABRC023	0	1	0.69	68.60	2.40	24.60	ABRC028	77	78	0.01	2.00	1.00	2.90
ABRC023	1	2	0.24	65.40	2.60	27.60	ABRC028	78	79	0.00	2.40	2.00	17.40
ABRC023	2	3	0.24	72.20	3.00	27.50	ABRC028	79	80	0.01	6.20	4.40	15.60
ABRC023	3	4	0.06	37.80	3.00	24.20	ABRC028	80	81	0.10	3.00	2.20	47.00
ABRC023	4	5	0.02	38.20	2.80	27.00	ABRC028	81	82	0.01	1.20	1.80	4.70
ABRC023	5	6	0.07	26.20	2.60	17.50	ABRC028	82	83	0.01	1.40	1.60	2.60
ABRC023	6	7	0.03	19.40	3.00	13.30	ABRC028	83	84	0.00	2.60	1.80	2.70
ABRC023	7	8	0.01	10.80	4.80	12.10	ABRC028	84	85	0.01	2.60	1.00	8.00
ABRC023	8	9	0.02	7.20	3.40	7.80	ABRC028	85	86	0.00	2.00	1.20	15.90
ABRC023	9	10	0.01	4.60	2.20	7.80	ABRC028	86	87	0.00	1.40	1.00	33.30
ABRC023	10	11	0.01	5.00	1.80	8.10	ABRC028	87	88	-0.02	1.40	1.20	28.80
ABRC023	11	12	0.00	1.80	1.40	4.90	ABRC028	88	89	-0.02	1.20	1.60	4.50
ABRC023	12	13	0.00	10.00	0.80	3.50	ABRC028	89	90	-0.02	1.40	1.40	2.70
ABRC023	13	14	0.00	3.20	0.80	6.20	ABRC028	90	91	-0.02	1.40	1.40	2.30
ABRC023	14	15	-0.02	3.60	0.80	4.40	ABRC028	91	92	-0.02	1.20	1.40	1.80
ABRC023	15	16	-0.02	3.20	1.40	84.50	ABRC028	92	93	-0.02	2.00	1.00	4.50
ABRC023	16	17	0.00	2.40	1.00	15.90	ABRC028	93	94	0.04	1.60	1.00	4.70
ABRC023	17	18	-0.02	2.60	1.80	11.00	ABRC028	94	95	0.00	1.40	1.00	5.60
ABRC023	18	19	-0.02	1.60	1.40	6.60	ABRC028	95	96	-0.02	1.60	1.00	5.40
ABRC023	19	20	-0.02	1.40	1.20	8.00	ABRC028	96	97	-0.02	2.20	1.00	4.80
ABRC023	20	21	0.00	1.20	1.40	5.60	ABRC028	97	98	-0.02	1.80	0.80	4.50
ABRC023	21	22	0.00	1.40	0.80	11.40	ABRC028	98	99	-0.02	1.60	0.80	4.50
ABRC023	22	23	0.01	2.00	0.80	15.30	ABRC028	99	100	-0.02	2.20	1.20	8.70

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC023	23	24	0.01	2.00	0.80	4.90	ABRC028	100	101	-0.02	5.40	0.80	4.90
ABRC023	24	25	0.04	3.00	0.80	2.90	ABRC028	101	102	-0.02	2.80	0.80	5.50
ABRC023	25	26	0.01	32.80	0.80	6.50	ABRC028	102	103	-0.02	3.60	1.40	5.80
ABRC023	26	27	0.01	5.20	1.00	1.30	ABRC028	103	104	-0.02	3.00	1.40	4.40
ABRC023	27	28	0.01	2.80	1.40	0.80	ABRC028	104	105	0.00	2.00	1.40	4.70
ABRC023	28	29	0.00	3.60	1.40	4.50	ABRC028	105	106	-0.02	2.20	1.20	4.40
ABRC023	29	30	0.00	2.20	1.40	0.90	ABRC028	106	107	-0.02	1.80	0.80	4.60
ABRC023	30	31	0.01	2.80	1.00	0.60	ABRC028	107	108	-0.02	1.40	0.80	4.20
ABRC023	31	32	0.02	3.80	1.40	2.00	ABRC028	108	109	-0.02	1.80	0.80	5.00
ABRC023	32	33	0.01	5.20	1.40	5.20	ABRC028	109	110	-0.02	1.60	0.80	5.10
ABRC023	33	34	0.01	3.60	1.40	2.60	ABRC028	110	111	0.01	1.80	1.00	5.60
ABRC023	34	35	0.01	1.60	1.40	0.60	ABRC028	111	112	-0.02	1.80	1.20	4.80
ABRC023	35	36	0.00	1.20	1.20	0.90	ABRC028	112	113	0.00	2.20	1.00	5.70
ABRC023	36	37	0.00	0.80	1.20	0.80	ABRC028	113	114	0.00	2.60	1.00	5.40
ABRC023	37	38	0.00	0.60	1.20	2.10	ABRC029	0	1	0.28	51.60	3.00	99.50
ABRC023	38	39	0.01	0.60	1.40	0.60	ABRC029	1	2	0.30	42.60	3.00	64.60
ABRC023	39	40	0.00	1.60	1.20	1.80	ABRC029	2	3	0.22	24.80	2.40	30.20
ABRC023	40	41	0.01	3.20	1.40	24.70	ABRC029	3	4	0.02	16.80	2.20	18.60
ABRC023	41	42	0.02	1.60	1.60	20.60	ABRC029	4	5	0.05	16.60	2.20	21.80
ABRC023	42	43	0.00	2.60	1.20	6.10	ABRC029	5	6	0.01	12.00	2.00	15.80
ABRC023	43	44	0.00	1.20	1.40	1.90	ABRC029	6	7	0.01	6.00	1.20	5.50
ABRC023	44	45	0.00	1.20	1.20	0.60	ABRC029	7	8	0.02	3.80	1.00	3.20
ABRC023	45	46	0.01	3.00	2.00	5.80	ABRC029	8	9	0.01	4.80	1.00	3.90
ABRC023	46	47	0.00	0.80	1.60	3.20	ABRC029	9	10	0.00	5.60	1.00	29.70
ABRC023	47	48	0.00	0.80	1.40	1.70	ABRC029	10	11	0.01	5.60	1.00	19.60
ABRC023	48	49	0.15	0.80	2.20	1.70	ABRC029	11	12	0.00	2.80	1.20	4.70
ABRC023	49	50	0.11	0.60	1.40	4.40	ABRC029	12	13	0.00	3.60	1.20	4.50
ABRC023	50	51	0.05	1.20	1.20	10.50	ABRC029	13	14	0.00	2.60	1.20	6.60
ABRC023	51	52	0.06	1.20	1.20	1.80	ABRC029	14	15	0.00	3.00	1.40	3.60
ABRC023	52	53	0.03	4.60	1.00	1.10	ABRC029	15	16	-0.02	3.00	1.00	1.80
ABRC023	53	54	1.18	5.20	1.20	7.60	ABRC029	16	17	0.01	3.40	1.00	1.80
ABRC023	54	55	0.03	3.00	1.40	0.80	ABRC029	17	18	-0.02	2.80	1.00	1.80
ABRC023	55	56	0.07	7.00	1.20	1.90	ABRC029	18	19	0.00	3.60	1.20	1.90
ABRC023	56	57	0.23	2.80	1.20	0.90	ABRC029	19	20	0.01	7.80	1.00	1.20
ABRC023	57	58	0.02	9.60	1.00	0.60	ABRC029	20	21	-0.02	14.20	0.80	2.50
ABRC023	58	59	0.03	2.80	1.40	0.40	ABRC029	21	22	0.00	11.20	1.00	5.90
ABRC023	59	60	0.02	2.80	1.60	0.50	ABRC029	22	23	0.00	12.20	1.00	1.90
ABRC023	60	61	0.01	4.00	1.60	0.50	ABRC029	23	24	-0.02	8.60	0.80	1.40
ABRC023	61	62	0.04	2.00	1.20	0.70	ABRC029	24	25	-0.02	6.60	0.80	1.70
ABRC023	62	63	0.08	2.40	1.80	2.70	ABRC029	25	26	-0.02	8.20	0.60	5.60
ABRC023	63	64	0.01	2.20	1.00	1.80	ABRC029	26	27	0.01	6.00	0.80	9.00
ABRC023	64	65	0.01	1.60	1.60	1.20	ABRC029	27	28	0.00	6.00	1.00	8.60
ABRC023	65	66	0.07	1.40	1.00	3.50	ABRC029	28	29	-0.02	9.60	0.80	5.80
ABRC023	66	67	0.01	0.80	1.00	0.80	ABRC029	29	30	-0.02	10.80	0.80	6.60
ABRC023	67	68	0.08	2.60	1.20	2.70	ABRC029	30	31	-0.02	8.00	1.20	4.60
ABRC023	68	69	0.09	2.40	0.80	1.00	ABRC029	31	32	-0.02	5.00	0.80	2.40
ABRC023	69	70	0.14	3.00	0.80	1.40	ABRC029	32	33	-0.02	4.40	1.00	1.40
ABRC023	70	71	0.08	3.60	1.00	2.40	ABRC029	33	34	-0.02	2.00	0.60	1.70
ABRC023	71	72	0.03	4.20	1.20	4.10	ABRC029	34	35	-0.02	2.80	0.80	1.70
ABRC023	72	73	0.04	3.80	1.60	18.50	ABRC029	35	36	0.00	5.60	1.00	2.90
ABRC023	73	74	0.06	3.00	1.00	1.00	ABRC029	36	37	-0.02	12.60	1.40	1.90
ABRC023	74	75	0.20	4.20	1.20	0.80	ABRC029	37	38	0.04	6.00	0.80	4.00
ABRC023	75	76	0.11	3.20	1.40	0.70	ABRC029	38	39	0.01	5.60	1.40	2.40
ABRC023	76	77	0.02	2.40	1.80	1.60	ABRC029	39	40	0.05	9.80	1.80	2.00
ABRC023	77	78	0.01	1.20	1.20	0.60	ABRC029	40	41	-0.01	10.20	1.00	3.30
ABRC023	78	79	0.00	1.20	1.20	0.70	ABRC029	41	42	-0.01	6.00	1.40	3.30
ABRC023	79	80	0.01	1.40	1.60	2.50	ABRC029	42	43	-0.01	4.40	1.00	3.30
ABRC023	80	81	0.00	1.20	1.60	2.40	ABRC029	43	44	-0.01	1.60	1.00	3.00
ABRC023	81	82	0.00	1.20	1.60	2.70	ABRC029	44	45	-0.01	1.40	1.20	2.70
ABRC023	82	83	0.01	1.60	1.80	2.40	ABRC029	45	46	-0.01	1.80	1.20	2.40
ABRC023	83	84	0.00	1.40	1.60	2.10	ABRC029	46	47	-0.01	1.60	1.00	2.60
ABRC023	84	85	0.00	1.40	1.60	2.10	ABRC029	47	48	-0.01	1.60	1.00	1.90
ABRC023	85	86	0.01	1.40	1.60	1.80	ABRC029	48	49	-0.01	2.60	1.40	2.90
ABRC023	86	87	0.00	1.40	1.80	2.60	ABRC029	49	50	-0.01	3.60	1.40	1.70
ABRC023	87	88	0.00	2.20	1.60	1.90	ABRC029	51	52	-0.01	3.40	1.00	1.20
ABRC023	88	89	0.00	1.40	1.80	1.90	ABRC029	52	53	-0.01	6.60	0.80	0.60
ABRC023	89	90	0.00	1.40	1.60	2.10	ABRC029	53	54	-0.01	5.80	0.80	0.60
ABRC023	90	91	0.00	1.60	1.60	3.20	ABRC029	54	55	-0.01	6.00	1.20	3.50
ABRC023	91	92	0.00	1.40	1.60	2.50	ABRC029	55	56	-0.01	4.00	0.80	0.50
ABRC023	92	93	0.00	1.20	1.60	2.50	ABRC029	56	57	-0.01	4.80	1.00	0.60
ABRC023	93	94	0.00	1.20	1.40	1.60	ABRC029	57	58	-0.01	5.80	1.20	1.70
ABRC023	94	95	0.00	2.20	2.00	1.30	ABRC029	58	59	-0.01	2.60	0.80	1.80
ABRC023	95	96	0.00	1.80	1.60	1.20	ABRC029	59	60	-0.01	2.60	1.20	1.00
ABRC023	96	97	0.00	2.00	1.60	1.80	ABRC029	60	61	-0.01	4.40	1.60	1.70
ABRC023	97	98	0.00	1.20	1.60	2.30	ABRC029	61	62	-0.01	3.00	1.40	2.50
ABRC023	98	99	0.00	1.40	1.40	1.80	ABRC029	62	63	-0.01	2.80	1.00	2.50
ABRC023	99	100	0.00	1.40	1.60	2.10	ABRC029	63	64	-0.01	4.60	1.20	1.50
ABRC023	100	101	0.01	4.20	1.80	2.20	ABRC029	64	65	-0.01	3.00	0.80	2.20
ABRC023	101	102	0.00	2.40	2.00	3.80	ABRC029	65	66	-0.01	10.80	1.20	2.20
ABRC023	102	103	0.00	2.20	2.00	1.90	ABRC029	66	67	-0.01	2.40	0.80	2.20
ABRC023	103	104	0.00	2.40	1.60	2.20	ABRC029	67	68	-0.01	1.40	0.40	2.30
ABRC023	104	105	0.00	2.00	1.80	3.40	ABRC029	68	69	-0.01	1.60	0.80	1.80
ABRC023	105	106	0.00	1.80	2.00	4.90	ABRC029	69	70	-0.01	1.40	0.80	2.10
ABRC023	106	107	0.00	1.40	1.60	2.00	ABRC029	70	71	-0.01	2.80	1.40	1.60
ABRC023	107	108	0.00	1.20	1.60	1.80	ABRC029	71	72	-0.01	4.00	2.20	2.20
ABRC023	108	109	0.00	2.40	1.60	2.00	ABRC029	72	73	-0.01	2.00	1.20	1.60
ABRC023	109	110	0.00	1.40	1.40	1.70	ABRC029	73	74	-0.01	1.20	0.80	1.30
ABRC023	110	111	0.09	1.40	2.40	1.90	ABRC029	74	75	-0.01	1.40	1.00	2.50
ABRC023	111	112	0.01	1.20	1.20	1.70	ABRC029	75	76	-0.01	1.60	0.80	1.80
ABRC023	112	113	0.00	1.20	1.00	1.90	ABRC029	76	77	-0.01	1.40	1.60	2.30
ABRC023	113	114	0.01	1.20	1.00	1.90	ABRC029	77	78	-0.01	1.20	1.00	1.40

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC023	114	115	0.01	0.80	1.00	1.50	ABRC029	78	79	-0.01	1.20	0.60	1.10
ABRC023	115	116	0.01	0.80	0.80	2.10	ABRC029	79	80	-0.01	2.00	0.80	1.20
ABRC023	116	117	0.01	0.80	0.80	2.00	ABRC029	80	81	-0.01	3.20	1.20	1.60
ABRC023	117	118	0.01	0.80	1.40	2.10	ABRC029	81	82	-0.01	2.80	1.60	3.70
ABRC023	118	119	0.01	0.80	1.20	1.40	ABRC029	82	83	-0.01	2.00	0.80	2.60
ABRC023	119	120	0.01	0.80	0.80	2.00	ABRC029	83	84	-0.01	2.60	1.00	5.10
ABRC023	120	121	0.01	0.80	1.00	2.80	ABRC029	84	85	-0.01	2.40	1.00	4.50
ABRC023	121	122	0.01	0.80	0.80	1.70	ABRC029	85	86	-0.01	3.40	0.80	2.40
ABRC023	122	123	0.01	0.80	1.00	1.50	ABRC029	86	87	-0.01	6.80	1.60	3.10
ABRC023	123	124	0.01	0.60	1.00	1.50	ABRC029	87	88	-0.01	3.60	1.00	5.90
ABRC024	0	1	0.13	23.80	2.20	15.70	ABRC029	88	89	-0.01	2.40	0.60	3.30
ABRC024	1	2	0.11	21.00	2.40	20.50	ABRC029	89	90	-0.01	2.40	0.60	3.10
ABRC024	2	3	0.22	23.00	2.60	22.30	ABRC029	90	91	-0.01	5.20	0.60	4.60
ABRC024	3	4	0.31	24.40	2.40	21.00	ABRC030	0	1	-0.01	5.20	0.80	28.10
ABRC024	4	5	0.71	37.60	2.60	35.50	ABRC030	1	2	-0.01	3.80	0.40	8.60
ABRC024	5	6	1.09	43.80	2.60	36.60	ABRC030	2	3	-0.01	5.00	0.80	35.30
ABRC024	6	7	1.18	46.60	2.40	32.80	ABRC030	3	4	-0.01	14.00	0.40	842.00
ABRC024	7	8	0.76	38.20	2.20	25.30	ABRC030	4	5	-0.01	10.40	0.60	879.00
ABRC024	8	9	0.41	35.40	2.00	19.10	ABRC030	5	6	-0.01	47.20	0.80	2910.00
ABRC024	9	10	0.35	27.20	1.60	14.10	ABRC030	6	7	-0.01	23.80	2.20	3760.00
ABRC024	10	11	0.11	26.00	2.00	13.50	ABRC030	7	8	-0.01	6.60	1.00	653.00
ABRC024	11	12	0.06	22.80	2.80	14.10	ABRC030	8	9	-0.01	3.60	1.40	43.60
ABRC024	12	13	0.02	5.20	2.40	11.50	ABRC030	9	10	-0.01	1.40	1.60	38.20
ABRC024	13	14	0.01	2.80	1.80	10.90	ABRC030	10	11	-0.01	3.60	2.20	56.40
ABRC024	14	15	0.01	3.00	2.00	5.90	ABRC030	11	12	-0.01	2.00	2.00	9.60
ABRC024	15	16	0.00	1.40	2.20	2.30	ABRC030	12	13	-0.01	1.20	1.40	30.80
ABRC024	16	17	0.01	1.40	1.60	1.70	ABRC030	13	14	-0.01	2.40	1.80	5.10
ABRC024	17	18	0.00	1.40	1.80	1.50	ABRC030	14	15	-0.01	2.80	2.00	13.00
ABRC024	18	19	0.01	2.20	1.80	1.60	ABRC030	15	16	-0.01	1.20	1.80	10.20
ABRC024	19	20	0.00	1.20	1.80	1.20	ABRC030	16	17	-0.01	2.00	2.20	3.60
ABRC024	20	21	0.00	7.00	1.60	1.30	ABRC030	17	18	-0.01	2.60	2.20	5.50
ABRC024	21	22	0.00	3.00	1.00	0.80	ABRC030	18	19	-0.01	3.20	6.40	14.30
ABRC024	22	23	0.00	2.00	1.20	0.90	ABRC030	19	20	-0.01	3.00	5.40	7.80
ABRC024	23	24	0.00	1.60	1.60	1.10	ABRC030	20	21	-0.01	5.80	7.00	5.70
ABRC024	24	25	0.00	1.20	1.80	0.80	ABRC030	21	22	-0.01	14.60	2.20	13.30
ABRC024	25	26	0.00	1.20	1.80	0.70	ABRC030	22	23	-0.01	10.00	3.00	14.10
ABRC024	26	27	0.00	1.00	3.20	0.50	ABRC030	23	24	-0.01	2.60	2.40	4.10
ABRC024	27	28	0.00	1.00	1.60	0.70	ABRC030	24	25	-0.01	15.20	1.80	7.90
ABRC024	28	29	0.02	0.80	1.80	0.70	ABRC030	25	26	-0.01	23.00	0.80	5.70
ABRC024	29	30	0.01	1.20	2.80	1.20	ABRC030	26	27	-0.01	3.60	1.20	12.70
ABRC024	30	31	0.01	0.80	2.40	0.70	ABRC030	27	28	-0.01	3.20	2.00	4.60
ABRC024	31	32	0.01	0.60	1.80	0.50	ABRC030	28	29	-0.01	7.20	1.00	7.00
ABRC024	32	33	0.01	0.80	1.20	0.50	ABRC030	29	30	-0.01	4.00	1.60	2.70
ABRC024	33	34	0.00	0.60	1.20	0.20	ABRC030	30	31	-0.01	3.60	1.60	4.80
ABRC024	34	35	0.01	0.40	1.00	0.30	ABRC030	31	32	-0.01	4.60	1.80	3.70
ABRC024	35	36	0.00	0.60	1.20	0.20	ABRC030	32	33	-0.01	2.60	1.00	2.10
ABRC024	36	37	0.01	0.80	1.20	0.30	ABRC030	33	34	-0.01	4.80	1.20	2.40
ABRC024	37	38	0.01	0.80	2.20	0.60	ABRC030	34	35	-0.01	6.60	1.40	1.40
ABRC024	38	39	0.01	0.80	1.80	0.60	ABRC030	35	36	-0.01	5.80	1.40	4.10
ABRC024	39	40	0.03	0.80	1.40	0.40	ABRC030	36	37	-0.01	3.40	1.20	2.60
ABRC024	40	41	0.01	1.20	1.20	0.30	ABRC030	37	38	-0.01	1.20	0.60	3.70
ABRC024	41	42	0.04	1.00	1.00	0.50	ABRC030	38	39	-0.01	3.00	2.00	3.60
ABRC024	42	43	0.02	0.80	1.00	0.50	ABRC030	39	40	-0.01	5.60	1.20	4.00
ABRC024	43	44	0.01	1.20	1.00	0.40	ABRC030	40	41	-0.01	5.20	1.40	3.00
ABRC024	44	45	0.01	0.80	1.20	0.30	ABRC030	41	42	-0.01	3.40	0.80	2.10
ABRC024	45	46	0.01	1.20	1.20	0.60	ABRC030	42	43	-0.01	3.60	1.00	1.50
ABRC024	46	47	0.02	1.80	1.40	1.60	ABRC030	43	44	-0.01	4.00	1.20	2.40
ABRC024	47	48	0.03	2.20	1.20	2.60	ABRC030	44	45	-0.01	3.00	1.40	3.00
ABRC024	48	49	0.02	2.60	1.20	1.60	ABRC030	45	46	-0.01	2.00	0.80	1.90
ABRC024	49	50	0.03	3.40	1.20	2.40	ABRC030	46	47	-0.01	2.00	1.00	1.40
ABRC024	50	51	0.04	2.40	1.20	1.60	ABRC030	47	48	-0.01	2.60	1.00	1.10
ABRC024	51	52	0.01	2.20	1.40	1.70	ABRC030	48	49	-0.01	5.20	1.20	1.90
ABRC024	52	53	0.01	1.60	1.20	1.80	ABRC030	49	50	-0.01	15.40	2.60	17.70
ABRC024	53	54	0.01	1.20	1.00	3.20	ABRC030	50	51	-0.01	17.20	2.20	11.20
ABRC024	54	55	0.01	1.80	0.80	4.30	ABRC030	51	52	-0.01	18.60	1.40	9.90
ABRC024	55	56	0.02	1.60	0.80	3.60	ABRC030	52	53	-0.01	7.60	1.60	2.30
ABRC024	56	57	0.04	2.00	1.20	3.60	ABRC030	53	54	-0.01	9.60	0.80	3.00
ABRC024	57	58	0.01	2.80	1.20	2.80	ABRC030	54	55	-0.01	13.80	2.40	3.80
ABRC024	58	59	0.01	4.40	1.20	1.30	ABRC030	55	56	-0.01	7.40	1.40	3.60
ABRC024	59	60	0.02	2.40	1.20	2.50	ABRC030	56	57	-0.01	6.60	0.60	2.70
ABRC024	60	61	0.02	2.40	1.20	2.90	ABRC030	57	58	-0.01	20.00	0.80	1.70
ABRC024	61	62	0.02	2.20	1.20	3.00	ABRC030	58	59	-0.01	8.00	0.40	2.20
ABRC024	62	63	0.04	2.00	1.20	2.90	ABRC030	59	60	-0.01	13.20	0.80	2.50
ABRC024	63	64	0.01	3.00	1.80	3.60	ABRC030	60	61	-0.01	7.80	0.40	2.50
ABRC024	64	65	0.01	2.60	1.20	3.70	ABRC030	61	62	-0.01	5.00	0.40	3.50
ABRC024	65	66	0.00	3.40	1.20	1.80	ABRC030	62	63	-0.01	9.20	0.60	2.40
ABRC024	66	67	0.03	2.20	1.20	1.60	ABRC030	63	64	-0.01	4.60	0.80	3.00
ABRC024	67	68	0.02	1.20	1.00	1.80	ABRC030	64	65	-0.01	3.80	0.60	1.60
ABRC024	68	69	0.01	2.00	1.20	2.20	ABRC030	65	66	-0.01	8.40	0.60	1.40
ABRC024	69	70	0.02	2.20	1.20	1.60	ABRC030	66	67	-0.01	7.60	0.80	2.10
ABRC024	70	71	0.01	6.40	1.00	2.70	ABRC030	67	68	-0.01	6.60	0.60	2.90
ABRC024	71	72	0.04	7.00	0.80	4.80	ABRC030	68	69	-0.01	5.60	0.60	3.50
ABRC024	72	73	0.10	17.60	1.20	3.40	ABRC030	69	70	-0.01	4.20	0.80	2.40
ABRC024	73	74	0.07	5.80	14.20	20.90	ABRC030	70	71	-0.01	4.80	1.00	4.10
ABRC024	74	75	0.03	11.80	7.00	5.60	ABRC030	71	72	-0.01	6.00	0.80	4.20
ABRC024	75	76	0.24	5.00	1.20	7.70	ABRC030	72	73	-0.01	1.80	0.60	2.90
ABRC024	76	77	0.26	8.20	1.20	6.60	ABRC030	73	74	-0.01	1.20	0.80	3.00
ABRC024	77	78	0.09	21.00	1.80	9.90	ABRC030	74	75	-0.01	2.00	1.00	2.70
ABRC024	78	79	0.12	33.60	1.20	14.60	ABRC030	75	76	-0.01	2.40	0.60	2.40
ABRC024	79	80	0.08	170.00	1.20	8.60	ABRC030	76	77	-0.01	3.80	0.80	2.30
ABRC024	80	81	0.08	140.00	1.20	15.70	ABRC030	77	78	-0.01	17.60	0.80	2.20

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC024	81	82	0.04	81.20	1.20	5.50	ABRC030	78	79	-0.01	11.80	1.40	5.00
ABRC024	82	83	0.03	21.80	1.00	4.80	ABRC030	79	80	-0.01	6.20	1.00	2.90
ABRC024	83	84	0.10	10.60	1.20	16.60	ABRC030	80	81	-0.01	4.60	1.20	1.30
ABRC024	84	85	0.05	7.80	1.00	2.40	ABRC030	81	82	-0.01	3.60	1.00	1.30
ABRC024	85	86	0.02	5.20	0.80	1.60	ABRC030	82	83	-0.01	3.80	0.80	1.80
ABRC024	86	87	0.01	3.40	0.80	1.20	ABRC030	83	84	-0.01	13.00	1.00	1.80
ABRC024	87	88	0.01	9.60	1.20	4.30	ABRC030	84	85	-0.01	8.40	0.80	4.30
ABRC024	88	89	0.01	4.80	1.00	2.90	ABRC030	85	86	-0.01	5.20	0.80	2.50
ABRC024	89	90	0.01	4.40	1.00	2.70	ABRC030	86	87	-0.01	2.60	0.60	2.40
ABRC024	90	91	0.01	4.00	1.20	2.50	ABRC030	87	88	-0.01	4.60	0.60	1.50
ABRC024	91	92	0.01	3.80	1.00	2.70	ABRC030	88	89	-0.01	11.20	0.80	1.90
ABRC024	92	93	0.00	3.20	1.20	2.90	ABRC030	89	90	-0.01	32.00	1.00	1.60
ABRC024	93	94	0.00	6.20	1.20	2.10	ABRC030	90	91	-0.01	20.60	0.80	6.30
ABRC024	94	95	0.01	17.40	1.40	3.00	ABRC030	91	92	-0.01	19.80	1.40	4.10
ABRC024	95	96	0.00	9.20	1.40	2.10	ABRC030	92	93	-0.01	20.80	0.80	3.00
ABRC024	96	97	0.00	3.20	0.60	0.90	ABRC030	93	94	-0.01	15.40	0.60	3.90
ABRC024	97	98	0.00	3.60	1.20	2.30	ABRC030	94	95	-0.01	16.00	0.80	4.10
ABRC024	98	99	0.01	4.00	1.00	2.40	ABRC030	95	96	-0.01	24.60	0.80	2.50
ABRC024	99	100	0.00	1.40	0.80	5.50	ABRC030	96	97	-0.01	16.60	0.80	4.20
ABRC024	100	101	0.00	3.40	0.80	4.70	ABRC030	97	98	-0.01	5.60	0.80	3.60
ABRC024	101	102	0.01	3.40	1.20	5.60	ABRC030	98	99	-0.01	49.60	1.00	1.50
ABRC024	102	103	0.06	3.20	1.00	4.20	ABRC030	99	100	-0.01	14.60	0.80	2.10
ABRC024	103	104	0.00	10.60	1.20	2.50	ABRC030	100	101	-0.01	9.20	0.60	1.90
ABRC024	104	105	0.02	11.60	1.20	4.40	ABRC030	101	102	-0.01	33.60	0.80	1.90
ABRC024	105	106	0.01	16.80	1.00	5.30	ABRC031	0	1	0.12	9.40	0.80	70.80
ABRC025	0	1	0.17	28.80	2.40	15.80	ABRC031	1	2	0.09	13.20	0.60	21.50
ABRC025	1	2	0.22	28.80	2.20	19.00	ABRC031	2	3	0.07	11.60	0.80	21.40
ABRC025	2	3	0.18	29.00	2.40	34.30	ABRC031	3	4	0.04	16.00	0.80	12.40
ABRC025	3	4	0.35	32.80	2.60	33.00	ABRC031	4	5	0.06	17.80	0.80	16.90
ABRC025	4	5	0.35	33.20	2.60	31.50	ABRC031	5	6	0.01	10.80	0.80	9.00
ABRC025	5	6	1.25	38.00	2.60	32.10	ABRC031	6	7	0.03	15.20	1.20	25.10
ABRC025	6	7	0.63	31.20	2.80	29.20	ABRC031	7	8	0.01	17.80	1.40	5.50
ABRC025	7	8	0.67	35.40	3.00	29.20	ABRC031	8	9	0.01	14.40	1.20	6.30
ABRC025	8	9	0.52	30.00	3.00	22.80	ABRC031	9	10	0.01	11.00	1.80	16.00
ABRC025	9	10	0.41	32.60	2.60	17.90	ABRC031	10	11	0.02	8.40	1.80	8.50
ABRC025	10	11	0.40	27.20	2.40	19.90	ABRC031	11	12	0.02	5.00	1.00	6.60
ABRC025	11	12	0.03	13.80	2.20	10.90	ABRC031	12	13	0.02	5.20	0.80	8.60
ABRC025	12	13	0.03	4.60	2.40	16.40	ABRC031	13	14	0.01	3.60	1.40	11.20
ABRC025	13	14	0.03	3.40	2.20	13.10	ABRC031	14	15	0.01	9.00	0.80	8.20
ABRC025	14	15	0.01	3.20	1.40	6.50	ABRC031	15	16	0.01	2.80	1.00	7.00
ABRC025	15	16	0.02	5.80	1.20	5.20	ABRC031	16	17	0.03	2.80	1.20	3.60
ABRC025	16	17	0.03	7.00	1.00	3.50	ABRC031	17	18	0.02	4.20	2.80	5.20
ABRC025	17	18	0.02	3.80	0.80	2.00	ABRC031	18	19	0.01	3.80	4.60	5.20
ABRC025	18	19	0.03	3.20	1.00	7.90	ABRC031	19	20	0.01	3.60	4.00	8.10
ABRC025	19	20	0.01	1.80	1.00	4.30	ABRC031	20	21	0.02	2.60	1.00	3.40
ABRC025	20	21	0.02	4.20	1.00	5.20	ABRC031	21	22	0.05	17.60	1.20	8.50
ABRC025	21	22	0.01	3.40	1.00	3.70	ABRC031	22	23	0.02	7.00	1.00	6.40
ABRC025	22	23	0.01	5.40	1.00	2.70	ABRC031	23	24	0.07	4.00	1.20	20.30
ABRC025	23	24	0.01	7.80	1.60	2.50	ABRC031	24	25	0.05	4.00	2.80	21.90
ABRC025	24	25	0.01	4.40	1.80	2.50	ABRC031	25	26	0.07	2.60	1.60	5.00
ABRC025	25	26	0.00	3.80	1.20	1.00	ABRC031	26	27	0.10	3.20	3.80	19.00
ABRC025	26	27	0.08	1.80	1.40	0.60	ABRC031	27	28	0.47	3.40	1.40	40.20
ABRC025	27	28	0.01	1.40	1.40	0.50	ABRC031	28	29	0.51	3.60	1.00	25.80
ABRC025	28	29	0.01	1.40	1.40	0.80	ABRC031	29	30	0.13	4.20	1.00	8.10
ABRC025	29	30	0.00	1.20	1.40	0.60	ABRC031	30	31	0.07	4.80	0.80	6.30
ABRC025	30	31	0.01	2.00	1.40	0.70	ABRC031	31	32	0.02	2.80	0.80	2.80
ABRC025	31	32	0.02	1.60	1.40	0.50	ABRC031	32	33	0.01	4.40	0.80	3.60
ABRC025	32	33	0.01	1.40	1.20	0.50	ABRC031	33	34	0.01	15.20	0.80	39.40
ABRC025	33	34	0.02	1.60	1.40	0.60	ABRC031	34	35	0.01	13.60	1.00	26.10
ABRC025	34	35	0.00	0.80	1.40	0.40	ABRC031	35	36	0.01	7.80	4.40	16.50
ABRC025	35	36	0.00	1.20	1.40	0.40	ABRC031	36	37	0.01	3.00	1.80	6.20
ABRC025	36	37	0.00	1.20	1.60	0.50	ABRC031	37	38	0.01	2.40	6.00	3.50
ABRC025	37	38	0.00	0.80	1.40	0.30	ABRC031	38	39	0.02	2.40	3.00	3.40
ABRC025	38	39	0.01	0.80	1.20	0.30	ABRC031	39	40	0.01	3.00	1.40	2.70
ABRC025	39	40	0.00	4.40	1.40	0.50	ABRC031	40	41	0.02	3.00	2.40	2.60
ABRC025	40	41	0.00	9.60	2.20	1.40	ABRC031	41	42	0.43	1.40	3.60	8.40
ABRC025	41	42	0.00	2.20	1.40	0.80	ABRC031	42	43	0.06	2.00	2.60	3.20
ABRC025	42	43	0.00	0.80	1.60	0.70	ABRC031	43	44	0.08	2.20	1.80	4.10
ABRC025	43	44	0.00	1.20	1.40	0.60	ABRC031	44	45	0.04	3.00	1.40	4.50
ABRC025	44	45	0.01	1.20	1.40	4.80	ABRC031	45	46	0.01	3.00	1.60	2.30
ABRC025	45	46	0.01	1.40	1.40	4.10	ABRC031	46	47	0.01	2.60	2.40	2.80
ABRC025	46	47	0.01	2.00	1.40	1.70	ABRC031	47	48	0.01	5.00	1.60	2.60
ABRC025	47	48	0.00	3.40	1.40	1.30	ABRC031	48	49	0.01	3.80	1.40	2.80
ABRC025	48	49	0.00	1.40	1.40	0.40	ABRC031	49	50	0.01	3.20	1.60	2.70
ABRC025	49	50	0.00	1.60	1.40	0.40	ABRC031	50	51	0.00	4.40	0.80	3.00
ABRC025	50	51	0.01	0.80	2.60	0.40	ABRC031	51	52	0.01	3.80	1.40	4.10
ABRC025	51	52	0.00	2.20	1.40	0.60	ABRC031	52	53	0.01	4.60	1.60	9.50
ABRC025	52	53	0.00	8.40	1.60	1.60	ABRC031	53	54	0.24	7.80	0.80	5.40
ABRC025	53	54	0.00	9.80	1.60	1.90	ABRC031	54	55	0.02	8.20	0.80	5.00
ABRC025	54	55	0.00	9.00	1.40	3.10	ABRC031	55	56	0.05	5.20	0.80	5.00
ABRC025	55	56	0.00	5.20	1.20	1.60	ABRC031	56	57	0.01	4.00	0.80	9.30
ABRC025	56	57	0.00	4.60	1.40	1.20	ABRC031	57	58	0.01	2.40	0.60	2.00
ABRC025	57	58	0.03	5.40	1.60	2.60	ABRC031	58	59	0.11	11.80	0.80	2.60
ABRC025	58	59	0.00	7.40	1.60	5.40	ABRC031	59	60	0.02	4.40	1.00	4.20
ABRC025	59	60	0.00	5.40	1.80	4.20	ABRC031	60	61	0.00	4.40	0.80	2.00
ABRC025	60	61	0.01	3.20	3.40	3.20	ABRC031	61	62	0.01	4.20	0.80	2.30
ABRC025	61	62	-0.02	4.20	1.40	1.50	ABRC031	62	63	-0.02	5.40	1.00	2.20
ABRC025	62	63	-0.02	4.00	1.40	0.80	ABRC031	63	64	-0.02	5.60	0.80	2.70
ABRC025	63	64	-0.02	3.20	1.80	0.60	ABRC031	64	65	0.01	4.80	0.80	1.70
ABRC025	64	65	0.00	2.80	1.60	0.80	ABRC031	65	66	0.01	2.80	2.40	3.90
ABRC025	65	66	0.00	2.60	1.60	1.00	ABRC031	66	67	0.00	2.40	1.40	3.70

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC025	66	67	0.00	2.00	1.80	1.00	ABRC031	67	68	0.00	2.60	0.80	4.10
ABRC025	67	68	0.03	1.20	1.60	0.90	ABRC031	68	69	0.00	2.60	0.80	4.70
ABRC025	68	69	0.00	1.40	1.60	0.80	ABRC031	69	70	0.00	2.20	0.60	4.40
ABRC025	69	70	0.05	1.80	1.60	0.70	ABRC031	70	71	0.00	4.20	0.80	5.10
ABRC025	70	71	0.01	3.20	1.80	0.70	ABRC031	71	72	0.00	2.80	0.60	4.50
ABRC025	71	72	0.00	3.80	1.60	1.10	ABRC032	0	1	0.15	4.60	0.60	27.20
ABRC025	72	73	0.06	2.60	1.80	0.60	ABRC032	1	2	0.12	5.60	0.60	14.30
ABRC025	73	74	0.04	1.80	1.80	0.60	ABRC032	2	3	0.03	11.40	0.80	4.30
ABRC025	74	75	0.07	1.60	1.80	0.40	ABRC032	3	4	0.01	22.80	0.80	2.60
ABRC025	75	76	0.02	1.60	1.80	0.40	ABRC032	4	5	0.00	16.80	1.20	3.20
ABRC025	76	77	0.03	1.60	1.80	0.40	ABRC032	5	6	0.00	16.60	1.20	2.80
ABRC025	77	78	0.09	1.40	2.00	0.50	ABRC032	6	7	0.01	15.40	1.20	13.40
ABRC025	78	79	0.09	1.60	2.00	0.60	ABRC032	7	8	0.00	21.40	0.80	4.30
ABRC025	79	80	0.08	2.00	2.20	0.60	ABRC032	8	9	0.01	48.00	0.80	6.10
ABRC025	80	81	0.00	1.40	2.00	0.50	ABRC032	9	10	0.02	34.80	1.40	18.60
ABRC025	81	82	0.02	1.40	1.80	0.40	ABRC032	10	11	0.06	27.20	0.80	9.30
ABRC025	82	83	0.01	1.60	2.40	0.80	ABRC032	11	12	0.01	22.20	0.80	9.20
ABRC025	83	84	0.00	1.20	1.80	1.30	ABRC032	12	13	0.08	19.40	0.60	13.20
ABRC025	84	85	0.00	1.40	1.80	1.00	ABRC032	13	14	0.07	43.40	0.60	12.30
ABRC025	85	86	0.00	1.40	2.20	1.10	ABRC032	14	15	0.02	24.40	0.60	5.50
ABRC025	86	87	0.00	2.20	2.00	0.90	ABRC032	15	16	0.15	22.80	0.80	7.20
ABRC025	87	88	0.00	1.40	1.80	1.10	ABRC032	16	17	0.02	24.40	0.80	5.00
ABRC025	88	89	0.00	1.40	2.00	1.20	ABRC032	17	18	0.08	41.80	0.60	3.70
ABRC025	89	90	0.01	1.20	2.00	1.10	ABRC032	18	19	0.03	12.40	0.80	6.50
ABRC025	90	91	0.00	1.60	2.00	1.40	ABRC032	19	20	0.06	3.80	1.00	4.30
ABRC025	91	92	0.00	1.60	1.80	2.30	ABRC032	20	21	0.01	3.00	0.80	7.10
ABRC025	92	93	-0.02	1.80	1.80	3.70	ABRC032	21	22	0.01	9.80	1.00	7.40
ABRC025	93	94	0.00	1.40	1.80	1.60	ABRC032	22	23	0.09	14.20	0.80	10.40
ABRC025	94	95	0.01	1.20	1.20	1.90	ABRC032	23	24	0.02	13.40	0.80	37.80
ABRC025	95	96	0.01	0.80	1.20	3.50	ABRC032	24	25	0.01	12.60	1.60	3.90
ABRC025	96	97	0.00	0.80	1.20	3.80	ABRC032	25	26	0.02	11.40	2.00	8.40
ABRC025	97	98	0.01	1.20	1.20	4.90	ABRC032	26	27	0.01	6.60	2.20	2.80
ABRC025	98	99	0.01	0.80	1.00	2.50	ABRC032	27	28	0.04	8.40	1.20	5.20
ABRC025	99	100	0.01	0.60	1.00	1.40	ABRC032	28	29	0.03	10.20	1.00	6.40
ABRC026	0	1	0.01	10.40	1.60	4.90	ABRC032	29	30	0.06	14.60	0.80	7.30
ABRC026	1	2	0.01	9.80	1.40	5.30	ABRC032	30	31	0.01	19.00	1.00	8.80
ABRC026	2	3	0.02	6.20	1.00	4.40	ABRC032	31	32	0.01	24.80	1.00	15.10
ABRC026	3	4	0.00	7.00	1.20	7.10	ABRC032	32	33	0.01	14.80	1.00	8.80
ABRC026	4	5	0.04	8.60	1.40	7.80	ABRC032	33	34	0.00	4.60	0.60	4.00
ABRC026	5	6	0.01	3.80	1.20	4.90	ABRC032	34	35	0.02	19.20	0.80	8.40
ABRC026	6	7	0.01	6.40	1.40	11.90	ABRC032	35	36	0.00	23.80	0.80	9.70
ABRC026	7	8	0.01	9.80	1.60	18.50	ABRC032	36	37	0.00	10.20	0.80	3.20
ABRC026	8	9	0.00	6.00	1.00	10.60	ABRC032	37	38	0.00	8.20	0.80	2.30
ABRC026	9	10	0.01	3.20	0.80	9.60	ABRC032	38	39	0.00	12.20	0.80	2.40
ABRC026	10	11	0.01	9.00	1.00	25.30	ABRC032	39	40	0.01	11.60	0.80	2.40
ABRC026	11	12	0.00	7.60	0.80	757.00	ABRC032	40	41	0.01	21.60	0.80	3.80
ABRC026	12	13	0.00	8.20	1.20	216.00	ABRC032	41	42	0.00	5.00	0.80	2.30
ABRC026	13	14	0.01	10.40	0.40	794.00	ABRC032	42	43	0.01	5.80	0.80	3.10
ABRC026	14	15	0.08	10.00	0.20	435.00	ABRC032	43	44	0.01	16.80	1.40	4.50
ABRC026	15	16	0.01	6.20	0.20	285.00	ABRC032	44	45	0.00	8.40	1.00	3.70
ABRC026	16	17	0.01	18.60	0.60	1670.00	ABRC032	45	46	0.00	3.60	0.80	2.60
ABRC026	17	18	0.02	22.80	0.40	1810.00	ABRC032	46	47	0.01	13.60	0.60	7.30
ABRC026	18	19	0.04	19.00	0.80	1100.00	ABRC032	47	48	-0.02	10.60	1.40	2.60
ABRC026	19	20	0.01	11.00	0.40	411.00	ABRC032	48	49	0.00	14.00	1.20	5.30
ABRC026	20	21	0.02	7.00	0.60	298.00	ABRC032	49	50	-0.02	10.80	0.80	1.80
ABRC026	21	22	0.01	12.80	0.40	353.00	ABRC032	50	51	0.00	8.00	0.80	5.80
ABRC026	22	23	0.01	38.00	0.40	1770.00	ABRC032	51	52	-0.02	8.20	0.80	2.20
ABRC026	23	24	0.01	18.80	0.80	445.00	ABRC032	52	53	0.01	6.80	1.00	2.30
ABRC026	24	25	0.01	15.60	0.80	436.00	ABRC032	53	54	0.01	6.00	1.40	10.50
ABRC026	25	26	0.33	22.40	1.60	425.00	ABRC032	54	55	0.02	15.40	3.40	95.40
ABRC026	26	27	0.15	25.00	1.20	186.00	ABRC032	55	56	0.05	4.20	3.60	44.00
ABRC026	27	28	0.02	18.20	1.20	485.00	ABRC032	56	57	-0.02	7.60	3.40	5.40
ABRC026	28	29	0.02	16.60	1.20	106.00	ABRC032	57	58	0.09	10.00	2.40	2.90
ABRC026	29	30	0.02	20.60	1.40	43.00	ABRC032	58	59	0.02	5.60	1.80	4.10
ABRC026	30	31	0.01	17.60	1.80	38.20	ABRC032	59	60	0.03	2.40	2.60	18.30
ABRC026	31	32	0.03	12.40	1.40	73.50	ABRC032	60	61	0.04	4.00	2.80	16.80
ABRC026	32	33	0.07	12.20	1.80	68.70	ABRC032	61	62	1.12	3.40	2.60	11.30
ABRC026	33	34	0.02	27.20	1.40	123.00	ABRC032	62	63	1.75	2.00	0.80	2.60
ABRC026	34	35	0.09	13.00	1.00	57.00	ABRC032	63	64	0.05	3.20	0.80	2.40
ABRC026	35	36	0.09	8.40	1.80	39.60	ABRC032	64	65	0.02	2.80	1.00	2.40
ABRC026	36	37	0.01	7.80	3.40	118.00	ABRC032	65	66	0.01	2.80	0.80	3.40
ABRC026	37	38	0.01	3.80	1.20	25.20	ABRC032	66	67	0.01	2.80	0.80	3.20
ABRC026	38	39	0.01	10.60	1.20	80.50	ABRC032	67	68	0.15	2.00	1.20	3.30
ABRC026	39	40	0.01	6.80	1.60	169.00	ABRC032	68	69	0.00	1.40	4.20	2.90
ABRC026	40	41	0.01	11.80	1.40	105.00	ABRC032	69	70	-0.02	2.20	3.40	2.70
ABRC026	41	42	0.12	10.60	0.60	57.20	ABRC032	70	71	-0.02	2.60	3.80	2.90
ABRC026	42	43	0.01	14.40	0.60	92.00	ABRC032	71	72	0.01	3.00	3.60	11.70
ABRC026	43	44	0.19	129.00	1.20	612.00	ABRC032	72	73	0.02	4.40	0.80	8.70
ABRC026	44	45	0.13	210.00	1.60	278.00	ABRC032	73	74	-0.02	4.00	1.00	7.30
ABRC026	45	46	0.02	200.00	1.00	36.90	ABRC032	74	75	0.01	3.00	2.80	4.10
ABRC026	46	47	0.01	65.20	1.00	19.90	ABRC032	75	76	0.01	2.20	2.80	4.70
ABRC026	47	48	0.02	29.00	1.40	13.00	ABRC032	76	77	0.01	4.40	1.00	15.40
ABRC026	48	49	0.11	41.40	1.20	10.70	ABRC032	77	78	0.01	3.00	1.20	4.40
ABRC026	49	50	0.26	23.60	1.00	3.80	ABRC032	78	79	-0.02	2.20	1.00	3.00
ABRC026	50	51	0.05	17.00	1.20	16.00	ABRC032	79	80	-0.02	3.00	2.40	3.00
ABRC026	51	52	0.04	3.60	1.00	18.90	ABRC032	80	81	-0.02	4.00	2.60	56.40
ABRC026	52	53	0.03	5.40	0.80	26.30	ABRC032	81	82	-0.02	3.00	1.00	277.00
ABRC026	53	54	0.01	3.00	0.80	5.70	ABRC032	82	83	-0.02	3.20	0.60	11.90
ABRC026	54	55	0.01	2.80	0.80	7.60	ABRC032	83	84	-0.02	2.00	0.60	3.30
ABRC026	55	56	0.05	7.40	0.80	22.80	ABRC032	84	85	0.00	4.20	8.40	55.70
ABRC026	56	57	0.04	7.20	0.60	29.90	ABRC032	85	86	0.14	1.60	13.60	53.10

Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm	Hole ID	From	To	Au_ppm	As_ppm	Sn_ppm	W_ppm
ABRC026	57	58	0.02	4.80	0.60	18.40	ABRC032	86	87	0.00	2.00	1.00	6.10
ABRC026	58	59	0.01	9.00	0.80	36.60	ABRC032	87	88	-0.02	1.40	0.60	4.30
ABRC026	59	60	0.00	18.20	0.80	54.90	ABRC032	88	89	-0.02	1.60	0.60	5.00
ABRC026	60	61	0.02	29.40	0.80	99.40	ABRC032	89	90	-0.02	2.00	0.80	15.60
ABRC026	61	62	0.04	22.00	1.20	98.40	ABRC032	90	91	-0.02	2.00	0.80	5.00
ABRC026	62	63	0.02	11.60	3.00	79.00	ABRC032	91	92	-0.02	2.00	0.80	3.90
ABRC026	63	64	0.02	8.00	1.00	15.20	ABRC032	92	93	-0.02	2.60	0.80	10.40
ABRC026	64	65	0.06	7.00	0.80	10.00	ABRC032	93	94	-0.02	2.60	0.80	4.40
ABRC026	65	66	0.06	6.00	1.00	6.00	ABRC032	94	95	-0.02	3.40	1.00	5.80
ABRC026	66	67	0.10	5.60	0.80	9.60	ABRC032	95	96	-0.02	2.80	1.00	5.00