

Significant Gold & Yttrium Anomalies Identified

Highlights:

- 4,400m aircore drilling at Victory's Mafeking & North Stanmore project identifies over 600m of anomalous gold mineralisation including 4m @ 1.74g/t Gold and open to the North
- Detailed aeromagnetic images support the interpretation that significant regional scale fault zones within the Cue Granite are controlling the intersected mineralisation
- Anomalous Rare Earth Element (REE) results including Yttrium with values up to 4m @ 964ppm, Lanthanum up to 4m @ 559ppm & Cerium up to 4m @ 475ppm identified in pegmatite & granite
- Follow up RC drilling is planned to explore air core gold anomaly at depth
- Further assay program to test full suite of REE's to commence immediately
- Results from Victory's potential IOCG style target¹ & the Company's initial Mineral Resource Estimate at Coodardy² are expected imminently.

Victory Goldfields (ASX:1VG) ("Victory" or "the Company") is pleased with the success from our recent aircore (AC) drilling program at the Company's North Stanmore and Mafeking project. The AC program has identified a significant gold anomaly and the Company is planning further follow up RC drilling to determine if the quartz vein-hosted gold mineralisation identified in the air core drilling persists at depth. Also, assaying is to commence for the full suite of REE's to investigate the yttrium and other REE anomaly identified in air core drilling.

Victory's Executive Director Brendan Clark commented: "Victory's latest results are very encouraging with the Company adding rare earth elements to its radar due to very anomalous yttrium values that have been reported from our recent exploration activities.

Victory is also very pleased with the 600m gold anomaly situated parallel to a significant fault, and it will become a priority to drill this target at depth with follow up exploration to commence immediately".

¹ Refer to ASX announcement titled "Compelling Iron-Oxide-Copper-Gold (IOCG) target identified" dated 5th April 2022.

² Refer to ASX announcement titled "Exceptional Drilling Results Up To 54.3g/t Gold Identified at Coodardy" dated 4th May 2022.



Figure 1. Aircore drilling within the North Stanmore Project.

Initial logging of the air core drilling by Victory identified abundant pegmatite in drill chips in several holes. Subsequently, Victory assayed for both lithium pathfinder elements (Li, Cs, W and Rb) and a selection of the Rare Earth Elements (REEs). Assays were anomalous for the REEs including Yttrium (Y), Cerium (Ce), and Lanthanum (La) as identified in Figure 2 below.

The aerial magnetic image (Figure 2) illustrates the 600m long x 200m wide maximum gold geochemical contours (300 ppb Au and 600 ppb Au) from the aircore drilling. The gold mineralisation contours are open to the northeast, along strike of the adjacent and controlling structure known as the Mafeking Fault.

The Mafeking Fault is an eight-kilometer-long regional fault zone with many gold workings occurring along its strike length. Many of these old workings have been previously drilled including Hidden Treasure (1m @ 9.0 g/t Au), New Gem (2m @ 1.4 g/t Au), Lombardy (1m @ 1.3 g/t Au followed by 2m @ 1.55 g/t Au)³ and Mafeking (not previously drilled).

Anomalous yttrium with values up to 4m @ 964ppm, lanthanum up to 4m @ 559ppm & cerium up to 4m @ 475ppm were identified in pegmatite & granite, (Figure 2). These results require follow up assays and expert interpretation.

³ Cougar Metals NL. 2004. Annual Mineral Exploration Report Cue Area. JV between Cougar Metals and St Barbara Mines Ltd for the period 1 Feb 2003 to 31 March 2004. GSWA Combined Report C305/1995. WAMEX Item No. 68474.




Figure 2. Summary diagram showing the aerial magnetic image of the North Stanmore Mafeking Project.

A 600 m long x 250 m wide maximum gold in drilling anomaly has been identified (figure 2), shown by the 300 ppb Au and 600 ppb Au contours, and it is situated adjacent to and paralleling the interpreted Mafeking Fault. Better intersections from the AC drilling (Victory and historical drilling) include 2m @ 8.8 g/t Au and 3m @ 2.5 g/t Au. Anomalous Yttrium (Y) with values up to 4m @ 964ppm, Lanthanum (La) up to 4m @ 559ppm and Cerium (Ce) up to 4m @ 475ppm was identified in pegmatite & granite.

Details of the air core collars, and the downhole assays for gold and associated pathfinder elements is in Appendix 1 & 2 respectively. Downhole REE assaying of these holes are located in Appendix 3.

Sampling techniques, data acquisition and reporting of results procedures are located in Tables 1 & 2.

Next Steps

Proposed RC Drilling Program at North Stanmore

Given the length of the anomalous zone of quartz hosted gold mineralisation (600 m long x 250 m wide) an RC drill program will be planned to test the potential mineralisation.

Follow Up Assay Program for REEs

Yttrium (Y) is a critical Rare Earth Element (REE). Victory will commission the services of an expert geochemist to interpret the results from the completion of the full suite of REE which will include 1m samples.

Petrology of the Yttrium mineralisation is also required.

IOCG Aeromagnetic Target

Assays are pending from the diamond core hole drilled into the potential IOCG target. Petrological studies of the core have commenced with results expected imminently.

Coodardy Initial Mineral Resource Estimate

The Mineral Resource Estimate (MRE) for Coodardy is awaiting assays from the RC drilling recently completed in June. The results will be incorporated into the initial MRE.

This announcement has been authorised by the Board of Victory Goldfields Limited.

For further information please contact:

Brendan Clark

Executive Director

brendan.clark@victorygold.com.au

Lexi O'Halloran

Investor and Media Relations

lexi@janemorganmanagement.com.au

Victory Goldfields: Company Profile

Victory has systematically built a portfolio of assets in the Cue goldfields. Cue is located in the mid-west region of Western Australia, 665 kilometres north-east from Perth. The Cue goldfields are regarded as one of the most prestigious mining districts of Western Australia with a long and successful history of gold exploration and production.

The Company's strategy is to undertake best practice exploration and development of the Victory tenements to identify Mineral Resources and Ore Reserves within its tenement land holding. Leveraging its land holding position, Victory also aims to acquire additional gold opportunities within the Cue goldfields district, either through joint venture or tenement acquisition.

Competent Person Statement

The historical exploration activities and results contained in this report is based on information compiled by Michael Busbridge, a Member of the Australian Institute of Geoscientists and a Member of the Society of Economic Geologists. He is a consultant to Victory Goldfields Ltd. He has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the JORC Code). Michael Busbridge has consented to the inclusion in the report of the matters based on his information in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements in relation to the exploration results. The Company confirms that the form and context in which the competent persons findings have not been materially modified from the original announcement.

Appendix 1: Details of completed air core holes at North Stanmore Project

Prospect	Tenement	Hole_Id	Mapsheet Name	MGA_East	MGA_North	Total_Depth m	Drill_Azi	Drill_Dip
Mafeking Bore	E20/871	MAFAC001	Cue	588870	6973470	33	90	-60
Mafeking Bore	E20/871	MAFAC002	Cue	588770	6973470	55	90	-60
Mafeking Bore	E20/871	MAFAC003	Cue	588670	6973470	69	90	-60
Mafeking Bore	E20/871	MAFAC004	Cue	588570	6973470	74	90	-60
Mafeking Bore	E20/871	MAFAC005	Cue	588470	6973470	61	90	-60
Mafeking Bore	E20/871	MAFAC006	Cue	588370	6973470	42	90	-60
Mafeking Bore	E20/871	MAFAC007	Cue	588270	6973470	81	90	-60
Mafeking Bore	E20/871	MAFAC008	Cue	588170	6973470	78	90	-60
Mafeking Bore	E20/871	MAFAC009	Cue	588750	6973310	62	90	-60
Mafeking Bore	E20/871	MAFAC010	Cue	588700	6973310	55	90	-60
Mafeking Bore	E20/871	MAFAC011	Cue	588650	6973310	55	90	-60
Mafeking Bore	E20/871	MAFAC012	Cue	588600	6973310	31	90	-60
Mafeking Bore	E20/871	MAFAC013	Cue	588550	6973310	40	90	-60
Mafeking Bore	E20/871	MAFAC014	Cue	588500	6973310	78	90	-60
Mafeking Bore	E20/871	MAFAC015	Cue	588450	6973310	78	90	-60
Mafeking Bore	E20/871	MAFAC016	Cue	588400	6973310	84	90	-60
Mafeking Bore	E20/871	MAFAC017	Cue	588350	6973310	84	90	-60
Mafeking Bore	E20/871	MAFAC018	Cue	588300	6973310	81	90	-60
Mafeking Bore	E20/871	MAFAC019	Cue	588250	6973310	74	90	-60
Mafeking Bore	E20/871	MAFAC020	Cue	588200	6973310	89	90	-60
Mafeking Bore	E20/871	MAFAC021	Cue	588150	6973310	80	90	-60
Mafeking Bore	E20/871	MAFAC022	Cue	588100	6973310	69	90	-60
Mafeking Bore	E20/871	MAFAC023	Cue	588425	6973165	80	90	-60
Mafeking Bore	E20/871	MAFAC024	Cue	588375	6973165	65	90	-60
Mafeking Bore	E20/871	MAFAC025	Cue	588325	6973165	64	90	-60
Mafeking Bore	E20/871	MAFAC026	Cue	588275	6973165	66	90	-60
Mafeking Bore	E20/871	MAFAC027	Cue	588225	6973165	63	90	-60
Mafeking Bore	E20/871	MAFAC028	Cue	588175	6973165	53	90	-60
Mafeking Bore	E20/871	MAFAC029	Cue	588550	6973000	35	90	-60
Mafeking Bore	E20/871	MAFAC030	Cue	588500	6973000	45	90	-60
Mafeking Bore	E20/871	MAFAC031	Cue	588450	6973000	68	90	-60
Mafeking Bore	E20/871	MAFAC032	Cue	588400	6973000	68	90	-60
Mafeking Bore	E20/871	MAFAC033	Cue	588350	6973000	57	90	-60
Mafeking Bore	E20/871	MAFAC034	Cue	588300	6973000	42	90	-60
Mafeking Bore	E20/871	MAFAC035	Cue	588250	6973000	38	90	-60
Mafeking Bore	E20/871	MAFAC036	Cue	588200	6973000	40	90	-60
Mafeking Bore	E20/871	MAFAC037	Cue	588150	6973000	70	90	-60
Mafeking Bore	E20/871	MAFAC038	Cue	588430	6972840	40	90	-60
Mafeking Bore	E20/871	MAFAC039	Cue	588380	6972840	42	90	-60
Mafeking Bore	E20/871	MAFAC040	Cue	588330	6972840	33	90	-60
Mafeking Bore	E20/871	MAFAC041	Cue	588280	6972840	62	90	-60
Mafeking Bore	E20/871	MAFAC042	Cue	588230	6972840	66	90	-60
Mafeking Bore	E20/871	MAFAC043	Cue	588180	6972840	73	90	-60
Mafeking Bore	E20/871	MAFAC044	Cue	588130	6972840	53	90	-60
Mafeking Bore	E20/871	MAFAC045	Cue	588080	6972840	45	90	-60
Stanmore	E20/871	NSTAC001	Cue	587920	6973000	77	90	-60
Stanmore	E20/871	NSTAC002	Cue	587870	6973000	75	90	-60
Stanmore	E20/871	NSTAC003	Cue	587820	6973000	88	90	-60
Stanmore	E20/871	NSTAC004	Cue	587770	6973000	89	90	-60
Stanmore	E20/871	NSTAC005	Cue	587720	6973000	90	90	-60
Stanmore	E20/871	NSTAC006	Cue	587670	6973000	88	90	-60
Stanmore	E20/871	NSTAC007	Cue	587620	6973000	84	90	-60
Stanmore	E20/871	NSTAC008	Cue	587570	6973000	79	90	-60
Stanmore	E20/871	NSTAC009	Cue	587520	6973000	76	90	-60
Stanmore	E20/871	NSTAC012	Cue	587900	6972840	79	90	-60
Stanmore	E20/871	NSTAC013	Cue	587850	6972840	90	90	-60
Stanmore	E20/871	NSTAC014	Cue	587800	6972840	86	90	-60
Stanmore	E20/871	NSTAC015	Cue	587750	6972840	79	90	-60
Stanmore	E20/871	NSTAC016	Cue	587700	6972840	86	90	-60
Stanmore	E20/871	NSTAC017	Cue	587650	6972840	75	90	-60
Stanmore	E20/871	NSTAC018	Cue	587600	6972840	74	90	-60
Stanmore	E20/871	NSTAC019	Cue	587550	6972840	75	90	-60
Stanmore	E20/871	NSTAC020	Cue	587500	6972840	69	90	-60
Stanmore	E20/871	NSTAC021	Cue	587450	6972840	70	90	-60
Stanmore	M20/544	NSTAC024	Cue	587740	6972700	40	90	-60
Stanmore	M20/544	NSTAC025	Cue	587690	6972700	60	90	-60
Stanmore	M20/544	NSTAC026	Cue	587640	6972700	66	90	-60

Appendix 2. Downhole Composite Au & pathfinder Assays of North Stanmore Aircore Drilling

Hole_Id	Depth _From	Depth _To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
MAFAC001	0	4	0.01	3.1	17	8.5	24.5	0.85	8	0.08
MAFAC001	4	8	0	3.4	11	7.9	21.1	0.78	7.1	0.09
MAFAC001	8	12	0	0	0	5.5	17.2	0.14	4.3	<0.05
MAFAC001	12	16	0.02	0	1	22.1	18.6	0.44	9	<0.05
MAFAC001	16	20	0	0	2	22.5	8	0.27	2.8	<0.05
MAFAC001	20	24	0	0	1	10	7.3	0.25	3	<0.05
MAFAC001	24	28	0.02	0	0	25	35.1	0.22	3	<0.05
MAFAC001	28	33	0.01	0	2	20.7	42.4	0.3	2.5	0.06
MAFAC002	0	4	0.01	3.3	7	9.1	27.3	1.08	9.3	<0.05
MAFAC002	4	8	0	2.8	15	6.7	17.8	0.71	6.5	0.05
MAFAC002	8	12	0	0	2	1.6	2.4	0.25	1.5	0.05
MAFAC002	12	16	0	0	0	1.3	5.9	0.29	4	<0.05
MAFAC002	16	20	0	0	0	1.8	7.1	0.46	4	0.06
MAFAC002	20	24	0	0	0	2.3	7.1	0.25	5.3	<0.05
MAFAC002	24	28	0	0	0	3.1	9.2	0.26	5.5	0.05
MAFAC002	28	32	0	0	0	3.5	10.9	0.29	6	0.05
MAFAC002	32	36	0.02	0	0	3.1	9.1	0.25	5.8	<0.05
MAFAC002	36	40	0.03	0	0	3.7	11.1	0.38	7.2	0.07
MAFAC002	40	44	0.01	0	0	6.4	19.6	0.48	6.9	0.07
MAFAC002	44	48	0.03	0	0	13.3	15.9	0.3	7.3	<0.05
MAFAC002	48	52	0.03	0	3	9.8	9.8	0.42	3.3	<0.05
MAFAC002	52	55	0.03	0	2	10.6	12.5	0.41	4.3	<0.05
MAFAC003	0	4	0.01	2.5	10	8	25.1	0.77	7.8	0.06
MAFAC003	4	8	0	2.1	8	4.8	14.1	0.72	6	<0.05
MAFAC003	8	12	0	0	5	1.1	1.2	0.19	0.7	0.09
MAFAC003	12	16	0	0	1	0.8	1	0.09	1.7	<0.05
MAFAC003	16	20	0	0	0	0.3	1.1	0.09	1.7	<0.05
MAFAC003	20	24	0	0	0	0.3	1.1	0.08	4.4	<0.05
MAFAC003	24	28	0	0	0	0.2	1.3	0.09	1.9	<0.05
MAFAC003	28	32	0	0	0	0.3	1.3	0.1	2.4	<0.05
MAFAC003	32	36	0.01	0	0	0.3	1.9	0.14	12.7	<0.05
MAFAC003	36	40	0.01	0	0	0.8	2.5	0.14	15.5	<0.05
MAFAC003	40	44	0.03	0	0	1.4	4.5	0.11	19.2	<0.05
MAFAC003	44	48	0	0	36	4.8	26.8	0.11	9.1	0.19
MAFAC003	48	52	0	0	20	2.3	29.1	0.13	6.1	0.22
MAFAC003	52	56	0.03	0	7	8	27.4	0.25	4.5	<0.05
MAFAC003	56	60	0.03	0	8	10.5	7.7	0.34	3.1	<0.05
MAFAC003	60	64	0.03	0	36	6.3	8	0.41	3	0.1
MAFAC003	64	68	0.03	0	13	5.9	5.6	0.32	2.3	0.16
MAFAC003	68	69	0.02	0	5	5.8	5.7	0.31	2.6	0.34
MAFAC004	0	4	0.02	4.4	10	7.2	21.5	0.93	9.1	0.19
MAFAC004	4	8	0.01	2.8	10	13.4	16.6	1.41	6.2	<0.05
MAFAC004	8	12	0	0.6	14	6.7	3.2	1.34	3.5	0.05
MAFAC004	12	16	0	0	32	2	1.5	0.15	1.1	0.09
MAFAC004	16	20	0.01	0	7	1.7	3.3	0.17	2.3	0.06
MAFAC004	20	24	0.01	0	1756	1.3	2.8	0.33	2	<0.05
MAFAC004	24	28	0.02	0	135	0.6	1.9	0.11	2	<0.05
MAFAC004	28	32	0.03	0	145	0.6	3.2	0.08	5.8	<0.05
MAFAC004	32	36	0.03	0	3	0.5	7.3	0.08	20.2	<0.05
MAFAC004	56	60	0.03	0	22	9.2	10	0.42	2.6	0.39
MAFAC004	60	64	0.03	0	19	9	11.6	1.55	2.9	0.2
MAFAC004	64	68	0.02	0	38	9.7	10.5	0.77	2.8	0.27
MAFAC004	68	72	0.02	0	34	8.2	8.5	0.37	2.9	0.36
MAFAC004	72	74	0.01	0	6	5.8	6.7	0.27	2.9	0.24
MAFAC005	0	4	0	2.9	13	8.7	22.3	0.75	7.7	0.23
MAFAC005	4	8	0	2.8	10	10	17.5	1.41	5.6	0.1
MAFAC005	8	12	0	1.1	8	4.3	4.4	1.05	3.5	0.08
MAFAC005	12	16	0.03	0	7	2.1	1.8	0.17	1.5	0.12
MAFAC005	16	20	0	0	12	1.9	1.4	0.15	1.9	<0.05
MAFAC005	20	24	0	0	0	0.5	1.2	0.07	1.2	<0.05
MAFAC005	24	28	0	0	0	0.5	1.4	0.08	1.6	<0.05
MAFAC005	28	32	0	0	21	1	2.4	0.09	4.1	<0.05
MAFAC005	32	36	0	0	2	0.6	1.9	0.08	6.9	<0.05
MAFAC005	36	40	0	0	9	0.5	2.7	0.11	5.8	<0.05
MAFAC005	40	44	0.01	0	14	0.7	5.3	0.11	10.3	<0.05
MAFAC005	44	48	0.01	0	3	0.8	6.8	0.08	7.9	<0.05
MAFAC005	48	52	0	0	34	1.4	12.9	0.1	6.5	<0.05
MAFAC005	52	56	0.04	0	85	1.8	21.3	0.08	3.9	<0.05
MAFAC005	56	61	0.09	0	28	64.1	128	0.24	4.2	<0.05
MAFAC006	0	4	0.01	2.5	12	16.2	33.6	0.76	7.8	<0.05
MAFAC006	4	8	0	4	83	10.2	13	1.83	9.5	<0.05
MAFAC006	8	12	0	2.6	21	9.3	9.2	1.56	8.1	0.06
MAFAC006	12	16	0	1.4	15	13.5	8.4	0.44	5.6	0.11
MAFAC006	16	20	0	0	18	4.2	5.2	0.11	3.2	<0.05
MAFAC006	20	24	0	0	1	0.6	3.6	0.09	1.7	<0.05
MAFAC006	24	28	0	0	0	0.5	5.3	0.06	3.3	<0.05
MAFAC006	28	32	0	0	1	1.5	9.9	0.09	9.3	<0.05
MAFAC006	32	36	0.11	0	2	2.5	14.2	0.06	12.2	<0.05
MAFAC006	36	40	0.13	0	12	4.4	39.6	0.13	6.8	<0.05
MAFAC006	40	42	0.08	0	13	59.7	186	0.24	9.4	<0.05
MAFAC007	0	4	0.01	2.6	20	11.5	35.8	0.9	9.9	<0.05
MAFAC007	4	8	0	3.8	7	4.6	12.9	1.15	9.8	0.09
MAFAC007	8	12	0	0.6	3	3.9	7.4	0.35	4.6	0.06
MAFAC007	12	16	0	0	4	10.8	33.5	0.15	7.7	<0.05
MAFAC007	16	20	0	1.7	3	8.4	13.1	0.66	8.1	<0.05
MAFAC007	20	24	0	0.9	1	9.9	12.8	0.6	14.2	<0.05
MAFAC007	24	28	0	0	2	14.6	10.2	0.3	7.6	<0.05
MAFAC007	28	32	0	0	1	14	9.3	0.19	8.1	<0.05
MAFAC007	32	36	0.02	0	3	15.1	9.4	0.23	6.2	<0.05
MAFAC007	36	40	0.02	0	6	11	8.2	0.14	8	<0.05
MAFAC007	40	44	0	0	2	15.5	6	0.28	6.4	<0.05
MAFAC007	44	48	0	0	10	10.8	6.6	0.27	5.7	<0.05
MAFAC007	48	52	0	0	41	10.1	7.2	0.27	4.7	<0.05
MAFAC007	52	56	0	0	5	10.8	7.1	0.21	5.3	0.06
MAFAC007	56	60	0.01	0	5	8.8	10.1	0.46	4.2	0.24
MAFAC007	60	64	0.01	0	4	7.4	7.4	0.35	5.3	0.16
MAFAC007	64	68	0.01	0.6	19	7.3	9.3	0.48	21.9	0.41
MAFAC007	68	72	0	0.9	12	8.3	7.4	0.36	9.8	0.22
MAFAC007	72	76	0.02	1.2	5	8.8	22	0.36	23.4	0.39
MAFAC007	76	81	0.03	3.5	3	15.9	53	0.38	42.2	0.33

Hole_Id	Depth_From	Depth_To	Ag_ppm	As_ppm	Au_ppb	Co_ppm	Cu_ppm	Mo_ppm	Pb_ppm	W_ppm	Hole_Id	Depth_From	Depth_To	Ag_ppm	As_ppm	Au_ppb	Co_ppm	Cu_ppm	Mo_ppm	Pb_ppm	W_ppm
MAFAC008	0	4	0.03	8.1	13	10.1	28.2	2.16	16.7	0.11	MAFAC010	36	40	0.02	0.7	72	15.8	27.5	0.21	5.7	<0.05
MAFAC008	4	8	0.01	3.9	7	6.8	11.7	1.33	9.4	0.14	MAFAC010	40	44	0.04	0	52	26.4	27.8	0.2	4.8	<0.05
MAFAC008	8	12	0	0	3	1.6	3.3	0.28	3.5	0.05	MAFAC010	44	48	0.02	0.5	14	17.5	14.5	0.22	3	<0.05
MAFAC008	12	16	0	0	0	2.9	3.4	0.29	3	0.07	MAFAC010	48	52	0.02	0	3	11.6	19.9	0.24	3.4	0.15
MAFAC008	16	20	0	0.8	0	2.2	4.8	0.32	2.8	0.12	MAFAC010	52	55	0.02	0.6	50	21.4	30.7	0.28	5.7	0.05
MAFAC008	20	24	0	0	0	1.9	5.8	0.32	3	<0.05	MAFAC011	0	4	0	3	11	7.5	24.7	0.72	7.5	0.09
MAFAC008	24	28	0	0.7	0	2.4	7.1	0.36	3.1	0.09	MAFAC011	4	8	0	3.6	13	12.8	15.6	1.11	6.3	0.06
MAFAC008	28	32	0	0.6	0	4.8	7.4	0.34	5.8	<0.05	MAFAC011	8	12	0	0.9	15	2.1	2.1	0.2	2.8	0.1
MAFAC008	32	36	0	0	0	2.9	4.8	0.41	4.8	0.06	MAFAC011	12	16	0	0	2	1	2.3	0.1	1.4	<0.05
MAFAC008	36	40	0	0	0	4.9	4.2	0.52	5.2	<0.05	MAFAC011	16	20	0	0	0	0.7	2.6	0.09	1.8	<0.05
MAFAC008	40	44	0	0.6	0	4.1	4.8	0.54	4.8	<0.05	MAFAC011	20	24	0	0	2	0.7	3.6	0.07	4.1	<0.05
MAFAC008	44	48	0	0.8	0	2.4	5	0.34	5.5	0.06	MAFAC011	24	28	0	0	0	1.1	7.7	0.08	9.5	<0.05
MAFAC008	48	52	0	0.6	3	2	8.6	0.32	10.8	0.21	MAFAC011	28	32	0.02	0	19	5	22.6	0.07	18.1	<0.05
MAFAC008	52	56	0.01	0.8	7	5.5	15.4	0.26	10.3	0.13	MAFAC011	32	36	0.02	0	21	15.9	51.4	0.14	16.7	<0.05
MAFAC008	56	60	0	0.6	61	7.9	7.2	0.23	4.9	<0.05	MAFAC011	36	40	0.07	0.7	15	14.8	39.3	0.19	5.5	0.07
MAFAC008	60	64	0.02	0.8	7	7.6	7.8	0.43	4.1	0.21	MAFAC011	40	44	0.02	0	5	13.7	16.9	0.22	4.7	0.07
MAFAC008	64	68	0.01	0	12	6.9	8.2	0.38	3.8	0.33	MAFAC011	44	48	0.02	0.7	19	16.6	24.8	0.28	4.5	0.13
MAFAC008	68	72	0	0.5	14	5.1	5.1	0.27	2.8	0.26	MAFAC011	48	52	0.03	0.8	5	13.7	16.9	0.35	3.7	0.07
MAFAC008	72	76	0	1.1	7	5.7	6.4	0.33	3.2	0.45	MAFAC011	52	55	0.05	0.6	6	24.3	44.6	0.61	4	0.15
MAFAC008	76	78	0.01	0	11	7	9	0.39	4.2	1.3	MAFAC012	0	4	0.01	4.1	8	7.6	27.2	1.06	9.9	0.07
MAFAC009	0	4	0.02	3.2	7	11.6	43.3	2.05	8.8	0.08	MAFAC012	4	8	0	3.1	52	7.2	16.4	1.55	7.2	0.08
MAFAC009	4	8	0	2.3	14	4.1	11.5	0.55	5.4	0.09	MAFAC012	8	12	0	0.6	23	2.4	2.9	0.48	2.3	0.1
MAFAC009	8	12	0	0	22	2.1	3.8	0.19	1.4	<0.05	MAFAC012	12	16	0	0	5	1.4	2.1	0.16	0.8	0.14
MAFAC009	12	16	0	0	3	2.7	4.4	0.08	2	<0.05	MAFAC012	16	20	0	0	3	1.8	4.1	0.26	1.2	<0.05
MAFAC009	16	20	0	0	1	2.1	5	0.12	3.1	<0.05	MAFAC012	20	24	0	0	2	1.4	3.7	0.1	2.1	<0.05
MAFAC009	20	24	0	0	0	0.6	6.3	<0.05	6.6	<0.05	MAFAC012	24	28	0	0	3	6.5	25	0.17	7.5	0.07
MAFAC009	24	28	0	0	0	0.8	7.5	0.06	9.1	<0.05	MAFAC012	28	31	0.11	0	16	38.3	95.6	0.26	21.9	<0.05
MAFAC009	28	32	0.03	0	0	1.9	8.7	0.08	5.8	<0.05	MAFAC013	0	4	0.01	2.7	6	8.7	21.9	0.71	7.5	0.1
MAFAC009	32	36	0.03	0	13	15.7	26.1	0.18	3.6	<0.05	MAFAC013	4	8	0.01	2.4	19	6.9	17.8	0.72	8.7	0.05
MAFAC009	36	40	0.01	0	4	9.6	18.7	0.28	2	0.08	MAFAC013	8	12	0	0.8	5	4	25.2	0.44	4.8	<0.05
MAFAC009	40	44	0.01	0.6	4	9.2	19	0.38	2	0.18	MAFAC013	12	16	0	0	4	3.5	16	0.14	2.1	0.15
MAFAC009	44	48	0.01	0	1	9.4	18.5	0.42	2.2	0.2	MAFAC013	16	20	0	0	1	1.5	3.7	0.07	1.2	<0.05
MAFAC009	48	52	0.02	0	15	13.7	26.9	0.32	2.6	0.11	MAFAC013	20	24	0	0	0	1.4	4	<0.05	1.7	<0.05
MAFAC009	52	56	0.02	0	5	7.9	13.9	0.37	2.1	0.27	MAFAC013	24	28	0	0	0	3.7	6.7	0.08	8.6	<0.05
MAFAC009	56	60	0.01	0	2	6.8	10.5	0.48	2.4	0.57	MAFAC013	28	32	0	0	3	27.2	10.9	0.09	11.8	<0.05
MAFAC009	60	62	0.02	0	2	6.9	9.5	0.42	2.6	1.85	MAFAC013	32	36	0.05	0	8	14.4	11.4	0.16	7.1	<0.05
MAFAC010	0	4	0.01	3.6	9	8.8	24.5	0.8	8.6	0.29	MAFAC013	36	40	0.07	0	55	19.6	48.2	0.31	4.4	<0.05
MAFAC010	4	8	0	2.7	16	5.2	12.2	0.77	5.9	0.11	MAFAC014	0	4	0.01	2.9	9	10.2	26.4	0.67	7.6	<0.05
MAFAC010	8	12	0	1.3	14	2	2.9	0.25	2	0.14	MAFAC014	4	8	0	2.2	38	6.1	15.7	0.75	9.4	<0.05
MAFAC010	12	16	0	0	2	0.6	1.8	0.1	1.5	0.06	MAFAC014	8	12	0	1.4	14	4.6	13.6	0.38	3.7	0.11
MAFAC010	16	20	0	0	0	10.7	2.3	0.13	3.4	<0.05	MAFAC014	12	16	0	0.5	5	7.2	11.8	0.17	5.4	0.07
MAFAC010	20	24	0	0	0	0.8	1.8	0.08	1.7	<0.05	MAFAC014	16	20	0	0.9	1	7.6	11.5	0.34	6.6	0.08
MAFAC010	24	28	0	0	0	0.4	2.4	0.12	3.8	<0.05	MAFAC014	20	24	0	0	0	7	11.7	0.49	6.4	0.05
MAFAC010	28	32	0	0	0	0.4	3.8	0.07	7.1	<0.05	MAFAC014	24	28	0	0	1	4.8	14.1	0.3	6.8	0.11
MAFAC010	32	36	0.01	0.8	2	6.1	34.9	0.28	12.6	<0.05	MAFAC014	28	32	0.01	0	0	4.1	10	0.18	19.1	<0.05
											MAFAC014	32	36	0.01	0	5	8.6	12.4	0.26	19.8	<0.05
											MAFAC014	36	40	0.04	0	2	8.1	8	0.18	6.5	<0.05

Hole_Id	Depth _From	Depth _To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm	Hole_Id	Depth _From	Depth _To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
MAFAC014	40	44	0.03	0	11	9.8	8.4	0.22	2.7	0.12	MAFAC017	0	4	0.02	2.7	26	10.3	24.3	1.29	8.9	0.25
MAFAC014	44	48	0.02	0	1	9.1	9.7	0.12	5	<0.05	MAFAC017	4	8	0.01	1.5	15	6.5	13.6	0.76	5.3	0.32
MAFAC014	48	52	0.02	0	7	8.7	8.5	0.1	4.2	<0.05	MAFAC017	8	12	0.01	0.9	4	1.8	5.1	0.44	3.1	1.95
MAFAC014	52	56	0.02	0	0	9.1	6.6	0.13	4.4	<0.05	MAFAC017	12	16	0	0.8	1	4.3	6.9	0.25	3.8	0.56
MAFAC014	56	60	0.03	0	5	9.6	9	0.3	3.4	0.05	MAFAC017	16	20	0	1	1	5.2	5.5	0.31	9.3	0.65
MAFAC014	60	64	0.03	0.7	10	16.4	35.3	0.23	3	<0.05	MAFAC017	20	24	0	0.7	0	2.7	5	0.34	16	0.33
MAFAC014	64	68	0.04	0	17	15.6	23.5	0.22	3.4	0.06	MAFAC017	24	28	0	0.6	0	3.4	5.8	0.32	12	0.12
MAFAC014	68	72	0.03	0	92	9.5	8.5	0.29	2.7	0.32	MAFAC017	28	32	0	0	0	6.6	5	0.29	5.8	0.09
MAFAC014	72	76	0.03	0	14	9.3	9.2	0.27	3.7	0.21	MAFAC017	32	36	0	0	0	2.9	4.1	0.27	4.4	0.08
MAFAC014	76	78	0.07	0	10	8.4	15.1	0.27	3.8	0.17	MAFAC017	36	40	0	0	0	2.9	4.6	0.33	4.8	0.2
MAFAC015	0	4	0.02	3.3	16	8.3	26.2	0.73	8.9	<0.05	MAFAC017	40	44	0	0	2	3.3	6.3	0.25	9.8	0.16
MAFAC015	4	8	0.06	2.7	14	5.5	15.4	0.57	8	0.1	MAFAC017	44	48	0.03	0.5	2	4.2	10	0.25	14	0.13
MAFAC015	8	12	0	0.5	13	4.1	23.8	0.3	10.3	<0.05	MAFAC017	48	52	0.02	1	26	3.9	9.4	0.28	12.8	0.47
MAFAC015	12	16	0	0.8	3	7.1	11.2	0.19	4.3	0.09	MAFAC017	52	56	0.02	0	6	7.9	21.2	0.26	9.8	0.14
MAFAC015	16	20	0	0.8	1	3.7	9.5	0.42	4.9	0.23	MAFAC017	56	60	0.03	0	18	10.5	12.4	0.14	7.2	<0.05
MAFAC015	20	24	0	0.8	0	3.4	10.8	0.46	4.4	0.36	MAFAC017	60	64	0.03	0	15	11.6	9.7	0.18	6.2	<0.05
MAFAC015	24	28	0	0	4	4.8	9.1	0.35	5.3	0.18	MAFAC017	64	68	0.02	0	7	10.7	11.2	0.2	3.9	0.12
MAFAC015	28	32	0	0	42	5.2	7.5	0.23	4.3	0.26	MAFAC017	68	72	0.03	0	3	9.1	9.8	0.28	3.6	0.33
MAFAC015	32	36	0	0	9	3	7.2	0.2	7.1	0.07	MAFAC017	72	76	0.04	0	15	8.4	8.1	0.23	3.3	0.25
MAFAC015	36	40	0.01	0	7	3	6.4	0.22	8.9	0.08	MAFAC017	76	80	0.03	0	117	8.4	9.2	0.3	3.1	0.45
MAFAC015	40	44	0	0	44	5.6	9.2	0.27	9.9	0.39	MAFAC017	80	84	0.04	0	24	14.4	25.8	0.4	3.4	0.35
MAFAC015	44	48	0	0	5	3.2	9.9	0.25	8.3	0.16	MAFAC018	0	4	0.02	4.5	15	10.2	25.7	1.06	13.9	0.13
MAFAC015	48	52	0	0	0	4.2	12.2	0.28	10	0.06	MAFAC018	4	8	0	2.4	4	2.3	12	0.47	3.6	0.37
MAFAC015	52	56	0.02	0	72	8.2	10.4	0.2	6.2	0.11	MAFAC018	8	12	0	0.9	1	1.5	5	0.3	3.7	0.33
MAFAC015	56	60	0.02	0	8	9.2	9.2	0.13	6.3	<0.05	MAFAC018	12	16	0	1.1	5	12.9	10.9	0.13	6.1	<0.05
MAFAC015	60	64	0.02	0	20	15.5	8.7	0.36	3.1	0.33	MAFAC018	16	20	0	0.7	0	3.7	17	0.15	5.9	<0.05
MAFAC015	64	68	0.02	0	15	7.9	8.2	0.34	3.3	0.27	MAFAC018	20	24	0	0	0	3.7	17.9	0.17	3.8	<0.05
MAFAC015	68	72	0.01	0	5	7.5	8.5	0.3	3.2	0.31	MAFAC018	24	28	0	0	1	1.8	8.7	0.21	3	<0.05
MAFAC015	72	76	0.01	0	3	6.8	7.3	0.28	2.7	0.32	MAFAC018	28	32	0	0.5	0	2.5	10	0.36	7.2	0.06
MAFAC015	76	78	0.02	0	5	7.9	8.1	0.31	2.8	0.46	MAFAC018	32	36	0	0	0	3.7	10.5	0.26	17.1	0.05
MAFAC016	0	4	0.01	3.3	16	12	25.9	0.97	9.1	0.12	MAFAC018	36	40	0.03	0	0	7.5	16	0.19	16.3	<0.05
MAFAC016	4	8	0	1.1	8	3.4	7.9	0.39	3.9	0.33	MAFAC018	40	44	0.03	0.8	3	13.1	11.8	0.26	9.1	0.07
MAFAC016	8	12	0	1.2	15	1.4	5.1	0.27	4	0.48	MAFAC018	44	48	0.01	0.7	9	20.2	6.2	0.19	7	<0.05
MAFAC016	12	16	0.11	5.7	89	2.4	19.4	0.42	3.4	0.87	MAFAC018	48	52	0.01	0	2	13.9	7.1	0.13	6.5	<0.05
MAFAC016	16	20	0	0.5	0	1.8	11.5	0.31	3.4	0.51	MAFAC018	52	56	0.03	0	18	12.4	8.5	0.19	4.9	<0.05
MAFAC016	20	24	0	0	0	4	5.1	0.24	3.7	0.1	MAFAC018	56	60	0.03	0.7	9	7.1	11.1	0.4	6.4	<0.05
MAFAC016	24	28	0.02	0	0	3.8	3.9	0.3	4	0.11	MAFAC018	60	64	0.03	0	14	7.2	7.1	0.22	4.3	0.11
MAFAC016	28	32	0	0	10	4.3	5.1	0.25	4.5	0.1	MAFAC018	64	68	0.03	0	13	6.5	7.4	0.29	4.4	0.16
MAFAC016	32	36	0	0.6	0	5.1	5.3	0.34	5	0.06	MAFAC018	68	72	0.04	0.9	192	6.8	22.3	0.27	6.3	0.73
MAFAC016	36	40	0	0	2	3.4	4.1	0.26	6.2	<0.05	MAFAC018	72	76	0.03	0	76	7.5	12.4	0.31	4.6	0.3
MAFAC016	40	44	0	0	0	3.3	4.5	0.22	7.1	<0.05	MAFAC018	76	81	0.05	1.1	86	12.3	37.4	0.5	20	0.21
MAFAC016	44	48	0	0.5	0	2.3	5.5	0.19	8.5	<0.05	MAFAC019	0	4	0.01	5	22	10.6	30.4	1.05	11.5	0.06
MAFAC016	48	52	0	0	5	1.6	6.2	0.18	10	<0.05	MAFAC019	4	8	0.03	1.3	16	4.8	6.1	0.23	3.1	0.16
MAFAC016	52	56	0	0	2	1.5	6	0.14	9.6	<0.05	MAFAC019	8	12	0	0.7	4	5.4	9.4	0.24	4.3	0.23
MAFAC016	56	60	0	0	2	1.1	6.8	0.24	11.9	<0.05	MAFAC019	12	16	0	0.6	3	4.8	11.4	0.2	1.9	0.07
MAFAC016	60	64	0.02	0	8	1.4	11.5	0.36	14.3	<0.05	MAFAC019	16	20	0	0	0	3.6	10.7	0.19	2.8	<0.05
MAFAC016	64	68	0.03	0	63	5.4	33.2	0.34	9	<0.05	MAFAC019	20	24	0	0	0	5.7	13.5	0.23	9.1	<0.05
MAFAC016	68	72	0.03	0	9	11.2	20.2	0.14	7.9	<0.05	MAFAC019	24	28	0.03	0.6	3	15.8	85	0.22	60.1	0.07
MAFAC016	72	76	0.02	0	8	13.7	8.7	0.15	6.5	<0.05	MAFAC019	28	32	0.03	0.5	1	53	52.7	0.47	53	0.08
MAFAC016	76	80	0.01	0	5	11	10	0.18	4.4	0.1											
MAFAC016	80	84	0.02	0.7	28	8.5	10.2	1.1	3.4	0.61											

Hole_Id	Depth From	Depth To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm	Hole_Id	Depth From	Depth To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
MAFAC019	32	36	0.03	0	23	20.1	10.4	0.36	6	<0.05	MAFAC021	76	80	0.05	0	12	7.7	21.8	0.38	3.5	0.2
MAFAC019	36	40	0.03	0	22	11.1	9.2	0.38	4.5	<0.05	MAFAC022	0	4	0.04	8.2	6	6.7	20.5	2.36	14.9	0.1
MAFAC019	40	44	0.03	0	22	10.3	7.8	0.7	4.3	0.06	MAFAC022	4	8	0.01	3	7	4	9.5	0.95	7.8	0.11
MAFAC019	44	48	0.04	0.6	68	8.7	9.9	0.38	4.2	0.09	MAFAC022	8	12	0	0	1	1.1	3.6	0.34	5.2	0.1
MAFAC019	48	52	0.05	0	27	7.8	11.9	0.4	4.4	0.11	MAFAC022	12	16	0	0	0	3.3	3.1	0.38	4.5	0.07
MAFAC019	52	56	0.04	0	2	8.7	11.1	0.35	3.5	0.23	MAFAC022	16	20	0	0	0	3.1	3.8	0.33	4.2	0.06
MAFAC019	56	60	0.04	0.5	9	8.6	8.9	0.35	4.5	0.16	MAFAC022	20	24	0	0	0	5.2	4.5	0.37	3.9	<0.05
MAFAC019	60	64	0.04	0.5	4	8.4	9.3	0.32	4.5	0.19	MAFAC022	24	28	0.01	0	0	8.7	10.5	0.34	35.2	0.14
MAFAC019	64	68	0.04	0.7	7	10.3	12.1	0.38	6.9	0.2	MAFAC022	28	32	0.01	0	0	15.3	9.2	0.29	11.9	<0.05
MAFAC019	68	72	0.05	0.6	7	8.4	9.9	0.41	5	0.45	MAFAC022	32	36	0.01	0	3	24	8	0.22	8.2	<0.05
MAFAC019	72	74	0.06	0	6	11.6	68.6	0.9	2.3	0.12	MAFAC022	36	40	0.02	0	0	14.4	7.5	0.22	9.1	<0.05
MAFAC020	0	4	LNR	LNR	LNR	LNR	LNR	LNR	LNR	LNR	MAFAC022	40	44	0.02	0	4	11	7.9	0.41	4.8	0.84
MAFAC020	4	6	0.01	3.3	31	9.2	26.3	0.84	9.2	0.07	MAFAC022	44	48	0.03	0.6	10	9.5	11.2	0.48	3.3	1.58
MAFAC020	6	10	0	2.3	7	3.2	10	0.46	7.3	0.13	MAFAC022	48	52	0.02	0	6	9.4	18.3	0.57	3.9	1.15
MAFAC020	10	14	0	1.3	5	5.5	12.2	0.18	13	0.13	MAFAC022	52	56	0.03	0	9	8	8.1	0.31	3.8	0.34
MAFAC020	14	18	0	0	1	6.3	20.1	0.17	5.5	<0.05	MAFAC022	56	60	0.03	0	4	6.9	8.3	1.47	3.8	0.63
MAFAC020	18	22	0	0	0	9.9	10.3	0.28	12.9	<0.05	MAFAC022	60	64	0.03	0	6	6.2	6.9	0.37	3.7	0.59
MAFAC020	22	26	0.02	0	0	20.3	7.9	0.35	10.9	<0.05	MAFAC022	64	69	0.03	0	5	8.7	24.3	0.46	3.7	1.1
MAFAC020	26	30	0.02	0	2	19	9	0.52	5.7	<0.05	MAFAC023	0	4	0.02	3.1	41	8.6	32.1	1	7.5	0.38
MAFAC020	30	34	0.02	0	10	9.4	8.9	0.32	4.6	<0.05	MAFAC023	4	8	0.00	0.9	12	1.8	16.1	0.18	2.3	0.09
MAFAC020	34	38	0.03	0	96	8.6	12.3	0.36	4.7	<0.05	MAFAC023	8	12	0.00	0	3	12.6	107	0.17	12.4	<0.05
MAFAC020	38	42	0.02	0	14	8.7	8.8	0.34	4	0.07	MAFAC023	12	16	0.00	0	3	22.2	67.2	0.26	10.4	<0.05
MAFAC020	42	46	0.03	0	49	7.4	8.4	0.33	4	0.1	MAFAC023	16	20	0.01	0.5	9	21.2	35.4	0.69	7.9	0.13
MAFAC020	46	50	0.03	0	378	6	7.5	0.29	3.2	0.11	MAFAC023	20	24	0.00	0.7	0	12.7	24.1	0.49	8.3	0.14
MAFAC020	50	54	0.02	0	45	5.9	8	0.31	3.7	0.12	MAFAC023	24	28	0.01	0.6	0	10.6	14.2	0.36	4.6	0.41
MAFAC020	54	58	0.03	0	28	7.3	8.9	0.38	4.3	0.12	MAFAC023	28	32	0.02	0	0	8.3	7.1	0.24	4.2	<0.05
MAFAC020	58	62	0.02	0	3	6	7.9	0.37	3.4	0.13	MAFAC023	32	36	0.02	0	6	10.1	7.5	0.24	4.5	<0.05
MAFAC020	62	66	0.04	0	10	6.3	7.3	0.36	3.9	0.19	MAFAC023	36	40	0.01	0.5	1	8.8	7.4	0.24	4.2	<0.05
MAFAC020	66	70	0.03	0	12	6.4	7.6	0.31	4.1	0.27	MAFAC023	40	44	0.06	0.5	1	9	9.9	0.27	3.4	<0.05
MAFAC020	70	74	0.03	1	6	15.7	47.7	0.48	3.7	0.13	MAFAC023	44	48	0.05	0.5	1	8.9	12.1	0.29	4	<0.05
MAFAC020	74	78	0.02	0	6	6.6	9	0.35	4	0.28	MAFAC023	48	52	0.05	0	1	8	7.2	0.36	3	0.12
MAFAC020	78	79	0.02	0	3	7	8.2	0.57	4.4	0.3	MAFAC023	52	56	0.05	0	3	10.6	20.9	0.41	3	0.22
MAFAC021	0	4	0.03	5.3	20	10.5	25.5	1.42	10.7	0.07	MAFAC023	56	60	0.03	0.5	1	8.6	19.6	0.41	4.2	0.14
MAFAC021	4	8	0	2	8	2.2	10.8	0.73	4.7	0.17	MAFAC023	60	64	0.02	0	1	7.5	9.3	0.4	3.6	0.22
MAFAC021	8	12	0	0	2	1.4	5.7	0.25	3.7	0.12	MAFAC023	64	68	0.03	0.5	3	7.5	11.9	0.4	3.3	0.33
MAFAC021	12	16	0	0	0	1.5	7.4	0.29	5.2	0.1	MAFAC023	68	72	0.02	0	1	6.4	8.4	0.37	4.2	0.15
MAFAC021	16	20	0.02	0	0	4.1	20.4	0.25	4.1	0.11	MAFAC023	72	76	0.02	0	1	6.8	9.3	0.43	3.9	0.22
MAFAC021	20	24	0.01	0	1	6.4	28.4	0.16	6.7	<0.05	MAFAC023	76	80	0.03	0	1	7	8.2	0.42	3.4	0.31
MAFAC021	24	28	0	0.6	7	9.1	42.2	0.47	3.8	0.07	MAFAC024	0	4	0.01	3.2	32	7.5	25.5	0.78	7	0.12
MAFAC021	28	32	0	0	2	9.9	12.6	0.33	3.8	<0.05	MAFAC024	4	8	0.00	1	12	1.4	12.5	0.24	5.7	0.27
MAFAC021	32	36	0.02	0	9	11.7	13.3	0.29	4.5	<0.05	MAFAC024	8	12	0.00	0	1	11	9.7	0.19	8	<0.05
MAFAC021	36	40	0.03	0	19	12.7	9.4	0.29	4.8	<0.05	MAFAC024	12	16	0.00	1	1	4.8	9.6	0.26	5.9	0.38
MAFAC021	40	44	0.02	0	7	8.9	26.7	0.36	4.1	0.3	MAFAC024	16	20	0.00	0.7	1	3.5	13.8	0.32	9.9	0.24
MAFAC021	44	48	0.03	0	10	7.7	11.6	0.35	3.6	0.09	MAFAC024	20	24	0.00	0.5	1	9.4	12.3	0.29	8.7	0.41
MAFAC021	48	52	0.03	0	29	6.8	8.6	0.38	3.7	0.09	MAFAC024	24	28	0.03	1	2	3	9.8	0.32	5.5	0.36
MAFAC021	52	56	0.03	0	5	7.2	7.4	0.37	3.9	0.09	MAFAC024	28	32	0.00	0.9	2	3.9	12	0.34	6	0.48
MAFAC021	56	60	0.04	0	7	7.4	12.6	0.4	3.8	0.16	MAFAC024	32	36	0.04	1.2	83	6.9	11.7	0.28	4.5	0.21
MAFAC021	60	64	0.03	0	6	6.2	10.2	0.35	3	0.14	MAFAC024	36	40	0.05	0.7	2	6.5	9.4	0.3	4.5	<0.05
MAFAC021	64	68	0.04	0	16	7.1	8.4	0.32	3.5	0.46	MAFAC024	40	44	0.04	0	3	6.6	13.4	1.16	4.6	<0.05
MAFAC021	68	72	0.04	0	3	6.2	12.1	0.34	3.8	0.12											
MAFAC021	72	76	0.04	0	13	5.7	8.8	0.35	3.4	0.21											

Hole_Id	Depth_From	Depth_To	Ag_ppm	As_ppm	Au_ppb	Co_ppm	Cu_ppm	Mo_ppm	Pb_ppm	W_ppm	Hole_Id	Depth_From	Depth_To	Ag_ppm	As_ppm	Au_ppb	Co_ppm	Cu_ppm	Mo_ppm	Pb_ppm	W_ppm
MAFAC027	52	56	0.04	0.9	68	8.2	10.8	0.34	4.6	0.45	MAFAC031	56	60	0.03	1	2	13.9	29.6	0.34	3	0.18
MAFAC027	56	60	0.05	0.9	106	9	14.3	0.4	5.2	0.52	MAFAC031	60	64	0.03	0	1	8.8	16.8	0.43	3.7	0.56
MAFAC027	60	63	0.06	0.8	40	16.4	81.9	0.57	5.7	0.36	MAFAC031	64	68	0.04	0.7	9	15	60.3	0.51	3.3	0.58
MAFAC028	0	4	0.02	3.4	18	11.9	21.9	0.85	10.4	0.23	MAFAC032	0	4	0.01	4	25	10.2	32.7	0.96	8.4	0.32
MAFAC028	4	8	0	0.7	12	2.3	11.5	0.21	3.1	0.15	MAFAC032	4	8	0.00	0.7	3	2.5	15.9	0.34	3.2	0.2
MAFAC028	8	12	0	0	8	5.4	14	0.28	3	0.08	MAFAC032	8	12	0.00	0.9	2	4.7	23	0.31	3	0.12
MAFAC028	12	16	0	0.6	2	15.3	18.8	0.19	4.7	<0.05	MAFAC032	12	16	0.00	0	2	49.8	168	0.41	10.5	<0.05
MAFAC028	16	20	0.01	0.9	2	24.7	53.9	0.28	8.4	<0.05	MAFAC032	16	20	0.04	0	12	49.7	192	0.6	3.5	0.07
MAFAC028	20	24	0.02	1.6	2	17.8	27.5	0.24	10.3	<0.05	MAFAC032	20	24	0.03	0.5	2	13.1	33.8	0.43	4.4	0.13
MAFAC028	24	28	0.04	0	1	6	8.9	0.45	3.5	<0.05	MAFAC032	24	28	0.04	0	10	11	23	0.49	4	0.29
MAFAC028	28	32	0.12	0	5	11	7.9	0.32	6.1	<0.05	MAFAC032	28	32	0.03	1.4	15	6.5	25.1	0.55	5.2	0.34
MAFAC028	32	36	0.05	0.7	25	11.8	11.2	0.37	4.3	<0.05	MAFAC032	32	36	0.03	0	23	8.8	20.4	0.5	3.9	0.16
MAFAC028	36	40	0.03	0	11	9.6	8.4	0.39	5.1	0.06	MAFAC032	36	40	0.04	0.7	121	7.8	13.9	0.56	4.2	0.25
MAFAC028	40	44	0.03	0	9	8.3	9.7	0.43	4.2	0.16	MAFAC032	40	44	0.04	0.8	77	14.1	28	0.55	3.5	0.38
MAFAC028	44	48	0.04	0.5	20	8.6	13.9	0.47	4.7	0.11	MAFAC032	44	48	0.01	0.6	9	25.3	40.8	0.41	2.6	0.21
MAFAC028	48	53	0.04	0	60	11.7	35.6	0.46	4.7	0.13	MAFAC032	48	52	0.01	0.9	3	26.2	35	0.46	2.2	0.31
MAFAC029	0	4	0.00	3.2	9	8.3	22	0.79	6.7	0.16	MAFAC032	52	56	0.04	0.7	7	12.7	14.7	0.44	3.7	0.26
MAFAC029	4	8	0.00	2.6	5	3	12.4	0.29	3.3	0.08	MAFAC032	56	60	0.03	0.6	53	8.9	11.9	0.44	3.2	0.34
MAFAC029	8	12	0.00	2.9	2	5	31.1	0.49	4.4	0.37	MAFAC032	64	68	0.04	0.7	40	10.8	39.2	0.5	3.6	0.93
MAFAC029	12	16	0.00	0	1	10.5	18.5	0.49	10.3	0.26	MAFAC033	0	4	0.00	1.5	17	8.6	35.4	0.68	6.7	0.41
MAFAC029	16	20	0.00	0.9	2	9.3	22	0.64	5.9	0.51	MAFAC033	4	8	0.00	0	3	7.8	83.3	0.32	6.9	0.06
MAFAC029	20	24	0.05	0.6	1	14.6	13.4	0.26	10.4	0.22	MAFAC033	8	12	0.00	0	1	4.8	48.7	0.4	3.9	0.07
MAFAC029	24	28	0.08	0	1	11.1	12.2	0.28	7	0.06	MAFAC033	12	16	0.00	0.5	1	3.6	19.2	0.52	2.7	0.19
MAFAC029	28	32	0.04	0.9	2	18.1	15.2	0.38	5.5	0.14	MAFAC033	16	20	0.00	0.7	1	10.1	34.2	2.15	6.6	0.2
MAFAC029	32	35	0.09	0.6	19	28.7	106	0.37	5.9	<0.05	MAFAC033	20	24	0.02	0	2	11.7	13.6	0.81	3.9	0.1
MAFAC030	0	4	0.01	3.4	8	7.8	25.1	0.8	8.3	0.09	MAFAC033	24	28	0.02	0.7	5	8.3	9.8	0.6	3.7	0.28
MAFAC030	4	8	0.00	2.9	9	5	32.3	0.52	4.9	0.1	MAFAC033	28	32	0.02	0.6	21	6.4	7.9	0.56	3	0.18
MAFAC030	8	12	0.00	2.5	7	8.5	22.2	0.64	6.7	0.15	MAFAC033	32	36	0.03	0.8	16	6.2	8.3	0.5	6.2	0.31
MAFAC030	12	16	0.00	0.8	3	10.1	17.2	0.47	3.7	0.27	MAFAC033	36	40	0.03	0	13	6.4	9.7	0.49	3.4	0.14
MAFAC030	16	20	0.01	0.6	1	12	21.2	0.26	5.5	0.16	MAFAC033	40	44	0.05	0	8	6.9	11.3	0.5	3.2	0.19
MAFAC030	20	24	0.01	0.7	4	15.7	26.5	0.34	7.3	0.07	MAFAC033	44	48	0.03	0.7	27	6.4	17	0.6	2.6	0.42
MAFAC030	24	28	0.02	0.9	1	21.4	13.5	0.49	3.7	0.37	MAFAC033	48	52	0.02	0.7	7	19.3	39	0.41	4.6	0.2
MAFAC030	28	32	0.02	0.7	2	16.3	15	0.37	3.2	0.15	MAFAC033	52	57	0.03	0.7	19	34.7	136	0.57	3.3	0.07
MAFAC030	32	36	0.03	0.9	2	17.4	16	0.68	3	0.34	MAFAC034	0	4	0.00	2.7	31	6.8	25.5	0.63	5.2	0.15
MAFAC030	36	40	0.03	0.7	9	11.6	11.2	0.43	2.9	0.35	MAFAC034	4	8	0.00	1.1	3	3.2	17.5	0.42	3	0.3
MAFAC030	40	45	0.04	0.6	4	19.7	56.9	0.63	3.5	0.12	MAFAC034	8	12	0.00	0.6	1	2.1	10.6	0.32	2.5	0.21
MAFAC031	0	4	0.01	2.8	20	6.5	26.7	0.94	7.1	0.12	MAFAC034	12	16	0.00	0.6	1	4.3	24.5	0.34	4.2	0.11
MAFAC031	4	8	0.00	1.2	4	1.9	10.6	0.35	2.8	0.35	MAFAC034	16	20	0.00	0.9	3	8	60.7	0.43	11	0.15
MAFAC031	8	12	0.00	1.6	2	1.9	13.5	0.49	3.6	0.13	MAFAC034	20	24	0.00	0.8	1	6.9	25.1	0.35	3.9	0.16
MAFAC031	12	16	0.00	1	1	2.8	15.8	0.55	6.5	0.22	MAFAC034	24	28	0.00	0.6	4	9.3	21.6	0.45	3.4	0.05
MAFAC031	16	20	0.00	1.1	1	7.6	24.4	0.43	6.9	0.13	MAFAC034	28	32	0.02	0	24	7	20.5	0.49	2.7	0.07
MAFAC031	20	24	0.03	0.6	14	101	211	0.77	13.5	0.11	MAFAC034	32	36	0.03	0.7	35	6.4	34.8	0.52	3.6	0.21
MAFAC031	24	28	0.04	0.5	6	35.8	154	0.77	4.2	0.05	MAFAC034	36	40	0.05	0.8	16	10.2	26.3	0.49	5.9	0.16
MAFAC031	28	32	0.04	0.9	4	19.2	38.8	0.42	5.4	0.09	MAFAC034	40	42	0.04	0.8	11	24.8	164	0.79	3.7	0.13
MAFAC031	32	36	0.01	0.7	68	36	52.1	0.68	2.9	0.07	MAFAC035	0	4	0.00	2.5	18	5.9	19.1	0.59	5.7	0.11
MAFAC031	36	40	0.02	1	14	25	43.6	0.51	2	0.47	MAFAC035	4	8	0.00	1.1	3	2.2	10.3	0.28	3.4	0.31
MAFAC031	40	44	0.04	0.7	43	14	35.2	0.41	3.8	0.14	MAFAC035	8	12	0.00	1.6	1	1.5	10.6	0.44	3.2	0.6
MAFAC031	44	48	0.02	0.8	6	12.5	39.4	0.52	5	0.12	MAFAC035	12	16	0.00	1.1	1	2	13.1	0.42	5.1	0.31
MAFAC031	48	52	0.04	0.7	9	13.7	36.6	0.41	2.6	0.25	MAFAC035	16	20	0.00	1.2	1	2.6	17	0.53	5.5	0.1
MAFAC031	52	56	0.03	1	5	17.3	40.1	0.43	3.3	0.26	MAFAC035	20	24	0.00	1.8	1	5.3	41.7	1.05	4.8	0.05
											MAFAC035	24	28	0.00	0.8	2	9.1	87.4	0.47	9.7	<0.05

Hole_Id	Depth_From	Depth_To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm	Hole_Id	Depth_From	Depth_To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
MAFAC035	28	32	0.17	0.9	532	17.7	100	0.96	11.1	0.85	MAFAC039	32	36	0.04	0.8	1	9	11.2	0.73	4.1	0.07
MAFAC035	32	36	0.04	1.8	22	48.8	228	0.79	3.8	0.08	MAFAC039	36	40	0.04	0.9	1	8	9.4	0.54	4.6	0.1
MAFAC035	36	38	0.07	0.6	77	43.4	208	0.91	3.4	0.07	MAFAC039	40	42	0.03	0.9	8	10.1	25.9	0.62	4.3	0.23
MAFAC036	0	4	0.01	2.7	20	6.5	27.2	0.84	5.8	0.16	MAFAC040	0	4	0.01	2.2	6	6.9	14.1	0.69	5.6	0.15
MAFAC036	4	8	0.00	1.1	3	4.9	12.9	0.37	2.3	0.34	MAFAC040	4	8	0.00	0.7	2	1.2	4	0.31	1.8	0.09
MAFAC036	8	12	0.00	0.6	1	4.1	7	0.34	4.2	0.12	MAFAC040	8	12	0.00	1.1	1	1.3	5.4	0.35	2.4	0.29
MAFAC036	12	16	0.00	1.3	2	2	12.4	0.38	3.6	0.15	MAFAC040	12	16	0.00	1	1	3.6	8	0.44	4.5	0.09
MAFAC036	16	20	0.00	0.9	3	2.7	11.7	0.39	6.3	0.14	MAFAC040	16	20	0.03	0.9	8	47.4	54.5	0.84	14.4	<0.05
MAFAC036	20	24	0.00	0.8	28	3.8	14.9	0.41	11.7	0.2	MAFAC040	20	24	0.05	0	20	50.8	151	0.65	2.9	0.06
MAFAC036	24	28	0.03	1.1	5	8.1	22.7	0.6	7.6	0.62	MAFAC040	24	28	0.05	0.8	4	15.4	14.9	0.76	3.7	<0.05
MAFAC036	28	32	0.03	1.1	2	5.3	20.6	0.49	5	0.46	MAFAC040	28	33	0.04	1	2	13.4	13.1	0.66	4.3	0.09
MAFAC036	32	36	0.08	2	62	6.3	34.6	0.68	4.3	2.29	MAFAC041	0	4	0.00	2.1	17	5.4	9.8	0.38	4.3	0.11
MAFAC036	36	40	0.08	0	207	40.9	193	0.92	3.2	0.74	MAFAC041	4	8	0.00	0.6	3	1.6	5.6	0.13	1.2	0.12
MAFAC037	0	4	0.15	3.2	23	7.1	27.4	0.86	7.1	0.26	MAFAC041	8	12	0.00	1	4	7.8	53	1.26	3.7	0.08
MAFAC037	4	8	0.00	1.1	23	1.6	11.2	0.26	2	8.13	MAFAC041	12	16	0.00	0	4	46.4	204	0.69	11.7	<0.05
MAFAC037	8	12	0.00	2.7	5	2.6	13.7	0.49	1.9	74	MAFAC041	16	20	0.02	0	3	110	234	0.93	3.9	<0.05
MAFAC037	12	16	0.00	1.2	3	1.9	11.9	0.37	1.6	7.07	MAFAC041	20	24	0.05	0	35	56	222	0.76	3	<0.05
MAFAC037	16	20	0.00	0.9	1	2.2	7.7	0.25	1.6	1.52	MAFAC041	24	28	0.15	0	8	19.8	58	0.95	3.8	0.06
MAFAC037	20	24	0.01	2	7	2.7	18	0.64	2.7	0.8	MAFAC041	28	32	0.08	0.6	3	7.7	13.5	0.43	4.2	0.1
MAFAC037	24	28	0.00	2.3	23	5.9	30.8	0.98	4.1	2.42	MAFAC041	32	36	0.05	0.8	3	8	17.4	0.55	3.9	0.45
MAFAC037	28	32	0.03	0	224	2.1	13.1	0.39	4.2	1.57	MAFAC041	36	40	0.02	0.5	25	5.8	7.9	0.57	3.4	0.28
MAFAC037	32	36	0.05	0	46	3.3	11.7	0.34	5.8	0.72	MAFAC041	40	44	0.04	0	2	6.4	7	0.49	4.1	0.2
MAFAC037	36	40	0.33	1.3	52	3.5	39.5	0.56	18.3	0.11	MAFAC041	44	48	0.02	0	2	6.1	45.6	0.47	3.1	0.3
MAFAC037	40	44	0.20	1.8	6	12.7	75.6	0.63	24.7	0.15	MAFAC041	48	52	0.04	0	47	7.9	65.2	0.6	3.5	1.32
MAFAC037	44	48	0.08	0	12	33.8	181	0.72	4.9	0.23	MAFAC041	52	56	0.03	0	29	6.8	11.9	0.52	3.2	1.32
MAFAC037	48	52	0.09	0.6	67	29.3	119	0.83	6.6	0.16	MAFAC041	56	60	0.04	1.2	131	6.3	22.9	0.54	2.5	1.53
MAFAC037	52	56	0.06	1.2	8	8.8	21.5	0.93	2.4	0.67	MAFAC041	60	62	0.02	1.2	11	7.5	10.9	0.65	3.4	0.74
MAFAC037	56	60	0.05	1.8	12	8.3	28.5	1.93	1.7	6.63	MAFAC042	0	4	0.01	1.8	11	5.5	14.3	0.54	4.5	0.13
MAFAC037	60	64	0.04	0.7	29	6.3	11.9	0.74	1.8	2.93	MAFAC042	4	8	0.00	1.3	9	3.2	7.3	0.47	2.8	0.15
MAFAC037	64	68	0.03	0.9	24	7.2	14.4	0.61	2	1.67	MAFAC042	8	12	0.01	1.1	18	4.8	14.9	0.48	2.8	0.15
MAFAC037	68	70	0.08	3.1	101	9.4	32.4	4.22	2.6	7.16	MAFAC042	12	16	0.04	0.8	26	12.4	17	0.33	2	<0.05
MAFAC038	0	4	0.07	0	3	20.1	44.1	0.58	4.1	0.11	MAFAC042	16	20	0.00	1.4	9	14.4	25.9	0.35	4.1	<0.05
MAFAC038	4	8	0.03	0.8	7	12.4	8.9	0.41	4.9	0.13	MAFAC042	20	24	0.01	0	16	6.9	23.2	0.35	6.1	0.1
MAFAC038	8	12	0.06	3.2	184	26.8	12.3	0.95	32.2	0.2	MAFAC042	24	28	0.02	0.7	5	25.9	87.6	0.41	3.9	<0.05
MAFAC038	12	16	0.05	1.4	8	25.5	38.5	0.75	21.6	0.17	MAFAC042	28	32	0.04	2.3	5	36.2	116	0.58	4	<0.05
MAFAC038	16	20	0.00	0	1	5.1	23.9	0.54	8.3	0.06	MAFAC042	32	36	0.03	0.6	1	8.1	6.8	0.33	3.4	<0.05
MAFAC038	20	24	0.00	0	1	4.8	20.5	0.37	5.3	0.07	MAFAC042	36	40	0.05	0.6	1	9.1	14.5	0.42	2.9	0.07
MAFAC038	24	28	0.00	0.5	1	2.9	18.6	0.37	4	0.28	MAFAC042	40	44	0.04	0	2	7.9	8.5	0.34	2.9	0.18
MAFAC038	28	32	0.00	1.3	2	2.8	24.5	0.27	5	0.12	MAFAC042	44	48	0.03	0	15	30	34.2	0.72	2.3	0.15
MAFAC038	32	36	0.00	1.5	6	4.1	16	0.33	4.5	0.3	MAFAC042	48	52	0.03	0.5	2	9.2	9.6	0.46	3.6	0.41
MAFAC038	36	40	0.01	4.3	16	15.5	24.3	1.06	11.4	0.26	MAFAC042	52	56	0.03	0.5	4	6.6	6.7	0.36	3.5	0.46
MAFAC039	0	4	0.01	3	33	7.9	16.1	0.75	7.2	0.08	MAFAC042	56	60	0.03	0	2	7.4	10.2	0.5	3.7	0.95
MAFAC039	4	8	0.00	0.5	3	1.3	6.9	0.3	2.4	0.14	MAFAC042	60	66	0.02	0	17	7.6	9.8	0.54	4.4	1.02
MAFAC039	8	12	0.00	0.6	2	1.8	7.4	0.39	3	0.12	MAFAC042	64	66	0.02	0	1	5.3	6.1	0.42	2.8	0.82
MAFAC039	12	16	0.00	0.8	1	1.1	5.4	0.36	3	0.17	MAFAC043	0	4	0.01	3.4	16	4.1	12.8	1.01	9.9	0.19
MAFAC039	16	20	0.00	0	1	1.1	5.5	0.34	2.9	0.14	MAFAC043	4	8	0.00	1.8	14	7	15.9	0.45	4.4	0.08
MAFAC039	20	24	0.00	0	1	2.9	11.8	0.32	7.8	<0.05	MAFAC043	8	12	0.00	1.7	9	5.1	17	0.31	5.1	0.13
MAFAC039	24	28	0.08	1.3	2	22.2	27.2	0.59	7.4	0.09	MAFAC043	12	16	0.00	0.5	2	7.4	10.8	0.45	2.6	0.15
MAFAC039	28	32	0.04	1.4	41	40.1	108	0.67	3.7	0.06	MAFAC043	16	20	0.00	0.8	1	7.7	13.4	0.46	4.3	0.23

Hole_Id	Depth_From	Depth_To	Ag_ppm	As_ppm	Au_ppb	Co_ppm	Cu_ppm	Mo_ppm	Pb_ppm	W_ppm	Hole_Id	Depth_From	Depth_To	Ag_ppm	As_ppm	Au_ppb	Co_ppm	Cu_ppm	Mo_ppm	Pb_ppm	W_ppm
MAFAC043	20	24	0.00	1	5	6.9	27	0.55	6.4	0.28	NSTAC001	48	52	0.04	0.6	175	10.4	22	0.3	4.7	0.42
MAFAC043	24	28	0.02	0.5	1	4	21.8	0.35	4.4	0.19	NSTAC001	52	56	0.02	0	15	8.2	8.4	0.37	3.2	0.52
MAFAC043	28	32	0.02	1	3	70.3	173	0.76	10.5	0.07	NSTAC001	56	60	0.02	0	22	6.7	7.9	0.54	2.8	0.4
MAFAC043	32	36	0.04	0	7	36.6	142	0.63	3.9	<0.05	NSTAC001	60	64	0.02	0	4	6.3	8	0.38	2.9	0.45
MAFAC043	36	40	0.03	0	4	8.7	16.2	0.38	4.4	0.06	NSTAC001	64	68	0.02	0.5	2	6.2	7.3	0.37	3	0.7
MAFAC043	40	44	0.03	0	2	6.8	7.2	0.36	3.7	0.16	NSTAC001	68	72	0.02	0.5	7	6.1	8.2	0.74	2.9	1.05
MAFAC043	44	48	0.03	0	26	8.1	11.5	2.13	3.6	0.42	NSTAC001	72	77	0.02	0	2	5.9	7.5	0.43	2.8	1.36
MAFAC043	48	52	0.01	0	9	7.8	7.1	0.48	3	0.37	NSTAC002	0	4	0.02	4.8	9	5.2	22.4	1.41	9.5	0.1
MAFAC043	52	56	0.02	0	5	10.5	23	0.48	2.9	0.35	NSTAC002	4	8	0.00	3.2	20	9.5	15.3	2	7.8	0.06
MAFAC043	56	60	0.04	0	2	9.3	12.3	0.47	3.1	0.26	NSTAC002	8	12	0.00	1.4	5	2.3	3	0.91	5.5	<0.05
MAFAC043	60	64	0.03	0	4	8.5	15.3	1.09	3.6	0.58	NSTAC002	12	16	0.00	0	2	1.6	4.1	0.31	5	<0.05
MAFAC043	64	68	0.02	0	4	8	9.2	0.42	3.4	1.95	NSTAC002	16	20	0.00	0.7	0	1.5	8	0.27	2.8	<0.05
MAFAC043	68	73	0.03	0	6	7.9	9.5	0.36	2.3	1.36	NSTAC002	20	24	0.01	0	0	0.5	2.9	0.12	1.8	<0.05
MAFAC044	0	4	0.00	4.2	11	5.3	15.2	1.25	7.5	0.17	NSTAC002	24	28	0.01	0.9	0	0.6	4.9	0.21	3.2	0.08
MAFAC044	4	8	0.00	1.6	1	2.7	7.4	0.34	2.9	0.25	NSTAC002	28	32	0.00	0	0	0.4	5.3	0.29	2.1	<0.05
MAFAC044	8	12	0.00	1	0	3.2	7.5	0.33	2.7	0.54	NSTAC002	32	36	0.00	2	0	1	17.9	0.26	4.5	0.29
MAFAC044	12	16	0.00	0	0	3.2	7.3	0.26	4.3	0.08	NSTAC002	36	40	0.00	3.1	0	2.5	16.3	0.25	4.1	2.13
MAFAC044	16	20	0.00	0.7	0	2.7	9.6	0.31	4.7	0.2	NSTAC002	40	44	0.00	1.6	0	1.2	12.9	0.33	6.5	0.59
MAFAC044	20	24	0.01	0	0	1.9	10.7	0.39	9.7	0.22	NSTAC002	44	48	0.02	0	0	0.8	9.6	0.14	8.4	<0.05
MAFAC044	24	28	0.00	1.8	0	7.5	47.2	0.71	15	<0.05	NSTAC002	48	52	0.00	0	0	1	8.5	0.09	19.2	<0.05
MAFAC044	28	32	0.03	1.3	0	20.9	47.4	0.37	6.2	<0.05	NSTAC002	52	56	0.01	0	0	0.7	8.8	0.17	19.6	<0.05
MAFAC044	32	36	0.02	1.7	12	46.4	31.4	0.95	6	<0.05	NSTAC002	56	60	0.06	0	1	4.2	36.8	0.13	16.7	<0.05
MAFAC044	36	40	0.03	2.3	7	42.9	140	0.91	7.8	<0.05	NSTAC002	60	64	0.06	2.2	60	44.9	44.2	0.42	10.6	0.23
MAFAC044	40	44	0.04	0	11	21.4	58.9	0.44	2.5	<0.05	NSTAC002	64	68	0.03	1.2	82	7.3	13.6	0.6	6	1.22
MAFAC044	44	48	0.04	0	2	9.8	14.9	0.59	4.5	0.09	NSTAC002	68	72	0.04	1	72	7.6	12	0.38	5.2	1.07
MAFAC044	48	53	0.01	0	3	42.5	50.8	0.62	2.5	0.09	NSTAC002	72	75	0.04	1.1	32	6.1	12.5	0.41	4.6	2.69
MAFAC045	0	4	0.00	4	7	6	13.2	2.89	11	0.13	NSTAC003	0	4	0.02	6.3	63	5.6	18.9	2	12.7	0.08
MAFAC045	4	8	0.00	1.6	2	3.9	4.9	1.08	4.8	0.21	NSTAC003	4	8	0.00	4.2	20	10.1	12.7	1.58	14.6	0.1
MAFAC045	8	12	0.00	0	2	2.8	5.5	0.3	2.8	0.27	NSTAC003	8	12	0.00	0.7	4	3.5	3.8	0.25	1.9	0.16
MAFAC045	12	16	0.00	0	0	2.4	2.1	0.33	3	0.1	NSTAC003	12	16	0.00	0	1	1.9	6.3	0.36	3	0.07
MAFAC045	16	20	0.00	0	0	17.1	2.9	0.35	4.6	0.1	NSTAC003	16	20	0.00	0	0	1.6	6	0.24	2.8	<0.05
MAFAC045	20	24	0.00	0	0	6.3	3.7	0.31	5.4	0.12	NSTAC003	20	24	0.00	0	0	1.1	6.6	0.19	3	0.06
MAFAC045	24	28	0.00	1.9	0	17.6	46.1	0.66	29.9	0.14	NSTAC003	24	28	0.00	0.5	0	0.7	8.8	0.3	3.6	0.06
MAFAC045	28	32	0.00	0.8	0	9.3	21.5	0.4	14.3	0.08	NSTAC003	28	32	0.00	0	0	0.5	7.9	0.24	4.6	<0.05
MAFAC045	32	36	0.02	0	0	20.8	13.3	0.38	9.9	0.13	NSTAC003	32	36	0.00	0.8	0	1.1	11.5	0.29	6.6	0.2
MAFAC045	36	40	0.04	0	2	8.5	8.5	0.36	4	0.18	NSTAC003	36	40	0.00	0	0	1	9.6	0.4	7.6	0.1
MAFAC045	40	45	0.03	0	4	9.5	10.9	0.62	2.8	0.62	NSTAC003	40	44	0.00	0	0	0.6	10.4	0.26	9.8	0.1
NSTAC001	0	4	0.01	3.9	9	6.3	19.4	1.16	6.7	0.13	NSTAC003	44	48	0.00	0.6	0	0.9	14	0.25	17.4	0.08
NSTAC001	4	8	0.00	1.9	7	13.4	15.7	1.32	5.2	0.06	NSTAC003	48	52	0.00	0.5	0	1	13	0.32	10.9	0.1
NSTAC001	8	12	0.00	1.7	18	3.9	3.3	1.9	6.1	0.12	NSTAC003	52	56	0.00	0.6	0	1.7	11.5	0.23	8.8	<0.05
NSTAC001	12	16	0.00	0.9	3	2.5	2.3	0.21	4.1	0.08	NSTAC003	56	60	0.00	0.9	0	3.8	19.4	0.3	11	0.07
NSTAC001	16	20	0.00	0	3	2.2	4.1	0.08	3.3	<0.05	NSTAC003	60	64	0.00	0	0	7.5	19.7	0.36	8.9	0.38
NSTAC001	20	24	0.00	0	2	1.4	6.5	0.21	2.8	0.2	NSTAC003	64	68	0.06	0	5	13.2	17	0.17	8.4	0.21
NSTAC001	24	28	0.00	0	5	3.2	15.1	0.21	6.8	<0.05	NSTAC003	68	72	0.05	0.8	9	12.9	10.6	0.17	7.2	0.55
NSTAC001	28	32	0.01	1.9	3	1.7	13.9	0.25	5.2	<0.05	NSTAC003	72	76	0.02	0.9	62	7.6	7.8	0.32	2.8	0.55
NSTAC001	32	36	0.01	0	1	0.7	4	0.27	13	<0.05	NSTAC003	76	80	0.03	0.6	5	6.8	6.4	0.35	2.8	0.56
NSTAC001	36	40	0.00	1.6	5	4.9	28.5	0.4	10.1	0.2	NSTAC003	80	84	0.03	0	4	7.4	7	0.35	2.7	0.55
NSTAC001	40	44	0.00	1.1	14	6	32	0.38	11.8	0.22	NSTAC003	84	88	0.02	0	2	5.9	6.6	0.32	2.9	0.86
NSTAC001	44	48	0.08	0.6	501	17.2	25.6	0.31	7.8	0.07	NSTAC004	0	4	0.06	6.7	25	6.3	19.4	2.2	23.8	0.12
											NSTAC004	4	8	0.00	3.5	18	6.8	8.1	1.05	5.6	0.14
											NSTAC004	8	12	0.00	1.3	3	1.2	4.9	0.33	3.3	0.16

Hole_Id	Depth _From	Depth _To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm	Hole_Id	Depth _From	Depth _To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
NSTAC004	12	16	0.00	0.5	0	1.1	5.9	0.29	3.5	0.08	NSTAC006	28	32	0.00	0.8	1	1.3	7.1	0.28	7.6	0.09
NSTAC004	16	20	0.00	0.5	0	1.1	6.6	0.28	3.6	0.11	NSTAC006	32	36	0.05	1.9	59	33	12.9	2.48	70.8	5
NSTAC004	20	24	0.00	0.5	0	1.2	11.1	0.29	3.4	0.1	NSTAC006	36	40	0.01	1	1	3.5	6.8	0.38	10.8	0.3
NSTAC004	24	28	0.00	0.8	0	0.9	6.7	0.29	5	0.06	NSTAC006	40	44	0.00	0.9	1	2	9	0.31	11.4	0.09
NSTAC004	28	32	0.00	0.9	0	1	8.1	0.29	4.8	0.06	NSTAC006	44	48	0.00	0.8	3	2.1	15.4	0.35	8.8	0.06
NSTAC004	32	36	0.00	1.4	0	1.2	8	0.31	6.1	0.1	NSTAC006	48	52	0.02	0.8	31	4.4	20	0.36	13.7	0.08
NSTAC004	36	40	0.02	0.7	0	2.5	7.5	0.41	21.7	0.07	NSTAC006	52	56	0.03	3.4	218	9.8	44.3	0.6	16	3
NSTAC004	40	44	0.03	1.1	0	4.5	10.8	0.49	26.7	0.1	NSTAC006	56	60	0.01	1.2	9	8.2	28.6	0.28	8.9	0.22
NSTAC004	44	48	0.02	1.6	0	5.6	39.6	0.45	9.5	0.09	NSTAC006	60	64	0.02	1.5	36	7.9	38.9	0.62	30.5	0.2
NSTAC004	48	52	0.03	4.3	0	38.6	57.2	1.07	6.2	0.47	NSTAC006	64	68	0.02	1.5	4	7.2	23.5	0.32	13.2	0.07
NSTAC004	52	56	0.03	2.1	0	13.4	18	0.28	6.3	0.14	NSTAC006	68	72	0.02	1.6	12	7.1	9.2	0.41	3.9	0.26
NSTAC004	56	60	0.02	0.9	0	11.8	13.9	0.26	9.9	0.08	NSTAC006	72	76	0.03	0	26	6.8	6.4	0.34	4.2	0.09
NSTAC004	60	64	0.02	1	0	10.5	12.7	0.24	9.6	0.08	NSTAC006	76	80	0.03	0.7	5	6.8	6.5	0.33	5.4	0.19
NSTAC004	64	68	0.02	1.1	0	13.1	9	0.23	10.2	0.09	NSTAC006	80	84	0.03	1	12	6.1	7	0.4	4.7	0.56
NSTAC004	68	72	0.03	1	96	12.4	13.7	0.46	5	6.79	NSTAC006	84	88	0.02	0.8	4	5.1	5.7	0.31	4.7	0.59
NSTAC004	72	76	0.04	2.5	260	7.1	47.4	1.45	13	5.64	NSTAC007	0	4	0.02	3.9	16	7.5	20.8	0.7	7.6	0.13
NSTAC004	76	80	0.04	2	811	8	50.9	5.58	9	2.68	NSTAC007	4	8	0.00	1.1	2	20.3	15.7	0.28	2.8	0.23
NSTAC004	80	84	0.04	1.4	255	7.3	27.4	1.19	6.2	1.07	NSTAC007	8	12	0.00	1	1	0.9	9.1	0.3	1.6	0.14
NSTAC004	84	89	0.03	0.9	51	6.1	16.9	0.51	5	2.08	NSTAC007	12	16	0.00	1	1	1.2	8	0.23	2.8	0.08
NSTAC005	0	4	0.05	8.2	75	5.4	16.1	1.76	22.3	0.13	NSTAC007	16	20	0.00	1	1	1.1	8.2	0.22	2.9	0.08
NSTAC005	4	8	0.00	7.3	32	4.5	13.4	0.81	5.1	0.37	NSTAC007	20	24	0.00	0	3	0.9	9.3	0.24	3.8	0.07
NSTAC005	8	12	0.00	2.4	3	2.2	16.5	0.47	4.5	0.13	NSTAC007	24	28	0.00	0	0	1.1	9.4	0.26	4.6	0.1
NSTAC005	12	16	0.00	1.3	1	2	6.8	0.3	5.2	0.1	NSTAC007	28	32	0.00	1	0	1.7	10.1	0.27	5.9	0.16
NSTAC005	16	20	0.00	2.4	2	3	9.1	0.33	3.7	0.69	NSTAC007	32	36	0.00	0.7	0	4.1	7.7	0.34	20.2	0.06
NSTAC005	20	24	0.00	1.6	1	2.3	7	0.27	4.2	0.17	NSTAC007	36	40	0.01	1	0	5.3	8.2	0.38	27.4	0.07
NSTAC005	24	28	0.00	0.7	0	1.9	5.6	0.32	4.6	0.24	NSTAC007	40	44	0.03	1.5	0	4.2	21.8	0.4	41.1	0.26
NSTAC005	28	32	0.00	0.9	0	1.5	5.4	0.31	5.6	0.14	NSTAC007	44	48	0.01	1	0	6.1	30.2	0.24	13.4	0.09
NSTAC005	32	36	0.00	0.7	0	2.1	4.4	0.31	10.3	0.07	NSTAC007	48	52	0.02	1	7	22.4	18.1	0.58	9.1	<0.05
NSTAC005	36	40	0.00	1	0	4.9	5.3	0.39	16.9	<0.05	NSTAC007	52	56	0.02	1.2	2	11.3	9.2	0.46	5.5	0.06
NSTAC005	40	44	0.00	1	0	6.6	7.5	0.45	25.1	0.06	NSTAC007	56	60	0.03	0.6	59	8.7	7.4	0.36	4.5	<0.05
NSTAC005	44	48	0.00	1.8	5	3.8	9.5	0.33	11.3	0.26	NSTAC007	60	64	0.02	0	17	6.9	5.9	0.38	4	0.14
NSTAC005	48	52	0.00	2.1	8	3	12.2	0.35	6.9	0.26	NSTAC007	64	68	0.03	0.6	28	6	4.9	0.35	4.3	0.16
NSTAC005	52	56	0.00	0.7	2	3.7	8.9	0.33	10.2	<0.05	NSTAC007	68	72	0.03	1.3	20	7.6	8.1	0.51	5.1	0.31
NSTAC005	56	60	0.00	0.9	3	5.7	11.4	0.28	8.5	<0.05	NSTAC007	72	76	0.03	1.2	36	6.7	8	0.46	4.5	0.85
NSTAC005	60	64	0.01	0	1	6.9	7.5	0.2	7.2	0.06	NSTAC007	76	80	0.04	2.6	91	5.1	9.5	0.68	3.7	1.19
NSTAC005	64	68	0.00	0.7	1	6.5	6.6	0.18	7.8	<0.05	NSTAC007	80	84	0.03	1	16	6	6	0.44	4.4	0.72
NSTAC005	68	72	0.01	0.7	6	7.5	6.3	0.26	4.7	<0.05	NSTAC008	0	4	0.00	4.4	19	12.2	18.8	0.97	6.6	0.19
NSTAC005	72	76	0.03	0	6	6.6	5.5	0.33	3.4	0.19	NSTAC008	4	8	0.00	0.8	2	2.4	5.3	0.34	2.1	0.17
NSTAC005	76	80	0.03	0.6	8	6.4	6	0.31	3.6	0.15	NSTAC008	8	12	0.00	0.9	1	1.4	5.4	0.3	2.4	0.25
NSTAC005	80	84	0.04	1.3	5	5.8	5.9	0.35	4.1	0.14	NSTAC008	12	16	0.00	0.9	0	1.3	6.9	0.26	2.6	0.28
NSTAC005	84	90	0.04	0.6	2	6.2	5.6	0.36	3.4	0.34	NSTAC008	16	20	0.00	0.7	0	1.3	9.3	0.23	3.8	0.12
NSTAC006	0	4	0.02	5.1	17	5.3	16.4	1.25	9.5	0.61	NSTAC008	20	24	0.00	0.8	0	0.9	9.5	0.35	3.4	0.16
NSTAC006	4	8	0.00	1.2	2	1.2	5.8	0.26	2	0.32	NSTAC008	24	28	0.00	1.1	0	0.7	7.5	0.36	3.9	0.25
NSTAC006	8	12	0.00	0.5	0	1.1	4.3	0.24	2	0.27	NSTAC008	28	32	0.00	1	0	0.8	8.7	0.33	6.1	0.66
NSTAC006	12	16	0.00	0	0	1.1	5.1	0.43	2.3	0.06	NSTAC008	32	36	0.03	0.8	0	7.6	18	0.35	30.7	0.17
NSTAC006	16	20	0.00	0.5	0	1	5.8	0.34	3.4	<0.05	NSTAC008	36	40	0.07	0	0	23.2	38.5	0.38	16.3	0.17
NSTAC006	20	24	0.00	0.7	0	0.7	4.4	0.29	4.2	<0.05	NSTAC008	40	44	0.04	1.6	1	8.2	21.2	0.24	7.1	0.06
NSTAC006	24	28	0.00	0.5	0	0.8	4	0.29	5.4	<0.05	NSTAC008	44	48	0.02	1.1	1	14.3	8.6	0.34	6.6	0.07
											NSTAC008	48	52	0.02	0.7	3	9.5	6.2	0.34	6.4	0.06
											NSTAC008	52	56	0.02	1	6	8.2	4.5	0.38	4.6	<0.05

Hole_Id	Depth From	Depth To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm	Hole_Id	Depth From	Depth To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
NSTAC008	56	60	0.04	0.9	7	8.7	6.2	0.41	5.7	0.09	NSTAC013	20	24	0.00	0.6	1	0.8	3.3	0.27	3.7	0.1
NSTAC008	60	64	0.04	0.9	26	7.6	5.6	0.48	4.3	0.19	NSTAC013	24	28	0.01	0	1	1	4.4	0.22	3.6	<0.05
NSTAC008	64	68	0.02	0.9	2	7.5	6.3	0.37	4.3	0.67	NSTAC013	28	32	0.02	8.5	18	7.1	19.4	0.57	7.7	14.6
NSTAC008	68	72	0.02	0.8	8	8.3	7	0.48	4.3	1.1	NSTAC013	32	36	0.00	0.8	1	2	8.4	0.28	10.4	1.03
NSTAC008	72	76	0.02	0.5	1	6.5	5.4	0.43	3.9	1.05	NSTAC013	36	40	0.04	2.1	7	3.7	19	0.32	19.9	28.7
NSTAC008	76	79	0.02	0.9	3	7.4	6.2	0.48	4.7	1.48	NSTAC013	40	44	0.01	1	1	3.9	13.4	0.31	17.4	11.9
NSTAC009	0	4	0.01	2.9	9	4.9	13.9	0.63	6	0.13	NSTAC013	44	48	0.00	0.6	1	3.3	8.6	0.26	10.5	1.55
NSTAC009	4	8	0.00	1.8	1	1.7	6	0.52	3.6	0.11	NSTAC013	48	52	0.01	0.8	1	3	10.2	0.23	9.7	0.1
NSTAC009	8	12	0.00	1.6	1	1.9	5.2	0.45	4.5	0.06	NSTAC013	52	56	0.00	0	5	3.6	12	0.19	10.5	0.06
NSTAC009	12	16	0.00	1.5	0	1.8	4.5	0.39	5.1	<0.05	NSTAC013	56	60	0.01	0	19	6.2	17.3	0.16	9.9	<0.05
NSTAC009	16	20	0.00	1.3	0	1.4	6	0.41	10.2	0.08	NSTAC013	60	64	0.03	0	5	6.3	15.5	0.16	8	<0.05
NSTAC009	20	24	0.00	1.6	0	1.2	8.5	0.32	14.1	0.06	NSTAC013	64	68	0.07	0	1	4.2	17.4	0.11	7.3	<0.05
NSTAC009	24	28	0.00	3	0	2.9	19.8	0.31	11.5	0.87	NSTAC013	68	72	0.04	0	9	5.6	10.9	0.2	5.6	<0.05
NSTAC009	28	32	0.02	4.3	0	6.9	43.8	1.6	9.3	0.98	NSTAC013	72	76	0.03	0.5	17	9.1	10.6	0.36	3.6	0.16
NSTAC009	32	36	0.01	1.3	0	16	34.4	0.46	8.1	0.09	NSTAC013	76	80	0.03	1.1	26	5.7	15.1	0.54	3.8	2.21
NSTAC009	36	40	0.01	1.7	0	14.5	23.2	0.45	10.9	0.06	NSTAC013	80	84	0.03	0.8	8	5.8	11.6	0.33	2.9	0.82
NSTAC009	40	44	0.00	1.5	6	14.8	10	0.34	6.7	0.06	NSTAC013	84	90	0.04	0.9	4	5.5	6.4	0.47	3.7	0.52
NSTAC009	44	48	0.00	0.8	8	13.3	6.7	0.43	4.8	<0.05	NSTAC014	0	4	0.02	5.3	22	5.2	15.2	3.1	14	0.07
NSTAC009	48	52	0.01	0.8	5	9.1	6.1	0.49	5	0.05	NSTAC014	4	8	0.00	1.1	8	4.5	7.6	0.9	6.9	<0.05
NSTAC009	52	56	0.01	0	15	7.6	5.6	0.41	4.8	0.13	NSTAC014	8	12	0.00	0.6	3	2	9.9	0.59	6.1	<0.05
NSTAC009	56	60	0.01	1.4	6	7.1	6.4	0.38	4.3	0.26	NSTAC014	12	16	0.01	0	4	2.2	10.9	0.15	2.6	<0.05
NSTAC009	60	64	0.01	1.3	4	6.3	6.4	0.41	4	0.39	NSTAC014	16	20	0.01	0	3	1.2	4.5	0.23	1.3	<0.05
NSTAC009	64	68	0.02	1.4	3	6.9	7.1	0.48	4.9	0.73	NSTAC014	20	24	0.00	0.7	0	1	6.2	0.28	2.7	0.11
NSTAC009	68	72	0.02	1.1	2	6	6.4	0.4	3.5	0.57	NSTAC014	24	28	0.00	0.8	0	1	7.6	0.35	4	0.15
NSTAC009	72	76	0.02	1.5	1	5.8	8.2	0.45	3.5	1.07	NSTAC014	28	32	0.00	0.5	0	1	7.2	0.34	5.5	0.1
NSTAC012	0	4	0.05	5	17	5	25.3	3.02	8.8	0.13	NSTAC014	32	36	0.00	0.6	0	1.2	9	0.52	7.7	<0.05
NSTAC012	4	8	0.03	3.4	44	17.1	15.5	3.62	10.4	0.19	NSTAC014	36	40	0.01	0.6	0	2.1	14.5	0.43	12	0.09
NSTAC012	8	12	0.00	2.3	11	5.7	3.2	2.66	8	0.08	NSTAC014	40	44	0.03	0.6	0	1.8	11.1	0.31	12.7	0.08
NSTAC012	12	16	0.00	0.6	3	2.7	11	0.58	7.9	<0.05	NSTAC014	44	48	0.06	1.3	32	3.7	22.3	0.72	17.2	1.87
NSTAC012	16	20	0.00	0	3	2.7	9.8	0.2	4.6	<0.05	NSTAC014	48	52	0.03	0.6	5	4.2	21.4	0.5	10.3	0.11
NSTAC012	20	24	0.00	0	3	1.4	4	0.17	2.2	<0.05	NSTAC014	52	56	0.00	0.7	3	4.5	14.9	0.48	10	0.27
NSTAC012	24	28	0.00	0	0	0.7	3.6	0.23	1.8	0.13	NSTAC014	56	60	0.00	0.6	1	5.6	14.3	0.4	8.4	0.17
NSTAC012	28	32	0.00	0	0	1.3	6.7	0.22	1.7	0.12	NSTAC014	60	64	0.02	0.9	15	6.1	16.6	0.35	8	1.42
NSTAC012	32	36	0.00	0.7	0	3.6	14.9	0.37	4.7	1.51	NSTAC014	64	68	0.00	0	4	5.7	9.9	0.17	7.2	0.06
NSTAC012	36	40	0.04	0.5	0	2.5	18.5	0.6	23.5	1.83	NSTAC014	68	72	0.04	0	33	6.6	7.9	0.3	5.5	<0.05
NSTAC012	40	44	0.10	1.2	0	12.9	26.5	0.66	66.4	10.2	NSTAC014	72	76	0.01	0	10	6.9	6	0.33	2.7	0.2
NSTAC012	44	48	0.07	0.8	35	6	24.4	0.28	7.4	0.73	NSTAC014	76	80	0.02	0.6	5	6.6	5.6	0.34	2.5	0.23
NSTAC012	48	52	0.05	0.7	87	9.2	15.4	0.17	8	0.08	NSTAC014	80	86	0.03	1.1	3	6.2	9	0.47	4.4	0.43
NSTAC012	52	56	0.03	0	25	6.7	11.1	0.13	8.1	<0.05	NSTAC015	0	4	0.05	4.5	58	3.2	18.1	1.6	28.9	0.07
NSTAC012	56	60	0.04	0	12	6	9.3	0.12	9.7	<0.05	NSTAC015	4	8	0.00	2.5	26	10.2	22.7	0.61	6.6	0.06
NSTAC012	60	64	0.04	0	6	5.2	9.3	0.16	5.6	<0.05	NSTAC015	8	12	0.00	1.6	9	6.3	11.1	0.36	3	0.09
NSTAC012	64	68	0.03	0	6	10.9	7.4	0.29	4	0.18	NSTAC015	12	16	0.00	0.8	5	2.6	6.8	0.25	2.2	0.12
NSTAC012	68	72	0.02	0	7	6.6	7	0.38	3.3	0.39	NSTAC015	16	20	0.00	0.8	1	0.8	4.1	0.32	2	0.07
NSTAC012	72	76	0.03	0	1	5.7	6.2	0.33	3	0.46	NSTAC015	20	24	0.00	0.8	2	1.4	4	0.34	2.5	0.17
NSTAC012	76	79	0.04	0.6	24	5.6	11	0.48	3.6	1.44	NSTAC015	24	28	0.00	0.8	0	1.3	4.7	0.36	3.4	0.21
NSTAC013	0	4	0.03	4.8	22	9.1	21.4	2.08	11.2	0.11	NSTAC015	28	32	0.00	0.8	0	1.1	4.3	0.43	4.6	0.12
NSTAC013	4	8	0.00	1.8	15	5.6	10.5	1.9	8.1	0.11	NSTAC015	32	36	0.00	0.8	0	2	6.6	0.4	8.3	0.12
NSTAC013	8	12	0.00	0.7	4	2.3	8.8	0.71	7.4	0.06	NSTAC015	36	40	0.00	1.7	0	2.2	17.1	0.68	17.1	0.98
NSTAC013	12	16	0.00	0	3	2.3	7.3	0.52	3.2	0.1	NSTAC015	40	44	0.00	0.8	0	1.2	12.8	0.55	12.9	0.09
NSTAC013	16	20	0.01	0	2	0.8	2.8	0.23	1.8	0.2	NSTAC015	44	48	0.00	0.9	4	1.4	11.9	0.56	13.8	0.17

Hole_Id	Depth From	Depth To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm	Hole_Id	Depth From	Depth To	Ag ppm	As ppm	Au ppb	Co ppm	Cu ppm	Mo ppm	Pb ppm	W ppm
NSTAC015	48	52	0.02	3.2	171	12.1	21.3	0.91	30.4	21.7	NSTAC018	4	8	0.00	1.9	1	1.3	4.5	0.56	4.1	0.1
NSTAC015	52	56	0.02	1.9	16	6.8	22.4	0.93	29.3	4.08	NSTAC018	8	12	0.00	2.1	1	1.4	5.5	8.75	3.9	0.05
NSTAC015	56	60	0.04	1.1	57	7.4	25.9	0.51	10.4	1.6	NSTAC018	12	16	0.00	1.9	1	2	8.7	0.46	5.1	<0.05
NSTAC015	60	64	0.02	3.3	124	12	18.8	0.57	9.5	2.22	NSTAC018	16	20	0.00	1.9	1	1.9	9.7	3.77	8	0.1
NSTAC015	64	68	0.00	0	78	8.1	6.9	0.34	4	0.22	NSTAC018	20	24	0.00	2	2	3.8	18	0.42	8.2	0.22
NSTAC015	68	72	0.00	0.7	12	6.2	6.9	0.53	3.1	0.63	NSTAC018	24	28	0.00	3.2	3	6.1	36.3	6.4	15.6	0.26
NSTAC015	72	76	0.00	0.6	7	6.7	6.9	0.61	3.3	0.63	NSTAC018	28	32	0.02	2.9	75	15.2	33.4	0.87	12	2.23
NSTAC015	76	79	0.02	1.2	12	8	15.1	0.95	5.2	5.83	NSTAC018	32	36	0.02	1.5	603	7	11.5	11	8	0.15
NSTAC016	0	4	0.05	6.4	33	4	13.8	1.31	13.3	0.32	NSTAC018	36	40	0.01	0.9	96	9.8	6.7	0.56	6.1	0.11
NSTAC016	4	8	0.00	0.7	1	1.9	2.6	0.33	2.7	0.85	NSTAC018	40	44	0.02	0.8	59	10.7	5.2	3.3	5.1	0.11
NSTAC016	8	12	0.00	0.8	0	4.3	2.5	0.32	2.6	0.37	NSTAC018	44	48	0.02	0.8	31	12.2	4.7	0.53	5.4	0.06
NSTAC016	12	16	0.00	0.6	0	3.2	4.2	0.31	1.9	0.09	NSTAC018	48	52	0.01	0.6	16	10.7	4.8	4.2	4.8	0.1
NSTAC016	16	20	0.00	0.7	0	2.9	4.2	0.28	2.2	0.32	NSTAC018	52	56	0.02	0	76	7.2	5.1	0.49	3.7	0.3
NSTAC016	20	24	0.00	0.8	0	1.1	4.1	0.36	4.2	0.12	NSTAC018	56	60	0.01	0.5	10	6.2	5.7	2.32	3.3	0.45
NSTAC016	24	28	0.00	1.3	0	1.6	5.5	0.47	5.3	0.24	NSTAC018	60	64	0.02	0.5	19	6.3	5.5	0.54	3.6	0.41
NSTAC016	28	32	0.00	1.1	1	3.4	6.5	0.39	7.4	0.08	NSTAC018	64	68	0.03	0.7	14	6.7	7.3	8.18	3.5	1.23
NSTAC016	32	36	0.00	1.2	2	4.2	6.5	0.46	21.5	0.14	NSTAC018	68	74	0.03	0	2	7.2	7.1	0.61	3.4	0.62
NSTAC016	36	40	0.00	1.2	2	3.3	8.4	0.53	24.1	0.35	NSTAC019	0	4	0.00	1	4	2.3	7.2	18.5	3.3	0.15
NSTAC016	40	44	0.04	1.5	12	3.9	14.7	0.52	29.2	0.58	NSTAC019	4	8	0.00	0.6	2	2	7.7	4.73	2.7	0.21
NSTAC016	44	48	0.00	1.1	3	3.2	10.9	0.42	14.7	0.22	NSTAC019	8	12	0.00	0.7	0	1.6	6.4	4.05	2.9	0.31
NSTAC016	48	52	0.00	1.2	39	5	17.9	0.39	10.1	0.09	NSTAC019	12	16	0.00	0.5	0	1.2	5.3	3.05	5	0.06
NSTAC016	52	56	0.00	1.1	9	6.5	23.9	0.3	9.9	0.12	NSTAC019	16	20	0.00	0.7	0	0.7	6.8	4.34	4.5	0.07
NSTAC016	56	60	0.00	1.2	12	8.6	15.8	0.26	8.7	0.07	NSTAC019	20	24	0.00	0.6	0	0.7	7	2.75	4.7	0.09
NSTAC016	60	64	0.00	0.7	18	11.5	10.2	1.83	5.4	0.07	NSTAC019	24	28	0.00	1.6	0	0.9	8	2.86	5.7	0.23
NSTAC016	64	68	0.00	0.9	27	10.8	9.8	0.47	5.4	0.29	NSTAC019	28	32	0.02	2.2	0	8.6	14.4	2.51	19.7	0.12
NSTAC016	68	72	0.00	0.8	7	7	7.2	0.35	5.9	0.4	NSTAC019	32	36	0.03	2.5	8	13.2	14.8	1.38	16.1	0.09
NSTAC016	72	76	0.00	0.7	3	8	7.6	0.59	4.6	0.61	NSTAC019	36	40	0.02	0.8	3	19.7	8.7	0.94	5.8	0.06
NSTAC016	76	80	0.01	0.7	2	7.7	8.5	0.44	4.8	0.73	NSTAC019	40	44	0.02	1.9	4	12.3	6.2	0.99	5.3	<0.05
NSTAC016	80	84	0.03	0.8	1	6.5	14.2	0.38	3.8	0.66	NSTAC019	44	48	0.02	0.6	3	8.6	7	0.66	4.5	0.08
NSTAC016	84	86	0.02	0.9	1	8.3	32.4	0.74	2.2	0.48	NSTAC019	48	52	0.02	0.7	2	7.2	5.9	0.59	4.3	0.19
NSTAC017	0	4	0.00	8.4	14	6.9	18.6	0.75	7.5	0.25	NSTAC019	52	56	0.01	0.8	5	6.5	5.7	0.56	3.9	0.33
NSTAC017	4	8	0.00	5.1	2	3.5	18.8	0.23	3.4	0.11	NSTAC019	56	60	0.01	1.1	1	5.9	5.3	8.62	4.1	0.41
NSTAC017	8	12	0.00	2.9	2	2.8	19.3	0.25	4.1	1.06	NSTAC019	60	64	0.02	2.7	3	5.2	4.9	0.59	5.9	0.35
NSTAC017	12	16	0.00	1.8	1	1.7	9	0.33	3.3	0.23	NSTAC019	64	68	0.02	1.7	1	5.3	4.6	12.5	4.5	0.37
NSTAC017	16	20	0.00	1.8	1	1.8	9.5	0.5	5.9	0.09	NSTAC019	68	72	0.02	1.7	1	5.5	6.5	1.66	4.3	0.5
NSTAC017	20	24	0.00	1.5	1	3.2	14.7	0.39	10.1	0.07	NSTAC019	72	75	0.02	1.1	2	5.4	4.8	0.71	4	1.05
NSTAC017	24	28	0.00	1	4	5.2	17.5	0.38	10.7	<0.05	NSTAC020	0	4	0.00	1.6	7	3.9	13.2	0.44	4.4	0.74
NSTAC017	28	32	0.00	1.1	3	5.9	11.2	0.27	13.4	0.08	NSTAC020	4	8	0.00	1.6	0	2	12.2	0.42	7.3	18.2
NSTAC017	32	36	0.00	1.1	22	8.2	8.2	0.27	12.8	0.06	NSTAC020	8	12	0.00	1.5	0	2	8.1	0.44	5.9	4.61
NSTAC017	36	40	0.02	1.4	89	11	8.9	0.36	7.8	<0.05	NSTAC020	12	16	0.00	1.8	0	1	10.8	0.37	6.2	0.72
NSTAC017	40	44	0.00	0.8	322	7	7.7	0.4	5.4	0.08	NSTAC020	16	20	0.00	1.4	0	1	12.5	0.29	5.9	0.09
NSTAC017	44	48	0.00	0	61	10.2	7.2	0.27	6	<0.05	NSTAC020	20	24	0.00	1.3	0	2.8	20.7	0.38	11.2	<0.05
NSTAC017	48	52	0.01	0	15	9.8	6.9	0.43	4.6	0.09	NSTAC020	24	28	0.09	1.8	0	10.8	21.7	0.51	27.8	0.07
NSTAC017	52	56	0.01	0.5	8	8.8	6.4	0.58	4.7	0.19	NSTAC020	28	32	0.04	1.5	0	18.6	12.4	0.46	8.2	<0.05
NSTAC017	56	60	0.01	0	4	7.5	6.4	0.55	3.8	0.23	NSTAC020	32	36	0.01	1.1	3	13.9	6.5	0.36	6.9	<0.05
NSTAC017	60	64	0.00	0	6	7	7.3	0.43	3.4	0.37	NSTAC020	36	40	0.02	0.6	3	9.3	7	0.47	5.1	0.06
NSTAC017	64	68	0.02	0.6	22	6.8	10.8	0.57	3.5	0.67	NSTAC020	40	44	0.02	1.3	20	8.2	6.8	0.41	4.5	0.2
NSTAC017	68	72	0.01	0	8	7	7.9	0.63	3.4	0.61	NSTAC020	44	48	0.01	2.7	13	7.3	6	0.48	4.4	0.15
NSTAC017	72	75	0.01	0	2	6.4	6.8	0.41	3.4	0.39	NSTAC020	48	52	0.01	1.5	7	6.5	5.7	0.49	4.2	0.21
NSTAC018	0	4	0.00	2.4	14	2.7	9.6	0.38	3.8	0.1	NSTAC020	52	56	0.03	1	4	6.8	5.9	0.36	4.3	0.23
											NSTAC020	56	60	0.04	1.4	7	5.6	5.3	0.33	3.9	0.28

Appendix 3. Downhole Composite REE Assays of North Stanmore Mafeking Aircore Drilling

Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm	Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm
Mafeking Bore	MAFAC038	0	4	44	1	20	8	1	45	28	Mafeking Bore	MAFAC042	56	60	18	0	6	6	1	34	5
Mafeking Bore	MAFAC038	4	8	32	1	15	6	0	45	18	Mafeking Bore	MAFAC042	60	66	20	0	7	9	1	30	8
Mafeking Bore	MAFAC038	8	12	46	2	51	5	1	81	80	Mafeking Bore	MAFAC042	64	66	31	1	15	9	1	35	16
Mafeking Bore	MAFAC038	12	16	303	1	220	12	1	48	148	Mafeking Bore	MAFAC043	0	4	15	1	9	21	2	16	8
Mafeking Bore	MAFAC038	16	20	159	0	50	11	1	25	21	Mafeking Bore	MAFAC043	4	8	25	1	4	25	1	11	6
Mafeking Bore	MAFAC038	20	24	45	0	35	14	0	22	8	Mafeking Bore	MAFAC043	8	12	9	2	4	12	0	19	4
Mafeking Bore	MAFAC038	24	28	13	1	7	8	0	44	8	Mafeking Bore	MAFAC043	12	16	8	1	3	15	1	21	4
Mafeking Bore	MAFAC038	28	32	8	1	3	5	0	35	5	Mafeking Bore	MAFAC043	16	20	4	1	5	14	1	27	4
Mafeking Bore	MAFAC038	32	36	11	1	4	9	0	42	5	Mafeking Bore	MAFAC043	20	24	115	1	48	28	1	44	22
Mafeking Bore	MAFAC038	36	40	48	2	22	23	1	47	15	Mafeking Bore	MAFAC043	24	28	48	2	36	18	1	49	19
Mafeking Bore	MAFAC039	0	4	34	2	16	16	1	30	12	Mafeking Bore	MAFAC043	28	32	79	1	37	18	1	35	75
Mafeking Bore	MAFAC039	4	8	38	1	29	4	0	42	4	Mafeking Bore	MAFAC043	32	36	46	1	17	9	1	47	26
Mafeking Bore	MAFAC039	8	12	22	1	12	6	1	39	6	Mafeking Bore	MAFAC043	36	40	39	1	19	6	1	38	21
Mafeking Bore	MAFAC039	12	16	7	1	3	5	0	41	6	Mafeking Bore	MAFAC043	40	44	36	1	17	7	1	45	17
Mafeking Bore	MAFAC039	16	20	14	1	5	5	1	43	6	Mafeking Bore	MAFAC043	44	48	37	1	19	8	2	59	17
Mafeking Bore	MAFAC039	20	24	70	1	14	6	0	37	8	Mafeking Bore	MAFAC043	48	52	34	1	16	7	1	44	20
Mafeking Bore	MAFAC039	24	28	206	3	138	7	1	79	122	Mafeking Bore	MAFAC043	52	56	40	1	17	8	1	45	27
Mafeking Bore	MAFAC039	28	32	63	2	92	7	1	55	208	Mafeking Bore	MAFAC043	56	60	40	1	19	7	1	54	24
Mafeking Bore	MAFAC039	32	36	29	1	14	5	1	38	17	Mafeking Bore	MAFAC043	60	64	35	1	16	7	1	45	21
Mafeking Bore	MAFAC039	36	40	28	1	14	8	1	35	18	Mafeking Bore	MAFAC043	64	68	33	1	15	7	0	43	18
Mafeking Bore	MAFAC039	40	42	32	1	15	8	1	44	20	Mafeking Bore	MAFAC043	68	73	34	0	16	9	0	48	16
Mafeking Bore	MAFAC040	0	4	27	2	13	11	1	46	12	Mafeking Bore	MAFAC044	0	4	29	1	19	22	2	25	15
Mafeking Bore	MAFAC040	4	8	4	1	2	5	0	26	3	Mafeking Bore	MAFAC044	4	8	4	2	2	18	0	20	3
Mafeking Bore	MAFAC040	8	12	9	1	4	8	0	37	4	Mafeking Bore	MAFAC044	8	12	5	2	4	22	0	23	3
Mafeking Bore	MAFAC040	12	16	17	1	4	9	1	25	4	Mafeking Bore	MAFAC044	12	16	6	0	7	22	0	10	2
Mafeking Bore	MAFAC040	16	20	258	1	72	10	1	50	57	Mafeking Bore	MAFAC044	16	20	16	1	15	14	0	28	5
Mafeking Bore	MAFAC040	20	24	78	2	76	9	1	63	187	Mafeking Bore	MAFAC044	20	24	156	1	25	13	0	42	12
Mafeking Bore	MAFAC040	24	28	35	1	19	7	1	48	21	Mafeking Bore	MAFAC044	24	28	100	1	53	11	1	22	36
Mafeking Bore	MAFAC040	28	32	33	0	17	8	1	48	20	Mafeking Bore	MAFAC044	28	32	78	2	61	11	1	55	80
Mafeking Bore	MAFAC041	0	4	26	1	13	11	1	24	10	Mafeking Bore	MAFAC044	32	36	37	2	31	12	2	49	46
Mafeking Bore	MAFAC041	4	8	2	1	1	8	0	17	2	Mafeking Bore	MAFAC044	36	40	45	2	23	12	1	55	39
Mafeking Bore	MAFAC041	8	12	11	2	3	11	2	24	6	Mafeking Bore	MAFAC044	40	44	24	1	13	10	1	40	16
Mafeking Bore	MAFAC041	12	16	82	3	47	6	1	59	26	Mafeking Bore	MAFAC044	44	48	42	1	22	6	1	50	22
Mafeking Bore	MAFAC041	16	20	137	2	47	10	1	55	47	Mafeking Bore	MAFAC044	48	53	17	0	8	26	1	15	16
Mafeking Bore	MAFAC041	20	24	55	2	33	6	1	53	58	Mafeking Bore	MAFAC045	0	4	35	1	11	32	4	14	11
Mafeking Bore	MAFAC041	24	28	38	1	18	8	1	50	21	Mafeking Bore	MAFAC045	4	8	8	1	3	29	1	6	4
Mafeking Bore	MAFAC041	28	32	31	1	15	6	1	52	17	Mafeking Bore	MAFAC045	8	12	8	1	6	20	1	15	2
Mafeking Bore	MAFAC041	32	36	34	1	19	6	1	56	15	Mafeking Bore	MAFAC045	12	16	8	0	4	12	0	9	3
Mafeking Bore	MAFAC041	36	40	29	1	14	5	1	48	14	Mafeking Bore	MAFAC045	16	20	13	1	6	17	0	12	5
Mafeking Bore	MAFAC041	40	44	33	1	17	6	1	43	16	Mafeking Bore	MAFAC045	20	24	13	0	4	16	0	14	4
Mafeking Bore	MAFAC041	44	48	33	1	16	6	1	50	14	Mafeking Bore	MAFAC045	24	28	181	1	177	10	1	25	33
Mafeking Bore	MAFAC041	48	52	33	1	16	8	1	39	17	Mafeking Bore	MAFAC045	28	32	135	7	59	8	1	106	44
Mafeking Bore	MAFAC041	52	56	32	1	16	10	1	40	16	Mafeking Bore	MAFAC045	32	36	253	2	123	8	0	86	148
Mafeking Bore	MAFAC041	56	60	30	1	16	6	1	56	12	Mafeking Bore	MAFAC045	36	40	46	1	25	6	1	62	33
Mafeking Bore	MAFAC041	60	62	30	1	14	9	1	39	13	Mafeking Bore	MAFAC045	40	45	39	1	22	4	1	64	17
Mafeking Bore	MAFAC042	0	4	22	2	10	25	1	25	8	Stanmore	NSTAC001	0	4	26	2	15	17	1	24	11
Mafeking Bore	MAFAC042	4	8	4	1	2	24	1	14	3	Stanmore	NSTAC001	4	8	13	1	7	22	2	8	10
Mafeking Bore	MAFAC042	8	12	4	2	2	16	1	33	3	Stanmore	NSTAC001	8	12	12	0	5	23	3	4	6
Mafeking Bore	MAFAC042	12	16	8	1	5	14	0	24	7	Stanmore	NSTAC001	12	16	5	0	2	18	1	3	3
Mafeking Bore	MAFAC042	16	20	11	0	2	15	0	14	7	Stanmore	NSTAC001	16	20	3	0	2	18	1	4	2
Mafeking Bore	MAFAC042	20	24	61	0	39	12	1	19	23	Stanmore	NSTAC001	20	24	3	1	3	4	0	11	2
Mafeking Bore	MAFAC042	24	28	30	0	10	8	1	33	13	Stanmore	NSTAC001	24	28	8	1	11	15	0	10	3
Mafeking Bore	MAFAC042	28	32	31	0	9	6	1	28	9	Stanmore	NSTAC001	28	32	18	2	13	8	0	22	5
Mafeking Bore	MAFAC042	32	36	33	0	14	6	0	48	14	Stanmore	NSTAC001	32	36	42	0	67	4	1	18	7
Mafeking Bore	MAFAC042	36	40	39	1	18	6	1	62	17	Stanmore	NSTAC001	36	40	87	3	47	5	1	95	14
Mafeking Bore	MAFAC042	40	44	36	0	16	5	0	54	17	Stanmore	NSTAC001	40	44	201	5	96	6	1	111	54
Mafeking Bore	MAFAC042	44	48	22	0	10	22	1	34	12	Stanmore	NSTAC001	44	48	173	11	94	6	0	146	120
Mafeking Bore	MAFAC042	48	52	34	1	15	7	1	37	17	Stanmore	NSTAC001	48	52	39	2	23	7	1	86	34
Mafeking Bore	MAFAC042	52	56	27	1	10	7	0	35	12	Stanmore	NSTAC001	52	56	37	1	20	9	0	44	18
Mafeking Bore	MAFAC042	56	60	27	1	10	7	0	35	12	Stanmore	NSTAC001	56	60	34	1	19	8	0	38	16

Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm	Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm
Stanmore	NSTAC002	60	64	60	3	28	8	1	72	66	Stanmore	NSTAC005	48	52	72	1	14	11	0	65	9
Stanmore	NSTAC002	64	68	36	1	19	8	1	61	17	Stanmore	NSTAC005	52	56	47	0	12	11	1	24	9
Stanmore	NSTAC002	68	72	38	1	20	7	0	57	19	Stanmore	NSTAC005	56	60	71	3	38	13	0	74	14
Stanmore	NSTAC002	72	75	37	1	20	6	1	54	16	Stanmore	NSTAC005	60	64	48	3	80	13	0	171	72
Stanmore	NSTAC003	0	4	27	1	13	22	3	14	12	Stanmore	NSTAC005	64	68	53	1	43	10	0	107	59
Stanmore	NSTAC003	4	8	11	0	6	22	2	5	6	Stanmore	NSTAC005	68	72	41	1	24	7	0	58	22
Stanmore	NSTAC003	8	12	3	1	2	11	0	12	2	Stanmore	NSTAC005	72	76	61	1	35	8	0	56	17
Stanmore	NSTAC003	12	16	4	0	2	7	1	11	2	Stanmore	NSTAC005	76	80	37	1	21	8	0	55	19
Stanmore	NSTAC003	16	20	3	0	2	8	0	10	2	Stanmore	NSTAC005	80	84	39	1	23	7	1	50	19
Stanmore	NSTAC003	20	24	6	1	2	7	0	23	2	Stanmore	NSTAC005	84	90	38	1	22	8	0	48	17
Stanmore	NSTAC003	24	28	11	0	3	5	0	24	2	Stanmore	NSTAC006	0	4	22	1	13	14	2	28	9
Stanmore	NSTAC003	28	32	20	0	3	5	0	6	3	Stanmore	NSTAC006	4	8	4	1	2	8	0	60	11
Stanmore	NSTAC003	32	36	42	0	3	7	0	25	6	Stanmore	NSTAC006	8	12	4	1	2	7	0	50	4
Stanmore	NSTAC003	36	40	47	0	6	8	1	6	6	Stanmore	NSTAC006	12	16	5	0	2	5	1	23	2
Stanmore	NSTAC003	40	44	176	0	8	6	0	9	8	Stanmore	NSTAC006	16	20	5	0	4	5	0	19	2
Stanmore	NSTAC003	44	48	120	0	8	7	0	18	9	Stanmore	NSTAC006	20	24	4	0	4	5	0	9	2
Stanmore	NSTAC003	48	52	64	0	11	7	0	10	9	Stanmore	NSTAC006	24	28	9	0	5	6	1	11	3
Stanmore	NSTAC003	52	56	35	0	14	12	0	5	15	Stanmore	NSTAC006	28	32	36	1	4	7	0	26	4
Stanmore	NSTAC003	56	60	119	1	32	12	0	18	29	Stanmore	NSTAC006	32	36	148	0	6	12	3	23	6
Stanmore	NSTAC003	60	64	98	5	42	13	5	61	36	Stanmore	NSTAC006	36	40	63	0	8	12	0	19	5
Stanmore	NSTAC003	64	68	43	7	89	11	0	142	61	Stanmore	NSTAC006	40	44	165	0	17	9	1	17	9
Stanmore	NSTAC003	68	72	48	3	172	10	0	115	263	Stanmore	NSTAC006	44	48	119	0	25	8	1	23	13
Stanmore	NSTAC003	72	76	38	1	24	7	1	52	22	Stanmore	NSTAC006	48	52	69	1	59	9	1	34	43
Stanmore	NSTAC003	76	80	39	1	23	11	0	53	21	Stanmore	NSTAC006	52	56	329	10	201	14	1	155	252
Stanmore	NSTAC003	80	84	41	1	23	9	0	32	23	Stanmore	NSTAC006	56	60	66	14	53	13	0	267	121
Stanmore	NSTAC003	84	88	37	1	23	11	0	46	22	Stanmore	NSTAC006	60	64	46	11	41	13	1	157	36
Stanmore	NSTAC004	0	4	42	1	12	24	4	11	11	Stanmore	NSTAC006	64	68	48	3	35	12	1	105	45
Stanmore	NSTAC004	4	8	6	1	3	9	1	7	3	Stanmore	NSTAC006	68	72	39	1	22	6	1	70	20
Stanmore	NSTAC004	8	12	4	1	2	5	0	14	2	Stanmore	NSTAC006	72	76	36	1	20	7	0	64	18
Stanmore	NSTAC004	12	16	10	0	6	5	0	22	3	Stanmore	NSTAC006	76	80	38	1	21	8	0	60	20
Stanmore	NSTAC004	16	20	11	1	5	5	0	24	2	Stanmore	NSTAC006	80	84	35	1	21	9	0	59	18
Stanmore	NSTAC004	20	24	7	1	3	6	0	44	3	Stanmore	NSTAC006	84	88	33	1	19	7	0	49	17
Stanmore	NSTAC004	24	28	7	0	7	5	0	25	3	Stanmore	NSTAC007	0	4	23	1	17	14	1	24	11
Stanmore	NSTAC004	28	32	7	1	5	7	0	30	3	Stanmore	NSTAC007	4	8	36	1	4	6	0	17	6
Stanmore	NSTAC004	32	36	12	1	4	8	0	28	4	Stanmore	NSTAC007	8	12	3	0	1	4	0	13	1
Stanmore	NSTAC004	36	40	139	0	11	9	0	17	5	Stanmore	NSTAC007	12	16	4	0	1	4	0	12	2
Stanmore	NSTAC004	40	44	169	0	10	10	1	28	6	Stanmore	NSTAC007	16	20	4	0	1	4	0	25	2
Stanmore	NSTAC004	44	48	193	1	50	10	1	53	27	Stanmore	NSTAC007	20	24	3	0	1	3	2	15	2
Stanmore	NSTAC004	48	52	223	3	659	14	1	68	965	Stanmore	NSTAC007	24	28	6	0	2	5	0	27	3
Stanmore	NSTAC004	52	56	85	4	239	13	1	99	447	Stanmore	NSTAC007	28	32	16	1	2	5	0	39	3
Stanmore	NSTAC004	56	60	54	3	125	14	0	136	190	Stanmore	NSTAC007	32	36	58	1	3	5	0	22	3
Stanmore	NSTAC004	60	64	55	3	97	12	0	171	186	Stanmore	NSTAC007	36	40	36	1	4	6	1	21	4
Stanmore	NSTAC004	64	68	67	3	93	9	0	127	139	Stanmore	NSTAC007	40	44	222	1	83	8	1	65	19
Stanmore	NSTAC004	68	72	43	3	35	8	0	96	60	Stanmore	NSTAC007	44	48	327	11	329	9	0	184	133
Stanmore	NSTAC004	72	76	37	1	21	8	1	93	14	Stanmore	NSTAC007	48	52	98	4	79	7	1	99	94
Stanmore	NSTAC004	76	80	39	1	21	7	5	79	17	Stanmore	NSTAC007	52	56	45	1	29	7	1	61	52
Stanmore	NSTAC004	80	84	36	1	21	6	1	57	21	Stanmore	NSTAC007	56	60	38	1	27	7	1	56	58
Stanmore	NSTAC004	84	89	32	1	18	6	0	62	17	Stanmore	NSTAC007	60	64	39	1	22	10	0	49	18
Stanmore	NSTAC005	0	4	16	1	8	28	3	9	6	Stanmore	NSTAC007	64	68	36	1	19	8	0	49	17
Stanmore	NSTAC005	4	8	6	1	3	8	1	18	4	Stanmore	NSTAC007	68	72	38	1	19	9	1	52	18
Stanmore	NSTAC005	8	12	7	0	5	5	1	25	3	Stanmore	NSTAC007	72	76	35	1	18	9	1	44	18
Stanmore	NSTAC005	12	16	9	0	9	4	0	25	3	Stanmore	NSTAC007	76	80	28	1	14	5	1	35	13
Stanmore	NSTAC005	16	20	7	1	3	4	0	57	5	Stanmore	NSTAC007	80	84	36	1	19	8	0	48	18
Stanmore	NSTAC005	20	24	10	0	4	6	0	26	3	Stanmore	NSTAC008	0	4	29	1	12	16	1	20	10
Stanmore	NSTAC005	24	28	20	0	12	8	0	29	4	Stanmore	NSTAC008	4	8	5	0	3	4	0	14	3
Stanmore	NSTAC005	28	32	29	0	7	10	0	36	4	Stanmore	NSTAC008	8	12	4	0	2	4	1	21	2
Stanmore	NSTAC005	32	36	45	0	10	13	0	32	4	Stanmore	NSTAC008	12	16	4	0	2	5	0	29	2
Stanmore	NSTAC005	36	40	91	0	15	11	0	18	6	Stanmore	NSTAC008	16	20	5	0	1	4	0	28	2
Stanmore	NSTAC005	40	44	71	0	13	11	1	28	5	Stanmore	NSTAC008	20	24	3	1	1	6	0	30	2
Stanmore	NSTAC005	44	48	61	1	7	11	0	65	6	Stanmore	NSTAC008	24	28	3	1	1	6	1	21	3

Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm	Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm
Stanmore	NSTAC008	28	32	30	1	2	7	0	30	5	Stanmore	NSTAC013	32	36	83	0	23	13	0	24	14
Stanmore	NSTAC008	32	36	476	2	5	8	0	49	9	Stanmore	NSTAC013	36	40	67	1	26	13	1	38	19
Stanmore	NSTAC008	36	40	196	11	377	11	0	167	159	Stanmore	NSTAC013	40	44	76	0	23	13	1	20	20
Stanmore	NSTAC008	40	44	89	4	88	7	0	73	101	Stanmore	NSTAC013	44	48	65	0	23	14	0	9	27
Stanmore	NSTAC008	44	48	48	1	57	6	1	62	105	Stanmore	NSTAC013	48	52	82	0	31	13	0	10	39
Stanmore	NSTAC008	48	52	36	1	22	6	1	51	38	Stanmore	NSTAC013	52	56	74	1	35	15	0	17	33
Stanmore	NSTAC008	52	56	37	1	20	6	1	51	23	Stanmore	NSTAC013	56	60	48	4	24	18	0	103	22
Stanmore	NSTAC008	56	60	41	1	22	7	1	52	28	Stanmore	NSTAC013	60	64	48	6	68	19	0	135	48
Stanmore	NSTAC008	60	64	40	1	22	8	1	52	18	Stanmore	NSTAC013	64	68	46	2	43	14	3	89	62
Stanmore	NSTAC008	64	68	44	1	23	11	1	49	21	Stanmore	NSTAC013	68	72	36	2	25	9	0	85	35
Stanmore	NSTAC008	68	72	44	1	22	12	1	49	21	Stanmore	NSTAC013	72	76	39	1	22	6	1	46	21
Stanmore	NSTAC008	72	76	35	1	19	11	0	53	19	Stanmore	NSTAC013	76	80	34	1	19	8	1	52	17
Stanmore	NSTAC008	76	79	38	1	20	10	0	49	20	Stanmore	NSTAC013	80	84	42	1	24	8	1	52	20
Stanmore	NSTAC009	0	4	25	1	15	11	1	25	12	Stanmore	NSTAC013	84	90	39	2	21	9	0	42	19
Stanmore	NSTAC009	4	8	7	0	3	6	1	20	4	Stanmore	NSTAC014	0	4	13	0	7	39	4	5	8
Stanmore	NSTAC009	8	12	12	0	4	5	1	14	4	Stanmore	NSTAC014	4	8	8	0	4	22	2	4	4
Stanmore	NSTAC009	12	16	5	0	6	6	0	16	4	Stanmore	NSTAC014	8	12	3	0	2	31	1	2	2
Stanmore	NSTAC009	16	20	53	0	4	8	1	19	4	Stanmore	NSTAC014	12	16	2	0	3	28	0	3	2
Stanmore	NSTAC009	20	24	43	0	8	9	0	20	6	Stanmore	NSTAC014	16	20	12	1	3	16	0	6	2
Stanmore	NSTAC009	24	28	108	1	14	10	0	65	12	Stanmore	NSTAC014	20	24	9	1	8	22	0	20	3
Stanmore	NSTAC009	28	32	95	6	97	16	2	113	39	Stanmore	NSTAC014	24	28	10	0	15	16	1	17	3
Stanmore	NSTAC009	32	36	107	6	162	19	1	194	193	Stanmore	NSTAC014	28	32	8	0	13	13	0	11	3
Stanmore	NSTAC009	36	40	61	2	81	11	1	97	126	Stanmore	NSTAC014	32	36	29	0	12	11	1	15	5
Stanmore	NSTAC009	40	44	43	1	36	8	1	70	59	Stanmore	NSTAC014	36	40	100	0	10	9	1	27	9
Stanmore	NSTAC009	44	48	38	1	20	8	1	54	21	Stanmore	NSTAC014	40	44	53	0	19	9	0	12	15
Stanmore	NSTAC009	48	52	34	1	17	8	1	49	15	Stanmore	NSTAC014	44	48	108	0	85	8	1	20	64
Stanmore	NSTAC009	52	56	36	1	19	10	0	55	16	Stanmore	NSTAC014	48	52	27	2	27	11	1	34	17
Stanmore	NSTAC009	56	60	37	1	19	11	0	48	18	Stanmore	NSTAC014	52	56	74	1	53	11	1	39	21
Stanmore	NSTAC009	60	64	35	1	19	11	0	42	18	Stanmore	NSTAC014	56	60	58	2	56	11	1	56	45
Stanmore	NSTAC009	64	68	40	1	21	12	0	49	20	Stanmore	NSTAC014	60	64	80	3	51	15	0	128	32
Stanmore	NSTAC009	68	72	32	1	17	10	0	44	16	Stanmore	NSTAC014	64	68	37	3	29	10	0	113	20
Stanmore	NSTAC009	72	76	34	1	18	10	0	46	16	Stanmore	NSTAC014	68	72	47	2	34	9	0	91	31
Stanmore	NSTAC012	0	4	22	1	11	19	4	23	9	Stanmore	NSTAC014	72	76	41	1	23	9	0	52	19
Stanmore	NSTAC012	4	8	18	0	10	42	5	4	15	Stanmore	NSTAC014	76	80	39	1	22	9	0	49	19
Stanmore	NSTAC012	8	12	10	0	6	28	4	3	6	Stanmore	NSTAC014	80	86	42	1	25	8	1	50	21
Stanmore	NSTAC012	12	16	4	0	2	18	1	1	2	Stanmore	NSTAC015	0	4	15	0	8	32	3	9	7
Stanmore	NSTAC012	16	20	3	1	2	22	1	6	2	Stanmore	NSTAC015	4	8	20	0	6	43	1	4	7
Stanmore	NSTAC012	20	24	4	1	7	18	1	6	2	Stanmore	NSTAC015	8	12	3	1	4	15	1	7	4
Stanmore	NSTAC012	24	28	9	0	14	7	1	6	4	Stanmore	NSTAC015	12	16	2	1	2	6	0	7	2
Stanmore	NSTAC012	28	32	15	0	16	7	1	18	7	Stanmore	NSTAC015	16	20	2	0	1	6	0	18	2
Stanmore	NSTAC012	32	36	75	1	36	7	1	56	21	Stanmore	NSTAC015	20	24	4	0	4	6	0	18	3
Stanmore	NSTAC012	36	40	247	0	118	7	1	35	99	Stanmore	NSTAC015	24	28	7	0	7	8	1	20	3
Stanmore	NSTAC012	40	44	397	1	298	9	1	52	188	Stanmore	NSTAC015	28	32	42	0	15	8	1	15	3
Stanmore	NSTAC012	44	48	78	5	97	10	0	68	145	Stanmore	NSTAC015	32	36	56	0	8	8	0	22	3
Stanmore	NSTAC012	48	52	55	5	50	11	0	76	108	Stanmore	NSTAC015	36	40	62	0	26	9	1	27	4
Stanmore	NSTAC012	52	56	60	3	35	11	0	71	66	Stanmore	NSTAC015	40	44	103	0	43	9	1	10	5
Stanmore	NSTAC012	56	60	54	2	32	11	0	107	37	Stanmore	NSTAC015	44	48	113	0	20	10	1	24	6
Stanmore	NSTAC012	60	64	51	1	29	7	1	43	30	Stanmore	NSTAC015	48	52	239	1	35	10	1	46	12
Stanmore	NSTAC012	64	68	48	1	27	9	1	54	25	Stanmore	NSTAC015	52	56	171	0	37	9	1	18	16
Stanmore	NSTAC012	68	72	42	1	23	10	1	48	21	Stanmore	NSTAC015	56	60	74	6	53	13	1	145	22
Stanmore	NSTAC012	72	76	52	1	31	9	0	49	25	Stanmore	NSTAC015	60	64	79	4	300	8	1	100	560
Stanmore	NSTAC012	76	79	41	1	23	8	1	50	18	Stanmore	NSTAC015	64	68	39	1	23	8	0	57	21
Stanmore	NSTAC013	0	4	36	1	11	34	3	13	12	Stanmore	NSTAC015	68	72	35	1	19	9	1	49	19
Stanmore	NSTAC013	4	8	11	0	6	30	3	4	6	Stanmore	NSTAC015	72	76	40	2	22	9	1	49	21
Stanmore	NSTAC013	8	12	5	0	3	24	1	4	3	Stanmore	NSTAC015	76	79	39	1	21	8	1	50	18
Stanmore	NSTAC013	12	16	3	1	2	17	1	7	2	Stanmore	NSTAC016	0	4	24	1	9	25	2	11	8
Stanmore	NSTAC013	16	20	6	1	2	10	1	12	3	Stanmore	NSTAC016	4	8	8	1	2	7	0	33	3
Stanmore	NSTAC013	20	24	11	0	4	14	1	17	4	Stanmore	NSTAC016	8	12	8	1	2	7	0	27	3
Stanmore	NSTAC013	24	28	14	1	4	14	1	10	4	Stanmore	NSTAC016	12	16	2	1	2	14	0	18	2
Stanmore	NSTAC013	28	32	39	0	9	11	1	26	8	Stanmore	NSTAC016	16	20	3	1	2	14	0	21	3
Stanmore	NSTAC013	32	36	47	0	10	12	1	27	9	Stanmore	NSTAC016	20	24	5	0	5	12	0	15	2

Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm	Prospect	Hole_Id	Depth _From	Depth _To	Ce ppm	Cs ppm	La ppm	Li ppm	Mo ppm	Rb ppm	Y ppm
Stanmore	NSTAC016	24	28	8	1	4	22	1	32	3	Stanmore	NSTAC019	28	32	129	4	38	8	4	72	14
Stanmore	NSTAC016	28	32	60	1	9	29	1	16	4	Stanmore	NSTAC019	32	36	160	2	116	8	2	99	112
Stanmore	NSTAC016	32	36	111	0	21	26	1	14	7	Stanmore	NSTAC019	36	40	57	2	41	8	1	63	63
Stanmore	NSTAC016	36	40	178	1	174	37	1	19	13	Stanmore	NSTAC019	40	44	32	1	18	10	1	57	26
Stanmore	NSTAC016	40	44	314	0	420	20	1	21	59	Stanmore	NSTAC019	44	48	38	2	21	10	1	52	21
Stanmore	NSTAC016	44	48	125	0	20	11	0	18	9	Stanmore	NSTAC019	48	52	36	1	20	10	0	52	18
Stanmore	NSTAC016	48	52	152	1	15	11	1	28	12	Stanmore	NSTAC019	52	56	38	2	21	9	0	47	17
Stanmore	NSTAC016	52	56	82	4	38	15	0	115	18	Stanmore	NSTAC019	56	60	35	1	20	11	7	50	18
Stanmore	NSTAC016	56	60	51	5	75	10	0	118	86	Stanmore	NSTAC019	60	64	35	1	20	8	0	54	17
Stanmore	NSTAC016	60	64	38	2	20	7	2	59	16	Stanmore	NSTAC019	64	68	35	1	21	10	12	51	15
Stanmore	NSTAC016	64	68	44	3	24	8	1	64	19	Stanmore	NSTAC019	68	72	35	1	20	10	2	47	16
Stanmore	NSTAC016	68	72	36	1	19	7	0	45	17	Stanmore	NSTAC019	72	75	32	1	19	10	1	52	17
Stanmore	NSTAC016	72	76	39	1	21	9	1	49	19	Stanmore	NSTAC020	0	4	16	1	13	8	0	26	8
Stanmore	NSTAC016	76	80	39	1	21	9	1	51	19	Stanmore	NSTAC020	4	8	15	1	15	5	0	31	5
Stanmore	NSTAC016	80	84	36	1	20	8	0	46	18	Stanmore	NSTAC020	8	12	15	1	14	4	0	30	4
Stanmore	NSTAC016	84	86	44	1	24	7	1	34	19	Stanmore	NSTAC020	12	16	14	0	8	4	0	29	4
Stanmore	NSTAC017	0	4	16	1	9	9	1	49	8	Stanmore	NSTAC020	16	20	31	0	9	4	0	31	5
Stanmore	NSTAC017	4	8	6	1	3	5	0	92	4	Stanmore	NSTAC020	20	24	92	6	30	6	0	76	13
Stanmore	NSTAC017	8	12	7	1	2	6	0	81	4	Stanmore	NSTAC020	24	28	234	5	86	7	1	143	164
Stanmore	NSTAC017	12	16	10	1	3	6	0	43	4	Stanmore	NSTAC020	28	32	141	1	53	7	1	77	92
Stanmore	NSTAC017	16	20	15	1	12	6	1	23	3	Stanmore	NSTAC020	32	36	40	1	49	7	0	68	60
Stanmore	NSTAC017	20	24	56	1	18	8	1	37	9	Stanmore	NSTAC020	36	40	41	2	23	8	0	61	25
Stanmore	NSTAC017	24	28	68	2	42	12	1	76	19	Stanmore	NSTAC020	40	44	37	1	21	8	0	52	20
Stanmore	NSTAC017	28	32	106	2	81	9	0	75	49	Stanmore	NSTAC020	44	48	56	1	27	8	0	53	20
Stanmore	NSTAC017	32	36	112	2	129	11	0	111	103	Stanmore	NSTAC020	48	52	41	1	23	10	0	56	19
Stanmore	NSTAC017	36	40	55	1	54	7	1	82	102	Stanmore	NSTAC020	52	56	38	1	20	9	0	41	20
Stanmore	NSTAC017	40	44	34	1	20	5	1	64	23	Stanmore	NSTAC020	56	60	38	1	21	8	0	43	18
Stanmore	NSTAC017	44	48	38	1	21	6	0	47	21	Stanmore	NSTAC020	60	64	37	1	21	10	1	43	17
Stanmore	NSTAC017	48	52	37	1	20	7	1	51	19	Stanmore	NSTAC020	64	69	37	1	20	10	0	41	18
Stanmore	NSTAC017	52	56	39	1	21	6	1	47	15	Stanmore	NSTAC021	0	4	22	1	19	9	1	15	8
Stanmore	NSTAC017	56	60	36	1	19	7	1	46	17	Stanmore	NSTAC021	4	8	110	1	125	3	1	26	6
Stanmore	NSTAC017	60	64	39	1	21	9	0	47	18	Stanmore	NSTAC021	8	12	67	4	36	6	1	139	11
Stanmore	NSTAC017	64	68	37	1	20	7	1	49	16	Stanmore	NSTAC021	12	16	382	2	60	6	1	151	98
Stanmore	NSTAC017	68	72	37	1	20	8	1	48	18	Stanmore	NSTAC021	16	20	96	1	111	6	1	106	106
Stanmore	NSTAC017	72	75	34	1	19	8	0	40	16	Stanmore	NSTAC021	20	24	39	1	56	7	1	60	77
Stanmore	NSTAC018	0	4	11	1	9	9	1	36	5	Stanmore	NSTAC021	24	28	39	1	30	7	0	60	41
Stanmore	NSTAC018	4	8	8	0	11	4	1	12	3	Stanmore	NSTAC021	28	32	39	1	22	6	1	56	18
Stanmore	NSTAC018	8	12	4	0	3	7	10	15	2	Stanmore	NSTAC021	32	36	39	1	22	7	0	52	17
Stanmore	NSTAC018	12	16	4	1	5	12	1	24	2	Stanmore	NSTAC021	36	40	38	2	20	9	1	58	18
Stanmore	NSTAC018	16	20	12	1	5	9	5	33	4	Stanmore	NSTAC021	40	44	36	1	20	8	1	54	18
Stanmore	NSTAC018	20	24	56	5	52	9	1	145	24	Stanmore	NSTAC021	44	48	35	1	19	8	1	50	17
Stanmore	NSTAC018	24	28	227	4	113	19	8	86	101	Stanmore	NSTAC021	48	52	35	1	19	8	0	49	18
Stanmore	NSTAC018	28	32	146	2	66	10	1	107	112	Stanmore	NSTAC021	52	56	34	1	19	8	1	41	16
Stanmore	NSTAC018	32	36	38	2	32	9	12	65	47	Stanmore	NSTAC021	56	60	35	1	19	8	0	53	18
Stanmore	NSTAC018	36	40	39	1	22	7	1	53	24	Stanmore	NSTAC021	60	64	33	1	18	8	0	52	16
Stanmore	NSTAC018	40	44	37	1	20	7	3	47	18	Stanmore	NSTAC021	64	70	32	1	18	8	1	50	16
Stanmore	NSTAC018	44	48	40	1	22	7	1	60	19											
Stanmore	NSTAC018	48	52	37	2	20	8	5	61	19											
Stanmore	NSTAC018	52	56	36	1	20	7	0	54	17											
Stanmore	NSTAC018	56	60	34	1	20	7	4	44	15											
Stanmore	NSTAC018	60	64	35	1	20	8	0	49	17											
Stanmore	NSTAC018	64	68	33	1	18	10	9	45	16											
Stanmore	NSTAC018	68	74	37	1	21	10	0	44	20											
Stanmore	NSTAC019	0	4	7	0	4	6	20	9	3											
Stanmore	NSTAC019	4	8	6	0	2	5	6	15	3											
Stanmore	NSTAC019	8	12	6	0	4	5	5	27	3											
Stanmore	NSTAC019	12	16	10	0	8	2	4	8	2											
Stanmore	NSTAC019	16	20	18	0	9	3	4	16	2											
Stanmore	NSTAC019	20	24	25	0	15	3	3	13	4											
Stanmore	NSTAC019	24	28	36	0	12	6	3	26	6											

JORC Code, 2012 Edition – Table 1**Section 1 Sampling Techniques and Data**

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Victory Goldfields (VG) completed 67 aircore drill holes for 4417 m at its Stanmore and Mafeking Bore prospects, located within Victory's E20/871, during April May 2022. - Extensional RC Drilling at Coodardy was also completed. 11 holes for 1100 m were drilled. - Aircore and RC sampling was undertaken at 4-m composite intervals using a Meztko Static Cyclone and splitter, at its Stanmore and Mafeking Bore prospects. - Most samples were dry and weighed between 1.5 and 2.5 kgms. Occasional ground water intersected at the bottom of holes caused some samples to be wet. 1-meter samples from the cyclone were laid out in orderly rows on the ground. - Using a hand-held trowel, 4m composite samples were collected from the one-meter piles. This compositing was aimed to reduce assaying costs. - These composite samples weighed between 2 and 3 kgms. - For any anomalous 4m composite sample assays, the corresponding one-meter samples will be collected and assayed (fire assay). - Quality control of the assaying comprised the collection of a duplicate sample every second hole, along with the regular insertion of industry (OREAS) standards (certified reference material) every 50 samples and blanks (beach sand) every 50 samples. - Samples were sent to ALS in Cannington, Perth. - Samples were pulverized so that 75% of the sample passes 75µ. - A 25 gm charge from each of the pulps were then digested via aqua regia acid. A total of 40 elements were reported: - Elements included Au and associated pathfinder elements assayed via ALS code AR25PATH and Li pathfinder elements and REEs assayed via ALS code.MA40MS.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	- Air core drilling uses a three-bladed steel or tungsten drill bit to penetrate the weathered layer of loose soil and rock fragments. The drill rods are hollow and feature an inner tube with an outer barrel (similar to RC drilling). - Air core drilling works by using small compressors (750 cfm/250 psi) to drill holes into the weathered layer of loose soil and fragments of rock. After drilling is complete, an injection of compressed air is unleashed into the space between the inner tube and the drill rod's inside wall, which flushes the cuttings up and out of the drill hole through the rod's inner tube, causing Less chance of cross-contamination. - Air core drill rigs are lighter in weight than other rigs, meaning they're quicker and more manoeuvrable in the bush.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether	- Representative aircore samples collected as 2-meter intervals, with corresponding chips placed into chip trays and kept for reference at VG's facilities. - Most samples were dry and sample recovery was very good. - VG does not anticipate any sample bias from loss/gain of material from the cyclone.

Criteria	JORC Code explanation	Commentary
	<i>sample bias may have occurred due to preferential loss/gain of fine/coarse grained material.</i>	
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	- All aircore samples were lithologically logged using standard industry logging software on a notebook computer. - Carbonate alteration was logged using hydrochloric acid and magnetism recorded using a hand-held magnetic pen. - Logging is qualitative in nature. - Samples have not been photographed. - All geological information noted above has been completed by a competent person as recognized by JORC.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- Aircore sampling was undertaken on 1m intervals using a Meztko Static Cone splitter. - Most 1-meter samples were dry and weighed between 2 and 3 kgms. - Samples from the cyclone were laid out in orderly rows on the ground. - Using a hand-held trowel, 4m composite samples were collected from the one-meter piles. - These composite samples weighed between 2 and 3 kgms. - For any anomalous (>0.1 g/t Au) 4m composite sample assays, the corresponding one-meter samples are also collected and assayed. - Quality control of the assaying comprised the collection of a duplicate sample every hole, along with the regular insertion of industry (OREAS) standards (certified reference material) every 30 samples and blanks (beach sand) every 50 samples. - Samples were sent to ALS in Perth. - Samples will be pulverized so that 75% of the sample passes 75µ. - A 25 gm charge from each of the pulps will then be digested via aqua regia acid. A total of 16 elements were reported: Au, As, Cu, Co, Bi, Mo, Pb, Ni, Sb, Te, Zn, W, Ag, Cs, Rb, Li. And assayed Via ALS method code AR25PATH. Li and pathfinder elements and REEs were assayed via ALS code MA40MS
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	- Composite samples were assayed by Aqua Regia (AR) with ICP-MS (partial digest) ALS method code AR25PATH. Sample detection was 1 ppb Au. - Li pathfinder elements and REEs were assayed by ALS method MA40MS. - One metre samples from the RC drilling at Coodardy were assayed via Fire Assay for Au at ALS labs. - Pathfinder elements As, Cu, Co, Bi, Mo, Pb, Ni, Sb, Te, Zn, W, Ag are assayed by ALS Labs, Aqua Regia, method AR25PATH, 1 ppm det limit. - Composite samples will be dissolved via Aqua Regia and read by the ICP MS instrument. - Standards were industry CRMs from OREAS which included low-grade and average- grade along with certified blanks. - The methods are considered appropriate for this style of mineralization. - No density data available. - Aurum labs routinely re-assay anomalous assays (greater than 0.3 g/t Au) as part of their normal QAQC procedures.
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative	No verification of significant intersections undertaken by independent personnel, only the VG project geologist.

Criteria	JORC Code explanation	Commentary
	- company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- Validation of 4m composite assay data will be undertaken to compare duplicate assays, standard assays and blank assays. - Comparison of assaying between the composite samples (aqua regia digest) and the 1-meter samples (fire assay) will be made. - ALS labs routinely re-assayed anomalous assays (greater than 0.3 g/t Au) as part of their normal QAQC procedures.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- All aircore drill hole coordinates are in GDA94 Zone 50 (Appendix 1). - All aircore holes were located by handheld GPS with an accuracy of +/- 5 m. - There is no detailed documentation regarding the accuracy of the topographic control. - No elevation values (Z) were recorded for collars. An elevation of 450 mRL was assigned by VG. - There were no Down-hole surveys completed as aircore drill holes were not drilled deep enough to warrant downhole surveying. - RC drill holes at Coodardy were surveyed downhole using a Gyro.
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Aircore drilling at Stanmore and Mafeking Bore was on 160m line spacing and 50m between drill holes. - Given the first pass nature of the exploration programs, the spacing of the exploration drilling is appropriate for understanding the exploration potential and the identification of structural controls on the mineralisation. - Four- meter sample compositing has been applied.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- The relationship between drill orientation and the mineralised structures is not known at this stage as the prospects are covered by a 3-10m blanket of transported cover. - It is concluded from aerial magnetics that the mineralisation trends 010-030. Dips are unknown as the area is covered by a blanket of transported cover. - Azimuths and dips of aircore drilling was aimed to intersect the strike of the rocks at right angles. - Downhole widths of mineralisation are not accurately known with RC and aircore drilling methods.
Sample security	The measures taken to ensure sample security.	All samples packaged and managed by VG personnel up to and including the delivery of all samples to ALS labs.

Criteria	JORC Code explanation	Commentary
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No sampling techniques or data have been independently audited.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- Stanmore and Mafeking Well Exploration Targets are located within E20/871. - They form part of a broader tenement package of exploration tenements located in the Cue Goldfields in the Murchison region of Western Australia. - Native Title claim no. WC2004/010 (Wajarri Yamatji #1) was registered by the Yaatji Marlpa Aboriginal Corp in 2004 and covers the entire project area, including Coodardy and Emily Wells. - There are no registered cultural heritage sites within the area. - E20/871 is held 100% by Victory Goldfields. All tenements are secured by the DMIRS (WA Government). All tenements are granted, in a state of good standing and have no impediments.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- The area has been previously explored by Harmony Gold (2007-2010) in JV with Big Bell Ops, Mt Kersey (1994-1996) and Westgold (2011) and Metals Ex (2013). - Harmony Gold intersected 3m @ 2.5 g/t Au and 2m @ 8.85 g/t Au in the Mafeking Bore area but did not follow up these intersections. - Other historical drill holes in the area commonly intersected > 100 ppb Au. - Exploration by these companies has been piecemeal and not regionally systematic.
Geology	Deposit type, geological setting and style of mineralisation.	- Both areas, lie within the Meekatharra – Mount Magnet greenstone belt. The belt comprises metamorphosed volcanic, sedimentary and intrusive rocks. Mafic and ultramafic sills are abundant in all areas of the Cue greenstones. Gabbro sills are often differentiated and have pyroxenitic and/or peridotite bases and leucogabbro tops. - The greenstones are deformed by large scale fold structures which are dissected by major faults and shear zones which

Criteria	JORC Code explanation	Commentary
		can be mineralised. Two large suites of granitoids intrude the greenstone belts. - E20/871 occurs within the Cue granite, host to many small but uneconomic gold mines in the Cue area. The productive gold deposits in the region can be classified into six categories: - Shear zones and/or quartz veins within units of alternating banded iron formation and mafic volcanics e.g. Tuckanarra. Break of Day. - Shear zones and/or quartz veins within mafic or ultramafic rocks, locally intruded by felsic porphyry e.g., Cuddingwarra. Great Fingall. - Banded jaspilite and associated clastic sedimentary rocks and mafics, generally sheared and veined by quartz, e.g. Tuckabianna. - Quartz veins in granitic rocks, close to greenstone contacts, e.g. Buttercup. - Hydrothermally altered clastic sedimentary rocks, e.g. Big Bell. - Eluvial and colluvial deposits e.g. Lake Austin, Mainland.
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Appendix 1 (Aircore collar coordinates) lists information material to the understanding of the aircore drill holes at Stanmore and Mafeking Well Projects. - Downhole assay information for the Stanmore and Mafeking Well Projects aircore drilling is located in Appendix 2 of this announcement. - Downhole REE assay information for the Stanmore and Mafeking Well Projects aircore drilling is located in Appendix 3 of this announcement. - The documentation for completed drill hole locations at the Stanmore and Mafeking Well Projects are located in the appendices of this announcement and is considered acceptable by VG. - Consequently, the use of any data obtained is suitable for presentation and analysis. - Given the early stages of the exploration programs at the Stanmore and Mafeking Well Projects, the data quality is acceptable for reporting purposes. - The exploration assay results have not yet been received.

Criteria	JORC Code explanation	Commentary
		Future drilling programs will be dependant on the assays received.
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	- NA. - At the time of this announcement, Drilling sample assay results have been received for the Stanmore and Mafeking Well Projects, but not RC drilling at Coodardy.
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	- NA - The geometry and extent of mineralisation and geology at Stanmore and Mafeking Well Projects is provided in this announcement.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Diagrams showing historical drilling data, drill hole plans and auger geochemistry by Victory Gold at the Stanmore and Mafeking Well Projects are used in text of this announcement.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	- Exploration results that may create biased reporting has been omitted from these documents. - Data received for this announcement is located in: - Appendix 1 – Aircore drill hole collar coordinates and specifications. - Appendix 2. Gold Assays for Stanmore and Mafeking Well Projects aircore drilling. - Appendix 3. REE Assays for the Stanmore and Mafeking Well Projects.

Criteria	JORC Code explanation	Commentary
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No additional exploration data has been reported.
Further work	- The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- Further drilling is dependent on the assay results received from Coodardy. RC drilling is proposed for the Stanmore and Mafeking Well Projects (this announcement). - Regional aerial magnetic surveys to commence over the priority target areas, as identified by Victory. - A JORC compliant Mineral Estimate at Coodardy is in progress. - Assays and petrological studies of the diamond core from the magnetic anomaly drilled in April are awaited.