

First Tranche of Phase III RC Drilling Results Confirm Southern Extension of Christmas Gift Prospect Burracoppin Gold Project, WA

*** 10m @ 1.38 g/t Au from 34m downhole (ABRC039) ***

**** Including 3m @ 3.62 g/t Au from 41m downhole ****

***** Including 1m @ 8.74 g/t Au from 42m downhole *****

****** 1m @ 5.06 g/t Au from 46m downhole (ABRC038) ******

Highlights:

- Phase III RC exploration drilling campaign completed at the Burracoppin Gold Project located along strike of Ramelius Resources “Edna May Gold Mine” in the eastern Wheatbelt of Western Australia
 - broad zones of gold mineralisation defined confirming the southern extension of the Christmas Gift prospect
 - closes the gap between the mineralisation at the Christmas Gift prospect in the north and the Benbur prospect in the south – **potential to join the mineralisation significantly increases the scale of the potential gold endowment**
- A total of 40 RC holes were drilled for 3,639m completed during June 2022
- Assay results from the first 9 holes have been received around the Christmas Gift prospect with **results confirming the southern extension of the mineralisation at Christmas Gift**
 - Results include:
 - 10m @ 1.38 g/t Au from 34m downhole in hole ABRC039, including:
 - 3m @ 3.62 g/t Au from 41m
 - 1m @ 8.74 g/t Au from 42m
 - and
 - 1m @ 2.06 g/t Au from 63m
 - 3m @ 2.01 g/t Au from 45m downhole in hole ABRC038, including:
 - 1m @ 5.06 g/t Au from 46m
- Further assay results from the Phase III campaign are expected to be received shortly
- Potential large gold endowment at the Burracoppin Gold Project based on the drill results received from the RC drilling campaigns completed by Askari Metals

Askari Metals Limited (ASX: AS2) (“Askari Metals” or “Company”), an Australian based exploration company with a portfolio of battery metals (Li + Cu) and precious metals (Au + Ag) projects across Western Australia, Northern Territory and New South Wales, is pleased to announce that the Company has received the results for the first nine (9) holes out of a total of forty (40) holes drilled as part of the Phase III RC drilling program completed on its

Registered Office
Askari Metals Limited (ASX:AS2)
17 Lacey Street
Perth WA 6000
T +61 400 408 878
E info@askarimetals.com

Board of Directors and Senior Management
Chairman - Mr Robert Downey
Executive Director - Mr Gino D’Anna
Technical Director - Lithium - Mr Chris Evans
Company Secretary / CFO - Mr Paul Fromson
VP Exploration and Geology - Johan Lambrechts
Exploration Manager - Tsogo Amartavian

Projects	
Myrnas Hill Lithium Project (Li)	100% owned
Yarrie Lithium Project (Li)	100% owned
Barrow Creek Lithium Project (Li)	100% owned
Springdale Copper-Gold Project (Cu/Au)	100% owned
Horry Copper Project (Cu)	100% owned
Callawa Copper Project (Cu)	100% owned
Burracoppin Gold Project (Au)	100% owned
Mt Maguire Gold & Base Metal Project (Au)	100% owned



100% owned Burracoppin Gold Project, located in the Wheatbelt region of Western Australia along strike of the Ramelius Resources “Edna May Gold Mine” (JORC (2012) Mineral Resource of 31Mt @ 1.0 g/t Au for 990,000 ounces of gold – refer to February 2022 resource update).

In June 2022, the Company completed a third phase of drilling on the Burracoppin Gold project, comprised of forty (40) RC drill holes for 3,639m. The program tested several targets, including strike extensions of the mineralisation at Burgess Find, Christmas Gift, Lone Tree and Easter Gift. The program also tested previously unexplored targets identified by the soil geochemical anomalies.

Commenting on the results from the first nine (9) holes, Vice President - Exploration and Geology, Mr Johan Lambrechts, commented:

“The Company is pleased with the results of the first nine holes from the 3rd phase of RC drilling on the Burracoppin project. The assay results have confirmed a southern strike extension of the mineralisation from the Christmas Gift prospect toward the main zone of mineralisation at Benbur. Connecting these two zones with in-fill drilling will add significant scale to the future potential of the Burracoppin Gold Project.

Most of the assay results remain outstanding and the Company is eager to receive and analyse them. Once received the Company will compile them with the results from previous phases of drilling and will update the 3D geological model for potential resource definition.

We look forward to keeping our investors informed of the progress.”

Phase Three RC Drilling Program

The phase three RC drilling program at the Burracoppin Gold Project was designed as an extensional drilling program targeting interpreted strike extensions of the mineralisation previously identified at Burgess Find, Christmas Gift and Benbur in the North, and Easter Gift and Lone Tree in the South.

The program also tested several targets identified by the Company’s previously completed soil geochemical program. This program highlighted potential gold mineralisation in the far northern portion of the Burracoppin project and to the east of Benbur.

These geochemical anomalies represent highly valuable targets as they had never been tested by drilling before and may result in a significant increase in the project’s future potential if they return positive results. The phase three project did not test below and near existing areas of mineralisation. This is planned for future phases of drilling.

This announcement refers to the first nine (9) RC drill holes for which we have received assay results. They are concentrated in the northern portion of the phase three drill program as illustrated in Figure 1, below.




Figure 1: Plan view of the third phase of RC drilling on the Burracoppin Gold Project. The satellite image of the area is overlain by the TMI_2VD magnetic Image. Collars referred to in this document are indicated in Yellow

**** This announcement is authorised by the executive board on behalf of the Company ****

Discussion of Results

Burgess Find - Strike Extensional target

Holes ABRC033-ABRC036 were drilled to the north of Burgess Find and aimed to test the potential strike extension of mineralisation in this area. ABRC033 intersected 2m @ 1.09 g/t Au from 31m downhole including 1m @ 2.11 g/t Au from 32m. This intersection was made on the eastern side of the magnetic anomaly striking through the area and did not align with the current mineralised intersections in the database and therefore warrants further investigation.

ABRC034 intersected 3m @ 0.75 g/t Au from 99m downhole including 1m @ 1.17 g/t Au from 99m. This intercept aligns with the current interpreted mineralisation model and represents a deep intersection. Hole ABRC035 did not intersect any significant gold mineralisation. Hole ABRC036 was drilled to the northwest of the Burgess Find prospect and failed to intersect any significant mineralisation in this area. Interpretation of the current results indicates that mineralisation may lie westward of its design. This will be revisited once all the results have been received.

Christmas Gift - Strike Extensional target

Hole ABRC037 was designed to test for a separately interpreted set of the mineralised units parallel and to the west of the primary mineralised system on the Burracoppin Gold Project. Hole ABRC037 was abandoned at 9m depth and redrilled a few meters away as ABRC037A. Both holes intersected mineralisation near the surface, with hole ABRC037 intersecting 4m @ 1.76 g/t from the surface, including 3m @ 2.11 g/t Au from the surface. Hole ABRC037A intersected 4m @ 0.97 g/t Au from surface including 1m @ 1.31 g/t Au from surface. These intercepts highlight the potential surface gold mineralisation in the laterite cover on the Burracoppin Gold Project, which will be further investigated through future drilling campaigns.

Holes ABRC038-ABRC039 were drilled to the south of Christmas Gift and aimed to test the potential strike extension of mineralisation in this area. ABRC038 intersected 3m @ 2.01 g/t Au from 45m downhole including 1m @ 5.06 g/t Au from 46m. ABRC039 intersected 10m @ 1.38 g/t Au from 34m downhole including 3m @ 3.63 g/t Au from 41m as well as including 1m @ 8.74 g/t Au from 42m. Slightly deeper downhole, an intersection of 2m @ 1.25 g/t Au from 63m, including 1m @ 2.06 g/t Au from 63m, was also made.

Table 1: Table representing the significant intercepts around the Christmas Gift prospect

<i>Christmas Gift</i>
ABRC037 - 4m @ 1.76g/t Au from surface
ABRC037A - 4m @ 0.97g/t Au from surface
ABRC038 - 3m @ 2.01g/t Au from 45
including -
ABRC038 - 1m @ 5.06g/t Au from 46
as well as -
ABRC038 - 5m @ 0.42g/t Au from 54
ABRC039 - 10m @ 1.38g/t Au from 34
including -
ABRC039 - 3m @ 0.6g/t Au from 34
as well as including -
ABRC039 - 3m @ 3.62g/t Au from 41
including -
ABRC039 - 1m @ 8.74g/t Au from 42
as well as -
ABRC039 - 2m @ 1.25g/t Au from 63
including -
ABRC039 - 1m @ 2.06g/t Au from 63

**** This announcement is authorised by the executive board on behalf of the Company ****

The mineralised intercepts in holes ABRC038 and ABRC039 represent evidence of the southern strike extension to the mineralisation from Christmas Gift and closes the gap between the Christmas Gift prospect in the north and the Benbur prospect in the south.

This in-fill area identifies an important target for future drilling campaigns on the Burracoppin Gold Project. The potential to join the mineralisation between the Christmas Gift prospect in the north and the Benbur prospect in the south significantly increases the scale of the potential gold endowment at the Burracoppin project.

Hole ABRC040 targeted a set of historical workings swinging westward and across the interpreted strike of the mineralisation. These workings represent an anomaly in terms of the strike they indicate and were therefore tested with one hole during the program. Hole ABRC040 intersected 1m @ 1.03 g/t Au at 92m downhole. This intercept is immediately below the line of workings and validates the existence of mineralisation at this location. More work will be required in this area to define this secondary zone's mineralisation potential.

Table 2: Table representing the significant intercepts of the holes described in this announcement

<u>Burgess find</u>	<u>Christmas Gift</u>	<u>Benbur north</u>
ABRC033 2m @ 1.09 g/t Au from 31 m downhole	ABRC037 4m @ 1.76 g/t Au from surface ABRC037A 4m @ 0.97 g/t Au from surface	ABRC040 1m @ 1.03 g/t Au from 92 m downhole
ABRC034 5m @ 0.65 g/t Au from 99 m downhole including	ABRC038 3m @ 2.01 g/t Au from 45 m downhole including	
ABRC034 3m @ 0.75 g/t Au from 99 m downhole and	ABRC038 1m @ 5.06 g/t Au from 46 m downhole	
ABRC034 1m @ 1.17 g/t Au from 99 m downhole	as well as	
	ABRC038 5m @ 0.42 g/t Au from 54 m downhole	
ABRC035 No significant intercepts	ABRC039 10m @ 1.38 g/t Au from 34 m downhole including	
ABRC036	ABRC039 3m @ 0.6 g/t Au from 34 m downhole	
	as well as including	
	ABRC039 3m @ 3.62 g/t Au from 41 m downhole including	
	ABRC039 1m @ 8.74 g/t Au from 42 m downhole	
	as well as	
	ABRC039 2m @ 1.25 g/t Au from 63 m downhole including	
	ABRC039 1m @ 2.06 g/t Au from 63 m downhole	

** This announcement is authorised by the executive board on behalf of the Company **




Figure 2: Plan view of the nine holes represented in this document and the nearby historic holes. The current interpretation of the mineralised zone is also indicated in pink

**** This announcement is authorised by the executive board on behalf of the Company ****

Future work

This announcement represents the results of the first nine (9) RC drill holes completed as part of the third phase of drilling on the Burracoppin Gold Project.

The Company is eagerly awaiting the remaining results in order to interpret them and determine their impact on the current mineralisation model of the Burracoppin project and gauge their influence on the future exploration plans for the project.

The incorporation of the recent data with the current geological model will be completed once all results have been received. The revised model will be fundamental in the future exploration design of the project. Further phases of drilling are anticipated, and the Company is eager to keep its shareholders informed about the progress and results of the Burracoppin Gold project.

The maiden drilling program on the Company's 100% owned Horry Copper and Gold Project in the Kimberley region of Western Australia continues and the Company is excited by the potential of this project.

ENDS

For further information, contact:

Gino D'Anna
Executive Director
M +61 400 408 878
gino@askarimetals.com

Rod North, Managing Director
Bourse Communications Pty Ltd
M: +61 408 670 706
rod@boursecommunications.com.au

Johan Lambrechts
Vice President – Exploration and Geology
M +61 431 477 145
johan@askarimetals.com

About Askari Metals Limited

Askari Metals was incorporated for the primary purpose of acquiring, exploring and developing a portfolio of high-grade battery (Li + Cu) and precious (Au + Ag) metal projects across **Western Australia, Northern Territory and New South Wales**. The Company has assembled an attractive portfolio of lithium, copper, gold and copper-gold exploration/mineral resource development projects in Western Australia, Northern Territory and New South Wales.

For more information please visit: www.askarimetals.com

Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning Askari Metals Limited. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the Company's beliefs, opinions and estimates of Askari Metals Limited as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Person Statement

The information in this report that relates to Exploration Targets, Exploration Results or Mineral Resources is based on information compiled by Johan Lambrechts, a Competent Person who is a Member of the Australian Institute of Geoscientists. Mr. Lambrechts is a full-time employee of Askari Metals Limited, who has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Lambrechts consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

**** This announcement is authorised by the executive board on behalf of the Company ****

Burracoppin Overview

The Burracoppin Gold Project is located approximately 20km east of Merredin and 15km west of the Edna May Gold Mine in the eastern wheat belt of Western Australia.




Figure 3: Locality map of the Burracoppin Gold Project

The area has gently undulating topography with isolated lateritic breakaways preserved on a well-developed regolith. It is underlain by Archaean granite/gneiss greenstone terrane metamorphosed to amphibolite/granulite grade. Minor banded iron formation outcrops are known, and aplite-pegmatite dykes intrude the amphibolites at the Burgess Find gold workings.

Burgess Find, Christmas Gift, Benbur and Easter Gift were the four main areas mined at the Burracoppin Project (refer to Figure 2). The Burgess Find, Christmas Gift and Benbur mines reported historical production figures of 410 tonnes, 750 tonnes and 1,030 tonnes, respectively. Production of the original miners in the 1930s was reported in the “Daily News” newspaper (June 1933), which wrote that the first parcel processed from Burracoppin had produced gold grades of 49g/t Au.

The workings targeted mineralisation hosted in narrow, steeply-dipping veins and fault zones within a sequence of gabbro and granite at or close to its western margin in pelitic sediments. The general strike is north-south, and units are folded into a series of open folds. The Easter Gift workings occur in mafic granulite and metasediments and occupy a similar stratigraphic position to the Christmas Gift-Benbur North-Benbur workings to the north.

Laterites that cover the Archaean rock sequence also carry gold mineralisation. The laterite consists of loose pisolites with a significant sand matrix component at the surface, grading into a poorly to well cemented nodular laterite layer. Gold mineralisation appears to be restricted to the iron-rich laterites.

** This announcement is authorised by the executive board on behalf of the Company **

Appendix 1 – JORC Code, 2012 Edition, Table 1 report

Section 1 Sampling Techniques and Data (Criteria in this section applies to all succeeding sections)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. 	<ul style="list-style-type: none"> All holes were sampled on a 1m downhole interval basis. <ul style="list-style-type: none"> A representation of the rock chips from each 1m interval was collected and stored in RC chip trays for later use. All sampling lengths and other logging data were recorded in GRL's standard sampling record spreadsheets. Data includes from and to measurements, colour, lithology, magnetic susceptibility, structures etc. Visible sulphide content was logged as well as alteration and weathering. Industry-standard practice was used in the processing of samples for assay, with 1m intervals of RC chips collected in green plastic and calico bags.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details. 	<ul style="list-style-type: none"> In this program, reverse circulation (RC) percussion drill holes were used. The hole dip was -50°. RC percussion drilling was performed with a face sampling hammer bit (bit diameter between 4½ and 5 ¼ inches), and samples were collected by a cone splitter.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. 	<ul style="list-style-type: none"> RC drill chip sample recovery was recorded by visual estimation. Overall estimated recovery was high. All samples were dry as a result of appropriate air pressure and volume and the lack of groundwater. Measures are taken to ensure maximum RC sample recoveries included maintaining a clean cyclone and drilling equipment, as well as regular communication with the drillers and slowing drill advance rates when variable to poor ground conditions are encountered.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate 	<ul style="list-style-type: none"> The drill chips were geologically logged at 1m intervals with detailed recording of lithology, alteration, mineralisation and other observations such as colour, moisture and recovery. Drill chips were collected and sieved before being placed into reference chip trays for visual logging at 1m intervals.

Criteria	JORC Code explanation	Commentary
	Mineral Resource Estimation, mining studies and metallurgical studies.	<ul style="list-style-type: none"> Logging was performed at the time of drilling, and planned drill hole target lengths were adjusted by the geologist during drilling. The geologist also oversaw all sampling and drilling practices. A small selection of representative chips was collected for every 1-meter interval and stored in chip trays as well as a representative split of mineralised areas stored for potential future use.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> For all sample types, the nature, quality and appropriateness of the sample preparation technique. 	<ul style="list-style-type: none"> 1m Samples were recovered using a rig-mounted cone splitter during drilling into a calico sample bag. The sample target weight was between 2 and 4kg. QAQC was employed. A standard, blank or duplicate sample was inserted into the sample stream at regular intervals and also at specific intervals based on the geologist's discretion. Standards were quantified industry standards. Duplicate samples were taken using the same sample sub-sample technique as the original sub-sample and inserted at the geologist's discretion. Sample sizes are appropriate for the nature of mineralisation.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> All AS2 samples were submitted to Bureau Veritas laboratories in Adelaide. The samples were sorted, wet weighed, dried then weighed again. Primary preparation involved crushing and splitting the sample with a riffle splitter where necessary to obtain a sub-fraction which was pulverised in a vibrating pulveriser. All coarse residues have been retained. The samples have been analysed by a 40g lead collection fire assay as well as multi acid digest with an Inductively Coupled Plasma (ICP) Optical Emission Spectrometry finish for multi elements The lab randomly inserts analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. AS2 also inserted Certified Reference Material (CRM) samples and blanks were inserted at least every 10 samples to assess the accuracy and reproducibility of the drill core results. All of the QAQC data has been statistically assessed to determine if results were within the certified standard deviations of the reference material. If required a batch or a portion of the batch may be re-assayed. (no re-assays required for the data in the release).
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. 	<ul style="list-style-type: none"> The lab randomly insert analytical blanks, standards and duplicates into the client sample batches for laboratory QAQC performance monitoring. AS2 also inserted QAQC samples as mentioned above All of the QAQC data has been statistically assessed, 100% of which are within acceptable QAQC limits as stated by the standard deviation stipulated on the certificate for the reference material used. This fact combined with the fact that the data is demonstrably consistent has meant that the results are considered to be acceptable and suitable for reporting.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Discuss any adjustment to assay data. 	
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. 	<ul style="list-style-type: none"> Collar Survey - Collars were surveyed by high precision RTK enabled drone and are accurate to within 2 - 10cm Down Hole Survey - Downhole surveys were conducted using a Gyro.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The holes in this announcement were designed to target areas with relatively sparse drill density. Grade continuity of the targeted lodes cannot be determined from this data alone. Results are shown in appendix 3. No compositing was done.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. 	<ul style="list-style-type: none"> The holes were drilled perpendicular to the mapped strike of the lodes and surface outcropping lithologies and drilled from the hanging wall side toward the steeply east-dipping lodes. The orientation of the drilling is deemed appropriate and unbiased.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> All samples were collected and accounted for by AS2 employees/consultants during drilling. All samples were bagged into calico and plastic bags and closed with cable ties. Samples were transported to Perth from the logging site by AS2 employees/ consultants and submitted to the lab using courier companies. The appropriate manifest of sample numbers and a sample submission form containing laboratory instructions were submitted to the laboratory. Any discrepancies between sample submissions and samples received were routinely followed up and accounted for.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No audits have been conducted on the historic data to our knowledge.

Section 2 Reporting of Exploration Results (Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary												
Mineral tenement and land tenure status	<ul style="list-style-type: none">Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	<ul style="list-style-type: none">The Burracoppin Project (E70/5049) is located approximately 20km east of Merredin and 15km west of the Edna May Gold Mine in the eastern wheat belt of WA. The project is easily accessible from Merredin using the Great Eastern Highway. The Burracoppin South Road cross cuts some of the tenures.The exploration rights to the project are owned 100% by the Askari Metals Limited through the granted exploration license E70/5049.												
Exploration done by other parties	<ul style="list-style-type: none">Acknowledgment and appraisal of exploration by other parties.	<ul style="list-style-type: none">See appendix 2												
Geology	<ul style="list-style-type: none">Deposit type, geological setting and style of mineralisation.	<p>The area is dominated by gently undulating topography with isolated lateritic breakaways preserved on an intensely developed regolith. It is underlain by Archaean granite/gneiss greenstone terrane metamorphosed to amphibolite/granulite grade. Minor banded iron formation outcrops are known, and aplite-pegmatite dykes intrude the amphibolites at the Burgess Find gold workings.</p> <p>Burges Find, Christmas Gift, Benbur and Easter Gift were the four main areas mined at Burracoppin. (See Figure 2 below) The Burgess Find, Christmas Gift and Benbur mines reported production figures of 410 tonnes, 750 tonnes and 1030 tonnes, respectively. Production of the original miners in the 1930s was reported in the “Daily News” newspaper (June 1933), which wrote that the first parcel processed from Burracoppin had produced gold grades of 49g/t.</p> <p>The workings targeted mineralisation hosted in narrow, vertically dipping veins that occur within a gabbro dyke at or close to its western margin in pelitic sediments. The veins and gabbro strike north-south and are folded into a series of open folds. The Easter Gift workings occur in mafic granulite and metasediments and occupy a similar stratigraphic position to that of the Christmas Gift-Benbur North-Benbur workings to the north.</p> <p>Laterites that cover the Archaean rock sequence also carry gold mineralisation. The laterite consists of loose pisolites with a significant sand matrix component at the surface, grading into a poorly to well cemented nodular laterite layer. Gold mineralisation appears to be restricted to iron-rich laterites.</p>												
Drill hole Information	<ul style="list-style-type: none">A summary of all information material to the understanding of the exploration results including a	<p>Total drilling to the date of this report was 9,352 metres comprising of:</p> <table><tr><th>Drillhole Type</th><th># Holes</th><th>Total metres</th><th>Ave Depth (m)</th></tr><tr><td>RAB</td><td>889</td><td>4074.3</td><td>4.6</td></tr><tr><td>RC</td><td>96</td><td>5255</td><td>54.7</td></tr></table>	Drillhole Type	# Holes	Total metres	Ave Depth (m)	RAB	889	4074.3	4.6	RC	96	5255	54.7
Drillhole Type	# Holes	Total metres	Ave Depth (m)											
RAB	889	4074.3	4.6											
RC	96	5255	54.7											

Criteria	JORC Code explanation	Commentary																																																																																				
	tabulation of the following information for all Material drill holes:	<table><tr><td>Aircore</td><td>4</td><td>23</td><td>5.8</td></tr></table> <p>Note: The RAB and Aircore holes were used as soils samples as is indicated by their average depth.</p> <p>The table below shows recent AS2 RC drill details</p> <table><tr><th>HoleID</th><th>Depth</th><th>Mga94_Zone</th><th>Mga94_East</th><th>Mga94_North</th><th>RL</th><th>Dip</th><th>Azimuth</th></tr><tr><td>ABRC033</td><td>100</td><td>MGA94_50</td><td>647731</td><td>6513667</td><td>382</td><td>-50</td><td>278</td></tr><tr><td>ABRC034</td><td>106</td><td>MGA94_50</td><td>647725</td><td>6513609</td><td>380</td><td>-50</td><td>278</td></tr><tr><td>ABRC035</td><td>124</td><td>MGA94_50</td><td>647734</td><td>6513568</td><td>380</td><td>-50</td><td>275</td></tr><tr><td>ABRC036</td><td>118</td><td>MGA94_50</td><td>647628</td><td>6513659</td><td>360</td><td>-50</td><td>273</td></tr><tr><td>ABRC037</td><td>9</td><td>MGA94_50</td><td>647537</td><td>6513509</td><td>391</td><td>-50</td><td>271</td></tr><tr><td>ABRC037A</td><td>100</td><td>MGA94_50</td><td>647541</td><td>6513508</td><td>391</td><td>-50</td><td>275</td></tr><tr><td>ABRC038</td><td>124</td><td>MGA94_50</td><td>647655</td><td>6513453</td><td>382</td><td>-50</td><td>303</td></tr><tr><td>ABRC039</td><td>122</td><td>MGA94_50</td><td>647660</td><td>6513401</td><td>381</td><td>-50</td><td>276</td></tr><tr><td>ABRC040</td><td>130</td><td>MGA94_50</td><td>647626</td><td>6513262</td><td>383</td><td>-50</td><td>309</td></tr></table>	Aircore	4	23	5.8	HoleID	Depth	Mga94_Zone	Mga94_East	Mga94_North	RL	Dip	Azimuth	ABRC033	100	MGA94_50	647731	6513667	382	-50	278	ABRC034	106	MGA94_50	647725	6513609	380	-50	278	ABRC035	124	MGA94_50	647734	6513568	380	-50	275	ABRC036	118	MGA94_50	647628	6513659	360	-50	273	ABRC037	9	MGA94_50	647537	6513509	391	-50	271	ABRC037A	100	MGA94_50	647541	6513508	391	-50	275	ABRC038	124	MGA94_50	647655	6513453	382	-50	303	ABRC039	122	MGA94_50	647660	6513401	381	-50	276	ABRC040	130	MGA94_50	647626	6513262	383	-50	309
Aircore	4	23	5.8																																																																																			
HoleID	Depth	Mga94_Zone	Mga94_East	Mga94_North	RL	Dip	Azimuth																																																																															
ABRC033	100	MGA94_50	647731	6513667	382	-50	278																																																																															
ABRC034	106	MGA94_50	647725	6513609	380	-50	278																																																																															
ABRC035	124	MGA94_50	647734	6513568	380	-50	275																																																																															
ABRC036	118	MGA94_50	647628	6513659	360	-50	273																																																																															
ABRC037	9	MGA94_50	647537	6513509	391	-50	271																																																																															
ABRC037A	100	MGA94_50	647541	6513508	391	-50	275																																																																															
ABRC038	124	MGA94_50	647655	6513453	382	-50	303																																																																															
ABRC039	122	MGA94_50	647660	6513401	381	-50	276																																																																															
ABRC040	130	MGA94_50	647626	6513262	383	-50	309																																																																															
Data aggregation methods	<ul style="list-style-type: none">• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.• Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	<ul style="list-style-type: none">• No grade aggregation, weighting, or cut-off methods were used for this announcement.																																																																																				
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none">• These relationships are particularly important in the reporting of Exploration Results.• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.	The mineralised units are near vertical, and drilling has almost exclusively been conducted from the east at optimal angles with the mineralised units. The drilling angle is about -50 degrees, resulting in mineralised intersections slightly longer than the true width. Interpretation of the mineralised units honours the true width.																																																																																				

Criteria	JORC Code explanation	Commentary
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	Maps presented in the text of the document
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practised to avoid misleading reporting of results. 	<ul style="list-style-type: none"> All results of Askari Metals' samples have been reported in this release...See appendix 3. If info about additional elements is sought, please contact the AS2 Board.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported, including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	See appendix 2.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). 	<ul style="list-style-type: none"> Currently under assessment. Follow-up work is required, as mentioned in the body of the announcement.

Appendix 2. Historic Exploration in the area of E70/5049_Burracoppin

REPORT_YEAR	OPERATOR	TARGET_COMMODITY	PROJECT	ANUMBER
1981	VALIANT CONSOLIDATED LTD	Au	Burgess Find	9736
1981	VALIANT CONSOLIDATED LTD	Au	Burgess Find	16524
1985	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	16639
1753	CARPENTARIA EXP CO PTY LTD	Au	Westonia	17401
1986	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	18730
1986	CARPENTARIA EXP CO PTY LTD	Au	Westonia	18974
1986	WESTONIA MINES PTY LTD	Au	West Westonia	19535
1986	MIRALGA MINING	Au	Burgess Find	20003
1987	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	20186
1987	AUREX PTY LTD	Au	Westonia	20818
1987	QESTORE PTY LTD	Au	West Westonia	21701
1987	AUST CONSOLIDATED MINERALS LTD	Au	Westonia	22011
1988	AUST CONSOLIDATED MINERALS LTD	Au	Corsini's - Westonia	24889
1988	WESTONIA MINES PTY LTD	Au	Westonia West	25229
1988	AUST CONSOLIDATED MINERALS LTD	Au	West Westonia	27080
1988	AUST CONSOLIDATED MINERALS LTD	Au	Leaches Block	27082
1988	AUST CONSOLIDATED MINERALS LTD	Au	West Westonia	27083
1988	AUST CONSOLIDATED MINERALS LTD	Au	Corsini's	27084
1989	MIRALGA MINING	Au	Burgess Find	29857
1993	MR FIRTH DA	Au	Burgess and Bennett Find	39454
1994	MR RUTHERFORD JW	Au	Burracoppin	42589
1994	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	43181
1995	CAMBRIAN RESOURCES NL	Au	Benbur West	45912
1995	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	46217
1996	CAMBRIAN RESOURCES NL	Au	Burracoppin	47133
1996	CAMBRIAN RESOURCES NL	Au	Benbur West	49289
1996	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	49338
1996	CAMBRIAN RESOURCES NL	Au	Burracoppin	49526
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin	50656
1997	CAMBRIAN RESOURCES NL	Au	Burgess and Bennett Find	52467
1997	CAMBRIAN RESOURCES NL	Au	Benbur West	52468
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin exploration gold	52479
1997	CAMBRIAN RESOURCES NL	Au	Benbur West	52481
1997	CAMBRIAN RESOURCES NL	Au	Burracoppin	53321
1998	CAMBRIAN RESOURCES NL	Au	Burracoppin	53845
1998	CAMBRIAN RESOURCES NL	Au	Burracoppin	55244
2007	MAGNETIC RESOURCES NL	Au; Ni	Koonadgin	76560
2008	MAGNETIC RESOURCES NL	Au	Koonadgin	79047
2008	MAGNETIC RESOURCES NL	Au	Koonadgin	79048
2009	MAGNETIC RESOURCES NL	Au; Fe	Koonadgin	84076
2010	MAGNETIC RESOURCES NL	Au; Fe	Koonadgin	87284
2011	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	90428
2012	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	93797
2012	ENTERPRISE METALS LTD	Au; PGE's	Burracoppin	93879
2012	Maka Minerals Pty Ltd	Au; Fe; Ni; PGE's	Koonadgin	94704
2012	Maka Minerals Pty Ltd	Au; Fe; Ni; PGE's	Tandagin	95629
2013	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	97794
2013	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	98573
2013	ENTERPRISE METALS LTD	Au; Fe	Burracoppin	98860
2013	ENTERPRISE METALS LTD	Au; Fe	Burracoppin	100065
2013	Maka Minerals Pty Ltd	COBALT; Au; Ni	Tandagin	100275
2014	ENTERPRISE METALS LTD	BaseMet; Au; Fe; PGE's	Burracoppin	101937
2014	ENTERPRISE METALS LTD	Fe; Au; BaseMet; PGE's	Burracoppin	104197
2015	ENTERPRISE METALS LTD	Fe; Au; BaseMet; PGE's	Burracoppin	105931
2020	CYGNUS GOLD LIMITED	Au	Burracoppin	124414

Appendix 3: Table of assay results from the recent Askari Metals Ltd program

Hole_ID	Type	SampleID	From	To	Au_ppm	Hole_ID	Type	SampleID	From	To	Au_ppm	Hole_ID	Type	SampleID	From	To	Au_ppm
ABRC033	RC	AS204355	0	1	0.02	ABRC035	RC	AS204669	108	109	0.00	ABRC038	RC	AS204976	64	65	0.13
ABRC033	RC	AS204356	1	2	0.01	ABRC035	RC	AS204670	109	110	0.00	ABRC038	RC	AS204977	65	66	0.02
ABRC033	RC	AS204357	2	3	0.00	ABRC035	RC	AS204671	110	111	0.02	ABRC038	RC	AS204978	66	67	0.01
ABRC033	RC	AS204358	3	4	0.00	ABRC035	RC	AS204672	111	112	0.01	ABRC038	RC	AS204979	67	68	0.01
ABRC033	RC	AS204359	4	5	0.00	ABRC035	RC	AS204673	112	113	0.00	ABRC038	RC	AS204980	68	69	0.03
ABRC033	RC	AS204360	5	6	0.00	ABRC035	RC	AS204674	113	114	0.00	ABRC038	RC	AS204981	69	70	0.05
ABRC033	RC	AS204361	6	7	0.00	ABRC035	RC	AS204675	114	115	0.02	ABRC038	RC	AS204982	70	71	0.01
ABRC033	RC	AS204362	7	8	0.00	ABRC035	RC	AS204676	115	116	0.01	ABRC038	RC	AS204983	71	72	0.01
ABRC033	RC	AS204363	8	9	0.00	ABRC035	RC	AS204677	116	117	0.01	ABRC038	RC	AS204984	72	73	0.01
ABRC033	RC	AS204364	9	10	0.00	ABRC035	RC	AS204678	117	118	0.04	ABRC038	RC	AS204985	73	74	0.01
ABRC033	RC	AS204365	10	11	0.00	ABRC035	RC	AS204679	118	119	0.00	ABRC038	RC	AS204986	74	75	0.04
ABRC033	RC	AS204366	11	12	0.00	ABRC035	RC	AS204680	119	120	0.02	ABRC038	RC	AS204987	75	76	0.01
ABRC033	RC	AS204367	12	13	0.00	ABRC035	RC	AS204681	120	121	0.00	ABRC038	RC	AS204988	76	77	0.00
ABRC033	RC	AS204368	13	14	0.00	ABRC035	RC	AS204682	121	122	0.09	ABRC038	RC	AS204989	77	78	0.00
ABRC033	RC	AS204369	14	15	0.00	ABRC035	RC	AS204683	122	123	0.04	ABRC038	RC	AS204990	78	79	0.00
ABRC033	RC	AS204371	16	17	0.00	ABRC035	RC	AS204684	123	124	0.00	ABRC038	RC	AS204991	79	80	0.00
ABRC033	RC	AS204372	17	18	0.00	ABRC036	RC	AS204685	0	1	0.01	ABRC038	RC	AS204992	80	81	0.01
ABRC033	RC	AS204373	18	19	0.01	ABRC036	RC	AS204686	1	2	0.00	ABRC038	RC	AS204993	81	82	0.00
ABRC033	RC	AS204374	19	20	0.01	ABRC036	RC	AS204687	2	3	0.01	ABRC038	RC	AS204994	82	83	0.01
ABRC033	RC	AS204375	20	21	0.01	ABRC036	RC	AS204688	3	4	0.00	ABRC038	RC	AS204995	83	84	0.01
ABRC033	RC	AS204376	21	22	0.00	ABRC036	RC	AS204689	4	5	0.00	ABRC038	RC	AS204996	84	85	0.02
ABRC033	RC	AS204378	23	24	0.00	ABRC036	RC	AS204690	5	6	0.00	ABRC038	RC	AS204997	85	86	0.01
ABRC033	RC	AS204379	24	25	0.01	ABRC036	RC	AS204691	6	7	0.00	ABRC038	RC	AS204998	86	87	0.00
ABRC033	RC	AS204380	25	26	0.00	ABRC036	RC	AS204692	7	8	0.00	ABRC038	RC	AS204999	87	88	0.01
ABRC033	RC	AS204381	26	27	0.00	ABRC036	RC	AS204693	8	9	0.00	ABRC038	RC	AS205000	88	89	0.02
ABRC033	RC	AS204382	27	28	0.00	ABRC036	RC	AS204694	9	10	0.00	ABRC038	RC	AS205001	89	90	0.02
ABRC033	RC	AS204384	29	30	0.00	ABRC036	RC	AS204695	10	11	0.00	ABRC038	RC	AS205002	90	91	0.01
ABRC033	RC	AS204385	30	31	0.00	ABRC036	RC	AS204696	11	12	0.00	ABRC038	RC	AS205003	91	92	0.01
ABRC033	RC	AS204386	31	32	0.06	ABRC036	RC	AS204697	12	13	0.00	ABRC038	RC	AS205004	92	93	0.01
ABRC033	RC	AS204387	32	33	2.11	ABRC036	RC	AS204698	13	14	0.00	ABRC038	RC	AS205005	93	94	0.01
ABRC033	RC	AS204388	33	34	0.35	ABRC036	RC	AS204699	14	15	0.00	ABRC038	RC	AS205006	94	95	0.02
ABRC033	RC	AS204389	34	35	0.03	ABRC036	RC	AS204700	15	16	0.00	ABRC038	RC	AS205007	95	96	0.01
ABRC033	RC	AS204390	35	36	0.01	ABRC036	RC	AS204701	16	17	0.00	ABRC038	RC	AS205008	96	97	0.07
ABRC033	RC	AS204391	36	37	0.00	ABRC036	RC	AS204702	17	18	0.00	ABRC038	RC	AS205009	97	98	0.00
ABRC033	RC	AS204392	37	38	0.00	ABRC036	RC	AS204703	18	19	0.00	ABRC038	RC	AS205011	98	99	0.00
ABRC033	RC	AS204393	38	39	0.00	ABRC036	RC	AS204704	19	20	0.00	ABRC038	RC	AS205012	99	100	0.00
ABRC033	RC	AS204394	39	40	0.00	ABRC036	RC	AS204705	20	21	0.00	ABRC038	RC	AS205013	100	101	0.02
ABRC033	RC	AS204395	40	41	0.01	ABRC036	RC	AS204706	21	22	0.00	ABRC038	RC	AS205014	101	102	0.01
ABRC033	RC	AS204396	41	42	0.00	ABRC036	RC	AS204707	22	23	0.00	ABRC038	RC	AS205015	102	103	0.01
ABRC033	RC	AS204397	42	43	0.00	ABRC036	RC	AS204708	23	24	0.00	ABRC038	RC	AS205016	103	104	0.06
ABRC033	RC	AS204398	43	44	0.00	ABRC036	RC	AS204709	24	25	0.00	ABRC038	RC	AS205017	104	105	0.01
ABRC033	RC	AS204399	44	45	0.00	ABRC036	RC	AS204710	25	26	0.00	ABRC038	RC	AS205018	105	106	0.19
ABRC033	RC	AS204400	45	46	0.00	ABRC036	RC	AS204712	27	28	0.00	ABRC038	RC	AS205019	106	107	0.00
ABRC033	RC	AS204401	46	47	0.00	ABRC036	RC	AS204713	28	29	0.01	ABRC038	RC	AS205021	107	108	0.00
ABRC033	RC	AS204402	47	48	0.00	ABRC036	RC	AS204714	29	30	0.00	ABRC038	RC	AS205022	108	109	0.00
ABRC033	RC	AS204403	48	49	0.00	ABRC036	RC	AS204715	30	31	0.01	ABRC038	RC	AS205023	109	110	0.00
ABRC033	RC	AS204404	49	50	0.00	ABRC036	RC	AS204716	31	32	0.02	ABRC038	RC	AS205024	110	111	0.00
ABRC033	RC	AS204405	50	51	0.01	ABRC036	RC	AS204717	32	33	0.04	ABRC038	RC	AS205027	112	113	0.10
ABRC033	RC	AS204406	51	52	0.00	ABRC036	RC	AS204718	33	34	0.02	ABRC038	RC	AS205028	113	114	0.14
ABRC033	RC	AS204407	52	53	0.00	ABRC036	RC	AS204719	34	35	0.01	ABRC038	RC	AS205029	114	115	0.18
ABRC033	RC	AS204408	53	54	0.00	ABRC036	RC	AS204720	35	36	0.00	ABRC038	RC	AS205031	115	116	0.01
ABRC033	RC	AS204409	54	55	0.00	ABRC036	RC	AS204721	36	37	0.00	ABRC038	RC	AS205032	116	117	0.00
ABRC033	RC	AS204410	55	56	0.02	ABRC036	RC	AS204723	38	39	0.02	ABRC038	RC	AS205033	117	118	0.01
ABRC033	RC	AS204411	56	57	0.01	ABRC036	RC	AS204724	39	40	0.00	ABRC038	RC	AS205034	118	119	0.00
ABRC033	RC	AS204412	57	58	0.00	ABRC036	RC	AS204725	40	41	0.01	ABRC038	RC	AS205035	119	120	0.00
ABRC033	RC	AS204413	58	59	0.00	ABRC036	RC	AS204726	41	42	0.00	ABRC038	RC	AS205036	120	121	0.00
ABRC033	RC	AS204414	59	60	0.00	ABRC036	RC	AS204727	42	43	0.00	ABRC038	RC	AS205037	121	122	0.00
ABRC033	RC	AS204415	60	61	0.00	ABRC036	RC	AS204728	43	44	0.00	ABRC038	RC	AS205038	122	123	0.01
ABRC033	RC	AS204416	61	62	0.00	ABRC036	RC	AS204729	44	45	0.00	ABRC038	RC	AS205039	123	124	0.14
ABRC033	RC	AS204417	62	63	0.00	ABRC036	RC	AS204731	46	47	0.02	ABRC039	RC	AS205041	0	1	0.05
ABRC033	RC	AS204418	63	64	0.00	ABRC036	RC	AS204732	47	48	0.12	ABRC039	RC	AS205042	1	2	0.02
ABRC033	RC	AS204419	64	65	0.00	ABRC036	RC	AS204733	48	49	0.07	ABRC039	RC	AS205043	2	3	0.02
ABRC033	RC	AS204420	65	66	0.00	ABRC036	RC	AS204734	49	50	0.02	ABRC039	RC	AS205044	3	4	0.02
ABRC033	RC	AS204421	66	67	0.00	ABRC036	RC	AS204735	50	51	0.02	ABRC039	RC	AS205045	4	5	0.01
ABRC033	RC	AS204422	67	68	0.00	ABRC036	RC	AS204736	51	52	0.12	ABRC039	RC	AS205046	5	6	0.01
ABRC033	RC	AS204423	68	69	0.01	ABRC036	RC	AS204737	52	53	0.10	ABRC039	RC	AS205047	6	7	0.00
ABRC033	RC	AS204424	69	70	0.00	ABRC036	RC	AS204738	53	54	0.03	ABRC039	RC	AS205048	7	8	0.01
ABRC033	RC	AS204425	70	71	0.00	ABRC036	RC	AS204739	54	55	0.00	ABRC039	RC	AS205049	8	9	0.01
ABRC033	RC	AS204426	71	72	0.00	ABRC036	RC	AS204740	55	56	0.01	ABRC039	RC	AS205051	9	10	0.03
ABRC033	RC	AS204427	72	73	0.00	ABRC036	RC	AS204741	56	57	0.00	ABRC039	RC	AS205052	10	11	0.02
ABRC033	RC	AS204428	73	74	0.00	ABRC036	RC	AS204742	57	58	0.02	ABRC039	RC	AS205053	11	12	0.03
ABRC033	RC	AS204429	74	75	0.00	ABRC036	RC	AS204743	58	59	0.06	ABRC039	RC	AS205054	12	13	0.42
ABRC033	RC	AS204430	75	76	0.00	ABRC036	RC	AS204744	59	60	0.03	ABRC039	RC	AS205055	13	14	0.19
ABRC033	RC	AS204431	76	77	0.00	ABRC036	RC	AS204745	60	61	0.03	ABRC039	RC	AS205056	14	15	0.01
ABRC033	RC	AS204432	77	78	0.00	ABRC036	RC	AS204746	61	62	0.01	ABRC039	RC	AS205057	15	16	0.17
ABRC033	RC	AS204433	78	79	0.00	ABRC036	RC	AS204747	62	63	0.01	ABRC039	RC	AS205058	16	17	0.03
ABRC033	RC	AS204434	79	80	0.02	ABRC036	RC	AS204748	63	64	0.01	ABRC039	RC	AS205059	17	18	0.00
ABRC033	RC	AS204435	80	81	0.00	ABRC036	RC	AS204749									

Hole_ID	Type	SampleID	From	To	Au_ppm	Hole_ID	Type	SampleID	From	To	Au_ppm	Hole_ID	Type	SampleID	From	To	Au_ppm
ABRC034	RC	AS204467	12	13	0.00	ABRC036	RC	AS204779	94	95	0.00	ABRC039	RC	AS205095	48	49	0.01
ABRC034	RC	AS204468	13	14	0.01	ABRC036	RC	AS204780	95	96	0.00	ABRC039	RC	AS205096	49	50	0.01
ABRC034	RC	AS204469	14	15	0.01	ABRC036	RC	AS204781	96	97	0.00	ABRC039	RC	AS205097	50	51	0.01
ABRC034	RC	AS204470	15	16	0.01	ABRC036	RC	AS204782	97	98	0.00	ABRC039	RC	AS205098	51	52	0.00
ABRC034	RC	AS204471	16	17	0.00	ABRC036	RC	AS204783	98	99	0.01	ABRC039	RC	AS205099	52	53	0.04
ABRC034	RC	AS204472	17	18	0.00	ABRC036	RC	AS204784	99	100	0.02	ABRC039	RC	AS205101	53	54	0.01
ABRC034	RC	AS204473	18	19	0.00	ABRC036	RC	AS204785	100	101	0.01	ABRC039	RC	AS205102	54	55	0.02
ABRC034	RC	AS204474	19	20	0.00	ABRC036	RC	AS204786	101	102	0.00	ABRC039	RC	AS205103	55	56	0.00
ABRC034	RC	AS204475	20	21	0.00	ABRC036	RC	AS204787	102	103	0.00	ABRC039	RC	AS205104	56	57	0.03
ABRC034	RC	AS204476	21	22	0.00	ABRC036	RC	AS204788	103	104	0.01	ABRC039	RC	AS205105	57	58	0.05
ABRC034	RC	AS204477	22	23	0.02	ABRC036	RC	AS204789	104	105	0.00	ABRC039	RC	AS205106	58	59	0.03
ABRC034	RC	AS204478	23	24	0.03	ABRC036	RC	AS204790	105	106	0.00	ABRC039	RC	AS205107	59	60	0.03
ABRC034	RC	AS204479	24	25	0.00	ABRC036	RC	AS204791	106	107	0.00	ABRC039	RC	AS205108	60	61	0.08
ABRC034	RC	AS204480	25	26	0.00	ABRC036	RC	AS204792	107	108	0.00	ABRC039	RC	AS205109	61	62	0.02
ABRC034	RC	AS204481	26	27	0.00	ABRC036	RC	AS204793	108	109	0.01	ABRC039	RC	AS205111	62	63	0.03
ABRC034	RC	AS204482	27	28	0.01	ABRC036	RC	AS204794	109	110	0.00	ABRC039	RC	AS205112	63	64	2.06
ABRC034	RC	AS204483	28	29	0.01	ABRC036	RC	AS204795	110	111	0.01	ABRC039	RC	AS205113	64	65	0.45
ABRC034	RC	AS204484	29	30	0.00	ABRC036	RC	AS204796	111	112	0.00	ABRC039	RC	AS205114	65	66	0.04
ABRC034	RC	AS204485	30	31	0.01	ABRC036	RC	AS204797	112	113	0.04	ABRC039	RC	AS205115	66	67	0.01
ABRC034	RC	AS204486	31	32	0.00	ABRC036	RC	AS204798	113	114	0.01	ABRC039	RC	AS205116	67	68	0.01
ABRC034	RC	AS204487	32	33	0.00	ABRC036	RC	AS204799	114	115	0.01	ABRC039	RC	AS205117	68	69	0.00
ABRC034	RC	AS204488	33	34	0.00	ABRC036	RC	AS204800	115	116	0.02	ABRC039	RC	AS205118	69	70	0.01
ABRC034	RC	AS204489	34	35	0.00	ABRC036	RC	AS204801	116	117	0.01	ABRC039	RC	AS205119	70	71	0.02
ABRC034	RC	AS204490	35	36	0.00	ABRC036	RC	AS204802	117	118	0.00	ABRC039	RC	AS205121	71	72	0.01
ABRC034	RC	AS204491	36	37	0.00	ABRC037	RC	AS204803	0	1	1.92	ABRC039	RC	AS205122	72	73	0.00
ABRC034	RC	AS204492	37	38	0.01	ABRC037	RC	AS204804	1	2	2.72	ABRC039	RC	AS205123	73	74	0.00
ABRC034	RC	AS204493	38	39	0.42	ABRC037	RC	AS204805	2	3	1.69	ABRC039	RC	AS205124	74	75	0.00
ABRC034	RC	AS204494	39	40	0.22	ABRC037	RC	AS204806	3	4	0.71	ABRC039	RC	AS205127	76	77	0.07
ABRC034	RC	AS204495	40	41	0.03	ABRC037	RC	AS204807	4	5	0.31	ABRC039	RC	AS205128	77	78	0.00
ABRC034	RC	AS204496	41	42	0.01	ABRC037	RC	AS204808	5	6	0.09	ABRC039	RC	AS205129	78	79	0.00
ABRC034	RC	AS204497	42	43	0.01	ABRC037	RC	AS204809	6	7	0.04	ABRC039	RC	AS205131	79	80	0.00
ABRC034	RC	AS204498	43	44	0.01	ABRC037	RC	AS204810	7	8	0.01	ABRC039	RC	AS205132	80	81	0.00
ABRC034	RC	AS204499	44	45	0.01	ABRC037	RC	AS204811	8	9	0.01	ABRC039	RC	AS205133	81	82	0.00
ABRC034	RC	AS204500	45	46	0.03	ABRC037A	RC	AS204812	0	1	1.31	ABRC039	RC	AS205134	82	83	0.00
ABRC034	RC	AS204501	46	47	0.14	ABRC037A	RC	AS204813	1	2	0.92	ABRC039	RC	AS205135	83	84	0.01
ABRC034	RC	AS204502	47	48	0.02	ABRC037A	RC	AS204814	2	3	0.92	ABRC039	RC	AS205136	84	85	0.00
ABRC034	RC	AS204503	48	49	0.00	ABRC037A	RC	AS204815	3	4	0.72	ABRC039	RC	AS205137	85	86	0.03
ABRC034	RC	AS204504	49	50	0.01	ABRC037A	RC	AS204816	4	5	0.17	ABRC039	RC	AS205138	86	87	0.02
ABRC034	RC	AS204505	50	51	0.00	ABRC037A	RC	AS204817	5	6	0.05	ABRC039	RC	AS205139	87	88	0.01
ABRC034	RC	AS204506	51	52	0.01	ABRC037A	RC	AS204818	6	7	0.09	ABRC039	RC	AS205141	88	89	0.03
ABRC034	RC	AS204507	52	53	0.00	ABRC037A	RC	AS204819	7	8	0.02	ABRC039	RC	AS205142	89	90	0.01
ABRC034	RC	AS204508	53	54	0.00	ABRC037A	RC	AS204820	8	9	0.02	ABRC039	RC	AS205143	90	91	0.12
ABRC034	RC	AS204509	54	55	0.01	ABRC037A	RC	AS204821	9	10	0.01	ABRC039	RC	AS205144	91	92	0.05
ABRC034	RC	AS204510	55	56	0.00	ABRC037A	RC	AS204822	10	11	0.04	ABRC039	RC	AS205145	92	93	0.01
ABRC034	RC	AS204511	56	57	0.06	ABRC037A	RC	AS204823	11	12	0.03	ABRC039	RC	AS205146	93	94	0.01
ABRC034	RC	AS204512	57	58	0.04	ABRC037A	RC	AS204824	12	13	0.01	ABRC039	RC	AS205147	94	95	0.00
ABRC034	RC	AS204513	58	59	0.03	ABRC037A	RC	AS204825	13	14	0.00	ABRC039	RC	AS205148	95	96	0.01
ABRC034	RC	AS204514	59	60	0.01	ABRC037A	RC	AS204826	14	15	0.01	ABRC039	RC	AS205149	96	97	0.21
ABRC034	RC	AS204515	60	61	0.01	ABRC037A	RC	AS204827	15	16	0.00	ABRC039	RC	AS205151	97	98	0.08
ABRC034	RC	AS204516	61	62	0.00	ABRC037A	RC	AS204828	16	17	0.02	ABRC039	RC	AS205152	98	99	0.09
ABRC034	RC	AS204517	62	63	0.01	ABRC037A	RC	AS204829	17	18	0.00	ABRC039	RC	AS205153	99	100	0.02
ABRC034	RC	AS204518	63	64	0.04	ABRC037A	RC	AS204830	18	19	0.01	ABRC039	RC	AS205154	100	101	0.01
ABRC034	RC	AS204519	64	65	0.02	ABRC037A	RC	AS204831	19	20	0.00	ABRC039	RC	AS205155	101	102	0.00
ABRC034	RC	AS204520	65	66	0.00	ABRC037A	RC	AS204832	20	21	0.09	ABRC039	RC	AS205156	102	103	0.00
ABRC034	RC	AS204521	66	67	0.00	ABRC037A	RC	AS204833	21	22	0.00	ABRC039	RC	AS205157	103	104	0.00
ABRC034	RC	AS204522	67	68	0.00	ABRC037A	RC	AS204834	22	23	0.03	ABRC039	RC	AS205158	104	105	0.00
ABRC034	RC	AS204523	68	69	0.00	ABRC037A	RC	AS204835	23	24	0.00	ABRC039	RC	AS205159	105	106	0.00
ABRC034	RC	AS204524	69	70	0.00	ABRC037A	RC	AS204836	24	25	0.03	ABRC039	RC	AS205161	106	107	0.00
ABRC034	RC	AS204525	70	71	0.00	ABRC037A	RC	AS204837	25	26	0.01	ABRC039	RC	AS205162	107	108	0.01
ABRC034	RC	AS204526	71	72	0.00	ABRC037A	RC	AS204838	26	27	0.01	ABRC039	RC	AS205163	108	109	0.06
ABRC034	RC	AS204527	72	73	0.00	ABRC037A	RC	AS204839	27	28	0.01	ABRC039	RC	AS205164	109	110	0.13
ABRC034	RC	AS204528	73	74	0.01	ABRC037A	RC	AS204840	28	29	0.03	ABRC039	RC	AS205165	110	111	0.01
ABRC034	RC	AS204529	74	75	0.00	ABRC037A	RC	AS204841	29	30	0.01	ABRC039	RC	AS205166	111	112	0.01
ABRC034	RC	AS204530	75	76	0.00	ABRC037A	RC	AS204842	30	31	0.00	ABRC039	RC	AS205167	112	113	0.00
ABRC034	RC	AS204531	76	77	0.00	ABRC037A	RC	AS204843	31	32	0.00	ABRC039	RC	AS205168	113	114	0.00
ABRC034	RC	AS204532	77	78	0.00	ABRC037A	RC	AS204844	32	33	0.02	ABRC039	RC	AS205169	114	115	0.00
ABRC034	RC	AS204533	78	79	0.02	ABRC037A	RC	AS204845	33	34	0.01	ABRC039	RC	AS205171	115	116	0.01
ABRC034	RC	AS204534	79	80	0.04	ABRC037A	RC	AS204846	34	35	0.00	ABRC039	RC	AS205172	116	117	0.00
ABRC034	RC	AS204535	80	81	0.14	ABRC037A	RC	AS204847	35	36	0.00	ABRC039	RC	AS205173	117	118	0.01
ABRC034	RC	AS204536	81	82	0.06	ABRC037A	RC	AS204848	36	37	0.00	ABRC039	RC	AS205174	118	119	0.00
ABRC034	RC	AS204537	82	83	0.01	ABRC037A	RC	AS204849	37	38	0.00	ABRC039	RC	AS205177	120	121	0.04
ABRC034	RC	AS204538	83	84	0.01	ABRC037A	RC	AS204850	38	39	0.00	ABRC039	RC	AS205178	121	122	0.00
ABRC034	RC	AS204539	84	85	0.01	ABRC037A	RC	AS204851	39	40	0.00	ABRC040	RC	AS205179	0	1	0.06
ABRC034	RC	AS204540	85	86	0.01	ABRC037A	RC	AS204852	40	41	0.00	ABRC040	RC	AS205181	1	2	0.02
ABRC034	RC	AS204541	86	87	0.00	ABRC037A	RC	AS204853	41	42	0.00	ABRC040	RC	AS205182	2	3	0.01
ABRC034	RC	AS204542	87	88	0.08	ABRC037A	RC	AS204854	42	43	0.00	ABRC040	RC	AS205183	3	4	0.00
ABRC034	RC	AS204543	88	89	0.04	ABRC037A	RC	AS204855	43	44	0.00	ABRC040	RC	AS205184	4	5	0.01
ABRC034	RC	AS204544	89	90	0.03	ABRC037A	RC	AS2									

Hole_ID	Type	SampleID	From	To	Au_ppm	Hole_ID	Type	SampleID	From	To	Au_ppm	Hole_ID	Type	SampleID	From	To	Au_ppm
ABRC035	RC	AS204576	15	16	0.01	ABRC037A	RC	AS204888	76	77	0.00	ABRC040	RC	AS205221	37	38	0.01
ABRC035	RC	AS204578	17	18	0.00	ABRC037A	RC	AS204889	77	78	0.00	ABRC040	RC	AS205222	38	39	0.04
ABRC035	RC	AS204579	18	19	0.01	ABRC037A	RC	AS204890	78	79	0.01	ABRC040	RC	AS205223	39	40	0.00
ABRC035	RC	AS204580	19	20	0.00	ABRC037A	RC	AS204891	79	80	0.00	ABRC040	RC	AS205224	40	41	0.00
ABRC035	RC	AS204581	20	21	0.00	ABRC037A	RC	AS204892	80	81	0.00	ABRC040	RC	AS205227	42	43	0.00
ABRC035	RC	AS204582	21	22	0.00	ABRC037A	RC	AS204893	81	82	0.01	ABRC040	RC	AS205228	43	44	0.00
ABRC035	RC	AS204583	22	23	0.00	ABRC037A	RC	AS204894	82	83	0.00	ABRC040	RC	AS205229	44	45	0.01
ABRC035	RC	AS204584	23	24	0.00	ABRC037A	RC	AS204895	83	84	0.00	ABRC040	RC	AS205231	45	46	0.02
ABRC035	RC	AS204585	24	25	0.00	ABRC037A	RC	AS204896	84	85	0.01	ABRC040	RC	AS205232	46	47	0.01
ABRC035	RC	AS204586	25	26	0.00	ABRC037A	RC	AS204897	85	86	0.00	ABRC040	RC	AS205233	47	48	0.02
ABRC035	RC	AS204587	26	27	0.01	ABRC037A	RC	AS204898	86	87	0.00	ABRC040	RC	AS205234	48	49	0.01
ABRC035	RC	AS204588	27	28	0.01	ABRC037A	RC	AS204899	87	88	0.00	ABRC040	RC	AS205235	49	50	0.01
ABRC035	RC	AS204590	29	30	0.02	ABRC037A	RC	AS204900	88	89	0.00	ABRC040	RC	AS205236	50	51	0.01
ABRC035	RC	AS204591	30	31	0.08	ABRC037A	RC	AS204901	89	90	0.00	ABRC040	RC	AS205237	51	52	0.01
ABRC035	RC	AS204592	31	32	0.01	ABRC037A	RC	AS204902	90	91	0.00	ABRC040	RC	AS205238	52	53	0.00
ABRC035	RC	AS204593	32	33	0.02	ABRC037A	RC	AS204903	91	92	0.00	ABRC040	RC	AS205239	53	54	0.00
ABRC035	RC	AS204594	33	34	0.01	ABRC037A	RC	AS204904	92	93	0.01	ABRC040	RC	AS205241	54	55	0.00
ABRC035	RC	AS204595	34	35	0.02	ABRC037A	RC	AS204905	93	94	0.01	ABRC040	RC	AS205242	55	56	0.00
ABRC035	RC	AS204596	35	36	0.05	ABRC037A	RC	AS204906	94	95	0.00	ABRC040	RC	AS205243	56	57	0.01
ABRC035	RC	AS204597	36	37	0.04	ABRC037A	RC	AS204907	95	96	0.00	ABRC040	RC	AS205244	57	58	0.00
ABRC035	RC	AS204598	37	38	0.02	ABRC037A	RC	AS204908	96	97	0.00	ABRC040	RC	AS205245	58	59	0.01
ABRC035	RC	AS204599	38	39	0.01	ABRC037A	RC	AS204909	97	98	0.00	ABRC040	RC	AS205246	59	60	0.01
ABRC035	RC	AS204600	39	40	0.00	ABRC037A	RC	AS204910	98	99	0.00	ABRC040	RC	AS205247	60	61	0.01
ABRC035	RC	AS204601	40	41	0.00	ABRC037A	RC	AS204911	99	100	0.00	ABRC040	RC	AS205248	61	62	0.01
ABRC035	RC	AS204602	41	42	0.00	ABRC038	RC	AS204912	0	1	0.02	ABRC040	RC	AS205249	62	63	0.00
ABRC035	RC	AS204603	42	43	0.00	ABRC038	RC	AS204913	1	2	0.01	ABRC040	RC	AS205251	63	64	0.00
ABRC035	RC	AS204604	43	44	0.00	ABRC038	RC	AS204914	2	3	0.01	ABRC040	RC	AS205252	64	65	0.00
ABRC035	RC	AS204605	44	45	0.00	ABRC038	RC	AS204915	3	4	0.00	ABRC040	RC	AS205253	65	66	0.01
ABRC035	RC	AS204606	45	46	0.00	ABRC038	RC	AS204916	4	5	0.01	ABRC040	RC	AS205254	66	67	0.01
ABRC035	RC	AS204607	46	47	0.00	ABRC038	RC	AS204917	5	6	0.00	ABRC040	RC	AS205255	67	68	0.00
ABRC035	RC	AS204608	47	48	0.09	ABRC038	RC	AS204918	6	7	0.01	ABRC040	RC	AS205256	68	69	0.00
ABRC035	RC	AS204609	48	49	0.01	ABRC038	RC	AS204919	7	8	0.02	ABRC040	RC	AS205257	69	70	0.00
ABRC035	RC	AS204610	49	50	0.00	ABRC038	RC	AS204920	8	9	0.01	ABRC040	RC	AS205258	70	71	0.00
ABRC035	RC	AS204611	50	51	0.00	ABRC038	RC	AS204921	9	10	0.02	ABRC040	RC	AS205259	71	72	0.00
ABRC035	RC	AS204612	51	52	0.00	ABRC038	RC	AS204922	10	11	0.03	ABRC040	RC	AS205261	72	73	0.00
ABRC035	RC	AS204613	52	53	0.00	ABRC038	RC	AS204923	11	12	0.05	ABRC040	RC	AS205262	73	74	0.00
ABRC035	RC	AS204614	53	54	0.00	ABRC038	RC	AS204924	12	13	0.05	ABRC040	RC	AS205263	74	75	0.01
ABRC035	RC	AS204615	54	55	0.00	ABRC038	RC	AS204925	13	14	0.02	ABRC040	RC	AS205264	75	76	0.05
ABRC035	RC	AS204616	55	56	0.00	ABRC038	RC	AS204926	14	15	0.01	ABRC040	RC	AS205265	76	77	0.02
ABRC035	RC	AS204617	56	57	0.00	ABRC038	RC	AS204927	15	16	0.01	ABRC040	RC	AS205266	77	78	0.04
ABRC035	RC	AS204619	58	59	0.00	ABRC038	RC	AS204928	16	17	0.01	ABRC040	RC	AS205267	78	79	0.01
ABRC035	RC	AS204620	59	60	0.00	ABRC038	RC	AS204929	17	18	0.01	ABRC040	RC	AS205268	79	80	0.01
ABRC035	RC	AS204621	60	61	0.00	ABRC038	RC	AS204930	18	19	0.01	ABRC040	RC	AS205269	80	81	0.01
ABRC035	RC	AS204622	61	62	0.00	ABRC038	RC	AS204931	19	20	0.01	ABRC040	RC	AS205271	81	82	0.02
ABRC035	RC	AS204623	62	63	0.00	ABRC038	RC	AS204932	20	21	0.00	ABRC040	RC	AS205272	82	83	0.01
ABRC035	RC	AS204624	63	64	0.00	ABRC038	RC	AS204933	21	22	0.00	ABRC040	RC	AS205273	83	84	0.02
ABRC035	RC	AS204625	64	65	0.00	ABRC038	RC	AS204934	22	23	0.00	ABRC040	RC	AS205274	84	85	0.01
ABRC035	RC	AS204626	65	66	0.00	ABRC038	RC	AS204935	23	24	0.00	ABRC040	RC	AS205277	86	87	0.01
ABRC035	RC	AS204627	66	67	0.00	ABRC038	RC	AS204936	24	25	0.00	ABRC040	RC	AS205278	87	88	0.00
ABRC035	RC	AS204628	67	68	0.00	ABRC038	RC	AS204937	25	26	0.00	ABRC040	RC	AS205279	88	89	0.00
ABRC035	RC	AS204629	68	69	0.00	ABRC038	RC	AS204938	26	27	0.00	ABRC040	RC	AS205281	89	90	0.01
ABRC035	RC	AS204630	69	70	0.00	ABRC038	RC	AS204939	27	28	0.00	ABRC040	RC	AS205282	90	91	0.23
ABRC035	RC	AS204631	70	71	0.05	ABRC038	RC	AS204940	28	29	0.00	ABRC040	RC	AS205283	91	92	0.08
ABRC035	RC	AS204632	71	72	0.00	ABRC038	RC	AS204941	29	30	0.00	ABRC040	RC	AS205284	92	93	1.03
ABRC035	RC	AS204633	72	73	0.09	ABRC038	RC	AS204942	30	31	0.00	ABRC040	RC	AS205285	93	94	0.06
ABRC035	RC	AS204634	73	74	0.01	ABRC038	RC	AS204943	31	32	0.00	ABRC040	RC	AS205286	94	95	0.03
ABRC035	RC	AS204635	74	75	0.05	ABRC038	RC	AS204944	32	33	0.00	ABRC040	RC	AS205287	95	96	0.01
ABRC035	RC	AS204636	75	76	0.10	ABRC038	RC	AS204945	33	34	0.00	ABRC040	RC	AS205288	96	97	0.01
ABRC035	RC	AS204637	76	77	0.56	ABRC038	RC	AS204946	34	35	0.00	ABRC040	RC	AS205289	97	98	0.02
ABRC035	RC	AS204638	77	78	0.10	ABRC038	RC	AS204947	35	36	0.00	ABRC040	RC	AS205291	98	99	0.02
ABRC035	RC	AS204639	78	79	0.08	ABRC038	RC	AS204948	36	37	0.00	ABRC040	RC	AS205292	99	100	0.21
ABRC035	RC	AS204640	79	80	0.41	ABRC038	RC	AS204949	37	38	0.00	ABRC040	RC	AS205293	100	101	0.02
ABRC035	RC	AS204641	80	81	0.15	ABRC038	RC	AS204950	38	39	0.00	ABRC040	RC	AS205294	101	102	0.01
ABRC035	RC	AS204642	81	82	0.09	ABRC038	RC	AS204951	39	40	0.00	ABRC040	RC	AS205295	102	103	0.08
ABRC035	RC	AS204643	82	83	0.01	ABRC038	RC	AS204952	40	41	0.15	ABRC040	RC	AS205296	103	104	0.02
ABRC035	RC	AS204644	83	84	0.01	ABRC038	RC	AS204953	41	42	0.02	ABRC040	RC	AS205297	104	105	0.01
ABRC035	RC	AS204645	84	85	0.01	ABRC038	RC	AS204954	42	43	0.00	ABRC040	RC	AS205298	105	106	0.02
ABRC035	RC	AS204646	85	86	0.00	ABRC038	RC	AS204955	43	44	0.00	ABRC040	RC	AS205299	106	107	0.00
ABRC035	RC	AS204647	86	87	0.01	ABRC038	RC	AS204956	44	45	0.01	ABRC040	RC	AS205301	107	108	0.01
ABRC035	RC	AS204648	87	88	0.02	ABRC038	RC	AS204957	45	46	0.32	ABRC040	RC	AS205302	108	109	0.01
ABRC035	RC	AS204649	88	89	0.00	ABRC038	RC	AS204958	46	47	5.06	ABRC040	RC	AS205303	109	110	0.01
ABRC035	RC	AS204650	89	90	0.00	ABRC038	RC	AS204959	47	48	0.65	ABRC040	RC	AS205304	110	111	0.07
ABRC035	RC	AS204651	90	91	0.00	ABRC038	RC	AS204960	48	49	0.16	ABRC040	RC	AS205305	111	112	0.03
ABRC035	RC	AS204652	91	92	0.03	ABRC038	RC	AS204961	49	50	0.12	ABRC040	RC	AS205306	112	113	0.02
ABRC035	RC	AS204653	92	93	0.06	ABRC038	RC	AS204962	50	51	0.11	ABRC040	RC	AS205307	113	114	0.03
ABRC035	RC	AS204654	93	94	0.10	ABRC038	RC	AS204963	51	52	0.03	ABRC040	RC	AS205308	114	115	0.00
ABRC035	RC	AS204655	94	95	0.02	ABRC038	RC	AS204964	52	53	0.12	ABRC040	RC	AS205309	115	116	0.02
ABRC035	RC	AS204656															