

3 October 2022

Confirmation of Elevated Copper-in-Soil Anomalism at Calvert South

- Approximately 2,800 regional soil samples have been dispatched for multi element analysis, following work completed in 2021.
- The first batch of priority infill assays over anomalous, multi-element hotspots reported in 2021 have been received.
- Infill sampling has confirmed elevated anomalism up to 1,902 ppm copper-insoil.
- Copper-in-soil anomalism is positioned proximal to the Calvert Fault zone, interpreted as a potential fluid pathway for mineralising brines.
- Multi-element anomalism at Calvert South highlights a significant target for copper mineralisation.

NT Minerals Limited (ASX: NTM) ('**NT Minerals**', '**NTM**' or 'the **Company**') is pleased to advise receipt of the first batch of 360 priority infill soil results from this year's exploration program at its 100%-owned Redbank Project.

Approximately 2,800 regional 500m spaced and infill soil samples have been submitted for analysis from the Redbank Project in recent months, centred around Calvert South (see Figure 1). Previously reported 2021 regional geochemical soil hotspots have been confirmed with priority infill soils collected in 2022.

The first batch of 360 infill soil samples has confirmed elevated copper-in-soil values up to 1,902ppm (see Figure 2) with anomalous bismuth and antimony values positioned proximal to the Calvert Fault zone, interpreted to be an important fluid pathway for mineralising brines to interact with reductant stratigraphy.

The remaining priority infill and regional soil sample results are expected to be received over the next 4 weeks. NTM will keep the market informed as those results are returned.




Figure 1: 2021/2022 Regional Soil Sampling at the Calvert South Prospect.




Figure 2: 2021 & 2022 Infill Soil Sampling Results at the Calvert South Prospect.



NT Minerals Limited Managing Director Hugh Thomas commented: "I am delighted to be reporting our first ever assay results as NT Minerals Limited, the Company has taken the historical foundation data compiled by Redbank and through our 2022 exploration season augmented that further.

The first batch of soils assay results are supporting our increasing belief that the Calvert Fault is fundamental to sediment-hosted copper mineralisation at the Calvert South Prospect. We look forward to providing both further soil result and the drilling results at the VTEM and Calvert over the next few weeks."

Redbank Project Summary

The Redbank Project is located in the southeast McArthur Basin and extends from the Northern Territory/Queensland border north-west to Glencore's McArthur Mine. In July 2020, NT Minerals secured a district scale tenement holding, pegging open ground following ground-breaking work by Geoscience Australia. This work highlighted the prospectivity for Tier 1 base metal deposits between the world-class deposits of McArthur River and Century. NT Minerals Limited though its 100% subsidiary Redbank Operations Pty Ltd holds the tenements with a 100% interest.

-ENDS-

For further information please contact:

Hugh Thomas
Managing Director
Ph: +61 8 9362 9888

This announcement was approved and authorised for issue by the Board of NT Minerals.

Competent Person's Statement

The information that relates to Exploration Results is based on, and fairly represents, information compiled by Mr Michael Cowin, a Competent Person, who is a Member of the Australian Institute of Geoscientists. Mr Cowin is employed as Exploration Manager at NT Minerals Limited. Mr Cowin has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Cowin consents to the inclusion of the matters based on his information in the form and context in which it appears.


Disclaimer

This announcement contains certain forward-looking statements. Forward looking statements include but are not limited to statements concerning NT Minerals Limited's ('NTM's) planned exploration program and other statements that are not historical facts including forecasts, production levels and rates, costs, prices, future performance or potential growth of NTM, industry growth or other trend projections. When used in this announcement, the words such as "could", "plan", "estimate", "expect", "intend", "may", "potential", "should", and similar expressions are forward-looking statements. Such statements are not a guarantee of future performance and involve unknown risks and uncertainties, as well as other factors which are beyond the control of NTM. Actual results and developments may differ materially from those expressed or implied by these forward-looking statements depending on a variety of factors. Nothing in this announcement should be construed as either an offer to sell or a solicitation of an offer to buy or sell securities.



NT Minerals Ltd: Work Completed

JORC Code Table 1






SECTION 1 REVERSE CIRCULATION DRILLING (RC), GROUND GEOPHYSICS AND SOIL SAMPLING


Michael Cowin, a Consulting Geologist to NT Minerals Ltd, compiled the information in Section 1 and Section 2 of the following JORC Table 1 and is the Competent Person for those sections. The following Table and Sections are provided to ensure compliance with the JORC Code (2012 edition) requirements for the reporting of Exploration Results. For further detail, please refer to the announcements made to the ASX by Redbank Copper Ltd relating to the Redbank Project.

Criteria	JORC Code explanation	Commentary
Sampling	Nature and quality of sampling (e.g. cut channels, random chips, or specific	Reverse Circulation Drilling (RC)
techniques	specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.	Information discussed in this announcement concerns exploratory Reverse Circulation (RC) drillholes completed between July- Sept 2022. Results have not been announced.
		Individual samples are collected from the rig on a 1m basis in each drillhole.
		Each 1m sample is split using a rig-mounted, conical, dual shoot splitter delivered into a 2-3kg calico bag and the bulk passed into a green plastic RC bag.
		Samples for first-pass geochemical analysis are submitted as 4m-composited intervals over the length of each hole at the discretion of the rig site Geologist, who monitors visual indications of mineralisation and may modify the sampling interval accordingly.
		To ensure the quality of the RC samples collected, every effort was made to drill all samples dry. Water incursion is noted in the drill logs.
		Drilling was completed dry using dust suppression but without any water injection.
		Metre delineation was controlled by means of visual marks on the






Criteria	JORC Code explanation	Commentary
		mast chain on rig. The metre marks were checked for accuracy at the start of the drilling project. The sampling methodology is industry standard and considered both representative and appropriate for both breccia-hosted and stratabound sedimentary-hosted copper mineralisation.
		Gradient Array Induced Polarisation Survey (GAIP)
		1kmx1km square grid surveyed along 100m internal spaced lines with potential electrode pots at 50m spacing. A reading of (i) chargeability and (ii) resistivity is taken between two pots spaced 50m apart along the 100m spaced lines. The sample point for chargeability and resistivity is the mid-point between the potential electrode pots. Therefore, each 1km² of GAIP area surveyed has 200 readings taken at 50m intervals along 100m spaced lines. Readings are recorded using an EMIT SmarTEM24 receiver. Data stored in the SmarTEM24 are downloadedand transferred via secure FTP to Redbank's server at the end of everyday.
		The current electrodes are placed 500m outside and either side of the 1km² measured array. The current electrodes are therefore spaced at 2km apart.
		A 2 second square wave current is transmitted to the current electrodesusing a Honda EU70i 32A/7kVA GenSet and a GDD Inc model Tx4 transmitter.
		Soil Sampling
		Regional soil sampling has been undertaken with samples initially collected at 500m spacings and selectively infilled. The sampling program being reported is an extension of the 2020 soil sampling program reported in an ASX announcement on 29 April 2021.






Oritoria	IODO Cada aurilar atian	O a manufacture
Criteria	JORC Code explanation	Commentary
		The current soil sampling program commenced on 20 June 2022. Samples obtained from the current 2022 soil sampling campaign were delivered foranalysis to Intertek in Townville for sample preparation and then to the Perth laboratory for assaying.
		All soil sampling will be reported as results are finalised. A complete set of soil results are not yet available for release.
		Magnetotelluric (MT) survey
		Zonge Engineering were contracted to record MT soundings at 1 to 2 km station spacing for the southern regional line and 200m station spacing for the northern line. Phoenix MTU receivers and Phoenix broadband MTC150L coils collected the electric and magnetic field components. These receivers collect over 10000-0.001 Hz frequency ranges. Stations were deployed for a minimum of 4 hours and usually overnight. Data was recorded using a MTU-5A. Images of MT inversionsare from field data and are preliminary although the final inversion results are no expected to be materially different to the preliminary images presenting in this announcement.
		Airborne EM Survey – VTEM-Max
		UTS Geophysics were contracted to fly 3,512 line kms of a helicopter borne electromagnetic survey. VTEM Max is a time domain EM system. The EM sensor is flown at a nominal 35m above ground surface. Magnetics is also collected from a sensor at a nominal 73m above ground surface. Based on an airspeed of 80-100km/h readings are taken at 2 to 4m along survey lines.
		This survey uses a base frequencyof 25Hz, recording both Z and X coil components, with a peak dipole moment of 700,000 nAI






Criteria	JORC Code explanation	Commentary
		transmitter pulse width of 7ms.
	Include reference to measures taken to ensure sample representivity and the	GAIP survey
	appropriate calibration of any measurement tools or systems used.	The chargeability is a dimensionless ratio of mV/V. The resistivity is measured in Ohm.m (kg.m³.s⁻³.A⁻²). Due to the varying position of current electrodes from one 1km² array to the next some normalisation or levelling of the data is required to ensure that imaging of the values between arrays provides interpretable imagery.
		Soil Sampling
		Soil samples are collected and logged via a Panasonic ToughBook recording a GPS location, and a photograph of the soil sample location using OCRIS software to record meta-data.
		Magnetotelluric (MT) survey
		The long recording period for passive electric and magnetic field sensors ensures that signal to noise ratio is maximised. Zonge Engineering are industry leaders in MT acquisition and use bespoke sensors and recording equipment to ensure quality MT soundings.
		Airborne EM Survey – VTEM-Max
		Daily HAC (high altitude calibration) data is reviewed to ensure the noise envelope is not compromised by either external EM fields (radio frequency transmitters) and internal system + helicopter noise. Daily survey data is delivered to Geotech in Toronto for QA/QC checks before being accepted. Redbank has retained Core Geophysics Pty Ltd to manage UTS Geophysics in its performance of the VTEM survey.
	Aspects of the determination of mineralisation that are Material to the Public	The Induced Polarisation (IP) technique is considered appropriate for






Criteria	JORC Code explanation	Commentary			
	Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	detection of disseminated sulphides. Previous IP surveys at the Redbank Project in the mid-1970s has located disseminated chalcopyrite (CuFeS ₂). Thin section petrography descriptions highlight the lack of pyrite (FeS ₂) associated with mineralisation. Both chalcopyrite and pyrite are polarisable and give chargeability responses. With the lack of pyrite, the reasons for a chargeability anomaly from sulphides is reduced to copper sulphides. In undeformed/unmetamorphosed rock, fine grained magnetite (Fe ₃ O ₄) can also be chargeable.			
		The IP survey is operated by a qualified geophysicist employed by Core Geophysics Pty Ltd. Current electrodes are formed from metal sheets and star pickets placed in 60cm deep electrode pits; receiving potential electrode pots are Tinker & Raser model 3A half-cell electrodes. Electrical wire is Elcon Cable SDI1.5-3.3kV & SDI2.5-3.3kV.			
		Soil Sampling/MT Survey/VTEM Survey – explanation Not applicable.			
	In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	Industry standard drilling practices were employed to collect representative downhole samples for analysis.			
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	RC drilling was conducted using an 8x 8 wheel UDR1000 rig with an onboard 1150CFM/351psi air compressor and a similarly rated external booster using 6 m rods (4 ½ inch) and a face sampling percussion hammer (5 5/8 inch).			
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure	Recoveries from each metre of drilling were not measured, but visual inspection and monitoring of samples in the field indicate that recoveries were visually consistent, and variations were logged.			






Criteria	JORC Code explanation	Commentary
	representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	The drilling string shroud tolerance was monitored to minimise dust, and metre delineation was kept in check by monitoring marks on the chain. No material bias is expected in grade or recovery between the preferential loss/gain of fine/ coarse media.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged.	All RC chip samples were geologically logged in the field to metre resolution, recording information on rock type, mineralogy, mineralisation, fabrics, textures and alteration. Representative sub-samples were collected and stored in chip trays for future reference. All logging was qualitative for geological data collection and quantitative for geochemical data. Samples were geologically logged to a sufficient level of detail to support a Mineral Resource Estimation.
Sub-sampling techniques and sample preparation	If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled.	A rig-mounted, conical splitter was used for all drill samples delivered from the rig. Composited-samples for analysis were collected by means of a sampling spear from metre-interval plastic bags. Anomalous composite intercepts re-sample the original 1 m calico bag. At the laboratory, the samples are dried, crushed and pulverised (90% passing 75 microns). A 100g sample was retained from the pulverised sample for a four acid (complete) digest and copper analysis (ppm) by standard ICPMS.






Criteria	JORC Code explanation	Commentary
		Quality control included inserting CRM samples into the sampling chain at a rate of approximately 1 CRM sample for every 50 original samples. Both blank and duplicate samples were inserted at a rate of 1 in 50 samples.
		None of the 2022 CRM types contain enough data points to carry out a statistically significant analysis. A basic graphical assessment of the CRM assay results did not show significant bias.
		The laboratory blanks show no issues with contamination. The sample size (2 - 3kg) is regarded as appropriate for the nature and type of material sampled.
		No studies have been undertaken to determine whether sample size was appropriate of the material sampled.
		In 2022, an Olympus Vanta M portable XRF analyser was used to analyse 1m metre-based samples at the rig to monitor copper anomalism at the drill site and assist with sample selection.
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the	Samples were assayed to accepted industry standards at nationally certified laboratories. Multi-acid digestion of pulverised sample was followed by appropriate ICP-MS/ OES technique.
lesis	parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	The 2022RC drill samples were submitted into Intertek in Townsville for analysis.
	Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of	No check samples were sent to independent laboratories.
	bias) and precision have been established.	Induced Polarisation (GAIP/DDIP) Current Electrodes are formed from metal sheets and star pickets placed in 60cm deep electrode pits. As described, the arrayconfiguration necessitates current electrodes






Criteria	JORC Code explanation	Commentary
		2km apart. Electrical wireconnecting these current electrodes to the genset/transmitter is Elcon Cable SDI1.5-3.3kV & SDI2.5-3.3kV.
		A 2 second square wave current is transmitted to the current electrodesusing a Honda EU70i 32A/7kVA GenSet and a GDD Inc. model Tx4 transmitter.
		Potential electrode pots are Tinker&Raser model 3A half-cell electrodes. Readings from the pots are recorded using an EMIT SmarTEM24 receiver. Data stored in the SmarTEM24 are downloadedand transferred via secure FTP to Redbank's server at the end of everyday.
		The IP survey is operated by a qualified geophysicist employed by CoreGeophysics Pty Ltd.
		Soil Sampling/ MT Survey/VTEM Survey – explanation not applicable
Verification of	The verification of significant intersections by either independent or alternative	GAIP Survey
sampling and assaying	company personnel.	Tests to determine the most appropriate potential electrode pot
assaying	The use of twinned holes.	spacingwere undertaken. Chargeability and resistivity readings were taken withpot spacings of 50m, 100m and 200m. The readings over the
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	same areawere independent of the pot spacing and for the first two GAIP arrays reported in this announcement, a high spatial density of potential electrode pot readings was considered appropriate to
		validate IP surveyresults from mid-1970s surveys and also provide an
	Discuss any adjustment to assay data.	appropriate signature of chargeability and resistivity over the know disseminated copper sulphide (chalcopyrite) mineralisation forming the Bluff deposit.






Criteria	JORC Code explanation	Commentary
		The 500m x 500m sample spacing is considered appropriate for regional soil sampling. Any anomalous soil samples with elevated base metal values or lanthanides (REEs) will have infill soil samples collected at a closer sample spacing to enable any discrete soilanomaly to be resolved across a number of soil samples.
		Twin drillholes were not used for independent verification
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	2022 RC collars were positioned by means of a handheld Garmin GPSMAP 64ST GPS using GDA 94 Zone 53 and transformed to GDA2020 Zone 53.
	Specification of the grid system used.	Accuracy of modern handheld GPS is regarded as appropriate for reconnaissance drill holes.
	Quality and adequacy of topographic control.	Down-hole survey data was collected on all angled and vertical drillholes at the time of drilling using a gyro.
		All drilling data points were transformed to GDA2020 Zone 53.
		Hand-held GPS was used to locate the current electrodes and outside area of the 1km ² array. Pot spacing along 100m lines were located using a 50m length measuring tape and wire (exactly 50m in length).
		All electrode and potential pot locations are located using the MGA2020 coordinate system and are in GDA2020 Zone 53 coordinates. For soil sampling, the position is collected from a handheld GPS. Cross-checks against 50cm resolution satellite imagery and 15cm resolution airborne photogrammetry provides a good match. Samples






Criteria	JORC Code explanation	Commentary
		are considered accurate to within 1 metre.
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.	Reconnaissance drilling was completed on irregular line and hole spacing. GAIP potential electrode pots spacing 50m x 100m. MT stations are spaced at 1 to 2km intervals for the southern line and 200m spacing for the shorter northern line. AEM – VTEM Max flight lines are spaced 100m in the central portion and 150m line spacing on the western and eastern ends of the survey area. All lines are flown north-south.
		2022 soil samples are spaced at a 500m x 500m grid spacing.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Reverse Circulation Drilling: It is assumed that the orientation of sampling has achieved unbiased sampling of structures or mineralisation, with reconnaissance drill holes targeting horizontal targets. Additional work will outline the nature of the target horizons in more detail. The relationship between the drilling orientation, and the orientation of key mineralised structures is not considered to have introduced any material sampling bias. GAIP survey: Where practical current electrodes are oriented perpendicular to the general strike of the geology to inhibit current channelling and ensure the current flux pathway from 2km spaced current electrodes completes the circuit over as large a volume of rock as possible





Criteria	JORC Code explanation	Commentary
		between the current electrodes. Testing of potential electrode pots spacing where chargeability and resistivity are generallyindependent of this spacing provides some confidence that a good distribution of current flux pathways has been achieved.
Sample security	The measures taken to ensure sample security.	RC samples were dispatched to the laboratory as soon as possible after collection. Chain of custody is assumed to have been maintained throughout the sampling and dispatch process, although not been strictly documented.
		Data is transferred from the SmarTEM24 receiver at the Redbank Project to the Company's server via MS Sharepoint.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Drilling data is reviewed before loading to the database. All data is reviewed by the Principal Geophysicist of Core Geophysics Pty Ltd prior to further processing, imaging and interpretation.






SECTION 2: 7 BRECCIA PIPE DEPOSITS GLOBAL ESTIMATION AND REPORTING OF MINERAL RESOURCES COMPILED BY REDBANK COPPER LTD

(Criteria listed in Section 1, and where relevant in Section 2, also apply to this section.)

Criteria	JORC Code explanation	Commentary						
Mineral tenement and land tenure status	enement and material issues with third parties such as joint ventures, partnerships, overriding Te and tenure royalties, native title interests, historical sites, wilderness or national park and Th	Ter	Redbank Copper owns 100% of the Redbank Project in the Norther Territory via its wholly owned subsidiary Redbank Operations Pty Lto The Redbank Project comprises the tenements in the Table below. Table: Redbank Tenement Summary					
			Redbank Operations Pty Ltd Tenements					
			No.	EL_ML	Area km²	Grant date	Expiry date	
			1	MLN634	0.1618	12-Mar-73	31-Dec-28	
			2	MLN635	0.1618	12-Mar-73	31-Dec-28	
			3	ELR94	19.05	10-Aug-89	9-Aug-24	
			4	EL31316	0.97	6-Feb-17	5-Feb-23	
			5	EL32715	715.79	18-Jun-21	17-Jun-23	
			6	EL24654	328.5	5-Dec-05	4-Dec-22	
			7	EL32323	820.51	10-Sep-20	9-Sep-26	
			Tenements No. EL_ML Area km² Grant date Expiry 1 MLN634 0.1618 12-Mar-73 31-De 2 MLN635 0.1618 12-Mar-73 31-De 3 ELR94 19.05 10-Aug-89 9-Aug 4 EL31316 0.97 6-Feb-17 5-Feb 5 EL32715 715.79 18-Jun-21 17-Jur 6 EL24654 328.5 5-Dec-05 4-Dec 7 EL32323 820.51 10-Sep-20 9-Sep 8 EL32324 811.41 10-Sep-20 9-Sep 9 EL32325 704.85 10-Sep-20 9-Sep	9-Sep-26				
			9	EL32325	704.85	10-Sep-20	9-Sep-26	
			10	EL31236	816.98	In Application		




riteria	JORC Code explanation	Comment	ary			
					In	
		11	EL31237	621.67	Application	
		12	E122460	811.91	In	
		12	EL32460	811.91	Application In	
		13	EL32461	793.47	Application	
					In	
		14	EL32462	779.64	Application	
		15	EL32463	308.06	In Application	
		16	EL32807	26.62	2-May-22	1-May-28
		17	EL32873	219.67	28-Mar-22	27-Mar-28
		18	EL32464	706.23	30-Mar-21	29-Mar-27
		19	EL32465	784.86	30-Mar-21	29-Mar-27
		20	EL32466	778.31	30-Mar-21	29-Mar-27
		21	EL32467	797.48	30-Mar-21	29-Mar-27
		22	EL32468	745.90	24-May-21	23-May-27
		23	EL32469	788.73	30-Mar-21	29-Mar-27
		24	EL32470	574.37	30-Mar-21	29-Mar-27
		25	EL32471	229.57	30-Mar-21	29-Mar-27
			Total granted	9053.14		
			Total in	4404 70		
		<u> </u>	application	4131.73		
			Total	13,184.87		
					d from Redban	





Criteria	JORC Code explanation	Commentary
		Redbank Mines Pty Ltd in 2005 (see ASX announcement 31st Aug 2005). Redbank Mines Pty Ltd then changed its name to Redbank Copper Limited in 2009.
		The 2005 Sale Agreement dated 5 August 2005 verifies the transaction.
		All tenements are in good standing.
		On 10 June 2022 Redbank Copper Ltd changed its name to NT Minerals Ltd.
		Native title has not been granted on all the granted tenements.
		The Sandy Flat Mine Site/ processing facility is believed to be the source of pollution which affects the surrounding environment. The Northern Territory of Australia acknowledges that no action by Redbank has contributed to the pollution. To facilitate the Northern Territory of Australia access to the Site to carry out works to enable improved environmental outcomes for the mining site and its surrounds, Redbank entered into an agreement with the Northern Territory of Australia on the 29 June 2016, to surrender the mining leases. The mining leases were replaced by EL31316 granted on the 6 February 2017.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Copper mineralisation was first discovered at Redbank in 1916. The Redbank area has been subject to an almost continuous history of discovery and mining.
		The Redbank area has been systematically explored by numerous companies since 1969. Prominent amongst these were Newmont NEWAIM JV (1971-1972), Triako Mines NL (1972-1983) with various JV partners (Amax Iron, Aquitane Australia Minerals) and Alameda with CRA Exploration.
		Previous work included, geologic mapping, soil geochemistry, airborne and ground geophysics, extensive drilling campaigns and early non-






Criteria	JORC Code explanation	Commentary
		JORC resource calculations (1970s to 1980s) and rudimentary 2004 JORC calculations (1989-2004). SRK Consulting completed MREs (JORC 2004) between 2005-2011. A JORC2012 MRE was reported on 24 June 2021.
Geology	Deposit type, geological setting, and style of mineralisation.	The known Redbank mineralisation is consistent with breccia pipe deposits.
		The Redbank mineralisation consists of at least 7 discrete mineralised pipe-shaped deposits, although more than 50 pipe-like intrusions have been identified in the district.
		Copper bearing breccia pipes of the Redbank district intrude an interbedded sequence of Paleoproterozoic-aged igneous and dolomitic sedimentary rocks which have undergone regional scale potassic alteration or metasomatism.
		Breccia pipes are steeply inclined and near cylindrical.
		The core of these pipes contains both autochthonous and allochthonous breccias, with copper mineralisation confined to the breccia matrix.
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	N/A.
	 easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the	






Criteria	JORC Code explanation	Commentary
	report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.	N/A.
	Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	
	The assumptions used for any reporting of metal equivalent values should be clearly stated.	
Relationship between	These relationships are particularly important in the reporting of Exploration Results.	N/A.
mineralisation widths and	If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.	
intercept lengths	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Numerous diagrams are presented to provide as much context as possible to the location of the work completed to known deposits.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.	N/A.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock	Since the discovery of copper at Redbank, considerable geological information concerning the mineralisation and its host has been compiled. Similarly, numerous geochemical soil surveys and geophysical surveys have been conducted across the tenement





Criteria	JORC Code explanation	Commentary		
	characteristics; potential deleterious or contaminating substances.	package. This information is well documented in company annual reports.		
		Historical metallurgical test work on drill core samples from the Redbank Project was carried out principally in the 1970s and 1980s prior to AMALG constructing the plant from 1993 to 1995. More recently metallurgical testing was conducted by AMMTEC from 2006-10, with samples from the various deposits tested for various leach and comminution tests.		
		Additional geotechnical data was added post 2005. SRK was contracted in late 2008 to provide geotechnical studies on the available core and outcrop, to refine slope angles in optimisation work being undertaken on block models generated from the resource. Geotechnical samples were submitted to SGS Rock Mechanics Laboratory in Welshpool in 2009.		
		In 2020 samples of mineralised breccia pipe were selected for physical property measurements, and in particular, chargeability determinations. The average of these chargeability determinations was 16.2 mV/V with the highest value of 80 mV/V. The copper mineralised breccia deposit provide a good chargeability response compared to background chargeability of non-mineralised samples of ~4mV/V		
Further work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Ground IP surveying is complete generating chargeability targets		
		VTEM survey is complete.		
		Soil sampling is ongoing.		
		MT surveying is complete.		
		Appropriate diagrams showing drillholes, soil locations, GAIP/ IP, MT		





Criteria	JORC Code explanation	Commentary	
		sectional images, VTEM inversion images have been used	

COMPETENT PERSON'S STATEMENT

The information that relates to Exploration Results is based on, and fairly represents, information compiled by Mr Michael Cowin, a Competent Person, who is a Member of the Australian Institute of Geoscientists. Mr Cowin is employed as a Consulting Geologist by the Company. Mr Cowin has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity he is undertaking, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Cowin consents to the inclusion of the matters based on his information in the form and context in which it appears.

END