

ASX Announcement | 23 August 2023

Crown Prince Delivers Further High Grade Gold Results

Highlights:

- Recently completed RC drilling (both standard diameter 5.5” and slim diameter 3.5”) at Crown Prince Prospect has delivered high grade results. These results have been returned from the Main Ore Body (MOB) and the South Eastern Ore Body (SEB) mineralised zones at Crown Prince prospect, which remain open at depth.
- The recent new intercepts include:
 - 40m at 16.22g/t Au** from 75m incl. **10m at 46.24g/t Au** from 95m in OGGRC556 (MOB)
 - 17m at 12.50g/t Au** from 96m incl. **9m at 22.95g/t Au** from 96m in OGGRC550 (SEB)
 - 16m at 36.86g/t Au** from 146m incl. **6m at 92.21g/t Au** from 150m in OGGRC551 (SEB)
 - 21m at 3.40g/t Au** from 54m incl. **3m at 9.15g/t Au** from 58m in OGGRC544 (SEB)
 - 13m at 8.56g/t Au** from 21m incl. **8m at 13.48g/t Au** from 23m in OGGRC502 (SEB)
 - 34m at 11.11g/t Au** from 48m incl. **6m at 39.93g/t Au** from 62m in OGGRC547 (MOB)
 - 15m at 3.44g/t Au** from 1m in OGGRC534 (SEB)
 - 8m at 5.50g/t Au** from 52m in OGGRC535 (SEB)
 - 17m at 4.04g/t Au** from 117m in OGGRC540 (MOB)
- High grade gold intercepts returned from SEB drilling are from an along strike extension (i.e. OGGRC544) to the northeast of previously delineated mineralisation and also from the hinge zone of the SEB antiform which plunges to the southwest.
- The significant gold intercept returned from MOB (OGGRC556) was situated behind and to the north of historical mining in an unmined area. The hole was drilled to the south due to availability of drill pads and was at a relatively acute angle to mineralisation. The hole nonetheless confirms high grade mineralisation in this area.
- Drilling has refined the geological interpretation of SEB such that mineralisation shows a long easterly limb striking north-east and dipping steeply to the south-east.
- Results for the remaining two diamond holes (OGGDD524 and OGGDD538) drilled at SEB have now been returned with interpretations suggesting these missed the hinge zone of SEB. The Company plans to follow up with further drilling.

Ora Gold Limited (ASX: OAU, “Ora” or the “Company”) is pleased to announce further exploration results from the Crown Prince Prospect (M51/886).

The Crown Prince Prospect is a high-grade gold deposit within Ora Gold’s Garden Gully Project. It is located 22km north-west of Meekatharra in Western Australia via the Great Northern Highway and the Mt Clere Road (Figure 1).

The Company recently announced the acquisition of the Murchison Project from Sipa Resources Ltd. With the addition of this highly prospective new exploration ground, within the same greenstone belt, the Company's existing holding is set to triple in size (Figure 2).

The advanced Crown Prince prospect continues to be a focus as a key growth area for gold resources. The prospect comprises the MOB and SEB mineralised zones both of which have returned high grade results recently.

The new assay results discussed in this announcement are shown in Appendix 1 & Figures 3-4. Re-splits on previously announced composite samples are shown in Appendix 2. All the recent RC hole details are included in Table 1.

The results in this release indicate a down-dip extension of the high-grade at SEB zone and support the structural interpretation for mineralized shoots at Crown Prince (Figure 3). OGGRC544 supports additional mineralised strike length at SEB of >60m which remains open in this area.

The eastern flank of SEB is interpreted to be a better mineralised zone which extends to the northeast. Some recent slim RC drilling (see release of 28/06/2023) drilled to azimuth 040° returned strongly anomalous gold and pathfinder elements. Ora is now embarking on deeper drilling of the SEB eastern flank with standard and slim RC (Figures 3 & 4). These holes will be oriented northwesterly.

Mineralized envelopes are contorted and folded between northerly trending shears. MOB mineralization occurs in a steep south-east plunging anticline. SEB mineralization is hosted within a steep south westerly plunging anticline and the two zones are separated by a major northerly trending shear zone (Figure 3).

Alex Passmore Ora Gold's CEO Commented: " We are very pleased to report additional high grade results from drilling at both the SEB and MOB zones of mineralisation. A highlight from these results is a high grade intercept in OGGRC551 at 150m which is the deepest mineralised intersection returned from SEB to date. This gives us strong confidence of the down dip and plunge continuity of this exciting new ore body. Further the presence of high grade mineralisation on the northern flank of MOB confirms this area is likely to add gold ounces to the company's inventory and is also likely to enhance economics of any open pit mining in this area".




Figure 1. Garden Gully tenements and location of OAU's gold prospects




Figure 2. Ora Gold regional Tenements Including Recently Announced Murchison Project Acquisition




Figure 4. Interpreted reverse fault cutting through south-westerly plunging antiform at SEB

Table 1. Recent reverse circulation drill hole details

Hole ID	Type	Easting	Northing	RL	Azi	Dip	Depth	Prospect	Sampling details
OGGRC539	RC	646003	7073790	485	304	-60	102	MOB	Assays received
OGGRC540	RC	645947	7073762	485	352.2	-60	168	MOB	Assays received
OGGRC541	RC	645947	7073760	485	140.4	-60	170	SEB	Assays received
OGGRC542	RC	646181	7073701	485	315.5	-60	138	SEB	Assays received
OGGRC543	RC	646160	7073706	485	320.6	-60	113	SEB	Assays received
OGGRC544	RC	646201	7073741	485	319.6	-60	138	SEB NE	Assays received
OGGRC545	RC	646132	7073668	485	321.1	-60	144	SEB	Assays received
OGGRC546	RC	646226	7073774	485	320.1	-60	138	SEB	Assays received
OGGRC547	RC	645975	7073861	485	226.3	-60	108	MOB	Assays received
OGGRC548	RC	646000	7073776	485	286.3	-60	102	MOB	Assays received
OGGRC549	RC	646251	7073801	485	320.8	-60	138	SEB NE	Assays received
OGGRC550	RC	646101	7073640	485	324.1	-60	174	SEB	Assays received
OGGRC551	RC	646033	7073756	485	143.4	-60	186	SEB	Assays received
OGGRC552	RC	645830	7073601	485	31.69	-60	126	CP South	Assays received
OGGRC553	RC	646048	7073639	485	319.8	-60	150	SEB	Assays received
OGGRC554	RC	646048	7073639	485	358.1	-60	144	MOB	Assays received
OGGRC555	RC	645961	7073911	485	224.7	-60	126	MOB	Assays received
OGGRC556	RC	645965	7073885	485	227.8	-60	127	MOB	Assays received
OGGRC557	RC	646101	7073676	485	321.4	-60	60	SEB	Assays Pending
OGGRC558	RC	646134	7073709	485	319.2	-60	84	SEB NE	Assays Pending
OGGRC559	RC	646174	7073745	485	324	-60	36	SEB NE	Assays Pending

Next Steps

Additional drilling is ongoing with a focus on: (1) deeper drilling at the hinge zone of SEB and (2) better delineation of SEB strike extensions to the northeast. This drilling comprises standard RC, and slim RC (for reconnaissance).

An initial resource interpretation for SEB will be included in an update to the broader Crown Prince resource estimate. The timing of the resource estimate update is subject to review with SEB mineralisation still open along strike and as drilling continues to delineate extensions to mineralisation.

The announcement has been authorised for release to ASX by the Board of Ora Gold Limited.

For Further Information Contact:

Alex Passmore
Chief Executive Officer
08 9389 6927

Jane Morgan
Investor and Media Relations
jm@janemorganmanagement.com.au
+ 61 (0) 405 555 618

Competent Person Statement

The details contained in this report that pertain to Exploration Results, Mineral Resources or Ore Reserves, are based upon, and fairly represent, information and supporting documentation compiled by Mr Costica Vieru, a Member of the Australian Institute of Geoscientists and a full-time employee of the Company. Mr Vieru has sufficient experience which is relevant to the style(s) of mineralisation and type(s) of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (JORC Code). Mr Vieru consents to the inclusion in this report of the matters based upon the information in the form and context in which it appears.

About Ora Gold

Ora Gold Limited (ASX: OAU) is a mineral exploration and development company which holds a substantial package of tenements in the prolific Murchison goldfield near Meekatharra, Western Australia.

The Company is focused on the Garden Gully Gold Project which comprises a 217km² tenure package covering the Abbots Greenstone Belt. The project has multiple gold prospects along the belt with the most advanced being the Crown Prince Prospect. Gold mineralisation in the belt is controlled by major north trending structures and contact zones between felsic and mafic metamorphosed rocks.

Crown Prince Prospect is located within a granted mining lease and is advancing towards development.



Capital Structure

ASX Code: OAU

4,690m
Shares on Issue

1,824m
Unlisted Options

\$4.0m Cash
(estimate, post-capital
raise announced 7
July 2023)

Market Capitalisation
\$28.1m

Top 20 holders
49%

Appendix 1. Assay results (>0.1g/t Au) - Fire Assay 50g charge and analysed by ICP-OES at Intertek labs, Perth.

Hole ID	From	To	Int	Au	Au Rpt	Avg.	Intersection
OGGRC502	21	22	1	0.683			13m at 8.56g/t Au (21-34m)
	22	23	1	0.976			
	23	24	1	16.081			
	24	25	1	9.096			
	25	26	1	9.522			incl.
	26	27	1	1.2			8m at 13.48g/t Au
	27	28	1	19.114			(23-31m)
	28	29	1	39.343	33.481	36.41	
	29	30	1	13.946			
	30	31	1	2.527			
	31	32	1	0.296			
	32	33	1	0.247			
	33	34	1	1.191			
	34	35	1	0.167			
35	36	1	0.145				
36	37	1	0.029				
37	38	1	0.127				
38	39	1	0.019				
39	40	1	0.171				
OGGRC503	1	2	1	0.229			
	2	3	1	0.12			
	7	8	1	0.172			
	8	9	1	0.165			
	9	10	1	0.506			
	26	27	1	0.22			
	29	30	1	0.202			
32	33	1	0.257				
OGGRC504	1	2	1	0.124			
	4	5	1	0.114			
	27	28	1	0.321			
	43	44	1	0.25			
	49	50	1	0.117			
	65	66	1	0.146			
	69	70	1	0.101			
70	71	1	0.631				
OGGRC506	0	1	1	0.132			
	4	5	1	0.175			
	6	7	1	0.128			
	7	8	1	0.337			
	34	35	1	0.725	0.699	0.712	
	35	36	1	0.438			
	45	46	1	0.348			
46	47	1	0.227				

	48	49	1	0.144		
	49	50	1	0.467		
	50	51	1	0.294		
	54	55	1	0.111		
	56	57	1	0.311		
	57	58	1	0.157		
OGGRC507	0	4	4	0.225		
	49	50	1	0.185		
	52	53	1	0.113		
	53	54	1	0.966		
OGGRC508	0	1	1	0.145		
	1	2	1	0.225		
	2	3	1	0.458		
	3	4	1	0.471		
	4	5	1	0.837		
	5	6	1	0.793		
OGGRC509	0	1	1	0.138		
	1	2	1	0.113		
	5	6	1	0.138		
	6	7	1	0.187		
	37	38	1	0.123		
	38	39	1	0.102		
	40	41	1	0.317		
OGGRC510	8	9	1	0.12		
	10	11	1	0.157		
OGGRC515	0	1	1	0.227		
	2	3	1	0.111		
	5	6	1	0.117		
	6	7	1	0.232		
	8	9	1	0.412		
	9	10	1	0.238		
	10	11	1	0.343		
	12	13	1	0.302		
	14	15	1	0.18		
	15	16	1	0.882		
	16	17	1	1.45		
	17	18	1	2.24		
	18	19	1	0.392		
	19	20	1	0.237		
	20	21	1	0.309		
	21	22	1	0.343		
	22	23	1	1.36		
	23	24	1	0.893		
	24	25	1	2.546	3.057	2.8015
	25	26	1	0.341		
	26	27	1	0.232		

	28	29	1	2.959			
	64	65	1	0.186			
	67	68	1	0.245			
	69	70	1	0.165			
	70	71	1	0.148			
	71	72	1	0.229			
	74	75	1	0.289			
	75	76	1	0.104			
	76	77	1	0.703			
OGGRC516	0	1	1	0.106			
	1	2	1	0.204			
	2	3	1	0.11			
	3	4	1	0.202			
	8	9	1	0.229			
	9	10	1	0.122			
	10	11	1	0.145			
	11	12	1	0.135			
	38	39	1	0.973			
	39	40	1	0.334			
	40	41	1	0.35			
	41	42	1	0.276			
	42	43	1	0.108			
OGGRC517	0	1	1	0.206			
	1	2	1	0.305			
	2	3	1	0.129			
	3	4	1	0.2			
	6	7	1	0.156			
	12	13	1	0.135			
	13	14	1	0.133			
	14	15	1	0.421			
	15	16	1	0.879			
	20	21	1	0.492			
OGGRC518	0	1	1	0.2			
	1	2	1	0.234			
	2	3	1	0.178			
	3	4	1	0.139			
OGGRC520	3	4	1	0.56			
	4	5	1	0.95			
	5	6	1	0.296			
	6	7	1	0.173			
	7	8	1	0.115			
	14	15	1	0.37			
	17	18	1	0.405			
	18	19	1	1.217	1.16	1.1885	
	19	20	1	0.548			
	40	41	1	0.23			

	41	42	1	0.273			
	42	43	1	1.161			
	43	44	1	0.384			
	65	66	1	0.141			
	66	67	1	0.271			
	67	68	1	0.715			
	70	71	1	0.843			
	71	72	1	0.288			
	72	73	1	0.241			
	74	75	1	0.25			
	75	76	1	0.686			
	76	77	1	0.765			
	77	78	1	1.467	1.452	1.4595	
	78	79	1	0.797			
	79	80	1	0.948			
OGGRC521	0	1	1	0.271			
	1	2	1	0.161			
	2	3	1	0.303			
	3	4	1	0.16			
	4	5	1	0.122			
	5	6	1	0.138			
	6	7	1	0.178			
	7	8	1	0.233			
	8	9	1	0.304			
	9	10	1	0.21			
	38	39	1	0.898			
	48	49	1	0.291			
	77	78	1	0.237			
	79	80	1	0.47			
OGGRC522	45	46	1	0.304			
	46	47	1	0.128			
OGGRC523	46	47	1	0.113			
OGGRC529	2	3	1	0.241			
	3	4	1	0.221			
	5	6	1	0.285			
	6	7	1	0.154			
OGGRC530	0	1	1	0.232			
	1	2	1	0.125			
OGGRC531	50	51	1	0.132			
OGGDD524	81.9	82.4	0.5	0.101			
	83.9	84.4	0.5	0.117			
	85.2	85.7	0.5	0.352			
	85.7	86.1	0.4	0.534			
	86.1	86.6	0.5	0.095			
	86.6	87.1	0.5	0.528			
	87.1	87.5	0.4	1.248			

	87.5	88	0.5	0.501			
	134	135	1	1.478			7m at 1.24g/t Au
	135	136	1	1.085			(134-141m)
	136	137	1	2.748	2.778	2.763	
	137	138	1	0.432			
	138	139	1	2.124	1.647	1.8855	
	139	140	1	0.676			
	140	141	1	0.341			
OGGDD538	205	205.3	0.3	1.035			
	205.3	205.5	0.2	0.051			
	205.5	205.7	0.2	0.168			
	205.7	206.2	0.5	0.182			
	206.2	206.5	0.3	0.632			
	206.5	206.8	0.3	0.201			
	206.8	207.1	0.3	0.52			
	207.1	207.5	0.4	0.918			
	207.5	208.1	0.6	0.477			
	208.1	208.9	0.8	0.879			
	208.9	209.4	0.5	0.226			
	209.4	209.7	0.3	0.113			
	209.7	210.4	0.7	0.909			
	210.4	210.7	0.3	0.796			
	210.7	211.2	0.5	0.34			
	211.2	211.7	0.5	0.096			
	211.7	212	0.3	0.161			
	212	212.5	0.5	0.063			
	212.6	213.5	0.9	0.11	0.295	0.2025	
	213.5	214.1	0.6	0.029			
	214.1	214.4	0.3	0.162			
	214.4	214.6	0.2	0.173			
	214.6	215.2	0.6	0.612			
	215.2	215.9	0.7	0.032			
	215.9	216.4	0.5	0.075			
	216.4	217	0.6	0.035			
	217	217.9	0.9	3.711			1.8m at 1.69g/t Au
	217.9	218.4	0.5	0.135			(217-218.8m)
	218.4	218.8	0.4	1.211			
	218.8	219.3	0.5	0.214			
	219.3	219.7	0.4	0.139			
	219.7	220.5	0.8	0.178			
OGGRCDD469	233.77	234.08	0.28	0.534			
	234.3	234.5	0.2	31.994	24.122	28.058	6.7m at 2.27 g/t Au
	234.9	235.1	0.2	0.039			(233.77-239.1m)
	235.9	236.1	0.2	0.016			
	237.58	237.78	0.2	5.382			
	238.3	238.5	0.2	0.238			

	239.1	240.1	1	0.083			
	240.6	240.8	0.2	0.923			
	241.1	241.3	0.2	0.515			
	234.08	234.3	0.22	2.787			
	234.5	234.9	0.4	1.303			
	235.1	235.9	0.8	2.567			
	236.1	237	0.9	0.551			
	237	237.58	0.58	2.863			
	237.78	238.3	0.52	2.141			
	238.5	239.1	0.6	3.711			
	240.1	240.6	0.5	0.238			
	240.8	241.1	0.3	0.255			
	274	275	1	0.551			
	275	276	1	0.993			
	276	277	1	0.106			
OGGRCDD470	179.4	179.9	0.5	1.727			
	179.9	180.5	0.6	0.37			
	180.5	181	0.5	1.354			
	181	181.5	0.5	0.226			
	181.5	182	0.5	0.746			
	182	182.5	0.5	0.135			
	182.5	183	0.5	0.226			
	183	183.5	0.5	1.061			
	183.5	184.1	0.6	1.387			
	184.1	184.6	0.5	4.863			5.1m at 2.18/t Au
	184.6	185.1	0.5	1.469			(183-188.1m)
	185.1	185.6	0.5	1.189			
	185.6	186.1	0.5	0.185			
	186.1	186.6	0.5	0.013			
	186.6	187.1	0.5	0.874			
	187.1	187.6	0.5	9.694			
	187.6	188.1	0.5	1.114			
	213.6	214.1	0.5	0.067			
	214.1	214.6	0.5	0.313			
	214.6	215.1	0.5	0.227			
	215.1	215.5	0.4	0.012			
	215.5	216	0.5	0.086	0.131	0.1085	
OGGRC534	0	1	1	0.676			36m at 2.1g/t Au
	1	2	1	1.166			(0-36m)
	2	3	1	2.095			
	3	4	1	3.189			incl.
	4	5	1	1.987			
	5	6	1	4.35			15m at 3.44g/t Au
	6	7	1	2.691			(1-16m)
	7	8	1	1.134	1.075	1.1045	
	8	9	1	2.732			

	9	10	1	2.474			
	10	11	1	4.009			
	11	12	1	0.628			
	12	13	1	5.071			
	13	14	1	18.297	17.72	18.009	
	14	15	1	1.202			
	15	16	1	0.969			
	16	17	1	0.592			
	17	18	1	0.101			
	18	19	1	0.305			
	19	20	1	0.071			
	20	21	1	0.035			
	21	22	1	0.149			
	22	23	1	0.29			
	23	24	1	0.443			
	24	25	1	0.235			
	25	26	1	12.533	9.654	11.094	
	26	27	1	0.398			
	27	28	1	0.307			
	28	29	1	0.06			
	29	30	1	0.548			
	30	31	1	3.792			
	31	32	1	1.064			
	32	33	1	1.286			
	33	34	1	0.227			
	34	35	1	0.259			
	35	36	1	2.006			
	55	56	1	0.407			6m at 0.71g/t Au (55-61m)
	56	57	1	1.254			
	57	58	1	0.622			
	58	59	1	1.055			
	59	60	1	0.438			
	60	61	1	0.531			Open at Depth
OGGRC535	46	47	1	0.337			
	52	53	1	3.016			
	53	54	1	0.484			8m at 5.50g/t Au (52-60m)
	54	55	1	4.024			
	55	56	1	9.566			
	56	57	1	10.48			
	57	58	1	6.57			
	58	59	1	8.31			
	59	60	1	3.919			Open at Depth
OGGRC539	0	4	4	1.142	0.727	0.9345	
	4	8	4	0.126			
	34	35	1	0.11			
	43	44	1	0.245			

	44	45	1	0.152			
	45	46	1	0.797			
	46	50	4	0.395			
	54	55	1	0.455			
	55	56	1	0.291			
	56	57	1	0.363			
	76	77	1	0.118			
	78	79	1	0.159			
	81	82	1	0.15			
	82	83	1	0.44			
	83	84	1	0.587			
	96	100	4	0.115			
OGGRC540	0	4	4	0.361			
	32	36	4	0.704			
	40	44	4	0.121	0.189	0.155	
	45	46	1	0.199			
	64	68	4	0.22			
	68	69	1	0.679			
	69	70	1	4.966			5m at 3.91g/t Au
	70	71	1	1.854			(69-74m)
	71	72	1	1.085			
	72	73	1	9.117	8.773	8.945	
	73	74	1	2.713			
	74	78	4	0.146			
	78	82	4	0.231			and
	116	117	1	0.41			
	117	118	1	2.777			17 at 4.04g/t Au
	118	119	1	2.485	3.899	3.192	(117-134m)
	119	120	1	2.44			
	120	121	1	0.887			
	121	122	1	2.384			
	122	123	1	0.678			
	123	124	1	2.488			
	124	125	1	7.817	7.189	7.503	
	125	126	1	3.806			
	126	127	1	1.476			
	127	128	1	1.556			
	128	129	1	6.584			
	129	130	1	3.749			
	130	131	1	2.225			
	131	132	1	7.948	7.457	7.7025	
	132	133	1	18.538	17.276	17.907	
	133	134	1	2.107			
	134	135	1	0.489			
	135	136	1	0.398			
	136	137	1	0.271			

	137	138	1	1.222			
	138	139	1	0.146			
	139	140	1	0.513			
	153	154	1	0.206			
	156	157	1	0.873			
	157	158	1	0.154			
	158	159	1	0.104			
	160	161	1	0.277			
	166	167	1	0.168			
OGGRC542	4	8	4	0.224			
	46	47	1	0.862			
	48	49	1	0.19			
	49	50	1	0.418			
	50	51	1	0.179			
	52	53	1	0.138			
	53	54	1	0.443			
	54	55	1	1.699			
	55	56	1	3.287			
	56	57	1	0.844			
	57	58	1	0.958			
	58	59	1	0.406			
	59	60	1	0.181			
	60	61	1	0.26			
	66	70	4	0.104			
	78	79	1	0.505			
	79	80	1	0.142			
	84	88	4	0.932			11m at 2.32g/t Au
	95	96	1	1.977			(84-106m)
	96	97	1	1.817			
	97	98	1	2.676			
	98	99	1	15.447	10.464	12.956	
	99	100	1	1.125			
	100	101	1	0.885			
	101	102	1	0.358			
	102	103	1	0.257			
	104	105	1	1.714			
	105	106	1	0.814			
	106	107	1	0.365			
OGGRC543	0	4	4	0.268			
	4	8	4	0.199	0.181	0.19	
	56	57	1	0.116			
	60	61	1	0.133			
	63	64	1	0.274			
	64	65	1	0.189			
	74	75	1	0.294			
	75	76	1	0.303			

	76	77	1	0.146			
	77	78	1	0.124			
	78	79	1	0.709			
	82	83	1	0.332			
	83	84	1	0.387			
	84	88	4	0.472			
	88	89	1	0.218			
	89	90	1	0.628			
	90	91	1	6.061			3m at 3.79g/t Au
	91	92	1	3.16			(90-93m)
	92	93	1	2.142			
	93	94	1	0.277			
	94	95	1	0.192			
OGGRC544	4	8	4	0.19			
	13	14	1	0.137			
	14	15	1	0.215			
	52	53	1	0.109			
	53	54	1	0.151			
	54	55	1	0.719			
	55	56	1	1.253			
	56	57	1	0.11			
	57	58	1	0.437			
	58	59	1	17.382	18.697	18.04	3m at 10.19g/t Au
	59	60	1	2.087			(58-61m)
	60	61	1	7.981	12.931	10.456	
	61	62	1	0.421			
	62	63	1	0.434			
	63	64	1	0.232			
	64	65	1	3.255			13m at 3.29g/t Au
	65	66	1	5.383			(64-77m)
	66	67	1	2.008			
	67	68	1	0.448			
	68	69	1	5.809			
	69	70	1	1.642	3.862	2.752	
	70	71	1	5.111			
	71	72	1	2.208			
	72	73	1	11.48	11.272	11.376	
	73	74	1	1.62			
	74	75	1	1.413			
	75	76	1	0.101			
	76	77	1	1.327			
	77	78	1	0.181			
	78	79	1	0.709			
	79	80	1	0.334			
OGGRC545	89	90	1	0.148			
	90	91	1	25.531	21.105	23.318	

	91	92	1	0.261			
	92	93	1	0.34			
	93	94	1	0.128			
	94	95	1	0.488			
	95	96	1	0.135			
	105	106	1	0.118			
	106	107	1	0.736			
	108	109	1	0.245			
	109	110	1	0.579			
	110	111	1	1.858	1.646	1.752	
	111	112	1	0.445			
	112	113	1	0.841			
	113	114	1	0.253			
OGGRC546	25	26	1	0.139			
	27	28	1	0.112			
	28	29	1	0.871			
	29	30	1	1.52			
	30	34	4	0.346			
	82	83	1	0.172			
	83	84	1	0.298	0.231	0.2645	
	124	125	1	0.175			
	125	126	1	0.173			
OGGRC547	0	1	1	0.494			
	1	2	1	1.86			
	2	3	1	0.853			
	3	4	1	0.745			
	4	5	1	0.252	0.112	0.182	
	5	6	1	0.131			
	6	7	1	0.179			
	7	8	1	0.199			
	27	28	1	0.79			
	28	29	1	0.225			
	29	30	1	0.14			
	30	31	1	0.263			
	32	33	1	0.247			
	35	36	1	0.131			
	36	37	1	0.519			
	48	49	1	10.836			34m at 11.11g/t Au
	49	50	1	3.957	2.819	3.388	(48-82m)
	50	51	1	5.053			
	51	52	1	0.762			
	52	53	1	4.687			
	53	54	1	0.493			
	54	55	1	0.112			
	58	59	1	2.001			
	59	60	1	2.682			

	60	61	1	2.336			incl.
	61	62	1	3.974			
	62	63	1	8.288			6m at 39.93g/t Au
	63	64	1	145.26	135.52	140.39	(62-68m)
	64	65	1	49.684	36.974	43.329	
	65	66	1	35.247	31.571	33.409	
	66	67	1	7.819			
	67	68	1	3.202	9.464	6.333	
	68	69	1	4.081			
	69	70	1	4.035			
	70	71	1	8.055			
	71	72	1	4.301			
	72	73	1	13.566	11.985	12.776	
	73	74	1	5.48			
	74	75	1	0.481			
	75	76	1	12.724	12.481	12.603	
	76	77	1	5.935			
	77	78	1	5.81			
	78	79	1	1.05			
	79	80	1	0.433			
	80	81	1	0.604			
	81	82	1	2.037			
	82	83	1	0.637			
	83	84	1	0.367			
	84	85	1	0.358			
	86	87	1	0.233			
	88	89	1	0.188			
OGGRC548	0	4	4	0.306			
	39	40	1	0.424			
	44	48	4	0.119			
	52	56	4	0.195			
	56	60	4	0.354			
	71	72	1	0.992			
	72	73	1	0.812			
	73	74	1	0.268			
	74	75	1	0.508			
	75	76	1	0.166			
	91	92	1	0.444			
	92	93	1	0.46			
	93	94	1	1.08			
OGGRC549	0	4	4	2.771	2.814	2.7925	
	4	8	4	0.273			
	12	16	4	0.127			
OGGRC550	96	97	1	2.681			17m at 12.5g/t Au
	97	98	1	7.24			(96-82m)
	98	99	1	1.683			incl.

	99	100	1	18.558	17.705	18.132	17m at 12.5g/t Au
	100	101	1	105.86	100.83	103.35	(96-82m)
	101	102	1	69.816	68.415	69.116	
	102	103	1	1.093			
	103	104	1	0.866			
	104	105	1	2.424			
	105	106	1	0.558			
	107	108	1	0.3			
	108	109	1	0.726			
	109	110	1	0.63			
	110	111	1	1.61			
	111	112	1	1.651			
	112	113	1	0.461			
	115	116	1	0.134	0.115		
	120	121	1	0.111			
	121	122	1	1.327			
	127	128	1	1.811			
	137	138	1	0.518			
	138	139	1	0.37			
	142	143	1	0.13			
	143	144	1	0.147			
	144	145	1	0.219			
OGGRC551	0	4	4	0.216			
	27	28	1	1.827			
	28	29	1	3.412			
	29	30	1	0.509			
	30	31	1	0.145			
	31	32	1	0.33			
	32	33	1	0.912			
	33	34	1	0.114			
	36	37	1	1.732			4m at 2.31g/t Au
	37	38	1	2.989	2.43	2.7095	(36-40m)
	38	39	1	0.238			
	39	40	1	4.554			
	40	41	1	0.893			
	41	42	1	0.202			
	43	44	1	0.303			
	44	45	1	0.126			
	60	61	1	0.288			
	63	64	1	0.229			
	65	66	1	0.104			
	69	70	1	0.185			
	74	78	4	0.124			
	82	86	4	0.172			
	86	90	4	0.172			
	145	146	1	0.195			

	146	147	1	1.759	0.493	1.126	16 at 36.86g/t Au
	147	148	1	0.889			(146-162m)
	148	149	1	0.406			
	149	150	1	2.167			incl.
	150	151	1	107.47	107.15	107.31	6m at 92.21g/t Au
	151	152	1	46.379	42.809	44.594	(150-156m)
	152	153	1	7.029	8.709	7.869	
	153	154	1	404.93	372.24	388.58	
	154	155	1	6.834	8.371	7.6025	
	155	156	1	12.376	24.771	18.574	
	156	157	1	1.767			
	157	158	1	2.765			
	158	159	1	0.567			
	159	160	1	1.19			
	160	161	1	4.033			
	161	162	1	3.365			
	162	163	1	0.209			
	163	164	1	0.132			
	164	165	1	0.133			
	165	166	1	0.114			
	167	168	1	4.327			
	168	169	1	11.26	7.828	9.544	
	169	170	1	3.127			
	170	171	1	0.193			
	171	172	1	0.252			
OGGRC552	27	28	1	0.231			
	29	30	1	1.07			
	34	35	1	0.603			
OGGRC553	51	52	1	0.172			
	52	53	1	0.382			
	53	54	1	1.636			
	55	56	1	2.611			
	56	57	1	2.968			
	57	58	1	0.698			
	58	59	1	0.749			
	60	61	1	0.372			
	61	62	1	0.954			
	63	64	1	0.135			
	66	67	1	0.25	0.333	0.2915	
	68	69	1	0.378			
	69	70	1	0.103			
	70	71	1	0.299			
	72	73	1	0.103			
	73	74	1	1.336			
	74	75	1	0.351			
	92	93	1	0.136			

	94	95	1	0.165			
	96	97	1	0.241			
	100	101	1	0.276			
	101	102	1	5.535			
	102	103	1	1.116	0.835	0.9755	
	103	104	1	0.798			
	104	105	1	0.917			
	105	106	1	0.368			
	106	107	1	0.836			
	107	108	1	0.512			
	109	110	1	0.12			
	110	111	1	0.103			
	111	112	1	0.175			
	112	113	1	0.307			
	113	114	1	0.265			
	114	115	1	0.312			
	115	116	1	0.4			
	118	119	1	0.727			
	119	120	1	1.868			
	120	121	1	0.131	0.191	0.161	
	121	122	1	0.124			
OGGRC554	71	72	1	0.597			
	74	75	1	0.146			
	75	76	1	1.815			
	76	77	1	0.149			
	77	78	1	0.115			
	78	79	1	0.233			
	79	80	1	0.527			
	80	81	1	0.819	0.47	0.6445	
	81	82	1	0.824			
	83	84	1	0.538			
	84	85	1	0.19			
	85	86	1	0.133			
	88	89	1	2.776			
	89	90	1	1.543			
	90	91	1	5.665			
	91	92	1	6.959			
	92	93	1	0.847			
	93	94	1	0.392			
	94	95	1	0.118			
	95	96	1	2.354			
	96	97	1	0.13			
	106	107	1	0.101			
	110	111	1	0.117			
	113	114	1	0.246			
	119	120	1	0.131			

	120	121	1	0.229			
	121	122	1	2.694			
	122	123	1	5.13			
	124	125	1	0.141			
	125	126	1	1.071			
	126	127	1	0.703			
	128	129	1	1.159			
	129	130	1	1.206			
	130	131	1	0.103			
OGGRC555	0	4	4	0.694			
	4	8	4	0.138			
	84	85	1	0.367			
	85	86	1	0.123			
	89	90	1	0.17			
	91	92	1	0.26			
	95	96	1	0.594			
	110	111	1	0.195			
	111	112	1	19.352			
	112	113	1	4.93	2.1	3.515	
	113	114	1	1.779			
	115	116	1	0.306			
OGGRC556	0	4	4	1.457			
	4	8	4	0.569			
	12	16	4	0.111			
	50	51	1	0.112			
	59	60	1	0.112			
	66	67	1	0.115			
	67	68	1	0.184			
	72	73	1	0.636			
	73	74	1	0.447			
	74	75	1	0.773			
	75	76	1	3.506	2.312	2.909	40 at 16.22g/t Au
	76	77	1	2.371			(75-115m)
	77	78	1	0.618			
	78	79	1	2.549			
	79	80	1	3.039			
	80	81	1	1.68			
	81	82	1	1.707			
	82	83	1	0.735			
	88	89	1	6.596			
	89	90	1	2.038			
	90	91	1	4.842			
	91	92	1	2.217			
	92	93	1	1.807			
	94	95	1	1.255			incl.
	95	96	1	30.035			10 at 46.24g/t Au

	96	97	1	71.268	63.161	67.215	(95-105m)
	97	98	1	24.619			
	98	99	1	34.649			
	99	100	1	20.604			
	100	101	1	6.493			
	101	102	1	63.69	69.525	66.608	
	102	103	1	93.918	93.174	93.546	
	103	104	1	88.768	96.17	92.469	
	104	105	1	26.203			
	105	106	1	4.634			
	106	107	1	3.474			
	107	108	1	4.451			
	108	109	1	4.762			
	109	110	1	3.113			
	110	111	1	7.002			
	111	112	1	6.115	3.953	5.034	
	112	113	1	17.786			
	113	114	1	1.793			
	114	115	1	2.048			
	115	116	1	0.18			
	116	117	1	0.354			
	117	118	1	6.351			
	118	119	1	0.581			
	119	120	1	0.655			
	120	121	1	0.618			
	121	122	1	0.132			

Appendix 2: 1m-resplits assay results on previously announced composite samples

Hole ID	From	To	Int	Au	Au Rpt	Avg.		Comments
OGGRC483	0	6	6	0.697			SEB	previously announced
	0	1	1	0.456			SEB	new resplits
	1	2	1	1.013			SEB	new resplits
	2	3	1	1.542			SEB	new resplits
	3	4	1	0.984			SEB	new resplits
	4	5	1	1.051			SEB	new resplits
	5	6	1	1.722			SEB	new resplits
	6	12	6	4.193			SEB	previously announced
	6	7	1	2.227			SEB	new resplits
	7	8	1	13.691			SEB	new resplits
	8	9	1	5.383			SEB	new resplits
	9	10	1	4.044			SEB	new resplits
	10	11	1	4.773			SEB	new resplits
	11	12	1	6.046			SEB	new resplits
	12	18	6	14.44	16.104	15.273	SEB	previously announced
	12	13	1	44.319	47.692	46.006	SEB	new resplits
	13	14	1	10.676			SEB	new resplits
	14	15	1	5.629			SEB	new resplits
	15	16	1	4.038			SEB	new resplits
	16	17	1	0.876			SEB	new resplits
	17	18	1	1.29			SEB	new resplits
	18	24	6	0.308			SEB	previously announced
	18	19	1	0.511			SEB	new resplits
	19	20	1	0.456			SEB	new resplits
	21	22	1	0.173			SEB	new resplits
	23	24	1	0.113			SEB	new resplits
	24	30	6	0.412			SEB	previously announced
	24	25	1	0.237			SEB	new resplits
	27	28	1	0.323			SEB	new resplits
	28	29	1	0.1			SEB	new resplits
	29	30	1	0.595			SEB	new resplits
	30	36	6	0.303			SEB	previously announced
	30	31	1	0.498			SEB	new resplits
	32	33	1	0.226			SEB	new resplits
OGGRC484	0	6	6	0.352			SEB	previously announced
	0	1	1	0.316			SEB	new resplits
	1	2	1	0.355			SEB	new resplits
	2	3	1	0.838			SEB	new resplits
	3	4	1	0.664			SEB	new resplits
	4	5	1	0.194			SEB	new resplits

	18	24	6	0.108			SEB	previously announced
	21	22	1	0.123			SEB	new resplits
	37	38	1	0.483			SEB	new resplits
	52	53	1	0.278			SEB	previously announced
	53	54	1	0.254			SEB	previously announced
OGGRC485	0	6	6	0.242			SEB	previously announced
	0	1	1	0.147			SEB	new resplits
	1	2	1	0.375			SEB	new resplits
	2	3	1	0.552			SEB	new resplits
	3	4	1	0.343			SEB	new resplits
	24	30	6	0.94			SEB	previously announced
	26	27	1	0.176			SEB	new resplits
	28	29	1	0.775			SEB	new resplits
	29	30	1	4.158	4.259		SEB	new resplits
	30	36	6	0.267			SEB	previously announced
	30	31	1	0.459			SEB	new resplits
	31	32	1	0.265			SEB	new resplits
OGGRC486	0	6	6	0.375			SEB	previously announced
	0	1	1	0.183			SEB	new resplits
	1	2	1	0.139			SEB	new resplits
	2	3	1	0.254			SEB	new resplits
	3	4	1	0.271			SEB	new resplits
	4	5	1	0.557			SEB	new resplits
	5	6	1	0.13			SEB	new resplits
	12	18	6	0.647			SEB	previously announced
	14	15	1	0.201			SEB	new resplits
	17	18	1	2.04			SEB	new resplits
	18	24	6	0.538			SEB	previously announced
	18	19	1	0.519			SEB	new resplits
	19	20	1	0.238			SEB	new resplits
	20	21	1	0.189			SEB	new resplits
	21	22	1	1.024			SEB	new resplits
	22	23	1	1.264			SEB	new resplits
	23	24	1	0.1			SEB	new resplits
	30	36	6	0.387			SEB	previously announced
	30	31	1	0.129			SEB	new resplits
	32	33	1	0.101			SEB	new resplits
	33	34	1	0.299			SEB	new resplits
	34	35	1	0.784			SEB	new resplits
	35	36	1	0.331			SEB	new resplits
	36	42	6	0.178			SEB	previously announced
	38	39	1	0.612			SEB	new resplits
	39	40	1	0.187			SEB	new resplits

OGGRC487	0	6	6	0.386			SEB	previously announced
	0	1	1	0.453			SEB	new resplits
	1	2	1	0.696			SEB	new resplits
	2	3	1	0.513			SEB	new resplits
	3	4	1	0.18			SEB	new resplits
	4	5	1	0.181			SEB	new resplits
	12	18	6	0.138			SEB	previously announced
	17	18	1	0.358			SEB	new resplits
OGGRC488	0	6	6	0.156			SEB	previously announced
	12	18	6	0.241	0.285	0.263	SEB	previously announced
	18	24	6	0.13			SEB	previously announced
	24	25	1	0.123			SEB	previously announced
	25	26	1	0.232			SEB	previously announced
	27	28	1	0.236			SEB	previously announced
	30	31	1	2.634			SEB	previously announced
	31	32	1	1.126			SEB	previously announced
	32	33	1	0.07			SEB	previously announced
	33	34	1	2.947			SEB	previously announced
	34	35	1	0.416			SEB	previously announced
	35	39	4	1.475			SEB	previously announced
OGGRC488	35	36	1	0.053			SEB	new resplits
	36	37	1	6.16			SEB	new resplits
	37	38	1	0.291			SEB	new resplits
	38	39	1	3.592			SEB	new resplits
OGGRC488	39	40	1	172.4			SEB	previously announced
	40	41	1	181.3	158.83	170.05	SEB	previously announced
	41	42	1	310.3	302.25	306.27	SEB	previously announced
	42	43	1	20.76			SEB	previously announced
	43	48	5	1.202			SEB	previously announced
	43	44	1	0.584			SEB	new resplits
	44	45	1	0.387			SEB	new resplits
	45	46	1	1.788			SEB	new resplits
	46	47	1	1.075			SEB	new resplits
	47	48	1	0.428			SEB	new resplits
OGGRC488	48	54	6	4.333			SEB	previously announced
	48	49	1	1.965			SEB	new resplits
	49	50	1	1.782			SEB	new resplits
	50	51	1	3.54			SEB	new resplits
	51	52	1	25.126			SEB	new resplits
	52	53	1	0.582			SEB	new resplits
	53	54	1	0.736			SEB	new resplits
OGGRC488	54	60	6	0.245			SEB	previously announced
	54	55	1	1.243			SEB	new resplits

	55	56	1	0.162			SEB	new resplits
	56	57	1	0.194			SEB	new resplits
	57	58	1	0.11			SEB	new resplits
	58	59	1	0.129			SEB	new resplits
	59	60	1	0.034			SEB	new resplits
OGGRC488	60	64	4	0.7			SEB	previously announced
	60	61	1	0.41			SEB	new resplits
	61	62	1	3.279			SEB	new resplits
	62	63	1	0.258			SEB	new resplits
	63	64	1	2.041			SEB	new resplits
OGGRC488	64	65	1	2.667			SEB	previously announced
	65	66	1	6.11			SEB	previously announced
	66	67	1	0.524			SEB	previously announced
	67	68	1	1.23			SEB	previously announced
	68	69	1	0.313			SEB	previously announced
	69	70	1	0.663			SEB	previously announced
	70	71	1	3.514			SEB	previously announced
	71	72	1	2.827			SEB	previously announced
	72	73	1	0.129			SEB	previously announced
	73	74	1	0.117			SEB	previously announced
	74	80	6	0.21			SEB	previously announced
OGGRC489	0	4	4	0.595			SEB	previously announced
	0	1	1	0.436			SEB	new resplits
	1	2	1	0.64			SEB	new resplits
	2	3	1	0.811			SEB	new resplits
	3	4	1	0.936			SEB	new resplits
	4	5	1	0.613			SEB	previously announced
	5	6	1	0.204			SEB	previously announced
	6	7	1	0.212			SEB	previously announced
	7	8	1	0.436			SEB	previously announced
	8	9	1	0.657			SEB	previously announced
	9	10	1	0.158			SEB	previously announced
	10	11	1	2.811	2.811		SEB	previously announced
	11	12	1	57.03	57.034		SEB	previously announced
	12	13	1	1.302	1.302		SEB	previously announced
	13	14	1	0.515	61.147		SEB	previously announced
	14	15	1	0.105			SEB	previously announced
	15	16	1	0.324			SEB	previously announced
	16	22	6	0.873			SEB	previously announced
	16	17	1	0.39			SEB	new resplits
	17	18	1	0.871			SEB	new resplits
	18	19	1	0.279			SEB	new resplits
	19	20	1	4.615			SEB	new resplits

	20	21	1	1.188			SEB	new resplits
	21	22	1	1.516			SEB	new resplits
OGGRC489	22	28	6	0.968			SEB	previously announced
	22	23	1	0.364			SEB	new resplits
	23	24	1	0.158			SEB	new resplits
	24	25	1	1.811			SEB	new resplits
	25	26	1	1.3			SEB	new resplits
	26	27	1	0.983			SEB	new resplits
	27	28	1	0.909			SEB	new resplits
	28	31	3	19.79	13.485	16.638	SEB	previously announced
	28	29	1	16.757			SEB	new resplits
	29	30	1	1.957			SEB	new resplits
	30	31	1	55.5	45.172	50.34	SEB	new resplits
	31	32	1	64.12			SEB	previously announced
	32	33	1	31.65			SEB	previously announced
	33	34	1	19.6			SEB	previously announced
	34	35	1	165.8			SEB	previously announced
	35	36	1	195.8	189.9	192.84	SEB	previously announced
	36	37	1	17.77			SEB	previously announced
	37	38	1	2.933			SEB	previously announced
	38	39	1	1.709			SEB	previously announced
	40	41	1	11.58			SEB	previously announced
	41	42	1	2.619			SEB	previously announced
	42	43	1	1.074			SEB	previously announced
	43	44	1	1.051			SEB	previously announced
	45	46	1	0.149			SEB	previously announced
	46	47	1	0.319			SEB	previously announced
	58	64	6	0.381			SEB	previously announced
	64	70	6	0.112			SEB	previously announced
OGGRC490	0	2	2	1.224			SEB	previously announced
	0	1	1	0.968			SEB	new resplits
	2	3	1	2.223			SEB	previously announced
	3	4	1	2.412			SEB	previously announced
	4	5	1	4.586			SEB	previously announced
	5	6	1	6.643			SEB	previously announced
	6	7	1	2.185			SEB	previously announced
	7	8	1	2.408			SEB	previously announced
	8	9	1	2.092			SEB	previously announced
	9	10	1	1.468			SEB	previously announced
	10	11	1	0.128			SEB	previously announced
	11	12	1	0.074			SEB	previously announced
	12	18	6	0.527			SEB	previously announced
	18	21	3	1.551			SEB	previously announced

	21	22	1	0.111			SEB	previously announced
	24	25	1	0.598			SEB	previously announced
	26	27	1	0.126			SEB	previously announced
	32	33	1	3.554			SEB	previously announced
	33	34	1	1.039			SEB	previously announced
	34	35	1	2.721			SEB	previously announced
	35	36	1	2.082			SEB	previously announced
	36	37	1	7.405			SEB	previously announced
	37	38	1	239.6	216.05	227.82	SEB	previously announced
	38	39	1	8.801			SEB	previously announced
	39	40	1	24.98			SEB	previously announced
	40	45	5	1.321			SEB	previously announced
	40	41	1	0.738			SEB	new resplits
	41	42	1	1.163			SEB	new resplits
	42	43	1	1.352	1.262	1.307	SEB	new resplits
	43	44	1	0.449	0.565	0.507	SEB	new resplits
	44	45	1	13.141	9.707	11.42	SEB	new resplits
OGGRC490	45	50	5	0.54			SEB	previously announced
	45	46	1	2.826			SEB	new resplits
	46	47	1	0.996			SEB	new resplits
	47	48	1	0.134			SEB	new resplits
	48	49	1	0.688	0.71	0.699	SEB	new resplits
	49	50	1	0.353			SEB	new resplits
	52	53	1	0.532			SEB	previously announced
	53	54	1	0.064			SEB	previously announced
	54	55	1	0.33			SEB	previously announced
	55	56	1	0.625			SEB	previously announced
	56	57	1	0.73			SEB	previously announced
	57	58	1	9.837	9.144	9.4905	SEB	previously announced
	58	59	1	3.132			SEB	previously announced
	59	60	1	2.914			SEB	previously announced
	60	61	1	2.078			SEB	previously announced
	61	62	1	6.311			SEB	previously announced
	62	63	1	6.461	6.134	6.2975	SEB	previously announced
	63	64	1	6.452			SEB	previously announced
	64	65	1	7.151	6.941	7.046	SEB	previously announced
	65	66	1	12.04	12.538	12.29	SEB	previously announced
OGGRC491	0	3	3	0.781			SEB	previously announced
	0	1	1	0.921			SEB	new resplits
	1	2	1	0.396			SEB	new resplits
	2	3	1	0.913			SEB	new resplits
	3	4	1	1.419			SEB	previously announced
	4	5	1	1.067			SEB	previously announced

	5	6	1	2.194			SEB	previously announced
	6	7	1	5.654			SEB	previously announced
	7	8	1	5.052			SEB	previously announced
	8	9	1	3.622			SEB	previously announced
	9	10	1	0.619			SEB	previously announced
	10	11	1	0.251			SEB	previously announced
	11	12	1	0.51			SEB	previously announced
	12	13	1	1.066			SEB	previously announced
	13	14	1	1.412			SEB	previously announced
	14	15	1	8.828			SEB	previously announced
	15	16	1	9.611			SEB	previously announced
	16	17	1	0.375			SEB	previously announced
	17	20	3	0.144			SEB	previously announced
	17	18	1	0.204			SEB	new resplits
	18	19	1	0.379			SEB	new resplits
	19	20	1	0.053			SEB	new resplits
	20	24	4	1.291	0.885	1.088	SEB	previously announced
	20	21	1	2.462			SEB	new resplits
	21	22	1	1.348			SEB	new resplits
	22	23	1	0.368			SEB	new resplits
	23	24	1	0.678			SEB	new resplits
	24	25	1	0.226			SEB	previously announced
	25	26	1	1.174			SEB	previously announced
	26	27	1	0.948			SEB	previously announced
	27	28	1	1.187			SEB	previously announced
	28	29	1	0.137			SEB	previously announced
	29	30	1	0.614			SEB	previously announced
	30	31	1	0.137			SEB	previously announced
	31	32	1	0.014			SEB	previously announced
	32	33	1	0.268			SEB	previously announced
	33	34	1	0.035			SEB	new resplits
	34	35	1	0.047			SEB	new resplits
	35	36	1	0.008			SEB	new resplits
	36	37	1	0.025			SEB	new resplits
	37	38	1	0.012			SEB	new resplits
	38	39	1	0.059			SEB	new resplits
	39	40	1	0.032			SEB	new resplits
	42	43	1	0.209			SEB	previously announced
	43	44	1	0.144			SEB	previously announced
	52	53	1	0.904			SEB	previously announced
	53	54	1	0.424			SEB	previously announced
OGGRC492	0	6	6	1.615			SEB	previously announced
	0	1	1	1.016			SEB	new resplits

	1	2	1	3.132	2.95		SEB	new resplits
	2	3	1	2.223			SEB	new resplits
	3	4	1	0.649			SEB	new resplits
	4	5	1	0.261			SEB	new resplits
	5	6	1	0.175			SEB	new resplits
	6	12	6	0.165			SEB	previously announced
OGGRC493	0	6	6	0.423			SEB	previously announced
	0	1	1	0.19			SEB	new resplits
	1	2	1	0.175			SEB	new resplits
	2	3	1	0.39			SEB	new resplits
	3	4	1	0.135			SEB	new resplits
	4	5	1	0.605			SEB	new resplits
	5	6	1	0.711			SEB	new resplits
	6	12	6	0.271			SEB	previously announced
	6	7		0.596			SEB	new resplits
	7	8		0.276			SEB	new resplits
	8	9		0.096			SEB	new resplits
	9	10		0.16			SEB	new resplits
	11	12		0.104			SEB	new resplits
OGGRC502	21	27	6	0.258			SEB	previously announced
	21	22	1	0.683			SEB	new resplits
	22	23	1	0.976			SEB	new resplits
	23	24	1	16.081			SEB	new resplits
	24	25	1	9.096			SEB	new resplits
	25	26	1	9.522			SEB	new resplits
	26	27	1	1.2			SEB	new resplits
	27	33	6	2.041			SEB	previously announced
	27	28	1	19.114			SEB	new resplits
	28	29	1	39.343	33.481	36.41	SEB	new resplits
	29	30	1	13.946			SEB	new resplits
	30	31	1	2.527			SEB	new resplits
	31	32	1	0.296			SEB	new resplits
	32	33	1	0.247			SEB	new resplits
	33	39	6	0.436			SEB	previously announced
	33	34	1	1.191			SEB	new resplits
	34	35	1	0.167			SEB	new resplits
	35	36	1	0.145			SEB	new resplits
	36	37	1	0.029			SEB	new resplits
	37	38	1	0.127			SEB	new resplits
	38	39	1	0.019			SEB	new resplits
OGGRC502	39	45	6	0.64			SEB	previously announced
	39	40	1	0.171			SEB	new resplits

Appendix 3: JORC Table 1 Checklist of Assessment and Reporting Criteria

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1m samples from which 3 kg was pulverised to produce a 30g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> RC sample was collected and split in even metre intervals where sample was dry. Wet sample was speared or on occasion sampled by scooping. RC drill chips from each metre were examined visually and logged by the geologist. Evidence of alteration or the presence of mineralisation was noted on the drill logs. Intervals selected by the site geologist were tested by hand-held XRF and all those with elevated arsenic contents have been bagged and numbered for laboratory analysis. Duplicate samples are submitted at a rate of approximately 10% of total samples taken (ie one duplicate submitted for every 20 samples). The Vanta XRF Analyser is calibrated before each session and is serviced according to the manufacturer's (Olympus) recommended schedule. The presence or absence of mineralisation is initially determined visually by the site geologist, based on experience and expertise in evaluating the styles of mineralisation being sought.
Drilling techniques	<p>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</p>	<ul style="list-style-type: none"> For OGGRC 483–535 drilling technique was a slimline Reverse Circulation (RC) with a hammer diameter of 3.5" (88.9mm) using a track mounted KWL700/T685 drill rig. For OGGRC 536–559 drilling technique was a Reverse Circulation (RC) with a hammer diameter of 5.5" (130mm) using a track mounted KWL700 drill rig with a 1350cfm/500psi onboard compressor.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Volume of material collected from each metre interval of drilling completed is monitored visually by the site geologist and field assistants. Dry sample recoveries were estimated at ~95%. Wet sample recovery was lower, estimated to an average of 40%. Samples were collected and dry sample split using a riffle splitter. Based on the relatively small number of assays received to date, there is no evidence of either a recovery/grade relationship or of sample bias.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> RC chips are logged visually by qualified geologists. Lithology, and where possible structures, textures, colours, alteration types and minerals estimates are recorded. Representative chips are retained in chip trays for each meter interval drilled. The entire length of each drill hole is logged and evaluated.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representativity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, 	<ul style="list-style-type: none"> RC samples were collected and dry sample split using a riffle splitter. Material too moist for effective riffle splitting was sampled using a 4cm diameter spear. Sample submitted to the laboratory comprised three spear samples in different directions into the material for each meter interval. The samples were sent to Intertek labs in Perth for Au analysis by FA50 (Fire Assay on 50g charge). Sample preparation techniques are well-established standard industry best practice techniques. Drill chips are dried

	<p>including for instance results for field duplicate/second-half sampling.</p> <ul style="list-style-type: none"> • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<p>and crushed and pulverised (whole sample) to 95% of the sample passing -75µm grind size.</p> <ul style="list-style-type: none"> • Field QC procedures include using certified reference materials as assay standards at every 20m. One duplicate sample is submitted for every 20 samples and a blank at 50 samples, approximately. • Evaluation of the standards, blanks and duplicate samples assays shows them to be within acceptable limits of variability. • Sample representativity and possible relationship between grain size and grade was confirmed following re-sampling and re-assaying of high-grade interval. • Sample size follows industry standard best practice and is considered appropriate for these style(s) of mineralisation.
<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • The assay techniques used for these assays are international standard and can be considered total. Samples were dried, crushed and pulverised to 95% passing -75µm using 50g Fire Assay and analysed by Inductively Coupled Plasma Optical (Atomic) Emission Spectrometry. • The handheld XRF equipment used is an Olympus Vanta XRF Analyser and Ora Gold Ltd. follows the manufacturer's recommended calibration protocols and usage practices but does not consider XRF readings sufficiently robust for public reporting. Ora Gold Ltd. uses the handheld XRF data as an indicator to support the selection of intervals for submission to laboratories for formal assay. • The laboratory that carried out the assays is an AQIS registered site and is ISO certified. It conducts its own internal QA/QC processes in addition to the QA/QC implemented by Ora Gold Ltd, as its sample submission procedures. Evaluation of the relevant data indicates satisfactory performance of the field sampling protocols in place and of the assay laboratory. The laboratory uses check samples and assay standards to complement the duplicate sampling procedures practiced by Ora Gold Ltd.
<p>Verification of sampling and assaying</p>	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> • All significant intersections are calculated and verified on screen and are reviewed prior to reporting. • The programme included no twin holes. • Data is collected and recorded initially on hand-written logs with summary data subsequently transcribed in the field to electronic files that are then copied to head office. • No adjustment to assay data has been needed.
<p>Location of data points</p>	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • Drill hole locations have been established using a differential GPS with an accuracy of ±0.3m. Regular surveys were undertaken every 18m using a Gyro survey tool. • The map projection applicable to the area is Australian Geodetic GDA94, Zone 50.
<p>Data spacing and distribution</p>	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<ul style="list-style-type: none"> • Drill hole collars were located and oriented to deliver maximum relevant geological information to allow the geological model being tested to be assessed effectively. • This is still early-stage exploration and is not sufficiently advanced for this to be applicable. • Various composite sampling was applied depending on the geology of the hole. All anomalous sample intervals are reported in Appendix 1. Recent re-splits on previously announced composite samples are included in Appendix 2. Zones where geological logging and/or XRF analyses indicated the presence of mineralised intervals were sampled on one meter intervals.
<p>Orientation of data in relation to</p>	<ul style="list-style-type: none"> • Whether the orientation of sampling achieves unbiased sampling of possible structures and the 	<ul style="list-style-type: none"> • This programme is the third exploration drilling to test the south-east extension of the Crown Prince main ore body. All drill holes within this area have been drilled 40

<i>geological structure</i>	<i>extent to which this is known, considering the deposit type.</i> <ul style="list-style-type: none"> <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	degrees north-easterly at -60 degrees dip. Insufficient data has been collected and compiled to be able to establish true widths, orientation of lithologies, relationships between lithologies, or the nature of any structural controls as no diamond drilling was undertaken. The main aim of this programme is to generate geological data to develop an understanding of these parameters. <ul style="list-style-type: none"> Data collected so far presents no suggestion that any sampling bias has been introduced.
<i>Sample security</i>	<ul style="list-style-type: none"> <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> When all relevant intervals have been sampled, the samples are collected and transported by company personnel to secure locked storage in Perth before delivery by company personnel to the laboratory for assay.
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> Internal reviews are carried out regularly as a matter of policy. All assay results are considered representative as both the duplicates, standards and blanks from this programme have returned satisfactory replicated results.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code Explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> The Garden Gully project comprises one granted prospecting licence, P51/3009, six granted exploration licences E51/1661, E51/1737, E51/1609, E51/1708, E51/1790, E51/1791 and four mining leases M51/390, M51/567, M51/886 and M51/889, totaling approximately 217 square kilometres. Ora Gold Limited holds a 100% interest in each lease. The project is partially located in the Yoothapina pastoral lease, 15km north of Meekatharra, in the Murchison of WA. The licences are in good standing and there are no known impediments to obtaining a licence to operate.
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> First workings in the Garden Gully area: 1895 - 1901 with the Crown gold mine. 264 tonnes gold at 1.99 oz/t average (~ 56 g/t Au). Maximum depth~24m. Kyarra Gold Mine (1909 – 1917): 18,790 oz gold from quartz veins in “strongly sheared, decomposed, sericite rich country rock”. Seltrust explored for copper and zinc from 1977, reporting stratigraphically controlled “gossanous” rock from chip sampling and drilling. In 1988, Dominion gold exploration at Crown defined a >100ppb gold soil anomaly. RAB to 32m: “no significant mineralisation”: drilling was “sub-parallel to the dip of mineralisation”; best intersection: 15m at 2.38g/t from 5m. 1989 at Lydia: Julia Mines RAB drill holes 30 m intervals 100m apart across the shear zone targeting the arsenic anomaly. 12m at 5.16 g/t Au from 18m; 6m at 3.04 g/t Au from 18m. No samples deeper than 24m due to poor recovery, so open at depth in the prospective shear zone. Julia also drilled shallow air core at Crown mine, returned best intersection of 2m at 0.4g/t Au from 34m in quartz veins in felsic volcanics. In 1989, Matlock Mining explored North Granite Well and Nineteenth Hole; best result 8m at 2.1 g/t Au. Supergene zone: grades to 3.17 g/t Au and still open. 1993 – 2003: St Barbara Mines: RAB, RC on E51/1661. Gold associated with black shale (best: 1m at 0.64 g/t). In 1996, Australian Gold Resources RAB and RC drilling found Cu, Zn and Ag anomalies (up to 1800ppm Cu, 1650ppm Zn and 3.8 g/t Ag) associated with

		<p>saprolitic clay and black shales at 60-80m deep on current E51/1661.</p> <ul style="list-style-type: none"> - 2001-2002, Gamen (Bellissimo & Red Bluff Noms) trenched, sampled, mapped and RC drilled at Crown. Results (up to 0.19 g/t Au) suggest the presence of gold mineralisation further to the east of Crown Gold Mine. - 2008 – 2009: Accent defined targets N and S of Nineteenth Hole from satellite imagery and airborne magnetics.
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> - The Garden Gully project comprises now most of the Abbotts Greenstone Belt; comprised of Archaean rocks of the Greensleeves Formation (Formerly Gabanintha); a bimodal succession of komatiitic volcanic mafics and ultramafics overlain by felsic volcanics and volcanoclastic sediments, black shales and siltstones and interlayered with mafic to ultramafic sills. Regional synclinal succession trending N-NE with a northern fold closure postdating E-W synform, further transected by NE trending shear zones, linearity with the NE trend of the Abernathy Shear, which is a proven regional influence on structurally controlled gold emplacement in Abbotts and Meekatharra Greenstone Belts and in the Meekatharra Granite and associated dykes. - The project is blanketed by broad alluvial flats, occasional lateritic duricrust and drainage channels braiding into the Garden Gully drainage system. Bedrock exposures are limited to areas of dolerite, typically massive and unaltered. Small basalt and metasediment outcrops exist, with some exposures of gossanous outcrops and quartz vein scree. Gold bearing quartz reefs, veins and lodes occur almost exclusively as siliceous impregnations into zones within the Kyarra Schist Series, schistose derivatives of dolerites, gabbros and tuffs, typically occurring close to axial planes of folds and within anastomosing ductile shear zones.
Drill hole Information	<ul style="list-style-type: none"> • <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all material drill holes:</i> <ul style="list-style-type: none"> • <i>easting and northing of the drill hole collar</i> • <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> • <i>dip and azimuth of the hole</i> • <i>down hole length and interception depth</i> • <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> • All relevant drill hole details are presented in Table 1. • The principal geologic conclusion of the work reported from this programme at the Crown Prince prospect confirms the presence of high-grade gold mineralization in what are interpreted to be steep plunging shoots. Extensive primary gold mineralization was also intercepted below the base of oxidation; primary mineralization associated with sulphides, mainly pyrite and arsenopyrite, which offers a very positive outlook for deep potential for the prospect which is to be further tested in follow-up drilling.
Data aggregation methods	<ul style="list-style-type: none"> • <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	<ul style="list-style-type: none"> • All significant drill intercepts are displayed in Figures 3-4. 1m re-split assay results on previously announced composite samples are included in Appendix 2. Full assay data over 0.1g/t Au are included in Appendix 1. No assay grades have been cut. • Arithmetic weighted averages are used. For example, 131m to 133m in OGGRC540 is reported as 2m at 12.8g/t Au. This comprised 2 samples, each of 1m, calculated as follows: $[(1*7.7025) + (1*17.907)] = [25.60/2] = 12.8\text{g/t Au}$. • No metal equivalent values are used.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • <i>These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg. 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> • Insufficient geological data have yet been collected to allow the geometry of the mineralization to be interpreted. • True widths are unknown and insufficient information is available yet to permit interpretation of geometry. Reported intercepts are downhole intercepts and are noted as such.

<i>Diagrams</i>	<ul style="list-style-type: none"> • <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to, a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> • Relevant location maps and figures are included in the body of this announcement (Figures 2-4). Sufficient data have been collected to allow a meaningful cross-section to be drawn with confidence (Figure 4).
<i>Balanced reporting</i>	<ul style="list-style-type: none"> • <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> • This announcement includes the results of 1m re-splits from the previous slim RC drilling and two DD tails at MOB (OGGRCDD469-70) which have not been previously announced. The reporting is comprehensive and thus by definition balanced. It represents early results of a larger programme to investigate the potential for economic mineralisation at Garden Gully.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> • <i>Other exploration data, if meaningful and material, should be reported including, but not limited to: geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density; groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> • This announcement includes qualitative data relating to interpretations and potential significance of geological observations made during the programme. As additional relevant information becomes available it will be reported and announced to provide context to current and planned programmes.
<i>Further work</i>	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> • Deeper RC drilling is underway at Crown Prince to test the potential for high grade gold along the south-west trending hinge zone and plunge of the anticline at SEB. Slim RC drilling will test the north-east extension of the southern flank of this mineralized structure. More diamond drilling will be undertaken to better define the structural setting of the mineralized system at both ore bodies.