

FURTHER HIGH GRADE RESULTS FROM UNDERGROUND AND SURFACE DRILLING

*** 32m @ 2.07g/t Au and 24.7 g/t Ag * including
** 14m @ 4.30g/t Au and 24.0g/t Ag ** including
*** 7m @ 7.91g/t Au and 29.9g/t Ag *****

Highlights

- ★ SSD-03 intersected thick, continuous mineralized zone of **32.0m @ 2.07g/t Au and 24.7g/t Ag** from 267m (0.25g/t Au cut-off, downhole thickness) including:
 - **14m @ 4.30g/t Au & 24.0g/t Ag** from 283m (0.5g/t Au cut-off, downhole thickness); including
 - **7m @ 7.91g/t Au & 29.9g/t Ag** from 283m (1g/t Au cut-off, downhole thickness);
- ★ UGA-65 intersected thick, continuous mineralized zone of **35.0m @ 1.38g/t Au and 9.5g/t Ag** from 86m (0.25g/t Au cut-off, downhole thickness) including:
 - **9m @ 3.02g/t Au & 20.3g/t Ag** from 86m (1g/t Au cut-off, downhole thickness); and
 - **4m @ 3.35g/t Au & 16.2g/t Ag** from 109m (1g/t Au cut-off, downhole thickness);

Cautionary Note: The intersections from drill holes with the 'UGA' prefix are not a true thickness they were drilled at a various shallow angles to the mineralised zone due to the location of the underground drill site relative to the target zone. Modelling suggests the true thickness of mineralisation in this area is approximately 110-90m at the top and ~40-30m at the bottom of the drill hole: see Figures 1, 2, 3, 4, 5 and 6).

- ★ UGA-64 intersected thick, continuous mineralized zone of **23.0m @ 1.15g/t Au and 10.8g/t Ag** from 127m (0.25g/t Au cut-off, downhole thickness) including:
 - **7m @ 2.26g/t Au & 21.8g/t Ag** from 130m (1g/t Au cut-off, downhole thickness);
- ★ UGA-62 intersected a mineralized zone of **16.0m @ 2.75g/t Au and 10.3g/t Ag** from 85m (0.25g/t Au cut-off, downhole thickness) including:
 - **1m @ 39.20g/t Au & 105.5g/t Ag** from 100m (downhole thickness);
- ★ SSD-02 intersected a mineralized zone of **24.0m @ 0.60g/t Au and 11.7g/t Ag** from 299m (0.25g/t Au cut-off, downhole thickness) including:
 - **3m @ 2.30g/t Au & 19.9g/t Ag** from 311m (1g/t Au cut-off, downhole thickness);
- ★ Both the underground and surface drilling is now complete
- ★ Assay results from the first three surface drill holes (SSD-01, SSD-02 and SSD-03) have been received - still awaiting assay results from SDD-04 and SSD-05



MetalsTech Limited (ASX: MTC) (the **Company** or **MTC**) is pleased to announce the updated assay results for UGA-60, UGA-61, UGA-62, UGA-63, UGA-64 and UGA-65 from Drill Chamber IV as well as surface drill holes SSD-01, SSD-02 and SSD-03.

Drilling from Drill Chamber IV was designed to potentially extend the mineralisation within the Sturec Mineral Resource to the south, especially down dip/plunge; as well as increase confidence within this distal part of the Sturec Mineral Resource area.

The surface drill holes (SSD prefix) were planned to test the depth extent of the Sturec Mineral Resource below the central section of the ore body.

Table 1: Drill holes from Drill Chamber IV

Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)
UGA-60	-435,851	-1,230,312	656	358	-55	245.9
UGA-61	-435,851	-1,230,312	656	324	-75	185.7
UGA-62	-435,851	-1,230,312	656	214.5	-65	170.7
UGA-63	-435,851	-1,230,312	656	200	-23	128.8
UGA-64	-435,851	-1,230,312	656	200	-45	172.3
UGA-65	-435,851	-1,230,312	656	310	-70	142.1

Table 2: Drill holes from Surface

Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)
SSD-01	-435,523	-1,229,834	655	262.5	-50	367.5
SSD-02	-435,523	-1,229,834	655	274.5	-50	368.8
SSD-03	-435,491	-1,229,905	653	249.5	-50	406.8
SSD-04	-435,491	-1,229,905	653	241	-50	403.2
SSD-05	-435,491	-1,229,905	653	282.5	-50	501.0

UGA-65

UGA-65 was positioned as an infill drill hole into the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023). The drill hole details are set out in Table 1. See Figure 1 and 2 for the relative position of UGA-65 compared to the existing Sturec Mineral Resource.

The most significant mineralised zone in UGA-65 was approximately 35.0m @ 1.38g/t Au and 9.5g/t Ag from 86m using a 0.25g/t Au cut-off including: 9m @ 3.02g/t Au & 20.3g/t Ag from 86m using a 1g/t Au cut-off; and 4m @ 3.35g/t Au & 16.2g/t Ag from 109m using 1g/t Au cut-off. A thin but quite high-grade zone was also intersected shallower in the hole that included 4m @ 4.40g/t Au from 28m using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-65 are shown in Table 3.

UGA-64

UGA-64 was positioned as an infill drill hole at the southern extent of the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023); and below UGA-63 but above UGA-62. The drill hole details are set out in Table 1. See Figure 1 and 3 for the relative position of UGA-64 compared to the existing Sturec Mineral Resource.



The most significant mineralised zone in UGA-64 was 23m @ 1.15g/t Au & 10.8g/t Ag using a 0.25g/t Au cut-off from 127m; including 7m @ 2.26g/t Au & 21.8g/t Ag from 130m using a 1g/t Au cut-off. A wide zone of lower grade mineralisation was also intersected shallower in the hole that included 13m @ 0.53g/t Au & 3.5g/t Ag using a 0.25g/t Au cut-off from 91m; including 3m @ 1.32g/t Au & 9.0g/t Ag from 101m using a 0.5g/t Au cut-off. A summary of the significant intersections from UGA-64 are shown in Table 3.

UGA-63

UGA-63 was positioned as an infill drill hole at the southern extent of the existing Sturec Mineral Resource (refer to MTC announcement dated 08 May 2023); and above UGA-64. The drill hole details are set out in Table 1. See Figure 1 and 4 for the relative position of UGA-63 compared to the existing Sturec Mineral Resource.

UGA-63 intersected approximately 37m @ 0.67g/t Au using a 0.25g/t Au cut-off from 80m; including 2m @ 1.24g/t Au & 19.4g/t Ag from 105m using a 1g/t Au cut-off and 2m @ 1.45g/t Au & 4.6g/t Ag from 111m using a 1g/t Au cut-off. A summary of the significant intersections from UGA-63 are shown in Table 3. Any inconsistency in the position of mineralisation from the new drilling results will be addressed in the next iteration of the Sturec Mineral Resource Estimation.

UGA-62

UGA-62 was positioned as an infill drill hole at the southern extent of the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023); and below UGA-64 and UGA-63. See Figure 1 and 5 for the relative position of UGA-62 compared to the existing Sturec Mineral.

The most significant mineralised zone in UGA-62 was 16m @ 2.75g/t Au & 10.3g/t Ag from 85m using a 0.25g/t Au cut-off, including 1m @ 39.20g/t Au & 105.0g/t Ag from 100m. A wide zone of lower grade mineralisation was also intersected deeper in the hole that included 18m @ 0.52g/t Au & 8.8g/t Ag using a 0.25g/t Au cut-off from 120m; including 1m @ 1.60g/t Au & 34.9g/t Ag from 125m. A summary of the significant intersections from UGA-62 are shown in Table 3 below.

UGA-61

UGA-61 was positioned as an infill drill hole at the southern extent of the existing Sturec Mineral Resource (refer to MTC announcement dated 08 May 2023). See Figure 1 and 6 for the relative position of UGA-61 compared to the existing Sturec Mineral Resource.

UGA-61 intersected two mineralised zones: the shallower was 25m @ 0.93g/t Au & 3.8g/t Ag from 95m using a 0.25g/t Au cut-off, including 3m @ 3.52g/t Au & 5.3g/t Ag from 95m using a 1g/t Au cut-off; and the deeper was 29m @ 0.45g/t Au & 2.0g/t Ag from 130m using a 0.25g/t Au cut-off, including 2m @ 2.17g/t Au & 4.0g/t Ag from 145m using a 1g/t Au cut-off. A summary of the significant intersections from UGA-61 are shown in Table 3 below.

UGA-60

UGA-60 was planned as an infill drill hole into the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023). See Figure 1 and 7 for the relative position of UGA-60 compared to the existing Sturec Mineral Resource.



The most significant mineralised zone in UGA-60 was 20m @ 0.91g/t Au & 2.6g/t Ag from 73m using a 0.25g/t Au cut-off; including 2m @ 5.26g/t Au & 7.5g/t Ag from 73m using a 0.5g/t Au cut-off and 2m @ 1.27g/t Au & 1.8g/t Ag from 81m using a 0.5g/t Au cut-off. A summary of the significant intersections from UGA-60 are shown in Table 3 below.

SSD-03

SSD-03 was positioned as an extensional/infill drill hole into lower margin of the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023). See Figure 1 and 8 for the relative position of SSD-03 compared to the existing Sturec Mineral Resource.

The most significant mineralised zone in SSD-03 was 32m @ 2.07g/t Au & 24.7g/t Ag from 267m using a 0.25g/t Au cut-off; including 14m @ 4.30g/t Au & 24.0g/t Ag from 283m using a 0.5g/t Au cut-off; including 7m @ 7.91g/t Au & 29.9g/t Ag from 283m using a 1g/t Au cut-off. A summary of the significant intersections from SSD-03 are shown in Table 4 below.

When the significant mineralised zone in SSD-03 is compared to the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023) in cross-section (Figure 8), it is apparent that the mineralisation in this area has a shallower dip than is modelled at this depth. Any inconsistency in the position of mineralisation from the new drilling results will be addressed in the next iteration of the Sturec Mineral Resource Estimation.

SSD-02

SSD-02 was positioned as an extensional/infill drill hole into lower margin of the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023). See Figure 1 and 9 for the relative position of SSD-02 compared to the existing Sturec Mineral Resource.

The most significant mineralised zone in SSD-02 was 24m @ 0.60g/t Au & 11.7g/t Ag from 299m using a 0.25g/t Au cut-off; including 3m @ 2.30g/t Au & 19.9g/t Ag from 311m using a 1g/t Au cut-off. A summary of the significant intersections from SSD-02 are shown in Table 4 below.

SSD-01

SSD-01 was positioned as an extensional/infill drill hole into lower margin of the existing Sturec Mineral Resource (refer to MTC announcement dated 8 May 2023). See Figure 1 and 9 for the relative position of SSD-01 compared to the existing Sturec Mineral Resource.

The most significant mineralised zone in SSD-01 was 16m @ 0.53g/t Au & 18.3g/t Ag from 276m using a 0.25g/t Au cut-off; including 2m @ 1.39g/t Au & 24.4g/t Ag from 283m using a 0.5g/t Au cut-off. A summary of the significant intersections from SSD-01 are shown in Table 4 below.



Table 3: Summary of Assay Results from final drill holes from drill chamber IV

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-65	4.00	@	4.40	3.4	39.00	43.00	0.25g/t Au cut-off and no internal dilution
	35.00	@	1.38	9.5	86.00	121.00	0.25g/t Au cut-off and 6m internal dilution
	including						
	9.00	@	3.02	20.3	86.00	95.00	1g/t Au cut-off and no internal dilution
and							
	4.00	@	3.35	16.2	109.00	113.00	1g/t Au cut-off and no internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-64	13.00	@	0.52	3.5	91.00	104.00	0.25g/t Au cut-off and 5m internal dilution
	including						
	3.00	@	1.32	9.0	101.00	104.00	0.5g/t Au cut-off and no internal dilution
	23.00	@	1.15	10.8	127.00	150.00	0.25g/t Au cut-off and 5m internal dilution
including							
	7.00	@	2.26	21.8	130.00	137.00	1g/t Au cut-off and 1m internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-63	37.00	@	0.67	7.1	80.00	117.00	0.25g/t Au cut-off and 5m internal dilution
	including						
	2.00	@	1.24	19.4	105.00	107.00	1g/t Au cut-off and no internal dilution
	and						
	2.00	@	1.45	4.6	111.00	113.00	1g/t Au cut-off and no internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-62	8.00	@	0.61	1.5	24.00	32.00	0.25g/t Au cut-off and no internal dilution
	including						
	4.00	@	0.89	1.5	26.00	30.00	0.5g/t Au cut-off and no internal dilution
	16.00	@	2.75	10.3	85.00	101.00	0.25g/t Au cut-off and 5m internal dilution
and							
	1.00	@	39.20	105.0	100.00	101.00	
	18.00	@	0.52	8.8	120.00	138.00	0.25g/t Au cut-off and 5m internal dilution
including							
	1.00	@	1.60	34.9	125.00	126.00	

** This announcement is authorised by the executive board on behalf of the Company **



Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-61	25.00	@	0.93	3.8	95.00	120.00	0.25g/t Au cut-off and 5m internal dilution
	including						
	3.00	@	3.52	5.3	95.00	98.00	1g/t Au cut-off and no internal dilution
	29.00	@	0.45	2.0	130.00	159.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
	including						
	2.00	@	2.17	4.0	145.00	147.00	1g/t Au cut-off and no internal dilution

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
UGA-60	6.00	@	0.74	2.3	32.00	38.00	0.25g/t Au cut-off and 2m internal dilution
	20.00	@	0.91	2.6	71.00	91.00	0.25g/t Au cut-off and 1m internal dilution
	including						
	2.00	@	5.26	7.5	73.00	75.00	0.5g/t Au cut-off and no internal dilution
	and						
	2.00	@	1.27	1.8	81.00	83.00	0.5g/t Au cut-off and no internal dilution
	8.00	@	0.60	1.1	132.00	140.00	0.25g/t Au cut-off and no internal dilution
	4.00	@	0.93	2.0	191.00	195.00	0.5g/t Au cut-off and 1m internal dilution

** This announcement is authorised by the executive board on behalf of the Company **



Table 4: Summary of Assay Results from surface drill holes

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
SSD-03	5.00	@	0.62	9.5	236.00	241.00	0.25g/t Au cut-off and no internal dilution
	5.00	@	0.49	8.4	249.00	254.00	0.25g/t Au cut-off and 1m internal dilution
	32.00	@	2.07	24.7	276.00	308.00	0.25g/t Au cut-off and 8m internal dilution overall but only up to 2m continuous
	including						
	14.00	@	4.30	24.0	283.00	297.00	0.5g/t Au cut-off and 5m internal dilution overall but only up to 3m continuous
including							
							1g/t Au cut-off and 3m continuous internal dilution

SSD-02	1.00	@	9.53	7.9	175.00	176.00	
	2.00	@	0.44	61.1	280.00	282.00	0.25g/t Au cut-off and no internal dilution
	24.00	@	0.60	11.7	299.00	323.00	0.25g/t Au cut-off and max. 6m continuous internal dilution
	including						
	3.00	@	2.30	19.9	311.00	314.00	1g/t Au cut-off and no internal dilution

SSD-01	1.00	@	1.32	37.6	173.00	174.00	
	16.00	@	0.53	18.3	276.00	292.00	0.25g/t Au cut-off and 3m internal dilution
	including						
	2.00	@	1.39	24.4	283.00	285.00	0.5g/t Au cut-off and no internal dilution
	3.00	@	0.61	10.6	351.00	354.00	0.25g/t Au cut-off and 1m internal dilution
including							

** This announcement is authorised by the executive board on behalf of the Company **




Figure 1: Long-section showing the traces of holes from the current Phase 2 drill program from Drill Chamber II, III and IV, as well as the previous Phase 1 drill program from Drill Chamber I; shown relative to the existing 2023 Sturec Mineral Resource displayed as a 3D point cloud. This view is looking west.




Figure 2: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-65, is partly into the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 3: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-64, is partly out of the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 4: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-63, is partly out of the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 5: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-62, is partly out of the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 6: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-61, is partly into the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 7: Cross-section through the existing Sturec Mineral Resource from Drill Chamber IV. The path of UGA-60, is into the page. This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 8: Cross-section through the existing Sturec Mineral Resource showing the path of SSD-03. This view is looking north. To understand the path of this drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

** This announcement is authorised by the executive board on behalf of the Company **




Figure 9: Cross-section through the existing Sturec Mineral Resource showing the path of SSD-01 and SSD-02. SSD-02 is ~30m into the page at the depth of most significant mineralisation). This view is looking north. To understand the path of each drill hole both the long-section long-section (Figure 1) and cross-section needs to be considered.

ENDS

For further information, contact:

Gino D'Anna
Director
M +61 400 408 878
gino@metalstech.net

Nathan Ryan
Investor Relations
M +61 420 582 887
nathan.ryan@nwrcommunications.com.au

** This announcement is authorised by the executive board on behalf of the Company **



Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning MetalsTech. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the company's beliefs, opinions and estimates of MetalsTech as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Persons Statement

The information in this announcement that relates to Exploration Results is based on information compiled by Dr Quinton Hills Ph.D., M.Sc., B.Sc. Dr Hills is the technical advisor of MetalsTech Limited and is a member of the Australasian Institute of Mining and Metallurgy (No. 991225). Dr Hills has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Hills consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Sturec Gold Deposit is based on information compiled by Mr Chris Grove, who is a Member of The Australasian Institute of Mining and Metallurgy (No. 310106). Mr Grove is a full-time employee of Measured Group Pty Ltd and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Grove consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

** This announcement is authorised by the executive board on behalf of the Company **

Appendix A: JORC Code, 2012 Edition – Table 1

Section 1 - Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code Explanation	Details
Sampling techniques	<ul style="list-style-type: none"><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	<ul style="list-style-type: none">Routine samples over prospective mineralized intervals taken from diamond drill core as determined by an experienced geologist are 1m half drill core (sawn longitudinally); or quarter core for duplicates (routine ½ core sample sawn longitudinally into two ¼ core samples).Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland.90% of sample to be crushed to <2mm. Sample is then dried and riffle split to produce a 1kg split. 1kg split then pulverised to 85% passing <75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.If coarse-grained gold is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to <2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculated and reported, using the individual assays and weight of the fractions.

Criteria	JORC Code Explanation	Details
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> All holes were completed using diamond core drilling. None of the diamond core is being oriented. UGA-60, UGA-61, UGA-62, UGA-63, UGA-64, UGA-65, SSD-01, SSD-02, SSD-03, SSD-04 and SSD-05 were drilled with NQ (47.6mm core diameter).
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Core recovery is measured as the length of core recovered versus the depth of the drill hole. In detail, the length of each 'run' of core recovered (between 0-3m) is measured and its length compared to the length the drillers measured from the drill rod advance. The core recovery for all drill holes so far is excellent, greater than 90%. Historic drilling records indicate that core recovery at the Sturec Project was consistently good, where historic mining voids have not been encountered. No relationship between sample recovery and grade has been interpreted in assay results received so far as recovery is excellent.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> The drill core has been geologically and geotechnically logged to a level to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Core is logged both qualitatively and quantitatively. All logging data is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package. Core photography is completed for all drill holes. The entire length of drill core is logged.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the 	<ul style="list-style-type: none"> Routine samples over prospective mineralized intervals taken from diamond drill core as determined by an experienced geologist are longitudinally sawn into 1m half drill core; or quarter core for duplicates. Same side of drill core sampled to ensure no selective sampling bias. The other half of the core was retained for geological reference and potential further sampling, such as metallurgical test work. Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland.

Criteria	JORC Code Explanation	Details
	<p><i>nature, quality and appropriateness of the sample preparation technique.</i></p> <ul style="list-style-type: none"> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • 90% of sample crushed to <2mm. Sample then dried and riffle split. 1kg split then pulverized to 85% passing <75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. • The remainder of the material is retained as a coarse split for metallurgical test work. • Remaining pulps are retained for analyses such as second laboratory check assays. • Duplicate samples (routine 1m ½ core sample sawn in half to produce two ¼ core samples) taken every 30 samples or at least one per hole if less than 30 samples taken. • A Certified Reference Material (CRM or 'Standard') is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken. • A blank (material with no concentrations of economic elements under consideration) is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken. • Sample prep techniques utilised are industry standard for Carpathian epithermal-style gold mineralization and are considered appropriate. • Samples sizes are considered appropriate for the grain-size of the material being.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • Analysis completed by using 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. • If coarse-grained gold is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to <2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculated and reported, using the individual assays and weight of the fractions. • Analysis techniques utilised are industry standard for Carpathian epithermal-style gold mineralization and are considered appropriate. • Laboratory Routine QC protocol for Au-AA26: 1 lab Blank, 2 lab CRM, 3 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). Laboratory Routine QC protocol for ME-ICP61: 1 lab Blank, 2 lab CRM, 2 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). • Internal laboratory checks, as well as internal and external check assays such as repeats and check assays enable assessment of precision. Contamination between samples is checked for by the use of blank samples (laboratory and company inserted). Assessment of accuracy will be carried out by the analysis of the assay results of the CRMs. • QAQC results are reviewed on a batch-by-batch basis. Any deviations from acceptable precision or indications of bias are acted upon prior to announcing any results with repeat and check assays.
Verification of sampling	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> 	<ul style="list-style-type: none"> • On receipt of assay results from the laboratory, the results are verified by responsible geologists who compares the results with the geological logging and remaining drill core (or core photography if site access is not possible). • No twins have been completed yet. • All primary data (logging, sample intervals and assay results) is digitally captured via excel spreadsheets, which are

Criteria	JORC Code Explanation	Details
	<ul style="list-style-type: none"> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> 	<p>then validated when they are imported into the resource modelling software package.</p> <ul style="list-style-type: none"> Data is stored in secure company owned Dropbox that has a 180-day file recovery and version history function. There has been no adjustment to assay data.
Location of data points	<ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> Locations of diamond drill hole collars were recorded using S-JTSK/Krovak Datum. High-resolution topography over the project was acquired using LiDAR.
Data spacing and distribution	<ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> Data spacing is highly variable across the prospect. UGA-60, UGA-61, UGA-62, UGA-63, UGA-64 and UGA-65 were drilled from Drill Chamber IV (southernmost drill site) and were infill holes that fan out. This drilling decreased drill spacing down to 10-30 metres throughout most in this area. The five surface drill holes were drilled from two locations on surface and so fan out from these locations. SSD-01 and SDD-02 are approximately 30m apart at the depth of the most significant mineralisation, while SDD-03 and SDD-04 are approximately 40m apart at the depth of the most significant mineralisation. SSD-05 was drilled from the same collar as SSD-03 and SSD-04 but was planned to test approximately 50m below the main mineralised zones in SSD-01 and SDD-02. UGA-60, UGA-61, UGA-62, UGA-63, UGA-64 and UGA-65 were infill holes, positioned to intersect the southern end of the current Sturec Mineral Resource Estimate in order to increase confidence in this area. As these drill holes are within the Updated 2023 Sturec Mineral Resource Estimate, it is interpreted that the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve estimation. SSD-01, SSD-02, SSD-03, SSD-04 and SSD-05 were drilled from two surface sites and are infill/extension holes, positioned to intersect near the bottom of the central part of the current Sturec Mineral Resource in order to increase confidence in this area of the mineral resource and understand if it can be increased at depth. As these drill holes are within the Updated 2023 Sturec Mineral Resource Estimate, it is interpreted that the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve estimation. No samples have been composited.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> <i>If the relationship between the</i> 	<ul style="list-style-type: none"> Due to only four sites within the Andrej Adit being suitable for drilling during phase 1 and 2, the drill holes fan out and are therefore drilled at various angles to the strike of the mineralisation (trending approximately north-south). Most drill holes are drilled to some extent down the dip and along strike of the mineralised zone due to the position of the four Drill Chambers. Therefore, the mineralised intersections are not a true thickness. From Drill Chamber IV, the true thickness of the mineralisation is approximately 90-100m at the top of the drill hole and 30-40m at the bottom of the drill hole (see Figure 2, 3, 4, 5, 6 and 7 in the body of the announcement). The mineralisation is funnel shaped with the thicker

Criteria	JORC Code Explanation	Details
	<i>drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	<p>zone higher and the thinner zone lower. This ore body geometry is common for many low-sulphidation epithermal gold-silver deposits.</p> <ul style="list-style-type: none"> • Due to the more distal location of the two surface sites compared to the drill chambers within the Andrej Adit, the SSD drill holes were able to achieve much closer to true thickness
Sample security	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • Samples were securely stored in company facilities prior to being completely sealed and securely couriered to the ALS laboratory in Romania.
Audits or reviews	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> • The sampling techniques and assay data have been critically examined and validated multiple times by various independent mining consultant groups. The sampling techniques and the data that has been used to calculate the Mineral Resource estimates at Šturec have been analysed/reviewed: 1) 1997 Mineral Resource Estimate calculated by Western Services Engineering Inc; 2) 2004 Mineral Resource Estimate by Smith and Kirkham; 3) 2006 Mineral Resource Estimate by Beacon Hill; 4) was completed in 2009 as part of the Saint Barbara NI 43-101 compliant Mineral Resource Estimate; 5) 2012 as a part of the Šturec Deposit Mineral Resource Estimate by Snowden Mining Consultants; 6) 2013 as part of a PFS by SRK; 7) 2020 Šturec Deposit Mineral Resource Estimate by Measured Group Pty Ltd; 8) 2021 updated Šturec Deposit Mineral Resource Estimate by Measured Group Pty Ltd; and 9) 2023 updated Šturec Deposit Mineral Resource Estimate by JP Consulting Pty Ltd. No significant issues with the data or sampling techniques were identified during any of these studies.

Section 2 - Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code Explanation	Details																												
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Sturec Gold Project consists of the Kremnica Mining Territory (9.47 km²) owned by Slovakian limited liability company Ortac SK, which is a wholly-owned subsidiary of Ortac UK (a private limited company registered in England and Wales). Kremnica Mining Territory'and Mining Licence details: 'Kremnica Mining Territory' <table border="1" data-bbox="871 462 1507 695"> <tr> <td>Name:</td> <td>Mining Territory Kremnica Au-Ag</td> </tr> <tr> <td>Mining area No:</td> <td>MHD-D.P.- 12</td> </tr> <tr> <td>Date of Issuance:</td> <td>21 January 1961</td> </tr> <tr> <td>Metals</td> <td>Gold and Silver</td> </tr> <tr> <td>Duration:</td> <td>Indefinite</td> </tr> <tr> <td>Holder of the:</td> <td>Ortac, s.r.o</td> </tr> <tr> <td>Amendments:</td> <td>No. 1037-1639/2009</td> </tr> </table> ORTAC,s.r.o. Mining License details <table border="1" data-bbox="871 774 2001 1192"> <tr> <td>Name:</td> <td>Ortac,s.r.o.</td> </tr> <tr> <td>Mining License No:</td> <td>1830-3359/2008</td> </tr> <tr> <td>Date of Issuance:</td> <td>13 November 2008</td> </tr> <tr> <td>Subject:</td> <td> <ul style="list-style-type: none"> Opening, preparation and exploitation of reserved mineral resource. Installation, conservation and decommissioning of mining work. Processing and refinement of mineral resources. Installation and operation of unloading areas and dumps. Opening the mining works to the public for museum purposes and related safety maintenance works. </td> </tr> <tr> <td>Duration:</td> <td>Indefinite</td> </tr> <tr> <td>Responsible</td> <td>Ing. Peter Čorej</td> </tr> <tr> <td>Amendments:</td> <td> No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body </td> </tr> </table> <ul style="list-style-type: none"> The Kremnica Mining Licence is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banska Bystrica, and 150km northeast of the capital, Bratislava. Metals Tech owns 100% of the Sturec Gold Project by completing the acquisition of Ortac UK on 14 February 2020. As a part of the acquisition, MetalsTech Limited has granted Arc Minerals Limited a royalty equal to A\$2 per ounce of resource that is delineated at the project above an open cut JORC (2012) Indicated and Measured Resources that exceeds 1.5million ounces at a grade greater than 2.5g/t AuEq after 2 years from the date of execution of the Terms Sheet but before the date that is 5 years after the date of execution of the Terms Sheet capped at 7 million ounces. 	Name:	Mining Territory Kremnica Au-Ag	Mining area No:	MHD-D.P.- 12	Date of Issuance:	21 January 1961	Metals	Gold and Silver	Duration:	Indefinite	Holder of the:	Ortac, s.r.o	Amendments:	No. 1037-1639/2009	Name:	Ortac,s.r.o.	Mining License No:	1830-3359/2008	Date of Issuance:	13 November 2008	Subject:	<ul style="list-style-type: none"> Opening, preparation and exploitation of reserved mineral resource. Installation, conservation and decommissioning of mining work. Processing and refinement of mineral resources. Installation and operation of unloading areas and dumps. Opening the mining works to the public for museum purposes and related safety maintenance works. 	Duration:	Indefinite	Responsible	Ing. Peter Čorej	Amendments:	No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body
Name:	Mining Territory Kremnica Au-Ag																													
Mining area No:	MHD-D.P.- 12																													
Date of Issuance:	21 January 1961																													
Metals	Gold and Silver																													
Duration:	Indefinite																													
Holder of the:	Ortac, s.r.o																													
Amendments:	No. 1037-1639/2009																													
Name:	Ortac,s.r.o.																													
Mining License No:	1830-3359/2008																													
Date of Issuance:	13 November 2008																													
Subject:	<ul style="list-style-type: none"> Opening, preparation and exploitation of reserved mineral resource. Installation, conservation and decommissioning of mining work. Processing and refinement of mineral resources. Installation and operation of unloading areas and dumps. Opening the mining works to the public for museum purposes and related safety maintenance works. 																													
Duration:	Indefinite																													
Responsible	Ing. Peter Čorej																													
Amendments:	No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body																													

Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> • In 2013, Arc Minerals (named Ortac Resources Limited at this time) submitted a small-scale underground mining application, which was awarded by the Central Mining Bureau in 2014. Trial underground mining commenced in June 2014 and a 40t bulk sample was extracted from Sturec for metallurgical test work. • In 2016, the Regional Court in Banská Bystrica ruled against the Central Mining Bureau concerning the underground mining permit issued to Arc Minerals Limited in 2014 and revoked the decision to issue the mining permit. • In May 2017, the Central Mining Bureau issued Ortac SK with an amended underground mining permit that allowed for small-scale mining activities to recommence. • In July 2017, Ortac SK (Arc Minerals Limited) re-commenced the trial underground mining activities at Sturec, fulfilling the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. 500t of ore was extracted and used for metallurgical test work relating to alternative processing technologies to the conventional cyanide leaching. • Since 2017 (before selling the project to MetalsTech), Arc Minerals Limited has continued working with the local community and stakeholders to facilitate the development of the project. • In October 2019, the Central Mining Bureau issued Ortac SK with an underground mining permit that allowed for small-scale mining activities to recommence: Decision No. 827-2373 / 2019. This decision was appealed soon after being received. • In February 2020, the appeals against Decision No. 827-2373 / 2019 were rejected by the State Mining Administration and the underground mining authorisation was upheld. • In April 2020, MetalsTech Limited re-commenced the underground mining activities at Sturec, in order to fulfill the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. • Although Ortac SK is officially registered as the holder of the Kremnica Mining Territory, the validity of the allocation of the Kremnica Mining Territory has been repeatedly disputed. Arguments challenging the validity of the allocation of the Kremnica Mining Territory have been raised by third parties in licensing proceedings in respect of particular mining activities within the Kremnica Mining Territory. So far, the merits of such arguments have not been assessed by the court, as the respective court decisions were issued on procedural grounds in the past. Despite the existence of reasonable legal arguments defending the validity of the allocation of the Kremnica Mining Territory, it cannot be ruled out that the challenges to its validity will eventually prevail before the court. Even if the validity of the allocation of the Kremnica Mining Territory is successfully defended in principle, there is a risk that Ortac SK's entitlement to the Kremnica Mining Territory could be held to be limited to underground operations only. • There are no environmental protected areas in the vicinity of the project resource area, except a protected lime tree situated close to the Leopold Shaft, adjacent to the monument commemorating the visit by Emperor Joseph II to Kremnica. Permission can be obtained to fell the tree if necessary, from the Provincial Environmental Office in Banska Bystrica. • It appears that a significant part of the Kremnica Mining Licence is covered by a heritage conservation area. This is not surprising given the extensive mining history throughout this area. The previous owners Arc Minerals Ltd used this fact to their advantage by establishing the Andrej Kremnica Mining Museum, whose two main attractions are the Ludavika Shaft Building and the Andrej Adit, which was established in 1982 by the State to access the main quartz vein mineralisation. As a result, various requirements under the applicable regulations in the area of heritage protection must be complied with. Further investigation needs to be completed to understand the effect this Heritage Protection will have on any proposed mining activities. • There is one registered environmental burden located in the Kremnica Mining Territory with registration number SK/EZ/ZH/2129. This environmental burden relates to the processing facilities including the historic waste dumps that are situated immediately next to the Arc Minerals operation office/Andrej Kremnica Mining Museum. It is categorized "only" as a potential (probable) environmental burden as no significant contamination/acid rock drainage (ARD) effects have been reported concerning these historic mining remnants. • There is risk concerning the further development of the Sturec Gold Project due to the historic social and environmental

Criteria	JORC Code Explanation	Details
		<p>opposition to the development of a mining operation in this area. The opposition is believed to be the result of two main factors: previous development plans utilised cyanide ore processing; and previous development plans involved digging a large open pit in relatively proximity to the township of Kremnica.</p> <ul style="list-style-type: none"> ○ To minimise the first risk, MetalsTech is investigating alternative gold processing methods, especially Thiosulphate Leaching, which has previously been used quite successfully on Sturec ore samples during metallurgical test work in 2014. Also, in 2014 the CSIRO successfully collaborated with Barrick Gold Corp. to implement Thiosulphate ore processing technology on the Goldstrike Mine in Nevada, USA, which now produces approximately 350,000 ounces of gold per annum for Barrick and Newmont Goldcorp Corp; proving that this technology can be utilised economically and at significant scale. ○ To minimise the second risk, MetalsTech intends to put in place a comprehensive project stakeholder engagement programme to attempt to understand and mitigate their concerns about the development of a mining operation on the Sturec Gold Project. Also, the full suite of benefits to the country and local communities that will arise from the Sturec Gold Project (such as job creation, training, capital investment, revenue generation, procurement of goods and services locally, and community development initiatives) need to be properly communicated to project stakeholders, so that they can use this to motivate/ justify the project in project-approval processes.
Exploration done by other parties	<ul style="list-style-type: none"> • <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> • Many exploration companies have previously explored the Sturec Gold Project and the surrounding areas. The details of the exploration history are outlined below: <ul style="list-style-type: none"> ○ The Slovak Geological Survey carried out extensive exploration in the Sturec area from 1981 to 1987, including extensive adit and cross-cut development within the Sturec zone. ○ Rudne Bane operated the open-pit mine at Sturec from 1987 to 1992 and produced 50,028t of ore averaging 1.54g/t Au. During this time, Rudne Bane conducted underground sampling of the larger mineralised portions of the Sturec deposit (40 channels for 3,149 individual samples) and 12 underground fan drill holes (for 425.3m) into the northern-most known limits of the deposit. A total of 266 sample intervals were assayed for gold and silver. ○ Kremnica Banská Spoločnosť (KBS), an investment company composed of former mine managers, obtained the title to the Kremnica Mining Lease (MHD-D.P. 12) from the Slovak government on 1 April 1995. In 1995, Argosy Mining Corporation (Argosy) of Vancouver formed a 100% owned Slovak Subsidiary, Argosy Slovakia s.r.o., which entered into a joint venture with KBS on 6 October 1995. Argosy Slovakia purchased KBS's share of the joint venture on 24 April 1997 to control 100% of the mining licence through its subsidiary, Kremnica Gold a.s. Argosy completed a core drilling programme in 1996 and a combined core and reverse-circulation (RC) drilling programme in 1997. This core/RC program totalled 79 holes for 12,306m; 9,382.4m of which was into the Sturec Deposit area. ○ In July 2003, Tournigan Gold Corporation (Tournigan) acquired the rights to the Sturec Project by purchasing Kremnica Gold a.s. from Argosy. Tournigan then completed 104 diamond core and RC drill holes for ~14,000m over the period 2004 to 2008. The majority of these holes were into the Sturec Deposit, but adjacent areas were also explored. In the summer and autumn of 2005, Tournigan executed a 36-hole program of RC drilling as infill of Argosy's and Tournigan's earlier core drilling programs into the Sturec Deposit. Tournigan also drilled five additional holes as twins of Argosy's previous core holes. This drilling resulted in the deposit being drilled off on approximate 50-metre centres (earlier drilling had been on approximately 100 x 50 metre centres). The RC program results confirmed the geology and ore outlines that were previously established by core drilling (e.g.,

Criteria	JORC Code Explanation	Details																																										
		<p>rock types and alteration, location of zones of oxidation, location of ore-bearing veins and stockworks, hanging walls, footwalls, thicknesses, strikes, dips, and grades). The holes and assay results were displayed on cross-sections and recorded on logs. Samples were collected at 1-meter intervals under the immediate supervision of a geologist, sealed in plastic bags, and submitted for analysis and check analyses according to the required formal protocols. The holes were logged on site by the drill geologists and again in the laboratory where qualitative samples were taken and inventoried as geological reference samples. The bulk rejects from these RC samples are stored at the operational offices at the Andrej Mining Museum. Tournigan also completed nine bench channel surveys incorporating a total of 317 sample intervals. In 2004, Tournigan also conducted an 11-hole diamond drilling programme north of Sturec at the Wolf prospect.</p> <ul style="list-style-type: none"> ○ Ortac Resources (now Arc Mineral Limited) acquired the project in 2009. Since 2009 till MetalsTech acquired the project from them in February 2020, Ortac has drilled 13 core holes for 2,771.7m within the Sturec Deposit area. They also completed 4 drill core holes at the Vratislav Prospect, immediately to the north of the Sturec Mineral Resource area and 3 drill core holes at the Wolf Prospect, immediately north of the Vratislav Prospect. 																																										
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> • The Sturec Gold Project is located in the Central Slovakia Volcanic Area in the Kremnica Mountains of the Western Carpathians. The Central Slovakia Volcanic Field hosts several Ag, Au epithermal vein-type deposits including Banská Štiavnica, Kremnica, Hodruša-Hámre, and Nová Bana, which were important sources of precious and base metals in the past. The area is characterised by Tertiary pyroxene-amphibole andesite flows and tuffs of the Zlata Studna Formation. The andesites are underlain by Mesozoic limestone. Deep-seated structures and faults within the pre-Tertiary basement interpreted to be extensional Horst and Graben in style, focused sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth and associated mesothermal mineralising events, which were then overprinted by the epithermal precious metal mineralisation. In the Kremnica area, the structure is controlled by a 6-7km long, N-S trending horst, known as the Kremnica Horst Structure, which is interpreted to be the result of the sub-volcanic intrusions of gabbro-diorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth causing this zone to be uplifted relative to the two graben structures to either side. • The Sturec Gold Project mineralisation is classified as a low-sulphidation epithermal Ag-Au deposit type and is interpreted to have formed from low-salinity fluids composed of a mixture of meteoric and magmatic waters at temperatures mostly between ~270 to 190 °C. The mineralisation is hosted by quartz-dolomite veins also containing adularia, sericite, illite and chalcedony that cut through Neogene propyllitised (low pressure/low to medium temperature hydrothermal alteration) andesites of the Kremnica stratovolcano. The hydrothermal alteration from the veins outwards consists of silification and potassic-metasomatism (adularia), propyllitization and argillisation. Vein styles include large banded to massive quartz veins, smaller quartz veins and sheeted veins, quartz stockwork veining and silicified hydrothermal breccias. 																																										
Drill hole Information	<ul style="list-style-type: none"> • <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> ○ <i>easting and northing of the drill hole collar</i> ○ <i>elevation or RL</i> 	<ul style="list-style-type: none"> ○ Ph-1 drill hole collar details: <table border="1"> <thead> <tr> <th>Hole_ID</th><th>E_UTM</th><th>N_UTM</th><th>Z (m)</th><th>Azimuth (°)</th><th>Dip (°)</th><th>Depth (m)</th></tr> </thead> <tbody> <tr> <td>UGA-01</td><td>345694.2</td><td>5397125.2</td><td>656</td><td>021</td><td>-53</td><td>346.05</td></tr> <tr> <td>UGA-02</td><td>345694.2</td><td>5397125.2</td><td>656</td><td>022</td><td>-46</td><td>293.46</td></tr> <tr> <td>UGA-03</td><td>345694.2</td><td>5397125.2</td><td>656</td><td>007</td><td>-45</td><td>287.25</td></tr> <tr> <td>UGA-04</td><td>345694.2</td><td>5397125.2</td><td>656</td><td>297</td><td>-80</td><td>140.90</td></tr> <tr> <td>UGA-05</td><td>345694.2</td><td>5397125.2</td><td>656</td><td>200</td><td>-60</td><td>140.46</td></tr> </tbody> </table>	Hole_ID	E_UTM	N_UTM	Z (m)	Azimuth (°)	Dip (°)	Depth (m)	UGA-01	345694.2	5397125.2	656	021	-53	346.05	UGA-02	345694.2	5397125.2	656	022	-46	293.46	UGA-03	345694.2	5397125.2	656	007	-45	287.25	UGA-04	345694.2	5397125.2	656	297	-80	140.90	UGA-05	345694.2	5397125.2	656	200	-60	140.46
Hole_ID	E_UTM	N_UTM	Z (m)	Azimuth (°)	Dip (°)	Depth (m)																																						
UGA-01	345694.2	5397125.2	656	021	-53	346.05																																						
UGA-02	345694.2	5397125.2	656	022	-46	293.46																																						
UGA-03	345694.2	5397125.2	656	007	-45	287.25																																						
UGA-04	345694.2	5397125.2	656	297	-80	140.90																																						
UGA-05	345694.2	5397125.2	656	200	-60	140.46																																						

Criteria	JORC Code Explanation	Details								
	<p>(Reduced Level – elevation above sea level in metres) of the drill hole collar</p> <ul style="list-style-type: none"> ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. <ul style="list-style-type: none"> ● If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 		UGA-06	345694.2	5397125.2	656	350	-60	116.50	
			UGA-07	345694.2	5397125.2	656	355	-70	130.10	
			UGA-08	345694.2	5397125.2	656	270	-85	151.10	
			UGA-09	345694.2	5397125.2	656	200	-80	190.20	
			UGA-10	345694.2	5397125.2	656	195	-50	164.50	
			UGA-11	345694.2	5397125.2	656	340	-85	250.80	
			UGA-12	345694.2	5397125.2	656	350	-50	106.00	
			UGA-13	345694.2	5397125.2	656	190	-30	288.04	
			UGA-14	345694.2	5397125.2	656	195	-35	165.50	
			UGA-15	345694.2	5397125.2	656	360	-40	134.4	
			UGA-16	345694.2	5397125.2	656	360	-60	183.3	
			<ul style="list-style-type: none"> ○ Ph-2 drill hole collar details: 							
			UGA-17	345699.2	5397061.4	656.96	270	-70	109.35	
			UGA-18	345699.2	5397061.4	656.96	230	-55	104.65	
			UGA-19	345699.2	5397061.4	656.96	210	-30	101.6	
			UGA-20	345699.2	5397061.4	656.96	205	-45	140.5	
			UGA-21	345699.2	5397061.4	656.96	205	-65	178.2	
			UGA-22	345699.2	5397061.4	656.96	200	-35	143.3	
			UGA-23	345699.2	5397061.4	656.96	200	-42	179.5	
			UGA-24	345699.2	5397061.4	656.96	195	-30	180.8	
			UGA-25	345699.2	5397061.4	656.96	195	-37	180.8	
			UGA-26	345699.2	5397061.4	656.96	300	-65	101.5	
			UGA-27	345699.2	5397061.4	656.96	350	-65	214.3	
			UGA-28	345699.2	5397061.4	656.96	335	-70	151.2	
			UGA-29	345692.62	5397208.56	656.96	280	-80	84.7	
			UGA-30	345692.62	5397208.56	656.96	008	-45	173.6	
			UGA-31	345692.62	5397208.56	656.96	355	-60	106.45	
			UGA-32	345692.62	5397208.56	656.96	325	-60	79.3	

Criteria	JORC Code Explanation	Details							
		UGA-33	345692.62	5397208.56	656.96	008	-70	109.2	
		UGA-34	345692.62	5397208.56	656.96	270	-50	41.5	
		UGA-35	345692.62	5397208.56	656.96	270	-70	64.2	
		UGA-36	345692.62	5397208.56	656.96	270	-25	59.8	
		UGA-37	345692.62	5397208.56	656.96	230	-40	69.6	
		UGA-38	345692.62	5397208.56	656.96	230	-75	67.1	
		UGA-39	345692.62	5397208.56	656.96	015	-65	143.5	
		UGA-40	345692.62	5397208.56	656.96	015	-70	119.5	
		UGA-41	345692.62	5397208.56	656.96	016	-60	144.8	
		UGA-42	345692.62	5397208.56	656.96	016	-85	112.0	
		UGA-43	345692.62	5397208.56	656.96	023	-70	168.3	
		UGA-44	345692.62	5397208.56	656.96	023	-78	115.3	
		UGA-45	345692.62	5397208.56	656.96	175	-80	110.6	
		UGA-46	345692.62	5397208.56	656.96	165	-70	179.3	
		UGA-47	345702.06	5397019.8	657	270	-85	179.6	
		UGA-48	345702.06	5397019.8	657	270	-75	153.7	
		UGA-49	345702.06	5397019.8	657	270	-60	100.5	
		UGA-50	345702.06	5397019.8	657	270	-45	115.0	
		UGA-51	345702.06	5397019.8	657	270	-30	82.4	
		UGA-52	345702.06	5397019.8	657	230	-70	152.8	
		UGA-53	345702.06	5397019.8	657	230	-60	116.0	
		UGA-54	345702.06	5397019.8	657	230	-77	187.2	
		UGA-55	345702.06	5397019.8	657	326	-65	139.3	
		UGA-56	345702.06	5397019.8	657	010	-67	316.7	
		SSD-01	345,999	5,397,519	663	262.5	-50	367.5	
		UGA-57	345702.06	5397019.8	657	210	-25	113.5	
		UGA-58	345702.06	5397019.8	657	234	-35	93.9	
		UGA-59	345702.06	5397019.8	657	194	-65	255.1	
		UGA-60	345702.06	5397019.8	657	358	-55	245.9	
		UGA-61	345702.06	5397019.8	657	324	-75	185.7	
		UGA-62	345702.06	5397019.8	657	214.5	-65	170.7	

Criteria	JORC Code Explanation	Details							
		UGA-63	345702.06	5397019.8	657	200	-23	128.8	
		UGA-64	345702.06	5397019.8	657	200	-45	172.3	
		UGA-65	345702.06	5397019.8	657	310	-70	142.1	
		<ul style="list-style-type: none"> ○ Surface drill hole collar details: 							
		Hole_ID	E_UTM	N_UTM	Z (m)	Azimuth (°)	Dip (°)	Depth (m)	
		SSD-01	-435,523	-1,229,834	655	262.5	-50	367.5	
		SSD-02	-435,523	-1,229,834	655	274.5	-50	368.8	
		SSD-03	-435,491	-1,229,905	653	249.5	-50	406.8	
		SSD-04	-435,491	-1,229,905	653	241	-50	403.2	
		SSD-05	-435,491	-1,229,905	653	282.5	-50	501.0	
		<ul style="list-style-type: none"> ○ Summary table of some significant drill hole intersections so far: 							
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-65	4.00	@	4.40	3.4	39.00	43.00	0.25g/t Au cut-off and no internal dilution
			35.00	@	1.38	9.5	86.00	121.00	0.25g/t Au cut-off and 6m internal dilution
			including						
			9.00	@	3.02	20.3	86.00	95.00	1g/t Au cut-off and no internal dilution
			and						
			4.00	@	3.35	16.2	109.00	113.00	1g/t Au cut-off and no internal dilution
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-64	13.00	@	0.52	3.5	91.00	104.00	0.25g/t Au cut-off and 5m internal dilution
			including						
			3.00	@	1.32	9.0	101.00	104.00	0.5g/t Au cut-off and no internal dilution

Criteria	JORC Code Explanation	Details							
		23.00	@	1.15	10.8	127.00	150.00	0.25g/t Au cut-off and 5m internal dilution	
		including							
		7.00	@	2.26	21.8	130.00	137.00	1g/t Au cut-off and 1m internal dilution	
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
	UGA-63	37.00	@	0.67	7.1	80.00	117.00	0.25g/t Au cut-off and 5m internal dilution	
		including							
		2.00	@	1.24	19.4	105.00	107.00	1g/t Au cut-off and no internal dilution	
		and							
		2.00	@	1.45	4.6	111.00	113.00	1g/t Au cut-off and no internal dilution	
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
	UGA-62	8.00	@	0.61	1.5	24.00	32.00	0.25g/t Au cut-off and no internal dilution	
		including							
		4.00	@	0.89	1.5	26.00	30.00	0.5g/t Au cut-off and no internal dilution	
		16.00	@	2.75	10.3	85.00	101.00	0.25g/t Au cut-off and 5m internal dilution	
		and							
		1.00	@	39.20	105.0	101.00	102.00		
		18.00	@	0.52	8.8	120.00	138.00	0.25g/t Au cut-off and 5m internal dilution	
		including							
		1.00	@	1.60	34.9	125.00	126.00		
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
	UGA-61	25.00	@	0.93	3.8	95.00	120.00	0.25g/t Au cut-off and 5m internal dilution	
		including							
		3.00	@	3.52	5.3	95.00	98.00	1g/t Au cut-off and no internal dilution	

Criteria	JORC Code Explanation	Details						
		29.00	@	0.45	2.0	130.00	159.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
		including						
		2.00	@	2.17	4.0	145.00	147.00	1g/t Au cut-off and no internal dilution
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-60	6.00	@	0.74	2.3	32.00	38.00	0.25g/t Au cut-off and 2m internal dilution	
	20.00	@	0.91	2.6	71.00	91.00	0.25g/t Au cut-off and 1m internal dilution	
	including							
	2.00	@	5.26	7.5	73.00	75.00	0.5g/t Au cut-off and no internal dilution	
	and							
	2.00	@	1.27	1.8	81.00	83.00	0.5g/t Au cut-off and no internal dilution	
	8.00	@	0.60	1.1	132.00	140.00	0.25g/t Au cut-off and no internal dilution	
	4.00	@	0.93	2.0	191.00	195.00	0.5g/t Au cut-off and 1m internal dilution	
Hole ID	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-59	13.00	@	0.83	2.6	115.00	128.00	0.25g/t Au cut-off and 2m internal dilution	
	including							
	2.00	@	2.99	7.8	125.00	127.00	0.5g/t Au cut-off and no internal dilution	
	24.00	@	1.02	4.7	163.00	187.00	0.25g/t Au cut-off and 5m internal dilution	
	including							
	7.00	@	3.04	13.0	164.00	171.00	0.5g/t Au cut-off and no internal dilution	
	including							
	5.00	@	4.02	17.3	165.00	170.00	1g/t Au cut-off and 2m internal dilution	

Criteria	JORC Code Explanation	Details																																																																																																																																															
		<table border="1"> <thead> <tr> <th>Hole ID</th><th>Width (m) (Down hole depth)</th><th></th><th>Au g/t</th><th>Ag g/t</th><th>From (m) (Down hole depth)</th><th>To (m) (Down hole depth)</th><th>Cut-off</th></tr> </thead> <tbody> <tr> <td rowspan="3">UGA-58</td><td>45.00</td><td>@</td><td>0.41</td><td>3.8</td><td>24.00</td><td>69.00</td><td>0.25g/t Au cut-off and max. 4m continuous internal dilution</td></tr> <tr> <td colspan="8" style="text-align: center;">including</td></tr> <tr> <td>3.00</td><td>@</td><td>2.41</td><td>6.0</td><td>25.00</td><td>28.00</td><td>1g/t Au cut-off and no internal dilution</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Hole</th><th>Width (m) (Down hole depth)</th><th></th><th>Au g/t</th><th>Ag g/t</th><th>From (m) (Down hole depth)</th><th>To (m) (Down hole depth)</th><th>Cut-off</th></tr> </thead> <tbody> <tr> <td rowspan="6">UGA-57</td><td>7.00</td><td>@</td><td>0.78</td><td>6.4</td><td>34.00</td><td>41.00</td><td>0.25g/t Au cut-off and 1m internal dilution</td></tr> <tr> <td colspan="8" style="text-align: center;">including</td></tr> <tr> <td>2.00</td><td>@</td><td>2.02</td><td>14.9</td><td>39.00</td><td>41.00</td><td>1g/t Au cut-off and no internal dilution</td></tr> <tr> <td>34.00</td><td>@</td><td>0.54</td><td>3.4</td><td>59.00</td><td>93.00</td><td>0.25g/t Au cut-off and 2m internal dilution</td></tr> <tr> <td colspan="8" style="text-align: center;">including</td></tr> <tr> <td>2.00</td><td>@</td><td>1.17</td><td>2.6</td><td>78.00</td><td>80.00</td><td>1g/t Au cut-off and no internal dilution</td></tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Hole</th><th>Width (m) (Down hole depth)</th><th></th><th>Au g/t</th><th>Ag g/t</th><th>From (m) (Down hole depth)</th><th>To (m) (Down hole depth)</th><th>Cut-off</th></tr> </thead> <tbody> <tr> <td rowspan="7">UGA-56</td><td>6.00</td><td>@</td><td>0.54</td><td>2.0</td><td>2.00</td><td>8.00</td><td>0.25g/t Au cut-off and 2m internal dilution</td></tr> <tr> <td colspan="8"></td></tr> <tr> <td>4.00</td><td>@</td><td>0.34</td><td>2.1</td><td>50.00</td><td>54.00</td><td>0.25g/t Au cut-off and 1m internal dilution</td></tr> <tr> <td>1.00</td><td>@</td><td>2.07</td><td>5.2</td><td>74.00</td><td>75.00</td><td>N/A</td></tr> <tr> <td>3.00</td><td>@</td><td>0.81</td><td>3.0</td><td>105.00</td><td>108.00</td><td>0.25g/t Au cut-off and no internal dilution</td></tr> <tr> <td>8.00</td><td>@</td><td>0.35</td><td>1.4</td><td>117.00</td><td>125.00</td><td>0.25g/t Au cut-off and 4m internal dilution</td></tr> <tr> <td>5.00</td><td>@</td><td>1.18</td><td>2.1</td><td>160.00</td><td>165.00</td><td>0.3g/t Au cut-off and no internal dilution</td></tr> </tbody> </table>	Hole ID	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-58	45.00	@	0.41	3.8	24.00	69.00	0.25g/t Au cut-off and max. 4m continuous internal dilution	including								3.00	@	2.41	6.0	25.00	28.00	1g/t Au cut-off and no internal dilution	Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-57	7.00	@	0.78	6.4	34.00	41.00	0.25g/t Au cut-off and 1m internal dilution	including								2.00	@	2.02	14.9	39.00	41.00	1g/t Au cut-off and no internal dilution	34.00	@	0.54	3.4	59.00	93.00	0.25g/t Au cut-off and 2m internal dilution	including								2.00	@	1.17	2.6	78.00	80.00	1g/t Au cut-off and no internal dilution	Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-56	6.00	@	0.54	2.0	2.00	8.00	0.25g/t Au cut-off and 2m internal dilution									4.00	@	0.34	2.1	50.00	54.00	0.25g/t Au cut-off and 1m internal dilution	1.00	@	2.07	5.2	74.00	75.00	N/A	3.00	@	0.81	3.0	105.00	108.00	0.25g/t Au cut-off and no internal dilution	8.00	@	0.35	1.4	117.00	125.00	0.25g/t Au cut-off and 4m internal dilution	5.00	@	1.18	2.1	160.00	165.00	0.3g/t Au cut-off and no internal dilution
Hole ID	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																										
UGA-58	45.00	@	0.41	3.8	24.00	69.00	0.25g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																										
	including																																																																																																																																																
	3.00	@	2.41	6.0	25.00	28.00	1g/t Au cut-off and no internal dilution																																																																																																																																										
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																										
UGA-57	7.00	@	0.78	6.4	34.00	41.00	0.25g/t Au cut-off and 1m internal dilution																																																																																																																																										
	including																																																																																																																																																
	2.00	@	2.02	14.9	39.00	41.00	1g/t Au cut-off and no internal dilution																																																																																																																																										
	34.00	@	0.54	3.4	59.00	93.00	0.25g/t Au cut-off and 2m internal dilution																																																																																																																																										
	including																																																																																																																																																
	2.00	@	1.17	2.6	78.00	80.00	1g/t Au cut-off and no internal dilution																																																																																																																																										
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																										
UGA-56	6.00	@	0.54	2.0	2.00	8.00	0.25g/t Au cut-off and 2m internal dilution																																																																																																																																										
	4.00	@	0.34	2.1	50.00	54.00	0.25g/t Au cut-off and 1m internal dilution																																																																																																																																										
	1.00	@	2.07	5.2	74.00	75.00	N/A																																																																																																																																										
	3.00	@	0.81	3.0	105.00	108.00	0.25g/t Au cut-off and no internal dilution																																																																																																																																										
	8.00	@	0.35	1.4	117.00	125.00	0.25g/t Au cut-off and 4m internal dilution																																																																																																																																										
	5.00	@	1.18	2.1	160.00	165.00	0.3g/t Au cut-off and no internal dilution																																																																																																																																										

Criteria	JORC Code Explanation	Details							
				8.00	@	0.40	1.4	283.00	291.00
		0.25g/t Au cut-off and no internal dilution							
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off		
UGA-55	51.00	@	1.14	6.6	72.00	123.00	0.25g/t Au cut-off and max. 2m continuous internal dilution		
	including								
	42.00	@	1.31	7.3	72.00	114.00	0.5g/t Au cut-off and max. 3m continuous internal dilution		
	including								
	25.00	@	1.73	9.4	79.00	104.00	1g/t Au cut-off and max. 6m continuous internal dilution		
	including								
	11.00	@	2.55	13.7	93.00	104.00	2g/t Au cut-off and max. 4m continuous internal dilution		
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off		
UGA-54	60.00	@	0.56	2.9	81.00	141.00	0.25g/t Au cut-off and max. 4m continuous internal dilution		
	including								
	3.00	@	1.70	3.9	89.00	92.00	0.5g/t Au cut-off and no internal dilution		
	and								
	3.00	@	0.98	1.8	97.00	100.00	0.5g/t Au cut-off and 1m internal dilution		
	and								
	6.00	@	1.74	6.9	113.00	119.00	0.5g/t Au cut-off and 1m internal dilution		
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off		
UGA-53	37.00	@	0.76	8.6	68.00	105.00	0.25g/t Au cut-off and 8m internal dilution		
	including								

Criteria	JORC Code Explanation	Details																																																																																																																																																																									
			26.00	@	0.97	10.4	68.00	94.00	0.3g/t Au cut-off and 1m internal dilution																																																																																																																																																																		
		including																																																																																																																																																																									
			4.00	@	1.91	20.1	88.00	92.00	1g/t Au cut-off and 1m internal dilution																																																																																																																																																																		
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Hole ID</th><th>Width (m) (Down hole depth)</th><th></th><th>Au g/t</th><th>Ag g/t</th><th>From (m) (Down hole depth)</th><th>To (m) (Down hole depth)</th><th>Cut-off</th></tr> </thead> <tbody> <tr> <td rowspan="5">UGA-49</td><td>37.00</td><td>@</td><td>1.60</td><td>8.1</td><td>47.00</td><td>84.00</td><td>0.25g/t Au cut-off and 4m internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">including</td></tr> <tr> <td>27.00</td><td>@</td><td>2.0</td><td>9.9</td><td>56.00</td><td>83.00</td><td>0.75g/t Au cut-off and max. 4m continuous internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">including</td></tr> <tr> <td>6.00</td><td>@</td><td>6.06</td><td>10.6</td><td>77.00</td><td>83.00</td><td>1g/t Au cut-off and no internal dilution</td></tr> </tbody> </table>										Hole ID	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-49	37.00	@	1.60	8.1	47.00	84.00	0.25g/t Au cut-off and 4m internal dilution	including										27.00	@	2.0	9.9	56.00	83.00	0.75g/t Au cut-off and max. 4m continuous internal dilution	including										6.00	@	6.06	10.6	77.00	83.00	1g/t Au cut-off and no internal dilution																																																																																																														
Hole ID	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																																																				
UGA-49	37.00	@	1.60	8.1	47.00	84.00	0.25g/t Au cut-off and 4m internal dilution																																																																																																																																																																				
	including																																																																																																																																																																										
	27.00	@	2.0	9.9	56.00	83.00	0.75g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																																																				
	including																																																																																																																																																																										
	6.00	@	6.06	10.6	77.00	83.00	1g/t Au cut-off and no internal dilution																																																																																																																																																																				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Hole</th><th>Width (m) (Down hole depth)</th><th></th><th>Au g/t</th><th>Ag g/t</th><th>From (m) (Down hole depth)</th><th>To (m) (Down hole depth)</th><th>Cut-off</th></tr> </thead> <tbody> <tr> <td rowspan="10">UGA-48</td><td>32.00</td><td>@</td><td>1.49</td><td>7.8</td><td>10.00</td><td>42.00</td><td>0.25g/t Au cut-off and max. 3m continuous internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">including</td></tr> <tr> <td>20.00</td><td>@</td><td>2.06</td><td>10.4</td><td>22.00</td><td>42.00</td><td>1g/t Au cut-off and max. 3m continuous internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">including</td></tr> <tr> <td>4.00</td><td>@</td><td>3.76</td><td>29.2</td><td>31.00</td><td>35.00</td><td>2g/t Au cut-off and no internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">and</td></tr> <tr> <td>67.00</td><td>@</td><td>0.69</td><td>4.5</td><td>73.00</td><td>140.00</td><td>0.2g/t Au cut-off and max. 4m continuous internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">including</td></tr> <tr> <td>2.00</td><td>@</td><td>4.21</td><td>11.5</td><td>75.00</td><td>77.00</td><td>1g/t Au cut-off and no internal dilution</td></tr> <tr> <td colspan="10" style="text-align: center;">and</td></tr> <tr> <td></td><td></td><td></td><td>3.00</td><td>@</td><td>1.83</td><td>8.6</td><td>89.00</td><td>92.00</td><td>0.5g/t Au cut-off and no internal dilution</td></tr> <tr> <td></td><td></td><td colspan="10" style="text-align: center;">and</td></tr> <tr> <td></td><td></td><td></td><td>8.00</td><td>@</td><td>1.29</td><td>10.1</td><td>106.00</td><td>114.00</td><td>0.5g/t Au cut-off and 1m internal dilution</td></tr> <tr> <td></td><td></td><td colspan="10" style="text-align: center;">including</td></tr> <tr> <td></td><td></td><td></td><td>3.00</td><td>@</td><td>2.28</td><td>10.5</td><td>106.00</td><td>109.00</td><td>1g/t Au cut-off and 1m internal dilution</td></tr> <tr> <td></td><td></td><td colspan="10"></td></tr> </tbody> </table>										Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	UGA-48	32.00	@	1.49	7.8	10.00	42.00	0.25g/t Au cut-off and max. 3m continuous internal dilution	including										20.00	@	2.06	10.4	22.00	42.00	1g/t Au cut-off and max. 3m continuous internal dilution	including										4.00	@	3.76	29.2	31.00	35.00	2g/t Au cut-off and no internal dilution	and										67.00	@	0.69	4.5	73.00	140.00	0.2g/t Au cut-off and max. 4m continuous internal dilution	including										2.00	@	4.21	11.5	75.00	77.00	1g/t Au cut-off and no internal dilution	and													3.00	@	1.83	8.6	89.00	92.00	0.5g/t Au cut-off and no internal dilution			and													8.00	@	1.29	10.1	106.00	114.00	0.5g/t Au cut-off and 1m internal dilution			including													3.00	@	2.28	10.5	106.00	109.00	1g/t Au cut-off and 1m internal dilution												
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off																																																																																																																																																																				
UGA-48	32.00	@	1.49	7.8	10.00	42.00	0.25g/t Au cut-off and max. 3m continuous internal dilution																																																																																																																																																																				
	including																																																																																																																																																																										
	20.00	@	2.06	10.4	22.00	42.00	1g/t Au cut-off and max. 3m continuous internal dilution																																																																																																																																																																				
	including																																																																																																																																																																										
	4.00	@	3.76	29.2	31.00	35.00	2g/t Au cut-off and no internal dilution																																																																																																																																																																				
	and																																																																																																																																																																										
	67.00	@	0.69	4.5	73.00	140.00	0.2g/t Au cut-off and max. 4m continuous internal dilution																																																																																																																																																																				
	including																																																																																																																																																																										
	2.00	@	4.21	11.5	75.00	77.00	1g/t Au cut-off and no internal dilution																																																																																																																																																																				
	and																																																																																																																																																																										
			3.00	@	1.83	8.6	89.00	92.00	0.5g/t Au cut-off and no internal dilution																																																																																																																																																																		
		and																																																																																																																																																																									
			8.00	@	1.29	10.1	106.00	114.00	0.5g/t Au cut-off and 1m internal dilution																																																																																																																																																																		
		including																																																																																																																																																																									
			3.00	@	2.28	10.5	106.00	109.00	1g/t Au cut-off and 1m internal dilution																																																																																																																																																																		

Criteria	JORC Code Explanation	Details							
			3.00	@	1.42	9.1	121.00	124.00	1g/t Au cut-off and no internal dilution
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-47	18.00	@	1.57	6.1	38.00	56.00	0.2g/t Au cut-off and max. 4m continuous internal dilution
			including						
			4.00	@	6.27	23.6	38.00	42.00	0.5g/t Au cut-off and no internal dilution
			42.00	@	0.59	1.9	93.00	135.00	0.2g/t Au cut-off and max. 4m continuous internal dilution
			including						
			5.00	@	2.98	4.2	112.00	117.00	0.5g/t Au cut-off and 2m internal dilution
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-46	132.00	@	1.51	16.2	0.00	132.00	0.25g/t Au cut-off and max. 4m continuous internal dilution
			including						
			51.00	@	2.16	29.6	19.00	70.00	0.5g/t Au cut-off and max. 4m continuous internal dilution
			including						
			11.00	@	3.33	90.1	19.00	30.00	1g/t Au cut-off and 3m internal dilution
			and						
			6.00	@	4.34	19.2	49.00	55.00	1g/t Au cut-off and 2m continuous internal dilution
			including						
			3.00	@	7.37	35.2	49.00	52.00	2g/t Au cut-off and no internal dilution
			11.00	@	2.63	11.6	59.00	70.00	1g/t Au cut-off and 3m internal dilution
			including						
			3.00	@	5.84	14.3	65.00	68.00	2g/t Au cut-off and no internal dilution
			33.00	@	2.28	9.3	99.00	132.00	0.4g/t Au cut-off and 3m continuous internal dilution
			including						

Criteria	JORC Code Explanation	Details							
			9.00	@	7.29	13.3	123.00	132.00	0.5g/t Au cut-off and 3m internal dilution
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-43	157.65	@	1.14	9.1	0.00	157.65	0.25g/t Au cut-off and max. 5m continuous internal dilution
			including						
			4.00	@	3.67	22.3	12.00	16.00	1g/t Au cut-off and no internal dilution
			and						
			12.00	@	2.26	13.5	40.00	52.00	1g/t Au cut-off and max. 4m continuous internal dilution
			and						
			7.00	@	1.50	25.1	112.00	119.00	0.5g/t Au cut-off and 2m internal dilution
			and						
			7.65	@	5.83	18.8	150.00	157.65	1g/t Au cut-off and 3m internal dilution. Ends in mining void
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		UGA-42	101.00	@	1.32	18.1	0.00	101.00	0.25g/t Au cut-off and max. 5m continuous internal dilution
			including						
			8.00	@	1.72	21.8	6.00	14.00	1g/t Au cut-off and 2m internal dilution
			and						
			40.00	@	2.09	23.7	27.00	67.00	0.5g/t Au cut-off and max. 3m continuous internal dilution
			including						
			7.00	@	4.48	13.2	41.00	48.00	1g/t Au cut-off and no internal dilution
			including						
			4.00	@	6.53	18.6	42.00	46.00	2g/t Au cut-off and no internal dilution
			and						
			4.00	@	6.33	138.9	56.00	60.00	1g/t Au cut-off and no internal dilution
			2.00	@	3.28	87.6	80.00	82.00	1g/t Au cut-off and no internal dilution

Criteria	JORC Code Explanation	Details								
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
UGA-41		UGA-41	143.50	@	1.49	11.4	0.00	143.50	0.25g/t Au cut-off and max. 4m continuous internal dilution	
			including							
			5.00	@	2.61	29.7	0.00	5.00	1g/t Au cut-off and 1m internal dilution	
			and							
			16.00	@	3.46	31.6	31.00	47.00	0.5g/t Au cut-off and 4m internal dilution	
			including							
			5.00	@	7.68	87.5	39.00	44.00	1g/t Au cut-off and 1m internal dilution	
			39.50	@	2.43	9.7	104.00	143.50	0.5g/t Au cut-off and max. 2m continuous internal dilution, incl. a 1.6m void	
			including							
			20.00	@	3.16	11.5	116.00	136.00	1g/t Au cut-off and max. 2m continuous internal dilution, incl. a 1.6m void	
			including							
			6.00	@	6.39	24.6	126.00	132.00	2g/t Au cut-off and max. 2.6m internal dilution, incl. a 1.6m void	
UGA-30		UGA-30	Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
			173.20	@	3.27	11.8	0.00	173.20	0.25g/t Au cut-off and max. 4m continuous internal dilution	
			including							
			103.00	@	5.06	13.4	57.00	160.00	0.5g/t Au cut-off and max. 4m continuous internal dilution	
			including							
			8.00	@	7.16	11.3	84.00	92.00	3g/t Au cut-off and 2m internal dilution	
			and							
			19.00	@	11.35	23.9	119.00	138.00	3g/t Au cut-off and max. 4m continuous internal dilution	
			including							
			2.00	@	42.50	53.3	119.00	121.00		
			and							

Criteria	JORC Code Explanation	Details							
		1.00	@	67.90	94.5	127.00	128.00		
		7.00	@	23.30	24.0	153.00	160.00	3g/t Au cut-off and 4m continuous internal dilution	
		including							
		1.00	@	139.00	87.3	154.00	155.00		
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
	UGA-18	38.00	@	17.72	17.6	44.00	82.00	0.26g/t Au cut-off, no top cut and max. 7m continuous internal dilution	
		including							
		18.00	@	36.96	30.6	64.00	82.00	0.5g/t Au cut-off, no top cut and max. 5m continuous internal dilution	
		including							
		6.00	@	109.82	81.7	76.00	82.00	1g/t Au cut-off, no top cut and max. 3m continuous internal dilution	
		including							
		1.00	@	646.00	459.0	81.00	82.00		
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
	UGA-17	45.00	@	2.65	10.4	52.00	97.00	0.26g/t Au cut-off, no top cut and max. 2m continuous internal dilution	
		including							
		35.00	@	3.31	12.3	60.00	95.00	1g/t Au cut-off, no top cut and max. 5m continuous internal dilution	
		including							
		19.00	@	5.08	12.9	67.00	86.00	2g/t Au cut-off, no top cut and max. 3m continuous internal dilution	
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
		126.00	@	5.31	7.3	1.00	127.00	0.3g/t Au cut-off and max. 7m continuous internal dilution	
		including							
		70.00	@	9.23	7.8	40.00	110.00	0.5g/t Au cut-off and max. 7m continuous internal dilution	

Criteria	JORC Code Explanation	Details								
		UGA-16	including							
			1.00	@	584.00	333.0	41.00	42.00		
			and							
			2.00	@	13.94	14.9	106.00	108.00		
			1g/t Au cut-off and no internal dilution							
		UGA-15	Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
			124.00	@	1.47	11.6	3.00	127.00	0.3g/t Au cut-off and max. 6m continuous internal dilution	
			including							
			14.00	@	2.70	27.5	17.00	31.00	1g/t Au cut-off and 4m internal dilution	
			and							
			3.00	@	3.75	9.5	52.00	55.00	0.5g/t Au cut-off and no internal dilution	
			and							
			7.00	@	7.97	25.3	64.00	71.00	1g/t Au cut-off and 1m internal dilution	
			and							
			9.00	@	3.77	16.4	93.00	102.00	0.5g/t Au cut-off and 2m internal dilution	
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
		UGA-14	108.00	@	2.22	7.6	26.00	134.00	0.2g/t Au cut-off and max. 7m continuous internal dilution	
			63.00	@	3.53	9.6	71.00	134.00	0.3g/t Au cut-off and 9m internal dilution	
			42.00	@	4.98	11.9	92.00	133.00	1g/t Au cut-off and max. 5m continuous internal dilution	
			including							
			10.00	@	16.98	26.4	95.00	105.00	2g/t Au cut-off and 2m internal dilution	
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off	
			2.00	@	1.74	3.5	78.00	80.00	0.3g/t Au cut-off and no internal dilution	

Criteria	JORC Code Explanation	Details						
UGA-13		4.00	@	0.61	3.3	99.00	103.00	0.3g/t Au cut-off and no internal dilution
		3.00	@	0.82	8.5	132.00	135.00	0.3g/t Au cut-off and no internal dilution
		19.00	@	4.25	3.7	152.00	171.00	0.3g/t Au cut-off and max. 5m continuous internal dilution
		including						
		5.00	@	14.90	6.1	157.00	162.00	0.5g/t Au cut-off and 2m internal dilution
		10.00	@	0.85	3.0	20.00	214.00	0.3g/t Au cut-off and 3m internal dilution
UGA-12		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		81.00	@	1.90	10.3	17.00	98.00	0.3g/t Au cut-off and max. 5m continuous internal dilution
		including						
		35.00	@	3.73	11.6	63.00	97.00	0.5g/t Au cut-off and max. 6m continuous internal dilution
		including						
UGA-11		5.00	@	20.46	21.0	92.00	97.00	1g/t Au cut-off and no internal dilution
		Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off
		111.00	@	0.96	5.4	15.00	126.00	0.2g/t Au cut-off and max. 7m continuous internal dilution
		including						
		19.00	@	4.23	17.2	107.00	126.00	1g/t Au cut-off and 5m internal dilution
		including						
		6.00	@	8.39	21.0	117.00	123.00	3g/t Au cut-off and 3m internal dilution

Criteria	JORC Code Explanation	Details																																																															
		UGA-08	15.00	@	1.21	13.0	0.00	15.00	0.5g/t Au cut-off and max. 4m continuous internal dilution																																																								
			and																																																														
			5.00	@	1.22	15.3	32.0	37.00	0.5g/t Au cut-off and 1m internal dilution																																																								
			and																																																														
			5.00	@	4.48	5.2	87.00	92.00	0.3g/t Au cut-off and 3m internal dilution																																																								
			and																																																														
			5.00	@	1.06	4.5	126.00	131.00	0.5g/t Au cut-off and no internal dilution																																																								
			and																																																														
			2.00	@	1.22	2.7	135.00	137.00	0.5g/t Au cut-off and no internal dilution																																																								
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> All cut-off grades are reported. No top cut has been applied. The lower gold grade, larger intervals have been selected using a gold cut-off grade similar to the cut-off grade utilised for the Sturec Gold Project JORC 2012 Mineral Resource. While the higher gold grade, shorter intervals have been selected utilising incrementally increasing gold cut-off grades in order to visualise the mineralisation at a range of higher gold cut-off grades. These higher gold grade, shorter intervals are then utilised in order to support feasibility studies into the underground mining. Weighted means for each interval are calculated by: First multiply each of the widths of the individual sample intervals within the significant intersection by the assay result (Au g/t or Ag g/t) of each individual sample. Then sum all these values and divide by the overall width (m) of the significant intersection. Internal dilution was allowed as long as the aggregate weighted mean grade from the footwall or hangingwall side of the mineralised interval to the end of the dilution zone does not fall below the cut-off grade. Example of weighted mean calculation and treatment of internal dilution: <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Hole</th><th>From (m)</th><th>To (m)</th><th>Interval (m)</th><th>Sample Nr</th><th>Au g/t (Au-AA26)</th><th>Au g/t* interval</th><th>Ag g/t (ME-ICP61)</th><th>Ag g/t* interval</th></tr> </thead> <tbody> <tr> <td>UGA-01</td><td>234</td><td>235</td><td>1</td><td>M294307</td><td>4.23</td><td>4.23</td><td>44</td><td>44</td></tr> <tr> <td>UGA-01</td><td>235</td><td>236</td><td>1</td><td>M294308</td><td>0.34</td><td>0.34</td><td>4.4</td><td>4.4</td></tr> <tr> <td>UGA-01</td><td>236</td><td>237</td><td>1</td><td>M294309</td><td>0.5</td><td>0.5</td><td>5</td><td>5</td></tr> <tr> <td>UGA-01</td><td>237</td><td>238</td><td>1</td><td>M294310</td><td>0.65</td><td>0.65</td><td>3.9</td><td>3.9</td></tr> <tr> <td>UGA-01</td><td>238</td><td>239</td><td>1</td><td>M294312</td><td>0.27</td><td>0.27</td><td>4.2</td><td>4.2</td></tr> <tr> <td>UGA-01</td><td>239</td><td>240</td><td>1</td><td>M294313</td><td>0.2</td><td>0.2</td><td>3.3</td><td>3.3</td></tr> </tbody> </table> <p style="text-align: right;">10 metres @ 1.47 g/t Au 9.68 g/t Ag from 234m using a 0.3g/t Au cut-off with max. 2m of continuous</p>	Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au g/t (Au-AA26)	Au g/t* interval	Ag g/t (ME-ICP61)	Ag g/t* interval	UGA-01	234	235	1	M294307	4.23	4.23	44	44	UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4	UGA-01	236	237	1	M294309	0.5	0.5	5	5	UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9	UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2	UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3
Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au g/t (Au-AA26)	Au g/t* interval	Ag g/t (ME-ICP61)	Ag g/t* interval																																																									
UGA-01	234	235	1	M294307	4.23	4.23	44	44																																																									
UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4																																																									
UGA-01	236	237	1	M294309	0.5	0.5	5	5																																																									
UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9																																																									
UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2																																																									
UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3																																																									

Criteria	JORC Code Explanation	Details																																				
		<table border="1" data-bbox="810 203 1680 362"> <tr> <td>UGA-01</td><td>240</td><td>241</td><td>1</td><td>M294314</td><td>0.8</td><td>0.8</td><td>7</td><td>7</td></tr> <tr> <td>UGA-01</td><td>241</td><td>242</td><td>1</td><td>M294315</td><td>0.44</td><td>0.44</td><td>2.6</td><td>2.6</td></tr> <tr> <td>UGA-01</td><td>242</td><td>243</td><td>1</td><td>M294316</td><td>0.5</td><td>0.5</td><td>1.9</td><td>1.9</td></tr> <tr> <td>UGA-01</td><td>243</td><td>244</td><td>1</td><td>M294317</td><td>6.76</td><td>6.76</td><td>20.5</td><td>20.5</td></tr> </table> <ul style="list-style-type: none"> • No metal equivalents have been quoted 	UGA-01	240	241	1	M294314	0.8	0.8	7	7	UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6	UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9	UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5
UGA-01	240	241	1	M294314	0.8	0.8	7	7																														
UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6																														
UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9																														
UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5																														
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> • Generally, the drilling from the Andrej Adit is at an angle to the strike of the mineralisation and therefore, the true thickness could be a small proportion of the intersection thickness. As the mineralisation zone strikes approximately north-south, the closer the hole azimuth is to north or south, the smaller the true thickness will be compared of the intersection thickness. • UGA-60, UGA-61, UGA-62 UGA-63, UGA-64 and UGA-65 were drilled from Drill Chamber IV. The true thickness of the mineralisation in this area is approximately 90-100m at the top of the drill hole and 30-20m at the bottom of the drill hole (see Figure 3,4 and 5 in the body of the announcement). The mineralisation is funnel shaped with the thicker zone higher and the thinner zone lower. This ore body geometry is common for many low-sulphidation epithermal gold-silver deposits. • SSD-01, SSD-02, SSD-03, SSD-04 and SSD-05 were drilled from surface in order to test the depth extent of mineralisation below the extent of the current drilling. The true thickness of the mineralisation at this depth is interpreted to be approximately 30-40m (see Figure 8 and 9 in the body of the announcement). The mineralisation is funnel shaped with the thicker zone higher and the thinner zone lower. 																																				
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • All relevant diagrams are reported in the body of this announcement. 																																				
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading 	<ul style="list-style-type: none"> • All exploration results have been reported. 																																				

Criteria	JORC Code Explanation	Details
	<i>reporting of Exploration Results.</i>	
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> Groundwater and geotechnical investigations were completed in 2013. The groundwater monitoring results and geotechnical data were found to be adequate to interpret reasonable open pit slope angles for the various host rock types for the purposes of an open pit optimisation that was used as justification for a 'reasonable prospects of economic extraction' interpretation. Concerning the groundwater, it has been interpreted that the most likely current situation is that the water table around the open pit area was drawn down due the dewatering through the 'Heritage Adits'; with the Main Heritage Adit being situated some 300m below and transporting the groundwater 15km away to where it eventually reaches the surface. It was interpreted that the dewatering had occurred to the level with or below the maximum depth of the proposed pit (~300m). However, the possibility that the dewatering was not as efficient as interpreted has also considered and it has been recommended that up to 6 permanent monitoring wells be installed on the western and eastern sides of the pit to the full depth of the proposed pit. The primary purpose of these wells is to determine if there is any spatial and temporal variation in groundwater levels around the pit. Geotechnical investigations found that the stability of the open pit was significantly controlled by the degree of argillic alteration of the predominantly andesite rock mass found at Sturec (host rock of the quartz veining). The modelling suggested that the pit slope needed to be as low as 43° in the highly argillic altered/clay rock type but that a 50° pit slope was adequate in the other rock types. As the highly argillic altered/clay rock type only represents a very minor part of the area where the pit slopes intersect the resource model, a 48° pit slope has been used to the open pit optimisation study. The groundwater and geotechnical investigation results have been used to model a recommended open pit design that achieved an adequate Factor of Safety (FoS) of greater than 2.0.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> There is good potential for the delineation of further gold mineralisation within the Sturec Gold Project area through future exploration. Prospects such as Wolf, Vratislav, Vollie Henne and South Ridge are interpreted to be extension areas to the Mineral Resource area at Sturec. Significant gold-silver bearing quartz vein mineralisation has been identified and variably explored/mined at each of these prospects. Further exploration drilling to continue to confirm that the mineralisation continues down dip.

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-60	69.00	70.00	1	M303227	0.04	0.7	6.93	59	400	0.9	<2	1.35	<0.5	19	67	30	4.64	10	4.94	30
UGA-60	70.00	71.00	1	M303229	0.07	1	6.9	46	550	0.9	<2	0.27	<0.5	19	64	34	4.51	10	4.89	20
UGA-60	71.00	72.00	1	M303231	0.48	1.3	6.83	75	620	0.9	<2	0.49	<0.5	19	67	39	4.73	10	3.91	10
UGA-60	72.00	73.00	1	M303232	0.19	1.1	7.2	78	310	1	<2	0.47	<0.5	20	69	52	5.23	20	4.44	20
UGA-60	73.00	74.00	1	M303233	0.66	3	6.16	299	490	0.9	<2	0.6	<0.5	19	62	36	4.74	10	4.31	10
UGA-60	74.00	75.00	1	M303234	9.85	11.9	5.91	266	660	0.9	<2	0.5	<0.5	19	69	26	4.6	10	3.61	10
UGA-60	75.00	76.00	1	M303235	0.35	3	6.16	227	630	1	<2	0.37	<0.5	19	75	18	4.96	10	4.25	10
UGA-60	76.00	77.00	1	M303236	0.06	1	6.22	77	620	0.9	<2	1.83	<0.5	18	69	15	4.89	10	3.67	10
UGA-60	77.00	78.00	1	M303237	0.06	1.5	6.97	94	500	1.1	3	0.57	<0.5	21	77	27	4.73	10	4.83	30
UGA-60	78.00	79.00	1	M303238	0.08	1.5	6.65	108	550	1.2	2	1.2	<0.5	19	67	31	4.74	10	4.62	20
UGA-60	79.00	80.00	1	M303239	0.58	6	5.8	158	410	1.3	2	0.63	0.5	18	55	27	4.39	10	2.91	20
UGA-60	80.00	81.00	1	M303240	0.15	1.9	6.56	107	600	1.4	3	1.22	0.5	15	32	19	4.77	10	4.33	30
UGA-60	81.00	82.00	1	M303241	0.76	1.7	6	94	510	1.3	2	0.84	<0.5	15	29	18	4.64	10	4.45	20
UGA-60	82.00	83.00	1	M303242	1.77	1.9	5.63	79	440	1.2	<2	0.71	<0.5	12	27	21	3.84	10	4.18	30
UGA-60	83.00	84.00	1	M303243	0.06	1.4	6.57	54	550	1.1	2	0.9	<0.5	12	27	19	4.13	10	4.82	30
UGA-60	84.00	86.00	2	M303244	0.22	1.7	6.46	69	700	1.1	3	0.54	<0.5	13	26	21	4.09	10	4.93	30
UGA-60	86.00	88.00	2	M303245	0.33	1.6	7.5	65	790	1.3	2	0.36	<0.5	14	30	26	4.52	20	5.14	30
UGA-60	88.00	89.00	1	M303246	0.54	5.1	6.44	132	760	1.2	2	0.46	<0.5	13	28	19	3.56	10	4.67	30
UGA-60	89.00	90.00	1	M303247	0.45	1.7	5.96	159	510	1.2	2	0.77	<0.5	12	27	24	3.78	10	4.27	30
UGA-60	90.00	91.00	1	M303248	1.01	1.6	6.6	160	670	1.2	3	0.46	<0.5	14	26	23	4.13	10	4.75	30
UGA-60	91.00	92.00	1	M303249	0.23	1.9	6.04	343	850	1.1	2	0.49	<0.5	12	26	23	3.73	10	4.86	20
UGA-60	92.00	93.00	1	M303251	0.15	2.1	6.71	233	730	1.1	2	0.49	<0.5	16	32	46	4.89	10	4.83	30
UGA-60	93.00	94.00	1	M303252	0.41	1.7	7	97	600	1.1	2	0.47	<0.5	16	35	31	5.09	10	5.1	30
UGA-60	94.00	95.00	1	M303253	0.13	2.1	7	109	670	1	<2	0.54	0.6	19	38	30	4.9	10	4.57	30
UGA-60	95.00	96.00	1	M303254	0.39	3.1	6.48	172	740	1	2	0.6	<0.5	17	36	24	4.51	10	4.64	30
UGA-60	96.00	97.00	1	M303255	0.15	2.5	6.7	198	650	1.1	3	0.45	<0.5	17	37	28	4.52	10	4.66	30
UGA-60	97.00	99.00	2	M303256	0.05	1.6	7.13	72	540	1.1	2	0.47	<0.5	18	39	28	4.59	20	5.18	30
UGA-60	99.00	101.00	2	M303257	0.11	1.5	6.94	119	660	1.3	2	0.72	<0.5	18	39	25	4.83	20	4.66	30
UGA-60	101.00	102.00	1	M303258	0.14	1.4	7.19	77	450	1.3	<2	0.47	<0.5	18	39	33	4.4	10	3.8	20
UGA-60	102.00	103.00	1	M303259	0.04	1.1	7.44	67	600	1.2	2	0.79	0.5	17	38	35	5.26	20	5.29	30
UGA-60	103.00	104.00	1	M303260	0.16	1.7	7	145	580	1.4	<2	0.59	<0.5	16	38	26	5.17	20	4.99	30
UGA-60	104.00	105.00	1	M303261	0.25	1.9	6.6	120	340	1.4	2	1.01	<0.5	15	35	28	4.15	10	4.66	30
UGA-60	105.00	106.00	1	M303262	0.18	2.2	6.74	128	700	1.3	2	0.6	<0.5	17	37	31	4.73	10	4.77	30
UGA-60	106.00	107.00	1	M303263	0.22	2.1	6.6	97	700	1.1	2	0.69	<0.5	17	36	30	4.58	10	4.69	30
UGA-60	107.00	108.00	1	M303265	0.11	1.5	6.7	106	580	1.2	2	0.82	<0.5	17	36	32	4.48	10	4.51	30
UGA-60	108.00	109.00	1	M303266	0.26	3.5	6.64	193	670	1.3	<2	0.6	<0.5	15	34	40	4.09	10	4.24	30
UGA-60	109.00	110.00	1	M303268	0.32	2.2	6.85	253	660	1.4	2	0.6	<0.5	17	35	23	4.49	10	4.59	30
UGA-60	110.00	112.00	2	M303269	0.32	0.9	7.62	47	470	1.4	2	1.1	<0.5	19	39	36	4.8	20	4.63	30
UGA-60	112.00	113.00	1	M303270	0.11	1.1	7.11	64	690	1.2	4	0.79	<0.5	17	37	29	4.56	10	5.32	30
UGA-60	113.00	114.00	1	M303271	1.24	1.3	7.22	77	680	1.2	3	0.71	0.5	18	38	40	4.52	10	5.26	30
UGA-60	114.00	115.00	1	M303272	0.2	1.7	7.31	152	550	1.8	2	0.37	<0.5	21	39	38	4.27	20	4.75	30
UGA-60	115.00	116.00	1	M303273	0.33	1.7	7.75	196	640	1.5	<2	0.6	<0.5	20	38	37	5.12	20	4.8	30
UGA-60	116.00	118.00	2	M303275	0.02	<0.5	7.9	59	670	1.3	<2	2.58	<0.5	20	36	35	5.06	20	3.63	30
UGA-60	118.00	120.00	2	M303276	0.2	1.7	7.44	114	620	1.2	<2	0.99	<0.5	18	34	38	4.09	20	4.46	30

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
UGA-60	120.00	121.00	1	M303277	0.23	2.2	6.53	143	570	1.4	<2	1.66	<0.5	17	33	61	4.8	10	3.73	20	
UGA-60	121.00	122.00	1	M303278	0.22	2.2	7.18	199	540	1.5	<2	0.31	<0.5	18	33	40	4.17	10	4.1	30	
UGA-60	122.00	123.00	1	M303279	0.28	1.7	8.02	81	480	1.6	<2	0.32	<0.5	20	40	40	4.46	20	4.69	30	
UGA-60	123.00	124.00	1	M303280	0.2	1.4	6.7	189	450	1.5	<2	0.27	<0.5	17	32	26	4.22	10	3.93	20	
UGA-60	124.00	126.00	2	M303281	0.18	1.5	6.82	90	80	1.8	<2	0.31	<0.5	17	37	28	4.76	10	2.26	30	
UGA-60	126.00	128.00	2	M303282	0.13	1.4	7.19	94	530	1.6	<2	0.58	<0.5	17	40	29	4.37	10	3.73	30	
UGA-60	128.00	129.00	1	M303283	0.18	1.3	6.65	87	600	1.4	<2	1.24	<0.5	17	37	24	4.46	10	3.77	20	
UGA-60	129.00	130.00	1	M303284	0.24	1.8	6.86	140	690	1.3	<2	1.28	<0.5	17	40	31	4.38	10	4.08	20	
UGA-60	130.00	132.00	2	M303285	0.15	0.8	8.13	141	760	1.6	<2	0.8	<0.5	20	44	37	4.96	20	4.64	30	
UGA-60	132.00	134.00	2	M303286	0.49	1.6	7.54	131	940	1.3	<2	0.6	<0.5	17	41	41	4.87	20	4.69	30	
UGA-60	134.00	136.00	2	M303287	0.48	1.1	7.95	155	740	1.3	<2	1.88	<0.5	20	44	45	5.01	20	3.84	30	
UGA-60	136.00	137.00	1	M303288	1.77	2.9	6.39	224	770	1.2	2	1.12	<0.5	16	36	46	4.5	10	3.79	20	
UGA-60	137.00	138.00	1	M303291	0.46	1.7	7.18	134	770	1.4	<2	0.86	<0.5	19	40	43	4.34	20	4.4	30	
UGA-60	138.00	140.00	2	M303292	0.3	1.2	6.88	104	550	1.3	<2	0.79	<0.5	17	40	37	4.58	10	3.89	20	
UGA-60	140.00	142.00	2	M303293	0.2	1.3	7.54	68	620	1.2	<2	0.53	<0.5	20	43	32	4.72	20	4.37	30	
UGA-60	142.00	144.00	2	M303294	0.16	1.2	7.09	32	670	1.1	<2	0.94	<0.5	18	39	33	4.6	10	3.93	30	
UGA-60	144.00	146.00	2	M303295	0.14	1	7.58	28	680	1.1	<2	1.03	<0.5	19	41	32	4.71	20	4.34	30	
UGA-60	146.00	148.00	2	M303296	0.1	1.1	7.59	31	810	1.1	<2	1.98	<0.5	19	40	30	4.92	20	4.53	30	
UGA-60	148.00	149.00	1	M303297	0.51	1.6	6.98	94	850	1.2	<2	1.05	<0.5	18	38	34	4.53	10	4.31	30	
UGA-60	149.00	150.00	1	M303298	0.19	1.1	7.85	60	470	1.3	<2	1.56	<0.5	18	34	27	4.71	20	3.91	30	
UGA-60	150.00	151.00	1	M303299	0.07	0.8	8.03	37	820	1.4	<2	0.99	<0.5	18	34	26	4.26	20	4.03	30	
UGA-60	151.00	152.00	1	M303301	0.03	0.7	7.99	20	640	1.3	<2	2.5	<0.5	18	36	31	4.68	20	5.04	30	
UGA-60	152.00	153.00	1	M303302	0.03	0.9	7.59	14	580	1.2	<2	3.43	<0.5	18	32	35	4.6	20	4.2	30	
UGA-60	153.00	154.00	1	M303303	0.02	0.5	8.17	11	580	1.3	<2	2.93	<0.5	19	35	39	4.64	20	4.69	30	
UGA-60	154.00	155.00	1	M303304	0.03	0.8	7.59	15	560	1.1	<2	3.55	<0.5	21	32	40	5.07	20	4.17	30	
UGA-60	155.00	156.00	1	M303305	0.08	<0.5	7.8	42	780	1.3	<2	2.8	<0.5	19	33	31	4.87	20	4.15	30	
UGA-60	156.00	158.00	2	M303306	0.02	<0.5	7.43	16	650	1.2	<2	3.24	<0.5	18	32	30	4.64	20	4.24	30	
UGA-60	158.00	160.00	2	M303307	0.08	0.5	7.31	34	680	1.3	<2	3.78	<0.5	19	30	27	4.72	10	3.8	30	
UGA-60	160.00	161.00	1	M303308	0.35	1.1	7.34	100	620	1.5	<2	1.72	<0.5	19	32	28	4.87	10	4.13	30	
UGA-60	161.00	162.00	1	M303310	0.17	1.3	6.74	94	320	1.6	2	0.54	<0.5	15	31	27	4.74	10	2.9	30	
UGA-60	162.00	164.00	2	M303311	0.24	1.5	6.91	103	560	1.5	3	0.94	<0.5	17	31	35	4.31	10	4.22	30	
UGA-60	164.00	166.00	2	M303312	0.06	1.4	6.86	38	530	1.3	<2	2.66	<0.5	16	29	20	4.57	10	4.09	30	
UGA-60	166.00	168.00	2	M303313	0.03	1	7.08	11	500	1.3	2	2.86	<0.5	17	29	23	4.47	10	4.42	30	
UGA-60	168.00	170.00	2	M303314	0.03	1.1	7.14	25	540	1.2	3	2.04	0.5	16	28	28	4.63	10	4.34	30	
UGA-60	170.00	172.00	2	M303315	0.08	1.2	7.07	44	600	1.2	<2	1.52	<0.5	18	35	33	4.56	10	4.65	30	
UGA-60	172.00	173.00	1	M303316	0.25	1.6	6.79	84	680	1.3	<2	2.12	<0.5	17	32	29	4.57	10	4.32	30	
UGA-60	173.00	174.00	1	M303317	0.71	1.7	6.98	275	680	1.3	<2	1.52	<0.5	17	31	28	4.29	10	4.36	30	
UGA-60	174.00	176.00	2	M303319	0.05	0.8	6.91	92	740	1.2	<2	2.17	0.9	17	39	24	4.53	10	4.07	30	
UGA-60	176.00	178.00	2	M303320	0.1	1.4	6.68	109	610	1.6	2	1.76	<0.5	18	42	26	4.92	10	3.44	30	
UGA-60	178.00	180.00	2	M303321	0.07	1.5	6.95	291	40	2.4	2	0.81	<0.5	17	51	29	4.71	20	3.29	30	
UGA-60	180.00	181.00	1	M303322	0.09	1.3	6.72	273	40	2.2	2	0.34	<0.5	16	51	47	4.92	10	3.08	30	
UGA-60	181.00	182.00	1	M303323	0.13	0.9	6.67	463	40	2.4	<2	0.39	0.5	17	50	15	5.29	20	3.03	30	
UGA-60	182.00	183.00	1	M303324	0.02	0.7	6.76	47	50	2.4	2	0.37	<0.5	14	51	25	4.17	10	2.8	30	
UGA-60	183.00	184.00	1	M303325	0.02	0.8	7.32	37	50	2.7	2	0.38	<0.5	18	54	58	3.77	10	2.87	30	

					Au-AA26	ME-ICP61	K	La														
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm				
UGA-60	184.00	185.00	1	M303326	0.02	1.1	6.89	40	60	2.2	2	0.36	<0.5	18	50	26	5.08	10	3.1	30		
UGA-60	185.00	186.00	1	M303327	0.03	1.1	7.28	43	50	2.3	2	0.37	<0.5	19	51	41	4.61	10	3.32	30		
UGA-60	186.00	187.00	1	M303328	0.02	0.8	6.88	35	40	2.6	2	0.36	<0.5	14	48	40	3.47	20	2.97	30		
UGA-60	187.00	188.00	1	M303329	0.12	1	6.02	127	30	2.7 <2	0.52	<0.5	16	41	30	4.82	10	2.46	30			
UGA-60	188.00	190.00	2	M303330	0.24	1	6.18	326	40	2.5	2	0.37	<0.5	16	45	39	5.05	10	2.17	20		
UGA-60	190.00	191.00	1	M303331	0.23	1.4	6.23	446	170	2.4	2	0.34	<0.5	16	43	33	3.95	10	3.29	20		
UGA-60	191.00	192.00	1	M303332	1.25	2.9	4.98	872	170	1.8 <2	0.83	0.6	17	35	41	7.12	10	3.07	20			
UGA-60	192.00	193.00	1	M303334	0.13	1.7	6.04	281	90	2.5	2	0.31	<0.5	18	48	52	4.64	10	2.27	20		
UGA-60	193.00	194.00	1	M303335	1.06	1.5	6.41	860	300	1.8 <2	1.74	<0.5	21	47	52	6.69	10	3.71	20			
UGA-60	194.00	195.00	1	M303336	1.28	1.9	6.04	1135	290	1.8 <2	2.54	0.8	26	43	66	6.34	10	3.87	20			
UGA-60	195.00	196.00	1	M303337	0.39	1.6	6.94	450	250	3	2	1.09	<0.5	22	52	42	4.64	20	3.6	30		
UGA-60	196.00	197.00	1	M303339	0.07	0.7	6.66	113	70	3.8 <2	0.37	<0.5	17	48	36	2.73	10	2.71	20			
UGA-60	197.00	198.00	1	M303340	0.22	1.1	6.21	198	70	3.1	4	0.34	<0.5	17	45	34	2.73	20	2.46	20		
UGA-60	198.00	199.00	1	M303341	0.71	1.4	6.2	310	30	2.9	3	0.32	<0.5	17	46	33	3.03	20	2.3	20		
UGA-60	199.00	200.00	1	M303342	0.26	1	6.55	296	40	3.2	2	0.35	<0.5	20	49	34	3.41	10	2.53	20		
UGA-60	200.00	201.00	1	M303343	0.25	1.2	6.51	441	40	3.3	2	0.34	<0.5	19	51	34	2.56	10	2.57	20		
UGA-60	201.00	202.00	1	M303344	0.06	0.9	6.54	181	30	3.2	2	0.35	<0.5	18	44	34	3.84	10	2.75	20		
UGA-60	202.00	204.00	2	M303345	0.06	1	7.09	109	40	3.4 <2	0.34	<0.5	20	49	40	4.56	20	3.02	30			
UGA-60	204.00	206.00	2	M303346	0.08	1.2	6.62	140	70	2.8 <2	0.44	<0.5	18	57	28	3.73	10	2.71	20			
UGA-60	206.00	208.00	2	M303347	0.12	1.4	6.1	192	130	2.5 <2	0.32	<0.5	17	55	27	3.29	10	2.46	20			
UGA-60	208.00	209.00	1	M303348	0.21	1.2	5.31	184	40	2.3 <2	0.31	<0.5	15	47	23	3.18	10	2.06	20			
UGA-60	209.00	210.00	1	M303349	0.36	1.2	5.52	185	60	2.4 <2	0.34	<0.5	15	54	31	3.37	10	2.15	20			
UGA-60	210.00	211.00	1	M303351	0.09	0.8	5.89	92	40	2.6 <2	0.39	<0.5	15	54	33	3.73	10	2.24	20			
UGA-60	211.00	213.00	2	M303352	0.18	1.2	6.37	189	80	2.7 <2	0.54	<0.5	18	55	35	4.07	10	2.57	20			
UGA-60	213.00	215.00	2	M303353	0.06	0.9	6.8	207	60	3.1 <2	0.5	<0.5	17	51	34	5.61	20	2.93	30			
UGA-60	215.00	216.00	1	M303354	0.1	1.2	5.98	381	90	2.7 <2	0.34	<0.5	15	47	21	3.96	10	2.6	20			
UGA-60	216.00	217.00	1	M303355	0.43	1.8	4.71	347	70	2.2 <2	0.27	<0.5	12	39	14	4.26	10	2.02	20			
UGA-60	217.00	218.00	1	M303356	0.14	1.4	4.83	280	80	2.1 <2	0.27	<0.5	12	40	18	4.24	10	2.08	20			
UGA-60	218.00	219.00	1	M303357	0.1	1.6	4.84	229	80	2.4	3	0.35	<0.5	13	36	17	5.1	10	2.06	20		
UGA-60	219.00	220.00	1	M303358	0.12	1.3	2.94	109	50	1.6 <2	1.72	0.9	8	35	10	2.66	10	1.16	10			
UGA-60	220.00	221.00	1	M303359	0.19	1.7	2.75	127	50	1.5 <2	1.4	0.6	8	37	11	2.69	10	1.08	10			
UGA-60	221.00	222.00	1	M303361	0.17	1.4	2.35	120	50	1.4 <2	3.25	1	7	25	8	3.13	<10	0.93	10			
UGA-60	222.00	223.00	1	M303362	0.19	1.9	2.48	133	150	1.5 <2	1.8	0.9	8	27	9	2.78	10	0.95	10			
UGA-60	223.00	224.00	1	M303363	0.16	1.7	2.62	105	50	1.3	2	0.83	0.5	7	37	10	2.43	<10	0.98	10		
UGA-60	224.00	226.00	2	M303364	0.3	3	2.91	207	60	1.3 <2	0.16	<0.5	11	37	12	2.68	10	1.09	10			
UGA-60	226.00	227.00	1	M303366	0.11	1	2.31	72	110	1.2 <2	4.15	<0.5	5	14	4	2.37	<10	0.91	10			
UGA-60	227.00	228.00	1	M303367	0.15	0.6	3.81	98	220	1.3 <2	4.46	<0.5	7	5	3	3.14	10	1.56	10			
UGA-60	228.00	229.00	1	M303368	0.08	<0.5	1.99	48	110	1.1 <2	6.75	<0.5	4	5	2	2.63	<10	0.78	10			
UGA-60	229.00	230.00	1	M303369	0.23	0.9	2.3	223	120	1.1	3	4.24	<0.5	6	13	5	4.17	10	0.89	10		
UGA-60	230.00	231.00	1	M303372	0.26	1.4	4.21	287	200	1.1 <2	2.5	<0.5	7	15	10	4.16	10	1.72	10			
UGA-60	231.00	232.00	1	M303373	0.1	1.5	8.12	161	370	1.7 <2	1.84	<0.5	11	5	20	3.8	20	3.25	20			
UGA-60	232.00	235.00	3	M303374	0.06	1	8.43	110	360	1.5 <2	2.72	<0.5	9	3	24	3.83	20	3.43	20			
UGA-60	235.00	237.00	2	M303375	0.07	1.1	7.87	98	380	1.3 <2	3.71	<0.5	10	3	26	3.3	20	3.24	20			
UGA-60	237.00	239.00	2	M303376	0.04	0.9	9	124	450	1.5 <2	1.18	<0.5	11	4	32	3.49	20	3.69	10			

					Au-AA26	ME-ICP61	K	La														
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm		
UGA-60	239.00	240.00	1	M303377	0.07	0.7	7.59	192	460	1.2	<2	3.36	<0.5	11	5	25	4.15	20	3	20		
UGA-60	240.00	241.00	1	M303378	0.07	0.6	8.67	145	460	1.5	<2	2.11	<0.5	10	3	36	2.99	20	3.54	10		
UGA-60	241.00	242.00	1	M303379	0.13	0.5	7.49	98	320	1.3	<2	3.48	<0.5	8	3	42	3.55	20	2.91	10		
UGA-61	13.00	15.00	2	M303538	0.29	1.3	5.48	362	330	1.6	<2	0.56	<0.5	15	47	43	4.43	10	3.19	20		
UGA-61	15.00	16.00	1	M303539	0.13	1.9	5.95	189	500	1.2	2	0.36	<0.5	16	52	24	4.18	10	4.47	20		
UGA-61	16.00	17.00	1	M303540	0.18	1.9	6.08	229	380	1.1	<2	0.51	<0.5	18	54	28	4.78	10	4.86	20		
UGA-61	17.00	19.00	2	M303541	0.15	1.6	6.2	175	330	1.1	<2	0.71	<0.5	15	54	30	4.76	10	4.63	20		
UGA-61	19.00	21.00	2	M303542	0.20	1.2	6.66	121	460	1	<2	0.51	<0.5	16	58	27	3.98	10	4.98	20		
UGA-61	21.00	23.00	2	M303543	0.29	2.4	6.68	132	630	1	<2	0.62	<0.5	16	57	28	4.27	10	5.04	20		
UGA-61	23.00	25.00	2	M303544	0.08	0.8	6.96	94	650	1	<2	0.72	<0.5	18	59	38	4.3	10	5.09	20		
UGA-61	25.00	27.00	2	M303545	0.13	2.1	7.12	110	540	1.1	<2	0.65	<0.5	19	58	28	4.86	10	5.4	30		
UGA-61	27.00	29.00	2	M303546	0.36	1.6	6.85	123	610	1.3	<2	0.43	<0.5	20	58	34	4.57	10	5.28	20		
UGA-61	29.00	31.00	2	M303547	0.24	2.6	6.23	119	560	1.1	<2	1.68	<0.5	18	52	29	4.88	10	4.58	20		
UGA-61	31.00	33.00	2	M303548	0.41	2.1	6.93	83	650	1	2	1.54	<0.5	16	57	33	5.08	10	4.99	20		
UGA-61	33.00	35.00	2	M303549	0.06	1.7	7.1	97	450	1.2	<2	0.7	<0.5	19	59	35	4.95	10	4.63	30		
UGA-61	35.00	36.00	1	M303551	0.16	1.6	7.14	100	600	1	<2	0.48	<0.5	17	63	31	4.05	10	5.02	20		
UGA-61	36.00	38.00	2	M303553	0.05	1	7.41	99	560	1	2	0.43	<0.5	21	64	41	4.69	20	5.39	30		
UGA-61	38.00	40.00	2	M303554	0.13	2.3	7.35	139	560	1	<2	0.57	<0.5	20	66	33	4.77	10	5.63	20		
UGA-61	40.00	41.00	1	M303555	0.12	1.8	6.56	176	500	1	<2	0.69	<0.5	20	62	25	5.09	10	4.71	30		
UGA-61	41.00	42.00	1	M303556	0.62	3.5	7.01	127	710	1	3	0.49	<0.5	20	64	30	4.87	10	5.2	30		
UGA-61	42.00	44.00	2	M303558	0.10	1	7.36	166	250	1	<2	0.52	<0.5	20	67	29	5.08	20	3.95	30		
UGA-61	44.00	46.00	2	M303559	0.13	0.7	7.31	108	430	1.1	<2	0.41	<0.5	18	65	26	5.01	20	4.17	30		
UGA-61	46.00	48.00	2	M303560	0.05	0.9	8.08	125	530	1	<2	0.41	<0.5	21	74	35	5.33	20	4.9	30		
UGA-61	48.00	50.00	2	M303561	0.25	4.1	6.57	488	550	1	<2	0.67	<0.5	17	56	31	5.76	10	4.08	20		
UGA-61	50.00	52.00	2	M303562	0.06	1.2	7.15	81	590	1.1	<2	0.64	<0.5	20	62	41	5.12	20	4.2	30		
UGA-61	52.00	53.00	1	M303563	0.03	0.9	7.37	42	550	1	<2	0.63	<0.5	19	67	42	5.49	10	4.57	30		
UGA-61	53.00	54.00	1	M303564	0.11	1.3	6.77	79	390	1.1	<2	1.12	<0.5	20	60	30	5.51	10	3.86	20		
UGA-61	54.00	55.00	1	M303565	0.27	1.3	7.43	76	660	1.1	<2	0.89	<0.5	20	66	35	5.14	10	4.67	30		
UGA-61	55.00	57.00	2	M303566	0.10	0.6	7.93	26	390	1.1	<2	0.61	<0.5	21	69	41	5.28	20	4.7	30		
UGA-61	57.00	59.00	2	M303567	0.22	1.5	7.18	83	350	1.6	<2	0.68	<0.5	21	65	31	5.5	10	3.92	30		
UGA-61	59.00	60.00	1	M303568	1.00	7.4	7.19	112	730	1.4	<2	0.39	<0.5	19	65	45	4.52	10	4.54	30		
UGA-61	60.00	61.00	1	M303569	0.06	0.8	7.22	46	570	1	<2	0.47	<0.5	19	69	38	4.7	10	4.61	30		
UGA-61	61.00	62.00	1	M303571	0.08	1.3	7.21	77	670	1	<2	0.51	<0.5	20	68	35	4.91	10	4.51	20		
UGA-61	62.00	63.00	1	M303572	0.11	1.2	6.74	81	590	1	<2	0.66	<0.5	18	64	34	5.21	10	4.07	20		
UGA-61	63.00	64.00	1	M303573	0.13	0.6	7.61	58	750	1	<2	0.64	<0.5	19	72	36	5.49	10	5.06	30		
UGA-61	64.00	65.00	1	M303575	0.29	1.2	8.25	54	370	1	<2	0.42	<0.5	22	73	37	5.32	20	5.04	30		
UGA-61	65.00	66.00	1	M303576	0.07	1.1	7.02	62	590	0.9	<2	0.36	<0.5	17	65	32	4.77	10	4.67	20		
UGA-61	66.00	67.00	1	M303577	0.17	2.2	7.08	143	530	0.9	<2	0.41	<0.5	17	63	32	4.95	10	4.82	20		
UGA-61	67.00	68.00	1	M303578	0.21	1.3	7.13	92	480	1	<2	0.66	<0.5	18	66	34	4.97	10	4.87	20		
UGA-61	68.00	69.00	1	M303579	0.11	1.1	7.99	43	330	1.1	<2	0.57	<0.5	20	74	49	5.16	20	4.91	20		
UGA-61	69.00	70.00	1	M303580	0.03	<0.5		8.27	15	210	1.2	<2	0.35	<0.5	18	74	43	5.58	20	4.3	20	
UGA-61	70.00	71.00	1	M303581	0.06	1	7.14	68	510	1	<2	0.39	<0.5	19	66	33	4.85	10	4.24	20		
UGA-61	71.00	72.00	1	M303582	0.12	1.7	6.65	201	570	0.9	<2	0.63	<0.5	17	61	35	4.56	10	4.44	20		
UGA-61	72.00	73.00	1	M303583	0.50	5.2	6.88	449	590	1	<2	0.56	<0.5	18	62	43	4.67	10	4.78	20		

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm		
UGA-61	73.00	74.00	1	M303584	1.64	9.5	5.6	233	610	0.9	<2	0.87	<0.5	15	62	46	3.8	10	3.88	20
UGA-61	74.00	75.00	1	M303586	0.19	2.4	6.86	86	630	1.1	2	0.55	<0.5	18	69	76	4.47	10	4.31	20
UGA-61	75.00	76.00	1	M303587	0.06	0.9	7.33	79	510	1.1	<2	0.59	<0.5	21	70	22	4.67	10	4.64	20
UGA-61	76.00	77.00	1	M303588	0.08	1.7	6.77	80	560	1.1	<2	0.85	<0.5	22	76	22	4.49	10	4.5	20
UGA-61	77.00	79.00	2	M303589	0.11	1	6.62	70	670	1.1	<2	1.06	<0.5	15	28	16	4.22	10	4.22	20
UGA-61	79.00	81.00	2	M303590	0.17	0.7	7.09	103	680	1.2	<2	1.68	<0.5	17	31	18	4.57	10	4.73	30
UGA-61	81.00	83.00	2	M303591	0.11	1.1	7.27	73	840	1.3	<2	1.22	<0.5	15	30	22	4.34	10	4.29	30
UGA-61	83.00	85.00	2	M303592	0.14	1	7.03	230	890	1.6	<2	0.79	<0.5	12	27	23	4.03	10	4.71	30
UGA-61	85.00	86.00	1	M303593	1.15	5.4	6.88	321	770	1.2	<2	0.8	<0.5	13	35	29	3.84	20	4.65	30
UGA-61	86.00	87.00	1	M303594	1.55	5	5.8	449	860	1.1	<2	0.49	<0.5	11	26	31	3.88	10	4.05	20
UGA-61	87.00	88.00	1	M303595	0.13	1.9	7.12	135	770	1.2	<2	0.41	<0.5	17	34	22	4.34	10	4.54	20
UGA-61	88.00	90.00	2	M303596	0.11	0.8	7.47	83	690	1.2	<2	0.43	<0.5	20	36	25	4.6	10	4.71	30
UGA-61	90.00	92.00	2	M303597	0.19	1.3	7.39	83	650	1.1	<2	0.44	<0.5	18	36	30	4.72	10	5.09	30
UGA-61	92.00	94.00	2	M303598	0.12	1.4	7.61	41	650	1.3	<2	0.87	<0.5	17	37	28	4.49	10	5	30
UGA-61	94.00	95.00	1	M303599	0.12	2	7.67	124	780	1.4	3	0.56	<0.5	19	37	28	4.67	20	5.15	30
UGA-61	95.00	96.00	1	M303601	4.91	3.2	6.77	227	640	1.2	<2	0.38	<0.5	19	34	31	4.85	10	4.43	20
UGA-61	96.00	98.00	2	M303603	2.82	6.3	7.17	234	860	1.3	<2	0.37	<0.5	16	35	41	4.71	10	4.6	20
UGA-61	98.00	99.00	1	M303604	0.53	2	7.47	184	590	1.4	<2	0.39	<0.5	16	36	40	4.85	10	4.61	20
UGA-61	99.00	100.00	1	M303605	0.55	2	7.53	155	560	1.4	<2	0.45	<0.5	17	34	38	4.73	10	4.51	20
UGA-61	100.00	101.00	1	M303606	0.80	2.1	7.12	178	600	1.3	<2	0.4	<0.5	18	32	34	4.92	10	4.55	20
UGA-61	101.00	102.00	1	M303607	0.20	1.6	7.04	129	580	1.2	<2	0.52	<0.5	18	32	31	4.56	10	4.58	20
UGA-61	102.00	104.00	2	M303608	0.34	4.5	6.77	130	620	1.1	<2	0.55	<0.5	17	33	31	5.14	10	5.08	20
UGA-61	104.00	105.00	1	M303609	0.18	3.3	6.54	180	480	1.3	<2	0.77	<0.5	15	29	25	5.06	10	4.47	20
UGA-61	105.00	106.00	2	M303610	0.43	7.9	6.03	160	560	1.3	<2	0.57	<0.5	13	31	24	3.85	10	4.64	20
UGA-61	106.00	108.00	1	M303611	0.33	2.7	6.22	161	630	1.2	<2	0.74	<0.5	13	30	32	4.28	10	4.64	20
UGA-61	108.00	109.00	2	M303612	0.57	4.1	7.23	450	790	1.6	<2	0.43	<0.5	14	35	102	4.69	10	4.74	30
UGA-61	109.00	111.00	2	M303613	0.14	<0.5	8.23	46	690	1.4	<2	2.99	<0.5	18	37	37	4.91	20	3.69	30
UGA-61	111.00	113.00	1	M303614	0.40	1.2	8.11	209	720	1.5	<2	2.38	<0.5	18	38	35	4.94	20	3.89	30
UGA-61	113.00	114.00	1	M303615	3.03	14.7	5.28	409	350	1.5	<2	0.3	<0.5	14	29	48	4.22	10	2.85	20
UGA-61	114.00	115.00	1	M303617	0.80	2.7	5.63	354	270	1.9	<2	0.34	<0.5	14	28	32	4.21	10	2.64	20
UGA-61	115.00	116.00	2	M303618	0.23	1.2	6.26	141	500	1.7	2	0.3	<0.5	15	33	29	4.01	10	3.99	20
UGA-61	116.00	118.00	1	M303619	0.26	1.3	6.67	140	510	1.7	<2	0.29	<0.5	16	39	31	4.28	10	4.24	30
UGA-61	118.00	119.00	1	M303620	0.06	1	7.33	64	810	1.5	<2	0.97	<0.5	17	40	30	4.57	10	4.47	30
UGA-61	119.00	120.00	1	M303621	2.10	9.6	7.24	200	820	1.4	<2	1.16	<0.5	16	41	36	4.39	10	4.46	30
UGA-61	120.00	122.00	2	M303622	0.14	1.1	6.96	145	830	1.2	2	1.56	<0.5	16	38	25	4.42	10	4.04	30
UGA-61	122.00	123.00	1	M303623	0.21	1.4	6.9	175	630	1.6	2	1.65	<0.5	15	37	24	4.16	10	3.91	30
UGA-61	123.00	124.00	1	M303624	0.16	1.7	6.24	171	500	1.8	<2	1.11	<0.5	16	34	23	3.94	10	2.82	20
UGA-61	124.00	125.00	1	M303625	0.19	3.7	6.82	162	500	1.7	<2	0.53	<0.5	16	37	29	3.85	10	3.71	30
UGA-61	125.00	127.00	2	M303626	0.23	1.4	7.64	152	720	1.5	<2	0.8	<0.5	17	42	37	5.02	10	4.72	30
UGA-61	127.00	128.00	1	M303627	0.16	1.3	8.11	225	830	1.2	<2	0.76	<0.5	18	45	49	5.03	20	5.05	30
UGA-61	128.00	130.00	2	M303628	0.02	<0.5	8.32	71	640	1.3	<2	2.09	<0.5	18	46	36	5.14	20	3.92	30
UGA-61	130.00	131.00	1	M303629	0.49	2.2	7.82	267	510	1.9	<2	1.51	<0.5	18	44	38	4.99	20	3.73	30
UGA-61	131.00	132.00	1	M303632	0.71	3.8	5.43	363	160	1.8	<2	0.39	<0.5	15	40	31	4.27	10	2.41	20
UGA-61	132.00	133.00	1	M303633	0.35	2.2	6.95	153	540	2	2	1.17	<0.5	18	38	24	4.43	10	4.39	30

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
UGA-61	133.00	134.00	1	M303634	0.28	1.9	7.12	177	580	1.9	<2	1.86	<0.5	18	37	23	5.37	10	4.2	30	
UGA-61	134.00	135.00	1	M303635	0.38	4.1	4.32	341	110	1	2	2.7	<0.5	9	28	21	6.98	10	0.93	20	
UGA-61	135.00	136.00	1	M303636	0.38	2.1	6.99	263	370	1.6	<2	1.62	<0.5	16	35	29	5.37	10	3.26	30	
UGA-61	136.00	137.00	1	M303637	0.19	1.6	6.62	190	220	1.6	<2	3.63	<0.5	16	32	25	4.88	10	3.07	20	
UGA-61	137.00	138.00	1	M303638	0.22	1.7	4.7	108	20	1.2	<2	2.02	<0.5	12	37	22	4.01	10	1.3	20	
UGA-61	138.00	139.00	1	M303639	0.44	2.4	4.23	194	20	1.1	<2	2.19	<0.5	10	32	18	4.79	10	0.79	20	
UGA-61	139.00	140.00	1	M303640	0.32	2.2	4.38	182	20	1.3	2	1.8	<0.5	11	28	17	5.24	10	0.99	20	
UGA-61	140.00	141.00	1	M303641	0.11	1.4	3.85	117	30	1.9	<2	0.21	<0.5	10	35	17	3.38	10	1.77	20	
UGA-61	141.00	142.00	1	M303642	0.12	1.4	4.09	142	30	2	<2	0.29	<0.5	11	36	18	2.97	10	1.9	10	
UGA-61	142.00	143.00	1	M303643	0.13	2.5	4.95	157	30	1.8	<2	0.27	<0.5	12	46	17	4.06	10	2.07	20	
UGA-61	143.00	144.00	1	M303644	0.17	1.9	5.54	126	70	1.8	<2	0.28	<0.5	14	45	15	3.89	10	1.86	20	
UGA-61	144.00	145.00	1	M303645	0.25	2	3.6	166	90	1.4	<2	0.19	<0.5	9	34	13	2.62	10	1.5	10	
UGA-61	145.00	146.00	1	M303646	2.66	4.5	3.76	356	220	1.1	<2	0.28	<0.5	10	50	48	3.49	10	2.07	10	
UGA-61	146.00	147.00	1	M303648	1.67	3.4	4.5	233	140	1.6	<2	0.32	<0.5	11	54	70	4.08	10	2.15	20	
UGA-61	147.00	148.00	1	M303649	0.41	1.3	6.83	144	440	1.7	<2	1.12	<0.5	17	53	16	4.21	10	3.27	30	
UGA-61	148.00	149.00	1	M303651	0.64	1.5	6.21	136	520	1.4	<2	1.48	<0.5	14	49	19	4.51	10	3.08	20	
UGA-61	149.00	150.00	1	M303652	0.18	1	5.74	189	670	1.3	<2	1.4	<0.5	14	52	16	4.19	10	2.95	20	
UGA-61	150.00	151.00	1	M303654	0.23	1.1	5.06	284	530	1.6	<2	1.72	<0.5	13	49	18	4.4	10	2.68	20	
UGA-61	151.00	152.00	1	M303655	0.25	1.2	6.33	342	580	1.8	<2	0.92	<0.5	15	61	21	4.33	10	3.27	20	
UGA-61	152.00	153.00	1	M303656	0.17	1.2	6.82	327	740	1.5	<2	2.33	<0.5	16	53	24	5.01	10	3.42	30	
UGA-61	153.00	154.00	1	M303657	0.18	1.4	6.66	283	740	1.4	<2	2.26	<0.5	15	52	23	4.94	10	3.27	30	
UGA-61	154.00	155.00	1	M303659	0.17	0.8	7.24	275	670	1.6	<2	2.51	<0.5	18	52	27	5.41	10	3.51	30	
UGA-61	155.00	156.00	1	M303660	0.36	1	5.56	192	530	1.2	<2	1.62	<0.5	14	51	13	4.27	10	2.6	20	
UGA-61	156.00	157.00	1	M303661	0.46	1.3	5.24	184	260	1.1	<2	1.34	<0.5	13	47	16	3.9	10	1.94	20	
UGA-61	157.00	158.00	1	M303662	0.82	2.9	6.43	194	650	1.3	<2	1.8	<0.5	15	49	23	4.22	10	1.88	30	
UGA-61	158.00	159.00	1	M303663	0.37	1.5	6.17	147	400	1.4	<2	2.27	<0.5	15	48	25	4.66	10	1.92	20	
UGA-61	159.00	160.00	1	M303664	0.17	1.3	6.08	181	200	1.3	<2	1.8	<0.5	14	41	23	4.31	10	1.86	30	
UGA-61	160.00	161.00	1	M303665	0.11	0.8	6.5	111	90	1.2	<2	1.08	<0.5	16	34	18	3.91	10	2.87	30	
UGA-61	161.00	162.00	1	M303666	0.04	0.8	6.55	39	140	1.1	<2	3.93	<0.5	16	33	25	4.77	10	2.92	20	
UGA-61	162.00	163.00	1	M303667	0.02	<0.5	7.02	22	240	1.2	<2	4.02	<0.5	16	37	32	4.79	10	3.17	30	
UGA-61	163.00	164.00	1	M303668	0.02	0.8	7.82	28	240	1.6	<2	4.45	<0.5	15	26	33	4.12	20	3.39	20	
UGA-62	24.00	26.00	2	M303669	0.26	1.6	6.9	150	630	1.3	<2	0.47	<0.5	19	63	34	4.23	10	4.85	30	
UGA-62	26.00	28.00	2	M303670	1.28	2	6.4	216	740	1.2	<2	1.16	<0.5	19	62	36	4.35	10	4.66	20	
UGA-62	28.00	30.00	2	M303671	0.5	1	7.88	148	540	1.2	<2	1.85	<0.5	20	66	42	4.32	20	5.14	30	
UGA-62	30.00	32.00	2	M303672	0.41	1.2	7.6	68	390	1.5	<2	0.65	<0.5	19	71	44	4.03	10	4.93	30	
UGA-62	32.00	33.00	1	M303673	0.06	0.9	7.23	79	360	1.5	<2	0.4	<0.5	21	66	30	4.71	10	4.81	30	
UGA-62	33.00	34.00	1	M303674	0.13	1.2	7.8	57	500	1.1	<2	0.41	<0.5	20	73	43	4.89	20	5.37	30	
UGA-62	34.00	35.00	1	M303675	0.17	1.1	7.02	54	780	1.1	<2	1.06	<0.5	19	62	27	4.82	10	5.11	20	
UGA-62	35.00	37.00	2	M303676	0.07	1	6.83	50	680	1.2	<2	1.22	<0.5	20	61	30	5.25	10	4.49	20	
UGA-62	37.00	39.00	2	M303677	0.07	0.8	7.74	44	370	1.5	<2	0.58	<0.5	20	72	32	4.68	20	4.68	30	
UGA-62	39.00	41.00	2	M303678	0.02	0.8	7.35	16	290	1.6	<2	2.82	<0.5	20	63	36	4.82	10	3.8	30	
UGA-62	41.00	42.00	1	M303679	0.04	1.5	6.68	32	220	1.9	<2	1.23	<0.5	20	61	32	5.14	10	3.08	30	
UGA-62	42.00	43.00	1	M303680	0.03	1.4	7.28	30	300	2.2	<2	1.43	<0.5	23	66	53	5.16	10	3.67	30	
UGA-62	43.00	44.00	1	M303681	0.07	1.6	7.04	56	380	1.9	<2	0.46	<0.5	21	67	38	3.25	10	3.74	30	

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-62	44.00	45.00	1	M303682	0.05	1.9	7.49	35	230	1.6	<2	0.96	<0.5	18	62	73	4.85	10	3.81	30
UGA-62	45.00	46.00	1	M303683	0.07	2.6	7.27	48	330	1.3	<2	0.49	<0.5	22	66	57	4.8	10	4.2	20
UGA-62	46.00	47.00	1	M303684	0.02	1.3	7.55	34	590	1.5	<2	1.1	<0.5	20	73	33	4.14	20	4.24	20
UGA-62	47.00	48.00	1	M303685	0.04	1.9	7.29	34	500	1.2	<2	1.42	<0.5	20	65	33	4.66	10	4.03	20
UGA-62	48.00	49.00	1	M303686	0.05	2.2	7.19	51	220	1.3	<2	1.26	<0.5	21	65	34	4.95	10	3.83	20
UGA-62	49.00	50.00	1	M303687	0.05	1.3	7.07	64	320	1.4	<2	1.68	<0.5	17	65	34	5.79	20	3.46	20
UGA-62	50.00	51.00	1	M303688	0.08	1.8	6.41	88	580	1.1	<2	1.95	<0.5	18	61	34	5.15	10	3.57	20
UGA-62	51.00	52.00	1	M303689	0.06	1.5	7.48	71	130	1.3	<2	1.21	<0.5	19	69	36	5.27	20	3.61	20
UGA-62	52.00	53.00	1	M303690	0.23	1.9	5.94	159	700	1.1	<2	1.02	<0.5	18	60	36	5.08	10	3.37	20
UGA-62	53.00	54.00	1	M303693	0.18	1.9	6.34	157	910	1.2	<2	1.15	<0.5	19	60	28	5.19	10	3.59	20
UGA-62	54.00	55.00	1	M303694	0.07	1.9	6.87	72	460	1.3	<2	1.52	<0.5	19	64	25	5.45	10	3.53	20
UGA-62	55.00	56.00	1	M303695	0.09	1.5	6.63	118	180	1.4	<2	0.86	<0.5	19	64	24	5.54	10	3.17	20
UGA-62	56.00	57.00	1	M303696	0.06	1.3	6.67	81	250	1.5	<2	1.38	<0.5	22	68	25	5.44	10	3.15	20
UGA-62	57.00	58.00	1	M303697	0.32	1.6	7.73	177	300	1.7	<2	0.45	<0.5	20	74	36	3.23	20	4.33	30
UGA-62	58.00	59.00	1	M303698	0.13	1.7	6.69	90	110	2.2	2	0.5	<0.5	19	65	28	6.1	10	2.27	20
UGA-62	59.00	60.00	1	M303699	0.06	1.2	7.05	81	240	1.9	<2	0.44	<0.5	21	66	25	5.14	10	2.83	20
UGA-62	60.00	61.00	1	M303701	0.03	1.1	7.57	54	520	1.7	<2	0.47	<0.5	20	70	30	4.29	10	3.96	20
UGA-62	61.00	62.00	1	M303702	0.1	1.7	7.35	100	220	1.5	<2	0.68	<0.5	19	66	31	4.95	20	3.94	20
UGA-62	62.00	63.00	1	M303703	0.17	2	7.24	101	230	1.6	2	0.49	<0.5	20	64	34	4.12	20	4.2	20
UGA-62	63.00	64.00	1	M303704	0.03	1.5	7.33	40	210	1.5	<2	0.48	<0.5	19	74	39	4.49	10	4.32	20
UGA-62	64.00	65.00	1	M303705	0.04	1.5	7.73	54	330	1.2	<2	0.96	<0.5	20	72	37	4.68	10	4.27	20
UGA-62	65.00	66.00	1	M303706	0.15	1.3	7.48	73	280	1.1	<2	0.45	<0.5	21	69	34	4.57	20	4.29	20
UGA-62	66.00	67.00	1	M303707	0.29	2	6.69	131	350	1	<2	0.47	<0.5	18	62	35	4.65	10	4.04	20
UGA-62	67.00	68.00	1	M303708	0.06	1.8	7.05	55	400	1	<2	0.51	<0.5	17	67	32	4.1	10	4.23	20
UGA-62	68.00	69.00	1	M303709	0.15	2.1	7.21	118	560	1	<2	1.12	<0.5	20	62	38	4.77	20	4.41	20
UGA-62	69.00	70.00	1	M303711	0.52	4	6.69	302	770	1.1	<2	0.64	<0.5	18	61	41	4.79	10	4.47	20
UGA-62	70.00	71.00	1	M303712	0.16	1.5	8.36	110	360	1.3	<2	0.6	<0.5	20	78	45	4.12	20	4.53	30
UGA-62	71.00	72.00	1	M303713	0.16	2.1	7.55	89	460	1.2	<2	0.49	<0.5	20	70	44	4.48	20	4.45	20
UGA-62	72.00	73.00	1	M303714	0.23	3.2	8.21	263	770	1.7	<2	0.56	<0.5	21	76	46	3.87	20	4.85	30
UGA-62	73.00	74.00	1	M303715	0.42	2.1	6.7	152	580	1.6	<2	0.54	<0.5	19	60	31	5.65	10	4.25	20
UGA-62	74.00	75.00	1	M303716	0.22	2	6.46	255	580	1.6	<2	0.39	<0.5	18	58	30	4.87	10	3.94	20
UGA-62	75.00	76.00	1	M303717	0.26	2.9	8.33	401	670	1.5	<2	0.35	<0.5	21	79	70	4.5	20	4.74	20
UGA-62	76.00	77.00	1	M303718	0.12	2.3	7.1	144	670	1.2	<2	0.75	<0.5	19	65	48	4.46	10	4.46	20
UGA-62	77.00	78.00	1	M303719	0.36	2.6	6.73	183	460	1.2	<2	0.73	<0.5	18	65	36	4.75	10	4.21	20
UGA-62	78.00	79.00	1	M303721	0.15	1.7	6.69	48	220	1.1	<2	0.73	<0.5	17	70	36	4.49	10	3.92	30
UGA-62	79.00	80.00	1	M303723	0.09	1.6	6.78	71	170	1.2	<2	0.78	<0.5	18	67	45	5.61	10	3.83	20
UGA-62	80.00	81.00	1	M303724	0.23	1.4	7.5	27	190	1.2	<2	0.88	<0.5	18	75	42	4.16	20	3.77	30
UGA-62	81.00	82.00	1	M303725	0.14	1.8	6.69	71	220	1.2	<2	1.06	<0.5	17	68	38	4.48	10	3.67	20
UGA-62	82.00	83.00	1	M303726	0.23	1.4	8.34	71	190	1.4	<2	0.57	<0.5	21	81	50	4.56	20	4.49	30
UGA-62	83.00	84.00	1	M303727	0.08	1.5	7.78	53	270	1.4	<2	0.74	<0.5	19	74	37	4.23	20	4.34	30
UGA-62	84.00	85.00	1	M303728	0.23	2.1	6.94	265	360	1.7	<2	0.47	<0.5	19	70	40	4.49	10	3.93	20
UGA-62	85.00	86.00	1	M303729	0.26	2.3	7.01	197	550	1.5	<2	0.47	<0.5	19	74	38	4.17	10	4.23	20
UGA-62	86.00	87.00	1	M303730	0.31	5.4	6.93	238	560	1.3	<2	0.49	<0.5	19	76	38	4.77	10	4.19	20
UGA-62	87.00	88.00	1	M303731	0.56	12.6	6.53	313	470	1.1	<2	0.33	<0.5	19	71	42	4.41	10	4.19	20

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-62	88.00	89.00	1	M303733	0.26	2.5	6.91	298	630	1.2	<2	0.61	<0.5	20	71	26	4.96	10	4.26	20
UGA-62	89.00	90.00	1	M303734	0.63	3.7	7.07	398	750	1.1	<2	0.5	<0.5	19	42	28	3.92	10	4.26	30
UGA-62	90.00	91.00	1	M303735	0.65	3.5	6.67	377	760	1.1	<2	0.6	<0.5	17	39	18	3.62	10	4.54	30
UGA-62	91.00	92.00	1	M303736	0.28	2.3	6.91	215	800	1.3	<2	0.58	<0.5	17	36	18	4.22	10	4.85	40
UGA-62	92.00	93.00	1	M303737	0.47	5	6.88	423	450	1.3	<2	0.45	<0.5	18	33	19	4.33	10	4.35	30
UGA-62	93.00	94.00	1	M303738	0.29	2.8	7.27	273	450	1.4	<2	0.68	<0.5	18	31	19	4.6	10	4.64	30
UGA-62	94.00	95.00	1	M303739	0.18	3.2	6.86	208	530	1.3	<2	0.51	<0.5	17	34	19	4.14	10	4.88	20
UGA-62	95.00	96.00	1	M303741	0.21	3.3	6.15	276	340	1.3	<2	0.45	<0.5	16	29	21	5.3	10	4.2	30
UGA-62	96.00	97.00	1	M303742	0.31	3.4	7.28	232	540	1.7	<2	0.62	<0.5	14	31	19	3.98	20	4.82	30
UGA-62	97.00	98.00	1	M303743	0.11	2.5	6.75	287	520	1.5	<2	0.98	<0.5	14	31	20	4.24	10	4.65	30
UGA-62	98.00	99.00	1	M303744	0.13	3.6	5.88	374	410	1.4	<2	0.44	<0.5	14	31	25	5.22	10	4.35	20
UGA-62	99.00	100.00	1	M303745	0.16	3.7	5.71	391	400	1.4	<2	0.36	<0.5	16	32	22	5.43	10	4.15	20
UGA-62	100.00	101.00	1	M303746	39.2	>100	6.49	111	640	1.6	<2	0.43	0.8	16	38	138	3.53	10	4.39	30
UGA-62	101.00	102.00	1	M303747	0.17	4.3	7.08	94	690	1.7	<2	0.39	<0.5	17	41	24	3.84	10	4.46	30
UGA-62	102.00	103.00	1	M303748	0.15	3.8	7.01	201	420	1.5	<2	0.26	<0.5	17	42	22	5.09	10	4.43	30
UGA-62	103.00	104.00	1	M303749	0.33	3.5	6.5	109	520	1.4	<2	0.94	<0.5	16	36	23	4.39	10	4.37	30
UGA-62	104.00	105.00	1	M303751	0.12	3.9	6.88	104	530	1.5	<2	0.59	<0.5	17	38	27	4.44	10	4.3	30
UGA-62	105.00	106.00	1	M303752	0.18	5.6	6.81	413	320	1.3	<2	0.49	<0.5	17	41	27	6.32	10	4.43	20
UGA-62	106.00	107.00	1	M303753	0.14	4.6	6.92	159	750	1.3	<2	0.38	<0.5	17	43	28	3.95	20	4.34	30
UGA-62	107.00	108.00	1	M303754	0.25	6.5	6.95	248	560	1.2	<2	0.76	<0.5	17	38	34	4.83	10	4.83	30
UGA-62	108.00	109.00	1	M303755	0.15	4.1	6.91	170	710	1.2	<2	0.38	<0.5	16	40	25	3.9	10	4.41	20
UGA-62	109.00	110.00	1	M303756	0.14	3.1	5.89	202	530	1.1	<2	0.5	<0.5	15	38	26	4.83	10	4.36	20
UGA-62	110.00	111.00	1	M303757	0.07	3.9	6.08	77	610	1.2	<2	0.89	<0.5	15	34	26	4.68	10	4.66	20
UGA-62	111.00	112.00	1	M303758	0.07	4.2	5.59	77	480	1.1	<2	1.05	<0.5	13	34	24	4.72	10	3.63	20
UGA-62	112.00	113.00	1	M303759	0.05	4	6.02	45	580	1.2	<2	2.15	<0.5	14	30	30	3.73	10	3.89	20
UGA-62	113.00	114.00	1	M303760	0.08	4.3	7.18	174	740	1.3	<2	1.03	<0.5	16	38	34	3.9	20	4.73	20
UGA-62	114.00	115.00	1	M303761	0.08	5.6	6.86	155	450	1.3	<2	0.77	<0.5	16	35	32	4.25	20	4.27	20
UGA-62	115.00	116.00	1	M303762	0.05	4.1	6.72	123	440	1.3	2	0.68	<0.5	16	35	29	4	10	4.15	20
UGA-62	116.00	117.00	1	M303763	0.04	2.6	7.8	124	430	1.5	<2	1.96	<0.5	16	32	31	4.82	20	4.53	30
UGA-62	117.00	118.00	1	M303764	0.04	2.9	5.97	59	770	1.1	<2	2.27	<0.5	13	30	24	3.29	10	4.47	20
UGA-62	118.00	119.00	1	M303765	0.04	2.3	6.76	61	700	1.3	<2	1.93	<0.5	18	32	27	4.23	10	4.19	20
UGA-62	119.00	120.00	1	M303766	0.02	1.9	5.48	36	420	1.1	<2	4.41	<0.5	14	23	24	4.15	10	1.87	20
UGA-62	120.00	121.00	1	M303767	0.35	8.4	3.54	344	360	0.6	3	2.28	<0.5	9	23	23	4.52	10	1.7	10
UGA-62	121.00	122.00	1	M303768	0.81	17.8	3.23	629	290	0.6	<2	1.01	<0.5	9	30	22	4.99	<10	2.22	10
UGA-62	122.00	123.00	1	M303769	0.8	15.4	4.65	665	530	0.9	<2	0.81	<0.5	11	41	24	4.6	10	3.6	10
UGA-62	123.00	124.00	1	M303771	0.3	5.1	5.27	305	640	1.1	<2	0.84	<0.5	13	46	23	3.84	10	4.03	20
UGA-62	124.00	125.00	1	M303773	0.39	10.3	4.69	522	390	0.9	<2	0.54	<0.5	11	43	19	4.11	10	3.79	20
UGA-62	125.00	126.00	1	M303774	1.6	34.9	4.52	781	310	1	<2	1.01	<0.5	13	36	37	5.78	10	3.34	20
UGA-62	126.00	127.00	1	M303775	0.37	7.8	5.87	460	610	1.3	<2	0.33	<0.5	15	52	21	4.48	10	4.41	20
UGA-62	127.00	128.00	1	M303777	0.59	15	6.2	854	380	1.3	<2	0.54	<0.5	15	47	25	5.75	10	4.75	20
UGA-62	128.00	129.00	1	M303778	0.81	10.8	6.46	825	500	1.6	<2	0.45	<0.5	18	47	45	5.03	10	4.03	20
UGA-62	129.00	130.00	1	M303779	0.44	7.1	7.13	660	440	1.7	<2	0.47	<0.5	18	52	35	6.37	10	4.77	20
UGA-62	130.00	131.00	1	M303780	0.19	4.9	6.77	374	620	1.4	<2	0.56	<0.5	18	51	20	4.42	10	4.83	20
UGA-62	131.00	132.00	1	M303781	0.18	3.4	6.13	219	480	1.8	2	0.43	<0.5	17	50	26	4.42	10	3.98	20

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
UGA-62	132.00	133.00	1	M303782	0.31	3.1	5.46	256	220	1.5	<2	0.52	<0.5	15	44	24	4.02	10	2.3	20	
UGA-62	133.00	134.00	1	M303783	1.1	4.2	3.62	280	400	0.9	<2	0.41	<0.5	9	42	22	3.57	<10	2.46	10	
UGA-62	134.00	135.00	1	M303784	0.18	3.1	4.22	190	440	1.1	<2	0.33	<0.5	11	40	21	3.52	10	3.15	20	
UGA-62	135.00	136.00	1	M303785	0.18	3.5	4.85	205	40	1.4	<2	0.33	<0.5	13	43	27	3.86	10	1.24	20	
UGA-62	136.00	137.00	1	M303786	0.28	2.3	5.33	196	60	1.8	<2	0.25	<0.5	17	40	27	4.36	10	1.98	20	
UGA-62	137.00	138.00	1	M303787	0.56	2	7.95	135	230	2.5	<2	1.13	<0.5	19	38	31	4.45	10	3.31	20	
UGA-62	138.00	139.00	1	M303788	0.03	0.6	8.71	44	290	1.8	2	1.04	<0.5	21	22	30	5.39	20	3.66	20	
UGA-63	9.00	10.00	1	M303789	0.05	0.5	7.13	169	150	1.2	<2	0.52	<0.5	19	62	35	5.59	10	3.67	20	
UGA-63	10.00	11.00	1	M303790	0.05	0.6	7.09	281	230	1.2	3	1.1	<0.5	19	62	31	5.01	10	4.12	20	
UGA-63	11.00	12.00	1	M303791	0.13	0.9	6.3	287	430	1.1	<2	0.74	<0.5	17	60	33	4.59	10	3.74	20	
UGA-63	12.00	13.00	1	M303792	0.03	<0.5	7.49	176	430	1.3	<2	0.54	<0.5	23	67	36	5.7	10	4.29	30	
UGA-63	13.00	14.00	1	M303794	0.14	1.2	6.48	196	300	1.1	<2	0.71	<0.5	16	64	31	4.38	10	4.14	20	
UGA-63	14.00	15.00	1	M303796	0.01	<0.5	7.71	90	370	1.3	<2	0.67	<0.5	21	75	36	5.43	20	4.57	20	
UGA-63	15.00	16.00	1	M303797	0.04	<0.5	7.63	120	380	1.3	<2	0.49	<0.5	19	74	35	5.08	20	4.48	20	
UGA-63	16.00	17.00	1	M303798	0.02	<0.5	7.86	122	330	1.3	<2	0.56	<0.5	20	68	38	4.85	20	4.53	30	
UGA-63	17.00	19.00	2	M303799	0.07	0.8	7.07	112	610	1.3	<2	0.43	<0.5	15	63	34	4.44	10	3.92	20	
UGA-63	19.00	21.00	2	M303801	0.1	0.6	7.49	201	520	1.4	2	0.46	<0.5	18	64	36	5.48	20	4.3	30	
UGA-63	21.00	23.00	2	M303802	0.07	1.1	7.55	196	500	1.4	<2	0.44	<0.5	17	66	31	4.2	20	4.15	30	
UGA-63	23.00	25.00	2	M303803	0.11	1	6.72	241	530	1.2	<2	0.48	<0.5	14	60	27	4.46	10	4.14	20	
UGA-63	25.00	27.00	2	M303804	0.06	0.7	7.31	100	660	1.4	<2	0.85	<0.5	17	66	29	4.22	10	4.08	30	
UGA-63	27.00	28.00	1	M303805	0.21	8.2	6.42	286	350	1.4	<2	0.91	<0.5	15	58	31	4.56	10	3.89	20	
UGA-63	28.00	29.00	1	M303806	0.2	3.9	6.81	325	490	1.5	2	0.51	<0.5	16	62	40	4.27	20	4.54	20	
UGA-63	29.00	30.00	1	M303807	0.62	18	6.76	333	650	1.4	<2	0.4	<0.5	15	62	40	4.23	10	4.24	20	
UGA-63	30.00	32.00	2	M303808	0.22	3.2	6.89	339	630	1.3	<2	0.91	<0.5	16	59	35	4.48	10	4.17	20	
UGA-63	32.00	34.00	2	M303809	0.21	1.2	7	309	590	1.4	<2	0.78	<0.5	14	62	30	4.74	20	3.89	20	
UGA-63	34.00	36.00	2	M303810	0.07	0.6	7.38	206	770	1.4	<2	0.51	<0.5	16	66	37	4.85	20	3.85	30	
UGA-63	36.00	38.00	2	M303811	0.15	2.9	6.3	221	350	1.2	<2	0.77	<0.5	19	58	27	4.15	10	3.26	20	
UGA-63	38.00	40.00	2	M303812	0.03	<0.5	7.44	124	560	1.4	<2	0.55	<0.5	19	63	35	4.86	10	3.59	30	
UGA-63	40.00	42.00	2	M303813	0.08	0.6	6.88	136	560	1.3	<2	0.56	<0.5	19	57	34	5.27	10	3.31	20	
UGA-63	42.00	44.00	2	M303814	0.01	<0.5	7.25	34	510	1.3	<2	0.7	<0.5	18	64	32	4.98	10	3.27	20	
UGA-63	44.00	46.00	2	M303815	0.06	0.5	7.31	157	720	1.4	2	1.37	<0.5	15	67	32	5	20	3.7	20	
UGA-63	46.00	47.00	1	M303816	0.05	0.5	6.44	107	510	1.3	<2	2.18	<0.5	15	58	30	5.38	10	2.81	20	
UGA-63	47.00	48.00	1	M303817	0.06	0.5	6.82	116	720	1.2	2	1.14	<0.5	16	62	31	3.6	10	4.06	30	
UGA-63	48.00	49.00	1	M303818	0.15	2	5.88	229	670	1.3	<2	1.95	<0.5	17	51	26	5.39	10	3.08	30	
UGA-63	49.00	50.00	1	M303819	0.17	1	6.52	161	700	1.3	<2	1.4	<0.5	18	56	29	4.74	20	3.49	30	
UGA-63	50.00	51.00	1	M303820	0.1	0.9	6.6	81	700	1.4	<2	0.77	<0.5	16	57	28	5.26	10	3.31	30	
UGA-63	51.00	52.00	1	M303821	0.11	1	6.25	126	570	1.3	<2	0.64	<0.5	17	53	26	5.3	10	3.41	20	
UGA-63	52.00	53.00	1	M303822	0.14	2.3	6.36	130	570	1.2	<2	0.54	<0.5	15	57	28	4.37	10	4.04	20	
UGA-63	53.00	54.00	1	M303823	1.22	18.5	3.01	1360	320	0.9	<2	0.76	<0.5	9	37	34	6.09	10	1.99	10	
UGA-63	54.00	55.00	1	M303825	0.17	2.2	6.61	302	510	1.2	<2	0.53	<0.5	19	60	29	5.6	10	4.39	30	
UGA-63	55.00	56.00	1	M303826	0.17	1.8	7.21	206	630	1.4	<2	1.16	<0.5	19	65	35	4.21	20	3.95	30	
UGA-63	56.00	57.00	1	M303827	0.34	2.2	6.41	529	590	1.2	<2	0.49	<0.5	16	58	26	3.93	10	3.6	20	
UGA-63	57.00	58.00	1	M303828	0.23	2.7	6.92	243	600	1.2	<2	0.58	<0.5	22	64	27	4.02	10	4.24	30	
UGA-63	58.00	59.00	1	M303829	0.05	<0.5	8.07	106	540	1.3	<2	1.54	<0.5	21	68	30	5.23	20	4.43	30	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
UGA-63	59.00	60.00	1	M303831	0.03	<0.5		7.82	81	810	1.2	<2	1.84	<0.5	21	66	33	4.57	20	3.98	30
UGA-63	60.00	61.00	1	M303832	0.08	<0.5		6.83	185	610	1.2	<2	1.02	<0.5	19	59	29	4.92	10	3.23	30
UGA-63	61.00	62.00	1	M303833	0.07	0.6	7.47	181	770	1.3	<2	1.18	<0.5	19	63	28	5.64	10	4.46	30	
UGA-63	62.00	63.00	1	M303834	0.07	1	7.26	185	350	1.4	<2	0.86	<0.5	16	64	26	4.35	20	3.96	30	
UGA-63	63.00	64.00	1	M303835	0.18	3.8	5.69	368	420	1.2	<2	0.72	<0.5	20	54	27	6.41	10	3.26	20	
UGA-63	64.00	65.00	1	M303836	0.31	4.5	3.7	277	330	0.9	<2	0.54	<0.5	10	44	18	3.6	10	2.3	10	
UGA-63	65.00	66.00	1	M303838	0.09	1.1	7.32	250	640	1.3	<2	0.73	<0.5	19	68	34	4.7	20	3.96	30	
UGA-63	66.00	67.00	1	M303839	0.02	0.6	7.19	76	800	1.4	<2	0.75	<0.5	16	65	32	3.88	10	3.56	30	
UGA-63	67.00	68.00	1	M303840	0.09	2.3	6.48	203	650	1.3	<2	0.47	<0.5	15	57	29	3.68	10	3.56	20	
UGA-63	68.00	69.00	1	M303841	0.24	5.3	6.07	270	520	1.1	<2	0.58	<0.5	18	58	28	4.48	10	3.69	20	
UGA-63	69.00	70.00	1	M303842	0.13	1.7	6.82	278	490	1.3	<2	0.74	<0.5	22	63	28	6.22	10	3.9	30	
UGA-63	70.00	71.00	1	M303843	0.1	1.7	7.55	160	700	1.3	<2	0.76	<0.5	22	68	40	4.19	20	4.22	30	
UGA-63	71.00	72.00	1	M303844	0.06	1.1	6.85	142	500	1.4	<2	1.69	<0.5	23	60	30	7.02	10	3.93	30	
UGA-63	72.00	73.00	1	M303845	0.12	1	7.37	146	430	1.3	<2	0.62	<0.5	20	67	28	4.72	20	3.87	30	
UGA-63	73.00	74.00	1	M303846	0.16	0.9	7.4	192	350	1.3	<2	0.4	<0.5	17	67	34	3.76	20	4.06	30	
UGA-63	74.00	75.00	1	M303847	0.09	0.8	6.03	141	310	1.1	<2	0.31	<0.5	19	57	29	4.9	10	3.3	20	
UGA-63	75.00	76.00	1	M303848	0.13	1	6.69	176	500	1.2	<2	0.41	<0.5	18	62	42	4.38	10	4.36	30	
UGA-63	76.00	77.00	1	M303849	0.14	1.8	7.09	131	650	1.5	<2	0.39	<0.5	23	64	30	5.05	10	5.07	30	
UGA-63	77.00	78.00	1	M303851	0.07	1	7.01	137	580	1.4	<2	0.39	<0.5	24	61	30	6.73	10	4.7	30	
UGA-63	78.00	79.00	1	M303852	0.21	5.4	6.08	262	610	1.2	<2	0.3	<0.5	16	63	34	3.39	10	4.22	20	
UGA-63	79.00	80.00	1	M303853	0.12	3.4	5.99	385	450	1.7	<2	0.31	<0.5	18	57	29	5.87	10	4.29	20	
UGA-63	80.00	81.00	1	M303854	0.34	6.2	4.55	303	360	1.2	<2	0.43	<0.5	14	48	22	4.26	10	3.25	20	
UGA-63	81.00	82.00	1	M303856	0.92	15	2.48	608	250	0.9	<2	0.4	<0.5	10	41	22	3.6	<10	1.44	10	
UGA-63	82.00	83.00	1	M303858	0.67	9.5	4.48	332	680	0.8	<2	0.22	<0.5	15	49	26	3.54	10	4.47	10	
UGA-63	83.00	84.00	1	M303859	0.5	5.6	2.77	626	400	0.7	<2	0.2	<0.5	9	37	15	2.58	10	2.31	10	
UGA-63	84.00	85.00	1	M303860	0.85	8.8	3.7	301	540	0.6	<2	0.21	<0.5	12	34	21	3.01	<10	3.5	10	
UGA-63	85.00	86.00	1	M303861	0.75	9.3	5.42	398	640	1.2	<2	0.26	<0.5	17	35	29	3.49	10	3.99	20	
UGA-63	86.00	87.00	1	M303862	1.59	18	6.55	1025	250	1.4	<2	0.36	<0.5	20	35	42	4.98	10	4.14	20	
UGA-63	87.00	88.00	1	M303863	0.25	4.5	6.01	223	300	1.1	<2	0.34	<0.5	19	34	25	4.8	10	4.57	20	
UGA-63	88.00	89.00	1	M303864	0.17	3.3	4.81	213	890	0.9	<2	0.22	<0.5	14	33	18	2.42	10	4.24	20	
UGA-63	89.00	90.00	1	M303865	0.21	5	5.74	206	770	0.9	<2	0.25	<0.5	17	39	23	4.01	10	5.06	20	
UGA-63	90.00	91.00	1	M303866	0.66	5.5	4.27	432	390	0.7	<2	0.45	<0.5	13	34	20	4.17	<10	4.38	20	
UGA-63	91.00	92.00	1	M303867	0.47	3.7	4.83	364	470	0.8	<2	0.29	<0.5	14	40	19	4.31	10	4.88	20	
UGA-63	92.00	93.00	1	M303868	0.34	3.5	4.06	252	650	0.9	<2	0.72	<0.5	15	31	19	4.01	10	3.89	20	
UGA-63	93.00	94.00	1	M303870	1.05	10.6	3.63	534	590	0.9	<2	1.64	<0.5	11	27	58	3.01	<10	2.86	20	
UGA-63	94.00	95.00	1	M303871	0.46	5.3	6.59	411	410	1.1	<2	0.58	0.5	20	36	30	3.43	10	4.41	20	
UGA-63	95.00	96.00	1	M303872	0.6	6.7	4.11	1200	270	0.8	<2	0.69	<0.5	14	35	23	4.89	<10	3.65	10	
UGA-63	96.00	97.00	1	M303873	1.78	7.9	2.22	4780	100	0.7	<2	1.2	<0.5	10	38	22	5.02	10	0.61	10	
UGA-63	97.00	98.00	1	M303874	0.36	6.2	4.7	2460	270	0.9	<2	0.35	<0.5	17	59	23	4.74	10	3.7	20	
UGA-63	98.00	99.00	1	M303876	0.32	7.1	6.38	500	410	1.3	<2	0.25	<0.5	22	48	31	4.7	10	4.84	20	
UGA-63	99.00	100.00	1	M303877	0.73	9.1	6.69	862	450	1.4	<2	0.27	<0.5	21	43	35	4.06	10	4.21	20	
UGA-63	100.00	101.00	1	M303878	0.24	4.6	5.98	382	590	1	<2	0.21	<0.5	20	39	31	3.71	10	4.36	20	
UGA-63	101.00	102.00	1	M303879	0.19	3	5.38	384	540	0.8	<2	0.17	<0.5	16	40	26	4.04	10	4.57	20	
UGA-63	102.00	103.00	1	M303880	0.3	4.1	5.48	386	690	0.9	<2	0.22	<0.5	17	38	29	3.63	10	4.57	20	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm			
UGA-63	103.00	104.00	1	M303881	0.62	3.7	3.4	2800	210	0.8	<2	0.27	<0.5	21	37	25	6.73	<10	2.56	10	
UGA-63	104.00	105.00	1	M303882	0.76	10.6	5.06	787	480	1.2	<2	0.5	<0.5	14	36	25	3.49	10	3.75	20	
UGA-63	105.00	106.00	1	M303883	1.06	17.7	4.53	1050	440	1.1	<2	0.35	<0.5	14	32	33	4.18	10	3.27	20	
UGA-63	106.00	107.00	1	M303884	1.42	21	4.56	1050	330	1.3	<2	0.4	<0.5	14	33	34	3.86	10	3	20	
UGA-63	107.00	108.00	1	M303885	0.22	4	7.14	322	610	1.6	<2	0.39	<0.5	21	35	21	3.15	10	4.04	30	
UGA-63	108.00	109.00	1	M303886	0.73	6.2	5.97	1060	280	1.6	<2	0.57	<0.5	21	33	22	5.39	10	4.17	20	
UGA-63	109.00	110.00	1	M303887	0.77	6.7	5.4	682	530	1.4	<2	0.4	<0.5	15	33	22	3.86	10	4.52	20	
UGA-63	110.00	111.00	1	M303888	0.84	7.6	4.29	778	500	1.3	<2	0.49	<0.5	14	34	24	3.53	10	2.95	20	
UGA-63	111.00	112.00	1	M303889	1.08	6.2	2.85	1005	360	0.9	<2	0.42	<0.5	11	39	18	3.64	10	2.24	10	
UGA-63	112.00	113.00	1	M303891	1.82	3	3.42	1100	230	1	<2	0.31	<0.5	14	36	14	6.62	10	2.76	10	
UGA-63	113.00	114.00	1	M303892	0.29	2.5	5.06	634	620	2.6	<2	0.52	<0.5	18	44	27	5.24	10	3.81	20	
UGA-63	114.00	115.00	1	M303893	0.5	3.2	5.02	768	490	1.2	<2	0.36	<0.5	18	50	26	4.32	10	4.06	20	
UGA-63	115.00	116.00	1	M303895	0.45	3.8	4.14	306	560	0.9	<2	0.42	<0.5	13	47	21	3.22	10	3.58	20	
UGA-63	116.00	117.00	1	M303896	0.51	4.3	3.6	268	430	0.7	<2	0.4	<0.5	13	41	21	2.85	10	3.41	20	
UGA-63	117.00	118.00	1	M303897	0.16	4.4	5.15	128	50	1.5	<2	0.42	<0.5	17	54	29	4.42	10	1.78	20	
UGA-63	118.00	119.00	1	M303898	0.12	0.9	7.4	375	140	1.7	<2	2.46	<0.5	33	85	43	7.94	20	2.23	30	
UGA-63	119.00	120.00	1	M303899	0.08	<0.5	6.97	173	130	1.2	<2	5.1	<0.5	23	83	43	4.38	10	2.24	30	
UGA-63	120.00	122.00	2	M303901	0.09	<0.5	7.57	176	180	1.2	<2	3.91	<0.5	22	67	38	4.51	20	2.65	30	
UGA-64	13.00	14.00	1	M303981	0.07	1.9	6.7	150	500	1.1	<2	0.93	<0.5	17	61	30	6.3	10	3.95	20	
UGA-64	14.00	15.00	1	M303982	0.06	1.3	4.03	127	150	0.8	<2	2.62	<0.5	13	62	16	7.12	10	2.31	10	
UGA-64	15.00	16.00	1	M303983	0.04	0.6	6.68	135	380	1.1	3	3.03	<0.5	17	61	29	5.12	10	4.07	20	
UGA-64	16.00	18.00	2	M303984	0.01	0.5	8.3	82	360	1.7	2	1.09	<0.5	20	77	35	5.66	20	4.04	30	
UGA-64	18.00	19.00	1	M303985	0.01	<0.5	8.39	60	470	1.7	3	1.38	<0.5	15	78	40	4.42	20	3.81	30	
UGA-64	19.00	20.00	1	M303986	0.05	<0.5	7.24	183	560	1.3	2	1.58	<0.5	19	65	31	4.96	10	4.2	30	
UGA-64	20.00	22.00	2	M303987	0.06	1.5	7	186	760	1.3	2	1.45	<0.5	17	64	28	5.59	10	4.17	20	
UGA-64	22.00	24.00	2	M303988	0.08	1.1	7.71	137	610	1.4	<2	1.15	<0.5	17	68	34	3.86	20	3.93	30	
UGA-64	24.00	26.00	2	M303989	0.14	2	6.87	181	570	1.3	2	2.05	<0.5	18	61	33	5.13	10	3.75	20	
UGA-64	26.00	28.00	2	M303991	0.08	1.6	7.03	141	490	1.4	2	0.85	<0.5	19	63	34	5.13	10	3.98	30	
UGA-64	28.00	30.00	2	M303992	0.09	0.7	7.71	117	360	1.3	2	0.99	<0.5	18	72	36	4.9	10	4.54	30	
UGA-64	30.00	32.00	2	M303993	0.12	1.5	7.12	141	410	1.2	2	0.79	<0.5	19	66	34	4.77	20	4.29	20	
UGA-64	32.00	34.00	2	M303994	0.12	1.1	7.1	201	490	1.2	2	1	<0.5	19	66	33	5.81	10	3.57	30	
UGA-64	34.00	36.00	2	M303995	0.03	<0.5	6.87	129	270	1.3	5	1.93	<0.5	19	66	33	6.1	20	2.19	30	
UGA-64	36.00	38.00	2	M303996	0.03	<0.5	7.24	102	340	1.3	2	2	<0.5	18	69	39	6.15	20	1.87	30	
UGA-64	38.00	39.00	1	M303997	0.11	0.9	5.02	265	300	0.8	3	7.55	<0.5	14	40	31	5.27	10	1.09	20	
UGA-64	39.00	40.00	1	M303998	0.14	1	3.44	91	60	0.8	5	13.65	<0.5	10	13	18	3.91	10	0.93	<10	
UGA-64	40.00	41.00	1	M303999	0.12	1.4	7.4	164	430	1.2	2	1.24	<0.5	21	57	54	5.19	10	4.12	20	
UGA-64	41.00	42.00	1	M304001	0.06	0.8	7.29	133	490	1.3	<2	0.7	<0.5	20	68	42	6.43	20	3.51	20	
UGA-64	42.00	43.00	1	M304002	0.39	2.8	5.98	273	600	1.2	<2	1.07	<0.5	16	60	32	5.43	10	3.51	20	
UGA-64	43.00	44.00	1	M304004	0.25	1.7	6.35	369	440	1.2	4	1.24	<0.5	19	68	30	6.67	10	2.87	20	
UGA-64	44.00	45.00	1	M304006	0.05	0.9	6.6	68	490	1.3	2	1.37	<0.5	19	64	27	5.68	10	3.41	20	
UGA-64	45.00	46.00	1	M304007	0.15	1.8	6.65	102	450	1.3	2	0.65	<0.5	20	62	26	4.25	10	4	30	
UGA-64	46.00	48.00	2	M304008	0.06	0.9	7.15	98	650	1.2	4	2.38	<0.5	19	65	35	6.05	20	3.67	20	
UGA-64	48.00	50.00	2	M304009	0.05	0.7	7.33	60	540	1.1	3	1.57	<0.5	20	71	33	5.02	10	4.47	30	
UGA-64	50.00	52.00	2	M304010	0.03	<0.5	7.95	39	410	1.2	2	0.86	<0.5	17	76	38	4.7	20	4.6	30	

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-64	52.00	54.00	2	M304011	0.09	1	7.15	70	540	1.1	2	0.72	<0.5	19	70	38	4.71	20	4.67	20
UGA-64	54.00	55.00	1	M304012	0.08	1.4	6.85	50	690	1.2	4	1.67	<0.5	20	63	30	5.91	10	4.21	20
UGA-64	55.00	56.00	1	M304013	0.05	0.9	7.57	43	430	1.2	2	1.34	<0.5	17	73	34	4.5	20	4.44	30
UGA-64	56.00	58.00	2	M304014	0.04	1.2	7.82	48	1130	1.3	2	1.02	<0.5	20	72	39	4.78	20	4.87	30
UGA-64	58.00	59.00	1	M304015	0.21	2.2	6.07	238	710	1.3	<2	0.59	<0.5	14	54	33	4.64	10	3.95	20
UGA-64	59.00	60.00	1	M304016	0.61	7.2	6.96	446	630	1.4	2	1.45	<0.5	19	64	38	5.36	20	4.53	20
UGA-64	60.00	61.00	1	M304017	0.25	3.2	6.54	310	780	1.3	<2	0.64	<0.5	17	64	28	4.57	10	4.66	20
UGA-64	61.00	62.00	1	M304018	0.34	4.1	6.38	249	720	1.4	2	0.68	<0.5	16	63	30	4.45	10	4.08	20
UGA-64	62.00	63.00	1	M304019	0.08	1.3	6.95	119	810	1.3	3	1.31	<0.5	19	66	39	5.1	10	4.24	20
UGA-64	63.00	64.00	1	M304020	0.13	1.5	6.96	144	720	1.3	3	0.95	<0.5	18	63	32	5.05	10	4.3	20
UGA-64	64.00	65.00	1	M304021	0.32	2.1	5.89	273	420	1.2	2	1.1	<0.5	16	57	24	5.31	10	4.27	20
UGA-64	65.00	66.00	1	M304022	0.28	1.3	6.24	254	550	1.1	3	0.85	<0.5	19	65	23	4.48	10	4.42	20
UGA-64	66.00	67.00	1	M304023	0.04	0.6	8.1	72	490	1.3	<2	0.72	<0.5	20	74	37	4.54	20	4.97	20
UGA-64	67.00	68.00	1	M304024	0.08	0.9	6.57	104	490	1.3	3	1.62	<0.5	19	63	26	6.43	10	4.01	20
UGA-64	68.00	69.00	1	M304025	0.08	1	7.09	46	550	1.2	<2	1.62	<0.5	16	67	29	4.74	20	4.17	20
UGA-64	69.00	70.00	1	M304026	0.06	0.9	6.21	40	370	1.1	<2	2.51	<0.5	16	63	28	3.9	10	3.58	20
UGA-64	70.00	71.00	1	M304027	0.04	0.9	7.42	48	390	1.3	3	0.82	<0.5	18	70	36	4.88	10	4.09	20
UGA-64	71.00	72.00	1	M304028	0.08	0.9	7.59	64	380	1.4	3	0.7	<0.5	17	71	50	5.96	10	4.12	30
UGA-64	72.00	73.00	1	M304029	0.02	0.8	7.63	33	450	1.3	3	0.74	<0.5	17	69	37	4.26	20	4.21	20
UGA-64	73.00	74.00	1	M304030	0.04	1.2	7.28	35	590	1.4	2	1.53	<0.5	20	66	32	5.77	10	4.17	30
UGA-64	74.00	75.00	1	M304031	0.09	1.3	6.77	67	460	1.3	4	1.3	<0.5	19	60	27	6.06	10	3.66	20
UGA-64	75.00	76.00	1	M304032	0.03	1	7.55	22	470	1.3	<2	0.99	<0.5	19	71	41	3.96	20	4	20
UGA-64	76.00	77.00	1	M304033	0.03	1.1	7.85	30	320	1.3	3	0.61	<0.5	21	74	35	4.69	20	3.85	30
UGA-64	77.00	78.00	1	M304035	0.02	1.2	6.74	27	300	1.4	<2	1.14	<0.5	19	70	30	5.57	10	3.39	20
UGA-64	78.00	79.00	1	M304036	0.03	1.9	7.71	44	390	1.5	2	0.5	<0.5	18	74	46	3.45	10	4.27	30
UGA-64	79.00	80.00	1	M304037	0.08	2.6	6.99	96	360	1.8	2	0.5	<0.5	19	65	53	4.46	10	3.99	30
UGA-64	80.00	81.00	1	M304038	0.03	1.7	7.61	41	280	1.8	3	0.35	<0.5	20	71	85	4.11	20	4.15	20
UGA-64	81.00	82.00	1	M304039	0.01	1.6	7.78	27	190	1.8	2	0.35	<0.5	19	77	116	2.94	20	4.03	20
UGA-64	82.00	83.00	1	M304040	0.08	2.2	6.36	93	410	1.5	2	1.02	<0.5	21	73	59	4.6	10	3.72	20
UGA-64	83.00	84.00	1	M304041	0.03	1.6	6.46	86	440	1.7	2	2.07	<0.5	19	68	47	4.25	10	3.64	20
UGA-64	84.00	85.00	1	M304042	0.03	1.2	6.47	132	410	1.5	2	1.63	<0.5	18	71	27	4.49	10	3.14	20
UGA-64	85.00	86.00	1	M304044	0.15	2.7	7.34	332	460	1.7	3	0.78	<0.5	20	69	33	6.22	20	4.72	30
UGA-64	86.00	87.00	1	M304045	0.14	3.4	6.59	337	560	1.8	4	0.57	<0.5	19	62	51	5.35	10	3.8	20
UGA-64	87.00	88.00	1	M304046	0.17	2	6.66	362	700	1.7	4	0.53	<0.5	20	66	26	4.98	10	4.17	20
UGA-64	88.00	89.00	1	M304047	0.34	2.7	7.76	462	640	1.9	2	0.6	<0.5	20	81	29	4.32	20	4.65	20
UGA-64	89.00	90.00	1	M304048	0.13	1.7	7.37	381	700	1.9	2	0.39	<0.5	19	71	27	5.26	20	4.44	20
UGA-64	90.00	91.00	1	M304049	0.15	2.1	7.13	414	550	1.7	2	0.49	<0.5	20	73	27	3.68	20	4.29	20
UGA-64	91.00	92.00	1	M304051	0.45	3.5	6.3	517	640	1.5	<2	0.47	<0.5	17	70	26	3.14	10	4.43	20
UGA-64	92.00	93.00	1	M304052	0.48	5.5	6.69	675	530	1.6	2	0.51	<0.5	24	70	33	4.58	10	4.33	20
UGA-64	93.00	94.00	1	M304053	0.11	0.7	7.15	294	640	1.5	<2	0.58	<0.5	19	67	29	4.25	10	3.88	20
UGA-64	94.00	95.00	1	M304054	0.41	2.5	6.59	431	550	1.4	2	0.73	<0.5	20	65	30	4.68	10	3.73	20
UGA-64	95.00	96.00	1	M304055	0.21	0.7	6.84	337	400	1.5	2	1.1	<0.5	19	63	28	6.01	10	3.41	20
UGA-64	96.00	97.00	1	M304056	0.33	1	6.94	344	380	1.5	2	0.87	<0.5	19	65	33	4.49	10	3.45	20
UGA-64	97.00	98.00	1	M304057	0.39	0.5	6.89	351	380	1.6	<2	0.5	<0.5	19	63	30	5.34	10	3.27	20

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-64	98.00	99.00	1	M304058	0.09	1	6.84	133	220	1.7	<2	0.35	<0.5	20	62	27	5.31	10	2.61	20
UGA-64	99.00	100.00	1	M304059	0.1	1	6.67	132	210	1.9	<2	0.33	<0.5	18	62	33	4.18	10	3.05	20
UGA-64	100.00	101.00	1	M304060	0.21	1.8	6.61	287	230	2	<2	0.38	<0.5	20	62	29	4.52	10	3.12	20
UGA-64	101.00	102.00	1	M304061	0.8	3.2	5.53	932	190	1.9	2	0.26	<0.5	17	56	27	5.58	10	2.5	20
UGA-64	102.00	103.00	1	M304063	0.76	4.2	7.41	659	200	2.1	2	0.45	<0.5	23	68	106	4.47	10	2.72	30
UGA-64	103.00	104.00	1	M304064	2.41	19.6	6.09	821	210	2	<2	0.47	<0.5	15	56	65	4.07	10	2.66	20
UGA-64	104.00	105.00	1	M304065	0.21	1.8	6.48	451	320	2.2	2	0.44	<0.5	18	55	32	5.36	10	3.54	20
UGA-64	105.00	106.00	1	M304066	0.28	1.2	7.16	207	260	2.1	<2	0.46	<0.5	21	64	34	4.67	10	3.37	20
UGA-64	106.00	107.00	1	M304067	0.04	1	6.76	72	240	1.9	<2	0.4	<0.5	17	62	34	4.52	10	3.11	20
UGA-64	107.00	108.00	1	M304068	0.11	0.7	7.78	145	250	1.9	<2	0.42	<0.5	23	73	41	3.67	20	3.37	30
UGA-64	108.00	109.00	1	M304069	0.07	0.6	7.18	114	230	1.9	<2	0.37	<0.5	19	64	33	4.24	10	2.91	20
UGA-64	109.00	110.00	1	M304071	0.04	1.3	6.97	98	240	2	2	0.37	<0.5	19	62	31	4.94	10	3.29	20
UGA-64	110.00	111.00	1	M304072	0.35	2.9	7.51	277	450	1.8	<2	0.36	<0.5	20	69	51	3.16	10	4.36	20
UGA-64	111.00	112.00	1	M304073	0.14	1.5	7.35	179	360	1.8	<2	1.36	<0.5	23	65	39	4.68	10	3.87	20
UGA-64	112.00	113.00	1	M304074	0.05	1	7.48	178	470	1.7	3	0.99	<0.5	21	68	36	5.2	10	3.69	20
UGA-64	113.00	114.00	1	M304075	0.18	2	4.34	426	220	1	2	1.75	<0.5	13	42	23	6.34	10	2.55	20
UGA-64	114.00	115.00	1	M304077	0.06	1.1	5.62	233	300	1.4	2	1.44	<0.5	16	53	31	5.04	10	2.22	20
UGA-64	115.00	116.00	1	M304078	0.05	0.8	6.14	132	300	1.4	2	1.24	<0.5	19	56	37	4.91	10	2.44	20
UGA-64	116.00	117.00	1	M304079	0.03	<0.5	4.87	118	250	1.3	3	6.81	<0.5	15	38	27	4.96	10	1.97	10
UGA-64	117.00	118.00	1	M304080	0.02	<0.5	8	122	120	1.8	4	5.79	<0.5	21	63	37	5.32	20	3.2	20
UGA-64	118.00	119.00	1	M304081	0.02	<0.5	5.99	64	30	1.5	2	5.25	<0.5	19	50	31	5.07	10	2.4	20
UGA-64	119.00	120.00	1	M304082	0.04	<0.5	5.14	54	30	1.4	5	6.38	<0.5	16	41	33	4.71	10	1.94	20
UGA-64	120.00	121.00	1	M304083	0.02	<0.5	5.85	63	30	1.7	2	5.3	<0.5	18	49	35	4.41	10	2.39	20
UGA-64	121.00	122.00	1	M304084	0.03	1.1	5	124	150	1.4	2	3.99	<0.5	16	44	24	3.44	10	2.19	10
UGA-64	122.00	123.00	1	M304085	0.16	4.1	4.64	486	320	1.3	2	0.59	<0.5	15	33	22	4.32	10	2.76	20
UGA-64	123.00	124.00	1	M304086	0.2	2.9	3.63	409	540	0.7	<2	0.52	<0.5	9	31	16	3.24	<10	3.09	10
UGA-64	124.00	125.00	1	M304087	0.12	2.2	4.69	292	570	0.9	<2	0.34	<0.5	13	28	19	4.04	10	4.24	20
UGA-64	125.00	126.00	1	M304088	0.32	3.5	3.97	975	260	1.5	<2	2.59	<0.5	12	32	18	5.17	10	3.15	20
UGA-64	126.00	127.00	1	M304089	0.16	2.5	5.41	347	450	1	<2	0.63	<0.5	18	31	18	4.01	10	4.38	20
UGA-64	127.00	128.00	1	M304090	0.41	6.5	3.95	990	250	0.8	<2	0.88	<0.5	12	26	19	5.73	10	2.69	20
UGA-64	128.00	129.00	1	M304092	0.39	6.4	5.86	810	290	1.3	2	0.87	<0.5	17	30	37	5.72	10	4.82	20
UGA-64	129.00	130.00	1	M304093	0.24	4.4	6.07	410	260	1.3	<2	0.41	<0.5	17	29	34	5.13	10	4.23	20
UGA-64	130.00	131.00	1	M304094	1.61	19.1	2.99	1335	230	1.1	<2	1.17	<0.5	9	28	30	6.76	10	1.99	10
UGA-64	131.00	132.00	1	M304095	4.94	40.9	2.9	1495	270	0.8	<2	1.31	0.8	6	23	47	6.36	10	1.78	10
UGA-64	132.00	133.00	1	M304097	2.55	28	3.52	1455	240	0.9	<2	1.68	<0.5	10	31	37	6.74	10	2.88	20
UGA-64	133.00	134.00	1	M304098	1.29	10.9	5.44	726	360	1.1	<2	0.85	<0.5	14	42	27	5.37	10	4.45	20
UGA-64	134.00	135.00	1	M304099	0.8	8.9	6.81	581	500	1.5	<2	0.52	<0.5	19	46	34	4.74	10	4.52	30
UGA-64	135.00	136.00	1	M304101	3.63	35.5	5.54	1720	290	1.3	3	0.95	<0.5	13	36	48	7.82	10	3.42	20
UGA-64	136.00	137.00	1	M304102	1.01	9.1	6.1	655	610	1.5	<2	0.67	<0.5	17	37	27	6.59	10	3.97	20
UGA-64	137.00	138.00	1	M304103	0.57	4	6.22	468	710	1.4	2	0.43	<0.5	19	43	31	6.01	10	4.57	20
UGA-64	138.00	139.00	1	M304104	0.2	4	7.08	316	860	1.5	<2	0.34	<0.5	19	54	30	4.86	10	4.86	30
UGA-64	139.00	140.00	1	M304105	0.24	6.1	7.12	345	830	1.3	<2	0.9	<0.5	20	53	34	5.81	10	5.03	30
UGA-64	140.00	141.00	1	M304106	0.15	3.6	7.24	241	790	1.3	3	1.02	<0.5	21	53	41	4.89	10	4.52	20
UGA-64	141.00	142.00	1	M304107	0.82	9.5	4.69	606	470	1	<2	0.53	<0.5	13	43	28	5.27	10	3.41	20

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-64	142.00	143.00	1	M304108	2.13	14	6.9	556	700	1.9	<2	0.45	<0.5	20	55	52	4.45	10	4.51	30
UGA-64	143.00	144.00	1	M304110	0.59	8.1	6.69	640	300	1.9	<2	0.35	<0.5	20	50	29	7.17	10	4.43	20
UGA-64	144.00	145.00	1	M304111	0.37	6	8.16	462	840	2.3	<2	0.43	<0.5	21	59	37	3.71	20	5.11	30
UGA-64	145.00	146.00	1	M304112	0.27	4.6	7.06	375	360	1.8	<2	0.34	<0.5	19	54	31	5.08	10	4.85	20
UGA-64	146.00	147.00	1	M304113	0.23	4	6.75	353	670	1.5	<2	0.32	<0.5	18	52	30	4.18	10	4.08	30
UGA-64	147.00	148.00	1	M304115	0.37	2	4.03	415	40	1.5	<2	0.33	<0.5	13	40	17	3.54	10	1	20
UGA-64	148.00	149.00	1	M304116	1.1	12.6	3.63	233	80	1.9	<2	1.3	<0.5	10	20	10	2.27	10	1.34	10
UGA-64	149.00	150.00	1	M304117	2.47	0.5	5.49	126	130	2.1	<2	1.14	<0.5	11	18	19	2.51	10	1.98	20
UGA-64	150.00	151.00	1	M304118	0.03	2.4	6.88	22	160	1.8	<2	0.33	<0.5	16	19	29	5.12	10	2.28	20
UGA-64	151.00	152.00	1	M304119	0.03	<0.5	8.27	23	160	1.8	2	0.33	<0.5	17	22	29	4.54	20	2.7	20
UGA-64	152.00	153.00	1	M304120	0.1	<0.5	7.26	38	220	1.6	3	0.28	<0.5	13	20	27	3.3	10	2.55	20
UGA-65	0.00	2.00	2	M304121	0.07	<0.5	7.61	235	350	1.2	<2	0.44	<0.5	19	60	31	5.38	20	4.35	30
UGA-65	2.00	3.00	1	M304122	0.1	0.5	7.35	319	580	1.2	2	0.57	<0.5	22	58	47	5.63	20	4.37	20
UGA-65	3.00	4.00	1	M304123	0.2	1.2	6.7	232	320	1.1	2	0.65	<0.5	20	63	30	3.78	10	4.7	20
UGA-65	4.00	5.00	1	M304124	0.23	1.2	7.48	211	340	1.2	3	0.45	<0.5	18	62	40	4.04	10	5.33	30
UGA-65	5.00	7.00	2	M304125	0.1	1.4	7.28	169	590	1.1	<2	0.51	<0.5	18	65	36	4.05	10	5.1	30
UGA-65	7.00	9.00	2	M304126	0.1	1.1	6.99	172	690	1.1	<2	1.24	<0.5	17	63	30	4.5	10	4.64	20
UGA-65	9.00	11.00	2	M304127	0.09	0.9	7.42	181	610	1.2	2	1.22	<0.5	18	65	39	4.54	20	5.04	30
UGA-65	11.00	12.00	1	M304128	0.16	1.1	6.91	219	440	1.1	<2	0.46	<0.5	17	63	35	4.58	10	4.91	30
UGA-65	12.00	13.00	1	M304129	0.15	1.3	6.17	188	360	1.1	<2	0.44	<0.5	18	57	25	4.54	10	4.29	20
UGA-65	13.00	14.00	1	M304131	0.11	1.3	7.04	155	360	1.3	3	0.38	<0.5	19	64	36	4.87	10	4.62	30
UGA-65	14.00	16.00	2	M304132	0.13	1.3	6.4	169	390	1.4	<2	0.42	<0.5	17	57	24	5.02	10	4.01	20
UGA-65	16.00	18.00	2	M304133	0.24	2.5	5.2	729	120	1.7	<2	0.87	<0.5	15	51	28	4.3	10	2.03	20
UGA-65	18.00	19.00	1	M304134	0.15	1.1	5.94	360	340	1.4	2	0.58	<0.5	17	56	25	4.19	10	3.86	20
UGA-65	19.00	20.00	1	M304135	0.09	1.3	6.64	163	420	1.3	<2	0.46	<0.5	20	58	27	5.47	10	4.7	20
UGA-65	20.00	22.00	2	M304136	0.18	1	6.83	84	530	1.2	<2	1.24	<0.5	19	61	30	4.84	10	4.81	20
UGA-65	22.00	23.00	1	M304137	0.15	1.3	6.65	80	570	1.1	2	1.58	<0.5	16	60	45	4.41	10	4.83	20
UGA-65	23.00	24.00	1	M304138	0.6	1.7	6.92	183	620	1	<2	0.49	<0.5	19	64	70	3.7	10	5.04	20
UGA-65	24.00	25.00	1	M304139	0.11	1.4	7.29	98	340	1	<2	1.2	<0.5	18	64	32	4.96	10	5.14	20
UGA-65	25.00	26.00	1	M304140	0.08	1.5	7.24	119	520	0.9	<2	0.66	<0.5	19	65	28	3.88	10	5.14	20
UGA-65	26.00	27.00	1	M304141	0.11	1.1	6.86	132	370	1	3	1.54	<0.5	18	62	28	5.46	10	4.92	20
UGA-65	27.00	28.00	1	M304142	0.22	1.1	7.4	80	420	0.9	2	0.53	<0.5	19	69	44	3.91	10	5.2	20
UGA-65	28.00	29.00	1	M304143	0.06	1	6.93	74	360	1.1	<2	1.42	<0.5	18	63	31	6.11	10	4.57	20
UGA-65	29.00	30.00	1	M304144	0.1	1.1	7.04	88	540	1.3	3	1.26	<0.5	21	62	32	4.91	10	4.82	20
UGA-65	30.00	31.00	1	M304145	0.12	2.1	5.65	133	540	1.4	<2	0.31	<0.5	19	60	32	5.66	10	4.06	20
UGA-65	31.00	32.00	1	M304146	0.07	1.6	6.92	95	380	1.6	4	0.98	<0.5	19	63	32	6.14	20	4.46	20
UGA-65	32.00	33.00	1	M304147	0.34	3.6	6.72	121	530	1.5	2	0.31	<0.5	18	59	30	4.09	10	3.82	20
UGA-65	33.00	34.00	1	M304148	0.18	2.1	6.27	143	440	1.3	<2	0.44	<0.5	18	60	27	5.02	10	3.95	20
UGA-65	34.00	35.00	1	M304151	0.09	1.7	7.12	119	950	1.5	3	1.06	<0.5	18	65	34	4.96	10	3.77	20
UGA-65	35.00	36.00	1	M304152	0.1	1.6	7.07	143	560	1.3	<2	0.93	<0.5	20	67	32	5	20	4.64	20
UGA-65	36.00	37.00	1	M304153	0.1	2.6	6.88	115	530	1	2	0.96	<0.5	21	63	36	5.1	10	4.8	20
UGA-65	37.00	38.00	1	M304154	0.11	1.9	7.27	127	510	1	<2	0.88	<0.5	19	68	35	4.12	10	4.52	20
UGA-65	38.00	39.00	1	M304155	0.23	2.3	6.79	138	570	0.9	<2	0.69	<0.5	19	67	31	4.75	10	5.08	20
UGA-65	39.00	40.00	1	M304156	17.65	9.2	7.18	110	600	0.9	<2	0.48	<0.5	18	68	31	4.29	10	5.12	20

					ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26	Au-AA26D
Hole	From (m)	To (m)	Interval	Sample Nr	W ppm	Zn ppm	Ag ppm	Au Total (+)(-) Combined ppm	Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm	Au ppm
UGA-64	142.00	143.00	1	M304108	<10	69									
UGA-64	143.00	144.00	1	M304110	<10	77									
UGA-64	144.00	145.00	1	M304111	<10	71									
UGA-64	145.00	146.00	1	M304112	<10	62									
UGA-64	146.00	147.00	1	M304113	<10	75									
UGA-64	147.00	148.00	1	M304115	<10	41									
UGA-64	148.00	149.00	1	M304116	<10	42									
UGA-64	149.00	150.00	1	M304117	<10	44									
UGA-64	150.00	151.00	1	M304118	<10	86									
UGA-64	151.00	152.00	1	M304119	<10	73									
UGA-64	152.00	153.00	1	M304120	10	49									
UGA-65	0.00	2.00	2	M304121	<10	72									
UGA-65	2.00	3.00	1	M304122	10	65									
UGA-65	3.00	4.00	1	M304123	10	54									
UGA-65	4.00	5.00	1	M304124	10	63									
UGA-65	5.00	7.00	2	M304125	10	57									
UGA-65	7.00	9.00	2	M304126	<10	58									
UGA-65	9.00	11.00	2	M304127	<10	76									
UGA-65	11.00	12.00	1	M304128	10	60									
UGA-65	12.00	13.00	1	M304129	10	41									
UGA-65	13.00	14.00	1	M304131	10	76									
UGA-65	14.00	16.00	2	M304132	10	80									
UGA-65	16.00	18.00	2	M304133	<10	49									
UGA-65	18.00	19.00	1	M304134	10	69									
UGA-65	19.00	20.00	1	M304135	<10	95									
UGA-65	20.00	22.00	2	M304136	10	68									
UGA-65	22.00	23.00	1	M304137	10	59									
UGA-65	23.00	24.00	1	M304138	10	53									
UGA-65	24.00	25.00	1	M304139	10	63									
UGA-65	25.00	26.00	1	M304140	10	45									
UGA-65	26.00	27.00	1	M304141	10	70									
UGA-65	27.00	28.00	1	M304142	10	63									
UGA-65	28.00	29.00	1	M304143	10	82									
UGA-65	29.00	30.00	1	M304144	10	59									
UGA-65	30.00	31.00	1	M304145	<10	68									
UGA-65	31.00	32.00	1	M304146	10	67									
UGA-65	32.00	33.00	1	M304147	10	63									
UGA-65	33.00	34.00	1	M304148	10	58									
UGA-65	34.00	35.00	1	M304151	10	56									
UGA-65	35.00	36.00	1	M304152	10	52									
UGA-65	36.00	37.00	1	M304153	10	59									
UGA-65	37.00	38.00	1	M304154	10	61									
UGA-65	38.00	39.00	1	M304155	10	51									
UGA-65	39.00	40.00	1	M304156	10	66		16.3	276	7.1	9.561	34.7	979	6.76	7.44

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
UGA-65	40.00	41.00	1	M304157	0.45	1.5	6.66	60	290	0.9	2	0.84	<0.5	17	62	31	4.49	10	4.46	30
UGA-65	41.00	42.00	1	M304158	0.53	1.4	6.4	95	430	0.9	<2	0.51	<0.5	18	61	23	4.14	10	4.23	20
UGA-65	42.00	43.00	1	M304159	0.32	1.4	6.94	193	820	1	<2	0.59	<0.5	18	66	26	4.47	10	4.89	20
UGA-65	43.00	44.00	1	M304161	0.16	1.1	6.86	113	460	1	2	0.45	<0.5	19	68	32	4.74	10	4.32	20
UGA-65	44.00	45.00	1	M304162	0.05	0.9	6.58	59	390	1	<2	0.5	<0.5	18	62	25	4.89	10	3.87	20
UGA-65	45.00	47.00	2	M304163	0.08	1.3	7.03	83	470	0.9	3	0.4	<0.5	18	68	33	4.43	10	4.45	20
UGA-65	47.00	49.00	2	M304164	0.05	0.9	7.08	84	480	0.9	2	0.46	<0.5	18	69	35	4.54	10	4.6	30
UGA-65	49.00	51.00	2	M304165	0.07	1.1	7.01	113	620	1	2	0.56	<0.5	18	67	37	4.55	10	4.37	20
UGA-65	51.00	52.00	1	M304166	0.11	1.2	7.13	100	660	1	<2	0.36	<0.5	19	67	34	4.3	20	4.52	20
UGA-65	52.00	53.00	1	M304167	0.15	1.8	7.42	261	650	1.1	<2	0.43	<0.5	18	71	39	4.34	10	4.62	20
UGA-65	53.00	54.00	1	M304168	0.12	1	7.68	131	590	1.1	2	0.73	<0.5	18	69	36	5.2	20	4.62	30
UGA-65	54.00	55.00	1	M304169	0.66	1.5	5.99	227	610	1	<2	0.83	<0.5	17	61	31	4.32	10	3.75	20
UGA-65	55.00	56.00	1	M304171	0.09	1.4	6.37	194	510	1	3	0.76	<0.5	19	62	32	4.87	10	3.88	20
UGA-65	56.00	57.00	1	M304172	0.1	1.1	7.35	106	630	1	2	0.52	<0.5	20	67	37	4.7	10	4.65	20
UGA-65	57.00	58.00	1	M304173	0.15	1	7.02	88	610	1	<2	0.79	<0.5	20	68	31	4.72	10	4.4	20
UGA-65	58.00	59.00	1	M304174	0.05	1.2	7.07	74	430	1	2	1.52	<0.5	19	68	32	4.73	10	4.37	20
UGA-65	59.00	60.00	1	M304175	0.09	1.1	6.82	77	700	1.1	3	1.54	<0.5	17	69	36	4.19	10	4.06	20
UGA-65	60.00	61.00	1	M304176	0.04	1	7.09	137	610	1.4	<2	1.49	<0.5	19	71	39	5.33	10	3.77	20
UGA-65	61.00	62.00	1	M304177	1.38	3.5	6.27	204	440	1.5	<2	0.46	<0.5	17	64	37	4.25	10	3.5	20
UGA-65	62.00	63.00	1	M304178	0.32	1.6	6.83	156	490	1.4	3	0.58	<0.5	18	68	31	4.61	10	4.33	20
UGA-65	63.00	64.00	1	M304179	0.06	1.3	7	80	550	1.1	2	0.64	<0.5	18	70	31	4.76	10	4.21	20
UGA-65	64.00	65.00	1	M304181	0.07	1.4	7.09	66	420	1	3	0.45	<0.5	19	69	32	4.83	10	4.51	20
UGA-65	65.00	66.00	1	M304182	0.78	2	6.41	71	670	1	<2	0.37	<0.5	18	64	33	4.3	10	4.04	20
UGA-65	66.00	67.00	1	M304184	0.07	1.2	7.37	64	570	1.1	<2	0.4	<0.5	21	73	35	4.99	10	4.39	20
UGA-65	67.00	68.00	1	M304185	0.1	1.3	7	56	500	1	4	0.53	<0.5	18	67	30	4.46	10	4.06	20
UGA-65	68.00	69.00	1	M304186	0.12	1.2	6.76	58	280	0.9	<2	0.76	<0.5	19	71	32	4.77	10	3.84	20
UGA-65	69.00	70.00	1	M304187	0.06	1.1	6.83	43	700	1	2	0.56	<0.5	18	70	33	4.33	10	4.05	20
UGA-65	70.00	71.00	1	M304188	0.15	2.2	6.7	125	560	1	2	0.51	<0.5	18	66	34	4.27	10	4.32	20
UGA-65	71.00	72.00	1	M304189	0.11	1.6	7.04	114	300	1.1	3	0.4	<0.5	18	68	42	4.73	10	3.96	20
UGA-65	72.00	73.00	1	M304190	0.35	3.9	6.88	162	550	1.1	<2	0.44	<0.5	19	76	42	4.56	10	4.23	20
UGA-65	73.00	74.00	1	M304191	0.68	9.6	6.21	386	670	1	<2	0.71	<0.5	18	68	72	4.3	10	4.36	20
UGA-65	74.00	75.00	1	M304192	1.6	11	3.57	368	450	0.7	<2	0.55	<0.5	11	50	45	3.56	10	2.83	10
UGA-65	75.00	76.00	1	M304194	0.97	3.6	6.73	265	600	1.2	<2	0.42	<0.5	18	71	24	4.67	10	3.96	20
UGA-65	76.00	77.00	1	M304195	0.19	2	6.63	128	640	1.1	2	0.45	<0.5	19	68	23	4.29	10	4.38	20
UGA-65	77.00	78.00	1	M304196	0.13	1.7	6.87	152	660	1.1	3	0.67	<0.5	18	30	18	4.9	10	4.28	20
UGA-65	78.00	79.00	1	M304197	0.15	1.9	6.94	157	630	1.2	<2	0.86	<0.5	16	30	19	4.14	10	4.79	30
UGA-65	79.00	80.00	1	M304198	0.15	1.5	7.16	246	790	1.4	<2	0.62	<0.5	19	32	15	5.01	10	4.94	30
UGA-65	80.00	81.00	1	M304199	0.29	1.5	6.61	240	640	1.4	<2	0.33	<0.5	17	31	20	4.58	10	4.73	30
UGA-65	81.00	82.00	1	M304201	0.18	1.2	6.56	232	810	1.4	<2	1.27	<0.5	15	30	16	3.93	10	4.53	30
UGA-65	82.00	83.00	1	M304202	0.09	0.8	6.77	145	450	1.5	<2	0.71	<0.5	14	27	18	2.63	10	4.23	30
UGA-65	83.00	84.00	1	M304203	0.14	2.5	6.33	222	500	1.4	<2	0.9	<0.5	16	28	20	4.26	20	3.85	30
UGA-65	84.00	85.00	1	M304204	0.2	2.4	7.35	205	850	1.4	<2	1.4	<0.5	17	32	25	3.98	20	4.22	30
UGA-65	85.00	86.00	1	M304205	0.19	2.2	7.39	234	940	1.3	<2	0.85	<0.5	19	37	23	3.85	20	4.89	30
UGA-65	86.00	87.00	1	M304206	0.34	3.5	6.8	377	790	1.5	<2	0.82	<0.5	18	39	19	3.61	20	4.59	30

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
UGA-65	87.00	88.00	1	M304207	0.22	5.8	6.01	276	320	1.5	<2	0.46	<0.5	15	33	29	4.9	10	3.76	20	
UGA-65	88.00	89.00	1	M304208	1.18	18.8	6.02	315	370	1.2	<2	1.62	<0.5	15	32	28	4.97	10	4.33	20	
UGA-65	89.00	90.00	1	M304209	6.5	42.3	3.14	304	320	0.7	<2	1.92	<0.5	5	28	58	4.29	10	1.34	10	
UGA-65	90.00	91.00	1	M304210	5.34	43.8	3.41	168	160	1	<2	1.26	<0.5	6	24	36	3.9	10	0.97	10	
UGA-65	91.00	92.00	1	M304211	2.95	14.6	2.36	130	20	0.7	<2	1.72	<0.5	4	21	20	3.24	10	0.08	10	
UGA-65	92.00	93.00	1	M304212	1.11	3.9	3.15	97	350	0.7	<2	0.78	<0.5	6	30	13	3.22	10	1.86	10	
UGA-65	93.00	94.00	1	M304213	1.59	12	4.25	281	220	0.7	<2	0.79	<0.5	10	39	27	5.44	10	3.3	10	
UGA-65	94.00	95.00	1	M304214	1.02	5.3	5.17	189	350	0.8	<2	0.81	<0.5	11	40	17	4.8	10	4.13	20	
UGA-65	95.00	96.00	1	M304215	1.33	11.4	4.45	416	280	0.7	<2	0.78	<0.5	10	37	19	5.48	10	3.88	20	
UGA-65	96.00	97.00	1	M304217	6.19	30.2	4.91	1545	250	1.1	<2	0.96	<0.5	12	42	39	6.81	10	3.08	20	
UGA-65	97.00	98.00	1	M304218	0.59	7.1	5.88	554	480	1.2	<2	0.9	<0.5	14	44	43	4.92	10	3.92	20	
UGA-65	98.00	99.00	1	M304219	0.78	8.2	6.13	844	440	1.2	<2	0.77	<0.5	14	40	30	5.13	10	3.66	20	
UGA-65	99.00	100.00	1	M304220	0.47	5.2	5.3	245	560	1.1	2	0.86	<0.5	11	41	17	4.72	10	3.26	20	
UGA-65	100.00	101.00	1	M304221	0.41	6	4.71	310	380	0.7	<2	0.92	<0.5	11	37	12	5.64	10	3.22	20	
UGA-65	101.00	102.00	1	M304222	0.36	4.1	5.85	430	410	1	<2	0.71	<0.5	13	37	15	4.79	10	4.33	20	
UGA-65	102.00	103.00	1	M304223	0.26	2.7	6.25	583	520	1.1	<2	0.97	<0.5	14	39	23	4.47	10	4.54	20	
UGA-65	103.00	104.00	1	M304225	0.23	2.6	5.28	203	540	1.1	<2	0.65	<0.5	12	44	22	4.43	10	3.83	20	
UGA-65	104.00	105.00	1	M304226	0.21	2.8	5.89	198	420	1	<2	0.8	<0.5	16	45	24	4.76	10	4.95	20	
UGA-65	105.00	106.00	1	M304227	0.17	3.3	5.82	126	440	1	<2	0.72	<0.5	15	48	23	4	10	4.32	20	
UGA-65	106.00	107.00	1	M304228	0.07	2.8	3.87	108	160	0.9	<2	0.99	<0.5	11	39	16	4.13	10	1.3	20	
UGA-65	107.00	108.00	1	M304229	0.2	2.9	2.88	152	80	0.7	<2	1.46	<0.5	7	32	10	3.85	10	0.8	10	
UGA-65	108.00	109.00	1	M304231	0.52	5.6	5.28	516	280	0.9	<2	1.59	<0.5	14	65	20	5.98	10	2.95	20	
UGA-65	109.00	110.00	1	M304232	1.13	40	5.18	720	230	1.1	<2	2.18	<0.5	13	64	40	6.29	10	2.16	20	
UGA-65	110.00	111.00	1	M304233	3.35	8.3	4.27	566	200	1.1	<2	1.32	<0.5	11	67	44	5.25	10	1.48	20	
UGA-65	111.00	112.00	1	M304234	2.39	10.5	3.02	672	180	0.9	<2	1.18	<0.5	8	58	41	4.59	10	1	10	
UGA-65	112.00	113.00	1	M304236	6.54	5.9	4.07	526	140	1.3	<2	0.74	<0.5	12	60	39	4.81	10	1.22	20	
UGA-65	113.00	114.00	1	M304237	0.28	2.5	6.46	592	580	1.6	<2	1.42	<0.5	14	61	43	4.92	10	3.52	20	
UGA-65	114.00	115.00	1	M304238	0.6	2.9	6.08	443	700	1.4	<2	1.44	<0.5	15	55	45	4.39	10	3.05	20	
UGA-65	115.00	116.00	1	M304239	0.33	2.4	4.7	332	240	1.5	2	1.36	<0.5	13	57	34	4.16	10	1.98	20	
UGA-65	116.00	117.00	1	M304240	0.4	3.3	4.6	236	630	0.9	4	0.89	<0.5	12	46	21	3.51	10	3.37	20	
UGA-65	117.00	118.00	1	M304241	0.45	2.4	4.92	219	520	1	<2	0.52	<0.5	12	42	18	3.69	10	3.82	20	
UGA-65	118.00	119.00	1	M304242	0.36	3.1	5.08	239	600	1	<2	0.76	<0.5	12	42	13	3.77	10	4.23	20	
UGA-65	119.00	120.00	1	M304243	0.24	2.8	5.33	179	560	1.1	<2	0.33	<0.5	13	44	14	3.45	10	4.15	20	
UGA-65	120.00	121.00	1	M304244	0.32	2.5	3.53	169	90	1.2	<2	0.4	<0.5	8	45	10	3.35	10	1.64	10	
UGA-65	121.00	122.00	1	M304246	0.21	2.1	4.54	147	50	1.3	<2	0.48	<0.5	11	45	19	3.39	10	1.48	20	
UGA-65	122.00	123.00	1	M304247	0.1	1.2	6.8	108	100	1.7	3	4.02	<0.5	15	44	33	4.23	10	2.37	20	
UGA-65	123.00	124.00	1	M304248	0.06	1.5	6.09	57	90	1.9	<2	2.31	<0.5	13	39	23	4.76	10	2.81	20	
UGA-65	124.00	125.00	1	M304249	0.06	2.2	6.39	64	110	1.8	<2	2	<0.5	14	36	22	4.16	10	2.93	30	
UGA-65	125.00	126.00	1	M304251	0.08	0.9	6.64	83	90	1.7	<2	2.58	<0.5	16	52	25	4.5	10	2.82	30	
SSD-01	126.00	127.00	1	M302625	0.01	<0.5	7.62	11	420	1.1	<2	4.19	<0.5	18	37	36	4.34	10	2.99	30	
SSD-01	127.00	128.00	1	M302626	0.02	<0.5	7.33	29	130	1.1	<2	4.34	<0.5	15	38	27	4.47	10	1.96	30	
SSD-01	128.00	129.00	1	M302627	0.02	0.6	6.14	41	140	1	<2	3.41	<0.5	13	31	23	4.47	10	2.13	20	
SSD-01	129.00	130.00	1	M302629	0.03	0.7	6.86	74	230	1.1	<2	3.31	<0.5	16	35	29	4.47	10	2.25	30	
SSD-01	130.00	131.00	1	M302631	0.03	<0.5	7.54	37	450	1.3	2	4.42	<0.5	18	39	32	4.6	20	1.98	30	

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	K	La						
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm			
SSD-01	131.00	132.00	1	M302632	<0.01	<0.5		7.96	5	510	1.4 <2	4.96 <0.5	19	43	36	4.65	20	1.86	30		
SSD-01	132.00	133.00	1	M302633	0.01	<0.5		7.61	23	580	1.3 <2	4.32 <0.5	17	38	36	4.84	10	2.68	30		
SSD-01	133.00	134.00	1	M302634	0.02	<0.5		7.7	41	590	1.2 2	4.57 <0.5	18	38	36	4.77	10	2.71	30		
SSD-01	134.00	135.00	1	M302635	0.01	<0.5		7.86	<5	630	1.1 <2	3.69 <0.5	19	40	36	4.76	10	2.4	30		
SSD-01	140.00	141.00	1	M302636	0.01	<0.5		7.85	7	590	1.1 <2	3.35 <0.5	19	37	31	4.48	10	2.96	30		
SSD-01	141.00	142.00	1	M302637	0.01	<0.5		7.04	24	430	1.1 <2	4.48 <0.5	17	34	32	4.69	10	2.92	30		
SSD-01	142.00	143.00	1	M302638	0.01	<0.5		7.4	16	500	1.1 <2	4.58 <0.5	16	34	31	4.29	10	2.92	30		
SSD-01	143.00	144.00	1	M302639	0.01	<0.5		7.73	8	550	1.2 2	3.71 <0.5	17	42	35	4.35	10	3.35	30		
SSD-01	144.00	145.00	1	M302640	0.01	<0.5		6.02	10	200	1.1 <2	6.27 <0.5	14	36	27	5.01	10	2.29	30		
SSD-01	145.00	146.00	1	M302641	0.02	<0.5		5.54	15	180	1.1 <2	7.42 <0.5	13	20	33	4.58	10	2.34	30		
SSD-01	146.00	147.00	1	M302642	0.02	<0.5		6.81	33	440	1 <2	5.67 <0.5	15	27	27	4.69	10	3.03	30		
SSD-01	147.00	148.00	1	M302643	0.02	<0.5		7.59	26	340	1.1 <2	4.18 <0.5	18	33	29	3.83	20	2.48	30		
SSD-01	148.00	149.00	1	M302644	0.02	<0.5		7.41	11	320	1.1 <2	4.32 <0.5	17	33	26	4.26	10	2.45	30		
SSD-01	149.00	150.00	1	M302645	0.03	<0.5		7.44	20	540	1.1 <2	4.51 <0.5	16	35	32	4.32	10	2.64	30		
SSD-01	150.00	151.00	1	M302646	0.02	<0.5		7.61	15	360	1.1 <2	3.65 <0.5	17	34	28	3.93	10	3.07	30		
SSD-01	151.00	152.00	1	M302647	0.04	<0.5		6.45	41	280	1.1 <2	4.36 <0.5	16	26	24	4.68	10	2.62	30		
SSD-01	152.00	153.00	1	M302649	0.02	<0.5		7.51	24	430	1.3 <2	3.91 <0.5	18	35	30	3.94	20	2.47	30		
SSD-01	153.00	154.00	1	M302650	0.02	0.8		7.26	40	550	1.2 <2	4.49 <0.5	16	34	33	3.72	20	3.5	40		
SSD-01	154.00	155.00	1	M302651	0.02	0.6		6.93	39	190	1.2 <2	4.83 <0.5	17	33	38	4.29	20	3.65	30		
SSD-01	155.00	156.00	1	M302652	0.16	0.6		6.8	24	460	1.2 <2	5 <0.5	17	35	27	4.33	20	3.15	30		
SSD-01	156.00	157.00	1	M302653	0.03	0.8		6.22	48	90	1.1 <2	5.1 <0.5	14	30	24	4.84	10	2.31	30		
SSD-01	157.00	158.00	1	M302654	0.02	0.7		6.85	46	240	1.2 <2	5.25 <0.5	16	35	31	4.43	10	2.27	30		
SSD-01	158.00	159.00	1	M302655	0.04	1		7.65	49	310	1.4 <2	3.67 <0.5	19	37	31	3.89	20	2.7	40		
SSD-01	159.00	160.00	1	M302656	0.03	1.7		6.12	47	300	1.3 <2	4.67 <0.5	15	31	21	4.52	20	2.33	30		
SSD-01	160.00	161.00	1	M302657	0.02	1.7		5.6	38	240	1.3 <2	2.99 <0.5	13	36	16	4.76	20	2.47	20		
SSD-01	161.00	162.00	1	M302658	0.05	3.6		5.88	52	160	1.3 <2	5.23 <0.5	15	35	25	4.79	20	1.95	20		
SSD-01	162.00	163.00	1	M302659	0.03	2.6		6.93	47	50	1.4 <2	4.08 <0.5	18	45	31	4.66	20	2.7	30		
SSD-01	163.00	164.00	1	M302660	0.02	1.5		7.28	80	150	1.3 <2	3.36 <0.5	16	44	29	3.99	20	3.22	30		
SSD-01	164.00	165.00	1	M302661	0.03	2.1		6.67	53	70	1.4 <2	3.43 <0.5	16	47	26	4.42	20	2.43	30		
SSD-01	165.00	166.00	1	M302662	0.08	4.6		6.36	44	140	1.3 <2	3.45 <0.5	16	35	27	4.47	10	2.11	30		
SSD-01	166.00	167.00	1	M302663	0.08	5.2		5.5	49	100	1.2 <2	4.01 <0.5	13	28	23	4.34	10	1.31	20		
SSD-01	167.00	168.00	1	M302664	0.07	4.9		6.26	54	170	1.2 <2	4.05 <0.5	16	32	28	4.49	10	1.88	30		
SSD-01	168.00	169.00	1	M302666	0.06	4.6		5.22	35	200	1.3 <2	4.17 <0.5	13	30	24	3.96	10	1.48	20		
SSD-01	169.00	170.00	1	M302668	0.06	5.4		5.32	30	90	1.4 <2	4.58 <0.5	12	27	25	4.19	20	2.19	30		
SSD-01	170.00	171.00	1	M302669	0.05	4		5.04	28	20	1.3 <2	2.91 <0.5	13	26	20	3.8	10	1.94	20		
SSD-01	171.00	172.00	1	M302671	0.05	3		4.24	53	20	1.2 <2	4.43 <0.5	10	21	22	3.11	10	1.58	20		
SSD-01	172.00	173.00	1	M302672	0.05	2.8		3.64	87	20	1 <2	5.16 <0.5	10	21	17	3.28	10	1.04	20		
SSD-01	173.00	174.00	1	M302673	1.32	37.6		4.2	1485	20	3.8 <2	3.93 <0.5	11	31	76	3.57	10	1.16	20		
SSD-01	174.00	175.00	1	M302674	0.06	1.3		4.95	353	30	1.5 <2	2.27 <0.5	13	23	23	3.7	10	1.33	20		
SSD-01	197.00	198.00	1	M302675	0.04	1.5		6.46	5	140	1.8 <2	4.98 <0.5	13	25	17	4.43	20	3.08	30		
SSD-01	198.00	199.00	1	M302676	0.04	1.4		7.45	20	440	1.2 <2	4.2 <0.5	17	34	28	4.46	20	4.5	30		
SSD-01	199.00	200.00	1	M302677	0.04	0.8		7.86	14	890	1.2 <2	3.08 <0.5	19	39	33	4.64	20	4.78	30		
SSD-01	200.00	201.00	1	M302678	0.04	1.7		7.75	20	730	1.4 <2	3.79 <0.5	19	40	31	4.47	20	4.46	30		
SSD-01	201.00	202.00	1	M302679	0.04	1.2		8	11	710	1.4 <2	3.63 <0.5	19	39	39	4.63	20	4.49	30		

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
SSD-01	202.00	203.00	1	M302680	0.04	1.9	7.44	10	350	1.4	<2	4.38	<0.5	17	35	32	4.68	20	3.41	30
SSD-01	203.00	204.00	1	M302681	0.04	1.7	8.03	17	680	1.3	<2	3.29	<0.5	20	36	31	4.57	20	4.8	30
SSD-01	204.00	205.00	1	M302682	0.04	1.4	7.42	17	650	1.2	<2	3.38	<0.5	18	37	33	4.61	20	4.63	30
SSD-01	205.00	206.00	1	M302683	0.04	1.7	7.17	11	500	1.2	<2	3.62	<0.5	17	37	30	4.34	20	3.7	30
SSD-01	206.00	207.00	1	M302685	0.05	1	7.32	11	480	1.3	<2	4.24	<0.5	17	34	29	4.44	20	3.8	30
SSD-01	207.00	208.00	1	M302686	0.03	<0.5	7.82	9	580	1.3	<2	3.85	<0.5	18	38	34	4.4	20	4.41	30
SSD-01	227.00	228.00	1	M302687	0.06	3.4	6.76	102	90	1.4	<2	3.05	<0.5	22	58	34	5.32	10	2.15	20
SSD-01	228.00	229.00	1	M302688	0.05	1.7	7.84	78	160	1.6	<2	0.53	<0.5	26	71	45	5.84	20	2.34	30
SSD-01	229.00	230.00	1	M302689	0.04	0.6	8.4	128	40	1.6	<2	0.46	<0.5	28	73	45	5.52	20	1.66	30
SSD-01	230.00	231.00	1	M302690	0.05	<0.5	8.23	104	40	1.8	<2	0.53	<0.5	28	80	42	4.67	20	1.58	30
SSD-01	231.00	232.00	1	M302691	0.08	1.8	7.82	120	40	1.6	<2	0.35	<0.5	30	66	41	5.49	20	1.74	30
SSD-01	232.00	233.00	1	M302692	0.1	4.9	7.41	158	40	1.4	<2	0.33	<0.5	27	63	34	4.61	20	1.56	30
SSD-01	233.00	234.00	1	M302693	0.11	7.9	7.95	204	50	1.4	<2	0.32	<0.5	25	67	42	3.88	20	1.74	30
SSD-01	234.00	235.00	1	M302695	0.09	6.1	8.68	159	310	1.6	<2	0.46	<0.5	30	73	44	4.87	20	3.26	40
SSD-01	235.00	236.00	1	M302696	0.13	11.8	8.95	228	350	1.6	<2	0.43	<0.5	33	76	53	5.08	20	3.52	40
SSD-01	236.00	237.00	1	M302697	0.22	19.4	8.33	208	280	1.5	<2	0.4	<0.5	30	69	50	4.72	20	3.84	30
SSD-01	237.00	238.00	1	M302698	0.12	9.4	8.03	192	60	1.8	<2	0.57	<0.5	24	66	56	4.64	20	1.52	30
SSD-01	238.00	239.00	1	M302699	0.07	6.1	7.84	205	110	1.8	<2	0.71	<0.5	28	63	39	5.91	20	1.78	30
SSD-01	239.00	240.00	1	M302701	0.07	3.4	8.23	173	280	1.6	<2	0.59	<0.5	26	68	43	5.83	20	3.05	30
SSD-01	240.00	241.00	1	M302702	0.08	5.8	7.95	102	450	1.3	<2	0.42	<0.5	23	66	40	4.31	20	4.09	30
SSD-01	241.00	242.00	1	M302703	0.09	5.5	7.46	103	380	1.3	<2	0.4	<0.5	27	60	38	6.5	20	3.72	30
SSD-01	242.00	244.00	2	M302704	0.09	9.2	7.91	105	400	1.4	<2	0.61	<0.5	33	64	45	7.65	20	3.26	30
SSD-01	244.00	245.00	1	M302705	0.06	14.1	7.66	82	80	1.7	<2	2.4	<0.5	25	60	53	5.11	20	1.92	30
SSD-01	245.00	246.80	1.8	M302706	0.07	8.2	6.25	40	50	1.4	<2	4.23	<0.5	20	51	48	5.51	20	1.64	20
SSD-01	246.80	250.20	3.4	M302707	0.06	35.4	6.27	231	80	1.1	<2	0.74	<0.5	15	57	68	4.98	20	1.99	20
SSD-01	250.20	252.00	1.8	M302709	0.08	7	7.34	136	460	1.3	<2	2.32	<0.5	19	60	37	4.76	20	3.32	20
SSD-01	252.00	253.00	1	M302710	0.11	2.4	7.81	213	410	1.5	<2	0.45	<0.5	19	67	29	4.67	20	4.69	30
SSD-01	253.00	254.00	1	M302711	0.06	1.2	7.56	75	750	1.5	<2	0.52	<0.5	18	72	31	6.15	20	4.79	30
SSD-01	254.00	255.00	1	M302712	0.1	2.7	7.83	93	740	1.4	<2	0.47	<0.5	20	73	33	5.35	20	4.83	30
SSD-01	255.00	256.00	1	M302713	0.11	5.7	7.62	162	780	1.4	<2	0.53	<0.5	25	70	37	6.15	20	5.04	30
SSD-01	256.00	257.00	1	M302714	0.12	6.5	7.1	110	730	1.1	<2	0.63	<0.5	23	63	37	6.83	20	4.67	30
SSD-01	257.00	258.00	1	M302715	0.16	4.9	7.4	137	560	1.3	<2	0.4	<0.5	21	68	29	5.54	20	4.89	30
SSD-01	258.00	259.00	1	M302716	0.11	4.7	7.59	134	610	1.4	<2	0.45	<0.5	24	70	39	6.21	20	4.37	30
SSD-01	259.00	260.00	1	M302717	0.19	7.4	6.74	246	250	1.5	<2	0.42	<0.5	25	64	43	4.55	20	2.87	30
SSD-01	260.00	261.00	1	M302718	0.13	9.9	6.97	195	280	1.7	<2	0.5	<0.5	37	63	58	5.61	20	2.6	30
SSD-01	261.00	262.00	1	M302719	0.15	11.8	7.02	166	60	1.8	<2	0.61	<0.5	30	68	56	5.07	20	1.4	30
SSD-01	262.00	263.00	1	M302721	0.11	6.5	7.98	152	150	2.2	<2	0.82	0.9	24	76	48	4.88	20	2.24	30
SSD-01	263.00	264.00	1	M302722	0.08	3.5	7.83	97	590	1.4	<2	0.45	0.7	24	79	42	5.02	20	4.58	30
SSD-01	264.00	265.00	1	M302723	0.12	5.6	7.65	141	750	1.4	<2	0.35	0.8	24	77	42	4.69	20	4.32	30
SSD-01	265.00	266.00	1	M302724	0.22	12.3	7.04	168	640	1.1	<2	0.3	0.6	23	69	40	5.15	20	4.45	30
SSD-01	266.00	267.00	1	M302725	0.11	3.7	7.84	159	720	1.4	<2	0.35	0.6	20	75	43	4.39	20	5	30
SSD-01	267.00	268.00	1	M302726	0.14	10.1	7.65	187	740	1.4	<2	0.39	0.7	20	74	42	4.85	20	4.69	30
SSD-01	268.00	269.00	1	M302727	0.17	5.2	6.26	217	520	1.1	<2	2.56	0.5	21	52	29	4.92	10	3.52	30
SSD-01	269.00	270.00	1	M302728	0.07	2.9	7.19	112	610	1.2	<2	2.49	0.7	17	38	30	4.18	20	4.43	30

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-01	270.00	271.00	1	M302731	0.09	1.1	7.55	29	660	1.2	<2	2.6	0.5	16	40	42	4.46	20	4.51	30	
SSD-01	271.00	272.00	1	M302732	0.07	1.5	8	61	620	1.3	<2	0.78	0.7	29	74	39	6.26	20	4.74	30	
SSD-01	272.00	273.00	1	M302733	0.12	4.1	7.97	100	730	1.3	<2	1.6	0.8	27	80	39	5.37	20	5.04	30	
SSD-01	273.00	274.00	1	M302734	0.11	6.1	6.97	162	610	1.1	<2	2.79	0.6	22	68	36	4.53	20	4.43	30	
SSD-01	274.00	275.00	1	M302735	0.14	7.9	7.09	179	640	1.2	<2	2.06	0.6	18	70	36	4.4	10	4.53	30	
SSD-01	275.00	276.00	1	M302737	0.11	4.2	7.75	180	650	1.5	<2	0.9	0.7	24	74	37	5.24	20	4.44	30	
SSD-01	276.00	277.00	1	M302738	0.69	47.6	4.99	382	60	1.4	<2	0.61	0.8	14	61	81	3.31	10	1	30	
SSD-01	277.00	278.00	1	M302740	0.41	10	8.19	208	510	1.5	<2	0.66	0.7	28	82	66	4.43	20	3.44	40	
SSD-01	278.00	279.00	1	M302741	0.31	19.8	6.92	215	730	1.1	<2	1.72	0.7	19	71	53	4.23	20	4.61	30	
SSD-01	279.00	280.00	1	M302742	0.11	6.8	7.37	133	710	1.1	<2	1.56	<0.5	20	74	43	4.47	20	5.15	30	
SSD-01	280.00	281.00	1	M302743	0.37	13.2	6.4	206	660	0.9	<2	1.24	<0.5	19	66	39	4.63	20	4.5	20	
SSD-01	281.00	282.00	1	M303007	0.49	23.3	6.43	215	620	1	<2	1.48	0.6	18	75	49	4.26	10	4.2	30	
SSD-01	282.00	283.00	1	M303008	0.31	15.8	7.25	314	590	1.6	<2	0.55	<0.5	21	84	56	4.37	20	4.22	30	
SSD-01	283.00	284.00	1	M303009	2.17	14.3	6.57	995	30	2	<2	0.92	<0.5	22	75	70	4.34	10	1.04	30	
SSD-01	284.00	285.00	1	M303010	0.61	34.5	3.74	784	360	0.9	<2	0.46	<0.5	10	53	52	3.24	10	1.83	20	
SSD-01	285.00	286.00	1	M303012	0.45	45.5	5.39	232	360	1.2	<2	0.62	<0.5	17	54	43	4.15	10	2.18	20	
SSD-01	286.00	287.00	1	M303013	0.14	6.9	7.1	196	960	1.3	<2	0.42	<0.5	19	42	29	4.31	10	5.28	30	
SSD-01	287.00	288.00	1	M303014	0.14	4.9	6.75	193	830	1.3	<2	0.48	<0.5	16	40	30	4.87	10	4.22	30	
SSD-01	288.00	289.00	1	M303015	1.05	19.6	4.3	152	130	1	<2	0.36	<0.5	12	64	70	2.45	10	0.89	20	
SSD-01	289.00	290.00	1	M303017	0.47	14.1	6.23	317	120	1.2	<2	0.4	<0.5	20	46	45	3.93	10	1.16	30	
SSD-01	290.00	291.00	1	M303018	0.38	8.7	4.82	3970	40	3.4	<2	3.07	1.2	26	41	46	9.49	10	0.54	20	
SSD-01	291.00	292.00	1	M303019	0.34	8.2	5.74	3640	70	1.6	3	1.88	<0.5	30	42	41	7.3	10	0.9	30	
SSD-01	292.00	293.00	1	M303021	0.17	10.1	6.99	287	660	1.1	<2	0.67	<0.5	21	45	40	4.32	10	4.09	30	
SSD-01	293.00	294.00	1	M303022	0.13	7.8	6.72	243	680	1.1	<2	1.79	<0.5	23	45	31	5.85	10	4.21	30	
SSD-01	294.00	295.00	1	M303023	0.09	7	7.21	121	580	1.3	<2	1.64	<0.5	30	70	33	7.26	10	4.54	30	
SSD-01	295.00	296.00	1	M303024	0.04	1.9	8.33	42	610	1.6	<2	3.07	<0.5	27	84	29	5.75	20	3.23	30	
SSD-01	296.00	297.00	1	M303025	0.04	2.5	7.94	53	660	1.4	<2	1.42	<0.5	30	77	31	5.83	20	3.91	30	
SSD-01	297.00	298.00	1	M303026	0.09	4.7	8.04	183	650	1.6	<2	0.44	<0.5	26	77	36	5.36	20	4.88	30	
SSD-01	298.00	299.00	1	M303027	0.09	3.9	8.32	82	250	2	<2	0.59	<0.5	29	86	49	5.01	20	2.22	30	
SSD-01	299.00	300.00	1	M303028	0.05	4.4	8	99	120	1.7	<2	0.65	<0.5	27	87	43	5.5	20	1.62	30	
SSD-01	300.00	301.00	1	M303029	0.09	11	6.58	124	580	1.3	<2	2.04	<0.5	24	64	37	5.86	10	2.09	30	
SSD-01	301.00	302.00	1	M303030	0.14	12.1	7	178	650	1	<2	1.38	<0.5	22	82	39	4.54	10	3.06	30	
SSD-01	302.00	303.00	1	M303031	0.1	7.6	6.94	208	640	1.1	<2	2.52	<0.5	21	94	35	5.13	10	3.69	30	
SSD-01	303.00	304.00	1	M303032	0.11	5.1	6.78	177	260	1.1	<2	2.53	<0.5	19	101	27	4.19	10	2.09	30	
SSD-01	304.00	305.00	1	M303033	0.11	6.1	7.05	158	870	1	<2	2.56	<0.5	20	73	33	4.67	10	3.08	30	
SSD-01	305.00	306.00	1	M303034	0.11	6.1	6.38	135	700	1.1	<2	1.88	<0.5	19	52	22	3.88	10	3.65	30	
SSD-01	306.00	307.00	1	M303035	0.11	9.1	6.75	133	740	1.1	<2	1.84	<0.5	21	70	36	4.75	10	3.76	30	
SSD-01	307.00	308.00	1	M303036	0.22	16.2	5.97	131	620	1	<2	1	<0.5	18	100	32	4.19	10	3.46	20	
SSD-01	308.00	309.00	1	M303038	0.14	12.2	6.75	122	780	1.1	<2	1.17	<0.5	21	81	34	4.38	10	4.04	30	
SSD-01	309.00	310.00	1	M303039	0.1	8.5	6.82	117	590	1.3	<2	1.24	<0.5	20	100	36	4.49	10	3.4	30	
SSD-01	310.00	311.00	1	M303040	0.16	10.4	6.61	81	410	1.3	<2	1.58	<0.5	19	92	28	3.7	10	2.94	20	
SSD-01	311.00	312.00	1	M303041	0.08	5.3	6.88	136	250	1.5	5	4.17	<0.5	23	76	40	4.76	20	2.45	30	
SSD-01	312.00	313.00	1	M303042	0.17	8.9	5.27	71	70	1.3	3	0.58	<0.5	19	54	31	3.91	10	2.33	20	
SSD-01	313.00	314.00	1	M303043	0.07	5.5	5.55	138	90	1.1	<2	0.67	<0.5	17	49	19	3.41	10	1.88	20	

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm		
SSD-01	314.00	315.00	1	M303044	0.21	8.4	6.06	329	340	1.2 <2	0.49	<0.5	17	63	81	4.28	10	2.43	20	
SSD-01	315.00	316.00	1	M303045	0.14	3.4	7.64	433	710	1.6 <2	2.35	<0.5	22	72	76	4.27	20	4.26	30	
SSD-01	316.00	317.00	1	M303047	0.18	3.8	8.04	369	750	1.6	4	1.56	<0.5	22	72	69	4.83	20	4.25	30
SSD-01	317.00	318.00	1	M303048	0.49	14	7.63	281	690	1.4	4	1.35	<0.5	20	63	106	4.8	20	4.56	30
SSD-01	318.00	319.00	1	M303049	0.21	7.3	6.05	272	590	1.1	2	2.89	0.5	15	57	38	3.72	10	3.57	30
SSD-01	319.00	320.00	1	M303051	0.22	12.2	5.42	355	480	1	2	2.57	<0.5	13	45	38	4.03	10	3.01	30
SSD-01	320.00	321.00	1	M303052	0.38	7.3	7.12	680	510	1.5 <2	1.99	<0.5	21	53	51	4.95	10	3.83	30	
SSD-01	321.00	322.00	1	M303053	0.1	4.6	7.91	160	260	1.7	2	0.4	0.5	25	74	60	4.66	20	2.28	30
SSD-01	322.00	323.00	1	M303054	0.1	5	7.55	169	430	1.4	2	1.6	<0.5	22	58	54	4.66	20	3.82	30
SSD-01	323.00	324.00	1	M303055	0.1	4.7	7	235	370	1.4	2	2.77	0.5	19	45	26	4.63	20	2.6	30
SSD-01	324.00	325.00	1	M303056	0.08	1.1	6.53	97	240	1.2 <2	3.18	<0.5	17	40	16	4.09	10	3.12	20	
SSD-01	325.00	326.00	1	M303058	0.23	1.3	7.08	118	370	1.4 <2	0.88	0.5	23	46	40	4.54	10	2.61	30	
SSD-01	326.00	327.00	1	M303059	0.09	1.4	6.72	136	210	1.2 <2	2.03	0.5	19	34	11	4.57	10	2.45	30	
SSD-01	327.00	328.00	1	M303060	0.05	0.5	7.32	100	590	1.5	2	4.51	0.6	18	51	39	4.03	20	2.02	30
SSD-01	328.00	329.00	1	M303061	0.16	1.8	7.32	625	510	1.8	2	4.24	0.6	21	50	55	4.9	20	2.03	30
SSD-01	329.00	330.00	1	M303062	0.08	1.8	6.73	62	580	1.4 <2	5.23	0.7	18	36	24	4.74	20	1.89	30	
SSD-01	330.00	331.00	1	M303063	0.02	1	6.6	32	200	1.3	3	3.74	<0.5	19	42	33	4.71	20	2.79	20
SSD-01	331.00	332.00	1	M303064	0.06	2.7	6.39	128	340	1.3	6	3.52	0.6	18	39	22	5.45	10	2.31	30
SSD-01	332.00	333.00	1	M303065	0.1	6.1	7.29	144	170	1.2	7	2.97	0.6	21	66	30	6.42	20	2.68	30
SSD-01	333.00	334.00	1	M303066	0.08	4.7	7.42	101	200	1.3	7	2.42	<0.5	21	69	32	5.62	20	2.51	30
SSD-01	334.00	335.00	1	M303067	0.09	6.5	7.6	265	90	1.6	5	0.69	0.5	26	65	41	5.28	20	1.81	30
SSD-01	335.00	336.00	1	M303068	0.09	8.7	6.78	259	60	1.7	3	1.64	0.5	30	62	41	5.99	20	1.51	30
SSD-01	336.00	337.00	1	M303069	0.1	6.6	7.55	203	60	1.4	4	1.05	0.5	22	47	29	5.73	20	1.56	30
SSD-01	337.00	338.00	1	M303071	0.1	5.7	6.27	130	60	1.3	2	2.2	<0.5	19	41	30	5.8	10	1.22	30
SSD-01	338.00	339.00	1	M303072	0.07	4.3	7.13	137	80	1.3	3	1.51	<0.5	19	52	22	5.17	20	1.54	30
SSD-01	339.00	340.00	1	M303073	0.07	3	6.87	173	90	1.3 <2	1.01	<0.5	21	70	24	4.96	10	1.51	30	
SSD-01	340.00	341.00	1	M303074	0.05	2.1	6.72	88	90	1.3	2	0.98	<0.5	18	63	16	3.98	10	2.05	30
SSD-01	341.00	342.00	1	M303075	0.06	2.9	6.28	63	90	1.2 <2	2.16	<0.5	16	41	17	4.89	10	1.96	30	
SSD-01	342.00	343.00	1	M303076	0.06	1.5	5.7	77	90	1.3 <2	1.62	<0.5	16	39	14	4.25	10	2	20	
SSD-01	343.00	344.00	1	M303077	0.07	1.3	5.59	79	80	1.3	4	2.09	0.5	14	40	16	4.38	10	1.91	20
SSD-01	344.00	345.00	1	M303078	0.11	4.8	7.19	344	90	1.4 <2	1.19	<0.5	21	86	40	4.73	10	1.98	30	
SSD-01	345.00	346.00	1	M303079	0.15	5.1	7.68	750	110	1.7	3	1.46	0.6	24	132	46	4.63	10	2.28	30
SSD-01	346.00	347.00	1	M303080	0.09	4.3	7.24	301	70	1.5	2	0.72	0.5	25	130	38	4.77	20	1.44	30
SSD-01	347.00	348.00	1	M303081	0.07	3.4	4.4	152	30	1.1	2	0.41	<0.5	14	99	19	3.17	10	0.65	10
SSD-01	348.00	349.00	1	M303083	0.09	3	5.59	174	50	1.4 <2	1.4	0.5	20	106	22	4.83	10	0.87	20	
SSD-01	349.00	351.00	2	M303084	0.12	4.4	2.71	232	30	1.1 <2	0.46	0.5	10	66	14	4.56	10	0.41	10	
SSD-01	351.00	352.00	1	M303085	1.27	28.1	3.24	137	100	1 <2	1.16	<0.5	11	26	21	4.89	10	0.88	10	
SSD-01	352.00	353.00	1	M303086	0.13	3.6	2.56	133	80	1.1	2	2.46	0.5	7	33	15	3.88	10	0.59	10
SSD-01	353.00	354.00	1	M303087	0.43 <0.5		4.21	107	160	1.6 <2	0.61	0.5	12	24	29	5.62	10	1.24	10	
SSD-01	354.00	355.00	1	M303088	0.14 <0.5		5.62	101	160	1.3 <2	0.33	<0.5	10	15	15	3.73	10	1.71	10	
SSD-01	355.00	356.00	1	M303089	0.13 <0.5		6.79	57	60	1.5 <2	0.32	<0.5	7	14	17	2.73	10	0.89	30	
SSD-01	356.00	357.00	1	M303090	0.27 <0.5		7.04	17	10	1.4	2	0.26	<0.5	5	12	13	2.38	10	0.55	30
SSD-02	110.00	111.00	1	M303380	0.02 <0.5		5.85	21	80	1.1 <2	5.94	<0.5	16	31	30	5.35	10	2.03	20	
SSD-02	111.00	112.00	1	M303381	0.02 <0.5		7.41	14	80	1.1 <2	5	<0.5	16	36	42	4.22	20	2.02	30	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-02	112.00	113.00	1	M303382	0.03	<0.5		7.16	36	60	1.1	<2	3.77	<0.5	19	36	35	5.21	10	1.99	30
SSD-02	113.00	114.00	1	M303383	0.02	<0.5		7.75	15	70	1.1	<2	4.81	<0.5	19	36	37	4.44	20	1.82	30
SSD-02	114.00	115.00	1	M303384	0.02	<0.5		5.73	18	110	1.2	<2	6.36	<0.5	17	24	30	6.77	20	1.94	20
SSD-02	115.00	116.00	1	M303385	0.04	<0.5		6	23	290	1.2	<2	6.28	<0.5	16	26	29	5.98	10	2.63	20
SSD-02	116.00	117.00	1	M303386	0.01	<0.5		5.03	18	270	1.2	<2	5.81	<0.5	12	23	26	6.18	10	2.49	20
SSD-02	117.00	118.00	1	M303387	0.01	<0.5		6.17	21	190	1.1	<2	5.04	<0.5	14	30	31	5.93	20	2.53	30
SSD-02	118.00	119.00	1	M303388	0.01	<0.5		7.39	35	600	1.1	<2	4.7	<0.5	18	36	27	4.27	20	2.74	30
SSD-02	119.00	120.00	1	M303389	0.04	0.8		7.21	80	250	1.1	<2	4.14	<0.5	19	35	28	4.5	10	1.95	30
SSD-02	120.00	121.00	1	M303391	0.05	1.3		7.73	88	500	1.2	<2	3.2	<0.5	18	38	32	4.91	20	1.98	30
SSD-02	121.00	122.00	1	M303392	0.03	0.7		7.58	81	120	1.1	<2	3.28	<0.5	20	39	36	5.07	20	2.01	30
SSD-02	122.00	123.00	1	M303393	0.04	1		7.07	79	140	1.1	<2	3.41	<0.5	19	37	30	4.63	20	1.56	30
SSD-02	123.00	124.00	1	M303395	0.01	<0.5		7.93	27	410	1.6	<2	4.5	<0.5	19	40	35	4.29	20	1.52	30
SSD-02	174.00	175.00	1	M303396	0.04	2.4		7.08	47	370	1.3	<2	2.41	<0.5	20	30	33	4.97	20	4	30
SSD-02	175.00	176.00	1	M303397	9.53	7.9		3.22	91	20	1.4	<2	2.06	<0.5	11	27	25	3.55	10	0.5	20
SSD-02	176.00	177.00	1	M303398	0.05	0.8		7.06	85	50	1.3	<2	2.1	<0.5	26	34	35	6.88	20	1.68	30
SSD-02	187.00	188.00	1	M303399	0.04	2.1		7.04	46	380	1.2	<2	3.76	<0.5	18	30	31	4.54	20	4.52	30
SSD-02	188.00	189.00	1	M303401	0.03	1.6		5.78	56	240	1.3	<2	5	<0.5	16	24	26	4.78	10	3.45	30
SSD-02	189.00	190.00	1	M303402	0.03	1.4		6.99	28	370	1.1	<2	4.36	<0.5	18	32	27	4.23	10	3.73	30
SSD-02	190.00	191.00	1	M303403	0.07	2.3		6.97	26	390	1.2	2	4.07	<0.5	18	32	33	3.84	10	3.85	30
SSD-02	191.00	192.00	1	M303404	0.06	2.2		7.24	43	420	1.3	3	3.62	<0.5	18	34	29	4.43	10	4.05	30
SSD-02	192.00	193.00	1	M303405	0.04	1.4		7.03	25	470	1.2	<2	3.78	<0.5	19	30	30	4.69	10	3.56	30
SSD-02	193.00	194.00	1	M303406	0.04	1.6		7.38	27	540	1.3	<2	3.9	<0.5	18	32	31	4.32	10	4.15	30
SSD-02	194.00	195.00	1	M303407	0.1	1.8		7.08	23	410	1.2	<2	4.02	<0.5	18	30	30	4.52	10	3.7	30
SSD-02	195.00	196.00	1	M303408	0.04	1.4		7.08	31	420	1.2	<2	4.3	<0.5	18	29	28	4.69	10	3.72	30
SSD-02	196.00	197.00	1	M303409	0.05	1.3		7.97	41	710	1.2	<2	3.53	<0.5	19	35	31	4.82	10	4.05	30
SSD-02	197.00	198.00	1	M303410	0.03	1		8.28	40	600	1.1	<2	2.38	<0.5	20	37	32	4.33	10	3.65	30
SSD-02	198.00	199.00	1	M303411	0.05	1.7		7.62	40	860	1	2	2.56	<0.5	19	37	33	4.86	10	2.58	30
SSD-02	199.00	200.00	1	M303412	0.07	2.4		7.14	40	440	1	<2	2.53	<0.5	18	33	28	5.58	10	2.69	30
SSD-02	200.00	201.00	1	M303413	0.05	1.3		7.91	28	630	1	<2	2.87	<0.5	20	36	32	4.27	20	3.43	30
SSD-02	201.00	202.00	1	M303414	0.28	8.3		6.44	39	470	0.9	<2	4.76	<0.5	16	27	30	4.7	10	2.21	30
SSD-02	202.00	203.00	1	M303415	0.06	2.6		7.23	38	710	1	2	3.59	<0.5	19	32	31	4.46	10	3.18	30
SSD-02	240.00	241.00	1	M303416	0.1	4		6.9	345	120	1.3	<2	0.35	<0.5	27	68	45	6.3	10	1.83	20
SSD-02	241.00	242.00	1	M303417	0.15	6.7		7.38	628	30	1.6	<2	0.57	<0.5	25	79	61	5.18	10	0.97	30
SSD-02	242.00	243.00	1	M303419	0.09	4.3		7.54	449	60	1.5	2	0.47	<0.5	24	73	59	4	10	1.28	30
SSD-02	243.00	244.00	1	M303420	0.07	2.9		7.97	247	140	1.5	<2	0.64	<0.5	31	75	59	4.36	10	1.75	20
SSD-02	257.00	258.00	1	M303421	0.04	1.4		7.85	70	690	1.3	2	0.37	<0.5	25	61	39	5.38	10	5.03	30
SSD-02	258.00	259.00	1	M303422	0.12	4.7		7	130	590	1	<2	0.34	<0.5	18	56	36	4.39	10	4.76	20
SSD-02	259.00	260.00	1	M303423	0.06	2.5		7.1	89	680	1	2	0.36	<0.5	18	56	29	5.14	10	4.91	20
SSD-02	260.00	261.00	1	M303424	0.08	3.5		6.74	118	660	0.9	<2	2.49	<0.5	18	53	29	4.83	10	4.75	20
SSD-02	261.00	262.00	1	M303425	0.09	4.2		6.48	112	710	1	<2	1.88	<0.5	18	48	25	4.54	10	4.42	20
SSD-02	262.00	263.00	1	M303426	0.17	15.1		6.21	118	710	0.9	<2	2	<0.5	16	48	19	4.66	10	4.34	20
SSD-02	263.00	264.00	1	M303428	0.09	4.4		7.41	184	760	1.2	<2	0.47	<0.5	20	58	34	5.92	10	4.53	30
SSD-02	264.00	265.00	1	M303429	0.14	6		7.69	224	310	1.3	2	0.6	<0.5	22	62	43	4.45	10	2.46	30
SSD-02	265.00	266.00	1	M303431	0.14	4.8		7.31	316	130	1.5	2	0.5	<0.5	24	66	48	3.78	10	1.35	30

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-02	266.00	267.00	1	M303432	0.41	24.9	6.21	495	50	2.1	<2	1.34	0.6	20	72	39	2.73	10	0.7	30	
SSD-02	267.00	268.00	1	M303433	0.12	2.1	6.91	292	20	1.5	<2	0.56	<0.5	25	71	62	4.63	10	0.82	30	
SSD-02	268.00	269.00	1	M303434	0.08	2.6	8.07	208	440	1.6	2	0.59	0.7	25	76	53	5.21	10	3.89	30	
SSD-02	269.00	270.00	1	M303435	0.06	2.6	7.76	152	710	1.2	<2	0.79	<0.5	25	73	44	5.46	10	5.4	30	
SSD-02	270.00	271.00	1	M303436	0.07	2.2	7.34	85	760	1.2	<2	0.52	<0.5	28	70	48	6.21	10	5.05	30	
SSD-02	271.00	272.00	1	M303437	0.27	13.5	6.46	179	750	0.9	2	1.36	<0.5	20	65	47	4.81	10	4.76	20	
SSD-02	272.00	273.00	1	M303439	0.11	5.5	7.91	244	720	1.3	<2	0.93	<0.5	25	76	44	4.83	10	5.18	30	
SSD-02	273.00	274.00	1	M303440	0.37	21.7	6.9	162	690	1	<2	0.29	<0.5	20	79	68	3.22	10	4.83	20	
SSD-02	274.00	275.00	1	M303442	0.1	3.4	8.2	141	800	1.4	<2	0.45	0.6	32	72	51	5.82	10	4.89	30	
SSD-02	275.00	276.00	1	M303443	0.12	4.6	8.14	193	790	1.4	3	0.44	<0.5	27	73	55	5.94	10	4.81	30	
SSD-02	276.00	277.00	1	M303444	0.16	4.9	8.14	168	810	1.4	<2	0.37	<0.5	23	83	56	4.48	10	5.01	30	
SSD-02	277.00	278.00	1	M303445	0.33	14.6	7.04	257	780	1.1	<2	0.32	<0.5	22	72	69	4.75	10	4.5	30	
SSD-02	278.00	279.00	1	M303446	0.18	7.6	7.42	254	680	1.2	<2	0.5	<0.5	28	71	35	5.7	10	4.63	30	
SSD-02	279.00	280.00	1	M303447	0.2	6.9	7.83	279	550	1.4	<2	0.42	<0.5	26	78	45	4.71	10	4.07	30	
SSD-02	280.00	281.00	1	M303448	0.45	78.6	5.72	203	190	1.6	<2	0.4	0.6	16	88	129	3.68	10	2.27	30	
SSD-02	281.00	282.00	1	M303449	0.43	43.5	8.21	281	410	1.8	<2	0.59	<0.5	25	85	73	4.93	10	3.11	30	
SSD-02	282.00	283.00	1	M303451	0.24	13.2	7.81	327	180	1.6	<2	0.58	<0.5	25	84	51	3.48	10	2.25	40	
SSD-02	283.00	284.00	1	M303452	0.22	12.9	7.81	259	710	1.4	3	0.49	<0.5	26	78	51	5.31	20	4.28	30	
SSD-02	284.00	285.00	1	M303453	0.11	7.2	8.02	174	890	1.3	2	0.91	<0.5	29	74	44	6.02	10	4.97	30	
SSD-02	285.00	286.00	1	M303454	0.21	12.1	7.68	222	760	1.3	<2	0.88	<0.5	28	75	46	5.28	10	4.75	30	
SSD-02	286.00	287.00	1	M303455	0.09	3.8	7.89	114	780	1.2	<2	2.44	<0.5	22	72	39	4.9	10	4.53	30	
SSD-02	287.00	288.00	1	M303456	0.13	6.1	7.21	235	530	1.2	2	0.86	<0.5	22	62	34	5.76	10	4.04	20	
SSD-02	288.00	289.00	1	M303457	0.23	11.4	6.62	192	130	1.3	2	0.39	<0.5	18	67	26	5.72	10	2.82	20	
SSD-02	289.00	290.00	1	M303458	0.14	5.2	7.28	162	180	1.4	<2	0.48	<0.5	20	72	33	5.77	10	2.92	20	
SSD-02	290.00	291.00	1	M303459	0.16	5.5	8.36	69	460	1.3	2	0.51	<0.5	28	80	57	4.66	20	3.37	20	
SSD-02	291.00	292.00	1	M303460	0.08	5.8	8.16	102	370	1.4	<2	0.57	<0.5	30	69	49	6.59	10	3.36	30	
SSD-02	292.00	293.00	1	M303461	0.15	11.6	7	135	110	1.4	2	0.42	<0.5	24	65	29	5.8	10	3.09	30	
SSD-02	293.00	294.00	1	M303462	0.48	14.2	7.77	219	90	1.4	<2	0.51	<0.5	26	73	47	5.03	10	2.18	30	
SSD-02	294.00	295.00	1	M303463	0.26	9.2	8.08	227	50	1.8	2	0.77	<0.5	25	82	59	5.09	10	1.54	30	
SSD-02	295.00	296.00	1	M303464	0.04	1.9	9.51	150	50	2.1	<2	0.74	<0.5	30	93	44	4.82	20	1.12	30	
SSD-02	296.00	297.00	1	M303465	0.15	7.8	8.67	180	150	1.5	2	0.45	<0.5	28	85	49	4.35	20	2.16	30	
SSD-02	297.00	298.00	1	M303466	0.08	5.3	8.08	176	730	1.3	3	1.31	<0.5	24	80	39	5.98	10	4.37	30	
SSD-02	298.00	299.00	1	M303467	0.08	4.3	7.76	184	840	1.2	<2	2.4	<0.5	21	77	41	5.25	10	4.57	30	
SSD-02	299.00	300.00	1	M303468	1.88	11.2	6.84	263	720	1.3	<2	0.36	<0.5	22	76	80	5.31	10	3.98	20	
SSD-02	300.00	301.00	1	M303469	1.32	11.6	6.44	231	630	1.2	<2	1.39	<0.5	18	76	55	4.35	10	3.36	20	
SSD-02	301.00	302.00	1	M303471	0.14	3.2	8.7	243	590	1.5	3	1.79	<0.5	27	94	59	4.69	20	2.62	30	
SSD-02	302.00	303.00	1	M303472	0.32	5.6	8.1	584	670	1.5	<2	2.62	<0.5	23	87	48	4.7	10	2.63	30	
SSD-02	303.00	304.00	1	M303473	0.17	10.6	7.3	400	700	1.3	<2	2.61	<0.5	22	78	38	5.23	10	4.54	20	
SSD-02	304.00	305.00	1	M303475	0.25	5.6	7.52	252	600	1.5	2	1.94	<0.5	20	88	45	4.58	20	2.78	30	
SSD-02	305.00	306.00	1	M303476	0.18	11.8	6.66	165	630	1.4	<2	2.13	<0.5	18	72	37	4.43	10	3.57	30	
SSD-02	306.00	307.00	1	M303477	0.15	13.5	6.8	100	330	1.3	<2	1.64	<0.5	19	90	35	5.22	10	2.01	30	
SSD-02	307.00	308.00	1	M303478	0.12	9	6.52	127	550	1.3	<2	1.42	<0.5	21	82	35	4.83	10	3.02	30	
SSD-02	308.00	309.00	1	M303479	0.13	8.3	6.56	114	600	1.3	2	1.18	<0.5	23	81	36	4.63	10	3.08	30	
SSD-02	309.00	310.00	1	M303480	0.18	10.6	6.94	173	530	1.4	<2	0.42	<0.5	26	90	42	4.9	10	2.78	30	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-02	310.00	311.00	1	M303481	0.18	7.4	7.06	179	220	1.7	<2	1.24	<0.5	20	107	36	4.41	10	1.84	30	
SSD-02	311.00	312.00	1	M303482	2.48	31.1	5.08	156	540	1	<2	1.66	0.9	13	82	173	3.72	10	2.01	20	
SSD-02	312.00	313.00	1	M303483	3.31	17.3	5.38	150	560	1.1	2	2.15	<0.5	14	78	62	3.69	10	2.62	20	
SSD-02	313.00	314.00	1	M303485	1.12	11.2	5.51	102	390	1.2	<2	1.18	<0.5	14	75	29	4.16	10	2.27	20	
SSD-02	314.00	315.00	1	M303486	0.08	4.9	5.43	46	80	1.2	<2	1.09	<0.5	13	34	14	3.95	10	2.26	20	
SSD-02	315.00	316.00	1	M303487	0.31	18.2	5.74	181	90	1.3	3	0.71	<0.5	17	37	41	3.72	10	1.72	30	
SSD-02	316.00	317.00	1	M303488	0.18	20	6.33	130	280	1.3	<2	0.62	<0.5	16	58	31	4.24	10	2.08	30	
SSD-02	317.00	318.00	1	M303489	0.13	6.7	6.94	121	400	1.2	<2	1.16	<0.5	18	68	28	4.89	10	2.31	30	
SSD-02	318.00	319.00	1	M303490	0.12	5.5	6.78	97	870	1.1	4	1.4	<0.5	18	71	29	4.77	10	2.88	30	
SSD-02	319.00	320.00	1	M303491	0.09	8.8	6.41	103	750	1.1	2	1.9	<0.5	16	64	27	4.58	10	3.67	30	
SSD-02	320.00	321.00	1	M303492	0.33	20.4	5.6	125	290	1	<2	1.42	<0.5	13	65	29	3.54	10	1.77	20	
SSD-02	321.00	322.00	1	M303494	0.86	17.6	6.44	190	560	1.2	<2	0.89	<0.5	16	77	37	4.31	10	2.89	20	
SSD-02	322.00	323.00	1	M303495	0.28	11.3	5.55	157	40	1.3	<2	1.38	<0.5	14	57	22	4.37	10	1.17	20	
SSD-02	323.00	324.00	1	M303496	0.17	6	5.51	136	320	1.1	<2	1.58	<0.5	14	76	26	4.37	10	2.02	20	
SSD-02	324.00	325.00	1	M303497	0.14	5.6	6.28	234	30	1.5	<2	1.5	<0.5	18	72	61	4.4	10	1.3	30	
SSD-02	325.00	326.00	1	M303498	0.13	5.1	4.87	147	40	1.2	3	2.81	<0.5	13	59	20	4.3	10	1.14	20	
SSD-02	326.00	327.00	1	M303501	0.19	10.2	4.47	195	20	1.2	3	2.45	<0.5	14	60	25	3.4	10	0.79	20	
SSD-02	327.00	328.00	1	M303502	0.31	29.3	5.13	268	30	1.2	2	0.61	<0.5	15	94	30	4.48	10	1.28	20	
SSD-02	328.00	329.00	1	M303503	0.26	12.1	6.32	342	40	1.4	3	0.89	<0.5	19	96	30	4.93	10	1.48	30	
SSD-02	329.00	330.00	1	M303504	0.19	13.3	6.8	160	370	1.4	2	0.99	<0.5	19	97	29	4.94	10	2.38	30	
SSD-02	330.00	331.00	1	M303505	0.17	5.5	5.88	451	40	1.5	2	0.85	<0.5	17	59	32	4.29	10	1.38	30	
SSD-02	331.00	332.00	1	M303506	0.18	6.3	6.67	392	40	1.6	2	2.25	<0.5	18	43	42	4.97	10	1.6	30	
SSD-02	332.00	333.00	1	M303507	0.2	4.5	7.23	598	50	1.9	2	1.81	<0.5	20	58	95	4.88	10	1.88	30	
SSD-02	333.00	334.00	1	M303508	0.49	24.2	5.42	506	60	1.6	<2	0.59	<0.5	20	40	31	5.52	10	1.62	20	
SSD-02	334.00	335.00	1	M303509	0.21	11.7	6.39	425	70	1.6	<2	0.44	<0.5	20	39	28	4.39	10	1.88	30	
SSD-02	335.00	336.00	1	M303510	0.27	13.6	6.93	379	70	1.8	3	0.37	<0.5	21	42	38	4.65	10	1.96	30	
SSD-02	336.00	337.00	1	M303511	0.18	7.4	7.23	476	80	1.8	4	0.58	<0.5	22	47	53	4.84	10	2	30	
SSD-02	337.00	338.00	1	M303512	0.23	12.6	4.92	365	80	1.5	2	3.48	<0.5	16	34	23	6.31	10	1.54	20	
SSD-02	338.00	339.00	1	M303513	0.13	3.9	6.77	645	100	2.1	2	0.97	0.6	28	91	66	5.98	10	1.77	30	
SSD-02	339.00	340.00	1	M303514	0.17	5.9	6.69	633	130	1.8	4	0.42	<0.5	26	127	53	4.15	10	1.92	30	
SSD-02	340.00	341.00	1	M303515	0.07	2.7	6.86	219	90	1.9	3	0.44	<0.5	21	130	47	4.53	10	1.5	30	
SSD-02	341.00	342.00	1	M303516	0.13	2.7	3.46	394	50	1.6	<2	0.55	<0.5	15	55	27	4.72	10	0.82	20	
SSD-02	342.00	343.00	1	M303517	0.12	1.6	2.69	69	60	0.7	<2	0.12	<0.5	5	29	20	1.94	10	0.8	<10	
SSD-02	343.00	344.00	1	M303518	0.07	1.6	4.53	62	120	1.1	3	0.26	<0.5	8	13	26	3.9	10	1.47	10	
SSD-02	344.00	345.00	1	M303519	0.8	5.5	1.77	37	30	0.5	<2	0.08	<0.5	1	29	34	1.23	<10	0.47	<10	
SSD-02	345.00	346.00	1	M303521	0.29	2.9	1.99	61	40	0.7	<2	0.2	<0.5	4	26	60	2.03	<10	0.5	<10	
SSD-02	346.00	347.00	1	M303522	0.36	4.6	2.86	85	50	1	2	0.22	<0.5	7	25	59	2.32	<10	0.55	10	
SSD-02	347.00	348.00	1	M303523	0.3	1.7	3.59	76	50	1.4	<2	0.53	<0.5	10	22	52	2.75	10	0.81	10	
SSD-02	348.00	349.00	1	M303524	0.22	2.2	1.76	67	30	0.6	<2	1.8	<0.5	4	25	43	1.7	<10	0.35	<10	
SSD-02	349.00	350.00	1	M303525	0.1	1.2	3.58	81	70	1	<2	0.59	<0.5	11	22	51	3.59	10	0.73	10	
SSD-02	350.00	351.00	1	M303526	0.11	3.6	4.27	58	100	1.1	<2	0.93	<0.5	14	16	25	4.25	10	1.17	10	
SSD-02	351.00	352.00	1	M303528	0.34	10.4	2.12	47	50	0.7	<2	0.22	<0.5	3	30	17	1.96	<10	0.61	<10	
SSD-02	352.00	353.00	1	M303529	0.08	1.3	2.36	30	100	0.8	<2	0.15	<0.5	4	24	9	1.74	<10	0.76	<10	
SSD-02	353.00	354.00	1	M303531	0.06	<0.5		3.8	104	170	1.3	<2	0.27	<0.5	7	15	12	3.13	10	1.32	10

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga			
					ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm						
SSD-02	354.00	355.00	1	M303532	0.14	0.6	3.26	90	100	1.2	<2	0.21	<0.5	6	22	22	1.68	10	0.85	10	
SSD-02	355.00	356.00	1	M303533	0.04	<0.5		2.4	223	90	1.6	<2	0.41	<0.5	8	24	12	4.6	<10	0.67	10
SSD-02	356.00	357.00	1	M303534	0.03	<0.5		4.61	98	280	1.3	<2	0.35	<0.5	5	5	12	2.37	10	1.56	10
SSD-02	357.00	358.00	1	M303535	0.04	<0.5		6.18	63	330	1.5	<2	0.33	<0.5	7	5	20	3.12	10	2.14	10
SSD-02	358.00	359.00	1	M303536	0.05	9.4	8.06	54	400	1.6	<2	0.32	<0.5	9	3	48	3.22	20	3.11	20	
SSD-02	359.00	361.00	2	M303537	0.16	0.5	8.29	66	470	1.6	2	0.4	<0.5	8	3	43	3.72	20	2.95	20	
SSD-03	125.00	126.00	1	M303902	0.01	0.6	6.55	26	290	1.2	<2	4.99	<0.5	18	29	23	4.59	10	2.54	30	
SSD-03	126.00	127.00	1	M303903	0.01	0.7	7.17	24	290	1.3	<2	5.28	<0.5	19	29	26	4.46	20	2.25	30	
SSD-03	127.00	128.00	1	M303904	0.01	<0.5		7.15	35	440	1.3	<2	4.21	<0.5	19	32	24	4.49	20	2.68	30
SSD-03	128.00	129.00	1	M303905	0.01	0.5	7.47	30	810	1.3	<2	3.66	<0.5	20	31	52	4.95	20	2.7	30	
SSD-03	129.00	130.00	1	M303906	0.01	<0.5		7.99	24	430	1.4	<2	4.16	<0.5	25	35	57	4.8	20	2.66	40
SSD-03	130.00	131.00	1	M303907	0.01	<0.5		7.47	26	270	1.3	<2	4.48	<0.5	20	33	22	4.77	20	2.57	30
SSD-03	131.00	132.00	1	M303908	0.01	<0.5		6.74	23	280	1.2	<2	4.69	<0.5	19	31	38	5.21	20	2.46	30
SSD-03	132.00	133.00	1	M303909	0.01	<0.5		6.77	27	260	1.2	<2	5.13	<0.5	19	30	31	5.04	10	2.27	30
SSD-03	133.00	134.00	1	M303910	0.01	<0.5		7.65	24	210	1.2	<2	5.23	0.5	21	32	30	4.34	20	2.11	30
SSD-03	134.00	135.00	1	M303911	0.01	<0.5		7.48	37	500	1.1	<2	4.93	<0.5	20	31	33	4.35	20	2.01	30
SSD-03	135.00	136.00	1	M303912	0.01	<0.5		6.54	41	290	1.2	<2	6.2	<0.5	19	26	49	4.41	10	1.92	30
SSD-03	136.00	137.00	1	M303913	0.01	<0.5		7.2	17	240	1.1	<2	4.88	<0.5	19	29	38	4.39	10	2.06	30
SSD-03	137.00	138.00	1	M303914	0.01	<0.5		6.71	22	120	1.2	<2	5.66	<0.5	21	28	25	4.69	20	2.2	30
SSD-03	138.00	139.00	1	M303915	0.01	<0.5		6.93	29	300	1.2	<2	6.15	<0.5	18	28	22	4.45	10	2.33	30
SSD-03	139.00	140.00	1	M303916	0.01	<0.5		6.91	30	570	1.3	<2	6.03	<0.5	18	29	28	4.27	10	2.61	30
SSD-03	140.00	141.00	1	M303917	0.01	<0.5		6.85	26	670	1.2	<2	6.49	<0.5	18	27	25	4.5	20	2.75	30
SSD-03	155.00	156.00	1	M303919	0.03	<0.5		7.84	48	490	1.4	<2	3.65	<0.5	21	39	31	5.14	20	3.2	30
SSD-03	156.00	157.00	1	M303920	0.05	0.8	7.09	83	620	1.3	<2	2.71	<0.5	22	35	25	5.06	20	3.29	30	
SSD-03	157.00	158.00	1	M303921	1.38	0.9	7.55	61	240	1.2	<2	2.7	<0.5	23	46	33	4.58	20	2.07	30	
SSD-03	158.00	159.00	1	M303922	0.45	19	4.77	126	80	1.1	<2	2.66	<0.5	15	31	36	3.3	10	1.05	20	
SSD-03	181.30	182.00	0.7	M303923	0.17	13.1	5.41	134	20	1.3	<2	2.33	<0.5	18	49	33	3.31	10	1.6	20	
SSD-03	182.00	183.00	1	M303924	0.04	2.2	6.24	108	30	1.2	<2	2.95	<0.5	18	51	28	2.91	10	1.66	20	
SSD-03	183.00	184.00	1	M303925	0.06	2.1	6	134	30	1.4	<2	2.59	<0.5	21	50	32	3.64	10	2.11	30	
SSD-03	184.00	185.00	1	M303926	0.05	1.9	6.2	136	50	1.2	<2	2.6	<0.5	22	55	46	3.55	10	1.62	20	
SSD-03	185.00	186.00	1	M303927	0.03	1.2	8.27	133	110	1.6	<2	1.93	<0.5	24	69	49	3.72	20	1.9	30	
SSD-03	186.00	187.00	1	M303929	0.03	0.9	7.57	63	350	1.4	<2	4.2	<0.5	20	62	33	4.7	20	3.34	20	
SSD-03	187.00	188.00	1	M303931	0.11	0.9	3.29	55	350	0.8	<2	4.74	<0.5	18	44	30	4.66	10	1.16	20	
SSD-03	188.00	189.00	1	M303932	0.03	0.8	7.06	37	1020	1.2	<2	3.34	<0.5	22	56	38	4.62	20	3.77	30	
SSD-03	189.00	190.00	1	M303933	0.07	1.6	7.02	53	640	1.3	<2	4.34	<0.5	20	55	41	5.38	20	3.94	30	
SSD-03	190.00	191.00	1	M303934	0.07	3.4	7.77	76	870	1.2	<2	2.36	<0.5	19	69	58	4.28	20	3.99	20	
SSD-03	191.00	192.00	1	M303935	0.16	4.5	6.42	87	460	1.2	<2	4.09	<0.5	20	53	53	5.01	10	3.2	20	
SSD-03	192.00	193.00	1	M303936	0.07	2	4.17	59	370	1.1	<2	4.12	<0.5	19	51	37	3.73	10	1.84	20	
SSD-03	193.00	194.00	1	M303938	1.45	1.3	8.33	23	770	1.4	<2	3.07	<0.5	19	64	61	3.64	20	5.16	30	
SSD-03	194.00	195.00	1	M303939	0.05	1	7.79	40	740	1.2	<2	2.73	<0.5	20	68	46	3.41	20	4.86	20	
SSD-03	195.00	196.00	1	M303940	0.12	2	7.82	36	560	1.4	<2	4.31	<0.5	21	69	43	3.99	20	4.5	30	
SSD-03	196.00	197.00	1	M303941	0.1	2.6	6.68	114	590	1.2	<2	6.06	<0.5	22	48	45	5.63	10	3.22	30	
SSD-03	197.00	198.00	1	M303942	0.24	5.5	6.24	176	210	1	<2	3.08	<0.5	19	51	45	5.37	10	3.26	30	
SSD-03	198.00	199.00	1	M303943	0.1	2.5	7.74	142	580	1.3	<2	1.68	<0.5	22	67	37	4.88	20	4.08	20	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-03	199.00	200.00	1	M303944	1.34	2.6	7.66	76	740	1.3	<2	3.97	<0.5	22	64	62	5.35	20	2.69	30	
SSD-03	200.00	201.00	1	M303945	0.11	3.5	7.09	149	210	1.5	<2	4.41	<0.5	19	54	36	5.61	20	2.2	30	
SSD-03	201.00	202.00	1	M303946	0.06	1.3	7.09	85	140	1.4	<2	5.29	<0.5	19	60	34	4.17	10	2.16	20	
SSD-03	202.00	203.00	1	M303947	0.08	1.2	3.94	107	510	0.8	<2	9.98	<0.5	12	31	24	4.55	10	0.96	10	
SSD-03	203.00	204.00	1	M303948	0.13	2.8	4.58	141	590	0.9	<2	6.6	<0.5	13	38	35	4.2	10	1	20	
SSD-03	204.00	205.00	1	M303949	0.16	3.4	7.59	128	180	1.3	<2	2.09	<0.5	22	62	49	3.6	10	2.06	30	
SSD-03	205.00	206.00	1	M303951	0.15	3.7	6.83	117	330	1.2	<2	3.5	<0.5	21	53	31	5.04	10	1.87	20	
SSD-03	206.00	207.00	1	M303952	0.1	3.6	6.14	83	610	1.3	<2	5.09	<0.5	19	48	37	4.17	10	2.1	20	
SSD-03	207.00	208.00	1	M303953	0.15	4.2	6.2	113	160	1.2	<2	3.14	<0.5	17	51	24	3.95	10	2.04	20	
SSD-03	208.00	209.00	1	M303954	0.05	1.4	6.61	45	610	1.3	<2	6.22	<0.5	20	52	30	5.11	10	1.83	30	
SSD-03	209.00	210.00	1	M303956	0.09	1.6	7.16	57	1020	1.2	<2	2.94	<0.5	24	66	41	5.47	20	1.66	30	
SSD-03	210.00	211.00	1	M303957	0.05	1.1	3.76	54	220	1	<2	3.33	<0.5	11	56	30	3.64	10	1.46	20	
SSD-03	211.00	212.00	1	M303958	0.07	1.5	5.67	69	330	1.3	<2	3.65	<0.5	17	58	42	4.69	10	1.88	20	
SSD-03	212.00	213.00	1	M303960	0.05	1.7	7.87	36	660	1.3	<2	3.91	<0.5	26	68	45	4.52	20	2.59	30	
SSD-03	213.00	214.00	1	M303961	0.07	1.1	7.36	42	520	1.2	<2	4.59	<0.5	19	61	21	4.17	20	4.49	30	
SSD-03	226.00	227.00	1	M303962	0.15	3.6	6.55	77	300	1.1	<2	4.29	<0.5	15	49	37	4.79	10	3.59	20	
SSD-03	227.00	228.00	1	M303963	0.16	3.7	6.53	123	110	1.3	<2	3.88	<0.5	16	52	34	4.5	10	3.19	20	
SSD-03	228.00	229.00	1	M303964	0.2	4.9	6.78	94	360	1	3	1.54	<0.5	17	57	37	3.8	10	3.94	20	
SSD-03	229.00	230.00	1	M303965	0.11	1.5	6.68	65	400	1.1	<2	3.45	<0.5	16	55	39	4.01	10	3.51	30	
SSD-03	230.00	231.00	1	M303966	0.16	1.6	6.64	118	530	1	<2	3.19	<0.5	11	57	37	4.11	10	4.17	20	
SSD-03	231.00	232.00	1	M303967	0.71	10.9	7.05	66	620	0.9	<2	1.86	<0.5	14	58	46	3.59	10	4.75	20	
SSD-03	232.00	233.00	1	M303968	0.04	0.7	7.03	24	580	1.1	<2	3.68	<0.5	19	59	42	4.64	20	3.73	20	
SSD-03	233.00	234.00	1	M303969	0.33	0.5	7.12	40	600	1.2	3	3.67	<0.5	17	61	59	4.6	20	3.65	20	
SSD-03	234.00	235.00	1	M303970	0.05	1.5	7.34	21	730	0.9	<2	2.62	<0.5	18	74	40	4.75	20	4.51	20	
SSD-03	235.00	236.00	1	M303971	0.24	7.1	6.61	52	580	1	2	2.25	<0.5	16	68	42	4.42	10	4.38	20	
SSD-03	236.00	237.00	1	M303972	0.98	26	7.08	117	690	0.9	2	1.41	<0.5	17	69	51	4.45	10	5.01	20	
SSD-03	237.00	238.00	1	M303974	0.27	11.3	7.02	54	680	1	<2	1.88	<0.5	18	67	40	4.5	20	4.84	20	
SSD-03	238.00	239.00	1	M303975	0.26	5.4	7.16	122	760	0.9	<2	1.44	<0.5	18	61	40	4.55	20	4.61	20	
SSD-03	239.00	240.00	1	M303976	0.27	1.9	7.12	97	700	1	<2	2.12	<0.5	15	58	47	4.4	10	4.86	20	
SSD-03	240.00	241.00	1	M303977	1.3	2.9	6.98	87	710	0.9	<2	2.22	<0.5	17	68	29	4.37	10	4.62	20	
SSD-03	241.00	242.00	1	M303978	0.13	2.8	6.92	183	720	0.9	<2	2.33	<0.5	15	63	56	4.48	20	4.71	20	
SSD-03	242.00	243.00	1	M303980	0.42	8.7	6.95	79	660	0.8	<2	1.01	<0.5	18	66	35	4.3	10	4.85	20	
SSD-03	243.00	244.00	1	M304252	0.32	3.3	7.06	53	540	0.9	<2	1.27	<0.5	18	61	40	4.23	10	4.34	20	
SSD-03	244.00	245.00	1	M304253	0.28	2	6.62	58	360	0.9	3	1.06	<0.5	17	59	35	4.12	10	3.94	20	
SSD-03	245.00	246.00	1	M304254	0.37	2.9	6.46	59	410	1	<2	1.92	<0.5	17	56	40	4.03	10	3.97	20	
SSD-03	246.00	247.00	1	M304255	0.13	1.5	7.72	57	630	1.3	<2	2.84	<0.5	21	67	47	4.77	20	3.66	20	
SSD-03	247.00	248.00	1	M304256	0.35	3.9	7.42	53	600	1.1	<2	2.52	<0.5	20	64	55	4.62	10	4.15	30	
SSD-03	248.00	249.00	1	M304257	0.25	5.8	7.08	170	380	1	<2	0.68	<0.5	16	61	36	4.62	10	4.25	20	
SSD-03	249.00	250.00	1	M304258	0.53	18.7	7.28	101	410	1	<2	0.48	<0.5	18	69	42	4.05	10	4.27	30	
SSD-03	250.00	251.00	1	M304259	0.32	10.2	7.42	76	650	0.9	<2	2.69	<0.5	20	69	54	4.65	10	4.56	30	
SSD-03	251.00	252.00	1	M304260	0.67	3.9	6.9	90	650	0.9	<2	1.17	<0.5	20	72	47	4.43	10	4.49	30	
SSD-03	252.00	253.00	1	M304262	0.14	3.4	7.18	105	700	0.8	<2	1.62	<0.5	21	70	53	4.55	10	4.32	30	
SSD-03	253.00	254.00	1	M304263	0.8	6	7.79	47	650	0.9	<2	2.14	<0.5	17	73	51	4.69	20	4.52	20	
SSD-03	254.00	255.00	1	M304264	0.21	3.2	7.75	97	670	1	<2	1.56	<0.5	21	75	47	4.68	20	4.81	30	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-03	255.00	256.00	1	M304265	0.08	2.3	8.03	106	680	1.1	2	2.37	<0.5	17	76	40	4.99	20	4.73	20	
SSD-03	256.00	257.00	1	M304266	0.1	1.5	7.94	143	560	1.3	<2	2.79	<0.5	22	78	41	4.82	20	3.22	30	
SSD-03	257.00	258.00	1	M304267	0.12	3.2	8.07	278	630	1.2	<2	1.84	<0.5	21	77	34	4.79	20	4.28	30	
SSD-03	258.00	259.00	1	M304268	0.16	2.9	7.54	103	690	1	<2	1.04	<0.5	15	72	44	4.56	20	4.56	20	
SSD-03	259.00	260.00	1	M304269	0.22	14.1	7.37	283	680	1.1	<2	1.96	<0.5	20	71	113	4.41	10	3.91	30	
SSD-03	260.00	261.00	1	M304271	0.41	20.1	7.94	181	590	1.4	<2	2.94	0.5	21	75	69	4.52	20	3.84	30	
SSD-03	261.00	262.00	1	M304272	0.15	4.3	7.29	210	880	1	<2	1.52	<0.5	16	68	31	4.58	20	4.32	20	
SSD-03	262.00	263.00	1	M304274	0.12	2.1	7.46	88	780	1	<2	2.1	<0.5	22	74	29	4.86	10	4.59	30	
SSD-03	263.00	264.00	1	M304275	0.05	1.1	6.89	49	600	1	<2	2.76	<0.5	16	68	66	4.94	10	3.78	20	
SSD-03	264.00	265.00	1	M304276	0.13	4.3	6.8	90	670	1	<2	2.26	<0.5	20	76	54	4.91	10	3.83	30	
SSD-03	265.00	266.00	1	M304277	0.18	5.9	7.45	110	680	1.3	<2	1.94	<0.5	23	95	37	5.1	20	3.44	30	
SSD-03	266.00	267.00	1	M304278	0.07	1.9	7.94	60	540	1.5	<2	2.6	<0.5	19	80	41	4.42	10	3.15	30	
SSD-03	267.00	268.00	1	M304279	0.13	2.5	6.72	83	830	1.3	<2	3.29	<0.5	17	46	29	4.3	10	3.01	30	
SSD-03	268.00	269.00	1	M304280	0.34	1.5	7.94	106	770	1.5	<2	1.83	<0.5	17	45	42	4.18	20	4.01	30	
SSD-03	269.00	270.00	1	M304281	0.21	10.8	7.45	144	370	1.5	<2	2.34	<0.5	19	46	41	5.47	20	2.38	30	
SSD-03	270.00	271.40	1.4	M304282	0.15	2.3	7.29	106	630	1.4	<2	2.5	<0.5	17	45	40	3.6	20	2.08	30	
SSD-03	271.40	276.00	4.6	M304283	0.56	42	4.64	102	60	1.1	<2	0.22	1.3	12	59	47	2.81	10	1.47	20	
SSD-03	276.00	277.00	1	M304284	0.79	>100	3.67	80	50	0.8	<2	0.27	0.8	11	61	100	2.82	10	0.98	10	
SSD-03	277.00	278.00	1	M304285	0.4	37.9	5.3	69	70	1.1	<2	0.49	0.8	13	50	47	3.35	10	1.46	20	
SSD-03	278.00	279.00	1	M304286	0.09	5	6.32	59	110	1.6	<2	0.67	<0.5	18	38	19	4.02	10	2.43	20	
SSD-03	279.00	280.00	1	M304287	0.13	2.5	7.73	109	130	1.7	<2	0.4	<0.5	21	54	34	4.26	20	2.18	30	
SSD-03	280.00	281.00	1	M304288	0.27	17.8	6.55	143	300	1.5	2	0.4	<0.5	19	52	32	4.29	10	2.4	30	
SSD-03	281.00	282.00	1	M304289	0.2	13.4	6.85	174	240	1.5	<2	0.4	<0.5	21	59	36	4.06	10	2.13	30	
SSD-03	282.00	283.00	1	M304290	0.33	13	6.08	490	90	1.4	<2	0.41	<0.5	17	61	56	4.35	10	1.58	30	
SSD-03	283.00	284.00	1	M304291	5.45	21.2	5.8	145	260	1.3	<2	0.64	<0.5	17	58	44	3.43	10	1.81	20	
SSD-03	284.00	285.00	1	M304292	0.39	48.7	6.58	149	690	1.3	<2	0.64	<0.5	16	62	39	3.49	10	3.07	20	
SSD-03	285.00	286.00	1	M304293	0.23	4.2	6.48	139	730	1.3	3	1.32	<0.5	16	51	21	4.23	10	3.49	20	
SSD-03	286.00	287.00	1	M304294	0.41	3.7	6.5	205	740	1.5	<2	0.6	<0.5	16	51	45	3.62	10	3.22	30	
SSD-03	287.00	288.00	1	M304295	3	21.7	5.2	286	690	1.2	<2	2.19	<0.5	11	60	72	3.71	10	2.78	20	
SSD-03	288.00	289.00	1	M304297	3.8	77.9	6.29	92	850	1.3	<2	0.72	<0.5	12	55	55	3.55	10	3.89	20	
SSD-03	289.00	290.00	1	M304298	42.1	31.9	6.18	59	490	1.4	<2	0.99	<0.5	13	49	60	3.2	10	3.15	20	
SSD-03	290.00	291.00	1	M304301	0.8	23.2	4.3	59	350	1	<2	0.76	<0.5	12	50	57	3.44	10	2.35	20	
SSD-03	291.00	292.00	1	M304303	0.37	12.2	5.24	91	420	1.2	<2	0.68	<0.5	17	50	36	3.72	10	2.54	20	
SSD-03	292.00	293.00	1	M304304	0.69	41.2	4.17	218	90	1	<2	1.2	<0.5	10	42	73	3.5	10	1.9	20	
SSD-03	293.00	294.00	1	M304305	0.26	2.8	6.74	114	610	1.3	<2	1.73	<0.5	17	48	38	4.06	10	3.47	30	
SSD-03	294.00	295.00	1	M304306	0.49	9.9	6.97	310	770	1.2	2	2.04	0.5	15	54	44	4.33	10	3.66	30	
SSD-03	295.00	296.00	1	M304307	1.34	15.5	7.37	291	910	1.3	<2	0.84	<0.5	16	54	45	4.51	20	3.98	30	
SSD-03	296.00	297.00	1	M304308	0.81	22	6.79	310	1010	1	<2	1.78	<0.5	17	52	64	4.24	10	3.6	30	
SSD-03	297.00	298.00	1	M304309	0.38	1.4	7.05	57	560	1.2	2	2.91	<0.5	17	67	32	4.76	10	3.57	30	
SSD-03	298.00	299.00	1	M304310	0.56	1.8	7.23	127	480	1.2	4	1.92	<0.5	19	75	46	4.72	20	3.23	30	
SSD-03	299.00	300.00	1	M304311	0.38	0.9	7.23	45	190	1.4	<2	2.1	<0.5	18	85	30	5.36	20	2.1	30	
SSD-03	300.00	301.00	1	M304312	0.24	1	7.2	67	70	1.5	3	0.7	<0.5	24	79	31	5.89	20	1.56	30	
SSD-03	301.00	302.00	1	M304313	0.14	0.8	6.57	77	80	1.4	<2	0.5	<0.5	20	62	29	5.53	10	1.66	30	
SSD-03	302.00	303.00	1	M304314	0.31	1.3	7.21	62	80	1.4	3	0.54	<0.5	18	70	37	5.88	20	1.66	30	

					Au-AA26	ME-ICP61	K	La													
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm	
SSD-03	303.00	304.00	1	M304315	0.28	4.6	6.88	125	80	1.2	<2	0.41	2.2	21	66	56	5.27	10	1.86	30	
SSD-03	304.00	305.00	1	M304316	0.14	1.1	7.48	69	80	1.3	<2	0.47	<0.5	22	68	35	5.25	20	1.98	30	
SSD-03	305.00	306.00	1	M304317	0.13	0.7	7.45	80	80	1.3	2	0.48	<0.5	25	66	40	3.68	20	2.1	30	
SSD-03	306.00	307.00	1	M304318	0.32	>100	7.22	111	80	1.4	<2	0.53	<0.5	26	67	460	4.64	20	2.04	30	
SSD-03	307.00	308.00	1	M304319	0.89	2.9	7.23	185	90	1.6	2	0.53	<0.5	23	64	45	6.53	20	2.12	30	
SSD-03	308.00	309.00	1	M304320	0.22	1.3	7.24	53	90	1.4	<2	0.45	<0.5	23	68	43	4.46	20	1.98	30	
SSD-03	309.00	310.00	1	M304321	0.15	2.5	7.28	88	90	1.4	2	0.4	<0.5	23	67	39	4.59	10	2.18	30	
SSD-03	310.00	311.00	1	M304322	0.12	2.1	7.71	89	90	1.3	<2	0.41	<0.5	22	64	37	3.89	20	2.08	30	
SSD-03	311.00	312.00	1	M304323	0.27	1.4	7.7	128	90	1.4	<2	0.41	<0.5	22	63	37	3.39	20	2.18	30	
SSD-03	312.00	313.00	1	M304324	0.08	2.8	6.21	99	90	1.3	<2	0.39	<0.5	18	48	31	4.71	10	2.02	20	
SSD-03	313.00	314.00	1	M304325	0.07	3.5	5.95	72	90	1.2	2	0.35	2.8	18	47	57	3.53	10	1.9	20	
SSD-03	314.00	315.00	1	M304326	0.14	5	6.67	133	90	1.4	<2	0.37	2.3	22	50	53	3.45	20	2.03	30	
SSD-03	315.00	316.00	1	M304327	0.87	14.4	7.66	111	80	1.4	<2	0.47	<0.5	22	48	37	4.45	20	1.99	30	
SSD-03	316.00	317.00	1	M304328	0.14	1.8	7.25	115	80	1.5	<2	0.43	<0.5	19	67	26	5.24	10	1.68	30	
SSD-03	317.00	318.00	1	M304330	0.34	2.9	6.58	160	80	1.3	<2	1.3	0.9	16	48	39	5.3	10	1.78	30	
SSD-03	318.00	319.00	1	M304331	0.08	2.5	7.07	116	100	1.3	<2	2.59	0.7	17	38	28	5.06	20	2.28	30	
SSD-03	319.00	320.00	1	M304332	0.42	11	7.49	273	350	1.5	<2	0.75	<0.5	21	47	42	5.37	10	2.71	30	
SSD-03	320.00	321.00	1	M304333	0.14	2.9	8.06	133	640	1.5	<2	2.22	<0.5	18	52	41	5.17	20	3.9	30	
SSD-03	321.00	322.00	1	M304334	0.1	1.9	8.58	105	620	2	<2	1.24	<0.5	19	50	49	5.36	20	4.11	30	
SSD-03	322.00	323.00	1	M304335	0.04	1.4	8.21	68	470	1.5	<2	0.51	<0.5	20	48	33	6.72	20	3.07	30	
SSD-03	323.00	324.00	1	M304336	0.48	5.1	8.05	95	110	1.5	<2	0.5	0.6	17	50	28	3.46	20	2.13	30	
SSD-03	324.00	325.00	1	M304337	0.07	2.6	6.38	51	100	1.2	<2	2.18	1	18	40	28	5.03	10	2.02	30	
SSD-03	325.00	326.00	1	M304338	0.07	2.9	6.1	52	90	1.1	<2	1.93	1.2	14	44	23	3.96	10	1.82	20	
SSD-03	326.00	327.00	1	M304341	0.06	1.6	6.57	76	90	1.2	2	4.09	1.2	15	44	29	4.32	20	1.93	30	
SSD-03	327.00	328.00	1	M304342	0.09	1.6	7.52	96	100	1.4	<2	4.04	0.6	16	51	46	4.85	20	2.07	30	
SSD-03	328.00	329.00	1	M304343	0.05	1.3	7.28	69	110	1.3	<2	3.94	<0.5	16	50	45	4.08	20	2.02	30	
SSD-03	329.00	330.00	1	M304344	0.06	2.5	7.26	39	180	1.3	<2	2.87	0.6	16	47	28	4.5	20	2.52	30	
SSD-03	330.00	331.00	1	M304345	0.03	2.1	7.45	36	340	1.3	<2	2.3	0.5	17	52	24	4.47	20	2.79	30	
SSD-03	331.00	332.00	1	M304346	0.09	2.1	8.2	100	750	1.5	<2	1.51	0.5	18	67	35	4.92	20	3.91	30	
SSD-03	332.00	333.00	1	M304347	0.13	1.3	8.59	45	280	1.7	<2	0.86	<0.5	20	82	39	4.88	20	2.4	30	
SSD-03	333.00	334.00	1	M304348	0.09	1.7	7.61	130	90	1.4	<2	1.08	<0.5	19	74	38	4.57	20	2	30	
SSD-03	334.00	335.00	1	M304349	0.13	2.2	6.93	77	100	1.2	<2	0.48	<0.5	18	65	26	3.45	20	2.33	30	
SSD-03	335.00	336.00	1	M304351	0.09	2.8	5.86	69	90	1.3	<2	0.32	<0.5	13	54	17	3.59	10	1.96	20	
SSD-03	336.00	337.00	1	M304353	0.22	4.3	5.99	122	80	1.3	<2	0.39	<0.5	17	65	29	2.97	10	1.72	20	
SSD-03	337.00	338.00	1	M304354	1.56	17.4	4.62	112	250	1.1	<2	0.51	<0.5	13	58	67	4.01	10	1.9	20	
SSD-03	338.00	339.00	1	M304355	0.09	1.8	8.27	160	660	1.4	<2	0.93	<0.5	21	76	41	4.89	20	4.08	30	
SSD-03	339.00	340.00	1	M304356	0.09	2.9	7.56	144	670	1.2	<2	0.96	0.5	19	65	29	5.05	20	4.33	30	
SSD-03	340.00	341.00	1	M304357	0.09	3.5	7.14	83	510	1.2	<2	0.8	<0.5	16	47	37	4.35	20	4	20	
SSD-03	341.00	342.00	1	M304358	0.14	1.3	7.6	374	590	1.5	<2	1.2	<0.5	16	46	69	4.41	20	3.63	30	
SSD-03	342.00	343.00	1	M304359	0.07	1.6	7.37	115	790	1.3	3	0.75	<0.5	17	62	44	4.54	20	4.06	30	
SSD-03	343.00	344.00	1	M304360	0.03	2.1	6.5	36	480	1.1	<2	0.54	<0.5	17	79	22	4.25	10	3.77	20	
SSD-03	344.00	345.00	1	M304361	0.02	1.9	6.53	19	180	1.3	<2	1.65	<0.5	16	59	22	4.08	20	2.89	20	
SSD-03	345.00	346.00	1	M304362	0.04	2	6.94	39	440	1.2	<2	0.7	<0.5	18	62	33	4.23	20	3.77	30	
SSD-03	346.00	347.00	1	M304363	0.12	5.2	5.81	107	400	1.2	<2	0.45	<0.5	14	59	23	4.24	10	2.86	20	

					Au-AA26	ME-ICP61	K	La												
Hole	From (m)	To (m)	Interval	Sample Nr	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	%	ppm
SSD-03	347.00	348.00	1	M304365	0.05	2.8	6.85	43	390	1.3	<2	0.62	<0.5	16	63	29	4.34	10	3.42	30
SSD-03	348.00	349.00	1	M304366	0.05	3.1	6.81	43	430	1.2	<2	1.14	<0.5	17	60	31	4.41	20	3.63	20
SSD-03	349.00	350.00	1	M304367	0.05	2.7	7.11	57	460	1.3	2	0.94	<0.5	18	62	33	4.55	20	3.9	30
SSD-03	350.00	351.00	1	M304368	0.04	2.2	7.02	74	400	1.3	<2	0.52	<0.5	19	58	31	4.46	20	4.28	20
SSD-03	351.00	352.00	1	M304369	0.14	4.5	6.51	136	280	1.2	4	0.98	<0.5	17	66	26	4.32	20	3.3	30
SSD-03	352.00	353.00	1	M304370	0.08	3.3	7.05	108	540	1.2	2	0.57	<0.5	18	74	30	4.61	20	4.48	30
SSD-03	364.00	365.00	1	M304371	0.05	2.1	7.38	90	420	1.2	<2	0.68	<0.5	19	55	37	4.8	20	5.1	30
SSD-03	365.00	366.00	1	M304372	0.04	1.6	7.49	89	650	1.2	<2	0.6	<0.5	18	54	26	4.55	20	4.38	30
SSD-03	366.00	367.00	1	M304373	0.05	1.5	6.99	72	340	1.3	<2	0.79	<0.5	17	50	33	5.11	20	3.59	30
SSD-03	367.00	369.00	2	M304374	0.04	1	7.01	87	350	1.3	<2	0.72	<0.5	17	43	32	4.66	20	3.48	30
SSD-03	369.00	371.00	2	M304375	0.04	0.6	7.5	81	330	1.3	<2	0.83	<0.5	19	51	32	4.8	20	4.25	30
SSD-03	371.00	373.00	2	M304376	0.03	1.8	7.4	70	360	1.2	<2	0.69	<0.5	18	50	32	4.71	20	4.15	30
SSD-03	373.00	375.00	2	M304377	0.04	2.1	7.04	38	310	1.2	4	1.14	<0.5	17	49	32	4.59	20	3.29	30
SSD-03	375.00	376.00	1	M304378	0.04	2.4	6.53	55	440	1.1	<2	0.79	<0.5	16	46	26	4.16	10	3.28	30
SSD-03	376.00	377.00	1	M304380	0.05	3.5	6.22	60	340	1.1	<2	0.85	<0.5	16	41	29	4.24	10	3.2	20
SSD-03	377.00	378.00	1	M304381	0.07	3.8	7.06	117	260	1.3	<2	0.81	<0.5	17	45	31	4.64	20	3.69	30
SSD-03	378.00	379.00	1	M304382	0.13	3.9	6.9	340	360	1.3	3	1.5	<0.5	16	40	25	4.27	20	3.12	30
SSD-03	379.00	380.00	1	M304383	0.13	5.7	6.79	135	440	1.1	2	0.87	<0.5	16	46	24	4.1	10	4.63	20
SSD-03	380.00	381.00	1	M304385	0.08	5.3	6.43	39	600	1.1	<2	0.97	<0.5	15	42	25	3.75	10	4.21	30
SSD-03	381.00	382.00	1	M304386	0.06	3.9	7.01	29	530	1.3	4	3.07	<0.5	17	61	30	4.54	10	4.01	30
SSD-03	382.00	383.00	1	M304387	0.05	1.6	7.17	140	710	1	<2	2.69	<0.5	18	89	19	3.71	10	4.75	30
SSD-03	383.00	384.00	1	M304388	0.2	0.5	6.69	343	660	1.2	<2	5.73	<0.5	16	83	43	3.97	10	2.18	20
SSD-03	384.00	385.00	1	M304389	0.17	0.9	6.84	239	880	1.2	<2	4.86	<0.5	16	62	45	4.15	10	2.55	30

