

QUARTERLY EXPLORATION UPDATE

Highlights

Mt Gibson Gold Project (MGGP)

- A further 12,226 metres of RC resource definition and extensional drilling was completed at the MGGP during the December 2023 quarter.
- Assays received from 57 resource definition holes (10,136 metres) since the last update in October 2023 continue to return exceptional results including:
 - 30 metres @ 5.00g/t from 254 to 284m
 - 30 metres @ 2.74g/t from 56 to 86m
 - 29 metres @ 2.23g/t from 270 to 299m
 - 20 metres @ 2.55g/t from 51 to 71m
 - 12 metres @ 3.35g/t from 16 to 28m
 - 33 metres @ 2.27g/t from 212 to 245m
 - 7 metres @ 6.49g/t from 59 to 66m
- Results received from more than 90,000 metres of RC and diamond drilling since November 2022 underpinned an 18% increase in the Mineral Resource Estimate (MRE) to 3,244,000 ounces (refer to ASX announcement dated 15 December 2023). An update of the April 2023 Ore Reserve Estimate of 1.45 million ounces is targeted for completion in the current quarter.
- Assay results received from diamond drilling in September 2023 continue to return broad high-grade gold intercepts under Orion Pit demonstrating the potential for underground mining operations including:
 - 22 metres @ 4.82g/t from 229 to 251m
 - 8 metres @ 4.71g/t from 221 to 229m
 - 14.56 metres @ 3.99g/t from 310 to 324.56m
 - 14 metres @ 2.23g/t from 252 to 266m
- Drilling on unmined areas at the newly identified Comanche prospect, Lexington Trend, Saratoga and Orion North (east of the main Mt Gibson trend) continues to define zones of high-grade mineralisation.
- A total of 97 Aircore holes for 1,928 metres were completed over the historic mineralised heap leach dump which is located within the MGGP mining centre but outside the MRE. Encouraging results were returned including:
 - 11 metres @ 3.27g/t from 0 to 11m
 - 6 metres @ 2.83g/t from 0 to 6m
 - 5 metres @ 4.88g/t from 0 to 5m
 - 11 metres @ 1.04g/t from 0 to 11m
- 11,000 metre regional AC drilling programme completed at newly identified, near mine exploration prospects of Sundance and Ace High. Exceptional first pass composite results including:
 - 16 metres @ 17.16g/t from 32 to 48m
 - 12 metres @ 3.35g/t from 16 to 28m

Karlawinda Gold Project (KGP)

- Encouraging results received from RC drilling in the September 2023 quarter at the Belhaven and Carnoustie prospects including:
 - 7 metres @ 13.53g/t from 144 to 151m
 - 2 metres @ 17.11g/t from 134 to 136m
 - 10 metres @ 6.61g/t from 137 to 147m
 - 3 metres @ 6.82g/t from 80 to 83m
- Regional Aircore drilling of 2,682 metres was completed at the Jims Vein and Central Lode prospects following up large scale soil anomalies and multiple high-grade Au rock chip results.

Mt Gibson Gold Project

Exploration activities at the MGGP during the December 2023 quarter focussed on progressing the extensional and infill resource drilling that commenced in January 2022 as well as first pass regional exploration drilling at the Sundance and Ace High prospects. A total of 2,386 holes for 231,750 metres of resource, regional exploration and mine development drilling has been completed at the MGGP since January 2022.

Near Mine Drilling

One RC rig continued during the quarter, completing 12,226 metres (74 holes) of extensional and infill resource drilling taking the total project RC drilling to date to 190,840 metres (1,245 holes). Assay results were also received from four diamond RC tail holes that were drilled in September 2023 targeting deep zones within areas of known high grade mineralisation.




Figure 1. Completed drilling over the MGGP 8km long mine trend with MRE pit crests.

Assays have now been received from the first 940 holes from the project's resource definition drilling. Assays received since the last update continue to return very encouraging results, including:

Hole ID	Easting	Northing	From (m)	To (m)	Grade (g/t)	Width (m)
CMAC0524*	516649	6704094	32	48	17.16	16
CMRC0832	516793	6710567	254	284	5.00	30
CMRC0672D	516191	6708681	229	251	4.82	22
CMRC0842	516829	6710518	56	86	2.74	30
CMRC0831	516789	6710628	212	245	2.27	33
CMRC0833	516791	6710538	270	299	2.23	29
CMRC0704D	516364	6709353	310	324.6	3.99	14.56
CMRC0841	516826	6710549	51	71	2.55	20
CMRC0829	516818	6710610	59	66	6.49	7
CMAC0640*	515682	6710071	16	28	3.35	12
CMRC0312D	517333	6712080	221	229	4.71	8
CMRC0836	516891	6711030	132	139	5.03	7
CMRC0828	516842	6710660	59	69	3.48	10
CMRC0824	516275	6706631	68	72	8.64	4
CMRC2035D	516181	6708657	252	266	2.23	14
CMRC0850	516331	6706737	96	104	3.81	8

*Regional 4m Composite Aircore

A comprehensive table of significant results is included in Appendix 1.

The results received from this drilling are part of more than 90,000 metres of RC and diamond drilling completed and assayed at the MGGP since the November 2022 MRE. These results were used to update the MRE in December 2023 resulting in a significant increase from 2,755,000 ounces to 3,244,000 ounces (refer ASX announcement 15 December 2023).

Current and previously reported drilling at the depth extremities of the resource optimisation shells (where historic drill density is broader spaced) and below them has returned results consistent with Capricorn's geological interpretations of mineralisation location, widths and grade tenor. Drilling across the project to date indicates that mineralisation remains open down dip and along strike to the north and south with multiple stacked lodes intersected.

A 10,000m RC programme commenced in the March 2024 quarter to continue the strategy of infilling and extending zones of known gold mineralisation within and below the current resource shells.

Orion Underground Potential

Drilling under the Orion pit in 2023 returned broad high-grade gold intercepts that demonstrated the potential for underground mining operations with mineralisation being significantly extended at depth by Capricorn since project acquisition.

Diamond drilling consisting of four holes (420 metres) re-entering RC holes was undertaken in September 2023. This programme of drilling was designed to hit deeper zones of mineralisation to obtain further knowledge of the underground potential of Orion. All four holes drilled returned encouraging results including:

- 22 metres @ 4.82g/t from 229 to 251 metres
- 14.56 metres @ 3.99g/t from 310 to 324.56 metres
- 8 metres @ 4.71g/t from 221 to 229 metres
- 14 metres @ 2.23g/t from 252 to 266 metres

The cross-sections below illustrate the high grade zone that is being defined by drilling beneath the Orion pit.




Figure 2. Orion Section with significant open broad mineralisation outside of the current A\$1,900/oz reserve outline.




Figure 3. Orion Section with significant open broad mineralisation outside of the current A\$1,900/oz reserve outline.

Drilling will continue in the coming quarters targeting extensions of higher-grade areas. The strategy to drill incrementally deeper and along strike from current intercepts will continue with a view to maximising the value proposition of the drilling and enhance the prospects for continued success. This will allow the Company to understand the structure, geometry & extent of high-grade zones with a view to developing an underground model in the medium term. Results from current and additional drilling will form the basis to future updates to the projects current 3.244 million ounce MRE.

Broad Zones at Lexington, Orion, Saratoga and Comanche

Drilling during the period on unmined and under drilled areas at Comanche, Lexington Trend, Saratoga and Orion North continues to define zones of high-grade mineralisation. Significant mineralisation at Comanche that was identified in the previous reporting period has now been extended for over 250 metres of strike and remains open at depth.

The plan in Figure 1 above shows the drilling activity from the infill and extensional RC programme and the location of the following cross sections.




Figure 4. Unmined under drilled Lexington North Section with significant open broad high-grade mineralisation outside of the current A\$1,900/oz reserve outline.




Figure 5. Lexington Section with significant open broad mineralisation outside of the current A\$1,900/oz reserve outline.




Figure 6. Lexington Section with significant open broad mineralisation outside of the current A\$1,900/oz reserve outline.




Figure 7. Comanche Section with shallow open significant broad mineralisation intersected outside of the current A\$1,900/oz reserve outline.

Regional Exploration

First pass Aircore and RC drill programmes predominantly on 100m x 100m spacing commenced during the quarter at the newly identified Sundance and Ace High prospects situated in close proximity to the Mt Gibson mining centre. A total of 196 AC holes (10,797 metres) and 8 RC holes (1,014 metres) were completed with drilling intersecting granite, mafic and volcanoclastic lithological contacts. Drilling returned very encouraging 4m composite Au results which highlight the areas with high prospectivity to host further near surface satellite resources as well as major gold discoveries.

Encouragingly the most prospective mineralised and geological zones appear analogous to Capricorn, Sheldon and Deep South deposits (refer Figures 8 & 9). Multiple zones of anomalous low-grade Au + pathfinder results were also identified with follow up drilling planned for the March 2024 quarter. Best results included:

- 16 metres @ 17.16g/t from 32 to 48m
- 4 metres @ 6.76g/t from 68 to 72m
- 4 metres @ 2.75g/t from 56 to 60m
- 12 metres @ 3.35g/t from 16 to 28m
- 4 metres @ 5.29g/t from 32 to 36m
- 4 metres @ 2.70g/t from 40 to 44m




Figure 8. Completed Sundance drilling




Figure 9. Completed Ace High drilling.

Heap Leach Dump Drilling

During the quarter a 97 hole (1,928 metres) Aircore drilling programme was completed over an existing historic heap leach dump at the MGGP. The drilling was designed to increase confidence in gold distribution and enable segregation between ore and waste. The results will aid a future JORC compliant resource estimation. Significant results from this drilling are shown below:

- 11 metres @ 3.27g/t from 0 to 11m
- 5 metres @ 4.88g/t from 0 to 5m
- 6 metres @ 2.83g/t from 0 to 6m
- 11 metres @ 1.04g/t from 0 to 11m

Project Development Drilling

A total of 9 holes (1,820m) of diamond drilling was completed for technical studies to help inform future ORE updates. Drilling was primarily undertaken for geotechnical testwork programmes to investigate and define optimal mine design parameters for the project.

Heritage Surveys

Large scale archaeological and ethnographic clearance works have been completed and are progressing over future infrastructure and exploration areas.

Karlawinda Gold Project

Near Mine RC Drilling

During the quarter RC results from drilling completed in the September 2023 quarter at the Carnoustie, Vedas and Belhaven prospects were returned. The newly identified Belhaven prospect is targeting gold and geophysical trends along strike of the newly identified Berwick and Muirfield deposits within the Karlawinda East project area. The recent success within the Karlawinda East project area and its proximity to the existing operations indicate the high prospectivity for the area to host further near-surface satellite resources as well as major gold discoveries (refer Figure 10). Encouraging results include:

Hole_ID	Easting	Northing	From (m)	Depth (m)	Width	Grade (g/t Au)
KBRC2079	210056	7366502	80	83	3	6.82
KBRC2081	210434	7366363	115	122	7	1.95
KBRC2097	210638	7366929	137	147	10	6.61
KBRC2111	211211	7366732	134	136	2	17.11
KBRC2111	211211	7366732	78	90	12	1.34
KBRC2132	199131	7371560	144	151	7	13.53

A comprehensive table of significant results is included in Appendix 1.




Figure 10. Karlawinda current near mine exploration targets

Carnoustie

In 2022 a 400 x 100m Aircore gold and arsenic anomaly was identified at the Carnoustie Prospect, approximately 5 km north-west of the Bibra Deposit. Follow up first pass RC drilling completed in November 2022 returned encouraging results with mineralisation hosted within an inferred intermediate intrusion. To better understand orientation and mineralisation, a single RC hole (KBRC2132) for 210 metres was drilled in November 2023, 18 metres along strike from the above-mentioned intercept. The hole returned 7m @ 13.53 g/t Au from 144 metres indicating the potential for a steeply dipping intrusive related orebody with mineralisation remaining open up and down dip and along strike to the north and south (refer Figure 11). Follow up RC drilling is planned for the March 2024 quarter.




Figure 11. Carnoustie Section from early stage RC drilling with significant open broad mineralisation and inferred steeply dipping ore zone which requires follow up drilling.

Vedas and Belhaven

During the quarter, RC results from follow-up drilling undertaken in the September 2023 quarter at the Vedas and Belhaven prospects were returned. This drilling expanded the target area approximately 4 kilometres along strike from the recently defined Muirfield and Berwick deposits (refer Figure 12).

Mineralisation at Vedas and Belhaven is analogous with the Bibra deposit, with gold hosted in moderately north dipping zones of intense Silica + sericite + biotite + pyrite + arsenopyrite alteration bound by magnetite. Follow up RC drilling is planned for the March 2024 quarter. Best results included:

- 12 metres @ 1.34 g/t from 78 to 90m
- 10 metres @ 6.61g/t from 137 to 147m
- 2 metres @ 17.11g/t from 134 to 136m
- 3 metres @ 6.82g/t from 80 to 83m




Figure 12. Current drill intercepts at the Vedas East and Belhaven prospects along strike of the newly defined Berwick and Muirfield deposits.

Regional Exploration

Mumbakine Well

The Mumbakine Well project is located 30 kilometres west of Bibra and includes the highly prospective Jim's Vein and Central Lode prospects. During the December 2023 quarter, a 7,000 metre aircore drilling programme commenced with 2,682 metres (41 holes) completed to the end of December 2023. This programme is the first drilling done on the project since Capricorn acquired the project in May 2022. The programme has been planned based on historic downhole anomalies and soil sampling work completed in the September 2023 quarter.

Gold mineralisation at the Jims Vein prospect is heavily associated with high-temperature pathfinders (including +1% Pb) commonly associated with intrusion-related gold deposits. At the Central Lode prospect, mineralisation is hosted in a large ENE shear zone with quartz stockwork vein systems along mafic/sediment contacts and granite/sediment contacts. Results from this drilling programme are expected to be returned in the March 2024 quarter.




Figure 13. Completed drilling at Jims Vein Central Lode prospects with anomalous Au+Ag+As+Pb soil sample area, current +0.1 g/t Au rock chip locations and historic drilling locations.

This announcement has been authorised for release by the Capricorn Metals Ltd board.

For further information, please contact:

Mr Kim Massey
 Chief Executive Officer
 E: enquiries@capmet.com.au
 T: +61 8 9212 4600

Forward Looking Statements

This announcement may contain certain “forward-looking statements” which may not have been based solely on historical facts, but rather may be based on the Company’s current expectations about future events and results. Where the Company expresses or implies an expectation of belief as to future events or results, such expectation or belief is expressed in good faith and believed to have a reasonable basis. The detailed reasons for that conclusion are outlined throughout this announcement and all material assumptions are disclosed.

However, forward looking statements are subject to risks, uncertainties, assumptions and other factors, which could cause actual results to differ materially from future results expressed, projected or implied by such forward-looking statements.

Such risks include, but are not limited to resource risk, metals price volatility, currency fluctuations, increased production costs and variances in ore grade or recovery rates from those assumed in mining plans, as well as governmental regulation and judicial outcomes.

For a more detailed discussion of such risks and other factors, see the Company’s Annual Reports, as well as the Company’s other filings. Readers should not place undue reliance on forward looking information. The Company does

not undertake any obligation to release publicly any revisions to any “forward looking statement” to reflect events or circumstances after the date of this announcement, or to reflect the occurrence of unanticipated events, except as may be required under applicable securities laws.

Competent Persons Statement

The information in this report that relates to Exploration Results is based on information compiled or reviewed by Mr. William Higgins who is a full-time employee of the Company. Mr. Higgins is a current Member of the Australian Institute of Geoscientists and has sufficient experience, which is relevant to the style of mineralisation and types of deposit under consideration and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the “Australasian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves”. Mr. Higgins consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

The detailed information relating to the Ore Reserves and Mineral Resources for the Karlawinda Gold Project was contained in the Company’s ASX announcement dated 27 July 2023 entitled “Quarterly Exploration and Annual Resource/Reserve Update”. The information relating to the Mineral Resource for the Mt Gibson Gold Project Gold Project was contained in the Company’s ASX announcement dated 15 December 2023 entitled “Mt Gibson Gold Project Mineral Resources Increase to 3.24 Million Ounces”. The information relating to the Ore Reserve for the Mt Gibson Gold Project Gold Project was contained in the Company’s ASX announcement dated 19 April 2023 entitled “MGGP PFS Confirms 1.45Moz Maiden Ore Reserve”

The Company confirms that it is not aware of any new information or data that materially affects the information included in the ASX announcements dated 27 July 2023, 15 December 2023 and 19 April 2023 and all material assumptions and technical parameters underpinning the estimates in the relevant market announcements continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Persons’ findings are presented have not materially changed from previous market announcements. The reports are available to view on the ASX website and on the Company’s website at www.capmetals.com.au

The Competent Person’s consents remain in place for subsequent releases by the Company of the same information in the same form and context, until the consent is withdrawn or replaced by subsequent report and accompanying consent.

APPENDIX 1 – SIGNIFICANT RESULTS

Reported intercepts include a minimum of 0.5g/t Au value over a minimum length of 1m with a maximum 2m length of consecutive internal waste. No upper cuts have been applied.

Mt Gibson

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	68	72	4	6.76
CMAC0492	516744.61	6704386.68	336.056	106	-90/0	32	36	4	0.87
CMAC0492	516744.61	6704386.68	336.056	106	-90/0	56	60	4	2.75
CMAC0492	516744.61	6704386.68	336.056	106	-90/0	92	100	8	0.88
CMAC0493	516846.13	6704390.71	335.825	106	-90/0	60	64	4	1.65
CMAC0493	516846.13	6704390.71	335.825	106	-90/0	88	96	8	0.66
CMAC0495	517045.45	6704391.9	335.507	118	-90/0	48	52	4	0.7
CMAC0502	516644.02	6704293.44	336.074	76	-90/0	44	48	4	0.89
CMAC0502	516644.02	6704293.44	336.074	76	-90/0	64	68	4	1.07
CMAC0503	516748.02	6704291.65	335.757	107	-90/0	24	36	12	0.6
CMAC0513	516646.19	6704194.56	335.472	88	-90/0	48	52	4	0.62
CMAC0513	516646.19	6704194.56	335.472	88	-90/0	68	72	4	0.56
CMAC0514	516741.93	6704198.43	334.986	106	-90/0	32	36	4	5.29
CMAC0515	516853.29	6704192.39	334.518	103	-90/0	24	28	4	0.57
CMAC0515	516853.29	6704192.39	334.518	103	-90/0	56	60	4	0.76
CMAC0524	516648.66	6704094.45	334.742	91	-90/0	32	48	16	17.16
CMAC0524	516648.66	6704094.45	334.742	91	-90/0	56	60	4	0.84
CMAC0525	516739.35	6704091.22	334.428	108	-90/0	32	36	4	0.51
CMAC0526	516842.63	6704093.75	334.106	117	-90/0	48	52	4	0.55
CMAC0535	516648.76	6703996.62	333.88	74	-90/0	52	56	4	0.64
CMAC0548	516848	6703886.36	332.625	71	-90/0	36	40	4	2.24
CMAC0548	516848	6703886.36	332.625	71	-90/0	68	71	3	0.77
CMAC0640	515681.81	6710071.48	342.076	40	-90/0	16	28	12	3.35
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	5	7	2	1.18
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	5	7	2	1.18
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	100	102	2	0.7
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	100	102	2	0.7
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	117	118	1	0.72
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	117	118	1	0.72
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	133	135	2	2.69
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	133	135	2	2.69
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	138	141	3	1.37
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	138	141	3	1.37
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	144	145	1	0.61
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	144	145	1	0.61
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	156	157	1	3.72
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	156	157	1	3.72
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	192	193	1	0.64
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	192	193	1	0.64

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMDD0020	516238.94	6708347.96	349.441	250.6	-59.33/290	211	212	1	0.58
CMDD0020	516649.8	6704398.19	336.477	92	-90/0	211	212	1	0.58
CMDD0022	516440.56	6709230.96	337.901	150.17	-75.23/47	84	85	1	1.14
CMDD0022	516440.56	6709230.96	337.901	150.17	-75.23/47	98	99	1	0.64
CMDD0022	516440.56	6709230.96	337.901	150.17	-75.23/47	110	111	1	0.73
CMDD0022	516440.56	6709230.96	337.901	150.17	-75.23/47	117	120	3	1.35
CMDD0022	516440.56	6709230.96	337.901	150.17	-75.23/47	129	130	1	0.83
CMDD0022	516440.56	6709230.96	337.901	150.17	-75.23/47	136	137	1	1.91
CMDD0023	515958.02	6709455.54	360.866	297.3	-56.78/136	38	39	1	0.54
CMDD0023	515958.02	6709455.54	360.866	297.3	-56.78/136	172	173	1	0.57
CMDD0023	515958.02	6709455.54	360.866	297.3	-56.78/136	205	206.9	1.9	0.98
CMDD0023	515958.02	6709455.54	360.866	297.3	-56.78/136	211	212	1	0.59
CMDD0023	515958.02	6709455.54	360.866	297.3	-56.78/136	262	263	1	0.78
CMDD0024	516636.21	6709896.84	343.401	152.9	-55.82/287	91	92	1	1.42
CMDD0024	516636.21	6709896.84	343.401	152.9	-55.82/287	120	121	1	7.29
CMDD0024	516636.21	6709896.84	343.401	152.9	-55.82/287	143	144	1	1.79
CMHL330	515839.44	6708678.51	366.91	23	-90/0	8	13	5	0.58
CMHL330	515839.44	6708678.51	366.91	23	-90/0	20	22	2	0.65
CMHL331	515815.18	6708678.91	367.656	24	-90/0	7	16	9	1.11
CMHL331	515815.18	6708678.91	367.656	24	-90/0	19	20	1	0.56
CMHL332	515790.28	6708678.05	368.71	25	-90/0	0	10	10	0.7
CMHL332	515790.28	6708678.05	368.71	25	-90/0	13	14	1	0.86
CMHL333	515764.3	6708677.86	368.25	25	-90/0	7	9	2	0.63
CMHL333	515764.3	6708677.86	368.25	25	-90/0	19	21	2	0.88
CMHL334	515739.98	6708678.75	368.094	25	-90/0	2	8	6	0.87
CMHL334	515739.98	6708678.75	368.094	25	-90/0	11	13	2	0.54
CMHL335	515714.11	6708678.88	368.279	24	-90/0	0	11	11	1.04
CMHL336	515689.33	6708678.93	366.664	23	-90/0	1	2	1	0.53
CMHL336	515689.33	6708678.93	366.664	23	-90/0	5	10	5	0.66
CMHL337	515663.42	6708677.68	367.564	24	-90/0	0	6	6	0.84
CMHL338	515639.28	6708678.05	366.508	23	-90/0	2	8	6	0.8
CMHL338	515639.28	6708678.05	366.508	23	-90/0	12	13	1	0.7
CMHL339	515614.15	6708677.39	366.643	24	-90/0	1	5	4	0.69
CMHL339	515614.15	6708677.39	366.643	24	-90/0	9	10	1	0.58
CMHL340	515589.54	6708678.38	366.38	24	-90/0	3	4	1	1.04
CMHL340	515589.54	6708678.38	366.38	24	-90/0	12	13	1	2.09
CMHL341	515563.61	6708678.38	366.014	23	-90/0	11	13	2	1.11
CMHL342	515538.36	6708678.67	365.812	22	-90/0	0	5	5	1.72
CMHL343	515514.55	6708678.63	365.869	23	-90/0	1	5	4	1.12
CMHL344	515489.45	6708678.58	365.922	23	-90/0	1	3	2	0.68
CMHL344	515489.45	6708678.58	365.922	23	-90/0	7	10	3	0.5
CMHL345	515464.5	6708678.59	365.789	22	-90/0	0	3	3	0.75
CMHL346	515440.96	6708678.64	366.021	22	-90/0	0	5	5	0.76
CMHL347	515414.5	6708678.39	366.112	23	-90/0	0	2	2	0.68

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMHL347	515414.5	6708678.39	366.112	23	-90/0	5	6	1	0.9
CMHL347	515414.5	6708678.39	366.112	23	-90/0	9	10	1	0.53
CMHL348	515414.76	6708653.17	365.759	22	-90/0	0	4	4	1.36
CMHL349	515438.92	6708653.46	365.67	22	-90/0	0	3	3	0.76
CMHL350	515464.17	6708654.02	364.649	21	-90/0	0	1	1	0.54
CMHL352	515515.01	6708653.54	364.735	21	-90/0	0	1	1	0.89
CMHL353	515539.16	6708652.39	364.432	21	-90/0	9	10	1	0.65
CMHL354	515565.24	6708653.1	364.514	21	-90/0	1	3	2	1.05
CMHL354	515565.24	6708653.1	364.514	21	-90/0	6	10	4	1.1
CMHL355	515589.94	6708653.43	365.688	22	-90/0	0	11	11	3.27
CMHL356	515614.23	6708653.74	366.078	23	-90/0	0	1	1	0.5
CMHL357	515638.82	6708653.86	366.256	22	-90/0	0	4	4	0.47
CMHL357	515638.82	6708653.86	366.256	22	-90/0	10	12	2	0.62
CMHL359	515689.21	6708653.38	366.495	23	-90/0	3	8	5	0.55
CMHL360	515714.76	6708653.5	366.596	23	-90/0	1	5	4	0.72
CMHL360	515714.76	6708653.5	366.596	23	-90/0	8	15	7	0.71
CMHL361	515739.54	6708653.6	366.573	23	-90/0	1	2	1	0.51
CMHL362	515764.42	6708653.58	366.909	24	-90/0	0	1	1	0.67
CMHL362	515764.42	6708653.58	366.909	24	-90/0	4	10	6	0.9
CMHL362	515764.42	6708653.58	366.909	24	-90/0	13	18	5	0.66
CMHL363	515789.78	6708653.51	367.181	23	-90/0	1	2	1	1.11
CMHL363	515789.78	6708653.51	367.181	23	-90/0	6	10	4	1.26
CMHL363	515789.78	6708653.51	367.181	23	-90/0	15	16	1	0.61
CMHL364	515817.42	6708653.69	367.029	9	-90/0	3	6	3	0.61
CMHL365	515839.88	6708653.96	366.83	22	-90/0	1	9	8	0.49
CMHL365	515839.88	6708653.96	366.83	22	-90/0	12	16	4	0.39
CMHL366	515414.59	6708628.68	361.447	18	-90/0	1	4	3	0.97
CMHL367	515441.44	6708627.4	362.376	19	-90/0	3	4	1	1.09
CMHL368	515464.96	6708627.55	362.479	19	-90/0	0	2	2	0.73
CMHL369	515489.58	6708627.39	362.804	19	-90/0	4	6	2	0.84
CMHL370	515513.1	6708627.21	362.452	19	-90/0	1	2	1	3.38
CMHL370	515513.1	6708627.21	362.452	19	-90/0	5	6	1	0.93
CMHL371	515539.04	6708628.58	361.203	17	-90/0	1	4	3	0.84
CMHL371	515539.04	6708628.58	361.203	17	-90/0	9	10	1	0.68
CMHL372	515564.28	6708628.44	361.26	18	-90/0	1	7	6	1.35
CMHL373	515589.35	6708628.47	364.032	20	-90/0	0	1	1	0.72
CMHL374	515614.81	6708628.28	364.381	21	-90/0	0	2	2	2.16
CMHL374	515614.81	6708628.28	364.381	21	-90/0	7	9	2	0.85
CMHL375	515639.52	6708628.5	363.172	20	-90/0	9	10	1	0.72
CMHL376	515665.69	6708628.16	363.057	20	-90/0	9	10	1	0.58
CMHL377	515689.26	6708628.17	363.48	20	-90/0	0	1	1	0.68
CMHL377	515689.26	6708628.17	363.48	20	-90/0	10	11	1	1.01
CMHL378	515829.04	6708603.94	365.338	16	-90/0	2	5	3	0.78
CMHL378	515829.04	6708603.94	365.338	16	-90/0	10	11	1	0.79

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMHL379	515815.05	6708603.7	366.821	23	-90/0	2	4	2	1.7
CMHL379	515815.05	6708603.7	366.821	23	-90/0	8	12	4	0.38
CMHL379	515815.05	6708603.7	366.821	23	-90/0	15	17	2	0.58
CMHL380	515789.43	6708603.39	366.453	22	-90/0	4	6	2	0.55
CMHL380	515789.43	6708603.39	366.453	22	-90/0	11	12	1	1.08
CMHL382	515739.25	6708604.09	364.42	21	-90/0	2	7	5	0.48
CMHL386	515640.2	6708603.83	362.954	19	-90/0	6	7	1	1.31
CMHL388	515589.89	6708603.15	363.122	20	-90/0	0	1	1	0.63
CMHL390	515564.38	6708578.51	361.114	17	-90/0	0	5	5	4.88
CMHL392	515614.48	6708578.4	363.638	20	-90/0	0	2	2	0.83
CMHL393	515639.54	6708578.59	362.943	20	-90/0	6	7	1	0.7
CMHL396	515714.93	6708578.32	360.052	16	-90/0	2	6	4	0.62
CMHL397	515738.61	6708577.95	361.484	18	-90/0	2	9	7	0.74
CMHL397	515738.61	6708577.95	361.484	18	-90/0	12	13	1	0.59
CMHL398	515764.83	6708578.5	363.817	20	-90/0	0	1	1	0.66
CMHL398	515764.83	6708578.5	363.817	20	-90/0	8	13	5	0.98
CMHL399	515789.04	6708579.05	366.241	15	-90/0	0	2	2	0.54
CMHL399	515789.04	6708579.05	366.241	15	-90/0	7	14	7	0.57
CMHL400	515813.89	6708579.77	366.417	23	-90/0	0	2	2	0.89
CMHL400	515813.89	6708579.77	366.417	23	-90/0	6	16	10	1.13
CMHL401	515815.23	6708555.01	359.399	15	-90/0	1	8	7	0.9
CMHL402	515789.18	6708553.2	360.777	18	-90/0	0	1	1	0.52
CMHL402	515789.18	6708553.2	360.777	18	-90/0	8	9	1	0.63
CMHL403	515761.74	6708552.85	360.868	17	-90/0	4	10	6	0.55
CMHL404	515739.54	6708552.6	360.34	15	-90/0	2	4	2	0.58
CMHL405	515715.88	6708552.28	358.076	15	-90/0	0	3	3	0.6
CMHL406	515690.58	6708554.39	362.966	19	-90/0	0	2	2	0.83
CMHL408	515639.68	6708553.56	364.213	21	-90/0	1	7	6	0.93
CMHL409	515614.02	6708552.82	363.736	20	-90/0	0	6	6	0.99
CMHL410	515590.62	6708552.79	362.481	18	-90/0	5	6	1	2.21
CMHL411	515590.44	6708527.85	361.884	18	-90/0	0	5	5	1.44
CMHL412	515615.16	6708530.04	364.717	20	-90/0	0	6	6	2.83
CMHL413	515640.74	6708528.52	365.343	21	-90/0	0	4	4	0.74
CMHL414	515664.05	6708529.33	365.608	21	-90/0	0	1	1	1.53
CMHL414	515664.05	6708529.33	365.608	21	-90/0	4	5	1	1.66
CMHL415	515693.22	6708527.11	361.336	17	-90/0	1	2	1	0.51
CMHL416	515713.24	6708524.99	358.957	15	-90/0	0	1	1	0.71
CMRC0312D	517333.1	6712079.62	319.311	269.7	-51.62/131	14	15	1	0.52
CMRC0312D	517333.1	6712079.62	319.311	269.7	-51.62/131	221	229	8	4.71
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	0	4	4	0.43
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	26	42	16	1
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	47	55	8	1.55
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	80	81	1	2.88
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	100	101	1	0.8

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	119	120	1	0.91
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	126	127	1	2.08
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	136	137	1	2.25
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	222	225	3	1.66
CMRC0672D	516190.51	6708681.17	342.583	264.9	-55.79/265	229	251	22	4.82
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	1	2	1	1.32
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	7	8	1	15.85
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	81	82	1	0.64
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	133	134	1	0.54
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	137	138	1	5.01
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	141	145	4	0.94
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	156	157	1	1.36
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	170	171	1	1.18
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	189	190	1	0.76
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	201	202	1	8.86
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	227	230	3	0.77
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	244	246	2	0.74
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	274	275	1	4.51
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	305	306	1	0.99
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	310	324.56	14.56	3.99
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	335	346	11	0.76
CMRC0704D	516364.41	6709353.43	343.506	401.9	-52.71/268	356	360	4	3.05
CMRC0820	516269.51	6706586.22	344.261	102	-56.97/271	53	54	1	0.54
CMRC0820	516269.51	6706586.22	344.261	102	-56.97/271	66	67	1	2.56
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	25	26	1	3.72
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	51	57	6	1.64
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	60	66	6	1.61
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	70	73	3	0.83
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	76	77	1	1.22
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	82	84	2	5.62
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	95	98	3	0.79
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	103	105	2	1.72
CMRC0821	516287.55	6706584.37	343.951	120	-57.16/272	114	115	1	0.59
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	69	72	3	0.95
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	75	78	3	0.58
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	85	86	1	0.52
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	91	92	1	4.31
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	95	96	1	1.94
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	106	110	4	1.32
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	114	118	4	1.72
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	122	123	1	0.63
CMRC0822	516314.06	6706584.11	343.9	156	-56.67/270	138	139	1	0.79
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	59	60	1	1.02
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	94	96	2	1.26

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	103	104	1	2.25
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	114	118	4	1.12
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	131	135	4	0.65
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	141	144	3	1.82
CMRC0823	516340.09	6706583.97	343.823	192	-54.97/271	159	162	3	1.14
CMRC0824	516275.26	6706630.69	344.209	102	-58.08/270	52	54	2	3.83
CMRC0824	516275.26	6706630.69	344.209	102	-58.08/270	68	72	4	8.64
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	49	50	1	1.01
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	63	71	8	2.17
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	77	78	1	0.84
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	90	91	1	1.81
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	94	102	8	1.55
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	117	118	1	1.06
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	121	122	1	1.16
CMRC0825	516297.24	6706632.75	344.037	132	-56.36/272	126	127	1	1.21
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	64	65	1	1.92
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	78	90	12	0.82
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	94	96	2	0.89
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	101	102	1	0.58
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	107	121	14	0.9
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	132	133	1	0.64
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	137	138	1	0.58
CMRC0826	516313.75	6706632.54	344.014	162	-52.44/270	142	143	1	2.22
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	81	84	3	1.47
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	87	90	3	0.43
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	96	97	1	2.43
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	105	107	2	0.76
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	131	139	8	0.92
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	151	153	2	0.85
CMRC0827	516331.34	6706634.25	344.021	198	-55.39/271	164	165	1	0.74
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	23	24	1	0.83
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	52	56	4	0.93
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	59	69	10	3.48
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	82	83	1	1.2
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	95	101	6	0.42
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	122	124	2	4.9
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	131	134	3	0.93
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	142	144	2	0.66
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	172	173	1	0.53
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	231	233	2	1.38
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	242	270	28	0.78
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	275	294	19	1.39
CMRC0828	516841.94	6710660.42	343.01	312	-60.06/309	306	312	6	4.35
CMRC0829	516818.1	6710610.47	344.642	96	-56.99/301	31	37	6	1.23

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0829	516818.1	6710610.47	344.642	96	-56.99/301	59	66	7	6.49
CMRC0829	516818.1	6710610.47	344.642	96	-56.99/301	71	83	12	0.48
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	1	2	1	0.76
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	38	43	5	1.22
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	48	49	1	0.5
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	54	55	1	1.21
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	90	91	1	1.36
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	118	120	2	3.09
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	137	162	25	0.84
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	167	172	5	0.47
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	176	206	30	0.86
CMRC0830	516788.17	6710681.89	328.969	252	-57.6/311	209	210	1	1.12
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	5	6	1	0.69
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	39	41	2	1.61
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	47	48	1	1.04
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	69	73	4	0.62
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	88	89	1	0.6
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	150	151	1	3.92
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	154	157	3	0.84
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	170	171	1	0.5
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	179	180	1	1.58
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	186	187	1	0.91
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	190	191	1	0.76
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	199	200	1	0.51
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	207	208	1	0.61
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	212	245	33	2.27
CMRC0831	516789.28	6710628.18	332.752	276	-61.06/304	250	252	2	0.9
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	21	22	1	0.6
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	50	51	1	0.55
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	54	55	1	0.6
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	65	66	1	0.56
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	71	81	10	2.35
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	87	89	2	3.91
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	97	102	5	0.67
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	140	141	1	0.68
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	161	168	7	0.75
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	185	186	1	0.53
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	191	192	1	1.17
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	202	203	1	0.71
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	235	241	6	0.76
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	254	284	30	5
CMRC0832	516793.32	6710566.87	342.522	306	-56.14/306	291	294	3	1.09
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	1	2	1	3.53
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	5	6	1	2.52

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	10	11	1	1.04
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	29	30	1	0.91
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	46	47	1	0.59
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	66	68	2	1.23
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	83	84	1	0.59
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	99	101	2	1.76
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	130	131	1	1.12
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	145	146	1	0.52
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	164	167	3	0.54
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	170	171	1	0.53
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	181	191	10	0.55
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	200	202	2	1.25
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	215	216	1	0.61
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	226	237	11	0.89
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	251	257	6	1.61
CMRC0833	516790.64	6710538.45	345.186	336	-60.74/304	270	299	29	2.23
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	18	21	3	1.14
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	46	47	1	0.95
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	63	64	1	2.47
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	72	79	7	0.88
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	111	116	5	1.2
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	119	122	3	0.81
CMRC0834	516727.59	6710386.75	342.195	210	-58.87/306	188	189	1	0.68
CMRC0835	516820.96	6710958.54	326.622	138	-60.78/311	41	42	1	0.52
CMRC0835	516820.96	6710958.54	326.622	138	-60.78/311	46	54	8	1.05
CMRC0835	516820.96	6710958.54	326.622	138	-60.78/311	70	71	1	0.5
CMRC0835	516820.96	6710958.54	326.622	138	-60.78/311	100	101	1	1.94
CMRC0835	516820.96	6710958.54	326.622	138	-60.78/311	128	130	2	1.44
CMRC0835	516820.96	6710958.54	326.622	138	-60.78/311	135	136	1	3.85
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	45	50	5	0.62
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	102	108	6	1.2
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	111	118	7	1.6
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	121	122	1	0.77
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	127	128	1	0.57
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	132	139	7	5.03
CMRC0836	516890.64	6711030.41	326.352	180	-54.19/305	147	148	1	2.33
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	1	2	1	0.78
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	43	45	2	5.22
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	49	54	5	1.62
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	59	60	1	3.5
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	87	88	1	0.52
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	93	97	4	1.16
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	107	108	1	0.58
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	112	113	1	0.61

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	116	118	2	12.75
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	123	127	4	0.5
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	130	134	4	1.24
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	145	152	7	1.83
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	155	156	1	0.97
CMRC0837	516848.62	6710872.23	327.281	210	-58.65/306	177	181	4	0.32
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	14	15	1	0.62
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	58	60	2	1.01
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	68	69	1	0.7
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	72	73	1	0.64
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	86	88	2	0.58
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	94	103	9	0.64
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	114	115	1	0.52
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	126	130	4	0.68
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	169	170	1	2
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	176	177	1	1.4
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	188	189	1	1.04
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	207	208	1	0.63
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	213	214	1	0.7
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	218	220	2	0.6
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	224	225	1	2.18
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	240	241	1	2.41
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	245	250	5	1.05
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	253	255	2	1.61
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	262	266	4	0.5
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	275	280	5	1.03
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	284	290	6	0.52
CMRC0838	516899.6	6710767.86	338.972	300	-55.96/306	298	299	1	0.86
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	17	18	1	0.79
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	72	75	3	7.78
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	95	102	7	1.38
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	105	108	3	1.39
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	127	128	1	0.54
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	141	142	1	1.26
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	156	157	1	0.58
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	166	173	7	1.77
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	195	196	1	0.56
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	199	200	1	0.83
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	204	205	1	0.57
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	214	215	1	0.77
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	221	222	1	0.57
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	238	239	1	0.82
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	247	248	1	0.58
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	263	264	1	0.71

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	267	268	1	2.61
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	271	276	5	0.79
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	282	288	6	1.73
CMRC0839	516890.65	6710731.37	341.431	312	-57.99/301	308	309	1	0.82
CMRC0840	516982.21	6710722.94	337.058	162	-60.27/307	5	6	1	0.51
CMRC0840	516982.21	6710722.94	337.058	162	-60.27/307	14	19	5	0.52
CMRC0840	516982.21	6710722.94	337.058	162	-60.27/307	111	112	1	0.82
CMRC0840	516982.21	6710722.94	337.058	162	-60.27/307	120	123	3	1.81
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	32	33	1	0.6
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	51	71	20	2.55
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	75	76	1	0.52
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	81	87	6	2.7
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	90	96	6	3.82
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	113	117	4	2.05
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	131	138	7	2.37
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	152	158	6	0.87
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	189	194	5	2.61
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	218	219	1	0.79
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	235	236	1	1.03
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	260	263	3	0.74
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	266	267	1	0.99
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	275	276	1	1.45
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	279	286	7	0.85
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	292	297	5	0.83
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	301	304	3	4.87
CMRC0841	516826.26	6710549.35	349.882	312	-56.25/308	310	312	2	0.59
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	2	3	1	1.01
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	32	34	2	1.09
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	56	86	30	2.74
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	89	90	1	0.5
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	95	105	10	1.29
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	109	110	1	0.56
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	129	130	1	4.73
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	139	140	1	5.98
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	151	152	1	3.08
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	155	159	4	1.21
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	163	174	11	2.18
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	184	185	1	0.84
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	212	213	1	0.72
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	233	234	1	0.5
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	241	242	1	1.5
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	264	266	2	1.39
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	272	273	1	0.72
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	286	287	1	1.77

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	291	299	8	1.25
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	330	333	3	0.93
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	339	340	1	0.8
CMRC0842	516828.97	6710517.7	351.125	354	-58.02/310	351	353	2	1.5
CMRC0843	516696.7	6710399.77	334.855	162	-62.45/306	10	11	1	0.72
CMRC0843	516696.7	6710399.77	334.855	162	-62.45/306	41	47	6	1.79
CMRC0843	516696.7	6710399.77	334.855	162	-62.45/306	55	56	1	1.61
CMRC0843	516696.7	6710399.77	334.855	162	-62.45/306	65	70	5	1.11
CMRC0843	516696.7	6710399.77	334.855	162	-62.45/306	85	87	2	0.62
CMRC0843	516696.7	6710399.77	334.855	162	-62.45/306	104	109	5	0.67
CMRC0844	516368.88	6708849.67	341.083	94	-54.69/272	14	15	1	0.66
CMRC0844	516368.88	6708849.67	341.083	94	-54.69/272	72	76	4	1.3
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	4	6	2	0.87
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	13	15	2	0.83
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	31	33	2	1.19
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	70	74	4	1.86
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	87	90	3	1.98
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	94	95	1	1.37
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	102	103	1	0.58
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	106	119	13	0.73
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	132	137	5	1.77
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	149	154	5	0.58
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	158	159	1	0.67
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	167	168	1	4.86
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	180	181	1	1.21
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	188	189	1	0.55
CMRC0845	516365.8	6708849.23	340.985	228	-57.01/273	207	208	1	2.78
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	1	3	2	0.93
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	6	8	2	0.89
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	34	36	2	0.72
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	74	75	1	0.81
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	93	97	4	0.75
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	100	105	5	0.77
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	108	109	1	6.57
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	118	122	4	0.99
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	127	131	4	1.49
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	146	148	2	1.89
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	157	158	1	3.8
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	170	173	3	1.21
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	176	177	1	0.56
CMRC0846	516351.73	6708798.94	342.433	222	-66.5/278	194	196	2	5.35
CMRC0847	516300.98	6706767.88	345.658	108	-60.29/276	44	46	2	1.2
CMRC0847	516300.98	6706767.88	345.658	108	-60.29/276	59	65	6	1.38
CMRC0847	516300.98	6706767.88	345.658	108	-60.29/276	83	84	1	2.35

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0847	516300.98	6706767.88	345.658	108	-60.29/276	97	98	1	2.97
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	48	51	3	2.75
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	59	60	1	0.97
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	63	64	1	0.6
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	70	73	3	0.49
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	77	78	1	0.67
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	83	85	2	1.79
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	96	99	3	1.71
CMRC0848	516321.15	6706767.36	346.021	138	-58.51/275	105	107	2	1.05
CMRC0849	516345.96	6706737.36	345.69	174	-67.48/273	23	26	3	0.48
CMRC0849	516345.96	6706737.36	345.69	174	-67.48/273	35	36	1	0.91
CMRC0849	516345.96	6706737.36	345.69	174	-67.48/273	144	145	1	0.71
CMRC0849	516345.96	6706737.36	345.69	174	-67.48/273	156	157	1	1.3
CMRC0849	516345.96	6706737.36	345.69	174	-67.48/273	163	164	1	1.64
CMRC0850	516330.77	6706737.44	345.553	150	-56.75/274	96	104	8	3.81
CMRC0850	516330.77	6706737.44	345.553	150	-56.75/274	114	115	1	0.62
CMRC0850	516330.77	6706737.44	345.553	150	-56.75/274	133	134	1	2.59
CMRC0851	516259.74	6706700.38	344.965	72	-61.37/273	3	6	3	0.66
CMRC0851	516259.74	6706700.38	344.965	72	-61.37/273	9	14	5	0.83
CMRC0851	516259.74	6706700.38	344.965	72	-61.37/273	17	18	1	0.65
CMRC0851	516259.74	6706700.38	344.965	72	-61.37/273	22	25	3	0.55
CMRC0851	516259.74	6706700.38	344.965	72	-61.37/273	42	46	4	1.67
CMRC0851	516259.74	6706700.38	344.965	72	-61.37/273	71	72	1	0.82
CMRC0852	516279.85	6706696.35	344.866	108	-61.09/268	73	79	6	0.74
CMRC0854	516328.48	6705001.47	341.301	108	-61.82/274	47	54	7	0.68
CMRC0854	516328.48	6705001.47	341.301	108	-61.82/274	57	59	2	5.31
CMRC0855	516373.64	6705016.22	341.163	144	-63.9/272	46	47	1	2.13
CMRC0855	516373.64	6705016.22	341.163	144	-63.9/272	55	56	1	0.58
CMRC0855	516373.64	6705016.22	341.163	144	-63.9/272	84	85	1	2.48
CMRC0855	516373.64	6705016.22	341.163	144	-63.9/272	101	104	3	2.66
CMRC0856	516313.59	6704947.34	341.071	120	-64.07/273	28	29	1	1.26
CMRC0857	516350.03	6704952.33	340.863	120	-62.64/275	56	58	2	2.45
CMRC0857	516350.03	6704952.33	340.863	120	-62.64/275	62	64	2	3.47
CMRC0858	516388.42	6704938.27	340.763	120	-56.06/275	44	48	4	0.4
CMRC0858	516388.42	6704938.27	340.763	120	-56.06/275	69	70	1	0.87
CMRC0860	516395.76	6704875.79	340.493	120	-62.66/275	63	64	1	0.64
CMRC0860	516395.76	6704875.79	340.493	120	-62.66/275	71	72	1	9.74
CMRC0861	516438.68	6704875.07	340.191	126	-63.61/272	49	50	1	0.5
CMRC0861	516438.68	6704875.07	340.191	126	-63.61/272	57	58	1	0.76
CMRC0861	516438.68	6704875.07	340.191	126	-63.61/272	73	75	2	1.32
CMRC0861	516438.68	6704875.07	340.191	126	-63.61/272	105	107	2	0.93
CMRC0863	516463.84	6704766.83	339.546	162	-53.48/273	85	86	1	0.69
CMRC0863	516463.84	6704766.83	339.546	162	-53.48/273	89	90	1	0.57
CMRC0863	516463.84	6704766.83	339.546	162	-53.48/273	95	112	17	1.34

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
CMRC0863	516463.84	6704766.83	339.546	162	-53.48/273	116	117	1	5.4
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	1	2	1	0.54
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	20	21	1	1.52
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	27	28	1	0.5
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	34	38	4	1.59
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	49	50	1	2.45
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	53	55	2	4.27
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	78	79	1	2.25
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	150	151	1	0.5
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	195	197	2	0.6
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	247	249	2	1.23
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	252	266	14	2.23
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	269	273	4	0.33
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	283	289	6	0.41
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	293	294	1	3.6
CMRC2035D	516181.23	6708656.66	343.426	300.1	-65.11/271	298	299	1	0.63

Karlawinda

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
KBAC3184	171362.5	7366281.18	615.905	115	-60/132	0	4	4	1.14
KBRC2079	210056.01	7366502.21	581.878	168	-89/46	93	94	1	0.91
KBRC2079	210056.01	7366502.21	581.878	168	-89/46	80	83	3	6.82
KBRC2080	210537.15	7366644.52	582.04	162	-90/107	106	107	1	0.77
KBRC2080	210537.15	7366644.52	582.04	162	-90/107	111	113	2	0.79
KBRC2081	210433.6	7366363.02	581.211	150	-88/333	115	122	7	1.95
KBRC2086	211308.86	7366598.37	581.674	150	-89/216	119	120	1	0.5
KBRC2086	211308.86	7366598.37	581.674	150	-89/216	131	132	1	0.58
KBRC2092	211708.6	7366001.81	579.631	150	-87/32	112	113	1	0.96
KBRC2093	210259.54	7367064.97	582.961	156	-90/310	52	53	1	1.28
KBRC2093	210259.54	7367064.97	582.961	156	-90/310	93	94	1	1.15
KBRC2093	210259.54	7367064.97	582.961	156	-90/310	108	109	1	0.53
KBRC2097	210637.59	7366929	582.663	156	-63/203	137	147	10	6.61
KBRC2098	210688.5	7367063.4	582.928	162	-58/198	142	144	2	1.02
KBRC2103	210844.07	7366954.64	583.048	186	-60/200	83	84	1	1.61
KBRC2103	210844.07	7366954.64	583.048	186	-60/200	93	97	4	0.93
KBRC2103	210844.07	7366954.64	583.048	186	-60/200	104	105	1	0.75
KBRC2103	210844.07	7366954.64	583.048	186	-60/200	117	118	1	1.21
KBRC2103	210844.07	7366954.64	583.048	186	-60/200	148	149	1	1.14
KBRC2104	210872	7367017	583.056	162	-66/209	156	157	1	1.02
KBRC2107	211085.64	7366987.54	583.021	156	-62/196	119	120	1	6.19
KBRC2110	211173.84	7366695.24	582.029	150	-59/201	91	93	2	1.23
KBRC2110	211173.84	7366695.24	582.029	150	-59/201	118	120	2	0.73
KBRC2110	211173.84	7366695.24	582.029	150	-59/201	126	127	1	1.11
KBRC2110	211173.84	7366695.24	582.029	150	-59/201	131	132	1	0.76

Hole No	Easting	Northing	RL	Hole Depth	Dip/Azi	From	To	Width	Grade (g/t Au)
KBRC2111	211210.85	7366732.15	582.203	156	-60/201	78	90	12	1.34
KBRC2111	211210.85	7366732.15	582.203	156	-60/201	120	121	1	0.8
KBRC2111	211210.85	7366732.15	582.203	156	-60/201	134	136	2	17.11
KBRC2112	211302.75	7367023.46	583.322	168	-60/202	69	70	1	0.54
KBRC2125	212507.17	7367063.27	582.328	150	-84/102	84	88	4	0.55
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	71	72	1	0.73
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	82	83	1	1
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	93	94	1	0.68
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	127	129	2	3.55
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	138	139	1	2.42
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	144	151	7	13.53
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	165	166	1	0.54
KBRC2132	199130.64	7371559.98	597.571	210	-60/270	172	174	2	1.04

Appendix 3 JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<p><i>Sampling techniques</i></p>	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<p>RC drilling at KGP and MGGP completed by Topdrill with the same techniques and process at both. For Reverse Circulation (RC) drilling 2kg - 3kg samples are split from dry 1m bulk samples. The sample was collected through a cyclone and cone splitter. Once drilling reached fresh rock a fine spray of water was used to suppress dust and limit the loss of fines thorough the cyclone chimney.</p> <p>For regional first pass RC drilling 1m sample was collected in a bucket and then tipped in neat lines on the ground. The piles were then sampled by using a spear to collect a field composite (4m RC) 2.0kg to 3.0kg sample which was then placed in a calico bag. Field duplicates were not collected for the regional RC drilling. CRM were inserted at a ratio of 1:30 composites for regional RC. The grade ranges of the CRM’s were selected based on grade populations and economic grade ranges. +100-200ppb will then have their corresponding 1m rig split samples sent for fire assay with the below 1m QAQC applied appropriate for use in JORC resource reporting.</p> <p>1m RC Field duplicates were collected at a ratio of 1:40 and collected at the same time as the original sample through the B chute of the cone splitter. Matrix matched CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 1:40. The grade ranges of the CRM’s were selected based on grade populations and economic grade ranges.</p> <p>Samples were sent to the laboratory where they were pulverised to produce a 50 g charge for fire assay.</p> <p>For regional aircore exploration (AC) drilling a primary sample was collected from the drill rig. The sample was collected in a bucket and then tipped in neat lines on the ground. The piles were then sampled by using a spear to collect a field composite (4m AC) 2.0kg to 3.0kg sample which was then placed in a calico bag. The last 1m interval for each regional AC hole (EOH) was sampled separately for multi element analysis.</p> <p>Field duplicates were not collected for the regional AC drilling. CRM were inserted at a ratio of 1:30 composites for regional AC. The grade ranges of the CRM’s were selected based on grade populations and economic grade ranges.</p> <p>Regional AC samples were sent to ALS laboratory where they were pulverised to produce a 25 g charge for aqua regia 51 elements including Au and element multielement analysis for the field composites using ALS code AuME-TL43analysis.</p> <p>Rock chip samples were taken in the field by CMM geologists during field inspection. Rock samples were collected from surface outcrop. Outcrop samples are considered to be in situ resistant portions of the geology. Samples weighing between 0.5kg and 3kg were collected All sample locations were</p>

Criteria	JORC Code explanation	Commentary
		collected using a hand-held GPS with +/-5m accuracy using MGA zone 51 (GDA94) coordinate system.
Drilling techniques	<ul style="list-style-type: none"> • Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<p>RC: Topdrill Drilling drill rig was used to drill the RC drill holes: Hole diameter was 140mm.</p> <p>AC: Prospect Drilling was used for AC drilling using an 89mm blade bit.</p>
Drill sample recovery	<ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<p>RC: Once drilling reached fresh rock a fine spray of water was used to suppress dust and limit the loss of fines thorough the cyclone chimney.</p> <p>At the end of each metre the bit was lifted off the bottom to separate each metre drilled.</p> <p>The majority of samples were of good quality with ground water having minimal effect on sample quality or recovery. There is no obvious relationship between sample recovery and grade.</p> <p>AC: Visual recovery information was collected at the time of the AC drilling.</p>
Logging	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. 	<p>Reverse circulation chips were washed and stored in chip trays in 1m intervals for the entire length of each hole. Chip trays were stored on site in a sealed container. Chips were visually inspected and logged by an on-site geologist to record lithology (including rock type, oxidation state, weathering, grain size, colour, mineralogy, and texture), alteration, mineralisation, veining, structure, sample quality (dry/wet, contamination) and approximate water flow down hole. Mineralisation, veining and water flow were quantitative or semi-quantitative in nature; the remainder of logging was qualitative.</p> <p>Logging is both qualitative and quantitative or semi-quantitative in nature.</p> <p>AC: AC chips were washed and stored in chip trays in 1m intervals for the entire length of each hole. Holes of interest are retained, all others are disposed of. Chip trays of all EOH intervals are retained. Chip trays were stored on site in a sealed container. Chips were visually inspected and logged by an on-site geologist to record lithology (including rock type, oxidation state, weathering, grain size, colour, mineralogy, and texture), alteration, mineralisation, veining, structure, sample quality (dry/wet, contamination) and approximate water flow down hole. Mineralisation, veining and water flow were quantitative or semi-quantitative in nature; the remainder of logging was qualitative.</p> <p>Rockchips CMM Geologists recorded a short geological description of each sample location including lithology, alteration, veining, and mineralization.</p>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<p>RC holes samples were split from dry, 1m bulk samples via a cone splitter directly from the cyclone.</p> <p>RC Field duplicates were collected at a ratio of 1:40 and collected at the same time as the original sample through the B chute of the cone splitter. Matrix matched CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 1:40. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>The duplicates and CRM's were submitted to the lab using unique sample ID's.</p> <p>2kg – 3kg RC samples are submitted to the laboratory.</p>

Criteria	JORC Code explanation	Commentary
		<p>Samples are oven dried at 105°C then jaw crushed to -10mm followed by a Boyd crush to a nominal -2mm. Samples were rotary split to 2.5kg. Samples were then pulverised in LM5 mills to 85% passing 75µm under sample preparation code SP3000 which consists of a 5-minute extended preparation for RC/Soil/RAB. The extended time for the pulverisation is to improve the pulverisation of samples due to the presence of garnets in the samples.</p> <p>All the samples were analysed for Au using the FA50AAS technique which is a 50g lead collection fire assay.</p> <p>This sample preparation technique is appropriate for the MGGP and KGP; and is standard industry practice for a gold deposit.</p> <p>Samples greater than 3kg are split prior to pulverizing and the remainder discarded.</p> <p>Regional AC samples were collected as 4m field composites using a spear from the individual 1m sample piles on the ground. Field duplicates were not collected for the regional AC drilling. CRM were inserted at a ratio of 1:30 composites for AC. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges. The CRM's were submitted to the lab using unique sample ID's. 2kg – 3kg AC samples are submitted to the laboratory. Samples are oven dried at 105°C then crushed and pulverised.</p> <p>Rock chips were prepared by ALS PUL-24 preparation code, Dry, crush ~2mm, pulverise 1.2kg up to 3kg.</p>
<p><i>Quality of assay data and laboratory tests</i></p>	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>RC: Drilling samples were submitted to Jinnings and ALS in Perth. 1m RC samples were assayed by a 50gm fire assay which is a total assay.</p> <p>RC Field duplicates were collected at a ratio of 1:40 and collected at the same time as the original sample through the B chute of the cone splitter. Matrix matched CRMS and OREAS certified reference material (CRM) were inserted at a ratio of 1:40. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>Regional AC drilling samples were submitted to ALS laboratory in Perth. No field duplicates were collected for the AC drilling. CRM were inserted at a ratio of 1:30 composites for the AC. The grade ranges of the CRM's were selected based on grade populations and economic grade ranges.</p> <p>Rock chips were analysed by ALS AuME-TL43 analysis code</p>
<p><i>Verification of sampling and assaying</i></p>	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data. 	<p>Logging and sampling were recorded directly into a Micromine Geobank template, which utilises lookup tables and in file validation on a Toughbook by the geologist on the rig. Validated data was sent to the database administrator in Perth who then carried out independent verifications using Maxwell's Datashed.</p> <p>Assay results when received were plotted on section and were verified against neighbouring holes.</p> <p>QAQC reports were generated on a hole-by-hole basis by the database administrator as results were received.</p>

Criteria	JORC Code explanation	Commentary
		<p>Capricorn Metals sampling, data collection in field is captured in an electronic logging system for geological, regolith, sample id, assay and surveying information.</p> <p>Capricorn Metals sampling, data collection in field is captured in an electronic logging system for geological, regolith, sample id, assay and surveying information.</p>
Location of data points	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<p>All Drillhole collar positions were surveyed using hand held GPS. Drillhole location data was initially captured in the MGA94 grid system. Before further resource evaluation work the drillhole locations will be picked up with DGPS by qualified surveyors.</p> <p>Down hole surveys were undertaken on 30m increments from end of hole, using a Reflex down hole gyroscopic tool.</p> <p>The natural surface topography was modelled using a DTM generated from airborne survey, this includes waste dumps and some in-pit waste dumping. Also available are pit surveys of the mining voids at the end of historical mining to enable depletion of the CMM resource. The pit surveys and topography surface were checked in Google Earth for accuracy. Horizontal point accuracy is expected to be <5m and vertical accuracy to 0.5m. The reference datum was GDA94 and the projection was MGA Zone 50. Topographic control appears to be of good quality and is considered adequate for resource estimation.</p> <p>Regional AC drillhole collar positions were surveyed before and after drilling using a handheld GPS. Drillhole location data was captured in the MGA94 grid system.</p> <p>Down hole surveys were not undertaken for the any of the drilling due to the shallow nature of the holes. Any regional AC intercepts will be followed up with infill RC drilling using downhole surveys and more accurate collar survey technique.</p> <p>Soil and rock chips sample location were captured using a handheld GPS. All GPS data points were later visualised using ARCGIS software to ensure they were recorded in the correct position The grid system used is UTM GDA 94 Zone 51</p>
Data spacing and distribution	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<p>RC and DD Samples were collected and analysed for each metre down the hole. Samples were collected and analysed for each metre down the hole.</p> <p>RC hole spacing was between 50m N x 50m E and 25m N x 25m E, sufficient for resource estimation.</p> <p>Regional AC samples were collected and analysed for gold and multielement by 4m field composites down the hole, with the EOH individual metre sampled separately for multi element analysis. Hole spacing was predominantly 100m x 400m, 200m x 200m and 50m x 100m for AC.</p> <p>Sample locations for the rockchips were selected based on availability of material to sample in areas of interest.</p>

Criteria	JORC Code explanation	Commentary
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<p>Drill lines are oriented across strike on an MGA grid. MGGP orebody dips at 80 degrees to the East and KGP 25 degrees to the west.</p> <p>Holes in the drill Programmes have been mostly drilled at inclination of -55 to -60 degrees at MGGP and KGP. The orientation of the drilling is suitable for the mineralisation style and orientation of the target mineralisation.</p> <p>Where possible the AC exploration drilling programmes are planned to be drilled perpendicular to the orientation of the geology. Significant mineralisation intervals in the AC will be followed up with infill RC drilling to better understand the orientation of mineralisation.</p>
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<p>Calico sample bags are sealed into green bags/polyweave bags and cable tied. These bags were then sealed in bulka bags by company personnel and dispatched by third party contractor. In-company reconciliation is completed with laboratory assay returns.</p> <p>Soil and rock chip samples collected by CMM and stored on site, prior to being transported to the laboratory ALS.</p>
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<p>The Competent Person for Exploration Results reported here has visited the project areas where sampling has taken place and has reviewed and confirmed the sampling procedures.</p>

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<p>MGGP: The resource is located across mining tenements held by wholly owned Capricorn subsidiaries METROVEX PTY LTD and CRIMSON METALS PTY LTD; being M 59/772, E 59/2450, E 59/2594, E 59/2606, G 59/11, G 59/12, G 59/13, G 59/14, G 59/15, G 59/16, G 59/17, G 59/18, G 59/48, G 59/70, L 59/140, L 59/45, L 59/46, L 59/53, M 59/328, M 59/402, M 59/403, M 59/404, P 59/2286, P 59/2287, P 59/2290, P 59/2291, P 59/2306, P 59/2309, P 59/2310.</p> <p>All of the tenements are subject to a 1% NSR royalty to Avenger Projects Ltd, including gold production above 90,000 ounces. A royalty is also payable to St Barbara Limited on all gold production in excess of 20,000 ounces (excluding production from historic waste dumps and tailings) at the rate of \$10 per ounce, applicable to leases M 59/328, M 59/402, M 59/403, M 59/404, G 59/11, G 59/12, G 59/13, G 59/14, G 59/15, G 59/16, G 59/17, G 59/18, L 59/45, L 59/46, L 59/53 No other known impediments exist to operate in the area.</p> <p>KGP: The Bibra deposit is located in M 52/1070 held by Greenmount Resources, a wholly owned subsidiary of Capricorn Metals.</p>

Criteria	JORC Code explanation	Commentary
		<p>M52/1070 is within the area of granted E52/1711 exploration tenement in the Pilbara region of Western Australia. E52/1711 was acquired from BHPB in 2008. South32 (via the spin-out from BHPB) retain a 2% NSR whilst BHPB a claw-back provision whereby BHPB can elect to acquire a 70% equity in the project only if JORC compliant reported resources of 5,000,000 ounces of gold and/or 120,000 tonnes of contained nickel have been delineated. The Nyiyaparli People hold Native Title over the area including E52/1711 and M52/1070. There is no known heritage or environmental impediments over the lease.</p> <p>No other known impediments exist to operate in the area.</p>
<p>Exploration done by other parties</p>	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<p>MGGP: The Mt Gibson Gold Deposit (Mt Gibson) has a history of minor gold production dating back to the 1930's when prospectors operated small gold workings at Paynes-Crusoe and Tobias Find. While the area was subject to previous prospecting and company exploration in smaller leaseholdings, the Mt. Gibson Gold Project was first held in more-or-less its present configuration and extent by Reynolds Australia, who commenced exploration in the early 1980's. Soil and laterite sampling resulted in several significant gold and base metal anomalies being defined; follow up rotary air blast (RAB), air core (AC), reverse circulation (RC) and diamond drilling Programmes outlined significant economic laterite and oxide resources. A joint venture between Reynolds Australia Metals and Forsayth Mining Limited (with FML as the operator) began operations in 1986, mining and processing 6.5 million tonnes of laterite ores defined by FML in 1984, followed later by oxide and sulphide ores defined by drilling beneath the laterite orebodies. The project was sold by Reynolds to Camelot Resources in 1995. Continuing exploration resulted in the discovery of further oxide resources, mainly on the Taurus Trend, and the underground quartz-sulphide deposit at Wombat. These resources were subsequently mined and processed, all mining being completed at the end of 1997 and final milling of low grade stockpiles completed in June of 1998. A 4Mt dump leach remained in operation until November 1998, producing 68,868 ounces of gold. Including the dump leach, a total of 16,477,882 tonnes of ore was processed during the life of the operation, for 868,478 ounces of gold at an overall average grade of 1.64g/t Au.</p> <p>KGP: Prior to Capricorn Metals, E52/1711 was held by Independence group (IGO) who undertook exploration between 2008 & 2014. Prior to Independence group, WMC (BHPB) explored the area from 2004 to 2008.</p>
<p>Geology</p>	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<p>MGGP: The Mt Gibson Gold Project tenements are located at the southern extremity of the Retaliation Greenstone Belt, in the SW portion of the Yalgoo-Singleton Greenstone Belt in the Murchison Province of the Yilgarn Craton. The tenements are mostly covered by a veneer of alluvial quartz sands and laterite gravels, with sporadic greenstone subcrop and outcrop, increasingly exposed in the north of the project area. The mineralised laterite gravels are situated slightly down-slope from the lode deposits on the Gibson trend. Regionally, the greenstone belt has been metamorphosed to middle amphibolite facies and hosts a number of Au-Cu deposits and prospects, including Golden Grove, 90km to the northwest of Mt.Gibson.</p> <p>The lode style mineralisation at Mt. Gibson is predominantly hosted by three main trends:</p>

Criteria	JORC Code explanation	Commentary
		<p>The Gibson Trend</p> <p>The majority of the known and mined mineralisation is hosted by this trend. It is hypothesised to have originally been a gold-copper-zinc rich Volcanogenic Hosted Massive Sulphide (VHMS) deposit that has been overprinted by a later hydrothermal gold mineralising event. This mineralised shear zone has an arcuate north-south to northeasterly strike (trending more north-easterly in the north) and extends for more than seven kilometres from the southern granite contact to beyond the Hornet ore body.</p> <p>The so-called “Mine Sequence” is around 400 metres wide and consists of a parcel of sheared, metamorphosed and chlorite-biotite-muscovite altered mafic volcanics. Numerous felsic porphyries intrude the Mine Sequence. Mineralisation is hosted within multiple sets of elongate lodes with strong strike continuity, which anastomose and pinch-swell along strike and to depth. The main lode systems include Hornet, Enterprise, Orion and S2.</p> <p>The Taurus Trend</p> <p>The north-westerly trending Taurus Trend lies west of and diagonal to the Gibson Trend. Mineralisation is intimately associated with an apparently continuous felsic unit emplaced into the northwest trending shear and was discovered late in the life of the mining operation. It is characterised by discontinuous ore bodies, and strongly mineralised quartz-sulphide veining. The ore bodies on this trend include Sheldon and Wombat which, although not as continuous in strike as the ore bodies on the Gibson Trend, show a higher gold tenor.</p> <p>The Highway Trend</p> <p>The Highway Trend is a northeast trending shear zone, hosted by a mafic sequence in the western terrain, 11km northwest of the main mining area. This trend hosts the Highway ore body, and the Phoenix and Aquarius Prospects. It shares many of the characteristics of the Gibson trend, but it appears to lack the VHMS mineralising event and has generally been regarded as a predominantly low-grade system, although work from previous explores suggest it may have greater persistence and significance than previously thought and hence justifies further attention. The project area also hosts a number of BIF and quartz hosted small mineral occurrences including Paynes-Crusoe and MacDonald’s Find.</p> <p>KGP: Bibra is part of a large-scale Archaean aged gold mineralised system. The resource is hosted within a package of deformed meta-sediments which has developed on at least two parallel, shallow dipping structures; Laterite oxide mineralization has developed over the structures close to surface. The primary mineralisation is strata-bound with lineations identified as controlling higher-grade shoots. The deposit is oxidized to average depths of 50-70m.</p>
<p>Drill hole Information</p>	<ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ○ easting and northing of the drill hole collar ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth 	<p>All relevant drillhole information can be found in section 1 – “Sampling techniques”, “Drilling techniques” and “Drill Sample Recovery” and the significant intercepts table.</p>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> ○ hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	
Data aggregation methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	Reported intercepts include a minimum of 0.5g/t Au value over a minimum length of 1m with a maximum 2m length of consecutive internal waste. No upper cuts have been applied. No aggregation methods have been applied for the rockchips. No metal equivalent values are used.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<p>MGGP: The mineralisation dips steeply to the east, and drilling is generally orientated at 60 degrees to the west, meaning intercepts are roughly perpendicular to mineralisation in the majority of cases. Some vertical holes drilled from the base of mined pits and are therefore at a high degree to the mineralisation.</p> <p>KGP: At Bibra, the geometry of the mineralisation has already been defined from previous drilling programs. The intersection angle between drill angle and the perpendicular angle to the ore zone is less than 10 degrees.</p>
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	Refer to the diagrams in the body of this report.
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	The accompanying document is considered to be a balanced report with a suitable cautionary note.
Other substantive exploration data	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	No other material information or data to report.
Further work	<ul style="list-style-type: none"> • The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). • Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	Further work includes continued resource infill RC drilling at both projects.

Section 3 Estimation and Reporting of Mineral Resources

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Database integrity	<ul style="list-style-type: none"> • Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes. 	No Mineral Resource Estimation update being reported.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Data validation procedures used. 	
Site visits	<ul style="list-style-type: none"> Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	No Mineral Resource Estimation update being reported.
Geological interpretation	<ul style="list-style-type: none"> Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit. Nature of the data used and of any assumptions made. The effect, if any, of alternative interpretations on Mineral Resource estimation. The use of geology in guiding and controlling Mineral Resource estimation. The factors affecting continuity both of grade and geology. 	No Mineral Resource Estimation update being reported.
Dimensions	<ul style="list-style-type: none"> The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource. 	No Mineral Resource Estimation update being reported.
Estimation and modelling techniques	<ul style="list-style-type: none"> The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used. The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data. The assumptions made regarding recovery of by-products. Estimation of deleterious elements or other non-grade variables of economic significance (eg sulphur for acid mine drainage characterisation). In the case of block model interpolation, the block size in relation to the average sample spacing and the search employed. Any assumptions behind modelling of selective mining units. Any assumptions about correlation between variables. Description of how the geological interpretation was used to control the resource estimates. Discussion of basis for using or not using grade cutting or capping. The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available. 	No Mineral Resource Estimation update being reported.
Moisture	<ul style="list-style-type: none"> Whether the tonnages are estimated on a dry basis or with natural moisture, and the method of determination of the moisture content. 	No Mineral Resource Estimation update being reported.
Cut-off parameters	<ul style="list-style-type: none"> The basis of the adopted cut-off grade(s) or quality parameters applied. 	No Mineral Resource Estimation update being reported.
Mining factors or assumptions	<ul style="list-style-type: none"> Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made. 	No Mineral Resource Estimation update being reported.

Criteria	JORC Code explanation	Commentary
Metallurgical factors or assumptions	<ul style="list-style-type: none"> The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made. 	No Mineral Resource Estimation update being reported.
Environmental factors or assumptions	<ul style="list-style-type: none"> Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made. 	No Mineral Resource Estimation update being reported.
Bulk density	<ul style="list-style-type: none"> Whether assumed or determined. If assumed, the basis for the assumptions. If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples. The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit. Discuss assumptions for bulk density estimates used in the evaluation process of the different materials. 	No Mineral Resource Estimation update being reported.
Classification	<ul style="list-style-type: none"> The basis for the classification of the Mineral Resources into varying confidence categories. Whether appropriate account has been taken of all relevant factors (ie relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data). Whether the result appropriately reflects the Competent Person's view of the deposit. 	No Mineral Resource Estimation update being reported.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of Mineral Resource estimates. 	No Mineral Resource Estimation update being reported.
Discussion of relative accuracy/confidence	<ul style="list-style-type: none"> Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	No Mineral Resource Estimation update being reported.

Section 4 Estimation and Reporting of Ore Reserves

(Criteria listed in section 1, and where relevant in sections 2 and 3, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral Resource estimate for conversion to Ore Reserves	<ul style="list-style-type: none"> Description of the Mineral Resource estimate used as a basis for the conversion to an Ore Reserve. Clear statement as to whether the Mineral Resources are reported additional to, or inclusive of, the Ore Reserves. 	No Ore Reserve being reported.
Site visits	<ul style="list-style-type: none"> Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	No Ore Reserve being reported.
Study status	<ul style="list-style-type: none"> The type and level of study undertaken to enable Mineral Resources to be converted to Ore Reserves. The Code requires that a study to at least Pre-Feasibility Study level has been undertaken to convert Mineral Resources to Ore Reserves. Such studies will have been carried out and will have determined a mine plan that is technically achievable and economically viable, and that material Modifying Factors have been considered. 	No Ore Reserve being reported.
Cut-off parameters	<ul style="list-style-type: none"> The basis of the cut-off grade(s) or quality parameters applied. 	No Ore Reserve being reported.
Mining factors or assumptions	<ul style="list-style-type: none"> The method and assumptions used as reported in the Pre-Feasibility or Feasibility Study to convert the Mineral Resource to an Ore Reserve (i.e. either by application of appropriate factors by optimisation or by preliminary or detailed design). The choice, nature and appropriateness of the selected mining method(s) and other mining parameters including associated design issues such as pre-strip, access, etc. The assumptions made regarding geotechnical parameters (eg pit slopes, stope sizes, etc), grade control and pre-production drilling. The major assumptions made and Mineral Resource model used for pit and stope optimisation (if appropriate). The mining dilution factors used. The mining recovery factors used. Any minimum mining widths used. The manner in which Inferred Mineral Resources are utilised in mining studies and the sensitivity of the outcome to their inclusion. The infrastructure requirements of the selected mining methods. 	No Ore Reserve being reported.
Metallurgical factors or assumptions	<ul style="list-style-type: none"> The metallurgical process proposed and the appropriateness of that process to the style of mineralisation. Whether the metallurgical process is well-tested technology or novel in nature. The nature, amount and representativeness of metallurgical test work undertaken, the nature of the metallurgical domaining applied and the corresponding metallurgical recovery factors applied. Any assumptions or allowances made for deleterious elements. The existence of any bulk sample or pilot scale test work and the degree to which such samples 	No Ore Reserve being reported.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> are considered representative of the orebody as a whole. For minerals that are defined by a specification, has the ore reserve estimation been based on the appropriate mineralogy to meet the specifications? 	
Environmental	<ul style="list-style-type: none"> The status of studies of potential environmental impacts of the mining and processing operation. Details of waste rock characterisation and the consideration of potential sites, status of design options considered and, where applicable, the status of approvals for process residue storage and waste dumps should be reported. 	No Ore Reserve being reported.
Infrastructure	<ul style="list-style-type: none"> The existence of appropriate infrastructure: availability of land for plant development, power, water, transportation (particularly for bulk commodities), labour, accommodation; or the ease with which the infrastructure can be provided, or accessed. 	No Ore Reserve being reported.
Costs	<ul style="list-style-type: none"> The derivation of, or assumptions made, regarding projected capital costs in the study. The methodology used to estimate operating costs. Allowances made for the content of deleterious elements. The derivation of assumptions made of metal or commodity price(s), for the principal minerals and co-products. The source of exchange rates used in the study. Derivation of transportation charges. The basis for forecasting or source of treatment and refining charges, penalties for failure to meet specification, etc. The allowances made for royalties payable, both Government and private. 	No Ore Reserve being reported.
Revenue factors	<ul style="list-style-type: none"> The derivation of, or assumptions made regarding revenue factors including head grade, metal or commodity price(s) exchange rates, transportation and treatment charges, penalties, net smelter returns, etc. The derivation of assumptions made of metal or commodity price(s), for the principal metals, minerals and co-products. 	No Ore Reserve being reported.
Market assessment	<ul style="list-style-type: none"> The demand, supply and stock situation for the particular commodity, consumption trends and factors likely to affect supply and demand into the future. A customer and competitor analysis along with the identification of likely market windows for the product. Price and volume forecasts and the basis for these forecasts. For industrial minerals the customer specification, testing and acceptance requirements prior to a supply contract. 	No Ore Reserve being reported.
Economic	<ul style="list-style-type: none"> The inputs to the economic analysis to produce the net present value (NPV) in the study, the source and confidence of these economic inputs including estimated inflation, discount rate, etc. NPV ranges and sensitivity to variations in the significant assumptions and inputs. 	No Ore Reserve being reported.
Social	<ul style="list-style-type: none"> The status of agreements with key stakeholders and matters leading to social licence to operate. 	No Ore Reserve being reported.
Other	<ul style="list-style-type: none"> To the extent relevant, the impact of the following on the project and/or on the estimation and classification of the Ore Reserves: Any identified material naturally occurring risks. The status of material legal agreements and marketing arrangements. 	No Ore Reserve being reported.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> The status of governmental agreements and approvals critical to the viability of the project, such as mineral tenement status, and government and statutory approvals. There must be reasonable grounds to expect that all necessary government approvals will be received within the timeframes anticipated in the Pre-Feasibility or Feasibility study. Highlight and discuss the materiality of any unresolved matter that is dependent on a third party on which extraction of the reserve is contingent. 	
Classification	<ul style="list-style-type: none"> The basis for the classification of the Ore Reserves into varying confidence categories. Whether the result appropriately reflects the Competent Person's view of the deposit. The proportion of Probable Ore Reserves that have been derived from Measured Mineral Resources (if any). 	No Ore Reserve being reported.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of Ore Reserve estimates. 	No Ore Reserve being reported.
Discussion of relative accuracy/confidence	<ul style="list-style-type: none"> Where appropriate a statement of the relative accuracy and confidence level in the Ore Reserve estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the reserve within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors which could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. Accuracy and confidence discussions should extend to specific discussions of any applied Modifying Factors that may have a material impact on Ore Reserve viability, or for which there are remaining areas of uncertainty at the current study stage. It is recognised that this may not be possible or appropriate in all circumstances. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	No Ore Reserve being reported.