



23 April 2024

## Aurum drilling hits up to 45 g/t gold at Boundiali

Aurum Resources Limited (ASX: AUE) (Aurum) is pleased to report shallow, wide gold mineralisation intercepts from scout drilling at the **BD** tenement – the second target to be tested in its ongoing diamond drilling program at its Boundiali Gold Project in Côte d'Ivoire, West Africa.

### Highlights

- Assay results for 15 diamond holes (2,815m) drilled at **BD** Target 2 which is a 1.7km long by 1km wide gold prospect on the Boundiali **BD** tenement intersected shallow, wide high-grade gold including:
  - **6m @ 9.95 g/t Au** from 165m incl. **2m @ 28.9 g/t Au** from 169m DSDD0023
  - **18m @ 2.58 g/t Au** from 110m DSDD0038
  - **17m @ 1.46 g/t Au** from 72m incl. **2m @ 7.23 g/t Au** from 78m DSDD0037A
  - **27m @ 1.14 g/t Au** from 163m incl **8m @ 2.25 g/t Au** from 177m DSDD0030
  - **18m @ 1.34 g/t Au** from 107m DSDD0028
- More than 4,000 core samples from both **BD** Target 1 and Target 2 are currently in the laboratory and results are expected over the coming weeks.
- Drilling continues with more diamond holes being logged, sampled and prepared for dispatch to the assay laboratory
- Aurum recently purchased a third diamond drill rig to add to its fleet, which will increase drilling capacity from 2,600m per month to ~4,000m per month from late April 2024
- Aurum is targeting an initial Mineral Resource Estimate for Boundiali in late CY2024
- Aurum has a strong cash balance of \$3.38M (unaudited) at 31/3/2024 which excludes the 2<sup>nd</sup> Tranche of the \$7M capital raise (\$3.3M before costs) completed in mid-April 2024.

**Aurum's Managing Director Dr. Caigen Wang** said: "*We are very excited to see these results from the second gold prospect on the **BD** tenement of the Boundiali gold project. We are encouraged to see these shallow, wide gold mineralised intercepts also include high-grade gold shoots such as **6m @ 9.95 g/t Au** from 165m including **2m @ 28.9 g/t Au** in hole DSDD0023.*

*These assay results are from scout diamond drilling, testing a 1.7km long by 1km wide prospect which was defined by previous exploration work and includes soil samples, trenching and RC drilling. The target sits within a 13km by 3km gold mineralised corridor which includes the three gold prospects we are currently drill testing. **BD** Target 2 is about 4km northeast of **BD** Target 1 where we are currently drilling step back holes to follow up earlier results such as **73m @ 2.15g/t Au** from 172m (DSDD0012).*

*We are well funded following completion of our recent \$7M capital raise. Our drilling capacity will increase to 4,000m a month with our third diamond rig arriving on site later this month. We are*

*confident we will also define new targets on the **BD** and **BM** tenements whilst drilling towards our target of delivering maiden JORC resources by late 2024."*




Figure 1 Three gold targets drilled with new drilling results on **BD Target 2** (yellow)

## Boundiali Gold Project Drilling

Aurum, through its recently acquired wholly owned subsidiary (Plusor Global Pty Ltd), commenced its inaugural scout drilling campaign on the Boundiali Gold Project in late October 2023, with two self-owned and operated diamond drill rigs.

Boundiali is located within the same greenstone belt as the large Syama (11.5Moz) and Sissingue (1.0Moz) gold mines to the north, the Tongon (5.0Moz) to the northeast and Montage Gold's 4.5Moz Koné project located to the south (Figure 2).

Multiple gold targets remain to be drill tested in the **BM** tenement that have been defined from extensive gold in soil anomalism and artisanal pits that are associated with a north-south trend of metasediments and granites. In the south, on the western margin of the permit, there appears to be a sheared and cut-up granite with metasediments wrapping around the ellipsoidal granitic which structurally is an exciting target zone that is yet to be evaluated.

Exploration at the **BD** tenement is more advanced, where soil sampling highlighted a +13km x 3km corridor of +30 ppb gold anomalies. Follow-up RC drilling (91 RC holes drilled for 6,229m) defined three prospects which Aurum is testing with the current exploration program. Gold mineralisation is



structurally controlled and hosted within unaltered or weakly altered sediments (greywacke and argillite). More extensive alteration, veining and sulphidation occurs in zones of structural complication.

Aurum has now completed 82 diamond holes (13,835) since drilling began in October 2023 comprising:

- 31 diamond holes completed for 4,901.85m on the **BM** tenement:
  - **BM** target 1 (2,000m strike) – 24 holes for 3,797.35m
  - **BM** target 2 (1,600m strike) – seven (7) holes for 1,104.5m
- 51 diamond holes completed for 8,933.34m on the **BD** tenement (as of 20/04/2024) with drilling ongoing:
  - **BD** target 1 (1,300m strike) – 15 holes for 2,586.36m
  - **BD** target 2 (1,700m strike) – 33 holes for 5,885.48m
  - **BD** target 3 (1,300m strike) – three (3) holes for 461.50m

Assay results for 31 holes drilled at the **BM** tenement were reported on 22/01/2023 and 1/03/2024 respectively.

Assay results for five (5) diamond holes drilled (10 holes pending) at **BD** Target 1 were previously reported on 1/03/2024 and 12/03/2024 and significant intercepts include:

- **73m @ 2.15g/t Au from 172m (DSDD0012)**  
*inc. 4m @ 18.63g/t Au from 185m inc. 1m@72.11g/t from 188m*
- **36m @ 2.53 g/t Au from 104m (DSDD0011<sup>1</sup>)**  
*inc. 16m @ 5.03 g/t Au from 110m*
- **22m@1.98g/t Au from 35m inc. 9m @2.76g/t Au from 38m (DSDD0003)**
- **14m@1.65g/t Au from 76m inc. 5m @ 3.07 g/t Au from 80m (DSDD0007)**
- **6m @ 1.40 g/t Au from 7m, 12m @ 1.29 g/t Au from 17m, 9m @ 1.98 g/t Au from 137m and 4m @ 22.35 g/t Au from 226m, which is 173m vertically below surface (DSDD0004)**

### Latest BD Drill Results

Assay results for 15 diamond holes (2,815.48m) drilled at **BD** Target 2 are reported in this release, with assays pending for another 18 holes which are expected to be received within the coming weeks.

Aurum is performing diamond drilling using its own drill rigs and drill teams to evaluate the 1.7km long by 1km wide gold prospect which was defined by previous explorers from soil samples, trenching and RC drilling. The prospect sits within a larger 13km by 3km gold mineralised corridor (which includes three gold prospects currently being drill tested), the majority of which remains to be drill tested.

**BD** Target 2 is in the northwest of the **BD** tenement, approximately 4km to the northeast of **BD** Target 1. Diamond drilling has intersected the same volcano sedimentary package seen at **BD** Target 1 and

<sup>1</sup> Hole incomplete – assays pending from 148m to EOH



mineralisation is characterised by broad alteration rich in hematite + chlorite + tourmaline + quartz + albite and carbonate. Mineralisation at both **BD** Target 1 and **BD** Target 2 appear to be controlled by N-S trending structures and there has also been an intense activity of artisanal miners targeting oxide mineralisation.

Diamond drilling is carried out with NTW drill core and collared at the surface with HQ sized equipment. All drill holes were field logged by company geologists with lithological, alteration, mineralogical as well as sulphide content recorded. Geotechnical and structural data has been recorded and photography and recovery measurements were conducted by assistants under a geologist's supervision.

NTW core is cut in half using a core saw and the core was sampled to major geological intervals as defined by the geologist at one metre sample intervals although some niche sampling of quartz veins associated with visible gold has been undertaken. Core samples are prepared, sub sample and assayed by Intertek in Ghana using fire assay techniques.

Significant assay results reported in this release include:

- **6m @ 9.95 g/t Au from 165m incl. 2m @ 28.9 g/t Au from 169m (DSDD0023)**
- **18m @ 2.58 g/t Au from 110m (DSDD0038)**
- **17m @ 1.46 g/t Au from 72m incl. 2m @ 7.23 g/t Au from 78m (DSDD0037A)**
- **27m @ 1.14 g/t Au from 163m incl 8m @ 2.25 g/t Au from 177m (DSDD0030)**
- **18m @ 1.34 g/t Au from 107m (DSDD0028)**

*Drilling has intersected multiple gold mineralised structures downhole with true widths estimated at around 80% - 90% of reported downhole lengths. Details of drill collar location and assay results for the holes being reported from drilling on **BD** Target 2 can be found in **Table 1** and*

**Table 2** respectively. Plans showing location of the Boundiali Gold Project including locating the **BD** assay results are presented in (Figure 1, Figure 2 and Figure 3) and cross sections of selected drill results can be found in Figure 4 and Figure 5.

Gold mineralisation remains open along strike and at depth on all prospects with drilling ongoing and further work being planned. A program of trenching is underway to define additional high priority targets for drill testing within the 13km by 3km gold mineralised corridor sitting outside of the three defined gold prospects.

### Next steps

High tempo gold exploration drilling will continue at the Boundiali Gold project with scout diamond drilling at the **BD** tenement ongoing. Aurum expects more assay results from this drilling in the coming weeks.

Aurum recently purchased a third diamond drill rig to add to its fleet, which will increase drilling capacity from 2,600m per month to approximately 4,000m per month once all three drill rigs are on site from the end of April 2024.



Aurum has a strong cash balance following shareholder approval from the recent \$7.0m capital raising and this will allow Aurum to continue to aggressively explore at Boundiali with a goal of defining a maiden resource before the end of CY 2024.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

#### COMPETENT PERSONS STATEMENT

*The information in this presentation that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has agreed to join the Company as a non-executive Director effective from the 1 February 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.*

#### COMPLIANCE STATEMENT

*This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com](http://www.asx.com) and includes results reported previously and published on ASX platform:*

- 19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)*
- 12 March 2024, AUE hits 73m at 2.15g/t incl 1m at 72g/t gold at Boundiali (ASX:AUE)*
- 01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)*
- 22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX: AUE)*
- 21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX.AUE)*
- 21 November 2023, AUE Acquisition Presentation (ASX.AUE)*
- 21 June 2021, Notice of General Meeting/Proxy Form (MSR.ASX)*
- 21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Cote d'Ivoire (MSR.ASX)*
- 22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI.ASX)*
- 15 July 2019, RC, Trench Results Grow Boundiali Potential In Cote D'Ivoire (PDI.ASX)*
- 27 May 2019, New Drill Results Strengthen Boundiali Project Cote D'Ivoire (PDI.ASX)*
- 16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI.ASX)*
- 26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI.ASX)*

*The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.*




Figure 2: Location of Aurum's Boundiali Gold Project in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: Section S1060258N showing previous drilling (white) and latest drill intersection (yellow) – BD Target 2




Figure 5: Section S1059740N showing previous drilling (white) and latest drill intersection (yellow) – BD Target 2




Figure 6: Section S1054324N showing previous drilling (white) and latest drill intersection (yellow) – BD Target 1<sup>2</sup>

<sup>2</sup> ASX release 12 March 2024




Figure 7: Section S1054486N showing previous drilling (white) and latest drill intersection (yellow) – BD Target 1<sup>3</sup>

<sup>3</sup> ASX release 12 March 2024



*Table 1: Drill Collar Information*

Hole_ID	UTM_East	UTM_North	Depth (m)	Dip deg	Azi deg	Prospect	Type
DSDD0018	788,793	1,060,513	148.50	-55.0	270.0	<b>BD Target 2</b>	DD
DSDD0019	789,015	1,060,504	176.00	-55.0	270.0	<b>BD Target 2</b>	DD
DSDD0020	788,813	1,060,365	136.50	-55.0	270.0	<b>BD Target 2</b>	DD
DSDD0023	789,126	1,060,257	198.00	-55.0	270.0	<b>BD Target 2</b>	DD
DSDD0026	788,838	1,060,081	136.53	-55.0	270.0	<b>BD Target 2</b>	DD
DSDD0027	789,101	1,059,930	137.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0028	789,315	1,059,302	231.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0030	789,282	1,059,399	192.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0031	789,128	1,059,818	221.50	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0032A	789,390	1,059,402	282.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0033	789,133	1,059,740	120.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0034	789,314	1,059,523	201.45	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0036	789,219	1,059,630	182.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0037A	789,373	1,059,634	240.00	-50.0	270.0	<b>BD Target 2</b>	DD
DSDD0038	789,303	1,059,732	213.00	-50.0	270.0	<b>BD Target 2</b>	DD
<b>15 holes</b>			<b>2815.48m</b>				

*Table 2: Significant assay results for holes being reported<sup>4</sup>*

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0019	7.19	8.00	0.81	0.11		0.32	
DSDD0019	20.52	21.50	0.98	0.30			
DSDD0019	26.63	27.50	0.87	0.52			
DSDD0019	29.50	30.50	1.00	0.26			
DSDD0019	43.00	44.00	1.00	0.25			
DSDD0019	66.00	67.00	1.00	0.32			
DSDD0020	38.12	39.00	0.88	0.13		2.25	1.00 m @ 1.61 g/t Au
DSDD0020	39.00	40.00	1.00	0.64			
DSDD0020	40.00	41.00	1.00	1.61			
DSDD0020	42.00	43.00	1.00	0.13			
DSDD0020	43.00	44.00	1.00	0.68			
DSDD0020	45.00	46.00	1.00	0.14			
DSDD0020	47.00	48.00	1.00	<b>8.59</b>	1.00 m @ 8.59 g/t Au	8.59	1.00 m @ 8.59 g/t Au
DSDD0020	63.00	64.00	1.00	0.26			
DSDD0020	65.00	66.00	1.00	0.14			
DSDD0020	66.00	67.00	1.00	0.18			
DSDD0020	68.00	69.00	1.00	0.18			
DSDD0020	91.00	92.00	1.00	0.10			

<sup>4</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0020	92.00	93.00	1.00	0.18			
DSDD0020	93.00	94.00	1.00	0.20			
DSDD0020	94.00	95.00	1.00	0.23			
DSDD0020	95.00	96.00	1.00	0.27			
DSDD0020	96.00	97.00	1.00	0.26			
DSDD0020	97.00	98.00	1.00	0.33	1.74 m @ 0.33 g/t Au	0.58	
DSDD0020	98.00	98.74	0.74	0.34			
DSDD0020	98.74	100.00	1.26	0.24			
DSDD0020	100.00	101.00	1.00	0.28			
DSDD0020	101.00	102.00	1.00	0.69	3.00 m @ 0.65 g/t Au	1.94	
DSDD0020	102.00	103.00	1.00	0.85			
DSDD0020	103.00	104.00	1.00	0.40			
DSDD0020	104.00	105.00	1.00	0.28			
DSDD0020	105.00	105.50	0.50	0.18			
DSDD0020	105.50	106.00	0.50	0.16			
DSDD0020	106.00	107.00	1.00	0.14			
DSDD0020	107.00	108.00	1.00	0.12			
DSDD0020	108.00	109.00	1.00	0.22			
DSDD0020	111.00	112.00	1.00	0.10			
DSDD0020	117.00	118.00	1.00	0.38	1.00 m @ 0.38 g/t Au	0.38	
DSDD0020	118.00	119.00	1.00	0.12			
DSDD0023	2.25	3.00	0.75	0.40			
DSDD0023	65.00	66.00	1.00	0.10	5.00 m @ 1.26 g/t Au	6.31	
DSDD0023	66.00	67.00	1.00	0.31			
DSDD0023	67.00	68.00	1.00	0.74			
DSDD0023	68.00	69.00	1.00	0.29			
DSDD0023	69.00	70.00	1.00	0.57			
DSDD0023	70.00	71.00	1.00	<b>4.40</b>			1.00 m @ 4.40 g/t Au
DSDD0023	87.00	88.00	1.00	0.11			
DSDD0023	110.00	111.00	1.00	0.20			
DSDD0023	111.00	112.00	1.00	0.13			
DSDD0023	114.00	115.00	1.00	0.10			
DSDD0023	117.00	118.00	1.00	0.12			
DSDD0023	118.00	119.00	1.00	0.16			
DSDD0023	120.00	121.00	1.00	0.17			
DSDD0023	121.00	122.00	1.00	0.23			
DSDD0023	123.00	124.00	1.00	0.11			
DSDD0023	129.00	130.00	1.00	0.10			
DSDD0023	134.00	135.00	1.00	1.29			
DSDD0023	139.00	140.00	1.00	0.31			
DSDD0023	140.00	141.00	1.00	0.24			



aurum resources

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0023	148.00	149.00	1.00	0.10	6.00 m @ 9.95 g/t Au	59.71	2.00 m @ 28.9 g/t Au
DSDD0023	151.00	152.00	1.00	0.14			
DSDD0023	152.00	153.00	1.00	0.56			
DSDD0023	153.00	154.00	1.00	0.13			
DSDD0023	163.00	164.00	1.00	0.14			
DSDD0023	164.00	165.00	1.00	0.14			
DSDD0023	165.00	166.00	1.00	0.33			
DSDD0023	166.00	167.00	1.00	0.60			
DSDD0023	167.00	168.00	1.00	0.45			
DSDD0023	168.00	169.00	1.00	0.53			
DSDD0023	169.00	170.00	1.00	<b>11.95</b>	1.00 m @ 1.05 g/t Au	1.05	
DSDD0023	170.00	171.00	1.00	<b>45.85</b>			
DSDD0023	171.00	172.00	1.00	0.15			
DSDD0023	177.00	178.00	1.00	0.10			
DSDD0026	35.11	36.00	0.89	0.24			
DSDD0026	97.00	98.00	1.00	0.10			
DSDD0026	98.00	99.00	1.00	0.21			
DSDD0026	99.00	100.00	1.00	0.11			
DSDD0026	100.00	101.00	1.00	0.10			
DSDD0026	108.00	109.00	1.00	1.05			
DSDD0026	109.00	110.00	1.00	0.18	3.50 m @ 0.57 g/t Au	1.99	
DSDD0026	110.00	111.00	1.00	0.12			
DSDD0028	0.98	1.50	0.52	0.34			
DSDD0028	4.00	5.00	1.00	0.10			
DSDD0028	5.00	6.00	1.00	0.12			
DSDD0028	13.72	15.00	1.28	0.14			
DSDD0028	15.00	16.50	1.50	0.13			
DSDD0028	19.50	21.00	1.50	0.14			
DSDD0028	25.97	27.00	1.03	0.11			
DSDD0028	27.55	28.50	0.95	0.20			
DSDD0028	30.48	31.50	1.02	0.22			
DSDD0028	31.50	33.00	1.50	0.11			
DSDD0028	33.00	34.50	1.50	0.30			
DSDD0028	36.50	37.50	1.00	0.23			
DSDD0028	37.50	38.00	0.50	0.29			
DSDD0028	38.00	39.00	1.00	1.10			
DSDD0028	39.00	40.00	1.00	0.14			
DSDD0028	40.00	41.00	1.00	0.60			
DSDD0028	41.00	42.00	1.00	0.10			
DSDD0028	42.00	43.00	1.00	0.25			
DSDD0028	43.00	44.00	1.00	0.18			



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0028	44.00	45.00	1.00	0.24			
DSDD0028	48.00	49.00	1.00	0.25			
DSDD0028	52.00	53.00	1.00	0.16			
DSDD0028	53.00	54.00	1.00	0.27			
DSDD0028	54.00	55.00	1.00	0.49			
DSDD0028	58.00	59.00	1.00	0.14			
DSDD0028	61.00	62.00	1.00	0.29			
DSDD0028	62.00	63.00	1.00	0.13			
DSDD0028	63.00	64.00	1.00	0.15			
DSDD0028	64.00	65.00	1.00	0.17			
DSDD0028	65.00	66.00	1.00	0.15			
DSDD0028	67.00	68.00	1.00	0.13			
DSDD0028	68.00	69.00	1.00	0.11			
DSDD0028	72.00	73.00	1.00	0.13			
DSDD0028	73.00	74.00	1.00	0.31			
DSDD0028	75.00	76.00	1.00	0.11			
DSDD0028	76.00	77.00	1.00	0.24			
DSDD0028	77.00	78.00	1.00	0.46			
DSDD0028	82.00	83.00	1.00	0.80			
DSDD0028	90.00	91.00	1.00	0.19			
DSDD0028	92.00	93.00	1.00	0.20			
DSDD0028	93.00	94.00	1.00	0.24			
DSDD0028	95.00	96.00	1.00	0.24			
DSDD0028	96.00	97.00	1.00	1.38	2.00 m @ 0.90 g/t Au	1.80	
DSDD0028	97.00	98.00	1.00	0.42			
DSDD0028	98.00	99.00	1.00	0.11			
DSDD0028	100.00	101.00	1.00	0.11			
DSDD0028	101.00	102.00	1.00	0.14			
DSDD0028	102.00	103.00	1.00	0.19			
DSDD0028	105.00	106.00	1.00	0.16			
DSDD0028	106.00	107.00	1.00	0.18			
DSDD0028	107.00	108.00	1.00	0.31			
DSDD0028	108.00	109.00	1.00	0.16			
DSDD0028	109.00	110.00	1.00	0.53			
DSDD0028	110.00	111.00	1.00	0.40			
DSDD0028	111.00	112.00	1.00	0.87			
DSDD0028	112.00	113.00	1.00	0.56			
DSDD0028	113.00	114.00	1.00	<b>15.64</b>			
DSDD0028	114.00	115.00	1.00	0.70			
DSDD0028	115.00	116.00	1.00	0.29			
DSDD0028	116.00	117.00	1.00	0.15			
					18.00 m @ 1.34 g/t Au	24.16	
							<b>1.00m @ 15.64 g/t Au</b>



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0028	117.00	118.00	1.00	0.24			
DSDD0028	118.00	119.00	1.00	0.48			
DSDD0028	119.00	120.00	1.00	0.19			
DSDD0028	120.00	121.00	1.00	0.33			
DSDD0028	121.00	122.00	1.00	0.26			
DSDD0028	122.00	123.00	1.00	0.53			
DSDD0028	123.00	124.00	1.00	0.53			
DSDD0028	124.00	125.00	1.00	1.99			
DSDD0028	125.00	126.00	1.00	0.15			
DSDD0028	129.00	130.00	1.00	0.26			
DSDD0028	131.00	132.00	1.00	0.11			
DSDD0028	132.00	133.00	1.00	0.22			
DSDD0028	133.00	134.00	1.00	0.64			
DSDD0028	137.00	138.00	1.00	0.20			
DSDD0028	138.00	139.00	1.00	0.11			
DSDD0028	139.00	140.00	1.00	0.10			
DSDD0028	140.00	141.00	1.00	0.14			
DSDD0028	141.00	142.00	1.00	0.25			
DSDD0028	142.00	143.00	1.00	0.14			
DSDD0028	143.00	144.00	1.00	0.20			
DSDD0028	144.00	145.00	1.00	0.10			
DSDD0028	145.00	146.00	1.00	0.17			
DSDD0028	146.00	147.00	1.00	0.22			
DSDD0028	147.00	148.00	1.00	0.05			
DSDD0028	148.00	149.00	1.00	0.12			
DSDD0028	149.00	150.00	1.00	0.19			
DSDD0028	150.00	151.00	1.00	0.15			
DSDD0028	151.00	152.00	1.00	0.14			
DSDD0028	152.00	153.00	1.00	0.12			
DSDD0028	153.00	154.00	1.00	0.13			
DSDD0028	158.00	159.00	1.00	0.13			
DSDD0028	159.00	160.00	1.00	0.15			
DSDD0028	162.00	163.00	1.00	0.16			
DSDD0028	163.00	164.00	1.00	0.26			
DSDD0028	165.00	166.00	1.00	0.10			
DSDD0028	166.00	167.00	1.00	0.12			
DSDD0028	167.00	168.00	1.00	0.11			
DSDD0028	168.00	169.00	1.00	0.40			
DSDD0028	170.00	171.00	1.00	0.20			
DSDD0028	171.00	172.00	1.00	0.25			
DSDD0028	172.00	173.00	1.00	0.46			



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0028	175.00	176.00	1.00	0.23			
DSDD0028	177.00	178.00	1.00	0.10			
DSDD0028	181.00	182.00	1.00	0.10			
DSDD0028	182.00	183.00	1.00	0.10			
DSDD0028	186.00	187.00	1.00	0.85			
DSDD0028	189.00	190.00	1.00	0.12			
DSDD0028	190.00	191.00	1.00	0.19			
DSDD0028	191.00	192.00	1.00	0.42			
DSDD0028	194.00	195.00	1.00	0.62			
DSDD0028	202.00	203.00	1.00	0.35			
DSDD0028	203.00	204.00	1.00	0.23			
DSDD0028	204.00	205.00	1.00	0.15			
DSDD0028	206.00	207.00	1.00	0.12			
DSDD0028	207.00	208.00	1.00	0.21			
DSDD0028	208.00	209.00	1.00	0.20			
DSDD0028	211.00	212.00	1.00	0.54			
DSDD0028	212.00	213.00	1.00	0.44			
DSDD0028	213.00	214.00	1.00	0.22			
DSDD0030	1.25	2.00	0.75	0.25			
DSDD0030	2.00	3.00	1.00	0.22			
DSDD0030	3.00	4.00	1.00	0.23			
DSDD0030	4.00	5.00	1.00	0.45			
DSDD0030	5.00	6.00	1.00	0.44			
DSDD0030	6.00	7.00	1.00	0.40			
DSDD0030	7.00	8.00	1.00	0.21			
DSDD0030	8.00	9.00	1.00	0.16			
DSDD0030	27.00	28.00	1.00	0.10			
DSDD0030	28.00	29.00	1.00	0.12			
DSDD0030	29.00	30.00	1.00	0.11			
DSDD0030	30.00	31.00	1.00	1.13			
DSDD0030	31.00	32.00	1.00	0.10			
DSDD0030	33.00	33.66	0.66	0.18			
DSDD0030	81.00	82.00	1.00	0.35			
DSDD0030	83.00	84.00	1.00	0.14			
DSDD0030	84.00	85.00	1.00	0.24			
DSDD0030	85.00	86.00	1.00	0.55			
DSDD0030	86.00	87.00	1.00	0.16			
DSDD0030	91.00	92.00	1.00	0.11			
DSDD0030	95.00	96.00	1.00	0.43			
DSDD0030	148.00	149.00	1.00	0.14			
DSDD0030	149.00	150.00	1.00	0.03			



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0030	150.00	151.00	1.00	0.16			
DSDD0030	152.00	153.00	1.00	0.12			
DSDD0030	156.00	157.00	1.00	0.27			
DSDD0030	163.00	164.00	1.00	1.38			
DSDD0030	164.00	165.00	1.00	<b>2.40</b>			
DSDD0030	165.00	166.00	1.00	0.03			
DSDD0030	166.00	167.00	1.00	0.07			
DSDD0030	167.00	168.00	1.00	0.02			
DSDD0030	168.00	169.00	1.00	0.01			
DSDD0030	169.00	170.00	1.00	0.60			
DSDD0030	170.00	171.00	1.00	0.07			
DSDD0030	171.00	172.00	1.00	0.01			
DSDD0030	172.00	173.00	1.00	<b>5.76</b>			
DSDD0030	173.00	174.00	1.00	0.18			
DSDD0030	174.00	175.00	1.00	0.02			
DSDD0030	175.00	176.00	1.00	0.04			
DSDD0030	176.00	177.00	1.00	0.07			
DSDD0030	177.00	178.00	1.00	<b>13.39</b>			
DSDD0030	178.00	179.00	1.00	0.85			
DSDD0030	179.00	180.00	1.00	0.73			
DSDD0030	180.00	181.00	1.00	0.78			
DSDD0030	181.00	182.00	1.00	0.37			
DSDD0030	182.00	183.00	1.00	0.61			
DSDD0030	183.00	184.00	1.00	0.77			
DSDD0030	184.00	185.00	1.00	0.76			
DSDD0030	185.00	186.00	1.00	0.13			
DSDD0030	186.00	187.00	1.00	0.09			
DSDD0030	187.00	188.00	1.00	0.24			
DSDD0030	188.00	189.00	1.00	0.40			
DSDD0030	189.00	190.00	1.00	1.11			
DSDD0030	191.00	192.00	1.00	0.12			
DSDD0031	2.00	3.00	1.00	0.11			
DSDD0031	40.09	41.00	0.91	0.88			
DSDD0031	41.66	42.50	0.84	0.39			
DSDD0031	42.50	44.00	1.50	0.36			
DSDD0031	44.00	45.00	1.00	0.71			
DSDD0031	45.00	46.00	1.00	0.36			
DSDD0031	47.00	48.00	1.00	0.10			
DSDD0031	62.00	63.00	1.00	1.15	1.00 m @ 1.15 g/t Au	1.15	
DSDD0031	63.00	64.00	1.00	0.18			
DSDD0031	64.00	65.00	1.00	0.36	4.00 m @ 1.05 g/t Au	4.18	



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0031	65.00	66.00	1.00	<b>3.06</b>			1.00 m @ 3.06 g/t Au
DSDD0031	66.00	67.00	1.00	0.33			
DSDD0031	67.00	68.00	1.00	0.43			
DSDD0031	75.00	76.00	1.00	0.29			
DSDD0031	107.00	108.00	1.00	0.20			
DSDD0031	108.00	109.00	1.00	0.22			
DSDD0031	109.00	110.00	1.00	0.13			
DSDD0031	110.00	111.00	1.00	0.81	1.00 m @ 0.81 g/t Au	0.81	
DSDD0031	114.00	115.00	1.00	0.25			
DSDD0031	115.00	116.00	1.00	0.58	1.00 m @ 0.58 g/t Au	0.58	
DSDD0031	132.00	133.00	1.00	0.63	1.00 m @ 0.63 g/t Au	0.63	
DSDD0031	172.00	173.00	1.00	0.71	1.00 m @ 0.71 g/t Au	0.71	
DSDD0031	173.00	174.00	1.00	0.13			
DSDD0031	175.00	176.00	1.00	0.17			
DSDD0032A	15.81	16.50	0.69	0.62			
DSDD0032A	20.11	21.00	0.89	0.25			
DSDD0032A	22.89	24.00	1.11	0.62	1.11 m @ 0.62 g/t Au	0.69	
DSDD0032A	53.00	54.00	1.00	0.20			
DSDD0032A	111.00	112.00	1.00	0.23			
DSDD0032A	114.00	115.00	1.00	0.19			
DSDD0032A	115.00	116.00	1.00	0.14			
DSDD0032A	125.00	126.00	1.00	0.14			
DSDD0032A	129.00	130.00	1.00	0.12			
DSDD0032A	130.00	131.00	1.00	0.17			
DSDD0032A	131.00	132.00	1.00	0.18			
DSDD0032A	133.00	134.00	1.00	0.49	1.00 m @ 0.49 g/t Au	0.49	
DSDD0032A	134.00	135.00	1.00	0.11			
DSDD0032A	135.00	136.00	1.00	0.54	1.00 m @ 0.54 g/t Au	0.54	
DSDD0032A	136.00	137.00	1.00	0.29			
DSDD0032A	138.00	139.00	1.00	0.10			
DSDD0032A	139.00	140.00	1.00	0.36	1.00 m @ 0.36 g/t Au	0.36	
DSDD0032A	143.00	144.00	1.00	0.26			
DSDD0032A	148.00	149.00	1.00	0.47	1.00 m @ 0.47 g/t Au	0.47	
DSDD0032A	150.00	151.00	1.00	0.34	1.00 m @ 0.34 g/t Au	0.34	
DSDD0032A	152.00	153.00	1.00	0.19			
DSDD0032A	177.00	178.00	1.00	0.16			
DSDD0032A	182.00	183.00	1.00	0.20			
DSDD0032A	192.00	193.00	1.00	0.25			
DSDD0032A	193.00	194.00	1.00	0.45			
DSDD0032A	194.00	195.00	1.00	0.95	2.00 m @ 0.70 g/t Au	1.40	
DSDD0032A	200.00	201.00	1.00	0.12			



aurum resources

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0032A	201.00	202.00	1.00	0.26			
DSDD0032A	245.00	246.00	1.00	0.21			
DSDD0032A	246.00	247.00	1.00	0.15			
DSDD0032A	247.00	248.00	1.00	0.24			
DSDD0032A	248.00	249.00	1.00	0.17			
DSDD0032A	249.00	250.00	1.00	0.25			
DSDD0032A	250.00	251.00	1.00	0.28			
DSDD0032A	251.00	252.00	1.00	0.41			
DSDD0032A	252.00	253.00	1.00	<b>2.20</b>	3.00 m @ 1.14 g/t Au	3.43	1.00 m @ 2.20 g/t Au
DSDD0032A	253.00	254.00	1.00	0.82			
DSDD0032A	254.00	255.00	1.00	0.21			
DSDD0032A	255.00	256.00	1.00	0.34	1.00 m @ 0.34 g/t Au	0.34	
DSDD0032A	257.00	258.00	1.00	0.25			
DSDD0032A	259.00	260.00	1.00	0.35			
DSDD0032A	260.00	261.00	1.00	0.33	2.00 m @ 0.34 g/t Au	0.68	
DSDD0032A	261.00	262.00	1.00	0.27			
DSDD0032A	262.00	263.00	1.00	0.35			
DSDD0032A	263.00	264.00	1.00	0.81	2.00 m @ 0.58 g/t Au	1.16	
DSDD0032A	264.00	265.00	1.00	0.10			
DSDD0032A	265.00	266.00	1.00	0.92	1.00 m @ 0.92 g/t Au	0.92	
DSDD0032A	266.00	267.00	1.00	0.16			
DSDD0032A	267.00	268.00	1.00	0.15			
DSDD0032A	268.00	269.00	1.00	0.25			
DSDD0032A	269.00	270.00	1.00	0.24			
DSDD0032A	270.00	271.00	1.00	0.33			
DSDD0032A	271.00	272.00	1.00	0.31			
DSDD0032A	272.00	273.00	1.00	0.75			
DSDD0032A	273.00	274.00	1.00	0.21			
DSDD0032A	276.00	277.00	1.00	1.17	1.00 m @ 1.17 g/t Au	1.17	
DSDD0032A	279.00	280.00	1.00	0.10			
DSDD0032A	280.00	281.00	1.00	0.59	1.00 m @ 0.59 g/t Au	0.59	
DSDD0032A	281.00	282.00	1.00	0.21			
DSDD0033	66.00	67.00	1.00	0.24			
DSDD0033	73.00	74.00	1.00	0.36	1.00 m @ 0.36 g/t Au	0.36	
DSDD0033	74.00	75.00	1.00	0.23			
DSDD0033	77.00	78.00	1.00	0.22			
DSDD0033	78.00	79.00	1.00	0.46	1.00 m @ 0.46 g/t Au	0.46	
DSDD0033	79.00	80.00	1.00	0.22			
DSDD0033	80.00	81.00	1.00	0.17			
DSDD0033	82.00	83.00	1.00	1.94	1.00 m @ 1.94 g/t Au	1.94	
DSDD0033	84.00	85.00	1.00	0.13			



aurum resources

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0033	85.00	86.00	1.00	0.29			
DSDD0033	86.00	87.00	1.00	0.13			
DSDD0033	87.00	88.00	1.00	0.29			
DSDD0033	91.00	92.00	1.00	0.50			
DSDD0033	92.00	93.00	1.00	0.30	2.00 m @ 0.40 g/t Au	0.80	
DSDD0033	94.00	95.00	1.00	0.19			
DSDD0033	95.00	96.00	1.00	0.17			
DSDD0033	96.00	97.00	1.00	0.17			
DSDD0033	97.00	98.00	1.00	0.81	1.00 m @ 0.81 g/t Au	0.81	
DSDD0033	98.00	99.00	1.00	0.17			
DSDD0033	108.00	109.00	1.00	0.29			
DSDD0033	109.00	110.00	1.00	0.18			
DSDD0034	1.50	3.00	1.50	0.12			
DSDD0034	6.93	8.00	1.07	0.13			
DSDD0034	8.00	9.00	1.00	0.35	1.00 m @ 0.35 g/t Au	0.35	
DSDD0034	9.55	10.50	0.95	0.55			
DSDD0034	10.50	11.00	0.50	0.11	2.45 m @ 0.88 g/t Au	2.16	
DSDD0034	11.00	12.00	1.00	1.58			1.00 m @ 1.58 g/t Au
DSDD0034	13.80	15.00	1.20	0.43	1.20 m @ 0.43 g/t Au	0.52	
DSDD0034	16.94	18.00	1.06	0.61	1.06 m @ 0.61 g/t Au	0.65	
DSDD0034	31.50	33.00	1.50	0.25			
DSDD0034	33.00	34.00	1.00	0.20			
DSDD0034	36.00	37.00	1.00	0.35	1.00 m @ 0.35 g/t Au	0.35	
DSDD0034	37.00	38.00	1.00	0.10			
DSDD0034	39.00	40.00	1.00	0.14			
DSDD0034	40.00	41.00	1.00	0.19			
DSDD0034	42.00	43.00	1.00	0.17			
DSDD0034	45.00	46.00	1.00	1.46			1.00 m @ 1.46 g/t Au
DSDD0034	46.00	47.00	1.00	0.43	2.00 m @ 0.95 g/t Au	1.89	
DSDD0034	47.00	48.00	1.00	0.23			
DSDD0034	48.00	49.00	1.00	0.51	1.00 m @ 0.51 g/t Au	0.51	
DSDD0034	49.00	50.00	1.00	0.24			
DSDD0034	50.00	51.00	1.00	0.61			
DSDD0034	51.00	52.00	1.00	0.51	2.00 m @ 0.56 g/t Au	1.12	
DSDD0034	52.00	53.00	1.00	0.14			
DSDD0034	53.00	54.00	1.00	1.11			1.00 m @ 1.11 g/t Au
DSDD0034	54.00	55.00	1.00	0.46	2.00 m @ 0.79 g/t Au	1.57	
DSDD0034	55.00	56.00	1.00	0.26			
DSDD0034	56.00	57.00	1.00	0.12			
DSDD0034	57.00	58.00	1.00	0.33			
DSDD0034	58.00	59.00	1.00	1.07	6.00 m @ 0.87 g/t Au	5.20	



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0034	59.00	60.00	1.00	0.42			
DSDD0034	60.00	61.00	1.00	1.39			1.00 m @ 1.39 g/t Au
DSDD0034	61.00	62.00	1.00	0.81			
DSDD0034	62.00	63.00	1.00	1.18			
DSDD0034	66.00	67.00	1.00	0.19			
DSDD0034	75.00	76.00	1.00	<b>3.03</b>			1.00 m @ 3.03 g/t Au
DSDD0034	76.00	77.00	1.00	0.33			
DSDD0034	77.00	78.00	1.00	0.49			
DSDD0034	81.00	82.00	1.00	0.16			
DSDD0034	97.00	98.00	1.00	0.56	1.00 m @ 0.56 g/t Au	0.56	
DSDD0034	98.00	99.00	1.00	0.18			
DSDD0034	99.00	100.00	1.00	0.13			
DSDD0034	111.00	112.00	1.00	0.93	1.00 m @ 0.93 g/t Au	0.93	
DSDD0034	112.00	113.00	1.00	0.15			
DSDD0034	114.00	115.00	1.00	0.48	1.00 m @ 0.48 g/t Au	0.48	
DSDD0034	117.00	118.00	1.00	0.35			
DSDD0034	118.00	119.00	1.00	1.53			1.00 m @ 1.53 g/t Au
DSDD0034	119.00	120.00	1.00	0.63			
DSDD0034	120.00	121.00	1.00	0.20			
DSDD0034	121.00	122.00	1.00	0.23			
DSDD0034	122.00	123.00	1.00	0.13			
DSDD0034	123.00	124.00	1.00	0.26			
DSDD0034	124.00	125.00	1.00	0.25			
DSDD0034	125.00	126.00	1.00	0.33			
DSDD0034	126.00	127.00	1.00	0.33	2.00 m @ 0.33 g/t Au	0.66	
DSDD0034	127.00	128.00	1.00	0.25			
DSDD0034	128.00	129.00	1.00	0.43	1.00 m @ 0.43 g/t Au	0.43	
DSDD0034	129.00	130.00	1.00	0.13			
DSDD0034	132.00	133.00	1.00	0.42			
DSDD0034	133.00	134.00	1.00	0.54			1.68
DSDD0034	134.00	135.00	1.00	0.72			
DSDD0034	135.00	136.00	1.00	0.20			
DSDD0034	136.00	137.00	1.00	1.34	1.00 m @ 1.34 g/t Au	1.34	
DSDD0034	137.00	138.00	1.00	0.29			
DSDD0034	139.00	140.00	1.00	0.14			
DSDD0034	140.00	141.00	1.00	0.15			
DSDD0034	141.00	142.00	1.00	0.95			
DSDD0034	142.00	143.00	1.00	0.73	2.00 m @ 0.84 g/t Au	1.68	
DSDD0034	143.00	144.00	1.00	0.13			
DSDD0034	144.00	145.00	1.00	0.11			
DSDD0034	145.00	146.00	1.00	0.13			



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0034	146.00	147.00	1.00	0.22			
DSDD0034	147.00	148.00	1.00	0.22			
DSDD0034	151.00	152.00	1.00	0.16			
DSDD0034	152.00	153.00	1.00	0.31			
DSDD0034	153.00	154.00	1.00	1.08			2.00 m @ 1.22 g/t Au
DSDD0034	154.00	155.00	1.00	1.35			
DSDD0034	155.00	156.00	1.00	0.44			
DSDD0034	156.00	157.00	1.00	0.75			
DSDD0034	157.00	158.00	1.00	0.21			
DSDD0034	158.00	159.00	1.00	0.10			
DSDD0034	164.00	165.00	1.00	0.39			
DSDD0034	165.00	166.00	1.00	0.33			1.00 m @ 1.92 g/t Au
DSDD0034	166.00	167.00	1.00	1.92			
DSDD0034	167.00	168.00	1.00	0.11			
DSDD0034	168.00	169.00	1.00	1.36	1.00 m @ 1.36 g/t Au	1.36	
DSDD0034	169.00	170.00	1.00	0.10			
DSDD0034	171.00	172.00	1.00	1.55			1.00 m @ 1.55 g/t Au
DSDD0034	172.00	173.00	1.00	0.36			
DSDD0034	181.00	182.00	1.00	0.24			
DSDD0034	183.00	184.00	1.00	0.25			
DSDD0036	42.78	43.50	0.72	0.67			
DSDD0036	45.93	46.60	0.67	0.32			
DSDD0036	48.46	49.50	1.04	0.21			
DSDD0036	49.50	51.00	1.50	0.04			
DSDD0036	51.62	52.50	0.88	<b>8.01</b>	0.88 m @ 8.01 g/t Au	7.05	
DSDD0036	65.00	66.00	1.00	0.17			
DSDD0036	77.00	78.00	1.00	0.12			
DSDD0036	86.00	87.00	1.00	0.46			
DSDD0036	95.00	96.00	1.00	0.14			
DSDD0036	96.00	97.00	1.00	<b>2.15</b>			1.00 m @ 2.15 g/t Au
DSDD0036	97.00	98.00	1.00	0.02			
DSDD0036	98.00	99.00	1.00	0.03			
DSDD0036	99.00	100.00	1.00	0.65			
DSDD0036	100.00	101.00	1.00	0.11			
DSDD0036	111.27	112.00	0.73	1.01			
DSDD0036	112.00	113.00	1.00	0.67			
DSDD0036	119.00	120.00	1.00	0.86			
DSDD0036	154.00	155.00	1.00	0.16			
DSDD0036	155.00	156.00	1.00	0.22			
DSDD0036	156.00	157.00	1.00	0.48			
DSDD0036	157.00	158.00	1.00	<b>4.10</b>			1.00 m @ 4.10 g/t Au



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0036	164.00	165.00	1.00	0.10			
DSDD0036	165.00	166.00	1.00	0.11			
DSDD0037A	1.50	2.50	1.00	0.20			
DSDD0037A	2.50	3.50	1.00	0.39			
DSDD0037A	3.50	4.50	1.00	0.68			
DSDD0037A	4.50	5.50	1.00	0.28			
DSDD0037A	5.50	6.50	1.00	0.20			
DSDD0037A	6.50	7.50	1.00	0.17			
DSDD0037A	7.50	8.50	1.00	0.10			
DSDD0037A	8.50	9.56	1.06	0.23			
DSDD0037A	10.50	11.46	0.96	0.14			
DSDD0037A	12.00	13.00	1.00	0.12			
DSDD0037A	13.00	14.00	1.00	0.09			
DSDD0037A	14.00	15.00	1.00	0.11			
DSDD0037A	15.00	16.02	1.02	0.12			
DSDD0037A	16.50	18.00	1.50	0.10			
DSDD0037A	39.00	39.53	0.53	0.76			
DSDD0037A	41.53	43.00	1.47	0.78			
DSDD0037A	65.00	66.00	1.00	0.12			
DSDD0037A	67.00	68.00	1.00	0.12			
DSDD0037A	69.00	70.00	1.00	0.14			
DSDD0037A	70.00	71.00	1.00	0.12			
DSDD0037A	71.00	72.00	1.00	0.18			
DSDD0037A	72.00	73.00	1.00	1.04			
DSDD0037A	73.00	74.00	1.00	0.35			
DSDD0037A	74.00	75.00	1.00	0.98			
DSDD0037A	75.00	76.00	1.00	0.05			
DSDD0037A	76.00	77.00	1.00	0.30			
DSDD0037A	77.00	78.00	1.00	0.78			
DSDD0037A	78.00	79.00	1.00	<b>4.02</b>			
DSDD0037A	79.00	80.00	1.00	<b>10.44</b>			
DSDD0037A	80.00	81.00	1.00	0.27			
DSDD0037A	81.00	82.00	1.00	0.03			
DSDD0037A	82.00	83.00	1.00	0.21			
DSDD0037A	83.00	84.00	1.00	0.06			
DSDD0037A	84.00	85.00	1.00	<b>2.71</b>			
DSDD0037A	85.00	86.00	1.00	<b>2.50</b>			
DSDD0037A	86.00	87.00	1.00	0.51			
DSDD0037A	87.00	88.00	1.00	0.22			
DSDD0037A	88.00	89.00	1.00	0.43			
DSDD0037A	89.00	90.00	1.00	0.20			

17.00 m @ 1.46 g/t Au

24.90

8.00 m @ 2.53 g/t Au



aurum resources

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0037A	94.00	95.00	1.00	0.20			
DSDD0037A	95.00	96.00	1.00	0.71			
DSDD0037A	96.00	97.00	1.00	0.22			
DSDD0037A	103.00	104.00	1.00	0.29			
DSDD0037A	104.00	105.00	1.00	<b>5.98</b>	9.00 m @ 1.75 g/t Au	15.78	1.00m @ 5.98 g/t Au
DSDD0037A	105.00	106.00	1.00	0.49			
DSDD0037A	106.00	107.00	1.00	0.41			
DSDD0037A	107.00	108.00	1.00	1.33			
DSDD0037A	108.00	109.00	1.00	0.20			
DSDD0037A	109.00	110.00	1.00	1.48			
DSDD0037A	110.00	111.00	1.00	0.74			
DSDD0037A	111.00	112.00	1.00	<b>3.86</b>			1.00m @ 3.86 g/t Au
DSDD0037A	112.00	113.00	1.00	1.29			
DSDD0037A	113.00	114.00	1.00	0.12			
DSDD0037A	131.00	132.00	1.00	0.11			
DSDD0037A	133.00	134.00	1.00	0.68	10.00 m @ 1.15 g/t Au	11.52	
DSDD0037A	134.00	135.00	1.00	0.32			
DSDD0037A	135.00	136.00	1.00	0.37			
DSDD0037A	136.00	137.00	1.00	0.34			
DSDD0037A	137.00	138.00	1.00	0.10			
DSDD0037A	138.00	139.00	1.00	<b>4.25</b>			
DSDD0037A	139.00	140.00	1.00	<b>3.75</b>			2.00 m @ 4.00 g/t Au
DSDD0037A	140.00	141.00	1.00	0.66			
DSDD0037A	141.00	142.00	1.00	0.56			
DSDD0037A	142.00	143.00	1.00	0.49			
DSDD0037A	143.00	144.00	1.00	0.18			
DSDD0037A	144.00	145.00	1.00	0.13			
DSDD0037A	145.00	146.00	1.00	0.24			
DSDD0037A	146.00	147.00	1.00	0.31			
DSDD0037A	150.00	151.00	1.00	0.18			
DSDD0037A	151.00	152.00	1.00	0.16			
DSDD0037A	152.00	153.00	1.00	0.12			
DSDD0037A	155.00	156.00	1.00	0.16			
DSDD0037A	156.00	157.00	1.00	0.29	33.00 m @ 0.39 g/t Au	12.96	
DSDD0037A	157.00	158.00	1.00	0.49			
DSDD0037A	158.00	159.00	1.00	0.38			
DSDD0037A	159.00	160.00	1.00	0.24			
DSDD0037A	160.00	161.00	1.00	0.27			
DSDD0037A	161.00	162.00	1.00	0.35			
DSDD0037A	162.00	163.00	1.00	0.25			
DSDD0037A	163.00	164.00	1.00	0.36			



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0037A	164.00	165.00	1.00	0.39			
DSDD0037A	165.00	166.00	1.00	0.15			
DSDD0037A	166.00	167.00	1.00	0.48			
DSDD0037A	167.00	168.00	1.00	0.54			
DSDD0037A	168.00	169.00	1.00	0.24			
DSDD0037A	169.00	170.00	1.00	0.08			
DSDD0037A	170.00	171.00	1.00	0.14			
DSDD0037A	171.00	172.00	1.00	0.12			
DSDD0037A	172.00	173.00	1.00	0.16			
DSDD0037A	173.00	174.00	1.00	0.34			
DSDD0037A	174.00	175.00	1.00	0.40			
DSDD0037A	175.00	176.00	1.00	0.46			
DSDD0037A	176.00	177.00	1.00	0.28			
DSDD0037A	177.00	178.00	1.00	0.47			
DSDD0037A	178.00	179.00	1.00	0.42			
DSDD0037A	179.00	180.00	1.00	0.21			
DSDD0037A	180.00	181.00	1.00	0.33			
DSDD0037A	181.00	182.00	1.00	0.18			
DSDD0037A	182.00	183.00	1.00	0.22			
DSDD0037A	183.00	184.00	1.00	0.07			
DSDD0037A	184.00	185.00	1.00	0.48			
DSDD0037A	185.00	186.00	1.00	<b>3.09</b>			
DSDD0037A	186.00	187.00	1.00	0.24			
DSDD0037A	187.00	188.00	1.00	0.12			
DSDD0037A	188.00	189.00	1.00	0.72			
DSDD0037A	196.00	197.00	1.00	1.14	11.00 m @ 0.50 g/t Au	5.54	
DSDD0037A	197.00	198.00	1.00	0.26			
DSDD0037A	198.00	199.00	1.00	0.72			
DSDD0037A	199.00	200.00	1.00	0.42			
DSDD0037A	200.00	201.00	1.00	0.50			
DSDD0037A	201.00	202.00	1.00	0.52			
DSDD0037A	202.00	203.00	1.00	0.10			
DSDD0037A	203.00	204.00	1.00	0.27			
DSDD0037A	204.00	205.00	1.00	0.29			
DSDD0037A	205.00	206.00	1.00	0.93			
DSDD0037A	206.00	207.00	1.00	0.39			
DSDD0037A	207.00	207.91	0.91	0.14	4.50 m @ 0.60 g/t Au	2.71	
DSDD0037A	209.00	210.00	1.00	0.19			
DSDD0037A	210.00	211.00	1.00	0.27			
DSDD0037A	211.00	212.00	1.00	0.33			
DSDD0037A	212.00	213.00	1.00	0.75			



aurum resources

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0037A	213.00	214.00	1.00	0.95			
DSDD0037A	214.00	215.00	1.00	0.25			
DSDD0037A	215.00	215.50	0.50	0.85			
DSDD0037A	217.00	217.50	0.50	0.45			
DSDD0037A	224.00	225.00	1.00	0.33			
DSDD0037A	225.00	226.00	1.00	0.47			
DSDD0037A	226.00	227.00	1.00	0.10			
DSDD0037A	227.00	228.00	1.00	0.80			
DSDD0037A	228.00	229.00	1.00	0.47			
DSDD0037A	229.00	230.00	1.00	0.30			
DSDD0037A	230.00	231.00	1.00	0.49			
DSDD0037A	231.00	232.00	1.00	0.13			
DSDD0037A	232.00	233.00	1.00	0.32			
DSDD0037A	233.00	234.00	1.00	0.66			
DSDD0037A	234.00	235.00	1.00	0.01			
DSDD0037A	235.00	236.00	1.00	0.01			
DSDD0037A	236.00	237.00	1.00	0.36			
DSDD0037A	237.00	238.00	1.00	0.45			
DSDD0037A	238.00	239.00	1.00	0.77			
DSDD0038	23.58	25.08	1.50	0.10			
DSDD0038	27.50	28.50	1.00	0.23			
DSDD0038	28.50	29.00	0.50	0.19			
DSDD0038	29.00	30.00	1.00	0.21			
DSDD0038	31.00	32.00	1.00	0.28			
DSDD0038	32.00	33.00	1.00	0.89			
DSDD0038	33.00	34.50	1.50	0.16			
DSDD0038	34.50	36.00	1.50	0.13			
DSDD0038	36.00	36.83	0.83	0.10			
DSDD0038	48.00	49.09	1.09	0.50			
DSDD0038	52.00	53.00	1.00	0.12			
DSDD0038	54.00	55.00	1.00	<b>4.12</b>	1.00 m @ 4.12 g/t Au	4.12	
DSDD0038	62.00	63.00	1.00	0.20			
DSDD0038	63.00	64.00	1.00	0.10			
DSDD0038	64.00	65.00	1.00	0.21			
DSDD0038	65.00	66.00	1.00	0.07			
DSDD0038	66.00	67.00	1.00	0.02			
DSDD0038	67.00	68.00	1.00	0.25			
DSDD0038	68.00	69.00	1.00	0.10			
DSDD0038	71.00	72.00	1.00	0.11			
DSDD0038	72.00	73.00	1.00	0.10			
DSDD0038	79.00	80.00	1.00	0.13			



aurum resources

Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0038	80.00	81.00	1.00	0.23			
DSDD0038	82.00	83.00	1.00	0.24			
DSDD0038	83.00	84.00	1.00	0.33			
DSDD0038	84.00	85.00	1.00	0.96			
DSDD0038	85.00	86.00	1.00	1.91			1.00 m @ 1.91 g/t Au
DSDD0038	86.00	87.00	1.00	0.05			
DSDD0038	87.00	88.00	1.00	0.10			
DSDD0038	88.00	89.00	1.00	0.02			
DSDD0038	89.00	90.00	1.00	0.06			
DSDD0038	90.00	91.00	1.00	0.71			
DSDD0038	91.00	92.00	1.00	0.65			
DSDD0038	92.00	93.00	1.00	0.53			
DSDD0038	93.00	94.00	1.00	0.15			
DSDD0038	94.00	95.00	1.00	0.06			
DSDD0038	95.00	96.00	1.00	1.36			
DSDD0038	104.00	105.00	1.00	<b>2.83</b>	1.00 m @ 2.83 g/t Au	2.83	
DSDD0038	109.00	110.00	1.00	0.14			
DSDD0038	110.00	111.00	1.00	0.94			
DSDD0038	111.00	112.00	1.00	0.30			
DSDD0038	112.00	113.00	1.00	1.13			
DSDD0038	113.00	114.00	1.00	0.38			
DSDD0038	114.00	115.00	1.00	<b>3.85</b>			
DSDD0038	115.00	116.00	1.00	<b>13.49</b>			
DSDD0038	116.00	117.00	1.00	1.03			
DSDD0038	117.00	118.00	1.00	0.23			
DSDD0038	118.00	119.00	1.00	<b>8.47</b>			
DSDD0038	119.00	120.00	1.00	0.43			
DSDD0038	120.00	121.00	1.00	0.05			
DSDD0038	121.00	122.00	1.00	0.17			
DSDD0038	122.00	123.00	1.00	<b>7.27</b>			
DSDD0038	123.00	124.00	1.00	0.03			
DSDD0038	124.00	125.00	1.00	0.01			
DSDD0038	125.00	126.00	1.00	<b>6.86</b>			
DSDD0038	126.00	127.00	1.00	1.51			
DSDD0038	127.00	128.00	1.00	0.33			
DSDD0038	128.00	129.00	1.00	0.15			
DSDD0038	129.00	130.00	1.00	0.24			
DSDD0038	130.00	131.00	1.00	0.10			
DSDD0038	131.00	132.00	1.00	0.31			
DSDD0038	132.00	133.00	1.00	0.03			
DSDD0038	133.00	134.00	1.00	0.01			



Hole_ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0038	134.00	135.00	1.00	0.02			
DSDD0038	135.00	136.00	1.00	0.01			
DSDD0038	136.00	137.00	1.00	0.89			
DSDD0038	137.00	138.00	1.00	0.58			
DSDD0038	138.00	139.00	1.00	0.17			
DSDD0038	139.00	140.00	1.00	<b>3.26</b>			
DSDD0038	140.00	141.00	1.00	0.15			
DSDD0038	146.00	147.00	1.00	0.19			
DSDD0038	150.00	151.00	1.00	0.15			
DSDD0038	167.00	168.00	1.00	0.46			
DSDD0038	187.00	188.00	1.00	0.27			
DSDD0038	188.00	189.00	1.00	0.41			



## About Aurum's Boundiali Gold Project

The Boundiali Gold Project is comprised of three neighbouring exploration tenements (Figure 3):

- 1) Boundiali Minex Tenement PR0893 ("BM"), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum is earning interest of up to 80-88% through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor").
- 2) Boundiali DS tenement PR808 ("BD"), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor.
- 3) Boundiali South tenement PR414 ("BST"), 167.34km<sup>2</sup> and is located directly south of Aurum's BD and BM tenement. The BST exploration tenement was granted to Predictive Discovery Côte d'Ivoire SARL on 1 August 2014 and is currently under renewal. Predictive Discovery Côte d'Ivoire SARL (89% owned by Turaco Gold Limited and 11% owned by Predictive Discovery Limited) agreed to sell 100% interest to Aurum, subject to Aurum obtaining a renewal of the Boundiali South tenement (or the granting of a replacement tenement) and being satisfied that the terms of the renewal (or replacement) do not restrict exploration or potential future mining rights, along with all required Government approvals.

The Boundiali Gold Project is located within the same greenstone belt as the large Syama (11.5Moz) and Sissingue (1.0 Moz) gold mines to the north, the Tongon (5.0Moz) to the north east and Montage Gold's 4.5Moz Koné project located to the south (Figure 2).

Multiple gold targets remain to be tested that have been defined from extensive gold in soil anomalism and artisanal pits that are associated with a north-south trend of metasediments and granites. In the south, on the western margin of the permit, there appears to be a sheared and cut-up granite with metasediments wrapping around the ellipsoidal granitic which structurally is an exciting target zone that is yet to be tested.

### **BM gold project JV**

Plusor is earning interest through carrying out diamond drilling programs of 8,000m to earn 80% interest in two stages.

- Drilling 4000m diamond holes to earn 30% interest
- Drilling 2<sup>nd</sup> 4000m diamond holes to earn accumulated 51% interest
- Earn an accumulated 80% interest with a total exploration expenditure of USD2.5M with a normal diamond drilling cost of USD140/m in calculation for expenditure commitment.
- 80-88% interest in future gold production company

### **BD gold project JV**

Plusor owns 80% interest acquired from DS Joint Venture Company's two shareholders:

- acquired 45% share capital of DS Joint Venture Company Sarl by paying USD430k to DS Resources Sarl; and
- acquired 35% share capital of DS Joint Venture Company Sarl from Turaco Gold Ltd by drilling 3,500m diamond holes in Turaco's other gold projects in Cote D'Ivoire. This commitment is yet to be performed.




### Consideration and payment for the BST binding term sheet

- Purchase of the tenement is subject to Aurum obtaining a renewal of the **BST** tenement (or the granting of a replacement) and being satisfied that the terms of the renewal (or replacement permit) do not restrict exploration or potential future mining rights, along with required Government approvals.
- Within 15 business days of the satisfaction (or waiver) of the conditions precedent above, the Seller will, by written notice to the Purchaser, elect to receive **one** of the following forms of consideration (**Election**):
  - (i) A\$800,000 in cash (**Cash Consideration**); or
  - (ii) If the 20-day volume weighted average trading price of Shares (**VWAP**) is:
    - *Less than or equal to A\$0.20 at the time of the Election, 5,000,000 fully paid ordinary shares in the Purchaser (Shares) (Consideration Shares 1); or*
    - *Greater than A\$0.20 at the time of the Election, Shares to a value of A\$1.2 million, as determined by dividing A\$1.2 million by the 20-day VWAP for the Shares (Consideration Shares 2).*

## Section 1 of the JORC Code, 2012 Edition – Table 1

### Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</li> <li>• Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site</li> <li>• Sampling and QAQC procedures were carried out to industry standards.</li> <li>• Sample preparation was completed by independent international accredited laboratory Intertek Minerals Ltd. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to Ghana for analysis via 30g fire assay.</li> <li>• </li> </ul>
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li>• Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>• Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li>• Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>• Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>• Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>• Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</li> </ul>
<b>Logging</b>	<ul style="list-style-type: none"> <li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>• All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded. Metallurgical, Geotechnical and structural data has been recorded</li> <li>• Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>• All drill holes were logged in full.</li> <li>• Logging was qualitative and quantitative in</li> </ul>




aurum resources

Criteria	JORC Code explanation	Commentary
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<p><i>nature.</i></p> <ul style="list-style-type: none"> <li>• <i>NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</i></li> <li>• <i>Sample sizes are considered appropriate to correctly represent the moderately nuggety gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</i></li> <li>• <i>The 250gm sample is milled through an LM5 using a single puck to 90% &lt;75 micron</i></li> <li>• <i>Milled sample is homogenised through a matt roll with a 150gm routine sample collected using a spoon around the quadrants and sent to Ghana for analysis and the remaining 100gm kept at Intertek for checks.</i></li> <li>• <i>Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</i></li> <li>• <i>Primary RC duplicates: Generated from the first splitter off the rig and inserted 5% (1 in 20 samples). This sample is collected from a spear sample from the reject material of the primary split.</i></li> <li>• <i>Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</i></li> <li>• <i>Coarse blank samples: Inserted 1 in every 20 samples</i></li> <li>• <i>Laboratory Internal Duplicates and Standards</i></li> <li>• <i>Sample sizes are considered appropriate to correctly represent the moderately nuggety gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</i></li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>• Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable</li> </ul>	<ul style="list-style-type: none"> <li>• <i>The analytical techniques used Fire Assay on 150g pulp samples.</i></li> <li>• <i>No geophysical tools were used to determine any element concentrations used for this report.</i></li> <li>• <i>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size of 2mm was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</i></li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<ul style="list-style-type: none"> <li><i>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied.</i></li> </ul>
<b>Verification of sampling and assaying</b>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>NA</i></li> <li><i>No holes have been twinned</i></li> <li><i>No adjustment to assay data</i></li> <li><i>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</i></li> <li><i>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</i></li> </ul>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>DD collar positions were located using a handheld GPS with a location error of +/3m.</i></li> <li><i>The datum employed is WGS84, Zone 29</i></li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Drillholes were completed on variable spacings and orientations.</i></li> <li><i>No judgement has yet been made by an independent qualified consultant on whether the drill density is sufficient to calculate a Mineral Resource.</i></li> <li><i>The samples were not composited.</i></li> </ul>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</i></li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</i></li> </ul>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>No audits or reviews of sampling techniques and data have been carried out given the reconnaissance nature of exploration drilling and trenching.</i></li> </ul>

**Section 2 of the JORC Code, 2012 Edition – Table 1**



aurum resources

Criteria	JORC Code explanation	Commentary
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>• The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>• Exploration results are from the Boundiali project area.</li> <li>• There are no impediments to working in the area.</li> </ul>
<b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>• Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>• The exploration results reported in this announcement are from work undertaken by PlusOr and BM on behalf of Aurum Resources Limited</li> <li>• The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>
<b>Geology</b>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>• The geology consists of granitoid intrusives, metasediments, typical of granite – greenstone belt Birimian terrains. Mineralisation style is typical structurally controlled, mesothermal, lode gold orogenic style.</li> </ul>
<b>Drill hole information</b>	<ul style="list-style-type: none"> <li>• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>• easting and northing of the drill hole collar</li> <li>• elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>• dip and azimuth of the hole</li> <li>• down hole length and interception depth</li> <li>• hole length</li> </ul> </li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<ul style="list-style-type: none"> <li>• Complete drill hole data has been provided.</li> <li>• Drill hole collar locations are shown in figures in main body of announcement.</li> </ul>
<b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li>• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>• Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>• The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>• Assay Intervals are shown in detail. Drilling intervals are predominantly 1m and 2m.</li> <li>• Metal equivalent values are not being reported.</li> </ul>



aurum resources

Criteria	JORC Code explanation	Commentary
<b>Relationship between mineralisation widths and intercept lengths</b>	<ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g.'down hole length, true width not known').</li> </ul>	<ul style="list-style-type: none"> <li>True widths have not been estimated as the geological controls on mineralisation in these initial drill holes into the prospect are not yet well understood.</li> <li>The holes were drilled from east to west to test a steeply east dipping foliation in the limited rock exposures seen in the area. The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</li> </ul>
<b>Diagrams</b>	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>Appropriate diagrams relevant to material results are shown in the body of this announcement.</li> </ul>
<b>Balanced Reporting</b>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported. No Mineral Resource exists</li> <li>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported</li> </ul>
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>All relevant exploration data is either reported in this announcement or has been reported previously by Randgold, Predictive Discovery and is referred to in the announcement.</li> </ul>
<b>Further work</b>	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</li> <li>Diagrams included in body of report as deemed appropriate by competent person</li> </ul>