

ERRAWARRA IDENTIFIES LARGE STACKED PEGMATITE SWARM AT ANDOVER WEST PROJECT

HIGHLIGHTS:

- Errawarra identifies large (~ 1.6km x 1km) stacked pegmatite swarm at Andover West
- Highly anomalous Li Soil trend (peak 325ppm Li₂O) highlighted
- Stacked, low angle, north dipping pegmatite packages mapped
- Second strong anomalous Li soil trend (peak 299ppm Li₂O) Li soil trend also highlighted in NW area
- Anomalous lithium soil trends are along strike and 1.7km from Raiden's lithium pegmatite discovery that reported 3.8% Li₂O rock chip
- Fertility of pegmatite swarm highlighted by extensive background Li soil anomalism (>100ppm Li₂O)
- Andover Heritage Clearance Survey scheduled to be undertaken in May
- Planning for a drill program is underway
- Field teams mobilised to the Pinderi Hills JV with sampling underway

Errawarra Resources Ltd (ASX:ERW) (**Errawarra** or the **Company**) is pleased to provide this update to market on exploration at the Andover West project in the West Pilbara region.

Andover West Project comprises over 100km² of prospective ground located approximately 40km east-southeast of Karratha and south of Azure's Andover LCT Pegmatite project (now owned by SQM/Hancock¹), with an exploration target of 100-240mt @ 1-1.5% Li₂O².

Executive Chairman Thomas Reddicliffe commented:

"We are excited not only by the recognition of this large pegmatite swarm which lies adjacent to Azure minerals Andover project but also because we can now focus in on the lithium fertile zones within these broad pegmatite packages. We believe that we may have only hit the tip of the iceberg with these lithium fertile zones within the pegmatite packages and with their shallow dips we have the opportunity to explore for higher grades down dip. Being along strike and in proximity to the Raiden lithium pegmatites we are optimistic of our chances and keen to do some exploratory drilling."

¹ Refer Azure Minerals Ltd ASX announcement dated 2 May 2024.

² Refer Azure Minerals Ltd ASX announcement dated 7 August 2023.

As can be seen from various other discoveries such as by TG Metals and Nimy Resources, elevated soil anomalies can point towards lithium bearing pegmatites under cover and potentially larger lithium pegmatites sub-surface. We aim to complete our ground reconnaissance and mapping as quickly as possible to enable drilling of selected targets. With our heritage clearances scheduled to be completed this month we could see ourselves drilling this quarter.”




Figure 1. Errawarra Andover West Project Tenement showing Lithium Corridor.

ANDOVER WEST LITHIUM PROJECT

Mapping

Detailed mapping is continuing in the northwest area and also at the eastern Li pegmatite discovery where there is good exposure of the pegmatites around the margins of the Andover Mafic Intrusion. In both areas there are numerous stacked east-west striking pegmatites which dip to the north at approximately 30 deg and less. These two areas are approximately 4km apart and appear related inferring that the packages likely transect the intervening tenure where Raiden has reported Li pegmatites and assay values including 3.8% Li₂O from rock chip samples. The extensive occurrence of pegmatites particularly in the northwestern area is shown in Figure 2 with the main swarm having an area of ~1.6km x 1km.

Reconnaissance Soil Sampling

Reconnaissance soil sampling was completed in the northwest portion of the tenement to follow-up on the high frequency of lithium anomalous pegmatites that occur in this area. A total of 148 samples were collected on a 100m x 400m grid. Soil sampling had not been previously done in this area due to a relatively high abundance of outcrop including pegmatites that can be sampled directly. The Lithium fertile nature of the pegmatites in this area was previously highlighted in rock chip samples which reported a peak value of 928ppm Li₂O.

Two strongly anomalous Li soil trends have been highlighted in this NW portion of the tenement. The strongest trend is located within the pegmatite swarm and reported a peak Li_2O value of 325ppm. This trend appears to be along strike of the Raiden pegmatites where Li_2O values including 3.8% were reported from rock chips. Also, along strike and further to the east is the Li pegmatite discovered by Errawarra which reported a peak rock chip assay of 0.9% Li_2O . An additional second strong anomalous (Peak 299ppm Li_2O) Li trend also highlighted in the northern section of the NW area.

These associated soil and rock chip sample results are very encouraging and point to Li fertile pegmatites within the stacked pegmatite packages.

Follow Up Soil Sampling

The Company has previously reported the results of 531 reconnaissance soil samples which were taken to investigate the potential for LCT Pegmatites to the south of the mapped extent of the Andover Mafic Intrusion. This sampling highlighted 3 zones³ considered prospective for the occurrence of Li Pegmatites based on soil assays which reported up to 424ppm Li_2O .

The new follow-up soil sampling was focused in the 3 previously highlighted anomalous Li Soil zones with a total 1070 samples taken on a 50m x 100m grid. The results of this sampling further constrained the anomalous zones.

Heritage Clearance Survey

Heritage Clearance surveys are scheduled to be completed this month over selected portions of the anomalous Li zones and including the stacked pegmatite packages mapped in both the northwest and in the east. This will clear the way to undertake planning for future drill programs.

Follow Up Soil Sampling

Mapping and prospecting will continue in the target areas identified from the soil sampling to enable the finalising of areas to be drill tested. Of particular interest are the Li anomalous zones within the pegmatite packages which may be associated with higher grades down dip.




Figure 2. Errawarra's Andover West project with mapped pegmatite swarm in the northwest sector

³ Refer to Errawarra ASX announcement dated 20 February 2024.




Figure 3. Interpreted Soil Sample Results




Figure 4. Location of New Follow-up and Reconnaissance Soil Samples

PINDERI HILLS JV LITHIUM PROJECT

On the 29 April 2024, Errawarra announced that it had entered into a joint venture with Alien Metals (AIM: UFO) in respect of lithium rights on the Pinderi Hills Project located in the West Pilbara.

Lithium Caesium Tantalum (LCT) pegmatite target areas have been identified in greenstone mafic-ultramafic rocks within the Alien tenements near “hot” granites which are reported to belong to the Orpheus suite of rocks. These same granites are associated with lithium pegmatite emplacement in the significantly mineralised lithium pegmatite corridor located some 20km to the north.

A large number of geomorphic features were identified in the Maitland Intrusive Complex which are interpreted as possible pegmatite dyke swarms. These interpreted pegmatite dykes are shown in more detail in Figure 5 and appear comparable to the recently discovered LCT pegmatites within the Andover Intrusive Complex located 35km to the north-east.

Exploration teams have been mobilised to the project area to commence the initial reconnaissance exploration. Results will be reported when they are received.




Figure 5. Errawarra and the new Alien Metals joint venture area in the West Pilbara Lithium Province




Figure 6. Pinderi Hills pegmatite swarm extent noted to date

The Company is looking forward to the results of our ongoing ground work at both Andover and Pinderi Hills as well as the completion of the scheduled Heritage survey clearances and will keep the market updated accordingly.

This ASX announcement has been authorised for release by Thomas Reddicliffe, Executive Chairman on behalf of the Board of Directors.

For further information, please contact:

Tom Reddicliffe
Executive Chairman
Errawarra Resources Ltd
E: info@errawarra.com

Competent Person Statement

Thomas Reddicliffe, BSc (Hons), MSc, a Director and Shareholder of the Company, is a Fellow of the AUSIMM, and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Thomas Reddicliffe consents to the inclusion in the report of the information in the form and context in which it appears.

About Errawarra Resources

Errawarra Resources (ASX:ERW) is a battery metal focused resources company with projects in Western Australia, including the Andover West Lithium Prospect located in the highly prospective Pilbara region and the Errabiddy gold/graphite/REE/lithium project located in the Gascoyne region.

For more information, please visit www.errawarra.com.

APPENDIX A

Table 1. Reconnaissance Soil Samples NW Area (Datum GDA94 z50)

Sample Id	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW01-001	508814	7691805	48.2	103.8	6.98	11.5	114	2.31
24EW01-002	508810	7691901	43.9	94.5	7.74	10.7	91.9	2.3
24EW01-003	508812	7692001	50.6	108.9	5.12	11.75	175.5	3.02
24EW01-004	508812	7692101	84.8	182.6	6.42	7.73	107.5	1.41
24EW01-005	508811	7692197	49.6	106.8	7.12	10.25	96	2.04
24EW01-006	508811	7692302	43.6	93.9	4.35	11	126	2.39
24EW01-007	508812	7692400	47.7	102.7	4.93	11.2	118.5	3.42
24EW01-008	508811	7692503	54.3	116.9	5.03	8.45	91.7	2.12
24EW01-009	508817	7692599	20.7	44.6	5.93	13.1	129.5	2.75
24EW01-010	508811	7692703	88.4	190.3	5.85	7.35	103.5	2.79
24EW01-011	508816	7692806	70	150.7	3.23	5.87	54.6	1.3
24EW01-012	508812	7692908	43.2	93.0	4.15	16.4	108	5.05
24EW01-013	508809	7693002	53	114.1	3.44	7.42	59.5	1.89
24EW01-014	508811	7693086	37.8	81.4	4.12	11.45	72.5	2.36
24EW01-015	508818	7693193	78.9	169.9	4.11	5.57	60.5	1.29
24EW01-016	508810	7693284	56.3	121.2	5.95	4.73	84.4	1.03
24EW01-017	508814	7693400	103	221.7	2.93	3.81	38.3	0.91
24EW01-018	508812	7693500	64.1	138.0	7.37	6.27	55	0.92
24EW01-019	508812	7693601	49.6	106.8	3.89	4.68	54.3	1.38
24EW01-020	508811	7693700	96.9	208.6	5.55	7.44	85.9	2.11
24EW01-021	508816	7693803	20.2	43.5	4.33	6.29	53.1	1.23
24EW01-022	508814	7693898	40.2	86.5	3.48	13.9	53.4	1.32
24EW01-023	508812	7693996	43.5	93.6	4.18	4.96	66.2	0.98
24EW01-024	508812	7694093	48.9	105.3	2.88	5.06	58.1	0.87
24EW01-025	508823	7694186	58.7	126.4	8.77	5.82	54.7	2.26
24EW01-026	508818	7694305	48.3	104.0	4.07	5.83	48.8	1.3
24EW01-027	508818	7694397	64.1	138.0	5.91	4.74	185.5	1.34
24EW01-028	509198	7691699	30.6	65.9	6.61	12.25	316	3.13
24EW01-029	509202	7691805	118.5	255.1	5.95	6.86	97.1	2.17
24EW01-030	509196	7691902	78.1	168.1	6.19	29.9	224	4.77
24EW01-031	509210	7692002	66.9	144.0	9.97	85.1	509	9.5
24EW01-032	509203	7692110	61.7	132.8	7.88	102.5	550	13.3
24EW01-033	509204	7692199	91.3	196.6	6.29	25.8	267	7.49
24EW01-034	509201	7692302	61.5	132.4	6.9	42.4	330	10.8
24EW01-035	509203	7692402	84	180.8	4.99	5.79	149.5	3.35
24EW01-036	509204	7692501	85.1	183.2	5.87	5.41	118.5	2.45
24EW01-037	509201	7692598	79.1	170.3	5.12	6	103.5	1.4
24EW01-038	509200	7692694	83.4	179.5	5.76	6.37	107	1.52
24EW01-039	509199	7692796	69.1	148.8	5.19	5.78	80.6	2.56
24EW01-040	509197	7692910	74.9	161.2	4.71	5.64	89.8	2.15
24EW01-041	509200	7693003	70.6	152.0	6.3	13.55	142.5	4.06
24EW01-042	509200	7693096	67.5	145.3	5.4	6.08	102	2.79
24EW01-043	509201	7693199	59.5	128.1	4.68	6.5	64.9	2.74
24EW01-044	509201	7693298	88.1	189.7	3.43	2.95	56.1	0.63
24EW01-045	509205	7693400	111	239.0	6.58	3.28	103	0.82
24EW01-046	509200	7693500	103	221.7	5.14	3.92	77.5	2.16
24EW01-047	509199	7693600	111	239.0	4.92	4.98	97.7	1
24EW01-048	509198	7693698	20.4	43.9	3.12	7.12	48.1	1.23

Sample Id	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW01-049	509199	7693799	69.9	150.5	2.98	4.76	43.2	1.15
24EW01-050	509199	7693902	28.7	61.8	3.45	4.76	38.5	0.86
24EW01-051	509198	7693997	43.8	94.3	2.93	4.19	45.3	0.76
24EW01-052	509203	7694098	40.4	87.0	3	4.27	53.4	1.23
24EW01-053	509201	7694197	37.8	81.4	3.47	5.21	50.2	1.19
24EW01-054	509197	7694301	29.9	64.4	4.14	5.53	39.3	1.06
24EW01-055	509205	7694401	29.2	62.9	5.23	6.2	39.7	1.21
24EW01-056	509598	7691397	80.5	173.3	8.74	38.9	333	12.25
24EW01-057	509599	7691502	69.9	150.5	4.94	22	163.5	3.79
24EW01-058	509598	7691599	53.7	115.6	4.57	9.48	59.9	1.13
24EW01-059	509600	7691699	46.5	100.1	8.37	30.9	121	2.57
24EW01-060	509599	7691800	35.8	77.1	11.2	20.5	100.5	4.1
24EW01-061	509601	7691900	85.4	183.9	6.45	25	251	5.17
24EW01-062	509600	7692000	151.5	326.2	26.7	14.25	265	6.75
24EW01-063	509605	7692101	70.3	151.3	7.63	57	431	10.15
24EW01-064	509599	7692198	76.4	164.5	3.63	6.11	91.5	2.71
24EW01-065	509598	7692298	74.4	160.2	8.83	8.72	127.5	1.75
24EW01-066	509598	7692404	88.5	190.5	5.86	13.3	124	2.97
24EW01-067	509601	7692509	71.2	153.3	5.44	11.65	80.9	2.66
24EW01-068	509595	7692604	75.5	162.5	6.23	7.9	84.2	1.78
24EW01-069	509599	7692700	77.4	166.6	5.65	4.61	91.8	1.82
24EW01-070	509604	7692808	77.7	167.3	4.84	5.2	103.5	1.93
24EW01-071	509599	7692902	44.6	96.0	4.71	9.66	109	2.34
24EW01-072	509601	7693001	42.6	91.7	3.1	5.64	48.5	1.78
24EW01-073	509600	7693100	50.6	108.9	4.76	7.92	63.5	1.28
24EW01-074	509601	7693203	68.3	147.0	6.03	9.07	114	3.63
24EW01-075	509601	7693304	58.5	125.9	5.22	7.76	79.3	2.51
24EW01-076	509600	7693401	81.5	175.5	5	7.87	83.8	2.83
24EW01-077	509598	7693502	48	103.3	4.49	6.42	62.2	1.4
24EW01-078	509601	7693603	60.7	130.7	3.88	4.92	69.7	1.34
24EW01-079	509602	7693696	40.7	87.6	4.04	5.47	50.5	1.27
24EW01-080	509604	7693803	45.7	98.4	2.43	3.14	36	0.74
24EW01-081	509597	7693898	38.4	82.7	2.79	3.82	42.2	0.86
24EW01-082	509597	7694003	31.2	67.2	2.91	4.82	38.6	0.95
24EW01-083	509595	7694103	28.7	61.8	4	6.47	52.1	0.85
24EW01-084	509597	7694200	23	49.5	3.11	3.63	31.3	0.76
24EW01-085	509598	7694300	25.1	54.0	2.34	2.55	30.4	0.48
24EW01-086	509594	7694395	37	79.7	2.7	4.74	39.5	0.87
24EW01-087	510001	7691401	61.5	132.4	5.09	14.1	192.5	4.32
24EW01-088	509997	7691492	62.5	134.6	3.49	8.97	118.5	1.56
24EW01-089	510005	7691598	58.7	126.4	5.2	59.5	261	4.72
24EW01-090	510002	7691695	78.8	169.6	7.53	32.2	155.5	3.28
24EW01-091	510019	7691795	58.9	126.8	6.85	31.6	225	4.66
24EW01-092	510024	7691898	81	174.4	6.82	35.1	258	5.15
24EW01-093	509999	7692001	55.5	119.5	7.74	18.8	259	4.37
24EW01-094	509999	7692097	62.2	133.9	7.48	25.1	177	2.5
24EW01-095	510002	7692198	84	180.8	7.55	16.8	120.5	1.95
24EW01-096	509998	7692298	84.1	181.1	4.68	8.43	119.5	2.92
24EW01-097	510001	7692400	80.1	172.4	4.7	6.8	109.5	3.21
24EW01-098	510003	7692491	75.5	162.5	5.27	6.59	104.5	1.74
24EW01-099	510001	7692603	91.2	196.3	3.53	13.75	99.5	5.57
24EW01-100	510002	7692699	58.9	126.8	4.87	9.2	83.4	1.35
24EW01-101	510000	7692799	54.5	117.3	4.06	5.92	76.5	2.41

Sample Id	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW01-102	510002	7692894	52.8	113.7	4.36	7.8	76.1	1.58
24EW01-103	509998	7693003	57	122.7	3.57	5.39	77.4	1.7
24EW01-104	509999	7693106	67.8	146.0	9.99	12	115	4
24EW01-105	509996	7693198	117	251.9	5.75	5.2	102	1.46
24EW01-106	509999	7693304	51.9	111.7	8.17	7.42	49.8	1.2
24EW01-107	510002	7693402	139	299.2	5.8	4.32	53.8	0.9
24EW01-108	509999	7693499	110.5	237.9	4.21	3.43	83.3	0.97
24EW01-109	509999	7693599	38.9	83.7	3.05	6.02	54	1.4
24EW01-110	510000	7693696	60.7	130.7	3.9	4.19	56.7	0.88
24EW01-111	509997	7693795	31.2	67.2	3.32	5.21	46.6	1
24EW01-112	510000	7693900	30.1	64.8	3.42	4.87	53.4	0.97
24EW01-113	509998	7694004	37.9	81.6	3.07	4.69	48.1	0.83
24EW01-114	510000	7694100	36.2	77.9	2.65	6.13	48.4	0.98
24EW01-115	509999	7694198	22.1	47.6	2.14	3.1	28.7	0.62
24EW01-116	510002	7694299	31.1	67.0	2.28	4.54	46.6	1.1
24EW01-117	509998	7694396	37.6	80.9	2.31	4.99	41.9	0.88
24EW01-118	510388	7691399	39	84.0	3.16	25.7	113	2.26
24EW01-119	510389	7691500	45.9	98.8	4.39	25.2	147	2.73
24EW01-120	510390	7691601	58	124.9	3.09	5.15	81.3	1.1
24EW01-121	510392	7691700	58.8	126.6	5.19	9.03	168	2.77
24EW01-122	510390	7691800	115.5	248.7	7.94	27.9	281	5.5
24EW01-123	510389	7691901	134.5	289.6	8.33	26.3	272	8.25
24EW01-124	510389	7691999	92.1	198.3	3.8	9.16	107.5	2.6
24EW01-125	510389	7692098	75.1	161.7	8.81	39.5	116	2.57
24EW01-126	510390	7692199	42.6	91.7	5.56	13.45	80.1	2.13
24EW01-127	510388	7692299	41.7	89.8	5.76	13.1	112.5	2.39
24EW01-128	510391	7692401	55.6	119.7	5.09	13.25	125	2.32
24EW01-129	510390	7692504	57.7	124.2	4.32	10.4	89.1	2.15
24EW01-130	510380	7692599	59.8	128.7	5.16	13.9	101.5	2.7
24EW01-131	510389	7692702	67.9	146.2	5.8	8.03	110.5	2.55
24EW01-132	510390	7692800	60.1	129.4	5.26	8.31	138	1.42
24EW01-133	510391	7692906	78.2	168.4	5.74	10.15	116.5	3.04
24EW01-134	510389	7693001	74.6	160.6	5.46	6.25	110.5	1.14
24EW01-135	510387	7693099	42.9	92.4	3.98	11.85	75.8	2.84
24EW01-136	510392	7693201	88.5	190.5	5.28	4.74	81.9	1.01
24EW01-137	510387	7693299	90.1	194.0	6.33	4.03	81.6	0.81
24EW01-138	510391	7693397	66.5	143.2	3.09	6.34	55.3	1.42
24EW01-139	510388	7693500	20.5	44.1	4.29	6.32	43.7	1.06
24EW01-140	510389	7693599	43.9	94.5	4.56	6.73	69.3	1.13
24EW01-141	510390	7693698	49.6	106.8	4.21	5.1	76.9	0.89
24EW01-142	510390	7693799	40.2	86.5	3.51	4.7	73.9	0.84
24EW01-143	510392	7693899	46	99.0	3.48	4.88	65.2	1.02
24EW01-144	510370	7693988	35.6	76.6	3.05	6.06	55.9	0.96
24EW01-145	510333	7694114	45.8	98.6	2.99	6.17	59.6	1.4
24EW01-146	510397	7694230	25.3	54.5	2.69	5.22	49.3	0.95
24EW01-147	510391	7694302	22.5	48.4	1.5	3.63	29	0.63
24EW01-148	510387	7694401	25.3	54.5	2.97	4.9	43.5	0.98

Table 2. Reconnaissance Soil Samples NW Area (Datum GDA94 z50)

Sample	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW02-004	508707	7690198	69.9	150.5	4.18	12.35	136.5	2.24
24EW02-005	508700	7690251	40.9	88.1	5.51	13.5	194.5	2.41

Sample	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW02-020	508799	7690156	67.9	146.2	4.55	12.8	120.5	1.84
24EW02-032	508820	7691350	39.3	84.6	5.54	14.85	197	2.71
24EW02-034	508820	7691549	38.3	82.5	7.6	21.8	185.5	2.66
24EW02-036	508820	7691749	52	111.9	6.52	18.2	154	3.52
24EW02-037	508822	7691801	47.4	102.0	7.9	16.8	115.5	2.51
24EW02-040	508904	7690152	41.6	89.6	4.69	12.2	188	3.11
24EW02-041	508901	7690201	40.1	86.3	4.75	10.2	195.5	1.76
24EW02-064	508900	7691350	41.2	88.7	5.7	15.2	178.5	2.77
24EW02-066	508899	7691451	43.6	93.9	5.83	22.7	212	3.15
24EW02-067	508901	7691502	40.7	87.6	5.7	13.45	207	3.19
24EW02-068	508899	7691552	43.6	93.9	5.53	22.9	218	3.76
24EW02-069	508899	7691602	45.9	98.8	5.38	21.7	208	3.74
24EW02-070	508902	7691655	50.1	107.9	6.02	18.7	251	3.89
24EW02-071	508903	7691700	47.7	102.7	5.75	17.7	236	3.93
24EW02-072	508898	7691749	51.8	111.5	6.19	19.25	260	4
24EW02-092	509000	7691000	40.6	87.4	5.73	13.8	203	2.71
24EW02-093	508999	7691050	49	105.5	6.08	15	204	2.8
24EW02-094	509001	7691100	44.2	95.2	5.87	14.8	205	2.71
24EW02-098	509000	7691300	40.3	86.8	6.07	17.85	241	2.81
24EW02-099	508999	7691352	39.5	85.0	5.76	14.35	230	3.25
24EW02-100	508997	7691400	43.9	94.5	5.91	21.8	214	2.85
24EW02-101	509001	7691451	48.1	103.6	5.97	15.3	234	3.1
24EW02-102	509001	7691500	44.4	95.6	6.03	16.5	237	3.1
24EW02-103	509000	7691551	42.1	90.6	6.25	15	243	2.87
24EW02-104	508999	7691601	37.5	80.7	5.8	13.7	244	2.82
24EW02-105	509000	7691650	39.8	85.7	6.22	11.35	242	2.58
24EW02-106	508998	7691701	51.9	111.7	5.67	13.55	183.5	2.88
24EW02-128	509097	7691099	42.7	91.9	5.06	20.7	185	2.76
24EW02-131	509100	7691249	49.6	106.8	5.52	15.05	194.5	3.25
24EW02-132	509100	7691300	40.7	87.6	5.9	14.75	238	3.18
24EW02-134	509102	7691404	37.5	80.7	6.44	12.8	251	2.96
24EW02-136	509099	7691500	49.1	105.7	6.45	29.6	217	3.71
24EW02-145	509200	7690550	42.6	91.7	5.89	12.2	189.5	2.38
24EW02-152	509200	7691250	41.2	88.7	6.29	16.6	242	3.1
24EW02-192	509300	7691450	42.7	91.9	7.96	17.55	194.5	3.04
24EW02-195	509298	7691600	40.9	88.1	5.54	15.75	199	2.79
24EW02-202	509405	7689453	49.9	107.4	3.9	7.97	100.5	1.04
24EW02-210	509400	7690353	40	86.1	5.37	11.6	159	2.37
24EW02-216	509403	7690654	37.5	80.7	4.72	28.7	135.5	2.3
24EW02-217	509399	7690700	39.4	84.8	5.09	11.6	156.5	2.45
24EW02-225	509400	7691100	37.3	80.3	4.61	30	169	3.09
24EW02-226	509400	7691154	47.2	101.6	5.33	32.5	167.5	3.32
24EW02-227	509402	7691200	40.6	87.4	5.22	30.7	180.5	3.6
24EW02-228	509394	7691254	50.9	109.6	5.47	23.3	186	3.84
24EW02-229	509401	7691301	36.7	79.0	5.22	28.2	205	3.14
24EW02-230	509400	7691350	40.1	86.3	5.44	28.6	216	3.5
24EW02-232	509400	7691453	74.7	160.8	8.9	24.7	222	3.71
24EW02-234	509399	7691557	41.5	89.3	6.43	22.7	264	4.24
24EW02-237	509500	7689252	40.8	87.8	3.9	10.65	110	2.28
24EW02-238	509499	7689304	54.7	117.8	3.7	8.06	89.6	1.67
24EW02-239	509500	7689350	49.5	106.6	4.42	12.9	120.5	1.94
24EW02-240	509493	7689392	57.3	123.4	4.42	5.48	76.2	1.63
24EW02-261	509499	7690950	40.1	86.3	5.45	17.9	193	3.6
24EW02-265	509500	7691151	40.8	87.8	5.9	20.8	226	3.42
24EW02-266	509499	7691200	40.7	87.6	6.01	23.7	235	3.73
24EW02-267	509500	7691251	41.8	90.0	5.74	22.4	222	3.37
24EW02-268	509500	7691301	40.1	86.3	5.69	24.5	211	3.08
24EW02-269	509501	7691350	49.9	107.4	6.13	21.3	236	3.88
24EW02-270	509497	7691401	47.8	102.9	7.02	34.3	242	3.81
24EW02-271	509499	7691450	38.8	83.5	6.57	18.5	250	3.27
24EW02-272	509498	7691497	45.7	98.4	6.85	29.6	310	4.85

Sample	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW02-273	509498	7691545	52.9	113.9	6.91	38.7	291	5.48
24EW02-275	509605	7689249	70.5	151.8	5.62	6.48	105.5	1.26
24EW02-276	509600	7689351	57.1	122.9	4.08	7.39	103.5	1.24
24EW02-283	509600	7690850	38.8	83.5	6.51	21.4	208	2.86
24EW02-284	509600	7690950	39.1	84.2	5.89	17.15	215	3.41
24EW02-285	509600	7691050	49.1	105.7	5.07	21.9	177	3.05
24EW02-288	509600	7691350	54	116.3	6.44	23.2	222	4.45
24EW02-289	509600	7691400	83.6	180.0	9.52	23.7	318	9.13
24EW02-290	509600	7691450	74.1	159.5	4.61	8.6	110	1.88
24EW02-291	509600	7691500	69	148.5	5	17.95	153.5	3.96
24EW02-293	509699	7689194	74	159.3	3.91	4.89	64.2	0.98
24EW02-303	509700	7690500	38.1	82.0	4.55	9.98	140	2.43
24EW02-304	509700	7690550	38	81.8	4.47	14.85	147	2.38
24EW02-305	509700	7690600	37.9	81.6	4.59	12	147.5	2.6
24EW02-306	509700	7690650	40.2	86.5	5.23	17.65	162	2.82
24EW02-307	509700	7690700	46.8	100.8	5.57	21.2	181.5	3.06
24EW02-309	509700	7690800	39.5	85.0	5.6	15	164	2.87
24EW02-311	509700	7690900	37.7	81.2	5.45	14.1	184	2.51
24EW02-313	509700	7691000	41.5	89.3	5.76	17.55	204	3.02
24EW02-314	509700	7691050	44.2	95.2	5.87	16.85	182.5	3.18
24EW02-315	509700	7691100	43.7	94.1	6	26.1	201	3.27
24EW02-317	509700	7691200	56.7	122.1	6.51	44.3	200	3.93
24EW02-319	509700	7691300	45.4	97.7	6.49	33.5	206	4.36
24EW02-320	509700	7691350	49	105.5	8.63	39.2	312	6.91
24EW02-321	509700	7691400	115.5	248.7	6.8	11.05	168	3.4
24EW02-322	509700	7691450	51.5	110.9	5	25.9	197.5	5.13
24EW02-323	509700	7691500	47.5	102.3	2.79	4.8	69.9	1
24EW02-324	509799	7689144	70.6	152.0	4.83	6.07	85	1.16
24EW02-335	509800	7690500	38.8	83.5	4.4	9.92	136	2.42
24EW02-338	509800	7690650	45.7	98.4	5.13	11.3	168.5	3.07
24EW02-339	509800	7690700	43.6	93.9	5.31	12.45	213	2.84
24EW02-341	509800	7690800	39.7	85.5	4.98	13.95	162.5	2.67
24EW02-343	509800	7690900	40	86.1	5.42	18.05	201	2.81
24EW02-347	509800	7691100	52	111.9	5.76	18.7	168.5	3.26
24EW02-348	509800	7691150	55.6	119.7	5.98	15.5	179	3.53
24EW02-352	509800	7691350	81.3	175.0	6.51	28.7	207	4.79
24EW02-353	509800	7691400	52.6	113.2	6.35	37	242	5.91
24EW02-354	509800	7691450	70.5	151.8	5.96	4.5	122	1.43
24EW02-364	509900	7690400	40	86.1	4.39	12.35	146	2.43
24EW02-366	509900	7690500	39.6	85.3	3.92	11.9	135.5	2.33
24EW02-367	509900	7690550	39.7	85.5	3.94	10.65	132.5	2.39
24EW02-373	509900	7690850	49.6	106.8	5.17	10.75	162	2.75
24EW02-375	509900	7690950	44	94.7	5.02	27.8	182.5	2.94
24EW02-376	509900	7691000	54.4	117.1	5.82	20.7	186.5	3.41
24EW02-377	509900	7691050	53.1	114.3	5.99	18.35	182	3.28
24EW02-378	509900	7691100	50.7	109.1	5.76	28.8	192	3.58
24EW02-384	509900	7691400	38.9	83.7	5.77	64.5	285	8.96
24EW02-389	510000	7690750	38.3	82.5	5.55	12	162	2.45
24EW02-391	510000	7690950	42	90.4	5.53	15.9	168	3.02
24EW02-392	510000	7691050	40.8	87.8	5.37	17.8	174.5	2.95
24EW02-394	510000	7691250	37.5	80.7	5.74	22.1	210	3.17
24EW02-396	510000	7691400	73.6	158.4	5.81	26.5	217	6.11
24EW02-404	510100	7690700	57.6	124.0	6.69	17.05	187	3.62
24EW02-407	510100	7690850	38.1	82.0	5.46	18.7	187	2.93
24EW02-410	510100	7691000	40.5	87.2	4.97	13.65	149	2.68
24EW02-411	510100	7691050	46.5	100.1	6.5	16.45	210	3.62
24EW02-412	510100	7691100	50.9	109.6	6.38	19.2	185.5	3.43
24EW02-413	510100	7691150	49.3	106.1	6.31	20.6	215	3.3
24EW02-414	510100	7691200	48.3	104.0	6.21	22.9	201	3.19
24EW02-415	510100	7691250	46	99.0	6.51	20.9	242	3.12
24EW02-416	510100	7691300	47.5	102.3	6.43	20.4	246	3.31

Sample	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW02-417	510100	7691350	56.1	120.8	6.49	20.4	255	3.43
24EW02-422	510200	7690550	42.6	91.7	4.91	9.51	145.5	2.54
24EW02-424	510200	7690650	41.1	88.5	4.95	14.75	151.5	2.37
24EW02-425	510200	7690700	42.6	91.7	5.02	10.6	150	2.5
24EW02-428	510200	7690850	42.5	91.5	4.6	13.8	146	2.25
24EW02-429	510200	7690900	37.7	81.2	4.9	11.95	166.5	2.33
24EW02-431	510200	7691000	41.4	89.1	5.29	12.5	177.5	2.6
24EW02-433	510200	7691100	56	120.6	6.71	13.7	182	3.71
24EW02-434	510200	7691150	46.2	99.5	6.1	12.6	189	2.93
24EW02-435	510200	7691200	51.1	110.0	6.23	44.2	208	2.99
24EW02-436	510200	7691250	43.2	93.0	6.23	16.05	226	3.03
24EW02-437	510199	7691301	41.6	89.6	5.82	13.75	222	3.03
24EW02-438	510200	7691350	49.5	106.6	5.61	22.4	229	3.56
24EW02-442	510300	7690500	39.3	84.6	4.64	9.6	154	2.27
24EW02-445	510300	7690650	44.5	95.8	4.94	10.55	145.5	2.55
24EW02-447	510300	7690750	51.9	111.7	5.94	19.4	177.5	3.1
24EW02-450	510300	7690900	52.3	112.6	5.31	12.7	151	2.8
24EW02-451	510300	7690950	48.2	103.8	5.14	12.95	150.5	2.66
24EW02-455	510300	7691150	49	105.5	5.84	14.95	212	3.01
24EW02-459	510300	7691350	40.6	87.4	4.64	53.4	201	3.71
24EW02-464	510400	7690750	39.6	85.3	4.35	9.2	133.5	2.07
24EW02-467	510390	7691050	47.5	102.3	5.05	10.6	136.5	2.73
24EW02-468	510390	7691150	49.4	106.4	5.05	11.45	139	2.83
24EW02-469	510390	7691250	39.1	84.2	5.62	12.8	162.5	2.79
24EW02-470	510390	7691350	37.8	81.4	4.97	13.6	183.5	3.06
24EW02-478	510500	7690700	41	88.3	4.76	10.3	128.5	2.02
24EW02-488	510600	7690750	38.1	82.0	4.2	8.36	106	1.84
24EW02-489	510654	7690332	52.9	113.9	4.83	8.81	104.5	2.26
24EW02-490	510645	7690380	39.5	85.0	3.94	8.53	99.2	1.89
24EW02-498	510800	7690350	37.5	80.7	4.2	7.5	122	2
24EW02-508	510900	7690600	40.1	86.3	4.58	8.68	115	2.16
24EW02-550	511300	7690700	49.9	107.4	5.38	10.15	129	2.44
24EW02-551	511300	7690750	49.8	107.2	5.48	9.33	132.5	2.24
24EW02-584	511500	7690700	40.1	86.3	4.44	9.62	107	1.92
24EW02-585	511500	7690750	40	86.1	4.13	8.11	100	1.82
24EW02-586	511600	7689650	21.6	46.5	2.69	6.22	70.3	1.36
24EW02-587	511600	7689750	40.4	87.0	2.47	6.73	55.5	1
24EW02-588	511600	7689850	44.9	96.7	2.79	5.94	63	1.21
24EW02-605	511700	7690500	39.3	84.6	3.87	7.72	95.5	1.72
24EW02-608	511700	7690650	37.3	80.3	4.28	8.68	102	1.81
24EW02-612	511800	7689750	43.5	93.6	2.66	5.06	73.3	0.84
24EW02-613	511800	7689800	81.6	175.7	3.32	6.63	57.5	1.04
24EW02-614	511800	7689850	95.4	205.4	2.33	4.56	45.1	0.88
24EW02-615	511800	7689901	54.2	116.7	3.1	6.91	71.6	1.02
24EW02-629	511900	7689800	86.2	185.6	2.46	7.93	47.4	1.24
24EW02-630	511900	7689850	98.1	211.2	2.93	6	47.1	0.95
24EW02-631	511900	7689900	88.6	190.7	3.83	5.3	87	1.09
24EW02-632	511900	7689950	49.8	107.2	3.03	8.03	74.8	1.42
24EW02-644	512000	7689850	65.1	140.2	3.32	8.07	69.8	1.62
24EW02-675	512203	7690454	48.8	105.1	5.93	9.9	118	2.53
24EW02-699	512399	7690752	43.3	93.2	3.19	9.53	78.6	2.1
24EW02-708	512601	7690499	48.9	105.3	3.54	9.65	106.5	2.11
24EW02-709	512601	7690552	40.3	86.8	5.03	9.77	112.5	2.16
24EW02-712	512603	7690703	38.8	83.5	3.41	13.6	99	2.48
24EW02-713	512601	7690750	37.9	81.6	3.47	15.55	108	2.52
24EW02-715	512700	7690549	40.6	87.4	4.85	9.01	110.5	2.04
24EW02-716	512701	7690605	46.3	99.7	3.36	15.2	105	2.54
24EW02-717	512699	7690649	62.6	134.8	2.86	12.7	97.2	2.58
24EW02-718	512698	7690701	45.5	98.0	3.58	12.15	133.5	2.33
24EW02-719	512704	7690754	42.6	91.7	3.5	14.05	130.5	2.13
24EW02-720	512801	7690553	42.1	90.6	4.67	8.93	116.5	2.37

Sample	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW02-721	512800	7690650	62	133.5	3.56	11.9	122.5	4.03
24EW02-722	512800	7690750	58.2	125.3	3.29	18.5	108	2.88
24EW02-724	512900	7690550	81.3	175.0	3.23	10.35	97.2	4.26
24EW02-725	512901	7690601	50.1	107.9	2.93	10.35	116	3.94
24EW02-726	512902	7690652	52.4	112.8	3.82	14.65	150.5	6.99
24EW02-727	512903	7690703	63.4	136.5	2.95	17.75	118.5	5.15
24EW02-728	512900	7690750	105.5	227.1	3.56	13.35	103.5	5.04
24EW02-732	513000	7690650	47.7	102.7	3.3	13.25	118.5	3.45
24EW02-733	513000	7690702	64.1	138.0	3.77	22.6	125.5	3.46
24EW02-734	513000	7690746	89.1	191.8	3.26	18.4	102.5	3.32
24EW02-739	513100	7690700	37.2	80.1	3.26	11.55	123.5	3.58
24EW02-740	513099	7690752	66	142.1	3.8	16.9	117	3.73
24EW02-743	513200	7690748	48.9	105.3	3.14	10.25	116	1.91
24EW02-761	513900	7691750	40.2	86.5	3.99	7.63	97.9	2.01
24EW02-762	513900	7691800	42.5	91.5	4.2	8.27	105	2.03
24EW02-763	513900	7691850	46.8	100.8	4.18	7.38	110	2.13
24EW02-764	513900	7691900	45	96.9	4.28	8.86	120.5	3.53
24EW02-765	513900	7691950	62.1	133.7	4.53	7.35	112	2.29
24EW02-766	513900	7692000	62.8	135.2	4.92	8.04	121	2.33
24EW02-767	513900	7692050	71.6	154.1	5.3	8.51	122.5	2.72
24EW02-768	513900	7692100	71	152.9	5.2	7.83	135	2.56
24EW02-769	513900	7692150	64.8	139.5	5.29	7.6	150	2.58
24EW02-770	513900	7692200	86.4	186.0	5.98	8.74	163	3.82
24EW02-771	513900	7692250	57.6	124.0	6.42	11.05	223	3.96
24EW02-772	513900	7692300	94.4	203.2	6.19	15.7	169	5.9
24EW02-773	513900	7692350	161.5	347.7	6.25	17.05	230	7.37
24EW02-774	513900	7692400	207	445.6	7.79	16.3	339	10.45
24EW02-775	513903	7692456	82.6	177.8	4.46	10.8	148.5	5.39
24EW02-776	513896	7692500	89.8	193.3	6.84	5.97	182	1.98
24EW02-777	513897	7692548	93	200.2	4.73	6.93	131.5	1.92
24EW02-778	513900	7692600	189	406.9	6.16	7.78	156.5	3.37
24EW02-781	514000	7691850	42.8	92.1	4.16	8.18	105.5	2.15
24EW02-782	514000	7691950	53	114.1	4.19	7.17	107	2.21
24EW02-783	514000	7692050	57.9	124.7	4.59	8.07	116	2.37
24EW02-784	514000	7692150	66.3	142.7	4.98	7.41	141.5	2.53
24EW02-785	514000	7692250	47.9	103.1	5.38	7.99	188	3.1
24EW02-786	514000	7692350	80.5	173.3	5.24	13.2	164	3.99
24EW02-787	514000	7692450	212	456.4	12.9	6.25	470	2.31
24EW02-788	514000	7692550	149.5	321.9	6.33	8.21	173	4.99
24EW02-793	514100	7691850	38.5	82.9	4.49	7.26	108.5	1.74
24EW02-794	514100	7691900	36.6	78.8	4.46	15.1	112	1.87
24EW02-795	514100	7691950	45.3	97.5	4.51	6.61	115.5	1.98
24EW02-798	514099	7692100	53.7	115.6	4.75	7.06	120.5	2.09
24EW02-799	514101	7692150	53.8	115.8	4.77	6.7	125	2
24EW02-800	514102	7692206	55.7	119.9	5.26	7.29	144	2.4
24EW02-801	514100	7692250	84	180.8	5.96	7.97	162.5	2.89
24EW02-802	514100	7692301	46.7	100.5	5.1	8.29	179	2.5
24EW02-803	514102	7692351	52.4	112.8	7.12	9.36	228	3.61
24EW02-804	514100	7692400	49.8	107.2	6.73	10.2	220	3.78
24EW02-805	514100	7692450	62.6	134.8	6.17	16.8	160	4.46
24EW02-806	514100	7692500	96.9	208.6	5.94	13	180	4.43
24EW02-807	514100	7692550	110.5	237.9	5.84	11.8	169.5	3.35
24EW02-808	514100	7692600	118.5	255.1	6.46	14.75	180	6.05
24EW02-815	514200	7692050	49.2	105.9	4.91	7.44	115.5	2.12
24EW02-817	514200	7692150	50.7	109.1	4.85	7.07	122	1.98
24EW02-818	514200	7692200	59.4	127.9	4.93	7.25	122.5	2.21
24EW02-820	514200	7692300	50.1	107.9	4.59	6.21	134.5	1.91
24EW02-821	514200	7692350	58	124.9	5.27	6.93	161	2.29
24EW02-823	514200	7692450	44.8	96.4	5.08	8.81	204	2.68
24EW02-824	514200	7692500	60.6	130.5	5.5	10.15	220	3.7
24EW02-825	514200	7692550	80.2	172.7	6.25	12.55	217	5.09

Sample	Easting	Northing	Lippm	Li2Oppm	Csppm	Nbppm	Rbppm	Snppm
24EW02-826	514200	7692600	64.5	138.9	5.43	16.1	163	3
24EW02-833	514300	7692150	47.9	103.1	4.36	8.62	117	2.05
24EW02-834	514300	7692200	51.9	111.7	4.38	8.1	113.5	2.13
24EW02-835	514300	7692250	48.3	104.0	4.09	7.47	114.5	1.81
24EW02-836	514300	7692300	44	94.7	3.92	9.04	112	2.07
24EW02-837	514300	7692350	50.5	108.7	4.33	7.65	133	2.34
24EW02-838	514300	7692400	61.7	132.8	4.53	7.43	134	2.17
24EW02-839	514300	7692450	64.2	138.2	5.26	8.51	177	2.88
24EW02-840	514300	7692500	79.1	170.3	5.76	8.96	195	3.41
24EW02-842	514300	7692600	40.7	87.6	6.09	8.89	267	3.82
24EW02-848	514400	7692450	42.9	92.4	3.89	7.68	121	1.99
24EW02-849	514400	7692550	42.8	92.1	4.83	8.43	177	2.85
24EW02-856	514500	7692250	43.1	92.8	3.78	7.4	101.5	1.66
24EW02-860	514489	7692461	37.7	81.2	3.34	10.2	96.4	1.88
24EW02-872	514600	7692400	41	88.3	3.89	7.11	97.1	1.94
24EW02-873	514600	7692450	41.5	89.3	3.87	6.92	100	1.94
24EW02-875	514600	7692550	39.4	84.8	3.97	12.9	116.5	2.37
24EW02-876	514600	7692600	38.9	83.7	4.18	8.13	120.5	2.29
24EW02-885	514700	7692450	39	84.0	3.84	7.01	92.5	1.86
24EW02-900	514900	7692500	67.1	144.5	3.36	11.9	129	1.7
24EW02-901	514900	7692550	62.2	133.9	3.24	6.98	92.9	1.6
24EW02-902	514900	7692600	37.2	80.1	2.97	31.3	143.5	2.15
24EW02-909	515000	7692550	92.9	200.0	3.03	5.24	80.1	1.47
24EW02-910	515000	7692600	40.6	87.4	3.06	17	130	2.79
24EW02-927	515622	7694247	42.3	91.1	4.16	6.41	79.5	1.58
24EW02-928	515615	7694303	47.1	101.4	4.76	5.79	81.1	1.68
24EW02-929	515614	7694351	54.1	116.5	4.75	6.54	80.3	1.97
24EW02-930	515612	7694399	56.9	122.5	4.99	5.71	80.4	1.91
24EW02-931	515611	7694444	65.2	140.4	5.69	4.99	81.8	2.12
24EW02-939	515699	7694152	37.4	80.5	3.34	5.67	59.7	1.38
24EW02-941	515697	7694249	45.3	97.5	4.52	5.52	80.5	1.72
24EW02-942	515697	7694298	44.3	95.4	4.16	5.05	76.8	1.66
24EW02-943	515700	7694349	44	94.7	4.4	5.18	80.7	1.7
24EW02-944	515702	7694402	51	109.8	4.74	5.3	81	1.82
24EW02-945	515702	7694443	47.6	102.5	4.27	5.71	80.3	1.9
24EW02-954	515801	7694199	41.2	88.7	4.73	5.97	81.4	1.62
24EW02-955	515800	7694249	43.8	94.3	4.39	5.35	76.3	1.81
24EW02-956	515802	7694298	43.4	93.4	3.35	5.07	72.1	1.96
24EW02-957	515798	7694349	43.2	93.0	4.05	7	82.2	1.94
24EW02-958	515799	7694400	41.2	88.7	3.89	5.84	80.2	1.92
24EW02-959	515802	7694443	43.1	92.8	4.01	6.74	78.5	1.89
24EW02-969	515899	7694250	43	92.6	4.65	4.92	84.2	1.59
24EW02-970	515899	7694300	41.5	89.3	4	5.22	82.6	1.75
24EW02-971	515900	7694351	42.8	92.1	4.14	5.21	83.8	1.78
24EW02-972	515901	7694398	44.6	96.0	4.28	6.77	82.6	1.95
24EW02-973	515900	7694440	49.4	106.4	4.86	5.28	89.3	1.87
24EW02-979	516007	7694357	38.3	82.5	3.69	6.09	84.2	1.75
24EW02-980	516000	7694440	49	105.5	4.21	8.46	83	1.96
24EW02-989	516100	7694250	38.7	83.3	3.42	4.33	76.5	1.5
24EW02-990	516100	7694300	42.1	90.6	3.55	4.42	79.4	1.69
24EW02-991	516099	7694351	43.3	93.2	3.2	5.93	75.5	2.24
24EW02-993	516100	7694441	40.4	87.0	3.49	6.19	82.7	1.79
24EW02-1002	516200	7694300	44.5	95.8	3.8	4.65	71	1.54
24EW02-1003	516201	7694350	42.3	91.1	3.86	5.02	82.2	1.79
24EW02-1005	516199	7694438	37.5	80.7	3.23	5.81	90.8	1.81
24EW02-1014	516300	7694349	37.7	81.2	4.2	5.21	82.3	1.65
24EW02-1015	516300	7694400	47.5	102.3	4.54	5.1	90.8	1.85
24EW02-1016	516298	7694441	39.5	85.0	3.87	5.06	87.8	1.82

JORC CODE, 2012 EDITION – TABLE 1 REPORT

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	- Reconnaissance style rock chip sampling taken opportunistically from pegmatite outcrop. - This announcement discusses the findings of reconnaissance and follow-up sampling and mapping with a view to determining the lithium potential of the Company’s tenements and which included the collection of rock chip samples. - Pegmatite was identified in outcrop. - The rock chip samples were restricted to outcrop of pegmatite rocks. - Samples were dispatched to ALS Global Laboratories in Perth for analysis. - Soil samples were collected on a 100m x 400m NS orientated grid and with follow-up samples taken on a 50m x 100m grid.. - Samples were taken from a depth of 20cm and sieved to collect the - 1mm size fraction - The samples were sent to ALS Global laboratories in Perth to undergo a 4 acid digest using their ME-MS61L 60 element technique
Drilling techniques	<i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	- This announcement does not relate to drilling carried out by Errawarra Resources Ltd. - No mention is made in this announcement of exploration drill results including drilling conducted by other companies on nearby tenements.
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	Not applicable as no details on any drilling carried out by Errawarra Resources are included in this announcement.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate</i>	Not applicable due to the reconnaissance nature of the sampling.

Criteria	JORC Code explanation	Commentary
	<i>Mineral Resource estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i>	
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the insitu material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	- Rock chip samples were dispatched to ALS Global Laboratories in Perth for analysis using their GE_IMS92A50 46 element technique. - The laboratory reported the use of standards and blanks as part of the analyses for QA/QC. - The samples were opportunistic in nature and taken from insitu outcrop. - Samples were approximately 0.5kg to 1kg in weight. - The samples were considered generally representative of the outcrop being sampled.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	- Rock chip samples were dispatched to ALS Global Laboratories in Perth for analysis using their GE_IMS92A50 46 element technique. - The laboratory reported the use of standards and blanks as part of the analyses for QA/QC. - No standards or blanks were submitted by the company. - Soil samples were dispatched to ALS Global Laboratories in Perth for analysis using their ME-MS61L 60 element technique. - The laboratory reported the use of standards and blanks as part of the analyses for QA/QC. - No standards or blanks were submitted by the company
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i>	No verification of sample results for rock chips or soil samples has been undertaken.
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i>	Sample points were determined by hand held GPS which is considered appropriate for the reconnaissance nature of the sampling.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	- Quality and adequacy of topographic control. - Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Not applicable due to the reconnaissance nature of the sampling. - No attempt has been made to demonstrate geological or grade continuity between sample points. - Soil samples were collected on a 100m x 400m NS orientated grid
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Not applicable
Sample security	The measures taken to ensure sample security.	Sample security is by way of chain of custody.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No review of the sampling techniques has been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The Andover West project tenement covers an area of 100km² and comprises granted tenement 47/4352. - The tenement is owned 100% by Western Exploration subsidiary company owned 80% by Errawarra Resources Ltd - The tenements are in good standing with DMIRS and there are no known impediments for exploration on these tenements.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- Numerous exploration parties have held the area covered by the current Errawarra tenure previously. There is no reported previous exploration for lithium bearing pegmatites on the tenement. - No other exploration companies generated data was used in this release. - Regional RTP aeromagnetism and geology from Geological Survey of WA.

Criteria	JORC Code explanation	Commentary
Geology	• <i>Deposit type, geological setting and style of mineralisation.</i>	• The pegmatite zone trends WNW-ESE and is mostly hosted by the Andover Mafic Intrusion. • The pegmatites mostly occur as intermittent deformed lenses in the Andover Mafic Intrusion. • The pegmatites are moderately dipping and up to 5m wide. • The project area is underlain by the Archean Pilbara Craton, specifically the West Pilbara Superterrane (WPST) of Hickman (2016). The 3280-3070 Ma WPST comprises numerous tectonostratigraphic packages (Sholl, Regal and Karratha Terranes and the Whundo and Nickol River Basins) and igneous complexes that have been variously affected by several tectonic events. The easterly to east-north easterly trending Sholl Shear Zone (SSZ) is a boundary for the regional rock packages. Metamorphic grade is higher to the north of the SSZ, suggesting the present-day surface shows a slightly deeper crustal level on the north side.
Drill hole Information	• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> ○ <i>easting and northing of the drill hole collar</i> ○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	• Not applicable as drilling is not being reported.
Data aggregation methods	• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	• Not applicable

Criteria	JORC Code explanation	Commentary
Relationship between mineralisation widths and intercept lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	Not applicable as surface sampling is reconnaissance in nature.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	All the appropriate maps are provided in the body of this announcement.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	This announcement discusses the findings of recent reconnaissance sampling and associated assays.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All the meaningful exploration data has been included in the body of this announcement.
Further work	- The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Errawarra plans to conduct further ground reconnaissance and sampling in the short term to determine the surface extent both laterally and along strike. Drilling will also be undertaken if warranted.