



ASX Announcement | 3 July 2024

NEW ASSAYS DOUBLE STRIKE LENGTH AT DANTE REEFS DISCOVERY TO OVER 9KM

Highlights

- Results from a further 16 drillholes confirm a second large Platreef-style copper-platinum group element (PGE) sulphide reef at Reef 2, only 15km from BHP's \$1.7 billion Nebo-Babel mine development (390Mt @ 0.30% Cu, 0.33% Ni, 0.23g/t PGE3¹).
- These results have more than doubled the discovery strike length of Dante Reefs to **over 9km**.
- The Dante Reefs outcrop from surface and have been **mapped over 42km**, providing potential for additional **exploration upside with planned infill and extensional drilling**.
- The Dante Reefs are **approximately 10m thick** with a higher-grade basal layer approximately 5m thick, substantially thicker than the analogous Bushveld Reefs which average 1-2m.
- Highlights from further wide (~1km) spaced, reconnaissance drilling at Reef 2 include:
 - 10m @ 0.86g/t PGE3³, 0.85% V₂O₅, 0.23% Cu, & 19.3% TiO₂ from 84m (HRC009) including:
 - 5m @ 1.02g/t PGE3, 0.91% V2O5, 0.38% Cu, & 22.8% TiO2 from 86m, and
 - 3m @ 1.11g/t PGE3, 1.03% V2O5, 0.14% Cu, & 19.6% TiO₂ from 90m
 - 4m @ 0.34% Cu, 0.59g/t PGE3, 0.80% V2O5 & 21.8% TiO2 from 106m (HRC020) including:
 - 1m @ 1.29 g/t PGE3, 0.37% Cu, 1.10% V2O5 & 24.7% TiO2 from 109m
 - 4m @ 0.45% Cu, 0.40% V₂O₅, 630ppm Co, & 12.5% TiO₂ from 5m (HRC010) including:
 - 1m @ 0.56% Cu, 0.11% Co, 0.45% V₂O₅ & 14.9% TiO₂ from 6m
 - 3m @ 0.75g/t PGE3, 0.87% V₂O₅, 0.20% Cu & 18.6% TiO₂ from 67m (HRC011) including:
 - 1m @ 1.03g/t PGE3, 1.16% V2O5, 0.15% Cu & 21.8% TiO2 from 68m
 - 5m @ 0.87g/t PGE3, 0.71% V2O5, 0.24% Cu, & 19.1% TiO2 from 58m (HRC019) including:
 - 2m @ 1.48 g/t PGE3, 0.11% Cu, 0.91% V₂O₅ & 19.9% TiO₂, from 61m
 - 5m @ 0.73g/t PGE3, 0.76% V205, & 16.1% TiO2 from 88m (HRC016) including:
 - 2m @ 1.41g/t PGE3, 0.11% Cu, 1.15% V2O5, & 23.5% TiO2 from 89m
- The Company expects to publish an Exploration Target for Reef 1 this quarter, with an additional **10 holes to be released from Reef 1 shortly.**
- The Company expects to complete the first tranche of placement to raise \$6 million today, with proceeds to be used toward infill, extensional and new discovery drilling at Dante.
- Preparations are being made to **mobilise multiple drill rigs for infill and extensional drilling.**

🛖 Level 9, 28 The Esplanade, Perth WA 6000 | 🔀 info@terrametals.com.au | 📞 +61 (0)8 9322 6322 | 🌐 terrametals.com.au



Managing Director and CEO, Thomas Line, commented:

"These are exceptional drill results from wide-spaced, first-pass reconnaissance drilling on Reef 2. The Dante Reefs discovery is the first of its kind in Australia, and it continues to grow. These results highlight that the Platreef-style copper-PGE sulphide mineralisation at the Dante Reefs **discovery extends for over 9km of outcropping strike** across Reef 1 and Reef 2. This makes the Dante Reefs one of the largest magmatic sulphide reef deposits in terms of outcropping strike length globally, and we have more than 30km of outcropping strike remaining to be tested, indicating the strong potential for exploration upside with further drilling.

"We still have 10 more drillholes outstanding from Reef 1, 11.2km along strike from the Reef 1 discovery. We are making preparations to commence infill, extensional and metallurgical drilling at Dante, using a combination of diamond and RC drilling. We look forward to presenting further results and project updates, including our maiden exploration target for Reef 1 over the coming weeks."



Figure 1. Preliminary wireframe model of Reef 2, including projected downdip shallow target extensions.

¹ Source: BHP 2023 Annual Report announced to ASX on 22 August 2023.

² The Dante Reefs currently comprise 5 reefs: Reef 1 (Crius/Oceanus), Reef 2 (Hyperion), Reef 3 (Typhon), Reef 4 (Helios), and Reef 5 (Pytho) (refer Figure 2).

² PGE3 is the sum of platinum (Pt), palladium (Pd), and gold (Au).





Figure 2: Location of Dante Reefs and rill collars.

Summary

Terra Metals Limited (ASX:TM1) ("Terra" or "Company") is pleased to announce that results from a further 16 wide-spaced, first-pass reconnaissance drill holes at Reef 2 has confirmed a second large Platreef-Style copper-PGE sulphide reef at the Dante Project, as well as a major strike extension to the Dante Reefs discovery. Thus far across Reef 1 and Reef 2 the discovery strike now stands at over 9km of magmatic copper-PGE sulphide mineralisation from surface. Mineralisation remains open along strike and downdip, with assays pending from a further 10 drillholes covering an additional 1.2km of strike at Reef 1.

The wide spaced phase-1 reconnaissance drilling was aimed at testing PGE mineralisation associated with extensive outcropping "reefs". Sixteen out of the first 17 drillholes drilled over 3km of Strike at Reef 1 (Crius), and all 18 drillholes drilled over 6.2km of strike at Reef 2 (Hyperion) (excluding 2 holes which failed to reach target depth) have intersected Platreef-style stratiform magmatic copper-PGE sulphides, which are accompanied by high-grade vanadium and titanium in the same layer.

The Dante Reefs have now been mapped to extend for at least 42km in the western portion of the project as a series of northwest-southeast stacked layers in parallel to one another (Figure 2).



Mapping is soon to commence in the east of the Dante Project, where further reefs are interpreted.

The mineralised basal layer in the Dante Reefs averages around 10m in thickness, with a highgrade basal reef averaging around 5m, containing a combination of copper, gold, platinum group elements, vanadium, titanium, and cobalt and iron within the same layer. Above the basal layer is a lower grade upper reef, which averages around 10-15m in thickness and contains a combination of copper, vanadium, titanium, silver, cobalt and iron in the same layer.

Drilling results to-date confirm that, collectively, the Dante Reefs have the potential to host a large sulphide deposit containing copper, gold, PGEs, vanadium and titanium.

New assay results from **<u>Reef 2</u>** include:

- 14m @ 0.20% Cu, 0.62g/t PGE3, 0.64% V2O5 & 15.9% TiO2 from 80m (HRC009) including:
 - 10m @ 0.23% Cu, 0.86g/t PGE3, 0.85% V2O5 & 19.3% TiO2 from 84m (HRC009) including:
 - 5m @ 0.38% Cu, 1.02g/t PGE3, 0.91% V2O5 & 22.8% TiO2 from 86m, and
 - 3m @ 1.11g/t PGE3, 1.03% V2O5, 0.14% Cu & 19.6% TiO2 from 90m
- 9m @ 0.28% Cu, 0.10g/t PGE3, 0.42% V2O5 & 12.8% TiO2 from surface (HRC010), including:
 - 4m @ 0.45% Cu, 0.40% V₂O₅, 630ppm Co & 12.5% TiO₂ from 5m, including:
 - 1m @ 0.56% Cu, 0.11% Co, 0.45% V₂O₅, &14.9% TiO₂ from 6m
- 5m @ 0.73g/t PGE3, 0.76% V205, & 16.1% TiO2 from 88m (HRC016) including:
 - 2m @ 1.41g/t PGE3, 0.11% Cu, 1.15% V2O5, & 23.5% TiO2 from 89m
- 3m @ 0.20% Cu, 0.34g/t PGE3, 0.49% V₂O₅ & 14.9% TiO₂, from 31m (HRC010)
- 3m @ 0.20% Cu, 0.75g/ł PGE3, 0.87% V2O5 & 18.6% TiO2 from 67m (HRC011) including:
 - 1m @ 1.03g/t PGE3, 1.16% V2O5, 0.15% Cu & 21.8% TiO2 from 68m
- 26m @ 0.17% Cu, 0.14g/t PGE3, 0.26% V₂O₅ & 11.1% TiO2 from 84m (HRC020) including:
 - 4m @ 0.34% Cu, 0.59g/t PGE3, 0.80% V2O5 & 21.8% TiO2 from 106m (HRC020) including:
 - 1m @ 1.29 g/t PGE3, 0.37% Cu, 1.10% V₂O₅ & 24.7% TiO₂ from 109m
- 12m @ 0.15% Cu, 0.33% V2O5, & 11.6% TiO2 from 34m (HRC020)
- 18m @ 0.14% Cu, 0.30 g/t PGE3, 0.34% V₂O₅ &11.4% TiO₂, from 48m (HRC019) including:
 - 5m @ 0.24% Cu, 0.87g/t PGE3, 0.71% V₂O₅, 19.1% TiO₂ from 58m (HRC019) including:
 - 2m @ 1.48 g/t PGE3, 0.91% V₂O₅, 0.11% Cu & 19.9% TiO₂ from 61m
- 13m @ 0.51% V2O5, 0.26 g/t PGE3, 13.9% TiO2 from 15m (HRC018) including:
 - 3m @ 0.88g/t PGE3, 0.97% V2O5, 22.2 % TiO2 from 18m, & 1m @ 0.45% Cu from 17m
- 7m @ 0.28% Cu from 8m including 2m @ 0.34% Cu and 0.10g/t PGE3 from 8m (HRC015)
- 1m @ 0.51g/t PGE3 from 19m (HRC015)
- 14m @ 0.15% Cu, 0.29% V2O5, 9.0% TiO2 from 47m (HRC009) including:
 - 6m @ 0.16% Cu, 0.43% V₂O₅, 13.1% TiO₂ from 57m
- 8m @ 0.16% Cu, 0.15g/t PGE3, 0.27% V₂O₅, 10.4% TiO₂ from 59m (HRC012) including:



- 2m @ 0.27% Cu, 0.45g/t PGE3, 0.65% V2O5, & 18.1% TiO2 from 65m
- 12m @ 0.15% Cu, 0.35% V2O5, & 10.3% TiO2 from 32m (HRC012)
- 19m @ 0.14% Cu, 0.29% V2O5, & 9.0% TiO2 from 47m (HRC009)
- 11m @ 0.14% Cu, 0.14g/t PGE3, 0.22% V₂O₅, & 9.6% TiO₂ from 41m (HRC005) including:
 - 3m @ 0.23% Cu, 0.33g/t PGE3, 0.50% V2O5, & 15.5% TiO2 from 48m
- 11m @ 0.14% Cu, 0.29% V2O5, & 9.7% TiO2 from 60m (HRC006) including:
 - 4m @ 0.16% Cu, 0.41% V2O5 & 12.6% TiO2 from 66m
- 22m @ 0.12% Cu, 0.06g/t PGE3, 0.17% V₂O₅, & 7.8% TiO₂ from 74m (HRC006) including:
 - 3m @ 0.29g/t PGE3, 0.16% Cu, 0.54% V2O5, & 13.6% TiO₂ from 93m
- 6m @ 0.11% Cu, 0.23g/t PGE3, 0.36% V₂O₅ & 12.6% TiO₂ from 17m (HRC007) including:
 - 2m @ 0.58g/t PGE3, 0.74% V2O5 & 21.2% TiO2 from 21m, including:
 - 1m @ 0.96g/t PGE3, 0.97% V2O5 & 27% TiO2 from 21m

The Company recently released complete results from Reef 1 (Crius) and partial results from Reef 2 (Hyperion) which confirmed the discovery of large Platreef-style copper-PGE sulphide reefs at the Dante Project. The initial discovery stretched a combined strike of 4.5km, including 3km at Reef 1 and 1.5km at Reef 2.

Previously reported highlights from Reef 1 and Reef 2 included:

- 5m @ 0.56% Cu, 0.53g/t PGE3ⁱ, 0.61% V₂O₅, and 18.5% TiO₂ from 80m (URC003), including:
 - **2m @ 0.83% Cu, 0.52% V₂O₅, and 16.6% TiO₂** from 80m
- 5m @ 0.30% Cu, 0.71g/t PGE3, 0.71% V2O5, and 18.8% TiO2 from 43m (URC002), including:
 - 3m @ 0.32% Cu, 1.02 g/t PGE3, 0.87% V2O5, and 21.9% TiO2 from 45m
- 6m @ 0.40% Cu, 0.79g/t PGE3, 0.66% V2O5, & 19.9% TiO2 from 4m (HRC004), including:
 - 2m @ 0.62% Cu, 0.85g/t PGE3, 0.71% V2O5 & 22.3% TiO2 from 6m
- 5m @ 0.34% Cu, 0.84g/t PGE3, 0.81% V2O5, & 21.2% TiO2 from 21m (URC005), including:
 - 3m @ 0.43% Cu, 0.94g/t PGE3, 0.88% V2O5 & 24.1% TiO2 from 23m
- 7m @ 0.31% Cu, 0.61 g/t PGE3, 0.71% V2O5, & 20.7% TiO2 from 17m (URC011)
- 10m @ 0.82g/t PGE3, 0.11% Cu, 0.44% V2O5 & 10.5% TiO2 from 66m (HRC002), including:
 - $\circ \quad 3m \ @ \ 2.22g/t \ PGE3, \ 0.20\% \ Cu, \ 1.08\% \ V_2O_5, \ \& \ 23.5\% \ TiO_2 \ \text{from 68m} \\$
- 5m @ 0.30% Cu, 0.81g/t PGE3, 0.70% V2O5, & 19.1% TiO2 from 71m (URC006), including:
 - 2m @ 1.57g/t PGE3, 0.31% Cu, 0.99% V2O5, & 23.2% TiO2 from 74m
- 3m @ 1.40 g/t PGE3, 1.00% V2O5, & 21.0% TiO2 from 9m (URC008)
- 2m @ 1.17g/t PGE3, 1.04% V2O5, and 18.9% TiO2 from 23m (URC001)

Refer to ASX announcements titled "Drill results confirm high-grade magmatic sulphides at Dante" dated 13 May 2024 and "Drilling confirms discovery of large Platreef-style copper-PGE sulphide reefs at Dante" dated 20 June 2024.





Figure 3: Typical black-coloured, heavy magmatic sulphide mineralisation at the Dante Reefs (HRC004).



Figure 4: Plan view of broad intercepts, outcropping reef at Reef 2, over TM1 magnetics image.





Figure 5. Cross Section HRC018-HRC020 from the Hyperion Reef.





Figure 7. Cross Section HRC007-HRC013 from the Hyperion Reef.





Figure 9. Cross Section HRC005-HRC014 from the Hyperion Reef.



About the Dante Project

The Dante Project, located in the West Musgrave region of Western Australia, contains largescale magmatic copper ("Cu"), gold ("Au"), platinum group elements ("PGE") and nickel ("Ni") targets, as well as extensive outcropping Cu-PGE-Au reefs and is situated in the same geological complex and in close proximity to one of the world's largest mining development projects, BHP's Nebo-Babel deposit.

The Giles Complex is hosted in the broader Musgrave block (140,000km²) in central Australia, located at the junction of three major crustal elements: the West Australian, North Australian, and South Australian cratons. The discovery of the Nebo-Babel Ni-Cu-PGE sulphide deposit in the western portion of the Musgrave block was considered to be the world's largest Ni-Cu-PGE sulphide discovery since Voisey's Bay, prior to the discovery of the Julimar-Gonneville deposit in 2018.



Figure 10. Dante Project location map displaying surrounding companies' tenure and major deposits

Layered intrusions

The Dante project is dominated by the Jameson Layered Intrusion. Layered intrusions host the majority of the world's platinum group elements, which include platinum (Pt), palladium (Pd), rhodium (Rh), iridium (Ir), osmium (Os), and ruthenium (Ru), with the elements of most commercial significance being platinum, palladium and gold. In all cases, the PGE bearing reefs consist of laterally extensive layers of ultramafic or mafic rocks.



Bushveld Igneous Province

The Bushveld Igneous Complex (refer Figure 11) is analogous to the Jameson Layered Intrusion which dominates the Dante Project. The Bushveld Igneous Complex is the world's largest layered intrusion and is thought to be about 2 billion years old. Located in South Africa, it currently contains the world's largest reserves of platinum group elements, along with other elements such as chromium, titanium and vanadium. It represents about 75% of the world's platinum and about 40% of the world's palladium resource according to some sources (SFA Oxford, and USGS "Platinum Group Metals 2022 report).



Figure 11. Schematic of the Bushveld Complex, South Africa, showing the various metallogenic provinces within the complex which includes specific layers which are commercial enriched in PGEs, Copper, Nickel, Titanium, Vanadium, and Chromium.



Competent Person's Statement

The information in this report that relates to Exploration Results is based on, and fairly represents information and supporting documentation prepared by Mr Thomas Line, a Competent Person who is a Member of The Australasian Institute of Geoscientists (AIG). Mr Line is the CEO and Managing Director for the Company and is a holder of incentive options, performance rights, performance shares and shares in Terra. Mr Line has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resource and Ore Reserves". Mr Line consents to the inclusion in this report of the matters based on their information in the form and context in which it appears.

Forward Looking Statements and Important Notice

Statements regarding plans with respect to Terra's projects are forward-looking statements. There can be no assurance that the Company's plans for development of its projects will proceed as currently expected. These forward-looking statements are based on the Company's expectations and beliefs concerning future events. Forward looking statements are necessarily subject to risks, uncertainties and other factors, many of which are outside the control of the Company, which could cause actual results to differ materially from such statements. The Company makes no undertaking to subsequently update or revise the forward-looking statements made in this announcement, to reflect the circumstances or events after the date of this announcement.

This ASX announcement has been approved in accordance with the Company's published continuous disclosure policy and authorised for release by the CEO and Managing Director.

For further information, please contact:

Thomas Line CEO & Managing Director Tel: +61 8 9322 6322 info@terrametals.com.au

Appendix 1 – Significant Intercepts (>0.1% Cu or 0.1g/t PGE3)

* Previously reported intercept

HoleID	East	North	Dip	Azi	EOH	From	То	Intercept Width	С u %	Au g/t	Pt g/t	Pd g/t	PGE3 g/t	TiO2 %	Fe2O3 %	V2O5 %	Ag g/t	Co ppm	Ni %
HRC004*	359240	7145387	-60	050	180	4	10	6	0.40	0.23	0.47	0.09	0.79	19.89	45.25	0.66	0.42	176.33	0.05
inc.						6	8	2	0.62	0.23	0.54	0.08	0.85	22.31	47.84	0.71	0.30	210.50	0.06
HRC005	359158	7145348	-60	050	120	14	28	14	0.12	0.01	0.01	0.01	0.03	8.46	25.74	0.27	0.41	111.51	0.03
inc.						22	27	5	0.14	0.01	0.01	0.01	0.03	12.32	33.62	0.42	0.38	137.20	0.04
HRC005						41	52	11	0.14	0.06	0.06	0.02	0.14	9.61	22.72	0.22	0.43	95.13	0.02
inc.						48	51	3	0.23	0.15	0.14	0.04	0.33	15.47	36.08	0.50	0.77	135.33	0.04
HRC006	359085	7145279	-60	050	192	60	71	11	0.14	0.01	0.01	0.01	0.03	9.65	28.14	0.29	0.45	122.52	0.04
inc.						66	70	4	0.16	0.02	0.01	0.01	0.04	12.64	35.05	0.41	0.50	146.50	0.04
HRC006						74	96	22	0.12	0.04	0.02	0.01	0.06	7.82	20.56	0.17	0.37	92.26	0.02
inc.						93	96	3	0.16	0.11	0.14	0.04	0.29	13.64	36.72	0.54	0.47	141.33	0.04
HRC007	358487	7145956	-60	050	138	17	23	6	0.11	0.09	0.12	0.02	0.23	12.61	27.88	0.36	0.32	85.75	0.02
inc.						21	23	2	0.08	0.18	0.36	0.05	0.58	21.22	46.06	0.74	0.35	94.65	0.02
inc.						22	23	1	0.07	0.20	0.67	0.09	0.96	26.95	58.26	0.97	0.50	99.50	0.02
HRC008	358404	7145869	-60	045	42					No sig	nifican	t results,	hole was	abando	oned				
HRC009	358405	7145900	-90	0	126	47	66	19	0.14	0.01	0.01	0.01	0.02	8.98	27.13	0.29	0.45	116.39	0.04
inc.						47	61	14	0.15	0.01	0.01	0.01	0.03	8.51	28.10	0.29	0.46	122.86	0.04
inc.						57	63	6	0.16	0.02	0.01	0.01	0.03	13.13	34.92	0.43	0.55	141.83	0.04
HRC009						80	94	14	0.20	0.14	0.36	0.13	0.62	15.87	42.29	0.64	0.74	156.24	0.04
inc.						84	94	10	0.23	0.18	0.50	0.18	0.86	19.28	52.21	0.85	0.89	186.69	0.50
inc.						84	86	2	0.14	0.08	0.21	0.12	0.42	15.16	42.21	0.69	0.45	153.95	0.04
inc.						86	91	5	0.38	0.31	0.56	0.15	1.02	22.83	56.58	0.91	1.46	199.20	0.05
inc.						90	91	1	0.33	0.31	0.72	0.23	1.26	22.87	63.49	1.07	1.10	219.00	0.06
inc.						90	93	3	0.14	0.13	0.70	0.28	1.11	19.61	60.66	1.03	0.57	214.67	0.06
HRC010	360795	7144041	-60	045	126	0	9	9	0.28	0.05	0.03	0.02	0.10	12.80	36.48	0.42	0.21	321.26	0.06
inc.						5	9	4	0.45	0.10	0.04	0.03	0.16	12.46	34.08	0.40	0.23	630.50	0.09
inc.						6	7	1	0.56	0.01	0.04	0.03	0.08	14.90	37.35	0.45	0.20	1,080.00	0.10
HRC010						31	34	3	0.20	0.13	0.16	0.04	0.34	14.89	34.48	0.49	0.70	131.97	0.04
HRC011	360731	7143990	-60	045	138	37	48	11	0.11	0.01	0.01	0.01	0.03	8.30	24.62	0.26	0.37	102.14	0.03
HRC011						63	73	10	0.12	0.07	0.16	0.07	0.30	10.10	26.38	0.36	0.36	102.67	0.03
inc.						67	70	3	0.20	0.15	0.41	0.18	0.75	18.60	51.57	0.87	0.67	186.67	0.05

HoleID	East	North	Dip	Azi	ЕОН	From	То	Intercept Width	Cu %	Au a/t	Pt a/t	Pd	PGE3	TiO2 %	Fe2O3	V2O5	Ag g/t	Co	Ni %
inc						68	69	1	0.15	0.14	0.61	0.28	1.03	21.82	66.28	1 16	0.50	239.00	0.06
HRC012	358431	7145914	-60	045	102	0	7	7	0.15	0.00	0.01	0.01	0.02	4.15	14.38	0.11	0.01	224.00	0.03
HRC012						32	44	12	0.15	0.01	0.01	0.01	0.03	10.29	29.75	0.35	0.48	127.58	0.04
inc.						38	43	5	0.16	0.02	0.01	0.01	0.03	12.82	35.33	0.45	0.52	146.80	0.05
HRC012						59	67	8	0.16	0.08	0.05	0.02	0.15	10.44	24.25	0.27	0.54	101.51	0.03
HRC012						65	67	2	0.27	0.18	0.20	0.07	0.45	18.14	41.20	0.65	1.00	149.50	0.04
HRC013	358339	7145847	-90	0	56		_			No sig	nifican	t results,	hole was	abando	oned	-	-		
HRC014	358889	7145093	-60	050	200	178	186	8	0.13	0.01	0.01	0.01	0.04	8.81	28.54	0.27	0.40	120.36	0.04
HRC015	356852	7148053	-60	075	56	8	16	8	0.26	0.03	0.00	0.02	0.05	2.58	17.12	0.06	0.80	132.88	0.04
inc.						8	10	2	0.34	0.08	0.00	0.01	0.10	2.32	17.04	0.06	0.65	157.50	0.03
HRC015						19	20	1	0.06	0.02	0.32	0.17	0.51	8.20	18.48	0.21	0.30	68.80	0.02
HRC016	356813	7147961	-60	075	150	0	4	4	0.14	0.00	0.01	0.01	0.02	5.20	16.57	0.09	0.28	305.25	0.03
HRC016						34	53	19	0.11	0.01	0.01	0.02	0.04	8.13	25.36	0.27	0.47	107.69	0.03
inc.						46	52	6	0.15	0.02	0.01	0.01	0.04	12.89	34.39	0.41	0.50	139.50	0.04
HRC016						71	76	5	0.13	0.05	0.25	0.10	0.40	11.81	29.56	0.38	0.50	112.90	0.03
inc.						75	76	1	0.08	0.10	1.23	0.50	1.83	19.52	57.66	0.95	0.60	204.00	0.05
HRC016						88	93	5	0.07	0.07	0.43	0.22	0.73	16.05	48.78	0.76	0.14	178.80	0.05
inc.						89	91	2	0.11	0.15	0.87	0.40	1.41	23.49	68.08	1.15	0.35	240.50	0.06
HRC017	356665	7147970	-60	065	144	103	114	11	0.13	0.01	0.01	0.01	0.02	10.88	30.15	0.32	0.43	125.69	0.04
inc.						107	114	7	0.14	0.02	0.01	0.01	0.03	12.63	33.02	0.38	0.46	132.43	0.04
HRC018	356723	7148424	-60	90	84	11	20	9	0.15	0.08	0.14	0.05	0.27	12.86	30.85	0.36	0.60	134.46	0.04
HRC018						15	28	13	0.08	0.05	0.15	0.06	0.26	13.92	38.77	0.51	0.27	150.74	0.04
inc.						17	18	1	0.45	0.05	0.07	0.01	0.13	15.47	37.51	0.50	0.20	365.00	0.06
inc.						18	21	3	0.06	0.12	0.56	0.20	0.88	23.18	61.40	0.97	0.30	143.33	0.03
inc.						19	20	1	0.06	0.20	0.90	0.33	1.43	23.73	64.54	1.05	0.40	152.00	0.04
HRC019	356648	7148452	-60	90	100	1	15	14	0.11	0.01	0.00	0.00	0.02	7.50	19.89	0.15	0.27	132.26	0.03
HRC019						18	21	3	0.18	0.00	0.00	0.01	0.01	6.96	19.50	0.13	0.27	86.60	0.03
HRC019						24	33	9	0.11	0.01	0.00	0.01	0.01	5.28	15.97	0.10	0.38	68.56	0.02
HRC019						48	66	18	0.14	0.08	0.16	0.06	0.30	11.39	29.92	0.34	0.39	113.71	0.03
inc.						58	63	5	0.24	0.21	0.49	0.17	0.87	19.10	49.48	0.71	0.76	171.40	0.05
inc.						61	63	2	0.11	0.14	0.96	0.39	1.48	19.85	60.51	0.91	0.40	209.00	0.06

HoleID	East	North	Dip	Azi	ЕОН	From	То	Intercept Width	С∪ %	Au g/t	Pt g/t	Pd g/t	PGE3 g/t	TiO2 %	Fe2O3 %	V2O5 %	Ag g/t	Co ppm	Ni %
HRC020	356534	7148465	-60	90	126	34	46	12	0.15	0.01	0.01	0.01	0.03	11.58	31.77	0.33	0.31	128.40	0.04
inc.						39	46	7	0.15	0.02	0.01	0.01	0.03	13.59	34.86	0.39	0.37	135.14	0.04
HRC020						84	110	26	0.17	0.08	0.05	0.01	0.14	11.19	26.36	0.26	0.50	104.63	0.03
inc.						109	110	1	0.37	0.35	0.73	0.21	1.29	24.68	65.52	1.10	1.20	226.00	0.06
inc.						106	110	4	0.34	0.26	0.27	0.06	0.59	21.75	51.49	0.80	1.08	177.25	0.04

Appendix 2 – JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	RC drill holes were sampled as individual, 1 m length samples from the rig split. Individual metre samples were collected as a 12.5% split collected from a static cone splitter attached to the drill rig. Individual RC samples were collected in calico sample bags and grouped into polyweave bags for dispatch in bulka bags (approximately five per plastic bag). 4m composite samples were taken outside of the zones of geological interest, or within broad low- grade mineralised zones, by spearing a split of four green bag rejects into one calico bag taking the same size sample from each bag to form a representative composite across the four metre interval. Individual 1m samples were retained for re-assay based on 4m composite assay results. All samples were collected in labelled calico bags.
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face- sampling bit or other type, whether core is oriented and if so, by what method, etc).	Reverse circulation drilling utilising an 8inch open- hole hammer for first 6m (pre-collar) and a 5.6 inch RC hammer for the remainder of the drill hole.
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results asses Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	RC sample recoveries of less than approximately 80% are noted in the geological/sampling log with a visual estimate of the actual recovery. No such samples were reported within the significant intercept zones. Moisture categorisation was also recorded.

Criteria	JORC Code explanation	Commentary					
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	Washed drill chip samples from Nexgen drilling have been geologically logged to a level to support appropriate mineral resource estimation, mining studies and metallurgical studies. Lithology, oxidation, mineralogy, alteration and veining has					
	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.	been recorded at 1m resolution. Core is logged both qualitatively and quantitatively. RC chip trays have been stored for future reference and chip tray photography is available.					
	The total length and percentage of the relevant intersections logged.						
Sub-sampling techniques	If core, whether cut or sawn and whether quarter, half or all core taken.	Approximately 3-5kg RC samples were passed through a rig mounted cone splitter on 1m intervals					
and sample preparation	If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.	to obtain a 3-5kg representative split sample for assay. In areas not considered high priority by geological logging, a 4m spear composite sample was taken. Each sample is sorted, dried split and pulverised to 85% passing through 75 microns to produce a representative subsample for analysis and considered adequate sample homogenisation for repeatable assay result.					
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.						
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.						
	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.						
	Whether sample sizes are appropriate to the grain size of the material being sampled.						
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the	Samples were analysed at Bureau Veritas, Perth for broad-suite multi-element fused bead Laser Ablation/ICPMS (laboratory code - LA100 and LA101 (full Suite)). Gold, Pt and Pd analysis was by Fire Assay ICP-OES (laboratory code - FA003). Oxides were determined by glass bead/XRF					
	parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	Sampling QA/QC including standards (7 different CRM to cover low mid and higher-grade material of various elements including but not limited to copper, gold, nickel, PGEs, silver, titanium and vanadium) were included in each sample despatch and reported in the laboratory results. QA/QC samples included Company selected CRM material including blank material. Laboratory QAQC has additional checks including standards, blanks and repeat samples that were conducted regularly on every batch. Company standards are included every 50 th sample.					
		total sampling QAQC (standards) more than 6%. All standards submitted were within acceptable limits for copper, gold, silver, zinc, platinum, palladium, cobalt, iron, vanadium, barium, titanium and scandium.					

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.	Drill hole information including lithological, mineral, sample, magnetic susceptibility, downhole survey, etc was collected electronically or entered into an excel sheet directly then merged into a primary database for verification and validation. Assay data was not adjusted.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control.	A handheld GPS with ~5m accuracy was used to collect samples. Samples were also logged in tablet and mobile phone applications as a backup and for the collection of imagery and logging notes. Coordinates unless otherwise labelled with latitude/longitude on images and tables within this document are in datum GDA94 zone 52.
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.	Drill lines are spaced approximately 800m apart along strike of target geology. Drill holes are spaces 100 or 200m along the drill line angled perpendicular to strike. Spacing is dependent on target geology and coverage. Data is sufficient to confidently establish geological continuity in areas of continuous strike. No JORC-2014 compliant resource calculations have been completed using this data. 1m split samples taken in zones of geological interest and 4m composite samples taken for the rest of the hole.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill orientation perpendicular to mapped strike and dip of shallow dipping units to the SW Strike orientation determined by geological mapping and 50m line spacing airborne magnetic data interpretation. No sample bias due to drilling orientation is expected.
Sample security	The measures taken to ensure sample security.	Sample control was managed by on site geologists where single metre splits and composite samples were grouped into zip tied polyweave bags and loaded into bulka bags. Samples collected by NATS transport from site and delivered from NATS yard in Perth to Bureau Veritas Labs for sorting and assay. Assay results received by email to the managing director.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audits were undertaken as sample techniques considered sufficient for first pass exploration drilling.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure	Type, reference name/number, location and ownership including agreements or material issues with third	The Dante Project is in the West Musgraves of Western Australia. The Project includes 2 exploration licences E69/3401 and E69/3552.
status	parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental	The licences E69/3401 and E69/3552 are 100% held by 97992001 Pty Ltd a wholly owned subsidiary of Dante Resources Pty Ltd.
	settings.	A Native Title Agreement is currently in place with the Ngaanyatjarra Land Council.
	time of reporting along with any known impediments to obtaining a licence to operate in the area.	Initial heritage surveys have been completed over key focus areas, and progressive heritage survey work remains ongoing. Flora and Fauna surveys are in progress.
Exploration done by other parties	Exploration done Acknowledgment and appraisal of exploration by other parties.	Datasets from previous explorers include full coverage airborne electromagnetic and magnetics; auger geochemical drillholes; reverse circulation (RC) and diamond core drillholes; an extensive rock chip database; ground electromagnetics and gravity (extended historical datasets continue to be under further review).
		The Dante Project has had substantial historical exploration. Historical exploration on the Dante Project has been summarised below with most of the work reported being conducted between 1998 and 2016.
		Western Mining Corporation (WMC) conducted RC and diamond drilling, rock chip sampling, soils, gravity, airborne magnetics between 1998 – 2000. WMC flew airborne electromagnetics over the Dante Project area.
		Traka Resources between 2007 and 2015 completed approximately 3,500 auger drillholes, 10 RC drillholes and 2 diamond drillholes and collected rock chips and soil samples. Geophysics included ground-based electromagnetics geophysics over 5 locations. Western Areas Ltd partnered with Traka and completed some RC drilling and ground based EM during this period.
		Anglo American Exploration between 2012 and 2016 flew airborne EM and collected rock chips in a Joint Venture with Phosphate Australia.

Criteria	JORC Code explanation	Commentary
Geology	Deposit type, geological setting and style of mineralisation.	The Musgrave Province comprises an elongate east west trending belt of Neo Proterozoic terrain approximately 800km long by 350km wide. It represents continental crust sandwiched between the Archaean and Palaeo-Proterozoic Western and South Australian Cratons, and the Palaeo- proterozoic Northern Australian Craton. The main structure of the Musgrave Block is the east west trending Mann Fault and Woodroffe Thrust that extends the full 800km length of the Block. The Giles Event led to the emplacement of the Giles Complex, a series of layered mafic-ultramafic intrusives. The Giles Complex layered intrusions and their immediate host rocks are considered to be prospective for platinum-group element (PGE) reefs in the ultramafic-mafic transition zones of layered intrusions, and in magnetite layers of the differentiated portions of the intrusions.
		The Dante Project within the Giles Complex includes identified PGE-Au reefs and is seen as prospective for magmatic Ni-Cu-PGE deposits.
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:	See figure Hole Plan, Table Collars and Table Intercepts in body of announcement.
	easting and northing of the drill hole collar	
	elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar	
	dip and azimuth of the hole	
	down hole length and interception depth	
	hole length.	
	If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	

Criteria	JORC Code explanation	Commentary
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	Length weighted averages were calculated in intercepts of zones where composite samples and 1m splits span the intercept. Samples >0.1g/t PGE3 and >0.1% Cu were considered significant and reported in table Intercepts. No high cut-off was applied. A maximum of 2m internal waste was allowed in each intercept.
Relationship between mineralisation widths and intercept lengths	These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	Calculated intervals are based on down hole intersections as true widths are not known. Holes were designed to be perpendicular to mapped dip and strike. Estimated dip of the target lithology is 30 degrees and holes drilled at -60 degrees. However true widths of mineral intersects cannot be accurately determined by drill density at this stage.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Appropriate maps and diagrams relevant to the data are provided in the document. All relevant data has been displayed on the diagrams which are appropriately geo-referenced.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	All results above 0.1g/t PGE3 have been reported. All intercepts over 0.1% Cu have been reported.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All meaningful and material exploration data has been reported.

Criteria	JORC Code explanation	Commentary
Further work	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Infill and extensional RC drilling is planned at the Crius, Hyperion and Oceanus Reefs. Shallow Diamond drilling is planned at the reefs to further assess mineralogy, structure and for metallurgical assessment. A new Programme of Works has been submitted for approval to DMIRS for further infill and extensional drilling planned, with Traditional Owners contacted for further Heritage surveys. Furthermore, flora consultants have been contracted to complete requisite surveys. The Author is of the opinion that these approvals are forthcoming and see's no reason, given the Company has completed these activities previously and to a high standard, that these will be forthcoming.

ⁱ PGE3 is the sum of platinum (Pt), palladium (Pd), and gold (Au).