



21 May 2025

## Aurum hits 34m at 2.32 g/t gold from 56m at Boundiali's BD tenement

Aurum Resources (ASX: AUE) reports further shallow, high-grade gold intercepts at its 1.59Moz Boundiali Gold Project in Côte d'Ivoire as it continues a 100,000m drilling program at Boundiali in CY2025.

### Highlights

- Exploration diamond drilling (14 holes for 4,992.08m) designed to grow resources at the **BDT1** deposit on the Boundiali **BD** tenement returns shallow, high-grade gold hits<sup>1</sup> including:
  - DSDD0157
    - **34m @ 2.32 g/t Au** from 56m inc. **9m @ 5.44 g/t Au**
  - DSDD0166
    - **48m @ 1.27 g/t Au** from 73m inc. **8m @ 3.11 g/t Au**
  - DSDD0172A
    - **11.02m @ 1.29 g/t Au** from 43.50m inc. **4m @ 1.80 g/t Au & 37.60m @ 1.24 g/t Au** from 55.50m inc. **5m @ 2.67 g/t Au**
  - DSDD0144B
    - **48m @ 0.87 g/t Au** from 93m inc. **10m @ 1.81 g/t Au**
- These results demonstrate the **emerging potential** and **continued upside** of the Boundiali project, with mineralisation **remaining open** along strike and at depth.
- Drilling is ongoing at **BDT1**, with more assays pending, as eight of Aurum's self-owned diamond rigs **continue to drill** at Boundiali, targeting **100,000m drilling** in CY2025.
- **Two MRE updates** planned in **CY2025** to grow the maiden **1.59Moz Boundiali Mineral Resource Estimate**<sup>2</sup>.
- Aurum has commenced work on a **Boundiali Pre-Feasibility Study**, due for completion by **end of CY2025**.
- Plans for a 30,000m drill program at recently acquired **Napié deposit**, aiming to grow its existing **0.87Moz MRE**<sup>3</sup>.
- **Aurum is well-funded** for continued exploration success, completing a \$35.6M private placement in May 2025<sup>4</sup>.

**Aurum's Managing Director Dr. Caigen Wang** said: "We're pleased to report further shallow, wide gold intercepts from **BD Target 1** at Boundiali, highlighted by **34m @ 2.32 g/t Au** from 56m, including **9m @ 5.44 g/t Au** in hole DSDD0157. These results are from drilling designed to upgrade Inferred Resources to Indicated, test the limits of known gold mineralisation, and incorporate previously unclassified mineralisation into the next **MRE update**.

Aurum is on track for its planned **100,000m** diamond drilling program at Boundiali in 2025. These and other results will feed into two MRE updates; the first one expected in July 2025 which will incorporate these recent high-grade intercepts, building on the current 1.59Moz Boundiali MRE. The second update due in late CY2025 will include results from ongoing drilling at the **BD**, **BM**, and **BST** deposits, and numerous untested gold-in-soil anomalies.

Our expanding in-house drilling fleet, growing to 10 Aurum-owned rigs, provides cost-effective and accelerated exploration. This underpins our objective of significant resource growth at Boundiali in 2025 and supports the Pre-Feasibility Study (**PFS**) expected by year-end 2025.

<sup>1</sup> Refer to Table 1 for collar information and Table 2 for assay results for the BM drilling.

<sup>2</sup> "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on [www.asx.com.au](http://www.asx.com.au)

<sup>3</sup> "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au).

<sup>4</sup> ASX release dated 7 May 2025, Aurum to raise \$35.6 million from strategic investment.



aurum resources

*At the Napié project, a 30,000m diamond drilling program is planned for 2025, targeting expansion of the current 0.87Moz MRE. This program will commence in mid-June 2025, with an updated Napié MRE anticipated by year-end 2025.*

*With a combined 2.5Moz of gold across Boundiali and Napié, and substantial drilling programs underway, Aurum is well-positioned for significant resource growth and value creation in 2025.”*

#### **BD - Latest Drill Results**

Aurum is reporting new assay results from drilling at **BDT1** deposit (14 holes for 4,992.08m) on Boundiali's **BD** tenement, where Aurum holds an 80% project interest<sup>5</sup>. Best assay results from the new drilling includes<sup>6</sup>:

##### **BD Target 1 (BDT1)**

- **48m @ 0.87 g/t Au** from 93m inc. **10m @ 1.81 g/t Au** (DSDD0144B)
- **34m @ 2.32 g/t Au** from 56m inc. **9m @ 5.44 g/t Au** (DSDD0157)
- **48m @ 1.27 g/t Au** from 73m inc. **8m @ 3.11 g/t Au** (DSDD0166)
- **11.02m @ 1.29 g/t Au** from 43.50m inc. **4m @ 1.80 g/t Au & 37.60m @ 1.24 g/t Au** from 55.50m inc. **5m @ 2.67 g/t Au** (DSDD0172A).

These new results are in addition to diamond holes drilled and reported<sup>7</sup> by Aurum at **BD**, which include:

- **83m @ 4.87 g/t Au** from 106m inc. **6.29m @ 34.94 g/t Au & 8m @ 14.81 g/t Au** (DSDD0148)
- **12m @ 22.02 g/t Au** from 145m inc. **2m @ 35.59 g/t Au & 7m @ 27.50 g/t Au** (DSDD0136 – BDT3 outside MRE)
- **89m @ 2.42 g/t Au** from 213m inc. **7m @ 14.46 g/t Au & 6m @ 9.01 g/t Au** (DSDD0150)
- **73m @ 2.15g/t Au** from 172m inc. **4m @ 18.63g/t Au** (DSDD0012)
- **22.71m @ 4.78 g/t Au** from 177.59m inc. **5.41m @ 12.66 g/t Au & 10m @ 3.60 g/t Au** (DSDD0162 – BDT3 outside MRE)
- **90m @ 1.16 g/t Au** from 143m inc. **51m @ 1.04 g/t Au** and **35m @ 1.47 g/t Au** (DSDD0050)
- **59m @ 1.42 g/t Au** from 68m inc. **13m @ 3.92 g/t Au** (DSDD0010)
- **36m @ 2.53 g/t Au** from 104m inc. **16m @ 5.03 g/t Au** (DSDD0011)
- **4m @ 22.35 g/t Au** from 226m (173m below surface) (DSDD0004)
- **12.22m @ 14.56 g/t Au** from 275m inc. **1m @ 163.42 g/t Au** (DSDD0051)
- **69m @ 1.05 g/t Au** from 195m inc. **12m @ 2.28 g/t Au** (DSDD0060A)
- **40m @ 1.03 g/t Au** from 136m inc. **5m @ 1.70 g/t Au** (DSDD0076).

The **BDT1** gold deposit lies within an underexplored **13km by 3km mineralized corridor**, with further drilling planned for systematic testing. Gold mineralisation is hosted in a thick, north-south trending sandstone unit, positioned between hanging wall and footwall volcano-sedimentary rocks. The gold which is free milling<sup>8</sup> is associated with fine disseminated pyrite and an alteration assemblage of hematite, silica, chlorite, tourmaline, quartz veinlets, albite, and carbonate.

Drilling is ongoing at **BDT1** with more assays pending. True widths for these shallow, wide and high-grade gold intercepts are estimated at about 65% - 80% of reported downhole lengths.

<sup>5</sup> Refer to About Aurum's Boundiali Gold Project

<sup>6</sup> Refer to Table 1 for collar information and Table 2 for assay results for the new drilling

<sup>7</sup> Refer to Compliance Statement for details on previous reporting on ASX

<sup>8</sup> ASX release dated 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali



Details of drill collar location and assay results for the new drilling at **BDT1** is provided in **Table 1** and **Table 2** respectively. Plans showing location of the Boundiali Gold Project and the assay results are presented in figures below (general locations in **Figure 1** and **Figure 2**, project details in **Figure 3** and a detailed plan in

**Figure 4**). A cross section showing the latest drill results is presented in **Figure 5**.

Gold mineralisation remains open along strike and at depth on all deposit and prospects at Boundiali Gold Project. With Aurum's 100,000m drilling program ongoing in CY 2025, further work is planned to follow up these encouraging results.

#### Next Steps:

- **Aggressive cost-effective exploration at Boundiali:** Aurum is committed to a large-scale exploration program at Boundiali. This includes:
  - **100,000m diamond drilling<sup>9</sup>:** Up to eight diamond drill rigs will complete 100,000m of drilling at Boundiali in CY2025. The program has multiple aims:
    - Increase the size and confidence of current resources at **BST**, **BD**, and **BM** (40,000m).
    - Advance known prospects (30,000m) for incorporation into two planned MRE updates in 2025.
    - Target new prospects identified through soil anomalies and geological mapping to drive resource growth into 2026 (30,000m).
  - **Resource expansion:** Drilling aims to expand the known resources at the **BST**, **BD**, and **BM** deposits.
  - **New discoveries:** Exploration and scout drilling is planned on **BD**, **BM** and **BST** tenements to test new targets and create a pipeline of new discoveries to flow into resource growth.
- **Resource updates:** Aurum plans to deliver two MRE updates for Boundiali in CY2025.
- **Napié resource expansion:** A 30,000m diamond drilling program is planned for the Napié project in CY2025 to expand the existing 0.87Moz resource. An updated MRE for Napié is expected by year-end.
- **Pre-Feasibility Study:** Aurum is working towards completing an open pit PFS for the Boundiali Gold Project by the end of CY2025. This will provide an evaluation of the project's economics and technical feasibility.
- **Continued growth:** With a strong financial position backed by the recent \$35.6M private placement<sup>4</sup>, Aurum is well-funded to execute these exploration and development plans. The company remains focused on delivering value for shareholders through resource growth and project advancement.

This update has been authorised by the Board of Aurum Resources Limited.

ENDS

---

<sup>9</sup> This program is indicative only and subject to change based on operational requirements and exploration results. Meterage allocations may be adjusted as new information becomes available. Investors should refer to company announcements for updates on the drilling program and be aware of the inherent risks associated with mineral exploration.



## FORWARD-LOOKING STATEMENTS

This ASX release contains forward-looking statements about Aurum Resources Limited's exploration activities, drilling programs, and potential Mineral Resource Estimate at the Boundiali and Napié Gold Projects. These statements are based on current expectations and are subject to risks and uncertainties inherent in mineral exploration and mining. Factors that could cause actual results to differ materially include exploration risks, drilling results, resource estimation, gold prices, operational risks, regulatory changes, and broader economic conditions. Investors should not place undue reliance on these forward-looking statements.

## COMPETENT PERSON'S STATEMENT

The information in this release that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Mark Strizek, a Competent Person who is a Member of The Australasian Institute of Mining and Metallurgy. Mr Strizek has been a non-executive Director of the Company since 1 February 2024 and joined as an executive Director on 1 June 2024. Mr Strizek has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Strizek consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears. Additionally, Mr Strizek confirms that the entity is not aware of any new information or data that materially affects the information contained in the ASX releases referred to in this presentation.

## COMPLIANCE STATEMENT

The information in this report that relates to Boundiali Mineral Resources is extracted from the announcement "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

The information in this report that relates to Napié Mineral Resources is extracted from the announcement "Napié Project Listing Rule 5.6 disclosure" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and, in the case of estimates of Mineral Resources, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

This report contains information extracted from ASX market announcements reported in accordance with the 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" ("2012 JORC Code") and available for viewing at [www.asx.com.au](http://www.asx.com.au) and includes results reported previously and published on ASX platform:

- 13 May 25, Assay Results at Boundiali BM Tenement (Amended) (ASX:AUE)
- 13 May 25, Aurum hits 73.10 g/t gold at Boundiali BM tenement (ASX:AUE)
- 07 May 2025, Aurum to raise \$35.6 million from strategic investment (ASX:AUE)
- 16 Apr 2025, AUE hits 89m @ 2.42 g/t gold at 1.59Moz Boundiali Project (ASX:AUE)
- 08 Apr 2025, AUE to start diamond drilling at Boundiali South tenement (ASX:AUE)
- 31 Mar 2025, AUE to commence environmental study - Boundiali Gold Project (ASX:AUE)
- 27 Mar 2025, Aurum hits 83m@4.87 g/t Au at 1.59Moz Boundiali Project (ASX:AUE)
- 19 Mar 2025, Hits 4m at 54.64 g/t Au outside 1.59Moz Boundiali MRE area (ASX:AUE)
- 14 Mar 2025, Half Yearly Report and Accounts (ASX:AUE)
- 7 Mar 25, Investor Presentation March 2025 (ASX:AUE)
- 6 Mar 25, AUE Completes Acquisition of Mako Gold Limited (ASX:AUE)
- 27 Feb 25, 12m at 22.02g/t from 145m outside 1.59Moz Boundiali MRE area (ASX:AUE)
- 21 Feb 25, 8m at 8.23g/t from 65m outside 1.59Moz Boundiali MRE area (ASX:AUE)
- 4 Feb 2025, Napié Project Listing Rule 5.6 Disclosure (Amended) (ASX:AUE)
- 3 Feb 2025, Mako Takeover Offer Closes (ASX:AUE)
- 31 Jan 2025, Drill Collar Table Addendum (ASX:AUE)
- 31 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
- 31 Jan 2025, Quarterly Activities/Appendix 5B Cash Flow Report (ASX:AUE)
- 30 Jan 2025, Aurum hits 150 g/t gold at Boundiali, Côte d'Ivoire (ASX:AUE)
- 29 Jan 2025, MKG - Suspension of Trading and Delisting From ASX (ASX:AUE)
- 24 Jan 2025, Compulsory Acquisition Notice Mako Takeover (ASX:AUE)
- 24 Jan 2025, Non-Binding MoU with SANY Heavy Equipment Co (ASX:AUE)
- 23 Jan 2025, Change in substantial holding for MKG (ASX:AUE)
- 9 Jan 2025, Best and Final offer for Mako Gold Limited (ASX:AUE)
- 31 Dec 2024, Boundiali Project Maiden Resource delivers 1.6 Moz (amended) (ASX:AUE)
- 30 Dec 2024, Boundiali Gold Project Maiden Resource delivers 1.6 Moz (ASX:AU)
- 24 Dec 2024, Change in substantial holding for MKG (ASX:AUE)
- 23 Dec 2024, AUE achieves in excess of 95% gold recoveries from Boundiali (ASX:AUE)
- 18 Dec 2024, Aurum hits 277 g/t gold at Boundiali BM Target 3
- 13 Dec 2024, Change of Directors and Addition of Joint Company Secretary (ASX:AUE & ASX:MKG)
- 6 Dec 2024, AUE receives firm commitments for A\$10 million placement (ASX:AUE)
- 29 Nov 2024, Aurum earns 80% interest in Boundiali BM tenement (ASX:AUE)
- 28 Nov 2024, AUE appoints Mr. Steve Zaninovich as Non-Executive Director (ASX:AUE)
- 22 Nov 2024, AUE Declares Takeover Offer for all MKG Shares Unconditional (ASX:AUE)



15 Nov 2024, *Supplementary Bidders Statement (ASX:AUE)*  
11 Nov 2024, Aurum hits 36 g/t gold at BM T1 of 2.5km strike (ASX:AUE)  
30 Oct 2024, *Bidders Statement (ASX:AUE)*  
16 Oct 2024, *Recommended Takeover of Mako Gold By Aurum Resources (ASX:AUE)*  
09 Sep 2024, Aurum earns 51% interest in Boundiali BM tenement (ASX:AUE)  
05 Sep 2024, AUE hits 40m at 1.03 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
03 Sep 2024, Boundiali South Exploration Licence Renewed (ASX:AUE)  
07 Aug 2024, Aurum to advance met studies for Boundiali Gold Project (ASX:AUE)  
22 July 2024, Prelim metallurgical tests deliver up to 99% gold recovery (ASX:AUE)  
17 June 2024, Aurum hits 69m at 1.05 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
28 May 2024, AUE hits 163 g/t gold in 12m @ 14.56 g/t gold at BD Target 1 (ASX:AUE)  
24 May 2024, Aurum hits 74m @ 1.0 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
15 May 2024, Aurum expands Boundiali Gold Project footprint (ASX:AUE)  
10 May 2024, AUE hits 90m @ 1.16 g/t gold at Boundiali BD Target 1 (ASX:AUE)  
01 May 2024, Aurum Appoints Country Manager in Côte d'Ivoire (ASX:AUE)  
23 April 2024, AUE drilling hits up to 45 g/t gold at Boundiali BD Target 2 (ASX:AUE)  
19 March 2024, AUE signs binding term sheet for 100% of Boundiali South (ASX:AUE)  
12 March 2024, AUE hits 73m at 2.15g/t incl 1m at 72g/t gold at Boundiali (ASX:AUE)  
01 March 2024, Aurum hits 4m at 22 g/t gold in Boundiali diamond drilling (ASX:AUE)  
22 January 2024, Aurum hits shallow, wide gold intercepts at Boundiali, Côte d'Ivoire (ASX: AUE)  
21 December 2023, Rapid Drilling at Boundiali Gold Project (ASX:AUE)  
21 November 2023, AUE Acquisition Presentation (ASX:AUE)  
21 June 2021, Notice of General Meeting/Proxy Form (MSR.ASX)  
21 May 2021, PlusOr to Acquire 6194 sq kms Ground Position in Côte d'Ivoire (MSR.ASX)  
22 August 2019, Boundiali RC Drill Results Continue to Impress (PDI.ASX)  
15 July 2019, RC, Trench Results Grow Boundiali Potential In Côte D'Ivoire (PDI.ASX)  
27 May 2019, New Drill Results Strengthen Boundiali Project Côte D'Ivoire (PDI.ASX)  
16 January 2019, PDI-Toro JV Sharpens Focus with Major Drilling Program (PDI.ASX)  
26 November 2018, Boundiali North - Large Coherent Gold Anomalies in 14km Zone (PDI.ASX)

*The Company confirms that it is not aware of any new information or data that materially affects the information included in the previous announcements.*




Figure 1: Location of Aurum's projects in Côte d'Ivoire




Figure 2: Location of Aurum's Boundiali and Napié gold projects in Côte d'Ivoire




Figure 3: Aurum's Boundiali Gold Project




Figure 4: BD tenement plan view showing new drilling results (yellow) at BD Target 1<sup>10</sup>

<sup>10</sup> Only showing intercepts greater than 5 gold gram metres. Full details of assays making up intercepts included in results table.




Figure 5: Cross Section looking north (+/-25m) showing new drill results DSDD0157 – BD Target 1



**Table 1: Drill Collar Information BDT1**


Hole ID	UTM East	UTM North	Elevation (m)	Depth (m)	Azi deg	Dip deg	Deposit	Type
DSDD0144B	787,957	1,054,476	392	419.00	270	-60	BDT1	DD
DSDD0152A	787,850	1,054,523	389	276.50	270	-55	BDT1	DD
DSDD0153A	788,002	1,054,275	384	518.10	270	-61	BDT1	DD
DSDD0154	787,753	1,054,524	387	205.00	270	-55	BDT1	DD
DSDD0155A	788,007	1,054,475	391	535.90	270	-62	BDT1	DD
DSDD0156	787,901	1,054,375	388	354.90	270	-60	BDT1	DD
DSDD0157	787,795	1,054,525	387	240.34	270	-57	BDT1	DD
DSDD0158A	787,901	1,054,425	390	337.00	270	-60	BDT1	DD
DSDD0160	787,960	1,054,375	389	510.50	270	-60	BDT1	DD
DSDD0163A	787,749	1,054,227	380	198.92	270	-60	BDT1	DD
DSDD0165	787,989	1,054,424	390	486.72	270	-60	BDT1	DD
DSDD0166	787,950	1,054,525	393	401.70	270	-58	BDT1	DD
DSDD0172A	787,799	1,054,224	379	241.50	270	-60	BDT1	DD
DSDD0174A	787,806	1,054,475	385	266.00	270	-55	BDT1	DD
<b>Total 14 holes</b>				<b>4,992.08m</b>				



**Table 2: Significant assay results for holes reported in this release for BDT1<sup>11</sup>**


Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0144B	4.00	5.00	1.00	0.16			
DSDD0144B	5.00	6.27	1.27	0.21			
DSDD0144B	6.27	6.83	0.56	0.42	1.83 m @ 0.27 g/t Au	0.5	
DSDD0144B	27.00	28.00	1.00	0.11			
DSDD0144B	30.00	31.00	1.00	0.30	1.00 m @ 0.30 g/t Au	0.3	
DSDD0144B	58.16	59.00	0.84	0.23	0.84 m @ 0.23 g/t Au	0.2	
DSDD0144B	59.00	60.00	1.00	0.14			
DSDD0144B	92.00	93.00	1.00	0.10			
DSDD0144B	93.00	94.00	1.00	0.89			
DSDD0144B	94.00	95.00	1.00	<b>1.41</b>			
DSDD0144B	95.00	96.00	1.00	<b>1.11</b>			
DSDD0144B	96.00	97.00	1.00	0.67			
DSDD0144B	97.00	98.00	1.00	0.86			
DSDD0144B	98.00	99.00	1.00	0.39			
DSDD0144B	99.00	100.00	1.00	0.40			
DSDD0144B	100.00	101.00	1.00	0.44			
DSDD0144B	101.00	102.00	1.00	0.44			
DSDD0144B	102.00	103.00	1.00	0.50			
DSDD0144B	103.00	104.00	1.00	0.87			
DSDD0144B	104.00	105.00	1.00	<b>3.53</b>			
DSDD0144B	105.00	106.00	1.00	<b>1.07</b>			
DSDD0144B	106.00	107.00	1.00	<b>1.15</b>			
DSDD0144B	107.00	108.00	1.00	<b>1.43</b>			
DSDD0144B	108.00	109.00	1.00	<b>2.47</b>			
DSDD0144B	109.00	110.00	1.00	<b>1.68</b>			
DSDD0144B	110.00	111.00	1.00	0.48			
DSDD0144B	111.00	112.00	1.00	<b>1.54</b>			
DSDD0144B	112.00	113.00	1.00	<b>2.70</b>			
DSDD0144B	113.00	114.00	1.00	<b>2.01</b>			
DSDD0144B	114.00	115.00	1.00	0.38	48.00 m @ 0.87 g/t Au	41.8	
DSDD0144B	115.00	116.00	1.00	0.24			
DSDD0144B	116.00	117.00	1.00	0.46			
DSDD0144B	117.00	118.00	1.00	0.01			
DSDD0144B	118.00	119.00	1.00	0.29			
DSDD0144B	119.00	120.00	1.00	0.23			
DSDD0144B	120.00	121.00	1.00	0.07			
DSDD0144B	121.00	122.00	1.00	0.61			
DSDD0144B	122.00	123.00	1.00	0.59			
DSDD0144B	123.00	124.00	1.00	0.17			
DSDD0144B	124.00	125.00	1.00	0.53			
DSDD0144B	125.00	126.00	1.00	<b>1.22</b>			
DSDD0144B	126.00	127.00	1.00	0.12			
DSDD0144B	127.00	128.00	1.00	0.29			
DSDD0144B	128.00	129.00	1.00	<b>1.67</b>			
DSDD0144B	129.00	130.00	1.00	0.19			
DSDD0144B	130.00	131.00	1.00	0.24			
DSDD0144B	131.00	132.00	1.00	0.96			
DSDD0144B	132.00	133.00	1.00	0.85			
DSDD0144B	133.00	134.00	1.00	0.68			
DSDD0144B	134.00	135.00	1.00	<b>1.45</b>			
DSDD0144B	135.00	136.00	1.00	<b>1.59</b>			

<sup>11</sup> 0.2 g/t Au cut off used with 3m internal dilution and no top cut applied




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0144B	136.00	137.00	1.00	<b>1.25</b>			
DSDD0144B	137.00	138.00	1.00	0.10			
DSDD0144B	138.00	139.00	1.00	0.81			
DSDD0144B	139.00	140.00	1.00	0.32			
DSDD0144B	140.00	141.00	1.00	0.43			
DSDD0144B	141.00	142.00	1.00	0.18			
DSDD0144B	196.00	197.00	1.00	<b>16.63</b>	6.00 m @ 3.12 g/t Au	18.7	3.00 m @ 6.04 g/t Au
DSDD0144B	197.00	198.00	1.00	0.04			
DSDD0144B	198.00	199.00	1.00	<b>1.45</b>			
DSDD0144B	199.00	200.00	1.00	0.11			
DSDD0144B	200.00	200.90	0.90	0.10			
DSDD0144B	200.90	202.00	1.10	0.36			
DSDD0144B	204.00	205.00	1.00	0.15			
DSDD0144B	205.00	206.00	1.00	0.16			
DSDD0144B	207.00	208.00	1.00	0.30	1.00 m @ 0.30 g/t Au	0.3	
DSDD0144B	220.00	221.00	1.00	<b>0.46</b>	2.00 m @ 0.33 g/t Au	0.7	
DSDD0144B	221.00	222.00	1.00	0.20			
DSDD0144B	222.00	223.00	1.00	0.11			
DSDD0144B	225.00	226.00	1.00	0.13			
DSDD0144B	233.00	234.00	1.00	0.12			
DSDD0144B	235.00	236.00	1.00	<b>0.11</b>			
DSDD0144B	236.00	237.00	1.00	0.12			
DSDD0144B	240.00	241.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2	
DSDD0144B	241.00	242.00	1.00	<b>0.11</b>			
DSDD0144B	243.00	244.00	1.00	0.18			
DSDD0144B	284.00	285.00	1.00	0.14			
DSDD0144B	285.00	286.00	1.00	0.48	1.00 m @ 0.48 g/t Au	0.5	
DSDD0144B	291.00	292.00	1.00	0.13			
DSDD0144B	292.00	293.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2	
DSDD0144B	301.00	302.00	1.00	0.14			
DSDD0144B	303.00	304.00	1.00	0.13			
DSDD0144B	304.00	305.00	1.00	0.17			
DSDD0144B	305.00	306.00	1.00	0.20	1.00 m @ 0.20 g/t Au	0.2	
DSDD0144B	312.00	313.00	1.00	0.11			
DSDD0144B	313.00	314.00	1.00	0.11			
DSDD0144B	315.00	316.00	1.00	0.64	1.00 m @ 0.64 g/t Au	0.6	
DSDD0144B	316.00	317.00	1.00	0.12			
DSDD0144B	318.00	319.00	1.00	0.11			
DSDD0144B	322.00	323.00	1.00	0.10			
DSDD0144B	323.00	324.00	1.00	0.44	11.00 m @ 0.94 g/t Au	10.3	5.00 m @ 1.78 g/t Au
DSDD0144B	324.00	325.00	1.00	0.28			
DSDD0144B	325.00	326.00	1.00	0.02			
DSDD0144B	326.00	327.00	1.00	<b>5.18</b>			
DSDD0144B	327.00	328.00	1.00	0.13			
DSDD0144B	328.00	329.00	1.00	<b>1.21</b>			
DSDD0144B	329.00	330.00	1.00	0.65			
DSDD0144B	330.00	331.00	1.00	<b>1.72</b>			
DSDD0144B	331.00	332.00	1.00	0.07			
DSDD0144B	332.00	333.00	1.00	0.18			
DSDD0144B	333.00	334.00	1.00	0.41			
DSDD0144B	335.00	336.00	1.00	0.10			
DSDD0144B	338.00	339.00	1.00	0.10			
DSDD0144B	339.00	340.00	1.00	0.12			
DSDD0144B	340.00	341.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0144B	342.00	343.00	1.00	0.17			
DSDD0144B	343.00	344.00	1.00	0.10			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0144B	345.00	346.00	1.00	0.18			
DSDD0144B	346.00	347.00	1.00	0.64	1.00 m @ 0.64 g/t Au	0.6	
DSDD0144B	347.00	348.00	1.00	0.17			
DSDD0144B	352.00	353.00	1.00	0.12			
DSDD0144B	354.00	355.00	1.00	0.21			
DSDD0144B	355.00	356.00	1.00	0.63			
DSDD0144B	356.00	357.00	1.00	0.52			
DSDD0144B	357.00	358.00	1.00	0.29			
DSDD0144B	358.00	359.00	1.00	0.16			
DSDD0144B	359.00	360.00	1.00	0.10			
DSDD0144B	363.00	364.00	1.00	0.32			
DSDD0144B	364.00	365.00	1.00	0.29			
DSDD0144B	365.00	366.00	1.00	0.12			
DSDD0144B	366.00	367.00	1.00	0.13			
DSDD0144B	367.00	368.00	1.00	0.35			
DSDD0144B	368.00	369.00	1.00	<b>2.74</b>			
DSDD0144B	369.00	370.00	1.00	0.57			
DSDD0144B	370.00	371.00	1.00	0.11			
DSDD0144B	371.00	372.00	1.00	0.11			
DSDD0144B	372.00	373.00	1.00	0.37			
DSDD0144B	373.00	374.00	1.00	0.15			
DSDD0144B	374.00	375.00	1.00	0.27			
DSDD0144B	375.00	376.00	1.00	0.03			
DSDD0144B	376.00	377.00	1.00	0.60			
DSDD0144B	377.00	378.00	1.00	0.76			
DSDD0144B	378.00	379.00	1.00	0.48			
DSDD0144B	379.00	380.00	1.00	0.70			
DSDD0144B	380.00	381.00	1.00	0.99			
DSDD0144B	381.00	382.00	1.00	0.43			
DSDD0144B	382.00	383.00	1.00	0.48			
DSDD0144B	383.00	384.00	1.00	<b>3.35</b>			
DSDD0144B	384.00	385.00	1.00	<b>1.19</b>			
DSDD0144B	385.00	386.00	1.00	0.46			
DSDD0144B	386.00	387.00	1.00	0.35			
DSDD0144B	387.00	388.00	1.00	0.94			
DSDD0144B	388.00	389.00	1.00	0.42			
DSDD0144B	389.00	390.00	1.00	0.24			
DSDD0144B	390.00	391.00	1.00	0.67			
DSDD0144B	391.00	392.00	1.00	<b>1.71</b>			
DSDD0144B	392.00	393.00	1.00	0.81			
DSDD0144B	393.00	394.00	1.00	<b>6.79</b>			
DSDD0144B	394.00	395.00	1.00	<b>3.72</b>			
DSDD0144B	395.00	396.00	1.00	0.43			
DSDD0144B	396.00	397.00	1.00	0.07			
DSDD0144B	397.00	398.00	1.00	0.39			
DSDD0144B	398.00	399.00	1.00	0.84			
DSDD0144B	399.00	400.00	1.00	0.33			
DSDD0144B	400.00	401.00	1.00	0.47			
DSDD0152A	6.00	7.00	1.00	0.11			
DSDD0152A	34.00	34.95	0.95	0.29	0.95 m @ 0.29 g/t Au	0.3	
DSDD0152A	36.69	38.09	1.40	0.13			
DSDD0152A	43.00	44.00	1.00	0.10			
DSDD0152A	51.00	52.00	1.00	<b>1.00</b>			
DSDD0152A	52.00	53.00	1.00	<b>5.70</b>			
DSDD0152A	53.00	54.00	1.00	0.57			
DSDD0152A	54.00	55.50	1.50	0.58			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0152A	55.50	56.00	0.50	0.08			
DSDD0152A	56.00	57.00	1.00	0.76			
DSDD0152A	57.00	58.00	1.00	<b>2.08</b>			<b>1.00 m @ 2.08 g/t Au</b>
DSDD0152A	58.00	59.00	1.00	0.30			
DSDD0152A	60.00	61.00	1.00	0.13			
DSDD0152A	62.00	63.00	1.00	0.28			
DSDD0152A	63.00	64.00	1.00	<b>1.06</b>	2.00 m @ 0.67 g/t Au	1.3	<b>1.00 m @ 1.06 g/t Au</b>
DSDD0152A	75.00	76.00	1.00	0.34			
DSDD0152A	76.00	77.00	1.00	0.01			
DSDD0152A	77.00	78.00	1.00	0.21			
DSDD0152A	78.00	79.00	1.00	0.36			
DSDD0152A	83.00	83.50	0.50	0.23			
DSDD0152A	83.50	84.00	0.50	0.36			
DSDD0152A	84.00	84.70	0.70	0.18			
DSDD0152A	87.00	87.65	0.65	0.10			
DSDD0152A	105.55	106.40	0.85	0.41	0.85 m @ 0.41 g/t Au	0.3	
DSDD0152A	110.18	111.00	0.82	0.67			
DSDD0152A	111.00	112.00	1.00	0.49			
DSDD0152A	112.00	113.00	1.00	0.08			
DSDD0152A	113.00	114.00	1.00	0.16			
DSDD0152A	114.00	115.00	1.00	0.62			
DSDD0152A	115.00	116.00	1.00	<b>1.13</b>			<b>1.00 m @ 1.13 g/t Au</b>
DSDD0152A	116.00	117.00	1.00	0.19			
DSDD0152A	117.00	118.00	1.00	0.24			
DSDD0152A	118.00	119.00	1.00	0.58			
DSDD0152A	119.00	120.00	1.00	<b>1.12</b>			
DSDD0152A	120.00	121.00	1.00	<b>1.42</b>			
DSDD0152A	121.00	122.00	1.00	<b>5.80</b>			
DSDD0152A	122.00	123.00	1.00	0.77			
DSDD0152A	123.00	124.00	1.00	0.87			
DSDD0152A	124.00	125.00	1.00	0.55			
DSDD0152A	125.00	126.00	1.00	0.46			
DSDD0152A	126.00	127.00	1.00	0.37			
DSDD0152A	127.00	128.00	1.00	0.43			
DSDD0152A	128.00	129.00	1.00	0.79			
DSDD0152A	129.00	130.00	1.00	0.11			
DSDD0152A	130.00	131.00	1.00	0.98			
DSDD0152A	131.00	132.00	1.00	0.38			
DSDD0152A	132.00	133.00	1.00	0.14			
DSDD0152A	133.00	134.00	1.00	0.06			
DSDD0152A	134.00	135.00	1.00	0.20			
DSDD0152A	135.00	136.00	1.00	0.41			
DSDD0152A	136.00	137.00	1.00	0.53			
DSDD0152A	137.00	138.00	1.00	0.41			
DSDD0152A	138.00	139.00	1.00	0.47			
DSDD0152A	139.00	140.00	1.00	0.65			
DSDD0152A	140.00	141.00	1.00	0.40			
DSDD0152A	141.00	142.00	1.00	<b>1.35</b>			
DSDD0152A	142.00	143.00	1.00	0.87			
DSDD0152A	143.00	144.00	1.00	<b>1.45</b>			
DSDD0152A	144.00	145.00	1.00	<b>1.07</b>			
DSDD0152A	145.00	146.00	1.00	<b>3.09</b>			
DSDD0152A	146.00	147.00	1.00	0.99			
DSDD0152A	147.00	148.00	1.00	<b>1.50</b>			
DSDD0152A	148.00	149.00	1.00	0.49			
DSDD0152A	149.00	150.00	1.00	0.16			

57.82 m @ 0.70 g/t Au


40.6

7.00 m @ 1.47 g/t Au




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0152A	150.00	151.00	1.00	0.52			
DSDD0152A	151.00	151.60	0.60	<b>2.34</b>			<b>0.60 m @ 2.34 g/t Au</b>
DSDD0152A	151.60	153.00	1.40	0.11			
DSDD0152A	153.00	154.00	1.00	0.25			
DSDD0152A	154.00	155.00	1.00	0.38			
DSDD0152A	155.00	155.68	0.68	0.28			
DSDD0152A	155.68	157.00	1.32	0.13			
DSDD0152A	157.00	158.00	1.00	0.12			
DSDD0152A	158.00	159.00	1.00	0.36			
DSDD0152A	159.00	159.75	0.75	0.49			
DSDD0152A	159.75	161.00	1.25	0.59			
DSDD0152A	161.00	162.00	1.00	<b>1.25</b>			<b>2.00 m @ 1.24 g/t Au</b>
DSDD0152A	162.00	163.00	1.00	<b>1.23</b>			
DSDD0152A	163.00	164.00	1.00	0.25			
DSDD0152A	164.00	165.00	1.00	0.40			
DSDD0152A	165.00	166.00	1.00	0.04			
DSDD0152A	166.00	167.00	1.00	0.02			
DSDD0152A	167.00	168.00	1.00	0.43			
DSDD0152A	222.00	223.00	1.00	0.27			
DSDD0152A	223.00	224.00	1.00	<b>1.99</b>			<b>1.00 m @ 1.99 g/t Au</b>
DSDD0152A	224.00	225.00	1.00	0.27			
DSDD0152A	225.00	226.00	1.00	0.15			
DSDD0152A	231.00	232.20	1.20	<b>1.58</b>			<b>1.20 m @ 1.58 g/t Au</b>
DSDD0152A	232.20	233.00	0.80	0.33			
DSDD0152A	236.00	237.00	1.00	0.11			
DSDD0152A	237.00	238.00	1.00	0.15			
DSDD0153A	1.70	3.00	1.30	0.11			
DSDD0153A	320.00	321.00	1.00	0.28			
DSDD0153A	321.00	322.00	1.00	0.47			
DSDD0153A	322.00	323.00	1.00	0.05			
DSDD0153A	323.00	324.00	1.00	0.06			
DSDD0153A	324.00	325.00	1.00	0.02			
DSDD0153A	325.00	326.00	1.00	0.50			
DSDD0153A	328.00	329.00	1.00	0.31			<b>1.00 m @ 0.31 g/t Au</b>
DSDD0153A	329.00	330.00	1.00	0.14			
DSDD0153A	333.00	334.00	1.00	0.34			
DSDD0153A	334.00	335.00	1.00	0.06			
DSDD0153A	335.00	336.00	1.00	0.13			
DSDD0153A	336.00	337.00	1.00	0.41			
DSDD0153A	337.00	338.00	1.00	0.53			
DSDD0153A	338.00	339.00	1.00	0.32			
DSDD0153A	340.00	341.00	1.00	0.16			
DSDD0153A	343.00	344.00	1.00	0.15			
DSDD0153A	345.00	346.00	1.00	0.23			
DSDD0153A	346.00	347.00	1.00	0.16			
DSDD0153A	347.00	348.00	1.00	0.13			
DSDD0153A	348.00	349.00	1.00	0.39			
DSDD0153A	349.00	350.00	1.00	0.28			
DSDD0153A	355.00	356.00	1.00	0.31			
DSDD0153A	356.00	357.00	1.00	0.12			
DSDD0153A	357.00	358.00	1.00	0.13			
DSDD0153A	358.00	359.00	1.00	0.26			
DSDD0153A	362.00	363.00	1.00	0.17			
DSDD0153A	365.00	366.00	1.00	0.11			
DSDD0153A	366.00	367.00	1.00	<b>4.12</b>			<b>1.00 m @ 4.12 g/t Au</b>
DSDD0153A	367.00	368.00	1.00	0.32			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0153A	368.00	369.00	1.00	0.02			
DSDD0153A	369.00	370.00	1.00	0.20			
DSDD0153A	370.00	371.00	1.00	0.29			
DSDD0153A	371.00	372.00	1.00	0.57			
DSDD0153A	372.00	373.00	1.00	0.29			
DSDD0153A	373.00	374.00	1.00	0.35			
DSDD0153A	374.00	375.00	1.00	0.31			
DSDD0153A	375.00	376.00	1.00	0.17			
DSDD0153A	376.00	377.00	1.00	0.51			
DSDD0153A	377.00	378.00	1.00	0.47			
DSDD0153A	378.00	379.00	1.00	0.62			
DSDD0153A	379.00	380.00	1.00	0.63			
DSDD0153A	380.00	381.00	1.00	0.30			
DSDD0153A	381.00	382.00	1.00	0.07			
DSDD0153A	382.00	383.00	1.00	0.28			
DSDD0153A	383.00	384.00	1.00	0.14			
DSDD0153A	384.00	385.00	1.00	0.81			
DSDD0153A	385.00	386.00	1.00	0.54			
DSDD0153A	386.00	387.00	1.00	0.12			
DSDD0153A	387.00	388.00	1.00	0.13			
DSDD0153A	388.00	389.00	1.00	0.40			
DSDD0153A	390.00	391.00	1.00	0.12			
DSDD0153A	392.00	393.00	1.00	0.16			
DSDD0153A	393.00	394.00	1.00	0.16			
DSDD0153A	395.00	396.00	1.00	0.10			
DSDD0153A	396.00	397.00	1.00	0.24	3.00 m @ 0.21 g/t Au	0.6	
DSDD0153A	397.00	398.00	1.00	0.14			
DSDD0153A	398.00	399.00	1.00	0.26			
DSDD0153A	403.00	404.00	1.00	0.28			
DSDD0153A	404.00	405.00	1.00	0.34	14.00 m @ 0.26 g/t Au	3.7	
DSDD0153A	405.00	406.00	1.00	0.14			
DSDD0153A	406.00	407.00	1.00	0.01			
DSDD0153A	407.00	408.00	1.00	0.03			
DSDD0153A	408.00	409.00	1.00	0.75			
DSDD0153A	409.00	410.00	1.00	0.34			
DSDD0153A	410.00	411.00	1.00	0.08			
DSDD0153A	411.00	412.00	1.00	0.20			
DSDD0153A	412.00	413.00	1.00	0.36			
DSDD0153A	413.00	414.00	1.00	0.31			
DSDD0153A	414.00	415.00	1.00	0.18	1.00 m @ 0.33 g/t Au	0.3	
DSDD0153A	415.00	416.00	1.00	0.31			
DSDD0153A	416.00	417.00	1.00	0.34			
DSDD0153A	417.00	418.00	1.00	0.14			
DSDD0153A	425.00	426.00	1.00	0.14	2.00 m @ 0.39 g/t Au	0.8	
DSDD0153A	426.00	427.00	1.00	0.33			
DSDD0153A	427.00	428.00	1.00	0.15			
DSDD0153A	429.00	430.00	1.00	0.11			
DSDD0153A	430.00	431.00	1.00	0.16			
DSDD0153A	432.00	433.00	1.00	0.19			
DSDD0153A	433.00	434.00	1.00	0.20			
DSDD0153A	434.00	435.00	1.00	0.58			
DSDD0153A	435.00	436.00	1.00	0.10			
DSDD0153A	437.00	438.00	1.00	0.13			
DSDD0153A	440.00	441.00	1.00	0.18	12.00 m @ 0.30 g/t Au	3.6	
DSDD0153A	441.00	442.00	1.00	0.49			
DSDD0153A	442.00	443.00	1.00	0.29			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0153A	443.00	444.00	1.00	0.26			
DSDD0153A	444.00	445.00	1.00	0.20			
DSDD0153A	445.00	446.00	1.00	0.84			
DSDD0153A	446.00	447.00	1.00	0.25			
DSDD0153A	447.00	448.00	1.00	0.49			
DSDD0153A	448.00	449.00	1.00	0.26			
DSDD0153A	449.00	450.00	1.00	0.05			
DSDD0153A	450.00	451.00	1.00	0.05			
DSDD0153A	451.00	452.00	1.00	0.16			
DSDD0153A	452.00	453.00	1.00	0.28			
DSDD0153A	453.00	454.00	1.00	0.16			
DSDD0153A	457.00	458.00	1.00	0.31			
DSDD0153A	458.00	459.00	1.00	0.15			
DSDD0153A	459.00	460.00	1.00	0.21			
DSDD0153A	460.00	461.00	1.00	0.16			
DSDD0153A	461.00	462.00	1.00	0.33			
DSDD0153A	462.00	463.00	1.00	0.05			
DSDD0153A	463.00	464.00	1.00	0.42			
DSDD0153A	467.00	468.00	1.00	0.17			
DSDD0153A	470.00	471.00	1.00	0.13			
DSDD0153A	471.00	472.00	1.00	0.20			
DSDD0153A	472.00	473.00	1.00	0.67			
DSDD0153A	473.00	474.00	1.00	0.59			
DSDD0153A	474.00	475.00	1.00	0.18			
DSDD0153A	475.00	476.00	1.00	0.25			
DSDD0153A	476.00	477.00	1.00	0.29			
DSDD0153A	477.00	478.00	1.00	0.18			
DSDD0153A	478.00	479.00	1.00	0.14			
DSDD0153A	479.00	480.00	1.00	0.57			
DSDD0153A	480.00	481.00	1.00	0.01			
DSDD0153A	481.00	482.00	1.00	0.22			
DSDD0153A	482.00	483.00	1.00	0.41			
DSDD0154	0.00	1.00	1.00	0.13			
DSDD0154	1.00	2.10	1.10	0.52	1.10 m @ 0.52 g/t Au	0.6	
DSDD0154	3.70	5.15	1.45	0.54	1.45 m @ 0.54 g/t Au	0.8	
DSDD0154	6.53	8.00	1.47	<b>1.35</b>	1.47 m @ 1.35 g/t Au	2.0	<b>1.47 m @ 1.35 g/t Au</b>
DSDD0154	9.84	11.24	1.40	0.12			
DSDD0154	16.00	17.10	1.10	<b>1.13</b>	1.10 m @ 1.13 g/t Au	1.2	<b>1.10 m @ 1.13 g/t Au</b>
DSDD0154	22.10	23.00	0.90	0.76	0.90 m @ 0.76 g/t Au	0.7	
DSDD0155A	3.00	4.00	1.00	0.31	1.00 m @ 0.31 g/t Au	0.3	
DSDD0155A	69.00	70.00	1.00	0.12			
DSDD0155A	138.00	139.00	1.00	0.62	1.00 m @ 0.62 g/t Au	0.6	
DSDD0155A	142.25	143.00	0.75	0.10			
DSDD0155A	146.00	147.00	1.00	0.18			
DSDD0155A	150.00	151.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0155A	183.00	184.00	1.00	0.41			
DSDD0155A	184.00	185.00	1.00	0.28			
DSDD0155A	185.00	186.00	1.00	0.72			
DSDD0155A	186.00	187.00	1.00	<b>1.80</b>			
DSDD0155A	187.00	188.00	1.00	<b>1.13</b>			
DSDD0155A	188.00	189.00	1.00	0.45			
DSDD0155A	189.00	190.00	1.00	0.17			
DSDD0155A	190.00	191.00	1.00	0.54			
DSDD0155A	191.00	192.00	1.00	0.80			
DSDD0155A	192.00	193.00	1.00	0.77			
DSDD0155A	193.00	194.00	1.00	0.88			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0155A	194.00	195.00	1.00	0.31			
DSDD0155A	195.00	196.00	1.00	0.73			
DSDD0155A	196.00	197.00	1.00	<b>3.21</b>			
DSDD0155A	197.00	198.00	1.00	<b>1.71</b>			
DSDD0155A	198.00	199.00	1.00	<b>1.42</b>			
DSDD0155A	199.00	200.00	1.00	<b>1.01</b>			
DSDD0155A	200.00	201.00	1.00	0.12			
DSDD0155A	201.00	202.29	1.29	0.75			
DSDD0155A	202.29	203.00	0.71	0.03			
DSDD0155A	203.00	204.00	1.00	0.81			
DSDD0155A	204.00	205.00	1.00	0.23			
DSDD0155A	205.00	206.00	1.00	0.51			
DSDD0155A	206.00	207.00	1.00	<b>1.42</b>			
DSDD0155A	207.00	208.00	1.00	<b>1.18</b>			
DSDD0155A	208.00	209.00	1.00	0.81			
DSDD0155A	209.00	210.00	1.00	<b>1.25</b>			
DSDD0155A	210.00	211.00	1.00	0.83			
DSDD0155A	211.00	212.00	1.00	0.58			
DSDD0155A	224.00	225.00	1.00	0.16			
DSDD0155A	293.00	294.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2	
DSDD0155A	296.00	297.00	1.00	0.29	1.00 m @ 0.29 g/t Au	0.3	
DSDD0155A	298.00	299.00	1.00	0.14			
DSDD0155A	299.00	300.00	1.00	0.19			
DSDD0155A	304.00	305.00	1.00	0.82	1.00 m @ 0.82 g/t Au	0.8	
DSDD0155A	308.00	309.00	1.00	0.10			
DSDD0155A	309.00	310.00	1.00	0.14			
DSDD0155A	326.00	327.00	1.00	0.14			
DSDD0155A	359.00	360.00	1.00	0.26	1.00 m @ 0.26 g/t Au	0.3	
DSDD0155A	365.00	366.00	1.00	0.12			
DSDD0155A	366.00	367.00	1.00	<b>3.18</b>			<b>1.00 m @ 3.18 g/t Au</b>
DSDD0155A	367.00	368.00	1.00	0.08			
DSDD0155A	368.00	369.00	1.00	0.15			
DSDD0155A	369.00	370.26	1.26	0.26			
DSDD0155A	373.00	373.90	0.90	0.11			
DSDD0155A	407.00	408.00	1.00	0.17			
DSDD0155A	409.00	410.00	1.00	0.12			
DSDD0155A	411.00	412.00	1.00	0.25			
DSDD0155A	412.00	413.00	1.00	0.25			
DSDD0155A	413.00	414.00	1.00	0.20			
DSDD0155A	414.00	415.00	1.00	0.13			
DSDD0155A	415.00	416.00	1.00	0.33			
DSDD0155A	416.00	417.00	1.00	0.12			
DSDD0155A	417.00	418.00	1.00	0.19			
DSDD0155A	431.80	433.00	1.20	0.12			
DSDD0155A	433.00	434.00	1.00	0.27			
DSDD0155A	434.00	435.00	1.00	0.18			
DSDD0155A	435.00	436.00	1.00	0.79			
DSDD0155A	436.00	437.00	1.00	0.54			
DSDD0155A	437.00	438.00	1.00	0.10			
DSDD0155A	447.00	448.00	1.00	<b>3.94</b>			
DSDD0155A	448.00	449.00	1.00	0.28			
DSDD0155A	449.00	450.00	1.00	0.72			
DSDD0155A	450.00	451.00	1.00	<b>2.00</b>			
DSDD0155A	451.00	452.00	1.00	0.12			
DSDD0155A	452.00	453.00	1.00	0.10			
DSDD0155A	453.00	454.00	1.00	0.42			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0155A	454.00	455.00	1.00	<b>2.07</b>			<b>1.00 m @ 2.07 g/t Au</b>
DSDD0155A	455.00	456.00	1.00	0.12			
DSDD0155A	456.00	457.00	1.00	0.26			
DSDD0155A	457.00	458.00	1.00	0.37			
DSDD0155A	458.00	459.00	1.00	0.65			
DSDD0155A	459.00	460.00	1.00	0.76			
DSDD0155A	460.00	461.00	1.00	<b>1.26</b>			<b>1.00 m @ 1.26 g/t Au</b>
DSDD0155A	461.00	462.00	1.00	0.35			
DSDD0155A	462.00	463.00	1.00	0.25			
DSDD0155A	463.00	464.00	1.00	0.14			
DSDD0155A	467.00	468.00	1.00	<b>4.57</b>			<b>1.00 m @ 4.57 g/t Au</b>
DSDD0155A	468.00	469.00	1.00	0.45			
DSDD0155A	469.00	470.00	1.00	0.29			
DSDD0155A	470.00	471.00	1.00	0.01			
DSDD0155A	471.00	472.13	1.13	0.51			
DSDD0155A	472.13	473.00	0.87	0.28			
DSDD0155A	473.00	474.00	1.00	0.04			
DSDD0155A	474.00	475.00	1.00	0.29			
DSDD0155A	475.00	476.00	1.00	0.05			
DSDD0155A	476.00	476.95	0.95	0.04			
DSDD0155A	476.95	478.00	1.05	0.95			
DSDD0155A	478.00	479.00	1.00	<b>2.52</b>			
DSDD0155A	479.00	480.00	1.00	<b>2.55</b>			
DSDD0155A	480.00	481.00	1.00	0.95			
DSDD0155A	481.00	482.00	1.00	0.77			
DSDD0155A	482.00	483.00	1.00	<b>4.45</b>			
DSDD0155A	483.00	484.00	1.00	<b>1.22</b>			
DSDD0155A	484.00	485.00	1.00	0.55			
DSDD0155A	485.00	486.00	1.00	0.51			
DSDD0155A	486.00	487.00	1.00	0.37			
DSDD0155A	487.00	488.00	1.00	<b>1.44</b>			<b>1.00 m @ 1.44 g/t Au</b>
DSDD0155A	488.00	489.00	1.00	0.83			
DSDD0155A	489.00	490.00	1.00	0.51			
DSDD0155A	490.00	491.00	1.00	0.27			
DSDD0155A	491.00	492.00	1.00	0.36			
DSDD0155A	492.00	493.00	1.00	0.98			
DSDD0155A	493.00	494.00	1.00	0.18			
DSDD0155A	494.00	495.00	1.00	0.16			
DSDD0155A	495.00	496.00	1.00	0.21			
DSDD0155A	496.00	497.00	1.00	0.47			
DSDD0155A	497.00	498.00	1.00	0.10			
DSDD0155A	501.00	502.00	1.00	0.13			
DSDD0155A	502.00	503.00	1.00	0.21			
DSDD0155A	503.00	504.00	1.00	0.40			
DSDD0155A	504.00	505.00	1.00	0.20			
DSDD0155A	505.00	506.00	1.00	0.21			
DSDD0155A	508.00	509.00	1.00	0.14			
DSDD0156	3.00	4.00	1.00	0.12			
DSDD0156	18.00	18.94	0.94	0.10			
DSDD0156	45.00	46.00	1.00	0.11			
DSDD0156	46.00	47.00	1.00	0.13			
DSDD0156	49.00	50.00	1.00	0.11			
DSDD0156	50.00	51.00	1.00	0.16			
DSDD0156	102.00	103.00	1.00	0.14			
DSDD0156	103.00	104.00	1.00	0.22	1.00 m @ 0.22 g/t Au	0.2	
DSDD0156	112.00	113.00	1.00	0.10			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0156	118.00	119.00	1.00	0.29			
DSDD0156	119.00	119.59	0.59	0.08			
DSDD0156	119.59	120.50	0.91	0.23			
DSDD0156	120.50	121.20	0.70	0.74			
DSDD0156	121.20	122.00	0.80	0.18			
DSDD0156	126.00	127.00	1.00	0.12			
DSDD0156	138.00	139.00	1.00	0.28	1.00 m @ 0.28 g/t Au	0.3	
DSDD0156	142.00	143.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0156	146.00	147.05	1.05	0.13			
DSDD0156	148.75	150.00	1.25	<b>12.09</b>			<b>1.25 m @ 12.09 g/t Au</b>
DSDD0156	150.00	151.00	1.00	0.26			
DSDD0156	151.00	152.00	1.00	0.10			
DSDD0156	152.00	153.00	1.00	0.12			
DSDD0156	153.00	154.00	1.00	0.11			
DSDD0156	155.00	156.00	1.00	0.67			
DSDD0156	156.00	157.00	1.00	<b>1.71</b>			<b>1.00 m @ 1.71 g/t Au</b>
DSDD0156	157.00	158.00	1.00	0.37			
DSDD0156	158.00	159.00	1.00	0.43			
DSDD0156	159.00	160.00	1.00	0.25			
DSDD0156	160.00	161.00	1.00	0.01			
DSDD0156	161.00	162.00	1.00	0.90			
DSDD0156	162.00	163.00	1.00	<b>1.73</b>			<b>1.00 m @ 1.73 g/t Au</b>
DSDD0156	163.00	164.00	1.00	0.45			
DSDD0156	164.00	165.00	1.00	0.11			
DSDD0156	165.00	166.00	1.00	0.42			
DSDD0156	166.00	167.00	1.00	0.25			
DSDD0156	167.00	168.00	1.00	0.07			
DSDD0156	168.00	169.00	1.00	0.95			
DSDD0156	169.00	170.00	1.00	0.10			
DSDD0156	170.00	171.00	1.00	0.22			
DSDD0156	171.00	172.00	1.00	0.09			
DSDD0156	172.00	173.00	1.00	0.01			
DSDD0156	173.00	174.00	1.00	0.68			
DSDD0156	174.00	175.50	1.50	0.04			
DSDD0156	175.50	176.00	0.50	0.08			
DSDD0156	176.00	177.00	1.00	0.27			
DSDD0156	177.00	178.00	1.00	0.10			
DSDD0156	179.00	180.00	1.00	0.12			
DSDD0156	185.00	186.00	1.00	0.15			
DSDD0156	186.00	187.00	1.00	0.19			
DSDD0156	189.00	190.00	1.00	0.17			
DSDD0156	194.00	195.00	1.00	0.29			
DSDD0156	195.00	195.78	0.78	0.01			
DSDD0156	195.78	196.50	0.72	<b>1.50</b>			<b>0.72 m @ 1.50 g/t Au</b>
DSDD0156	196.50	197.00	0.50	0.24			
DSDD0156	199.00	200.00	1.00	0.11			
DSDD0156	206.44	207.00	0.56	0.19			
DSDD0156	207.00	207.85	0.85	0.14			
DSDD0156	207.85	208.50	0.65	0.27			
DSDD0156	208.50	209.00	0.50	0.20			
DSDD0156	211.00	212.00	1.00	0.11			
DSDD0156	214.00	215.00	1.00	0.12			
DSDD0156	215.00	216.00	1.00	0.12			
DSDD0156	216.00	217.00	1.00	0.17			
DSDD0156	217.00	218.40	1.40	0.11			
DSDD0156	218.40	219.00	0.60	0.31	<b>3.88 m @ 3.76 g/t Au</b>	<b>14.6</b>	




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0156	219.00	220.00	1.00	<b>13.56</b>			1.00 m @ 13.56 g/t Au
DSDD0156	220.00	221.00	1.00	0.56			
DSDD0156	221.00	222.28	1.28	0.21			
DSDD0156	222.28	223.00	0.72	0.11			
DSDD0156	226.00	227.00	1.00	0.15			
DSDD0156	227.00	227.97	0.97	0.11			
DSDD0156	229.00	230.00	1.00	0.28			
DSDD0156	230.00	231.00	1.00	0.31			
DSDD0156	231.00	232.00	1.00	0.20			
DSDD0156	232.00	233.00	1.00	0.05			
DSDD0156	233.00	234.00	1.00	0.89			
DSDD0156	234.00	235.00	1.00	0.43			
DSDD0156	235.00	236.00	1.00	0.46			
DSDD0156	236.00	237.10	1.10	0.49			
DSDD0156	249.00	250.00	1.00	0.10			
DSDD0156	252.00	252.60	0.60	0.16			
DSDD0156	252.60	253.50	0.90	0.66			
DSDD0156	253.50	254.00	0.50	0.17			
DSDD0156	254.00	255.00	1.00	0.16			
DSDD0156	255.00	256.00	1.00	<b>1.27</b>			
DSDD0156	256.00	257.00	1.00	<b>1.06</b>			
DSDD0156	257.00	258.00	1.00	0.79			
DSDD0156	258.00	259.00	1.00	<b>2.23</b>			
DSDD0156	259.00	260.00	1.00	<b>1.48</b>			
DSDD0156	260.00	261.00	1.00	0.98			
DSDD0156	261.00	262.00	1.00	0.63			
DSDD0156	262.00	263.00	1.00	0.78			
DSDD0156	263.00	264.00	1.00	0.95			
DSDD0156	264.00	265.00	1.00	<b>3.07</b>			
DSDD0156	265.00	266.00	1.00	<b>2.52</b>			
DSDD0156	266.00	267.00	1.00	<b>1.36</b>			
DSDD0156	267.00	268.00	1.00	<b>1.27</b>			
DSDD0156	268.00	269.00	1.00	0.68			
DSDD0156	269.00	270.00	1.00	0.41			
DSDD0156	270.00	271.00	1.00	0.24			
DSDD0156	271.00	272.00	1.00	0.39			
DSDD0156	272.00	273.00	1.00	<b>1.50</b>			1.00 m @ 1.50 g/t Au
DSDD0156	273.00	274.00	1.00	0.87			
DSDD0156	274.00	275.00	1.00	0.45			
DSDD0156	275.00	276.00	1.00	0.62			
DSDD0156	276.00	277.00	1.00	0.66			
DSDD0156	277.00	278.00	1.00	<b>1.53</b>			
DSDD0156	278.00	279.00	1.00	0.27			
DSDD0156	279.00	280.00	1.00	0.33			
DSDD0156	280.00	281.00	1.00	<b>2.79</b>			
DSDD0156	281.00	282.00	1.00	<b>2.69</b>			
DSDD0156	282.00	283.00	1.00	0.26			
DSDD0156	283.00	284.00	1.00	0.54			
DSDD0156	284.00	285.00	1.00	0.71			
DSDD0156	285.00	286.00	1.00	0.18			
DSDD0156	286.00	287.00	1.00	0.61			
DSDD0156	287.00	288.00	1.00	<b>1.06</b>			
DSDD0156	288.00	289.00	1.00	0.75			
DSDD0156	289.00	290.00	1.00	0.60			
DSDD0156	290.00	291.00	1.00	<b>1.35</b>			
DSDD0156	291.00	292.00	1.00	<b>2.11</b>			


42.40 m @ 0.99 g/t Au

42.0




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0156	292.00	293.00	1.00	0.65			
DSDD0156	293.00	294.00	1.00	0.24			
DSDD0156	294.00	295.00	1.00	0.26			
DSDD0156	326.32	327.27	0.95	0.21	0.95 m @ 0.21 g/t Au	0.2	
DSDD0156	328.35	329.00	0.65	0.11			
DSDD0157	0.00	1.00	1.00	0.17			
DSDD0157	1.00	2.11	1.11	0.13			
DSDD0157	4.50	5.59	1.09	0.42	1.09 m @ 0.42 g/t Au	0.5	
DSDD0157	7.37	7.97	0.60	0.12			
DSDD0157	13.11	13.94	0.83	0.24	0.83 m @ 0.24 g/t Au	0.2	
DSDD0157	50.00	51.00	1.00	0.12			
DSDD0157	51.00	52.00	1.00	0.11			
DSDD0157	56.00	57.00	1.00	0.22			
DSDD0157	57.00	58.00	1.00	<b>1.52</b>			
DSDD0157	58.00	59.00	1.00	<b>2.42</b>			
DSDD0157	59.00	60.00	1.00	<b>1.00</b>			
DSDD0157	60.00	61.00	1.00	0.40			
DSDD0157	61.00	62.00	1.00	0.07			
DSDD0157	62.00	63.00	1.00	0.55			
DSDD0157	63.00	64.00	1.00	0.92			
DSDD0157	64.00	65.00	1.00	0.26			
DSDD0157	65.00	66.00	1.00	0.38			
DSDD0157	66.00	67.00	1.00	<b>1.10</b>			
DSDD0157	67.00	68.00	1.00	<b>1.64</b>			
DSDD0157	68.00	69.00	1.00	<b>1.02</b>			
DSDD0157	69.00	70.00	1.00	<b>1.80</b>			
DSDD0157	70.00	71.00	1.00	0.50			
DSDD0157	71.00	72.00	1.00	<b>4.42</b>			
DSDD0157	72.00	73.00	1.00	0.28			
DSDD0157	73.00	74.00	1.00	<b>6.65</b>			
DSDD0157	74.00	75.00	1.00	0.07			
DSDD0157	75.00	76.00	1.00	0.25			
DSDD0157	76.00	77.00	1.00	0.90			
DSDD0157	77.00	78.00	1.00	0.38			
DSDD0157	78.00	79.00	1.00	<b>2.11</b>			
DSDD0157	79.00	80.00	1.00	<b>1.26</b>			
DSDD0157	80.00	81.00	1.00	<b>20.44</b>			
DSDD0157	81.00	82.00	1.00	<b>4.95</b>			
DSDD0157	82.00	83.00	1.00	<b>5.68</b>			
DSDD0157	83.00	84.00	1.00	0.61			
DSDD0157	84.00	85.00	1.00	<b>12.51</b>			
DSDD0157	85.00	86.00	1.00	0.27			
DSDD0157	86.00	87.00	1.00	<b>1.16</b>			
DSDD0157	87.00	88.00	1.00	0.26			
DSDD0157	88.00	89.00	1.00	<b>1.81</b>			
DSDD0157	89.00	90.00	1.00	<b>1.23</b>			
DSDD0157	90.00	91.00	1.00	0.12			
DSDD0157	140.00	141.00	1.00	0.11			
DSDD0157	143.00	144.00	1.00	0.14			
DSDD0157	161.00	162.00	1.00	0.20			
DSDD0157	162.00	163.00	1.00	0.03			
DSDD0157	163.00	164.00	1.00	0.02			
DSDD0157	164.00	165.00	1.00	0.31			
DSDD0157	165.00	166.00	1.00	0.80			
DSDD0157	166.00	167.00	1.00	0.26			
DSDD0157	167.00	167.86	0.86	0.27			
					34.00 m @ 2.32 g/t Au	79.0	
							3.00 m @ 1.65 g/t Au
							8.00 m @ 2.18 g/t Au
							9.00 m @ 5.44 g/t Au
							2.00 m @ 1.52 g/t Au
					6.86 m @ 0.27 g/t Au	1.9	




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0157	167.86	169.00	1.14	0.12			
DSDD0157	178.00	179.00	1.00	0.11			
DSDD0157	179.00	180.00	1.00	<b>4.57</b>			
DSDD0157	180.00	181.00	1.00	0.27	2.00 m @ 2.42 g/t Au	4.8	1.00 m @ 4.57 g/t Au
DSDD0157	181.00	182.00	1.00	0.10			
DSDD0158A	3.50	4.50	1.00	0.11			
DSDD0158A	20.32	21.00	0.68	0.10			
DSDD0158A	23.38	24.67	1.29	0.12			
DSDD0158A	27.00	28.00	1.00	0.10			
DSDD0158A	48.00	49.50	1.50	0.63	1.50 m @ 0.63 g/t Au	0.9	
DSDD0158A	50.26	51.00	0.74	0.25			
DSDD0158A	51.00	52.00	1.00	0.99	1.74 m @ 0.68 g/t Au	1.2	
DSDD0158A	61.00	62.00	1.00	0.60	1.00 m @ 0.60 g/t Au	0.6	
DSDD0158A	100.00	101.40	1.40	0.19			
DSDD0158A	101.40	102.00	0.60	0.60			
DSDD0158A	102.00	103.00	1.00	<b>1.13</b>			
DSDD0158A	103.00	104.00	1.00	0.71			
DSDD0158A	104.00	105.00	1.00	<b>2.07</b>			
DSDD0158A	105.00	106.00	1.00	0.40			
DSDD0158A	137.00	138.00	1.00	0.10			
DSDD0158A	138.00	139.10	1.10	0.12			
DSDD0158A	147.00	147.80	0.80	0.10			
DSDD0158A	147.80	149.00	1.20	0.16			
DSDD0158A	149.00	150.00	1.00	0.21	1.00 m @ 0.21 g/t Au	0.2	
DSDD0158A	150.00	151.00	1.00	0.15			
DSDD0158A	151.00	152.00	1.00	0.15			
DSDD0158A	152.00	153.00	1.00	0.18			
DSDD0158A	153.00	154.10	1.10	0.28	1.10 m @ 0.28 g/t Au	0.3	
DSDD0158A	154.10	155.00	0.90	0.19			
DSDD0158A	157.00	158.00	1.00	0.37			
DSDD0158A	158.00	159.00	1.00	0.29	2.00 m @ 0.33 g/t Au	0.7	
DSDD0158A	170.00	171.00	1.00	0.40	1.00 m @ 0.40 g/t Au	0.4	
DSDD0158A	177.00	178.00	1.00	0.27			
DSDD0158A	178.00	179.00	1.00	0.19			
DSDD0158A	179.00	180.00	1.00	0.01			
DSDD0158A	180.00	181.00	1.00	0.40			
DSDD0158A	181.00	182.00	1.00	0.01	9.00 m @ 0.43 g/t Au	3.9	
DSDD0158A	182.00	183.00	1.00	0.14			
DSDD0158A	183.00	184.00	1.00	0.37			
DSDD0158A	184.00	185.00	1.00	<b>2.26</b>			
DSDD0158A	185.00	186.00	1.00	0.23			
DSDD0158A	188.00	189.00	1.00	0.12			
DSDD0158A	192.00	193.00	1.00	0.12			
DSDD0158A	193.00	194.00	1.00	0.12			
DSDD0158A	195.00	196.00	1.00	0.46	1.00 m @ 0.46 g/t Au	0.5	
DSDD0158A	196.00	197.00	1.00	0.19			
DSDD0158A	204.00	205.00	1.00	0.48	1.00 m @ 0.48 g/t Au	0.5	
DSDD0158A	207.00	208.00	1.00	0.14			
DSDD0158A	208.00	209.00	1.00	0.19			
DSDD0158A	209.00	210.00	1.00	0.14			
DSDD0158A	210.00	211.00	1.00	0.24			
DSDD0158A	211.00	212.00	1.00	0.21			
DSDD0158A	212.00	213.00	1.00	0.41			
DSDD0158A	213.00	214.00	1.00	0.11			
DSDD0158A	214.00	215.00	1.00	0.28			
DSDD0158A	215.00	216.00	1.00	0.18			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0158A	216.00	217.00	1.00	0.63			
DSDD0158A	217.00	218.00	1.00	0.53			
DSDD0158A	218.00	219.00	1.00	0.43			
DSDD0158A	219.00	220.00	1.00	0.33			
DSDD0158A	220.00	221.00	1.00	0.16			
DSDD0158A	221.00	222.00	1.00	0.02			
DSDD0158A	222.00	223.00	1.00	0.01			
DSDD0158A	223.00	224.00	1.00	<b>1.38</b>			<b>1.00 m @ 1.38 g/t Au</b>
DSDD0158A	226.00	227.00	1.00	0.11			
DSDD0158A	227.00	228.00	1.00	0.12			
DSDD0158A	233.00	234.00	1.00	0.36			
DSDD0158A	234.00	235.00	1.00	0.13			
DSDD0158A	235.00	236.00	1.00	<b>13.05</b>			
DSDD0158A	236.00	237.00	1.00	0.03			
DSDD0158A	237.00	238.00	1.00	0.12			
DSDD0158A	238.00	239.00	1.00	<b>2.14</b>			
DSDD0158A	239.00	240.00	1.00	0.06			
DSDD0158A	240.00	241.00	1.00	0.29			
DSDD0158A	241.00	242.00	1.00	<b>1.10</b>			<b>1.00 m @ 1.10 g/t Au</b>
DSDD0158A	242.00	243.00	1.00	0.51			
DSDD0158A	243.00	244.00	1.00	0.10			
DSDD0158A	244.00	245.00	1.00	0.53			
DSDD0158A	245.00	246.00	1.00	0.21			
DSDD0158A	246.00	247.00	1.00	0.13			
DSDD0158A	247.00	248.00	1.00	0.97			
DSDD0158A	248.00	249.00	1.00	0.29			
DSDD0158A	249.00	250.00	1.00	<b>1.38</b>			
DSDD0158A	250.00	251.00	1.00	<b>1.53</b>			
DSDD0158A	251.00	252.00	1.00	<b>1.64</b>			
DSDD0158A	252.00	253.00	1.00	0.55			
DSDD0158A	253.00	254.00	1.00	<b>1.97</b>			
DSDD0158A	254.00	255.00	1.00	0.61			
DSDD0158A	255.00	256.00	1.00	0.40			
DSDD0158A	256.00	257.00	1.00	0.67			
DSDD0158A	257.00	258.00	1.00	0.69			
DSDD0158A	258.00	259.00	1.00	0.13			
DSDD0158A	259.00	260.00	1.00	0.04			
DSDD0158A	260.00	261.00	1.00	<b>1.33</b>			<b>1.00 m @ 1.33 g/t Au</b>
DSDD0158A	261.00	262.00	1.00	0.18			
DSDD0158A	262.00	263.00	1.00	0.16			
DSDD0158A	263.00	264.00	1.00	0.14			
DSDD0158A	266.20	267.00	0.80	0.14			
DSDD0158A	273.00	274.00	1.00	<b>1.37</b>			<b>1.00 m @ 1.37 g/t Au</b>
DSDD0158A	274.00	275.00	1.00	0.51			
DSDD0158A	275.00	276.00	1.00	<b>0.31</b>			
DSDD0158A	276.00	277.00	1.00	0.13			
DSDD0158A	283.00	284.00	1.00	<b>2.19</b>	1.00 m @ 2.19 g/t Au	2.2	<b>1.00 m @ 2.19 g/t Au</b>
DSDD0158A	284.00	285.00	1.00	0.18			
DSDD0158A	295.00	296.00	1.00	0.90	1.00 m @ 0.90 g/t Au	0.9	
DSDD0158A	302.00	303.00	1.00	0.30			
DSDD0158A	303.00	304.00	1.00	0.20	2.00 m @ 0.25 g/t Au	0.5	
DSDD0158A	304.00	305.00	1.00	0.17			
DSDD0158A	324.00	325.00	1.00	0.15			
DSDD0160	166.00	167.00	1.00	<b>2.04</b>	1.00 m @ 2.04 g/t Au	2.0	<b>1.00 m @ 2.04 g/t Au</b>
DSDD0160	177.00	178.00	1.00	0.45	1.00 m @ 0.45 g/t Au	0.5	
DSDD0160	182.00	183.00	1.00	0.30	2.00 m @ 0.34 g/t Au	0.7	




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0160	183.00	184.00	1.00	0.38			
DSDD0160	184.00	185.10	1.10	0.14			
DSDD0160	185.10	186.00	0.90	0.12			
DSDD0160	193.00	194.00	1.00	0.13			
DSDD0160	211.75	213.00	1.25	<b>1.08</b>	6.25 m @ 0.99 g/t Au	6.2	3.25 m @ 1.38 g/t Au
DSDD0160	213.00	214.00	1.00	<b>1.83</b>			
DSDD0160	214.00	215.00	1.00	<b>1.31</b>			
DSDD0160	215.00	216.00	1.00	0.39			
DSDD0160	216.00	217.00	1.00	0.68			
DSDD0160	217.00	218.00	1.00	0.63			
DSDD0160	218.00	218.87	0.87	0.18			
DSDD0160	218.87	220.00	1.13	0.10			
DSDD0160	232.20	233.51	1.31	0.33	1.31 m @ 0.33 g/t Au	0.4	
DSDD0160	266.50	267.70	1.20	0.72	2.50 m @ 0.64 g/t Au	1.6	
DSDD0160	267.70	269.00	1.30	0.56			
DSDD0160	269.00	270.00	1.00	0.18			
DSDD0160	270.00	271.00	1.00	0.17			
DSDD0160	273.00	274.00	1.00	<b>1.05</b>	12.00 m @ 0.60 g/t Au	7.2	3.00 m @ 1.32 g/t Au
DSDD0160	274.00	275.00	1.00	0.27			
DSDD0160	275.00	276.00	1.00	<b>2.63</b>			
DSDD0160	276.00	277.00	1.00	0.10			
DSDD0160	277.00	278.00	1.00	0.08			
DSDD0160	278.00	279.00	1.00	0.87			
DSDD0160	279.00	280.00	1.00	0.04			
DSDD0160	280.00	280.85	0.85	0.02			
DSDD0160	280.85	282.00	1.15	0.02			
DSDD0160	282.00	283.00	1.00	0.29			
DSDD0160	283.00	284.00	1.00	0.94			
DSDD0160	284.00	285.00	1.00	0.89			
DSDD0160	291.00	292.00	1.00	0.11			
DSDD0160	315.00	316.00	1.00	0.10			
DSDD0160	322.00	323.00	1.00	0.19			
DSDD0160	324.00	325.00	1.00	0.15	4.00 m @ 0.30 g/t Au	1.2	
DSDD0160	333.00	334.00	1.00	0.17			
DSDD0160	342.00	343.00	1.00	0.43			
DSDD0160	343.00	344.00	1.00	<b>0.41</b>			
DSDD0160	344.00	345.00	1.00	0.06	8.10 m @ 0.87 g/t Au	7.1	3.00 m @ 1.51 g/t Au
DSDD0160	345.00	346.00	1.00	<b>0.31</b>			
DSDD0160	348.00	349.00	1.00	0.14			
DSDD0160	350.00	350.90	0.90	0.14			
DSDD0160	350.90	352.00	1.10	0.40			
DSDD0160	352.00	353.00	1.00	0.12			
DSDD0160	353.00	354.00	1.00	0.49			
DSDD0160	354.00	355.00	1.00	0.88			
DSDD0160	355.00	356.00	1.00	<b>1.15</b>			
DSDD0160	356.00	357.00	1.00	<b>1.26</b>			
DSDD0160	357.00	358.00	1.00	<b>2.11</b>	42.00 m @ 0.64 g/t Au	26.9	
DSDD0160	358.00	359.00	1.00	0.61			
DSDD0160	364.00	365.00	1.00	0.26			
DSDD0160	365.00	366.00	1.00	0.10			
DSDD0160	366.00	367.00	1.00	0.70			
DSDD0160	367.00	368.00	1.00	0.49			
DSDD0160	368.00	369.00	1.00	0.84			
DSDD0160	369.00	370.00	1.00	0.38			
DSDD0160	370.00	371.00	1.00	0.06			
DSDD0160	371.00	372.00	1.00	0.55			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0160	372.00	373.00	1.00	0.35			
DSDD0160	373.00	374.00	1.00	0.71			
DSDD0160	374.00	375.00	1.00	0.27			
DSDD0160	375.00	376.00	1.00	<b>1.64</b>			
DSDD0160	376.00	377.00	1.00	0.69			
DSDD0160	377.00	378.00	1.00	0.66			
DSDD0160	378.00	379.00	1.00	<b>5.89</b>			
DSDD0160	379.00	380.00	1.00	<b>1.08</b>			
DSDD0160	380.00	381.00	1.00	0.47			
DSDD0160	381.00	382.00	1.00	0.27			
DSDD0160	382.00	383.00	1.00	0.10			
DSDD0160	383.00	384.00	1.00	0.90			
DSDD0160	384.00	385.00	1.00	<b>1.03</b>			
DSDD0160	385.00	386.00	1.00	0.31			
DSDD0160	386.00	387.00	1.00	0.29			
DSDD0160	387.00	388.00	1.00	<b>1.08</b>			
DSDD0160	388.00	389.00	1.00	<b>1.90</b>			
DSDD0160	389.00	390.00	1.00	0.35			
DSDD0160	390.00	391.00	1.00	0.28			
DSDD0160	391.00	392.00	1.00	0.23			
DSDD0160	392.00	393.00	1.00	0.54			
DSDD0160	393.00	394.00	1.00	0.39			
DSDD0160	394.00	395.00	1.00	0.51			
DSDD0160	395.00	396.00	1.00	0.23			
DSDD0160	396.00	397.00	1.00	0.22			
DSDD0160	397.00	398.00	1.00	0.20			
DSDD0160	398.00	399.00	1.00	0.21			
DSDD0160	399.00	400.00	1.00	0.89			
DSDD0160	400.00	401.00	1.00	0.55			
DSDD0160	401.00	402.00	1.00	0.49			
DSDD0160	402.00	403.00	1.00	0.08			
DSDD0160	403.00	404.27	1.27	0.25			
DSDD0160	404.27	405.00	0.73	0.18			
DSDD0160	405.00	406.00	1.00	0.27			
DSDD0160	406.00	407.00	1.00	0.12			
DSDD0160	409.00	410.00	1.00	0.16			
DSDD0160	410.00	411.00	1.00	0.20			
DSDD0160	411.00	412.00	1.00	0.06			
DSDD0160	412.00	413.00	1.00	<b>1.17</b>			
DSDD0160	413.00	414.00	1.00	<b>1.77</b>			
DSDD0160	414.00	415.00	1.00	<b>1.52</b>			
DSDD0160	415.00	416.00	1.00	0.41			
DSDD0160	416.00	417.00	1.00	0.27			
DSDD0160	417.00	418.00	1.00	<b>1.87</b>			
DSDD0160	418.00	419.00	1.00	0.42			
DSDD0160	419.00	420.00	1.00	0.18			
DSDD0160	420.00	421.00	1.00	0.14			
DSDD0160	421.00	422.00	1.00	0.15			
DSDD0160	422.00	423.00	1.00	0.50			
DSDD0160	423.00	424.00	1.00	0.40			
DSDD0160	424.00	425.00	1.00	0.12			
DSDD0160	425.00	426.00	1.00	0.28			
DSDD0160	445.00	446.00	1.00	0.12			
DSDD0160	468.00	469.00	1.00	0.16			
DSDD0160	469.00	470.00	1.00	0.84	1.00 m @ 0.84 g/t Au	0.8	
DSDD0163A	0.00	1.00	1.00	0.58	5.08 m @ 0.40 g/t Au	2.0	




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0163A	1.00	2.00	1.00	0.24			
DSDD0163A	2.00	3.00	1.00	0.20			
DSDD0163A	3.00	4.00	1.00	0.45			
DSDD0163A	4.00	5.08	1.08	0.51			
DSDD0163A	6.59	8.09	1.50	0.20	1.50 m @ 0.20 g/t Au	0.3	
DSDD0163A	15.74	17.00	1.26	0.97	1.26 m @ 0.97 g/t Au	1.2	
DSDD0163A	21.96	22.50	0.54	0.84	0.54 m @ 0.84 g/t Au	0.5	
DSDD0163A	22.50	23.47	0.97	0.12			
DSDD0163A	24.89	25.71	0.82	0.18			
DSDD0163A	41.00	42.30	1.30	0.10			
DSDD0163A	159.00	160.00	1.00	0.29	1.00 m @ 0.29 g/t Au	0.3	
DSDD0165	1.00	1.89	0.89	0.21	0.89 m @ 0.21 g/t Au	0.2	
DSDD0165	187.00	188.00	1.00	<b>2.01</b>	2.00 m @ 1.24 g/t Au	2.5	<b>1.00 m @ 2.01 g/t Au</b>
DSDD0165	188.00	189.00	1.00	0.47			
DSDD0165	193.00	194.00	1.00	0.10			
DSDD0165	194.00	195.00	1.00	0.20			
DSDD0165	195.00	196.00	1.00	<b>1.46</b>			<b>2.00 m @ 1.31 g/t Au</b>
DSDD0165	196.00	197.00	1.00	<b>1.17</b>			
DSDD0165	197.00	198.00	1.00	0.04			
DSDD0165	198.00	199.00	1.00	0.01			
DSDD0165	199.00	200.00	1.00	<b>1.27</b>			<b>1.00 m @ 1.27 g/t Au</b>
DSDD0165	200.00	201.00	1.00	0.16			
DSDD0165	201.00	202.00	1.00	0.01			
DSDD0165	202.00	203.00	1.00	0.01			
DSDD0165	203.00	204.00	1.00	0.29			
DSDD0165	204.00	205.00	1.00	0.25			
DSDD0165	205.00	206.00	1.00	<b>1.19</b>			
DSDD0165	206.00	207.00	1.00	0.84			
DSDD0165	207.00	208.00	1.00	<b>1.18</b>			
DSDD0165	208.00	209.00	1.00	0.58			
DSDD0165	209.00	210.00	1.00	0.28			
DSDD0165	210.00	211.00	1.00	0.53			
DSDD0165	211.00	212.00	1.00	0.32			
DSDD0165	212.00	213.00	1.00	0.12			
DSDD0165	219.00	220.00	1.00	0.12			
DSDD0165	220.00	221.00	1.00	0.22			
DSDD0165	221.00	222.00	1.00	0.46			
DSDD0165	222.00	223.00	1.00	0.16			
DSDD0165	223.00	224.00	1.00	0.29			
DSDD0165	224.00	225.00	1.00	0.66			
DSDD0165	225.00	226.00	1.00	0.47			
DSDD0165	226.00	227.00	1.00	<b>0.31</b>			
DSDD0165	227.00	228.00	1.00	0.62			
DSDD0165	228.00	229.00	1.00	0.33			
DSDD0165	264.00	265.00	1.00	0.15			
DSDD0165	265.00	266.00	1.00	0.10			
DSDD0165	266.00	267.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0165	277.00	278.00	1.00	0.14			
DSDD0165	278.00	279.00	1.00	0.44	1.00 m @ 0.44 g/t Au	0.4	
DSDD0165	281.00	282.00	1.00	0.34	1.00 m @ 0.34 g/t Au	0.3	
DSDD0165	285.00	286.00	1.00	0.53	1.00 m @ 0.53 g/t Au	0.5	
DSDD0165	286.00	287.00	1.00	0.14			
DSDD0165	306.00	307.00	1.00	0.14			
DSDD0165	312.00	313.00	1.00	0.10			
DSDD0165	331.00	332.00	1.00	0.30	1.00 m @ 0.30 g/t Au	0.3	
DSDD0165	337.00	338.00	1.00	0.47	9.50 m @ 0.80 g/t Au	7.6	




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0165	338.00	339.00	1.00	0.10			
DSDD0165	339.00	340.00	1.00	<b>2.86</b>			<b>2.00 m @ 2.06 g/t Au</b>
DSDD0165	340.00	341.00	1.00	<b>1.26</b>			
DSDD0165	341.00	342.00	1.00	0.04			
DSDD0165	342.00	343.00	1.00	0.01			
DSDD0165	343.00	344.00	1.00	0.01			
DSDD0165	344.00	345.00	1.00	<b>2.38</b>			<b>1.00 m @ 2.38 g/t Au</b>
DSDD0165	345.00	346.50	1.50	0.30			
DSDD0165	379.00	380.00	1.00	0.56			
DSDD0165	380.00	381.00	1.00	<b>2.49</b>			<b>2.00 m @ 2.47 g/t Au</b>
DSDD0165	381.00	382.00	1.00	<b>2.45</b>			
DSDD0165	382.00	383.00	1.00	0.16			
DSDD0165	383.00	384.00	1.00	0.16			
DSDD0165	384.00	385.00	1.00	0.34			
DSDD0165	385.00	386.00	1.00	0.62			
DSDD0165	386.00	387.00	1.00	0.18			
DSDD0165	387.00	388.00	1.00	0.79			
DSDD0165	388.00	389.00	1.00	0.55			
DSDD0165	389.00	390.00	1.00	0.08			
DSDD0165	390.00	391.00	1.00	0.06			
DSDD0165	391.00	392.00	1.00	0.14			
DSDD0165	392.00	393.00	1.00	0.29			
DSDD0165	393.00	394.00	1.00	0.10			
DSDD0165	394.00	395.00	1.00	0.04			
DSDD0165	395.00	396.00	1.00	0.04			
DSDD0165	396.00	397.00	1.00	0.24			
DSDD0165	397.00	398.00	1.00	0.27			
DSDD0165	398.00	399.00	1.00	0.73			
DSDD0165	399.00	400.00	1.00	0.45			
DSDD0165	400.00	401.00	1.00	0.26			
DSDD0165	401.00	402.00	1.00	0.10			
DSDD0165	402.00	403.00	1.00	<b>1.21</b>			<b>1.00 m @ 1.21 g/t Au</b>
DSDD0165	403.00	404.00	1.00	0.41			
DSDD0165	404.00	405.00	1.00	0.12			
DSDD0165	405.00	406.00	1.00	0.04			
DSDD0165	406.00	407.00	1.00	0.14			
DSDD0165	407.00	408.00	1.00	<b>1.41</b>			<b>1.00 m @ 1.41 g/t Au</b>
DSDD0165	408.00	409.00	1.00	0.12			
DSDD0165	409.00	410.00	1.00	0.51			
DSDD0165	410.00	411.00	1.00	<b>1.11</b>			<b>1.00 m @ 1.11 g/t Au</b>
DSDD0165	411.00	412.00	1.00	0.91			
DSDD0165	412.00	413.00	1.00	0.22			
DSDD0165	413.00	414.00	1.00	<b>1.50</b>			<b>1.00 m @ 1.50 g/t Au</b>
DSDD0165	414.00	415.00	1.00	0.34			
DSDD0165	416.00	417.00	1.00	0.16			
DSDD0165	417.00	418.00	1.00	0.12			
DSDD0165	421.00	422.00	1.00	0.16			
DSDD0165	423.00	424.00	1.00	0.20			
DSDD0165	424.00	425.00	1.00	0.37			
DSDD0165	425.00	426.00	1.00	<b>1.03</b>			<b>1.00 m @ 1.03 g/t Au</b>
DSDD0165	426.00	427.00	1.00	0.14			
DSDD0165	427.00	428.00	1.00	0.12			
DSDD0165	428.00	429.00	1.00	0.34			
DSDD0165	429.00	430.00	1.00	0.14			
DSDD0165	430.00	431.00	1.00	0.14			
DSDD0165	431.00	432.00	1.00	<b>5.23</b>			<b>2.00 m @ 3.15 g/t Au</b>




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0165	432.00	433.00	1.00	<b>1.08</b>			
DSDD0165	439.00	440.00	1.00	0.18			
DSDD0165	440.00	441.00	1.00	<b>1.67</b>			<b>1.00 m @ 1.67 g/t Au</b>
DSDD0165	441.00	442.00	1.00	0.35			
DSDD0165	442.00	443.00	1.00	0.53			
DSDD0165	443.00	444.00	1.00	0.99			
DSDD0165	444.00	445.00	1.00	0.65			
DSDD0165	445.00	446.00	1.00	<b>1.17</b>			<b>2.00 m @ 1.70 g/t Au</b>
DSDD0165	446.00	447.00	1.00	<b>2.23</b>			
DSDD0165	447.00	448.00	1.00	0.25			
DSDD0165	448.00	449.00	1.00	0.67			
DSDD0165	449.00	450.00	1.00	0.75			
DSDD0165	450.00	451.00	1.00	<b>1.94</b>			<b>1.00 m @ 1.94 g/t Au</b>
DSDD0165	451.00	452.00	1.00	0.88			
DSDD0165	452.00	453.00	1.00	0.37			
DSDD0165	453.00	454.00	1.00	0.53			
DSDD0165	454.00	455.00	1.00	0.06			
DSDD0165	455.00	456.00	1.00	0.18			
DSDD0165	456.00	457.00	1.00	0.29			
DSDD0165	457.00	458.00	1.00	0.26			
DSDD0166	1.00	2.00	1.00	0.12			
DSDD0166	2.00	3.00	1.00	0.15			
DSDD0166	3.00	4.00	1.00	0.24	1.00 m @ 0.24 g/t Au	0.2	
DSDD0166	5.00	6.00	1.00	0.17			
DSDD0166	8.00	9.00	1.00	0.11			
DSDD0166	10.20	11.57	1.37	0.10			
DSDD0166	20.40	21.74	1.34	0.34	1.34 m @ 0.34 g/t Au	0.5	
DSDD0166	24.50	25.50	1.00	0.10			
DSDD0166	27.70	29.00	1.30	0.21	1.30 m @ 0.20 g/t Au	0.3	
DSDD0166	49.50	50.74	1.24	0.35	1.24 m @ 0.35 g/t Au	0.4	
DSDD0166	73.00	74.00	1.00	0.22			
DSDD0166	74.00	75.00	1.00	<b>1.63</b>			
DSDD0166	75.00	76.00	1.00	0.88			
DSDD0166	76.00	77.00	1.00	0.54			
DSDD0166	77.00	78.00	1.00	<b>1.64</b>			
DSDD0166	78.00	79.00	1.00	<b>1.15</b>			
DSDD0166	79.00	80.00	1.00	<b>5.37</b>			
DSDD0166	80.00	81.00	1.00	0.63			
DSDD0166	81.00	82.00	1.00	<b>1.63</b>			<b>1.00 m @ 1.63 g/t Au</b>
DSDD0166	82.00	83.00	1.00	0.16			
DSDD0166	83.00	84.00	1.00	<b>1.20</b>			
DSDD0166	84.00	85.00	1.00	0.95			
DSDD0166	85.00	86.00	1.00	0.90			
DSDD0166	86.00	87.00	1.00	<b>1.34</b>			
DSDD0166	87.00	88.00	1.00	<b>1.24</b>			
DSDD0166	88.00	89.00	1.00	<b>1.27</b>			
DSDD0166	89.00	90.00	1.00	0.80			
DSDD0166	90.00	91.00	1.00	<b>2.16</b>			<b>1.00 m @ 2.16 g/t Au</b>
DSDD0166	91.00	92.00	1.00	0.58			
DSDD0166	92.00	93.00	1.00	0.23			
DSDD0166	93.00	94.00	1.00	0.31			
DSDD0166	94.00	95.00	1.00	<b>1.19</b>			<b>1.00 m @ 1.19 g/t Au</b>
DSDD0166	95.00	96.00	1.00	0.18			
DSDD0166	96.00	97.00	1.00	<b>1.34</b>			<b>1.00 m @ 1.34 g/t Au</b>
DSDD0166	97.00	98.00	1.00	0.10			
DSDD0166	98.00	99.00	1.00	0.04			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0166	99.00	100.00	1.00	0.15			
DSDD0166	100.00	101.00	1.00	0.39			
DSDD0166	101.00	102.00	1.00	0.65			
DSDD0166	102.00	103.00	1.00	<b>1.32</b>			
DSDD0166	103.00	104.00	1.00	0.80			3.00 m @ 1.14 g/t Au
DSDD0166	104.00	105.00	1.00	<b>1.32</b>			
DSDD0166	105.00	106.00	1.00	0.55			
DSDD0166	106.00	107.00	1.00	0.42			
DSDD0166	107.00	108.00	1.00	<b>2.56</b>			
DSDD0166	108.00	109.00	1.00	0.65			
DSDD0166	109.00	110.00	1.00	<b>4.84</b>			
DSDD0166	110.00	111.00	1.00	<b>2.53</b>			
DSDD0166	111.00	112.00	1.00	<b>4.76</b>			
DSDD0166	112.00	113.00	1.00	<b>7.42</b>			
DSDD0166	113.00	114.00	1.00	<b>1.07</b>			
DSDD0166	114.00	115.00	1.00	<b>1.03</b>			
DSDD0166	115.00	116.00	1.00	0.46			
DSDD0166	116.00	117.00	1.00	0.99			
DSDD0166	117.00	118.00	1.00	0.46			
DSDD0166	118.00	119.00	1.00	0.38			
DSDD0166	119.00	120.00	1.00	0.31			
DSDD0166	120.00	121.00	1.00	0.37			
DSDD0166	276.00	277.00	1.00	0.12			
DSDD0166	279.00	280.00	1.00	0.13			
DSDD0166	280.00	281.00	1.00	0.30			
DSDD0166	281.00	282.00	1.00	0.10			
DSDD0166	282.00	283.00	1.00	0.13			
DSDD0166	283.00	284.00	1.00	0.27			
DSDD0166	284.00	285.00	1.00	0.30			
DSDD0166	285.00	286.00	1.00	0.20			
DSDD0166	286.00	287.00	1.00	0.61			
DSDD0166	287.00	288.00	1.00	0.10			
DSDD0166	289.00	290.24	1.24	0.16			
DSDD0166	292.50	293.50	1.00	0.57			
DSDD0166	293.50	294.10	0.60	0.11			
DSDD0166	294.10	295.53	1.43	0.11			
DSDD0166	295.53	296.50	0.97	0.66			
DSDD0166	296.50	297.50	1.00	0.15			
DSDD0166	297.50	298.70	1.20	0.05			
DSDD0166	298.70	300.00	1.30	0.30			
DSDD0166	300.00	301.00	1.00	0.55			
DSDD0166	301.00	302.00	1.00	0.05			
DSDD0166	302.00	303.00	1.00	0.08			
DSDD0166	303.00	304.00	1.00	0.08			
DSDD0166	304.00	305.00	1.00	0.21			
DSDD0166	305.00	306.00	1.00	0.80			
DSDD0166	306.00	307.00	1.00	<b>1.01</b>			1.00 m @ 1.01 g/t Au
DSDD0166	307.00	308.00	1.00	0.27			
DSDD0166	308.00	309.00	1.00	0.03			
DSDD0166	309.00	310.00	1.00	0.03			
DSDD0166	310.00	311.00	1.00	<b>1.43</b>			1.00 m @ 1.43 g/t Au
DSDD0166	311.00	312.00	1.00	0.55			
DSDD0166	312.00	313.00	1.00	0.16			
DSDD0166	313.00	314.00	1.00	0.20			
DSDD0166	314.00	315.00	1.00	0.09			
DSDD0166	315.00	316.00	1.00	0.05			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0166	316.00	317.00	1.00	0.04			
DSDD0166	317.00	318.00	1.00	0.48			
DSDD0166	318.00	319.00	1.00	0.35			
DSDD0166	319.00	320.00	1.00	0.16			
DSDD0166	320.00	321.00	1.00	0.65			
DSDD0166	321.00	322.00	1.00	0.51			
DSDD0166	322.00	323.00	1.00	0.41			
DSDD0166	323.00	324.00	1.00	0.35			
DSDD0166	324.00	325.00	1.00	0.41			
DSDD0166	325.00	326.00	1.00	0.22			
DSDD0166	326.00	327.00	1.00	<b>1.71</b>			
DSDD0166	327.00	328.00	1.00	0.18			
DSDD0166	328.00	329.00	1.00	0.25			
DSDD0166	329.00	330.00	1.00	0.01			
DSDD0166	330.00	331.00	1.00	0.01			
DSDD0166	331.00	332.00	1.00	0.57			
DSDD0166	332.00	333.00	1.00	0.07			
DSDD0166	333.00	334.00	1.00	0.08			
DSDD0166	334.00	335.00	1.00	0.48			
DSDD0166	335.00	336.00	1.00	<b>1.82</b>			
DSDD0166	336.00	337.00	1.00	0.25			
DSDD0166	337.00	338.00	1.00	0.97			
DSDD0166	338.00	339.00	1.00	0.27			
DSDD0166	339.00	340.00	1.00	0.36			
DSDD0166	340.00	341.00	1.00	0.42			
DSDD0166	341.00	342.00	1.00	0.97			
DSDD0166	342.00	343.00	1.00	0.40			
DSDD0166	343.00	344.00	1.00	0.60			
DSDD0166	344.00	345.00	1.00	<b>1.34</b>			
DSDD0166	345.00	346.00	1.00	0.66			
DSDD0166	346.00	347.23	1.23	0.12			
DSDD0166	348.00	349.00	1.00	0.13			
DSDD0172A	0.00	1.00	1.00	0.62	2.12 m @ 0.41 g/t Au	0.9	
DSDD0172A	1.00	2.12	1.12	0.23			
DSDD0172A	3.00	4.00	1.00	0.23	1.00 m @ 0.23 g/t Au	0.2	
DSDD0172A	4.00	4.50	0.50	0.14			
DSDD0172A	37.50	38.50	1.00	0.10	2.52 m @ 0.49 g/t Au	1.2	
DSDD0172A	38.50	39.50	1.00	0.72			
DSDD0172A	39.50	40.50	1.00	0.36	11.02 m @ 1.29 g/t Au	14.2	
DSDD0172A	40.50	41.02	0.52	0.30			
DSDD0172A	42.50	43.50	1.00	0.19	37.60 m @ 1.24 g/t Au	46.4	
DSDD0172A	43.50	44.50	1.00	<b>2.89</b>			
DSDD0172A	44.50	45.50	1.00	0.72	4.00 m @ 1.80 g/t Au		
DSDD0172A	45.50	46.50	1.00	<b>1.42</b>			
DSDD0172A	46.50	47.50	1.00	<b>2.19</b>	2.00 m @ 2.15 g/t Au		
DSDD0172A	47.50	48.00	0.50	0.97			
DSDD0172A	48.00	49.00	1.00	0.20			
DSDD0172A	49.00	50.00	1.00	0.62			
DSDD0172A	50.00	51.00	1.00	0.54			
DSDD0172A	51.00	52.00	1.00	0.62			
DSDD0172A	52.00	53.00	1.00	<b>3.27</b>			
DSDD0172A	53.00	54.00	1.00	<b>1.03</b>			
DSDD0172A	54.00	54.52	0.52	0.52			
DSDD0172A	55.50	56.50	1.00	0.34			
DSDD0172A	56.50	57.70	1.20	0.83			
DSDD0172A	57.70	59.00	1.30	0.58			




aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int > 1 g/t Au
DSDD0172A	59.00	60.00	1.00	<b>7.35</b>			
DSDD0172A	60.00	61.00	1.00	<b>3.02</b>			
DSDD0172A	61.00	62.00	1.00	<b>1.42</b>			
DSDD0172A	62.00	63.00	1.00	0.33			
DSDD0172A	63.00	64.00	1.00	<b>1.22</b>			
DSDD0172A	64.00	65.00	1.00	0.06			
DSDD0172A	65.00	66.00	1.00	0.11			
DSDD0172A	66.00	67.00	1.00	0.06			
DSDD0172A	67.00	68.00	1.00	0.54			
DSDD0172A	68.00	69.00	1.00	<b>2.28</b>			
DSDD0172A	69.00	70.00	1.00	<b>1.24</b>			
DSDD0172A	70.00	71.00	1.00	0.44			
DSDD0172A	71.00	72.00	1.00	<b>3.06</b>			
DSDD0172A	72.00	73.00	1.00	0.57			
DSDD0172A	73.00	74.00	1.00	0.70			
DSDD0172A	74.00	75.00	1.00	0.67			
DSDD0172A	75.00	76.00	1.00	<b>1.28</b>			
DSDD0172A	76.00	77.00	1.00	<b>2.23</b>			
DSDD0172A	77.00	78.00	1.00	0.48			
DSDD0172A	78.00	79.00	1.00	0.08			
DSDD0172A	79.00	80.00	1.00	0.17			
DSDD0172A	80.00	81.00	1.00	0.16			
DSDD0172A	81.00	82.00	1.00	<b>1.33</b>			
DSDD0172A	82.00	83.00	1.00	0.37			
DSDD0172A	83.00	84.00	1.00	<b>1.74</b>			
DSDD0172A	84.00	85.00	1.00	0.50			
DSDD0172A	85.00	86.00	1.00	0.78			
DSDD0172A	86.00	87.00	1.00	<b>3.36</b>			
DSDD0172A	87.00	88.00	1.00	<b>6.77</b>			
DSDD0172A	88.00	89.00	1.00	0.29			
DSDD0172A	89.00	90.00	1.00	0.35			
DSDD0172A	90.00	91.00	1.00	0.35			
DSDD0172A	91.00	92.00	1.00	0.15			
DSDD0172A	92.00	93.10	1.10	0.80			
DSDD0172A	93.10	94.00	0.90	0.16			
DSDD0172A	102.00	103.00	1.00	0.25			
DSDD0172A	103.00	104.00	1.00	0.27			
DSDD0172A	104.00	105.00	1.00	0.19			
DSDD0172A	105.00	105.85	0.85	0.21			
DSDD0172A	105.85	107.00	1.15	0.21			
DSDD0172A	107.00	108.00	1.00	0.12			
DSDD0172A	108.00	109.00	1.00	0.01			
DSDD0172A	109.00	110.00	1.00	0.06			
DSDD0172A	110.00	111.00	1.00	0.61			
DSDD0172A	111.00	112.00	1.00	0.06			
DSDD0172A	112.00	113.00	1.00	0.54			
DSDD0172A	116.00	117.00	1.00	0.18			
DSDD0172A	126.00	127.00	1.00	0.12			
DSDD0172A	127.00	128.00	1.00	<b>1.07</b>			
DSDD0172A	128.00	129.00	1.00	0.25			
DSDD0172A	129.00	130.00	1.00	0.22			
DSDD0172A	182.00	183.00	1.00	0.12			
DSDD0172A	183.00	184.00	1.00	0.18			
DSDD0172A	185.00	186.00	1.00	0.13			
DSDD0172A	190.00	191.00	1.00	0.81	1.00 m @ 0.81 g/t Au	0.8	
DSDD0172A	206.00	206.83	0.83	0.10			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0174A	0.00	1.00	1.00	0.16			
DSDD0174A	6.00	7.00	1.00	0.33	2.00 m @ 0.46 g/t Au	0.9	
DSDD0174A	7.00	8.00	1.00	0.58			
DSDD0174A	14.00	15.00	1.00	0.18			
DSDD0174A	16.50	17.00	0.50	0.40	0.50 m @ 0.40 g/t Au	0.2	
DSDD0174A	17.00	18.00	1.00	0.10			
DSDD0174A	26.00	27.00	1.00	0.12			
DSDD0174A	28.00	29.00	1.00	0.16			
DSDD0174A	29.00	30.00	1.00	0.23	5.00 m @ 0.31 g/t Au	1.5	
DSDD0174A	30.00	31.00	1.00	0.04			
DSDD0174A	31.00	32.00	1.00	0.12			
DSDD0174A	32.00	33.00	1.00	0.01			
DSDD0174A	33.00	34.00	1.00	<b>1.15</b>			<b>1.00 m @ 1.15 g/t Au</b>
DSDD0174A	40.00	41.00	1.00	0.50	7.00 m @ 0.26 g/t Au	1.8	
DSDD0174A	41.00	42.00	1.00	0.04			
DSDD0174A	42.00	43.00	1.00	0.08			
DSDD0174A	43.00	44.00	1.00	0.02			
DSDD0174A	44.00	45.00	1.00	0.54			
DSDD0174A	45.00	46.00	1.00	0.27			
DSDD0174A	46.00	47.00	1.00	0.37			
DSDD0174A	50.00	51.00	1.00	0.10			
DSDD0174A	54.00	55.00	1.00	0.12			
DSDD0174A	61.00	62.00	1.00	0.63			
DSDD0174A	62.00	63.00	1.00	<b>2.50</b>	18.00 m @ 0.88 g/t Au	15.9	<b>1.00 m @ 2.50 g/t Au</b>
DSDD0174A	63.00	64.49	1.49	0.25			
DSDD0174A	64.49	65.00	0.51	0.06			
DSDD0174A	65.00	66.00	1.00	0.74			
DSDD0174A	66.00	67.00	1.00	<b>1.07</b>			
DSDD0174A	67.00	68.00	1.00	<b>1.79</b>			
DSDD0174A	68.00	69.00	1.00	0.85			
DSDD0174A	69.00	70.00	1.00	<b>3.65</b>			
DSDD0174A	70.00	71.00	1.00	<b>1.36</b>			
DSDD0174A	71.00	72.00	1.00	0.29			
DSDD0174A	72.00	73.22	1.22	0.41	5.75 m @ 0.52 g/t Au	3.0	
DSDD0174A	73.22	74.00	0.78	0.35			
DSDD0174A	74.00	75.00	1.00	0.17			
DSDD0174A	75.00	76.00	1.00	0.16			
DSDD0174A	76.00	77.00	1.00	0.16			
DSDD0174A	77.00	78.00	1.00	0.43			
DSDD0174A	78.00	79.00	1.00	0.90			
DSDD0174A	80.95	82.00	1.05	0.10			
DSDD0174A	82.00	83.00	1.00	0.12			
DSDD0174A	83.00	84.00	1.00	0.54			
DSDD0174A	84.00	85.00	1.00	0.37			
DSDD0174A	85.00	86.00	1.00	0.50			
DSDD0174A	86.00	87.00	1.00	0.78			
DSDD0174A	87.00	88.00	1.00	0.29			
DSDD0174A	88.00	88.75	0.75	0.66			
DSDD0174A	90.00	91.00	1.00	0.12			
DSDD0174A	91.00	92.00	1.00	0.15	1.00 m @ 0.23 g/t Au	0.2	
DSDD0174A	92.00	93.00	1.00	0.12			
DSDD0174A	93.00	94.00	1.00	0.23			
DSDD0174A	95.00	96.00	1.00	0.10			
DSDD0174A	130.00	131.00	1.00	0.48	1.60 m @ 0.45 g/t Au	0.7	
DSDD0174A	131.00	131.60	0.60	0.41			
DSDD0174A	140.00	141.00	1.00	0.16			



aurum resources

Hole ID	From	To	Interval	Au (ppm)	Sig Int > 0.2 g/t Au	m*g/t Au (gpm)	Sig Int >1 g/t Au
DSDD0174A	141.00	142.00	1.00	0.12			
DSDD0174A	147.00	148.00	1.00	0.36			
DSDD0174A	148.00	149.00	1.00	0.37	2.00 m @ 0.36 g/t Au	0.7	



## About Aurum

Aurum Resources (ASX:AUE) is an Australian based gold exploration company focused on discovery and development of major gold projects in Côte d'Ivoire, West Africa. Aurum has 2.47Moz gold resources coming from two gold projects, the 1.6Moz Boundiali Gold Project and the 0.87Moz Napié Gold Project. Aurum owns and runs eight (8) diamond drill rigs allowing it to explore faster and more cost effectively than its peers.

**Statement of Boundiali Mineral Resources by Deposit as at 29 December 2024. Reported at 0.5 g/t Au cut off within pit shells; and 1.0 g/t Au cut off below the pit shells<sup>12</sup>**

Area	Class	Oxide		Transition			Fresh			Total		
		Quantity (Mt)	Au (g/t) (Oz)	Quantity (Mt)	Au (g/t)	Au (Koz)	Quantity (Mt)	Au (g/t)	Au (Koz)	Quantity (Mt)	Au (g/t)	Au (Koz)
BST	Indicated	0.8	1.1	30,000	0.7	1.2	30,000	2.4	1.0	80,000	3.9	1.1
	Inferred	0.6	1.0	20,000	1.3	1.0	40,000	5.1	1.0	160,000	7.1	1.0
	Sub Total	1.4	1.1	50,000	2.0	1.0	70,000	7.6	1.0	240,000	11.0	1.0
BDT1	Indicated											
	Inferred	0.8	0.9	20,000	0.3	0.9	10,000	10.8	0.9	310,000	11.9	0.9
	Sub Total	0.8	0.9	20,000	0.3	0.9	10,000	10.8	0.9	310,000	11.9	0.9
BDT2	Indicated											
	Inferred	0.1	0.8	3,000	2.1	0.8	60,000	14.1	0.8	380,000	16.3	0.8
	Sub Total	0.1	0.8	3,000	2.1	0.8	60,000	14.1	0.8	380,000	16.3	0.8
BMT1	Indicated											
	Inferred	0.3	1.0	10,000	0.1	1.0	3,000	7.1	1.3	288,000	7.5	1.2
	Sub Total	0.3	1.0	10,000	0.1	1.0	3,000	7.1	1.3	288,000	7.5	1.2
BMT3	Indicated											
	Inferred	0.2	1.1	10,000	0.3	1.1	10,000	3.8	1.1	130,000	4.2	1.1
	Sub Total	0.2	1.1	10,000	0.3	1.1	10,000	3.8	1.1	130,000	4.2	1.1
All	Indicated	0.8	1.2	30,000	0.7	1.3	30,000	2.4	1.0	80,000	3.9	1.0
	Inferred	2.0	1.0	60,000	4.1	0.9	120,000	40.8	1.0	1,270,000	47.0	1.0
	Total	2.8	1.0	90,000	4.8	1.0	150,000	43.3	1.0	1,350,000	50.9	1.0

**Napié Mineral Resource Estimate;** On 14 June 2022, a maiden Mineral Resource Estimate was reported in accordance with JORC (2012) comprising two deposits, Tchaga and Gogbala.<sup>13</sup>

Deposit	Category	Tonnes (Mt)	Grade (g/t Au)	Au (koz)
Tchaga	Inferred	14.6	1.16	545
Gogbala	Inferred	7.8	1.29	323
Global Resource	Total	22.5	1.20	868

Resources reported at a cut-off grade of 0.6g/t gold. Differences may occur in totals due to rounding.

<sup>12</sup> "Aurum delivers 1.6Moz Maiden JORC Resource at Boundiali Gold Project" released to the Australian Securities Exchange on 30 December 2024 and amended on 31 December 2024 and available to view on [www.asx.com.au](http://www.asx.com.au).

<sup>13</sup> "Napié Project Listing Rule 5.6 Disclosure (Amended)" released to the Australian Securities Exchange on 4 February 2025 and available to view on [www.asx.com.au](http://www.asx.com.au).



## Boundiali Gold Project (1.6Moz)

The flagship 1.6Moz Boundiali Gold Project is comprised of four neighbouring exploration tenements and is located within the same greenstone belt as Resolute's large Syama (11.5Moz) gold mine and Perseus' Sissingué (1.4 Moz) gold mine to the north and Montage Gold's 4.5Moz Koné project located to the south. Barrick's Tongon mine (5.0Moz) is located to the northeast (Figure 1 and Figure 2):

- 1) Boundiali Minex Tenement PR0893 ("**BM**"), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum holds 80% (through its fully owned subsidiary Plusor Global Pty Ltd "**Plusor**") and can hold interest of between 80-88% in a mining licence.
- 2) Boundiali DS tenement PR808 ("**BD**"), 260km<sup>2</sup>, holder DS Resources Joint Venture Company, of which Aurum is 80% share capital owner through its fully owned subsidiary Plusor.
- 3) Boundiali South tenement ("**BST**") 100%, 167.34km<sup>2</sup> is located directly south of Aurum's **BD** and **BM** tenement. Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.
- 4) Boundiali North tenement PR283 ("**BN**"), 208.87km<sup>2</sup>, under renewal, Aurum to earn up to 70% interest through its wholly owned subsidiary Plusor.

### BM gold project JV 80% interest

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

### BD gold project JV 80% interest

- Can earn 80-88% interest in future gold production company (Government gets 10% free carry from local partner):
  - 80% if local partner contributes 11% capex
  - 85% if local partner does not contribute capex – they go to 5% free carry
  - 88% if local partner sells us 3% of their interest they go to 2% free carry

### BST gold project 100% interest

- *Application for mining exploitation licence was lodged with the Ministry of Mines, Petroleum and Energy in March 2025.*
- 90% interest in future gold production company (Government get 10% free carry from Aurum interest)

### BN gold project JV

Aurum is earning interest through carrying out exploration to earn 70% interest in three stages:

- Stage 1: Aurum earns 35% interest by spending USD 1.2 million within 36 months of license grant
- Stage 2: Aurum earns 51% interest by spending USD 2.5 million within 60 months of license grant



## aurum resources

- Stage 3: Aurum earns 70% interest upon completion of a pre-feasibility study on the tenement.
- Diamond drilling conducted by Aurum will be valued at US\$140 per meter for expenditure calculations
- Upon grant of a mining exploitation license, the ownership structure will be: Aurum (70%), GNRR (20%), Ivorian Government (10%)

### Mako Gold

Wholly owned subsidiary of Aurum and holds the following projects:


- 0.87Moz Napié Gold Project. 90% Mako and African American Investment Fund (AAIF) has a 10% interest in the Napié Project free carried to completion of a feasibility study.
- Korhogo Project (100%), significant manganese discovery
- Brobo Project (100%), prospective for lithium/rare earths

**Section 1 of the JORC Code, 2012 Edition – Table 1**

**Sampling Techniques and Data**

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Samples were collected using diamond drilling techniques generally angled at 50° towards north-northwest to optimally intersect the mineralised zones.</i></li> <li>• <i>Diamond core was logged both for geological and mineralised structures as noted above. The core was then cut in half using a diamond brick cutting saw on 1m intervals. Typically the core was sampled to geological intervals as defined by the geologist within the even two metre sample intervals utilised. The right-hand side of the core was always submitted for analysis with the left side being stored in trays on site.</i></li> <li>• <i>Sampling and QAQC procedures were carried out to industry standards.</i></li> <li>• <i>Sample preparation and assay was completed by independent international accredited laboratory MSALABS. Following cutting or splitting, the samples were bagged by the Client employees and then sent to the laboratory for preparation. These samples were subsequently sent to MSALABS at Yamoussoukro for analysis via 500g Photon Assay.</i></li> </ul>
<i>• Drilling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Diamond drilling carried out with mostly NTW and some HQ sized equipment. PQ-size rods and casing were used at the top the holes to stabilise the collars although no samples were taken from the PQ size core.</i></li> </ul>
<i>• Drill sample recovery</i>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>Diamond drilling core recoveries ranged between 85% and 100% for all holes with no significant issues noted.</i></li> <li>• </li> </ul>
<i>• Logging</i>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining</i></li> </ul>	<ul style="list-style-type: none"> <li>• <i>All holes were field logged by company geologists. Lithological, alteration and mineralogical nomenclature of the deposit as well as sulphide content were recorded.</i></li> </ul>

Criteria	JORC Code explanation	Commentary
	<p><i>studies and metallurgical studies.</i></p> <ul style="list-style-type: none"> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<p><i>Metallurgical, Geotechnical and structural data has been recorded</i></p> <ul style="list-style-type: none"> <li>• Photography and recovery measurements were carried out by assistants under a geologist's supervision.</li> <li>• All drill holes were logged in full.</li> <li>• Logging was qualitative and quantitative in nature.</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Sub-sampling techniques and sample preparation</b></li> </ul>	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>• NTW core cut in half using a core saw. Typically, the core was sampled to major geological intervals as defined by the geologist within the even two metre sample intervals utilised. All samples were collected from the same side of the core.</li> <li>• Sample sizes are considered appropriate to correctly represent the moderately nuggety gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for Au.</li> <li>• The entire sample was crushed to 70% passing 2mm.</li> <li>• Crushed sample was split to produce 500g sample for analysis and the remaining reject kept for checks.</li> <li>• Field QC procedures involved the use of 2 types of certified reference materials (1 in 20) which is certified by Geostats Ltd,</li> <li>• Primary DD duplicate: Generated by cutting the remaining half core into a ¼ and sampled.</li> <li>• Coarse blank samples: Inserted 1 in every 20 samples</li> <li>• Laboratory Internal Duplicates and Standards</li> <li>• Sample sizes are considered appropriate to correctly represent the moderately nuggety gold mineralisation based on: the style of mineralisation, the thickness and consistency of the intersections, the sampling methodology and assay value ranges for gold</li> </ul>
<ul style="list-style-type: none"> <li>• <b>Quality of assay data and laboratory tests</b></li> </ul>	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and</li> </ul>	<ul style="list-style-type: none"> <li>• The analytical technique used is Chrysos™ PhotonAssay methodology. This uses a high-energy X-ray source that is used to irradiate large mineral samples, typically about 500g compared to the 50g of the fire assay. The X-rays induce short-lived changes in the structure of any gold nuclei present. As the excited gold nuclei return to</li> </ul>




aurum resources

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> <li>model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<p>their ground state, they emit a characteristic gamma-ray signature, the intensity of which is directly proportional to the concentration of gold. The penetrating nature of Chrysos™ PhotonAssay provides much higher energy than those used in conventional X-ray fluorescence (XRF), which provides a true bulk analysis of the entire sample. Samples are presented into a fully automatic process where samples are irradiated, measured, data collection and reporting.</p> <ul style="list-style-type: none"> <li>No geophysical tools were used to determine any element concentrations used for this report.</li> <li>Sample preparation checks for fineness were carried out by the laboratory as part of internal procedures to ensure the grind size was being attained. Laboratory QAQC includes the use of internal standards using certified reference material, and pulp replicates. No anomalous assays were noted in information provided to the Client.</li> <li>The QAQC results confirm that acceptable levels of accuracy and precision have been established for the Classifications applied (exploration results only).</li> </ul>
<ul style="list-style-type: none"> <li><b>Verification of sampling and assaying</b></li> </ul>	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>NA</li> <li>No holes have been twinned</li> <li>No adjustment to assay data</li> <li>Logging records were mostly registered in physical format and were input into a digital format. The core photographs, collar coordinates and down the hole surveys were received in digital format.</li> <li>Assay values that were below detection limit were adjusted to equal half of the detection limit value. Un-sampled intervals were assumed to have no mineralisation and they were therefore set to blank in the database, however these are minimal.</li> </ul>
<ul style="list-style-type: none"> <li><b>Location of data points</b></li> </ul>	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>DD collar positions were initially located using a handheld GPS with a location error of +/-3m.</li> <li>The datum employed is WGS84, Zone 29</li> <li>All drill hole locations are then surveyed utilising the differential GPS methods by both company and third party surveyors.</li> <li>DGPS system utilised is typically within a 10 cm accuracy range which is suitable for the classification applied.</li> </ul>

Criteria	JORC Code explanation	Commentary
<ul style="list-style-type: none"> <li><b>Data spacing and distribution</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Drillholes were completed on variable spacings (100m by 50m) and orientations.</i></li> <li><i>The drill hole spacing and distribution is considered sufficient to establish the degree of continuity appropriate for the Inferred Mineral Resource estimation procedures.</i></li> <li><i>The samples were not composited prior to assay.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Orientation of data in relation to geological structure</b></li> </ul>	<ul style="list-style-type: none"> <li><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Drill holes were drilled approximately at right angles to the anticipated strike of the target geochemical anomaly and orthogonal to the interpreted mineralisation orientation.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Sample security</b></li> </ul>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Chain of custody is managed by the Client's senior site geologists and geotechnicians. Samples are stored in a core shed at site and samples were delivered to the laboratory by client geologists. Client employees have no further involvement in the preparation or analysis of the samples.</i></li> </ul>
<ul style="list-style-type: none"> <li><b>Audits or reviews</b></li> </ul>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Detailed reviews of sampling techniques were carried out on the site visit by RPM in October 2024 and follow up visit in March 2025.</i></li> </ul>


•



aurum resources


- Section 2 of the JORC Code, 2012 Edition – Table 1

• Criteria	• JORC Code explanation	• Commentary
• <b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>• Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>• The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</li> </ul>	<ul style="list-style-type: none"> <li>• Exploration results are from the Boundiali project area</li> <li>• PR893 (BM), 400km<sup>2</sup>, holder Minex West Africa, of which Aurum has earned 80% interest and can earn up to 88% in a mining licence through its fully owned subsidiary Plusor Global Pty Ltd ("Plusor").</li> <li>• There are no impediments to working in the area.</li> </ul>
• <b>Exploration done by other parties</b>	<ul style="list-style-type: none"> <li>• Acknowledgment and appraisal of exploration by other parties.</li> </ul>	<ul style="list-style-type: none"> <li>• The exploration results reported in this announcement are from work undertaken by PlusOr and BM on behalf of Aurum Resources Limited</li> <li>• The license area is known as a prospective region for gold and recent artisanal workings revealed the presence of primary gold mineralisation in artisanal pits and small-scale underground mining.</li> </ul>
• <b>Geology</b>	<ul style="list-style-type: none"> <li>• Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>• The Boundiali Deposits are located within the Proterozoic Birimian rocks of the Man shield. It is situated on, 100km west of from the Korhogo in the northern part of the Côte d'Ivoire. They are located in the Bagoué- Syama shear zone within the sedimentary rock with minor associated intrusions of mafic dykes and late-stage granitoids. The various rock units trend NS to NNE similar to the regional metamorphic grade. The regional trend is NE to N.</li> <li>• The Boundiali deposits resemble typical shear zone deposits of the West African granite-greenstone terrane. The deposits themselves are associated with a major regional shear zone and are developed in a sandstone. Mineralisation may be spatially related to the emplacement of intrusives. The gold mineralisation is mesothermal in origin and occurs as free gold in quartz vein stockworks and zones of silicification, associated with pyrite and chalcopyrite. The gold mineralisation is found in linear zones with the contacts showing evidence of shearing. Free gold is frequently observed. Alteration is weak to strong depending on the development of the system typically being sericite.</li> <li>• Two types of deformation are present in</li> </ul>



aurum resources

• Criteria	• JORC Code explanation	• Commentary
		<p><i>the drill cores: ductile deformation and brittle deformation. The gold mineralisation is related to deformed sandstone and graywacke, in shear zones, with sulphides (mainly pyrite and minor chalcopyrite) associated with visible gold. Alteration is characterized by chlorite, sericite, calcite, secondary quartz and disseminated pyrite. This assemblage is well developed in schistose, foliated rocks with presence of quartz veins or veinlets.</i></p>
• <b>Drill hole information</b>	<ul style="list-style-type: none"> <li><i>A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes:</i></li> <li><i>easting and northing of the drill hole collar</i></li> <li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li><i>dip and azimuth of the hole</i></li> <li><i>down hole length and interception depth</i></li> <li><i>hole length</i></li> <li><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Complete drill hole data has been provided.</i></li> <li><i>Drill hole collar locations are shown in figures in main body of announcement.</i></li> </ul>
• <b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<ul style="list-style-type: none"> <li><i>Assay Intervals are shown in detail. Drilling intervals are predominantly 1m.</i></li> <li><i>Metal equivalent values are not being reported.</i></li> </ul>
• <b>Relationship between mineralisation widths and intercept lengths</b>	<ul style="list-style-type: none"> <li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li><i>If it is not known and only the down hole</i></li> </ul>	<ul style="list-style-type: none"> <li><i>True widths have not been estimated as the geological controls on mineralisation in these initial drill holes into the prospect are not yet well understood.</i></li> <li><i>The holes were drilled from east to west to test a steeply east dipping foliation in the limited rock exposures seen in the area.</i></li> </ul>



aurum resources

• Criteria	• JORC Code explanation	• Commentary
	<ul style="list-style-type: none"> <li>lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	<p>The mineralisation lies within what has been interpreted to be a ductile shear zone which would suggest that mineralisation should lie parallel to foliation.</p>
• Diagrams	<ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</li> </ul>	<ul style="list-style-type: none"> <li>Appropriate diagrams relevant to material results are shown in the body of this announcement.</li> </ul>
• Balanced Reporting	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>All drill hole and trench collar locations were surveyed utilising handheld GPS methods. Exploration results only being reported.</li> <li>Drilling teams utilised the Reflex EZ-shot instrument to measure deviations in azimuth and inclination angles for all holes; however, vertical holes were not surveyed. The first measurement is taken at 6 m depth, and then at approximately every 30m depth interval and at the end of the hole. being reported</li> </ul>
• Other substantive exploration data	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>All relevant exploration data is either reported in this announcement or has been reported previously by Aurum, Randgold or Predictive Discovery and is referred to in the announcement.</li> </ul>
• Further work	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<ul style="list-style-type: none"> <li>The Company intends to continue exploration on the project and this work will include auger, aircore, RC and diamond core drilling, along with further geophysical surveys and geochemical sampling programs.</li> <li>Diagrams included in body of report as deemed appropriate by competent person</li> </ul>