

Further Spectacular Copper and Silver Results with High-Grade Zinc, Lead and Germanium at Central Otavi, Namibia

- Results across several New Gossans up to 50.6% Copper, 7,792 g/t Silver & 224 g/t Germanium

- Extraordinary silver (Ag) and copper (Cu) grades with very high-grade zinc (Zn), lead (Pb) and germanium (Ge) rockchip sampling results from the newly named Graceland Prospect in Target Area 6 of the Central Otavi Project in north-eastern Namibia (see Figures 1 & 7 for location and Figures 2 to 6 for location of new results).
- A newly-identified gossan at G1 East on the Gossan 1 Corridor produced spectacular silver and copper grades including **7,792 g/t Ag** & **47.3% Cu** in sample A6EGS40 (Image 1), and very high-grades of high-demand critical metal germanium of **224 g/t Ge** with **13.8% Cu** & 171 g/t Ag (A6EGS43), (see Table 1 and Figures 2 to 6).
- A second newly-identified gossan at G2 North on the Gossan 2 Corridor also produced exceptional silver and copper grades including **3,179 g/t Ag** & **26.9% Cu** in sample A6EGS51; **1,993 g/t Ag** & **25.9% Cu** in A6EGS52 and **1,139 g/t Ag** & **31.3% Cu** in A6EGS53 (see Table 1 and Figures 2 to 6).
- Further newly-identified gossan results in the Gossan 1 Corridor include an extraordinary **50.6% Cu** in A6EGS48 at G1 West and 3.5% Cu, **22.4% Zn**, **28% Pb**, 90 g/t Ag, **63 g/t Ge** in A6EGS45 at G1 South (see Figures 2 to 6).
- Highlights from the new rockchip sampling include (see Table 1 for summary and Appendix 1 for all results):
 - » A6EGS40: **47.3% Cu**, **7,792g/t Ag**, 547g/t Sb – Gossan 1 East (G1 East)
 - » A6EGS41: **37.6% Cu**, 2.89% Zn, 1.09% Pb, **646g/t Ag**, **60g/t Ge**, 725 g/t Sb – G1 East
 - » A6EGS43: **13.8% Cu**, 1.67% Zn, 1.95% Pb, 171g/t Ag, **224g/t Ge**, 731 g/t Sb – G1 East
 - » A6EGS48: **50.6% Cu**, 0.83% Zn, 0.95% Pb, 69g/t Ag – Gossan 1 West (G1 West)
 - » A6EGS47: **15.0% Cu**, **19.4% Zn**, 3.19% Pb, 374g/t Ag, 35g/t Ge – G1 West
 - » A6EGS44: 5.89% Cu, **17.8% Zn**, 7.39% Pb, 198g/t Ag, 25g/t Ge – Gossan 1 South (G1 South)
 - » A6EGS45: 3.53% Cu, **22.4% Zn**, **28.0% Pb**, 90g/t Ag, **63g/t Ge** – G1 South
 - » A6EGS46: 2.09% Cu, **30.3% Zn**, **27.8% Pb**, 119g/t Ag, 34g/t Ge – G1 South
 - » A6EGS50: **22.2% Cu**, 2.41% Zn, 0.83% Pb, **260g/t Ag** – G1 Southwest
 - » A6EGS53: **31.3% Cu**, 1.05% Zn, **17.7% Pb**, **1,139 g/t Ag**, 25g/t Ge – Gossan 2 North (G2 North)
 - » A6EGS51: **26.9% Cu**, 0.52% Zn, **24.4% Pb**, **3,179 g/t Ag**, 33g/t Ge – G2 North
 - » A6EGS52: **25.9% Cu**, 0.54% Zn, **23.8% Pb**, **1,993 g/t Ag**, 22g/t Ge – G2 North
- Continued soil sampling and rockchip sampling results have doubled the strike-length of the highly-anomalous Gossan 1 Corridor and expanded the footprint of the mineralised zone to 2km x 1km (see Figure 6).
- Trenching and channel sampling completed across Gossan 1, G1 East and Gossan 2 (see Figures 2 to 6 and Images 2 and 3), with 254 samples being submitted for analysis. Results will provide intersection thicknesses and grades across these Cu, Zn, Pb, Ag and Ge rich outcrops.
- Quotes being obtained for Induced Polarisation (IP) surveys across the main G1 and G2 Corridors to detect targeted high-grade Cu, Zn, Pb, Ag and Ge bearing sulphide bodies.
- Drilling contractors contacted and suitable rigs identified to access elevated sites and drill-test key gossan/sulphide zones and identified geophysical Cu-Zn-Pb-Ag-Ge sulphide targets - within this large, highly mineralised zone at the Graceland Prospect.

Golden Deep's CEO Jon Dugdale commented:

"These extraordinary new silver, copper and germanium results of up to 7,792 g/t silver, 50.6% copper, and 224 g/t germanium, and coupled with very high-grades of zinc and lead, clearly demonstrate the potential of the Graceland Prospect to host rich deposits of several, critical, high-demand and valuable metals.

"The doubling of the project footprint to over 2km strike-length has also shown the large size of this polymetallic mineralised system, which contains multiple targets for high-grade metalliferous sulphide bodies.

"The high-grades of the critical rare metal, **germanium** are very important, as it is a vital component for semi-conductors and photo-voltaic cells, but is restricted from the market by China. Hence the germanium price is now above US\$3,000/kg (\$3M/t). This compares to silver's price of around US\$1,200/kg and copper at around US\$9.80/kg. This shows that the mineralisation identified at Graceland is potentially highly-valuable and contains critical, in demand, metals that are vital for high-technology industries.

"Trenching and channel sampling has been completed and an IP geophysical survey will commence shortly to define drilling targets for very high-grade poly-metallic sulphide bodies similar to the Tsumeb deposit, 20km north of Graceland, which has produced 27Mt grading 4.3% Cu, 10% Pb, 3.5% Zn, 95 g/t Ag and 50 g/t Ge.

Our geological team has already identified suitable drilling rigs, in-country, to access and test these very exciting new Cu-Ag-Zn-Pb-Ge targets, with drilling set to commence after the results of channel sampling and IP geophysical surveys are received and targets modelled and defined."



Image 1: Graceland Prospect, Gossan 1 East Outcrop. Malachite (copper-carbonate) and iron oxide in brecciated dolomite. Rockchip results include 7,792 g/t Ag & 47.3% Cu in sample A6EGS40 (see Table 1, and full results, Appendix 1)

Golden Deepes Ltd ("Golden Deepes" or "the Company") (ASX: GED) is pleased to announce **spectacular new silver and copper results, as well as very high-grades for zinc, lead and germanium, from newly identified gossans and sulphide occurrences at its Graceland Prospect** in Target Area 6 of the recently acquired Central Otavi Project¹, in the Otavi Mountain Land of north-east Namibia (see location, Figure 1, and Cu, Ag, Zn & Pb results, Figures 2 to 6).




Figure 1: Central Otavi Project Tenements with key prospects, mineralised trends and Target Areas

The new results are from 55 new rockchip samples collected from several newly-identified gossan and sulphide occurrences in both the **Gossan 1** and **Gossan 2** Corridors² (see Table 1, Appendix 1, and Figures 2 to 6 for locations).

These newly-identified gossans include **Gossan 1 East**, 200m east of previously identified **Gossan 1**, where a semi-massive malachite (copper-carbonate), chalcocite (secondary copper-sulphide) and iron-oxide gossan within a 4m wide fracture/breccia zone was sampled (see Image 1, below). **Extraordinary silver and copper grades were produced from this new gossan including 7,792 g/t Ag & 47.3% Cu** in sample A6EGS40 and **13.8% Cu & 171g/t Ag** as well as a **very high-grade germanium result of 224 g/t Ge** in A6EGS43 (see locations, Figures 2 to 6).

Other newly-identified gossans in the G1 Corridor include **Gossan 1 West**, which produced exceptional copper grades of **50.6% Cu with 68.6 g/t Ag** in A6EGS048, **15% Cu, 19.4% Zn & 374 g/t Ag** in A6EGS47, and at **G1 South** results including **3.5% Cu, 22.4% Zn, 28% Pb, 90 g/t Ag & 63 g/t Ge** in A6EGS45 (see Figures 2 to 6).

A third newly-sampled gossan at **Gossan 2 North**, 50m north of previously-announced Gossan 2², **produced exceptionally high-grade silver, copper and lead grades of 3,179 g/t Ag, 26.9% Cu & 24.4% Pb** in A6EGS51; **1,993 g/t Ag, 25.9% Cu, & 23.8% Pb** in A6EGS52 and **1,139 g/t Ag, 31.3% Cu & 17.7% Pb** in A6EGS53 (see Figures 2 to 6).

The location and grade ranges for the rockchip samples, with highlighted high-grade results, are shown on Figures 2 (Cu), 3 (Ag), 4 (Zn) and 5 (Pb) below.




Figure 2: Graceland Prospect, rockchip sample locations with copper grade size ranges & soil sample locations and contours with copper grade colour ranges. Rockchip grade highlights shown (see Appendix 1 for rockchips & Appendix 2 for soil results).

In addition, new soil sampling (399 new samples), and the new rockchip sampling, produced highly-anomalous copper, zinc, lead and silver results, which have extended the mineralised Gossan 1 and 2 Corridors a further 1km south-west, and another 200m northeast (see Figure 6). Further rockchip results from the south-west extension of Gossan 1 corridor include **1.54% Cu**, 0.32% Zn, 36 g/t Ag in A6EGS06, over 1.2km SW of Gossan 1 (see Appendix 1 for all rockchip results and Appendix 2 for all soil sampling results for significant elements). **The highly-anomalous mineralised zones have now been identified over a 2km strike-length and over a 1km wide zone** (see Figure 6).

Trenching and channel sampling by the Golden Deeps field team, led by Chief Geologist Elvis Akawa, has been completed across the most significant gossan and sulphide occurrences (see Images 2 & 3). This includes Gossan 1, where previous rockchip sampling averaged **18.6% Cu**, **18.4% Zn**, **1.3% Pb**, **427g/t Ag** and **20 g/t Ge²**, and the **Gossan 2 outcrop** where previous rockchip sampling results averaged **25.3% Zn**, **23.1% Pb**, **1.17% Cu**, **119 g/t Ag** and **63 g/t Ge²**. Channel sampling has also been carried out across the Gossan 1 East mineralisation (Image 1), which produced the exceptional silver (to **7,792 g/t Ag**), copper (to **47.3% Cu**) and germanium (to **224 g/t Ge**) grades reported. The results of the channel sampling program are expected to be available within 4 to 6 weeks.

A program of detailed dipole-dipole **IP and resistivity surveying is planned to cover the main part of the Gossan 1 and Gossan 2 corridors at Graceland**. The survey has been designed to provide high-quality, detailed 3D IP and resistivity data to **enable modelling for massive, breccia and disseminated sulphide mineralisation targets from surface to 250m depth**. Quotes have been requested from recognised geophysical contractors based in Namibia. It is expected that the IP/ Resistivity survey will be carried out during September-October.

Based on initial discussions with Namibian-based drilling contractors, **suitable drilling rigs have been identified which can access the hilly terrain to test below the most significant high-grade gossan and sulphide outcrop areas**. Drilling will also be required to test IP/Resistivity targets up to 250m below surface in the first phase.

Drilling of the identified high-grade (Cu, Ag, Zn, Pb, Ge) sulphide targets is planned to commence after receipt of the channel-sampling and IP/Resistivity geophysical results and modelling, and once drill targeting is completed.

See Appendix 1 for all new rockchip sample results and Appendix 2 for all new soil sample results, for selected significant elements. Table 1, below, shows the highlights of the new rockchip sample results.

Table 1: Graceland Further Rockchip Sampling Highlights:

Project	Zone	Sample #	Cu %	Zn %	Pb %	Ag g/t	Ge g/t	Sb g/t
		Price\$/kg	\$9.84	\$2.83	\$2.00	\$1,220	\$3,025	\$60
Graceland 1	G1 East	A6EGS040	47.29	0.61	0.09	7,792	17	547
	G1 East	A6EGS041	37.57	2.89	1.09	646	60	725
	G1 East	A6EGS043	13.77	1.67	1.95	171	224	731
	G1 East	A6EGS039	4.49	0.32	0.15	44	8	792
	G1 East	A6EGS035	1.69	0.15	0.06	53	5	32
	G1 East	A6EGS028	1.38	10.81	2.87	30	12	12
Graceland 1	G1 West	A6EGS048	50.63	0.83	0.95	69	14	82
	G1 West	A6EGS047	14.98	19.35	3.19	374	35	217
Graceland 1	G1 South	A6EGS044	5.89	17.77	7.39	198	25	47
	G1 South	A6EGS045	3.53	22.44	28.03	90	63	38
	G1 South	A6EGS046	2.09	30.31	27.81	119	34	26
Graceland 1	G1 Southwest	A6EGS050	22.23	2.41	0.83	260	5	102
Graceland 2	G2 North	A6EGS053	31.34	1.05	17.66	1,139	25	470
	G2 North	A6EGS051	26.86	0.52	24.39	3,179	33	283
	G2 North	A6EGS052	25.93	0.54	23.75	1,993	22	373
Graceland 1 Ext.	G1 West Ext.	A6EGS006	1.54	0.32	0.02	36	1	73
	G2 West Ext.	A6EGS001	0.66	0.01	<0.002	34	<1	25




Figure 3: Graceland Prospect, rockchip sample locations with silver grade size ranges & soil sample locations and contours with silver grade colour ranges. Rockchip grade highlights shown (see Appendix 1 for rockchips & Appendix 2 for soil results).




Figure 4: Graceland Prospect, rockchip samples zinc grade size ranges & soil sample zinc grade colour ranges and contours.




Figure 5: Graceland Prospect, rockchip samples lead grade size ranges & soil sample lead grade colour ranges and contours.




Figure 6: Graceland Prospect, expanded area showing 2km x 1km corridor of highly anomalous copper (Zn, Pb, Ag, Ge) anomalies and rockchip results.



Image 2: Graceland Prospect, Golden Deeps field personnel, diamond-saw channel cutting across the Gossan 1 outcrop



Image 3: Graceland Prospect, Golden Deeps field personnel, channel sampling across the Gossan/Sulphide 2 outcrop

About Golden Deeps Otavi Mountain Land Critical and Precious Metals Projects

Golden Deeps, through its 80% owned subsidiaries Huab Energy Pty Ltd (Huab) and Metalex Mining and Exploration Pty Ltd (Metalex), holds six Exclusive Prospecting Licences (EPLs) covering **over 440 sq.km** in Namibia's world-class **Otavi Mountain Land Metallogenic Belt** (see Figure 7, below).




Figure 7: Golden Deeps Otavi Mountain Land existing and acquisition tenements with key prospects

The Otavi Mountain Land is host to major, historically mined high-grade polymetallic deposits such as **Tsumeb**, which produced **27Mt @ 4.3% Cu, 10% Pb, 3.5% Zn, 95 g/t Ag and 50 g/t Ge³**, and **Kombat**, with recorded historical production of **12.5Mt @ 2.6% Cu, 1.6% Pb, 18 g/t Ag⁴**.

Golden Deeps has experience exploring for base and critical-metals deposits in the Otavi Mountain Land. Established resources and prospects include high-grade, supergene, vanadium +/- copper, lead, zinc and silver Mineral Resources as well as primary copper-silver-zinc-lead (+/- Ga, Ge, Sb) sulphide deposits.

The Company has defined new Mineral Resources for the **Abenab high-grade vanadium (lead, zinc) project⁵**, the **Nosib vanadium-copper-lead-silver (gallium) deposit⁵** and the **Khusib Springs silver-copper (zinc-lead) deposit⁶**.

The Company recently announced **high-grade gallium (Ga) with copper, vanadium, lead, silver and highly anomalous germanium and antimony results⁷** from surface at the Nosib discovery, and further metallurgical work is planned to enhance recovery of these critical metals before development studies are finalised.

Golden Deeps recently acquired an 80% interest in the **Central Otavi Critical Metals Project¹** (see Figures 1 and 7).

The Central Otavi Project¹ includes a **Zn-Pb-Ag Mineral Resource at the Border prospect**; advanced exploration prospects at **Driehoek (Zn-Pb-Ag)** and **Kaskara (V-Cu-Pb-Zn, Ge)**, and multiple target areas for 'Tsumeb type' **Cu-Pb-Zn-Ag deposits with Ge, Ga and Sb potential**.

The Company has commenced an aggressive exploration program in priority target areas, with an initial focus on new soil and rockchip sampling programs in areas with **"Tsumeb-type" Cu-Ag-Zn-Pb (+/- Ge, Ga, Sb)** potential.

The initial area sampled, Target Area 6 (including **Graceland Prospect**), has **produced exceptional copper, silver, zinc, lead and germanium results from rockchip sampling of multiple gossan and sulphide occurrences**². These outstanding results are from a large, mineralised corridor, now defined by highly anomalous Cu-Zn-Pb-Ag soil sampling results over 2km in a northeast-southwest direction and over 1km wide in a northwest-southeast direction.

Trenching and channel sampling has been completed across the most significant gossan and sulphide outcrops, and geophysical programs are planned to define drilling targets for multiple "Tsumeb-like" high-grade Cu, Ag, Zn, Pb, Ge (+/- Sb, Ga) bearing sulphide discoveries.

References

- ¹ Golden Deeps Ltd (ASX:GED) 1 April 2025. Acquisition of Central Otavi Critical Metals Project.
- ² Golden Deeps Ltd ASX 06 August 2025. Exceptional Otavi Copper Silver Zinc and Germanium Grades.
- ³ Tsumeb, Namibia. PorterGeo Database: www.portergeo.com.au/database/mineinfo.asp?mineid=mn290.
- ⁴ Porter Geo Database: <http://www.portergeo.com.au/database/mineinfo.asp?mineid=mn2905>.
- ⁵ Golden Deeps Ltd ASX 25 June 2024: New Mineral Resources for Otavi V-Cu-Pb-Zn-Ag Deposits.
- ⁶ Golden Deeps Ltd ASX 22 October 2024: New Silver-Copper Resource Highlights Khusib Potential.
- ⁷ Golden Deeps Ltd ASX 09 April 2025: Further High-Grade Gallium Identified at Nosib.

This announcement was authorised for release by the Board of Directors.

*****ENDS*****

Please refer to the Company's website or contact:

Jon Dugdale
Chief Executive Officer
Golden Deeps Limited
+61 (08) 9481 7833

Michael Muhling or Tanya Newby
Joint Company Secretaries
Golden Deeps Limited
+61 (08) 9481 7833

Cautionary Statement regarding Forward-Looking Information:

This document contains forward-looking statements concerning Golden Deeps Ltd. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes. Forward looking statements in this document are based on the company's beliefs, opinions and estimates of Golden Deeps Ltd as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Person Statement:

The information in this report that relates to exploration results, mineral resources and metallurgical information has been reviewed, compiled and fairly represented by Mr Jonathon Dugdale. Mr Dugdale is the Chief Executive Officer of Golden Deeps Ltd and a Fellow of the Australian Institute of Mining and Metallurgy ('FAusIMM'). Mr Dugdale has sufficient experience, including over 37 years' experience in exploration, resource evaluation, mine geology and finance, relevant to the style of mineralisation and type of deposits under consideration to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee ('JORC') Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves. Mr Dugdale consents to the inclusion in this report of the matters based on this information in the form and context in which it appears. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

ASX Listing rules Compliance:

In preparing this announcement the Company has relied on the announcements previously made by the Company as listed under "References". The Company confirms that it is not aware of any new information or data that materially affects those announcements previously made, or that would materially affect the Company from relying on those announcements for the purpose of this announcement.

APPENDIX 1: Central Otavi Project, Graceland Prospect, New Rockchip Sampling Results (Grid ID: WGS84_33S)

Zone	Sample ID	Easting	Northing	NAT_RL	Mineralisation	Cu%	Zn%	Pb%	Ag g/t	Ge g/t	Sb g/t	Ga g/t	Mo g/t	As%	Au ppb
G2 West Ext.	A6EGS001	794823	7831021	1866	Light grey dolomite with evenly distributed malachite and chalcocite clots.	0.66	0.01	<0.002	33.7	<1	25.3	1	<1	0.01	3
G2 West Ext.	A6EGS002	794919	7831068	1836	Dolomite with disseminated malachite associated with silica encrustation	0.36	0.00	<0.002	16.1	<1	4.2	<1	<1	0.00	2
G1 West Ext.	A6EGS003	795218	7830713	1827	Laminated cherty dolomite, malachite clots, chalcocite, rare chalcopryite.	0.25	0.01	0.00	5.4	<1	6.3	<1	<1	0.02	<1
G1 West Ext.	A6EGS004	795226	7830733	1831	Dolomite, recrystallised, disseminated malachite/chalcocite with goethite.	0.30	0.03	<0.002	7.9	<1	31.8	<1	<1	0.02	<1
G1 West Ext.	A6EGS005	795208	7830756	1835	Dolomite, pervasive malachite and chalcocite mineralisation, intense Fe-ox.	0.96	0.06	0.00	32.5	3	181.7	1	3	0.07	4
G1 West Ext.	A6EGS006	795219	7830782	1845	Dolomite mod. to strong Fe-ox & silica-carb alteration, malachite, chalcocite.	1.54	0.32	0.02	36.4	1	73.4	2	<1	0.01	3
G1 West Ext.	A6EGS008	795415	7830780	1860	Disseminated chalcocite, partial malachite, rare galena, sphalerite boxwork.	0.78	0.48	0.04	21.8	<1	12.7	<1	1	0.05	3
G1 West Ext.	A6EGS009	795510	7830813	1881	Dolomite, fracture-fill "honey-colored" sphalerite and fine galena stringers	0.05	0.81	0.96	2.0	<1	3	<1	<1	<0.002	2
G1 West Ext.	A6EGS010	795627	7830829	1897	Light grey silicified dolomite containing fine galena stringers.	0.01	0.01	0.66	1.7	<1	2	<1	<1	<0.002	3
G1 West Ext.	A6EGS011	795629	7830845	1895	Cherty dolomite. moderate chalcocite, partially overprinted by malachite	0.73	0.06	0.02	12.9	<1	14.2	<1	<1	0.00	3
G3	A6EGS012	795620	7831355	1877	Cherty dolomite with slight clay alteration, common fine galena as fracture-fill	0.01	0.04	4.23	15.7	<1	15.8	<1	<1	0.00	3
G3	A6EGS013	795713	7831412	1908	Massive dolomite, moderate to coarse galena clots. fine fracture-fill sphalerite	0.01	2.00	4.45	10.9	4	11.6	<1	<1	0.00	1
G3	A6EGS014	795923	7831493	1911	Brecciated dolomite; moderate galena, sphalerite in fractures, rare malachite	0.02	0.49	1.42	4.4	<1	4.8	1	5	0.00	1
G2	A6EGS015	795920	7831148	1920	Massive dolomite, disseminated chalcocite/malachite; rare galena	0.07	0.28	0.35	3.6	<1	1.8	<1	<1	0.00	<1
G2 SW	A6EGS016	796005	7830836	1883	Cherty dolomite, moderate chalcocite with associated malachite.	0.58	0.05	0.01	12.5	<1	5.8	<1	<1	0.00	1
G2 NE	A6EGS017	796008	7831155	1928	Massive dolomite, fine-medium galena, in fractures with iron oxide staining	0.05	0.96	0.45	2.9	2	1.8	<1	<1	0.01	<1
G2 NE	A6EGS018	796016	7831183	1928	Cherty dolomite, minor Fe-ox, moderate chalcocite, and partial malachite	0.21	0.31	0.02	9.0	<1	2.9	<1	<1	0.01	2
G2 NE	A6EGS019	796020	7831207	1916	Cherty dolomite, fine fracture-fill galena, rare specks secondary malachite	0.02	0.76	3.24	4.6	1	4.9	<1	<1	<0.002	<1
G1 SW	A6EGS020	796109	7831006	1958	Recrystallized dolomite, specks of malachite, pseudomorphs after pyrite	0.02	0.06	0.01	0.9	<1	9.8	<1	<1	0.00	<1
G1 SW	A6EGS021	796112	7830869	1903	Silicified dolomite with chalcocite, partially overprinted by malachite	0.04	1.67	0.23	7.4	1	9	<1	<1	0.00	<1
G1 West	A6EGS023	796204	7831037	1947	Altered grey-brown dolomite, with pervasive malachite, galena stringers	0.11	18.74	2.80	10.8	15	11.7	1	1	0.01	2
G1 West	A6EGS024	796316	7831260	1933	Cherty dolomite, with malachite and possibly box worked sphalerite	0.08	1.29	0.10	4.7	3	2.9	<1	<1	0.01	4
G1 West	A6EGS025	796318	7831002	1910	Dolomite with fairly distributed malachite specs	0.31	0.49	0.03	16.7	<1	1.5	<1	<1	<0.002	<1
G1 East	A6EGS026	796516	7830962	1909	Cherty dolomite with fairly distributed malachite	0.60	0.10	0.01	16.0	1	7.2	<1	1	0.17	<1
G1 East	A6EGS027	796513	7831017	1937	Silicified dolomite, minor goethite filled vugs, chalcocite and malachite	0.41	0.05	0.01	4.7	<1	17.4	<1	<1	0.00	1
G1 East	A6EGS028	796514	7831079	1972	Ferruginous dolomite (gossan), with malachite, boxwork texture	1.38	10.81	2.87	29.7	12	12	7	3	0.05	4
G2 East Ext.	A6EGS029	796414	7831365	1947	Massive grey dolomite, fine to medium galena and sphalerite	0.01	0.22	1.30	2.4	2	1.2	<1	<1	<0.002	<1
G1	A6EGS030	796422	7831020	1939	Grey silicified dolomite, with malachite, with zones of Fe-oxidation	0.26	0.32	0.12	13.7	2	22.6	<1	3	0.07	1
G2 East Ext.	A6EGS031	796700	7831045	1938	Cherty dolomite, with fine galena and malachite, prevalent along chert bands	0.02	0.77	0.37	1.6	1	1.2	<1	<1	<0.002	<1
G2 East Ext.	A6EGS032	796614	7831405	1978	Cherty dolomite, moderate galena associated with altered zones and veinlets	0.01	0.16	2.30	6.3	<1	2.7	<1	1	0.00	<1
G2 East Ext.	A6EGS033	796619	7831336	1997	Grey dolomite, recrystallised zones, with fair malachite	0.20	0.03	0.02	6.8	<1	4	<1	<1	0.00	<1
G1 East	A6EGS034	796611	7831062	1960	Light grey limonitic dolomite with fine vugs, locally infilled by malachite.	0.06	0.01	0.01	1.2	<1	2.2	<1	<1	0.00	3
G1 East	A6EGS035	796612	7831029	1943	Dolomite with chalcocite and partial malachite replacement, zones of Fe-ox.	1.69	0.15	0.06	53.2	5	32.1	1	1	0.33	2
FP1/OM42 Detection Limits						0.001	0.002	0.002	0.05	1	0.5	1	1	0.002	1

Zone	Sample ID	Easting	Northing	NAT_RL	Mineralisation	Cu%	Zn%	Pb%	Ag g/t	Ge g/t	Sb g/t	Ga g/t	Mo g/t	As%	Au ppb
G2 East Ext.	A6EGS037	796828	7831434	1931	Cherty dolomite with some malachite, common with altered zones	0.21	0.02	0.01	10.9	<1	11	<1	<1	0.03	5
G2 East Ext.	A6EGS038	796973	7831434	1874	Cherty dolomite, moderate malachite, fairly distributed along chert bands	0.17	0.04	0.01	7.3	<1	14.8	<1	<1	0.04	2
G1 East	A6EGS039	796595	7831010	1930	malachite cumulate in fracture zone	4.49	0.32	0.15	43.6	8	791.8	3	4	0.76	6
G1 East	A6EGS040	796610	7831029	1939	iron, copper rich gossan; chalcocite, cuprite, malachite	47.29	0.61	0.09	7791.9	17	546.5	6	4	5.16	60
G1 East	A6EGS041	796610	7831029	1939	iron, copper rich gossan; chalcocite, malachite	37.57	2.89	1.09	645.7	60	725.2	7	7	6.03	29
G1 East	A6EGS043	796609	7831029	1939	iron, copper rich gossan; chalcocite, malachite, azurite	13.77	1.67	1.95	171.1	224	730.6	11	11	7.99	54
G1 South	A6EGS044	796236	7830935	1914	Brecciated dolomite with malachite, cuprite and galena	5.89	17.77	7.39	197.8	25	46.8	15	7	0.35	5
G1 South	A6EGS045	796236	7830934	1914	Brecciated dolomite with galena, cerussite, minor malachite	3.53	22.44	28.03	90.1	63	38.3	18	2	0.10	11
G1 South	A6EGS046	796237	7830936	1915	Calcareous vuggy gossan with malachite	2.09	30.31	27.81	118.8	34	25.6	15	9	0.22	8
G1 West	A6EGS047	796330	7831030	1915	Abundant malachite in dolomite, no brecciation or quartz veins	14.98	19.35	3.19	374.4	35	216.8	11	5	1.92	18
G1 West	A6EGS048	796350	7831039	1920	Two small pits, Cu, Fe gossan retrieved from waste	50.63	0.83	0.95	68.6	14	82.2	1	10	1	12
G1 SW	A6EGS049	796062	7830910	1913	Massive dolomite with Cu cumulates, no quartz, N/S fracture	0.78	0.38	0.25	17.0	<1	6.4	<1	2	0.09	<1
G1 SW	A6EGS050	796065	7830930	1923	Massive dolomite with Cu cumulates, no quartz, N/S fracture	22.23	2.41	0.83	259.5	5	101.7	4	11	0.10	29
G2 North	A6EGS051	795999	7831183	1920	Small pit, Cu/Fe gossan from waste	26.86	0.52	24.39	3178.7	33	283.3	<1	49	2.51	7
G2 North	A6EGS052	795993	7831183	1917	Small pit, Cu/Fe gossan from waste	25.93	0.54	23.75	1992.6	22	372.5	1	536	1.92	23
G2 North	A6EGS053	795985	7831179	1918	Small pit, Cu/Fe gossan from waste, some Cu ore on sidewall	31.34	1.05	17.66	1138.6	25	469.6	2	173	2.95	19
G4	A6EGS054	795728	7831391	1892	Abundant large galena in massive dolomite, no with minor quartz veins	0.64	1.88	2.01	48.1	3	8.8	<1	2	0.06	1
G4	A6EGS055	795718	7831405	1902	Abundant large galena in massive dolomite, not associated with quartz veins	0.21	5.48	11.73	38.5	7	25.5	2	3	0.02	<1
FP1/OM42 Detection Limits						0.001	0.002	0.002	0.05	1	0.5	1	1	0.002	1

Note: Analytical Method for samples A6EGS1 to 55: **FP1/OM42** = Sodium Peroxide Fusion (dissolution) then ICP-MS or ICP-OES. Fire Assay **FA25/MS** (25g fire assay / ICP-MS finish) for Au, Pt, Pd.

APPENDIX 2: Central Otavi Project, Graceland Prospect, New Soil Sampling Results (Grid ID: WGS84_33S)

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-1	7830611.5	794814.1	1816	42.9	45.0	12.2	0.06	<0.01	0.77	3.25	0.87	6.0	2.7
Area6	A6E-10	7831061.8	794814.1	1836	96.9	139.8	489.9	0.46	<0.01	1.77	4.40	0.43	14.8	1.7
Area6	A6E-101	7830611.5	795314.4	1821	528.7	191.7	545.0	0.95	0.02	15.41	4.86	1.03	99.3	1.6
Area6	A6E-102	7830661.5	795314.4	1826	57.0	83.3	166.1	0.22	<0.01	1.90	3.81	0.70	14.6	1.4
Area6	A6E-103	7830711.5	795314.4	1830	95.0	197.4	322.5	0.44	<0.01	3.06	4.79	1.96	60.1	2.5
Area6	A6E-104	7830761.6	795314.4	1847	148.6	223.0	507.1	0.35	<0.01	3.64	3.09	0.81	27.5	5.6
Area6	A6E-105	7830811.6	795314.4	1861	155.1	108.8	327.8	0.49	<0.01	4.77	3.34	0.48	25.8	0.6
Area6	A6E-106	7830861.6	795314.4	1857	151.1	112.5	633.4	0.31	<0.01	2.30	3.31	0.46	13.0	2.3
Area6	A6E-107	7830911.7	795314.4	1849	83.4	76.4	484.4	0.26	<0.01	2.16	2.92	0.36	10.1	1.3
Area6	A6E-108	7830961.7	795314.4	1841	39.3	43.9	251.1	0.14	<0.01	1.64	2.71	0.36	6.9	0.9
Area6	A6E-109	7831011.7	795314.4	1838	34.0	51.9	217.1	0.19	<0.01	0.97	2.80	0.41	4.6	0.7
Area6	A6E-11	7831111.8	794814.1	1821	45.1	75.1	446.8	0.17	<0.01	1.43	3.46	0.31	9.2	2.7
Area6	A6E-110	7831061.8	795314.4	1835	39.6	58.1	353.7	0.17	<0.01	0.78	2.92	0.38	4.3	0.8
Area6	A6E-111	7831111.8	795314.4	1831	41.2	154.7	457.6	0.24	<0.01	0.73	4.25	0.39	5.8	1.0
Area6	A6E-112	7831161.8	795314.4	1833	50.4	306.4	738.1	0.27	<0.01	0.76	4.50	0.48	9.6	1.9
Area6	A6E-113	7831211.9	795314.4	1834	15.8	54.5	199.4	0.12	<0.01	0.47	2.58	0.31	3.3	0.6
Area6	A6E-114	7831261.9	795314.4	1839	17.5	51.5	189.6	0.13	<0.01	0.55	2.00	0.42	6.0	0.5
Area6	A6E-115	7831311.9	795314.4	1855	28.1	55.9	250.3	0.2	<0.01	0.43	2.31	0.31	6.5	0.4
Area6	A6E-116	7831362.0	795314.4	1882	28.1	126.7	331.6	0.16	<0.01	0.38	3.18	0.54	6.6	0.3
Area6	A6E-117	7831412.0	795314.4	1884	34.7	84.5	442.6	0.16	<0.01	0.49	2.62	0.29	7.3	0.6
Area6	A6E-118	7831462.0	795314.4	1874	24.9	140.8	198.4	0.18	<0.01	0.82	2.81	0.68	17.8	1.0
Area6	A6E-119	7831512.1	795314.4	1870	25.0	122.9	152.9	0.31	<0.01	0.67	4.79	1.21	17.6	1.3
Area6	A6E-12	7831161.8	794814.1	1816	24.2	51.0	190.8	0.11	<0.01	0.76	3.27	0.29	6.1	1.4
Area6	A6E-121	7830611.5	795414.5	1836	74.7	88.1	81.0	0.26	<0.01	1.81	3.89	1.03	24.2	5.8
Area6	A6E-122	7830661.5	795414.5	1845	57.7	74.5	178.9	0.25	<0.01	2.07	3.86	0.98	23.1	1.1
Area6	A6E-123	7830711.5	795414.5	1852	50.1	88.3	250.8	0.29	<0.01	0.91	4.59	0.54	21.0	1.2
Area6	A6E-124	7830761.6	795414.5	1861	97.8	166.1	631.2	0.5	<0.01	1.34	4.95	0.89	24.9	2.6

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-125	7830811.6	795414.5	1868	224.9	135.9	987.3	0.59	<0.01	1.98	3.16	0.85	36.6	1.3
Area6	A6E-126	7830861.6	795414.5	1862	72.2	53.3	425.7	0.26	<0.01	0.86	2.14	0.39	7.5	0.9
Area6	A6E-127	7830911.7	795414.5	1852	42.6	59.8	301.3	0.17	<0.01	1.47	1.99	0.42	7.8	0.4
Area6	A6E-128	7830961.7	795414.5	1848	44.3	64.6	344.2	0.2	<0.01	1.13	2.63	0.42	5.1	0.7
Area6	A6E-129	7831011.7	795414.5	1846	28.9	47.2	250.4	0.16	<0.01	0.62	2.42	0.38	3.9	0.6
Area6	A6E-13	7831211.9	794814.1	1814	32.6	112.2	438.7	0.11	<0.01	0.64	3.77	0.39	6.9	1.2
Area6	A6E-130	7831061.8	795414.5	1842	17.5	56.1	120.9	0.15	<0.01	0.51	2.03	0.31	4.6	0.5
Area6	A6E-131	7831111.8	795414.5	1844	21.6	98.4	181.1	0.18	<0.01	0.57	2.11	0.36	5.2	0.5
Area6	A6E-132	7831161.8	795414.5	1843	30.8	125.6	386.6	0.19	<0.01	0.58	3.49	0.36	4.8	1.0
Area6	A6E-133	7831211.9	795414.5	1842	36.6	205.6	689.3	0.27	<0.01	0.71	3.59	0.48	8.5	1.7
Area6	A6E-134	7831261.9	795414.5	1844	19.3	73.2	432.5	0.14	<0.01	0.53	2.36	0.36	4.2	0.8
Area6	A6E-135	7831311.9	795414.5	1856	34.0	184.3	683.8	0.28	<0.01	0.57	1.74	0.45	7.5	0.3
Area6	A6E-136	7831362.0	795414.5	1876	30.1	100.5	486.7	0.15	<0.01	0.50	2.68	0.46	9.6	0.4
Area6	A6E-137	7831412.0	795414.5	1897	20.0	79.5	235.6	0.12	<0.01	0.33	2.65	0.38	7.0	0.4
Area6	A6E-138	7831462.0	795414.5	1902	47.5	211.1	487.2	0.29	<0.01	2.03	3.56	0.81	11.8	0.5
Area6	A6E-139	7831512.1	795414.5	1890	22.3	151.1	147.4	0.23	<0.01	0.56	4.98	0.81	15.7	1.2
Area6	A6E-14	7831261.9	794814.1	1816	22.2	108.9	327.1	0.1	<0.01	0.60	3.30	0.32	6.1	0.9
Area6	A6E-141	7830611.5	795514.5	1851	91.2	133.9	66.9	0.14	<0.01	2.28	2.13	1.52	68.6	2.1
Area6	A6E-142	7830661.5	795514.5	1865	7.2	58.8	15.8	0.04	<0.01	0.60	4.11	0.53	2.6	2.1
Area6	A6E-143	7830711.5	795514.5	1873	76.4	113.9	320.5	0.48	<0.01	1.96	4.54	1.18	19.6	1.1
Area6	A6E-144	7830761.6	795514.5	1889	76.1	139.6	567.3	0.38	<0.01	0.89	4.28	0.79	16.1	0.9
Area6	A6E-145	7830811.6	795514.5	1881	388.0	1824.2	4725.6	1.12	<0.01	3.37	4.00	1.49	41.0	2.5
Area6	A6E-146	7830861.6	795514.5	1872	83.0	113.4	767.8	0.32	<0.01	1.14	2.21	0.44	8.8	0.5
Area6	A6E-147	7830911.7	795514.5	1857	37.7	62.1	287.6	0.18	<0.01	1.06	1.82	0.46	5.8	0.3
Area6	A6E-148	7830961.7	795514.5	1865	15.6	56.8	147.0	0.12	<0.01	0.45	1.76	0.30	4.0	0.2
Area6	A6E-149	7831011.7	795514.5	1855	50.5	99.3	305.7	0.27	<0.01	0.79	2.02	0.51	6.6	1.4
Area6	A6E-15	7831311.9	794814.1	1812	22.5	96.3	341.7	0.07	<0.01	0.66	3.36	0.46	6.4	1.4
Area6	A6E-150	7831061.8	795514.5	1858	22.8	63.8	153.7	0.21	<0.01	0.64	1.55	0.34	4.4	0.3
Area6	A6E-151	7831111.8	795514.5	1850	18.7	51.5	134.6	0.17	<0.01	0.57	1.87	0.46	3.6	0.3
Area6	A6E-152	7831161.8	795514.5	1848	16.0	54.1	159.6	0.12	<0.01	0.45	2.32	0.33	3.5	0.4

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-153	7831211.9	795514.5	1846	43.4	207.7	440.1	0.29	<0.01	0.80	3.66	0.40	6.7	1.1
Area6	A6E-154	7831261.9	795514.5	1847	48.3	305.6	649.9	0.41	<0.01	0.83	4.10	0.57	9.8	1.9
Area6	A6E-155	7831311.9	795514.5	1849	20.8	157.2	317.1	0.14	<0.01	0.61	2.89	0.45	9.3	0.5
Area6	A6E-156	7831362.0	795514.5	1855	21.3	137.8	295.7	0.16	<0.01	0.48	2.22	0.55	8.2	0.5
Area6	A6E-157	7831412.0	795514.5	1868	23.0	91.1	316.1	0.17	<0.01	1.13	2.98	0.52	9.8	1.5
Area6	A6E-158	7831462.0	795514.5	1890	23.1	190.6	369.8	0.23	<0.01	0.60	3.07	0.70	11.3	0.6
Area6	A6E-159	7831512.1	795514.5	1906	22.4	168.5	119.8	0.2	<0.01	0.42	4.40	0.72	14.4	1.3
Area6	A6E-16	7831362.0	794814.1	1812	26.4	151.7	395.5	0.12	<0.01	0.59	3.65	0.40	6.5	1.1
Area6	A6E-161	7830611.5	795614.6	1853	85.0	97.0	57.9	0.28	<0.01	1.44	4.40	1.27	30.9	1.4
Area6	A6E-162	7830661.5	795614.6	1871	22.4	48.8	20.8	0.03	<0.01	0.72	3.53	0.54	5.4	1.3
Area6	A6E-163	7830711.5	795614.6	1882	241.5	363.4	154.3	0.1	<0.01	2.56	1.24	2.69	78.9	3.6
Area6	A6E-164	7830761.6	795614.6	1895	169.6	175.4	870.9	0.72	<0.01	1.22	5.92	0.82	19.4	1.9
Area6	A6E-165	7830811.6	795614.6	1899	228.6	244.7	1390.2	0.51	<0.01	0.96	4.93	0.83	23.6	1.7
Area6	A6E-166	7830861.6	795614.6	1884	140.5	81.7	1205.3	0.24	<0.01	1.86	2.39	0.83	13.0	0.5
Area6	A6E-167	7830911.7	795614.6	1880	49.6	52.9	239.4	0.21	<0.01	0.98	2.07	0.56	5.7	0.4
Area6	A6E-168	7830961.7	795614.6	1882	47.5	72.6	207.2	0.21	<0.01	1.19	2.12	0.51	9.1	0.6
Area6	A6E-169	7831011.7	795614.6	1897	38.8	108.1	191.8	0.19	<0.01	0.59	3.02	0.59	6.7	0.3
Area6	A6E-17	7831412.0	794814.1	1811	23.0	144.6	369.4	0.11	<0.01	0.59	3.52	0.46	6.5	0.9
Area6	A6E-170	7831061.8	795614.6	1883	33.0	66.4	280.4	0.21	<0.01	0.64	2.64	0.37	6.5	0.8
Area6	A6E-171	7831111.8	795614.6	1869	19.9	63.4	182.3	0.15	<0.01	0.49	2.09	0.58	5.4	1.1
Area6	A6E-172	7831161.8	795614.6	1862	14.5	52.6	145.6	0.15	<0.01	0.43	2.01	0.36	3.8	0.5
Area6	A6E-173	7831211.9	795614.6	1853	28.5	101.2	299.0	0.16	<0.01	0.73	2.66	0.50	5.8	1.0
Area6	A6E-174	7831261.9	795614.6	1851	56.5	387.6	583.5	0.34	<0.01	0.85	4.34	0.51	10.1	1.3
Area6	A6E-175	7831311.9	795614.6	1859	61.5	239.0	2151.8	1.04	<0.01	0.96	1.85	0.99	15.8	0.6
Area6	A6E-176	7831362.0	795614.6	1881	57.5	464.1	1934.5	0.92	<0.01	1.01	3.79	0.57	14.0	0.4
Area6	A6E-177	7831412.0	795614.6	1897	59.9	191.8	1019.9	0.38	<0.01	0.45	3.11	0.56	7.6	0.2
Area6	A6E-178	7831462.0	795614.6	1893	18.6	105.9	293.5	0.21	<0.01	0.44	2.64	0.39	8.8	0.6
Area6	A6E-179	7831512.1	795614.6	1897	27.6	565.0	357.0	0.28	<0.01	0.60	4.08	1.64	28.6	1.2
Area6	A6E-18	7831462.0	794814.1	1811	15.4	100.7	257.7	0.1	<0.01	0.52	3.89	0.49	6.0	1.3
Area6	A6E-181	7830611.5	795714.7	1850	127.8	173.4	234.6	0.58	<0.01	2.63	5.36	1.38	35.8	1.7

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-182	7830661.5	795714.7	1867	58.9	114.0	200.9	0.36	<0.01	1.95	5.74	0.98	17.4	1.9
Area6	A6E-183	7830711.5	795714.7	1880	55.4	147.9	281.3	0.26	<0.01	0.97	5.26	0.94	22.2	7.1
Area6	A6E-184	7830761.6	795714.7	1885	52.9	102.1	265.7	0.29	<0.01	0.67	4.15	0.80	15.2	3.6
Area6	A6E-185	7830811.6	795714.7	1879	323.8	204.1	2216.9	0.5	<0.01	1.42	4.03	0.79	18.1	3.8
Area6	A6E-186	7830861.6	795714.7	1892	214.6	297.0	1246.5	0.19	<0.01	2.03	3.31	0.53	15.6	1.1
Area6	A6E-187	7830911.7	795714.7	1904	132.3	295.1	944.9	0.22	<0.01	1.02	3.72	0.62	13.5	1.6
Area6	A6E-188	7830961.7	795714.7	1902	39.2	60.4	162.2	0.22	<0.01	2.83	1.79	0.52	8.0	0.4
Area6	A6E-189	7831011.7	795714.7	1894	26.4	44.4	119.3	0.16	<0.01	0.89	1.71	0.50	5.1	0.3
Area6	A6E-19	7831512.1	794814.1	1812	18.8	130.8	238.6	0.11	<0.01	0.53	5.67	0.78	7.9	1.5
Area6	A6E-190	7831061.8	795714.7	1886	105.8	124.5	647.6	0.35	<0.01	1.62	2.89	0.63	10.9	2.8
Area6	A6E-191	7831111.8	795714.7	1876	78.3	122.4	526.9	0.24	<0.01	1.53	2.14	0.63	10.8	1.3
Area6	A6E-192	7831161.8	795714.7	1867	50.7	101.7	719.1	0.33	<0.01	1.05	1.64	0.50	7.5	0.9
Area6	A6E-193	7831211.9	795714.7	1862	28.4	113.5	1444.3	0.58	<0.01	0.60	2.21	0.37	6.1	0.8
Area6	A6E-194	7831261.9	795714.7	1858	38.0	219.8	580.2	0.34	<0.01	0.72	3.05	0.46	5.6	1.2
Area6	A6E-195	7831311.9	795714.7	1859	43.9	548.8	2925.4	1.36	<0.01	2.32	2.10	0.45	18.3	0.4
Area6	A6E-196	7831362.0	795714.7	1885	54.9	482.0	7417.0	4.85	<0.01	2.71	2.44	0.61	23.4	0.8
Area6	A6E-197	7831412.0	795714.7	1908	56.2	1486.1	2556.3	1.16	<0.01	1.40	3.67	0.70	28.3	0.8
Area6	A6E-198	7831462.0	795714.7	1909	28.8	280.2	669.2	0.31	<0.01	0.68	3.49	0.54	13.9	0.9
Area6	A6E-199	7831512.1	795714.7	1900	30.9	241.9	130.4	0.12	<0.01	0.97	2.94	1.20	33.2	1.4
Area6	A6E-2	7830661.5	794814.1	1836	11.5	14.1	4.8	0.02	<0.01	0.43	1.64	0.34	2.7	56.8
Area6	A6E-201	7830611.5	795814.7	1825	79.9	123.8	211.6	0.2	<0.01	2.52	3.89	1.43	40.7	2.2
Area6	A6E-202	7830661.5	795814.7	1839	137.1	174.6	252.0	0.22	<0.01	3.72	3.57	2.13	60.4	4.0
Area6	A6E-203	7830711.5	795814.7	1653	62.3	134.9	332.3	0.31	<0.01	0.59	4.99	0.72	17.0	1.9
Area6	A6E-204	7830761.6	795814.7	1855	174.9	164.4	959.4	0.34	<0.01	1.28	4.30	0.84	17.8	4.6
Area6	A6E-205	7830811.6	795814.7	1856	99.1	175.1	548.2	0.28	<0.01	1.00	4.02	0.67	11.0	1.9
Area6	A6E-206	7830861.6	795814.7	1879	57.3	82.2	344.1	0.19	<0.01	0.65	2.52	0.53	6.0	0.5
Area6	A6E-207	7830911.7	795814.7	1896	52.2	72.3	219.2	0.24	<0.01	0.63	2.79	0.45	5.6	0.5
Area6	A6E-208	7830961.7	795814.7	1893	41.6	91.2	207.0	0.24	<0.01	0.73	2.65	0.60	6.8	0.6
Area6	A6E-209	7831011.7	795814.7	1904	39.1	82.8	220.4	0.11	<0.01	0.58	1.63	0.52	8.8	1.1
Area6	A6E-21	7830611.5	794914.1	1827	29.7	50.6	25.1	0.03	<0.01	0.95	3.32	0.63	13.9	2.4

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-210	7831061.8	795814.7	1900	182.1	791.6	1667.8	1.39	<0.01	1.97	3.29	1.39	35.2	1.7
Area6	A6E-211	7831111.8	795814.7	1892	157.3	338.4	811.2	0.37	0.02	3.29	2.31	0.67	25.9	1.5
Area6	A6E-212	7831161.8	795814.7	1888	50.4	226.6	464.7	0.24	<0.01	1.12	2.13	0.43	10.0	1.9
Area6	A6E-213	7831211.9	795814.7	1876	29.0	151.8	326.4	0.18	<0.01	0.72	1.84	0.50	7.1	0.5
Area6	A6E-214	7831261.9	795814.7	1868	35.3	214.6	508.8	0.36	<0.01	0.71	2.24	0.42	7.2	0.9
Area6	A6E-215	7831311.9	795814.7	1866	58.3	310.1	459.3	0.31	<0.01	0.91	3.46	0.51	9.6	2.2
Area6	A6E-216	7831362.0	795814.7	1874	26.7	234.7	484.7	0.22	<0.01	0.55	2.98	0.59	11.2	0.5
Area6	A6E-217	7831412.0	795814.7	1896	24.0	136.7	436.9	0.18	<0.01	0.39	2.21	0.48	6.9	0.6
Area6	A6E-218	7831462.0	795814.7	1907	20.2	187.1	338.0	0.23	<0.01	0.41	3.79	0.51	16.1	1.5
Area6	A6E-219	7831512.1	795814.7	1915	17.8	202.2	193.4	0.2	<0.01	0.57	2.49	0.80	17.1	0.4
Area6	A6E-22	7830661.5	794914.1	1842	41.2	36.8	10.6	0.03	<0.01	0.57	3.59	0.60	9.6	3.0
Area6	A6E-221	7830611.5	795914.8	1824	46.1	101.5	312.0	0.12	<0.01	0.87	2.94	0.52	7.7	1.6
Area6	A6E-222	7830661.5	795914.8	1830	47.8	122.4	308.4	0.19	<0.01	1.00	2.93	0.48	8.9	1.4
Area6	A6E-223	7830711.5	795914.8	1831	44.6	146.2	301.3	0.2	<0.01	0.91	3.02	0.47	7.9	1.2
Area6	A6E-224	7830761.6	795914.8	1838	43.0	84.9	197.1	0.13	<0.01	1.03	2.64	0.54	7.8	0.7
Area6	A6E-225	7830811.6	795914.8	1844	48.4	76.7	164.9	0.18	<0.01	0.81	1.93	0.63	9.3	0.3
Area6	A6E-226	7830861.6	795914.8	1860	85.0	113.2	382.4	0.26	<0.01	1.10	2.37	0.70	12.3	0.7
Area6	A6E-227	7830911.7	795914.8	1872	53.1	126.9	183.1	0.37	<0.01	1.44	2.65	0.54	7.2	1.3
Area6	A6E-228	7830961.7	795914.8	1881	22.1	87.7	146.9	0.23	<0.01	0.72	2.15	0.62	10.1	0.5
Area6	A6E-229	7831011.7	795914.8	1890	74.7	302.0	614.0	0.29	<0.01	0.89	3.11	0.56	14.2	1.0
Area6	A6E-23	7830711.5	794914.1	1869	9.3	40.5	7.8	0.02	<0.01	0.47	2.79	0.33	2.5	1.4
Area6	A6E-230	7831061.8	795914.8	1900	69.1	299.2	656.4	0.24	<0.01	0.75	3.33	0.57	15.9	0.8
Area6	A6E-231	7831111.8	795914.8	1923	243.8	935.5	1938.2	0.65	<0.01	1.16	4.44	0.62	33.9	0.8
Area6	A6E-232	7831161.8	795914.8	1917	132.3	639.5	905.5	0.55	<0.01	1.27	2.92	0.54	20.5	1.4
Area6	A6E-233	7831211.9	795914.8	1901	189.7	495.0	1286.1	0.76	0.02	1.20	2.62	0.66	22.1	2.0
Area6	A6E-234	7831261.9	795914.8	1890	72.0	276.0	687.3	0.46	<0.01	0.86	2.64	0.43	10.6	1.5
Area6	A6E-235	7831311.9	795914.8	1878	49.4	377.7	587.7	0.5	<0.01	0.74	2.92	0.51	8.9	1.5
Area6	A6E-236	7831362.0	795914.8	1880	61.8	327.6	637.3	0.36	<0.01	1.09	3.86	0.52	13.4	2.4
Area6	A6E-237	7831412.0	795914.8	1899	25.9	206.4	456.2	0.22	<0.01	0.50	3.11	0.61	12.0	0.9
Area6	A6E-238	7831462.0	795914.8	1906	27.1	129.8	376.5	0.11	<0.01	0.58	2.85	0.52	11.3	2.3

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-239	7831512.1	795914.8	1913	13.1	91.7	156.9	0.16	<0.01	0.32	3.11	0.60	10.0	0.6
Area6	A6E-24	7830761.6	794914.1	1880	35.4	35.9	15.6	0.03	<0.01	0.61	2.68	0.35	4.9	3.4
Area6	A6E-241	7830611.5	796014.9	1825	52.5	180.1	345.9	0.13	<0.01	1.16	3.13	0.53	9.3	0.8
Area6	A6E-242	7830661.5	796014.9	1826	50.5	183.1	340.5	0.14	<0.01	0.99	2.64	0.49	7.5	0.8
Area6	A6E-243	7830711.5	796014.9	1840	67.3	201.9	343.8	0.17	<0.01	0.87	2.89	0.40	7.4	1.1
Area6	A6E-244	7830761.6	796014.9	1843	126.3	250.4	364.8	0.28	0.04	1.25	3.05	0.66	34.1	0.5
Area6	A6E-245	7830811.6	796014.9	1876	778.4	472.9	1267.7	0.67	0.19	13.03	2.98	3.85	478.7	0.4
Area6	A6E-246	7830861.6	796014.9	1890	171.7	412.9	1269.8	0.58	<0.01	1.83	3.30	0.59	31.5	0.8
Area6	A6E-247	7830911.7	796014.9	1912	211.3	278.6	817.0	0.38	<0.01	2.11	3.72	0.82	26.0	0.6
Area6	A6E-248	7830961.7	796014.9	1927	143.5	211.0	623.0	0.29	<0.01	1.49	3.87	0.67	14.1	1.0
Area6	A6E-249	7831011.7	796014.9	1921	117.4	240.6	575.6	0.27	<0.01	1.09	3.63	0.60	12.9	1.8
Area6	A6E-25	7830811.6	794914.1	1891	151.5	393.2	22.9	0.03	<0.01	1.01	2.95	0.32	20.5	1.8
Area6	A6E-250	7831061.8	796014.9	1914	70.8	170.8	435.0	0.23	<0.01	0.98	3.49	0.47	11.6	4.6
Area6	A6E-251	7831111.8	796014.9	1915	149.2	877.3	1565.1	0.67	<0.01	1.31	3.15	0.50	31.9	0.9
Area6	A6E-252	7831161.8	796014.9	1928	177.8	980.1	1503.2	0.66	<0.01	1.14	2.89	0.41	25.7	0.5
Area6	A6E-253	7831211.9	796014.9	1916	224.5	628.2	1254.5	1.63	0.03	3.11	2.20	0.54	76.9	1.4
Area6	A6E-254	7831261.9	796014.9	1899	127.8	644.2	859.4	1.2	<0.01	1.64	3.09	0.52	20.7	1.9
Area6	A6E-255	7831311.9	796014.9	1879	73.4	481.2	596.0	0.52	<0.01	1.47	2.45	0.47	12.4	2.6
Area6	A6E-256	7831362.0	796014.9	1884	21.2	134.5	224.2	0.14	<0.01	0.57	2.83	0.43	7.4	1.7
Area6	A6E-257	7831412.0	796014.9	1878	17.1	128.5	158.6	0.13	<0.01	0.40	2.49	0.43	9.4	0.4
Area6	A6E-258	7831462.0	796014.9	1885	30.1	227.2	224.9	0.23	<0.01	0.49	3.38	0.49	17.7	1.4
Area6	A6E-259	7831512.1	796014.9	1893	26.9	129.7	102.6	0.15	<0.01	0.59	3.92	0.88	20.3	1.0
Area6	A6E-26	7830861.6	794914.1	1901	52.2	109.6	184.4	0.25	<0.01	1.75	4.47	0.53	12.4	4.2
Area6	A6E-261	7830611.5	796114.9	1822	41.1	120.9	264.4	0.14	<0.01	0.94	2.96	0.71	15.5	1.0
Area6	A6E-262	7830661.5	796114.9	1828	51.0	276.6	558.3	0.2	<0.01	0.86	2.70	0.58	10.6	0.5
Area6	A6E-263	7830711.5	796114.9	1839	63.3	253.5	612.2	0.22	<0.01	0.98	2.52	0.53	10.8	0.6
Area6	A6E-264	7830761.6	796114.9	1858	66.9	349.4	641.0	0.26	<0.01	0.67	2.75	0.46	12.4	0.4
Area6	A6E-265	7830811.6	796114.9	1874	96.6	1092.2	1919.2	0.46	0.01	0.63	2.67	0.57	13.1	0.7
Area6	A6E-266	7830861.6	796114.9	1900	120.6	1340.7	2585.9	0.7	0.01	0.72	3.11	0.62	24.9	0.5
Area6	A6E-267	7830911.7	796114.9	1919	62.6	319.2	454.6	0.26	<0.01	0.42	2.42	0.63	9.3	0.4

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-268	7830961.7	796114.9	1943	65.8	518.9	742.4	0.3	<0.01	0.65	2.76	0.67	11.1	0.4
Area6	A6E-269	7831011.7	796114.9	1954	70.3	278.4	496.7	0.18	<0.01	0.82	2.56	0.42	8.7	1.4
Area6	A6E-27	7830911.7	794914.1	1890	50.9	115.0	161.7	0.26	<0.01	0.98	5.12	0.50	12.6	2.2
Area6	A6E-270	7831061.8	796114.9	1943	73.6	195.3	462.6	0.2	<0.01	0.71	3.25	0.50	9.9	1.5
Area6	A6E-271	7831111.8	796114.9	1923	111.2	227.4	487.3	0.23	<0.01	0.92	4.12	0.63	13.8	2.7
Area6	A6E-272	7831161.8	796114.9	1907	74.9	149.6	354.4	0.25	<0.01	0.84	3.29	0.55	13.6	2.7
Area6	A6E-273	7831211.9	796114.9	1902	138.4	315.8	780.3	0.37	<0.01	2.17	3.73	0.49	17.6	1.0
Area6	A6E-274	7831261.9	796114.9	1894	284.4	632.3	1834.0	0.38	<0.01	3.19	3.65	0.91	33.8	4.1
Area6	A6E-275	7831311.9	796114.9	1898	76.8	429.7	787.3	0.31	<0.01	1.09	2.80	0.45	10.0	2.2
Area6	A6E-276	7831362.0	796114.9	1889	31.7	317.7	385.7	0.2	<0.01	0.70	3.08	0.80	8.8	1.1
Area6	A6E-277	7831412.0	796114.9	1890	24.8	118.7	212.9	0.09	<0.01	0.60	3.14	0.72	12.8	2.1
Area6	A6E-278	7831462.0	796114.9	1900	14.4	94.6	175.0	0.15	<0.01	0.44	3.45	0.56	10.3	1.0
Area6	A6E-279	7831512.1	796114.9	1903	17.9	216.8	237.4	0.16	<0.01	0.48	3.56	0.58	14.6	1.2
Area6	A6E-28	7830961.7	794914.1	1876	61.9	119.9	186.1	0.3	<0.01	1.06	5.87	0.60	16.7	2.1
Area6	A6E-281	7830611.5	796215.0	1836	31.6	89.6	184.6	0.23	<0.01	0.78	3.86	0.42	5.6	1.1
Area6	A6E-282	7830661.5	796215.0	1832	58.1	262.9	281.8	0.24	<0.01	1.01	3.09	0.87	12.6	1.0
Area6	A6E-283	7830711.5	796215.0	1836	29.1	88.6	157.7	0.13	<0.01	0.88	2.93	0.50	8.5	0.4
Area6	A6E-284	7830761.6	796215.0	1855	62.1	140.9	345.7	0.24	<0.01	0.66	3.24	0.63	10.6	1.0
Area6	A6E-285	7830811.6	796215.0	1878	70.7	224.3	529.8	0.3	<0.01	0.60	2.38	0.51	9.7	0.4
Area6	A6E-286	7830861.6	796215.0	1896	77.5	293.1	621.9	0.28	<0.01	0.77	2.40	0.57	14.1	0.4
Area6	A6E-287	7830911.7	796215.0	1910	394.1	965.7	3405.4	0.67	<0.01	1.13	2.70	0.83	48.8	1.2
Area6	A6E-288	7830961.7	796215.0	1929	80.7	610.8	764.8	0.32	<0.01	0.66	2.81	0.49	12.3	0.4
Area6	A6E-289	7831011.7	796215.0	1940	122.1	840.5	984.0	0.37	<0.01	1.10	3.52	0.67	15.5	0.7
Area6	A6E-29	7831011.7	794914.1	1867	77.4	131.7	245.7	0.26	<0.01	0.89	5.46	0.44	13.7	2.9
Area6	A6E-290	7831061.8	796215.0	1938	72.5	549.7	569.5	0.26	<0.01	0.68	3.03	0.56	11.1	0.8
Area6	A6E-291	7831111.8	796215.0	1920	86.4	302.0	440.4	0.23	<0.01	0.88	3.56	0.52	15.5	3.0
Area6	A6E-292	7831161.8	796215.0	1913	72.3	248.7	410.3	0.18	<0.01	0.88	3.23	0.59	12.6	4.7
Area6	A6E-293	7831211.9	796215.0	1907	85.1	336.8	449.6	0.25	<0.01	1.94	3.89	0.64	21.2	4.4
Area6	A6E-294	7831261.9	796215.0	1908	82.6	545.6	656.3	0.31	<0.01	1.64	3.56	0.79	16.3	3.2
Area6	A6E-295	7831311.9	796215.0	1907	44.2	459.2	480.6	0.16	<0.01	1.25	3.05	0.54	11.5	4.0

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-296	7831362.0	796215.0	1905	20.8	122.9	228.9	0.16	<0.01	0.80	2.50	0.49	6.7	1.9
Area6	A6E-297	7831412.0	796215.0	1904	17.5	143.0	242.1	0.16	<0.01	0.54	2.77	0.38	7.4	2.8
Area6	A6E-298	7831462.0	796215.0	1903	11.7	48.7	76.6	0.05	<0.01	0.40	2.30	0.50	9.7	1.1
Area6	A6E-299	7831512.1	796215.0	1901	14.3	68.3	126.5	0.08	<0.01	0.37	2.55	0.40	7.1	2.0
Area6	A6E-3	7830711.5	794814.1	1850	38.7	51.7	44.5	0.04	<0.01	0.64	2.54	0.22	8.8	2.4
Area6	A6E-30	7831061.8	794914.1	1841	112.8	167.0	377.2	0.38	<0.01	1.18	5.66	0.42	16.4	2.5
Area6	A6E-301	7830611.5	796315.1	1857	18.7	84.4	62.0	0.17	<0.01	0.55	2.27	0.46	4.0	0.4
Area6	A6E-302	7830661.5	796315.1	1845	34.7	120.0	194.9	0.28	<0.01	0.79	2.01	0.43	7.1	1.3
Area6	A6E-303	7830711.5	796315.1	1840	44.2	178.8	250.4	0.2	<0.01	0.87	2.84	0.38	7.6	1.6
Area6	A6E-304	7830761.6	796315.1	1845	109.1	302.5	458.6	0.31	<0.01	1.66	3.30	0.93	32.7	1.0
Area6	A6E-305	7830811.6	796315.1	1852	31.7	107.1	182.2	0.2	<0.01	0.70	2.44	0.42	7.1	0.7
Area6	A6E-306	7830861.6	796315.1	1877	85.4	334.4	607.3	0.39	<0.01	1.51	2.94	0.80	18.9	0.8
Area6	A6E-307	7830911.7	796315.1	1888	82.8	308.4	553.2	0.28	<0.01	1.04	3.01	0.55	14.6	0.4
Area6	A6E-308	7830961.7	796315.1	1899	180.7	605.3	974.0	0.54	<0.01	2.12	4.09	1.06	47.4	1.3
Area6	A6E-309	7831011.7	796315.1	1916	758.4	2579.7	2930.1	3.17	0.04	3.87	3.48	0.85	268.7	2.7
Area6	A6E-31	7831111.8	794914.1	1823	44.8	74.2	218.4	0.15	<0.01	0.78	3.56	0.26	7.4	1.7
Area6	A6E-310	7831061.8	796315.1	1919	149.7	672.0	903.9	0.43	<0.01	1.74	3.31	0.80	25.9	2.8
Area6	A6E-311	7831111.8	796315.1	1924	194.5	495.1	819.3	0.53	<0.01	1.69	5.52	0.71	32.3	9.2
Area6	A6E-312	7831161.8	796315.1	1922	115.7	402.9	674.6	0.43	<0.01	1.89	4.29	1.05	28.4	5.2
Area6	A6E-313	7831211.9	796315.1	1921	61.6	269.9	309.6	0.29	<0.01	1.15	3.94	1.32	15.6	2.2
Area6	A6E-314	7831261.9	796315.1	1921	57.5	380.2	345.9	0.34	<0.01	1.23	3.90	0.84	18.8	2.0
Area6	A6E-315	7831311.9	796315.1	1921	39.5	213.3	230.9	0.21	<0.01	0.98	3.56	0.75	13.0	1.3
Area6	A6E-316	7831362.0	796315.1	1918	29.9	321.3	338.3	0.19	<0.01	1.17	3.22	0.56	10.7	3.3
Area6	A6E-317	7831412.0	796315.1	1913	28.0	346.6	352.5	0.22	<0.01	0.93	2.81	0.53	11.1	2.0
Area6	A6E-318	7831462.0	796315.1	1909	14.5	250.1	238.5	0.16	<0.01	0.51	2.53	0.47	9.6	1.5
Area6	A6E-319	7831512.1	796315.1	1899	19.3	279.5	249.5	0.18	<0.01	0.49	3.24	0.38	9.1	2.0
Area6	A6E-32	7831161.8	794914.1	1815	57.9	173.5	565.1	0.2	<0.01	0.69	4.80	0.40	7.4	1.1
Area6	A6E-321	7830611.5	796415.1	1852	24.7	95.2	146.8	0.22	<0.01	0.82	3.03	0.60	7.0	1.4
Area6	A6E-322	7830661.5	796415.1	1857	51.0	212.2	374.9	0.23	<0.01	0.55	1.81	0.51	8.2	1.5
Area6	A6E-323	7830711.5	796415.1	1855	86.3	198.7	414.3	0.25	<0.01	0.87	2.90	0.61	8.0	0.9

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-324	7830761.6	796415.1	1854	24.9	72.5	106.6	0.14	<0.01	0.55	2.35	0.44	6.0	0.6
Area6	A6E-325	7830811.6	796415.1	1855	43.0	82.1	127.2	0.15	<0.01	0.78	3.38	0.68	13.4	1.0
Area6	A6E-326	7830861.6	796415.1	1861	84.9	162.0	265.7	0.23	<0.01	1.38	3.95	1.31	28.7	3.0
Area6	A6E-327	7830911.7	796415.1	1885	73.4	223.9	273.5	0.31	<0.01	1.00	3.92	0.84	21.8	0.7
Area6	A6E-328	7830961.7	796415.1	1907	108.8	349.7	346.4	0.38	<0.01	0.99	4.61	1.00	32.5	1.0
Area6	A6E-329	7831011.7	796415.1	1928	1456.1	2445.5	2201.3	3.77	0.01	6.65	5.57	2.16	358.0	2.2
Area6	A6E-33	7831211.9	794914.1	1818	28.6	137.9	388.4	0.13	<0.01	0.62	3.53	0.37	6.7	1.2
Area6	A6E-330	7831061.8	796415.1	1948	158.5	456.1	582.3	0.54	<0.01	1.38	5.36	1.13	38.8	1.4
Area6	A6E-331	7831111.8	796415.1	1954	94.2	247.7	414.4	0.45	<0.01	1.67	5.70	2.72	43.6	1.4
Area6	A6E-332	7831161.8	796415.1	1965	110.4	277.8	469.8	0.6	<0.01	1.46	5.79	1.73	35.0	2.8
Area6	A6E-333	7831211.9	796415.1	1963	103.7	299.2	388.6	0.56	<0.01	1.47	5.29	1.61	27.3	2.1
Area6	A6E-334	7831261.9	796415.1	1962	109.1	281.0	392.0	0.46	<0.01	1.85	4.77	2.18	40.9	2.1
Area6	A6E-335	7831311.9	796415.1	1953	123.8	430.2	701.0	0.48	<0.01	1.40	5.29	1.32	28.0	4.4
Area6	A6E-336	7831362.0	796415.1	1943	101.8	518.9	710.1	0.46	<0.01	1.33	4.82	1.23	27.0	1.4
Area6	A6E-337	7831412.0	796415.1	1932	87.8	600.8	753.3	0.39	<0.01	1.02	4.24	0.96	20.7	5.5
Area6	A6E-338	7831462.0	796415.1	1922	34.6	385.6	381.9	0.25	<0.01	0.62	3.27	0.58	10.7	1.3
Area6	A6E-339	7831512.1	796415.1	1905	29.6	318.5	295.7	0.22	<0.01	0.45	3.12	0.61	9.4	1.6
Area6	A6E-34	7831261.9	794914.1	1819	49.3	255.1	608.9	0.21	<0.01	0.78	4.91	0.46	9.1	1.0
Area6	A6E-341	7830611.5	796515.2	1844	36.9	148.3	209.8	0.33	<0.01	2.17	3.76	0.63	9.2	0.7
Area6	A6E-342	7830661.5	796515.2	1862	29.1	225.6	191.8	0.27	<0.01	1.09	3.73	0.61	9.6	0.7
Area6	A6E-343	7830711.5	796515.2	1873	16.7	53.6	88.7	0.11	<0.01	0.40	1.98	0.54	6.4	0.3
Area6	A6E-344	7830761.6	796515.2	1872	52.5	190.0	315.9	0.26	<0.01	1.06	2.84	0.41	6.3	0.6
Area6	A6E-345	7830811.6	796515.2	1868	40.3	128.4	163.8	0.19	<0.01	0.72	3.10	0.45	9.0	0.8
Area6	A6E-346	7830861.6	796515.2	1863	76.4	106.8	174.2	0.24	<0.01	1.10	3.95	0.97	32.0	1.2
Area6	A6E-347	7830911.7	796515.2	1886	35.4	73.8	86.7	0.22	<0.01	0.74	1.96	0.80	13.1	0.5
Area6	A6E-348	7830961.7	796515.2	1909	173.8	196.5	318.4	0.47	<0.01	1.06	4.33	1.19	37.8	2.7
Area6	A6E-349	7831011.7	796515.2	1936	100.5	277.2	359.5	0.35	<0.01	1.53	4.67	1.64	41.9	1.5
Area6	A6E-35	7831311.9	794914.1	1815	24.9	91.4	254.2	0.11	<0.01	0.65	3.39	0.43	7.9	1.1
Area6	A6E-350	7831061.8	796515.2	1966	101.3	473.1	405.0	0.44	<0.01	1.19	5.27	2.10	39.6	2.1
Area6	A6E-351	7831111.8	796515.2	1972	230.0	305.1	218.2	0.36	<0.01	1.88	5.13	1.73	61.9	1.9

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-352	7831161.8	796515.2	1979	123.8	260.7	419.8	0.34	<0.01	2.85	4.76	1.84	71.8	2.6
Area6	A6E-353	7831211.9	796515.2	1992	145.0	407.5	349.4	0.3	<0.01	4.15	3.88	2.71	108.0	2.9
Area6	A6E-354	7831261.9	796515.2	1999	210.1	300.6	312.6	0.7	<0.01	3.73	4.45	2.18	77.3	2.0
Area6	A6E-355	7831311.9	796515.2	1996	260.6	305.0	647.6	1.24	<0.01	3.60	5.47	3.24	61.9	1.4
Area6	A6E-356	7831362.0	796515.2	1983	149.4	459.1	798.3	1.17	<0.01	1.81	5.53	1.53	33.1	0.9
Area6	A6E-357	7831412.0	796515.2	1964	104.4	2705.9	1899.1	1.21	<0.01	1.61	5.23	1.19	74.2	2.4
Area6	A6E-358	7831462.0	796515.2	1944	48.7	684.7	634.1	0.39	<0.01	0.58	3.85	0.65	18.3	0.7
Area6	A6E-359	7831512.1	796515.2	1929	24.3	381.3	319.3	0.25	<0.01	0.46	3.15	0.55	10.3	1.1
Area6	A6E-36	7831362.0	794914.1	1815	14.1	77.1	185.5	0.08	<0.01	0.57	3.04	0.52	6.1	0.9
Area6	A6E-361	7830611.5	796615.3	1824	35.8	109.0	181.6	0.23	<0.01	1.07	3.81	0.77	13.5	0.9
Area6	A6E-362	7830661.5	796615.3	1848	30.6	102.0	143.6	0.25	<0.01	1.63	3.02	0.73	12.3	1.0
Area6	A6E-363	7830711.5	796615.3	1878	18.3	69.8	78.3	0.13	<0.01	0.55	2.52	0.44	8.0	0.3
Area6	A6E-364	7830761.6	796615.3	1876	28.5	74.9	108.4	0.12	<0.01	0.68	2.64	0.60	9.6	0.5
Area6	A6E-365	7830811.6	796615.3	1897	49.3	136.8	243.8	0.27	<0.01	1.76	3.08	0.45	8.6	0.4
Area6	A6E-366	7830861.6	796615.3	1901	44.6	90.7	216.8	0.18	<0.01	0.82	2.74	0.45	7.8	0.8
Area6	A6E-367	7830911.7	796615.3	1889	100.0	199.6	323.7	0.35	<0.01	1.38	3.41	0.81	27.6	0.9
Area6	A6E-368	7830961.7	796615.3	1884	187.3	295.2	470.8	0.57	<0.01	2.42	4.28	1.39	76.8	1.1
Area6	A6E-369	7831011.7	796615.3	1931	1113.2	366.3	470.9	4.45	<0.01	6.01	5.68	1.77	434.1	1.5
Area6	A6E-37	7831412.0	794914.1	1814	10.9	92.0	189.9	0.2	<0.01	0.62	3.02	0.60	6.1	1.0
Area6	A6E-370	7831061.8	796615.3	1956	183.0	225.1	322.3	0.68	<0.01	2.76	6.24	2.70	72.8	1.5
Area6	A6E-371	7831111.8	796615.3	1977	206.0	247.2	176.3	0.41	<0.01	3.86	4.12	2.61	90.6	2.2
Area6	A6E-372	7831161.8	796615.3	1984	187.4	512.5	337.5	0.37	<0.01	2.26	4.59	2.72	92.1	2.2
Area6	A6E-373	7831211.9	796615.3	1998	363.3	356.5	250.9	0.37	<0.01	4.03	4.03	2.81	131.0	7.6
Area6	A6E-374	7831261.9	796615.3	2000	342.2	459.9	344.8	0.67	<0.01	3.07	5.32	2.10	93.6	3.3
Area6	A6E-375	7831311.9	796615.3	1999	125.6	185.7	447.0	0.56	<0.01	1.99	4.43	1.88	39.5	1.2
Area6	A6E-376	7831362.0	796615.3	1990	65.5	2246.0	2417.9	1.49	<0.01	1.56	4.05	1.13	36.4	0.7
Area6	A6E-377	7831412.0	796615.3	1976	280.3	1137.6	2200.7	1.41	<0.01	1.91	6.01	1.66	40.6	1.8
Area6	A6E-378	7831462.0	796615.3	1945	121.0	1505.7	2266.3	1.18	<0.01	1.65	4.48	0.89	30.9	1.1
Area6	A6E-379	7831512.1	796615.3	1926	26.7	407.9	482.0	0.3	<0.01	0.49	3.09	0.70	9.2	0.6
Area6	A6E-38	7831462.0	794914.1	1813	10.5	85.9	186.6	0.09	<0.01	0.58	3.41	0.49	5.4	1.1

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-381	7830611.5	796715.3	1802	24.7	117.2	159.4	0.19	<0.01	0.61	3.65	0.64	10.4	0.8
Area6	A6E-382	7830661.5	796715.3	1826	24.2	110.8	147.3	0.26	<0.01	0.91	4.00	0.67	10.9	0.7
Area6	A6E-383	7830711.5	796715.3	1857	46.3	84.2	152.3	0.13	<0.01	1.69	2.62	1.98	42.1	0.4
Area6	A6E-384	7830761.6	796715.3	1890	59.4	89.9	210.8	0.2	<0.01	0.60	3.55	0.53	10.5	1.3
Area6	A6E-385	7830811.6	796715.3	1906	48.6	101.1	237.0	0.18	<0.01	0.70	4.18	0.63	10.9	0.4
Area6	A6E-386	7830861.6	796715.3	1903	66.5	116.9	291.1	0.26	<0.01	0.61	3.86	0.53	9.5	0.6
Area6	A6E-387	7830911.7	796715.3	1882	24.0	72.8	146.6	0.22	<0.01	0.59	1.82	0.42	5.0	0.2
Area6	A6E-388	7830961.7	796715.3	1889	66.2	259.0	437.9	0.3	<0.01	1.06	4.00	1.44	30.7	1.0
Area6	A6E-389	7831011.7	796715.3	1913	82.3	384.7	620.2	0.32	<0.01	1.02	2.63	1.35	22.8	1.6
Area6	A6E-39	7831512.1	794914.1	1814	12.0	108.4	194.5	0.09	<0.01	0.51	4.15	0.68	6.1	0.8
Area6	A6E-390	7831061.8	796715.3	1941	135.5	494.9	774.9	0.49	<0.01	1.70	5.56	2.26	67.4	2.3
Area6	A6E-391	7831111.8	796715.3	1962	139.3	278.1	484.3	0.59	<0.01	1.46	5.58	2.92	51.5	1.6
Area6	A6E-392	7831161.8	796715.3	1975	99.5	302.3	460.1	0.48	<0.01	1.26	5.13	3.85	49.7	1.1
Area6	A6E-393	7831211.9	796715.3	1977	151.2	570.9	549.8	0.69	<0.01	1.86	5.43	3.93	61.5	1.8
Area6	A6E-394	7831261.9	796715.3	1977	275.9	448.9	481.7	1.15	<0.01	3.90	5.95	3.73	101.5	2.8
Area6	A6E-395	7831311.9	796715.3	1968	136.0	409.1	659.8	1.07	<0.01	1.72	5.57	1.40	37.9	1.7
Area6	A6E-396	7831362.0	796715.3	1974	101.1	848.1	1018.0	0.86	<0.01	0.91	5.12	1.40	23.2	2.5
Area6	A6E-397	7831412.0	796715.3	1962	63.7	942.6	1062.6	0.75	<0.01	0.79	5.26	1.10	18.7	1.1
Area6	A6E-398	7831462.0	796715.3	1940	34.3	504.4	602.2	0.42	<0.01	0.66	4.25	0.77	15.0	1.3
Area6	A6E-399	7831512.1	796715.3	1914	20.0	241.3	211.3	0.23	<0.01	0.41	2.95	0.54	8.3	0.7
Area6	A6E-4	7830761.6	794814.1	1865	65.2	67.8	96.1	0.06	<0.01	1.06	1.89	0.31	21.1	2.1
Area6	A6E-401	7830611.5	796815.4	1762	25.4	114.8	139.9	0.16	<0.01	0.91	3.86	1.18	14.1	0.9
Area6	A6E-402	7830661.5	796815.4	1799	28.4	148.9	128.8	0.2	<0.01	0.60	4.31	0.88	9.8	0.6
Area6	A6E-403	7830711.5	796815.4	1830	41.9	109.9	180.1	0.23	<0.01	1.26	3.64	0.85	13.3	0.9
Area6	A6E-404	7830761.6	796815.4	1855	45.6	69.0	223.1	0.28	<0.01	1.55	3.15	0.69	11.2	0.8
Area6	A6E-405	7830811.6	796815.4	1884	25.4	65.9	146.2	0.16	<0.01	0.56	2.87	0.64	9.7	0.7
Area6	A6E-406	7830861.6	796815.4	1888	20.4	59.8	105.5	0.14	<0.01	0.37	2.59	0.48	4.8	0.5
Area6	A6E-407	7830911.7	796815.4	1881	12.3	48.1	65.1	0.12	<0.01	0.36	2.03	0.51	4.1	0.4
Area6	A6E-408	7830961.7	796815.4	1871	41.3	220.7	304.8	0.21	<0.01	0.88	3.31	0.87	15.7	1.0
Area6	A6E-409	7831011.7	796815.4	1883	38.1	299.7	331.1	0.26	<0.01	0.73	3.82	0.96	18.4	0.7

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-41	7830611.5	795014.2	1823	66.0	37.6	75.3	0.05	<0.01	1.26	3.23	0.51	30.7	3.6
Area6	A6E-410	7831061.8	796815.4	1895	54.7	503.4	657.8	0.35	<0.01	0.95	3.57	1.21	26.1	0.9
Area6	A6E-411	7831111.8	796815.4	1916	39.4	274.0	377.2	0.31	<0.01	0.51	4.54	0.79	12.8	0.8
Area6	A6E-412	7831161.8	796815.4	1933	69.7	303.7	510.5	0.47	<0.01	1.06	5.02	1.88	32.0	1.4
Area6	A6E-413	7831211.9	796815.4	1944	95.6	396.5	655.9	0.64	<0.01	1.33	5.60	3.53	37.4	1.8
Area6	A6E-414	7831261.9	796815.4	1940	95.8	457.5	639.5	0.64	<0.01	1.60	5.48	3.48	42.3	1.5
Area6	A6E-415	7831311.9	796815.4	1945	129.1	400.6	476.3	0.7	<0.01	1.78	5.35	2.07	45.9	2.6
Area6	A6E-416	7831362.0	796815.4	1942	108.1	465.8	484.4	0.74	<0.01	1.34	5.53	1.49	29.7	1.4
Area6	A6E-417	7831412.0	796815.4	1916	37.3	269.4	256.6	0.26	<0.01	0.53	3.55	1.02	12.8	0.7
Area6	A6E-418	7831462.0	796815.4	1931	46.0	211.7	241.2	0.62	<0.01	0.97	3.50	0.79	18.2	0.7
Area6	A6E-419	7831512.1	796815.4	1896	24.6	231.2	214.4	0.2	<0.01	0.39	3.07	0.81	11.1	0.4
Area6	A6E-42	7830661.5	795014.2	1832	126.5	190.3	336.9	0.51	<0.01	4.86	3.39	1.61	70.2	1.9
Area6	A6E-43	7830711.5	795014.2	1860	150.5	248.8	402.4	0.57	<0.01	6.32	4.58	1.70	73.9	2.9
Area6	A6E-44	7830761.6	795014.2	1875	179.4	286.0	236.8	0.18	<0.01	6.73	1.22	2.85	113.2	2.4
Area6	A6E-45	7830811.6	795014.2	1893	74.1	219.4	325.2	0.37	<0.01	3.29	3.32	1.19	36.7	1.7
Area6	A6E-46	7830861.6	795014.2	1901	100.4	175.6	344.3	0.59	<0.01	2.27	5.29	0.83	18.2	2.1
Area6	A6E-47	7830911.7	795014.2	1902	48.2	103.9	185.9	0.33	<0.01	0.99	4.70	0.99	11.3	0.7
Area6	A6E-48	7830961.7	795014.2	1891	44.5	104.6	265.3	0.32	<0.01	0.99	4.61	0.56	9.8	1.2
Area6	A6E-49	7831011.7	795014.2	1871	51.3	191.9	342.2	0.31	<0.01	0.79	4.74	0.46	13.7	3.2
Area6	A6E-5	7830811.6	794814.1	1863	82.0	97.0	48.1	0.04	<0.01	0.72	2.15	0.18	10.6	6.6
Area6	A6E-50	7831061.8	795014.2	1868	72.2	154.4	579.7	0.31	<0.01	0.86	4.59	0.57	15.4	1.2
Area6	A6E-51	7831111.8	795014.2	1820	35.7	66.0	322.3	0.11	<0.01	0.64	2.84	0.35	6.2	1.0
Area6	A6E-52	7831161.8	795014.2	1825	69.8	301.7	833.6	0.29	<0.01	0.85	6.04	0.52	9.2	1.5
Area6	A6E-53	7831211.9	795014.2	1838	54.6	101.4	182.2	0.28	<0.01	0.79	3.17	0.43	13.2	0.7
Area6	A6E-54	7831261.9	795014.2	1841	72.6	133.3	223.9	0.25	<0.01	1.61	3.34	0.62	21.6	0.9
Area6	A6E-55	7831311.9	795014.2	1840	57.0	176.2	271.5	0.25	<0.01	0.83	4.15	0.53	18.3	0.6
Area6	A6E-56	7831362.0	795014.2	1834	61.2	752.6	814.3	0.29	<0.01	1.23	3.76	0.75	18.9	1.5
Area6	A6E-57	7831412.0	795014.2	1819	25.4	183.8	314.8	0.14	<0.01	0.93	3.59	0.84	9.9	1.8
Area6	A6E-58	7831462.0	795014.2	1815	18.5	123.9	240.6	0.1	<0.01	0.80	3.31	0.78	8.0	1.9
Area6	A6E-59	7831512.1	795014.2	1815	10.1	77.3	135.3	0.09	<0.01	0.53	3.76	0.71	5.8	1.1

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-6	7830861.6	794814.1	1870	83.5	170.9	223.3	0.29	<0.01	2.16	4.65	0.59	32.4	3.6
Area6	A6E-61	7830611.5	795114.3	1815	42.4	61.9	149.7	0.14	<0.01	2.31	3.91	0.55	11.4	0.7
Area6	A6E-62	7830661.5	795114.3	1828	74.7	115.1	260.4	0.28	<0.01	1.57	4.86	0.81	19.6	1.2
Area6	A6E-63	7830711.5	795114.3	1848	127.3	124.7	635.9	0.43	<0.01	2.43	5.46	0.90	26.6	2.0
Area6	A6E-64	7830761.6	795114.3	1869	103.2	134.4	452.9	0.48	<0.01	1.93	5.81	0.75	28.9	2.2
Area6	A6E-65	7830811.6	795114.3	1883	170.5	142.3	425.8	0.62	<0.01	3.12	5.54	1.39	52.6	2.9
Area6	A6E-66	7830861.6	795114.3	1888	59.3	87.4	262.5	0.28	<0.01	1.20	3.85	0.50	16.5	0.9
Area6	A6E-67	7830911.7	795114.3	1893	70.7	206.7	426.7	0.4	<0.01	0.99	5.03	0.66	20.4	4.4
Area6	A6E-68	7830961.7	795114.3	1881	60.8	139.7	394.1	0.28	<0.01	0.64	3.53	0.62	20.7	2.9
Area6	A6E-69	7831011.7	795114.3	1867	59.4	199.2	495.2	0.26	<0.01	0.87	4.54	0.61	20.0	2.2
Area6	A6E-7	7830911.7	794814.1	1877	72.3	130.4	346.4	0.47	<0.01	1.15	4.41	0.76	14.2	1.7
Area6	A6E-70	7831061.8	795114.3	1841	98.9	259.2	908.3	0.29	<0.01	0.61	2.88	0.50	10.1	1.2
Area6	A6E-71	7831111.8	795114.3	1826	34.5	97.8	380.9	0.09	<0.01	0.67	3.10	0.38	6.2	1.2
Area6	A6E-72	7831161.8	795114.3	1828	31.7	81.4	200.2	0.23	<0.01	0.54	3.01	0.43	9.5	0.5
Area6	A6E-73	7831211.9	795114.3	1852	38.2	86.5	182.2	0.31	<0.01	0.79	4.30	0.73	16.6	1.0
Area6	A6E-74	7831261.9	795114.3	1872	39.7	61.3	172.4	0.26	<0.01	0.72	3.36	0.39	11.7	1.2
Area6	A6E-75	7831311.9	795114.3	1862	49.0	100.5	320.8	0.26	<0.01	0.74	3.77	0.45	16.4	1.1
Area6	A6E-76	7831362.0	795114.3	1847	43.9	305.9	421.9	0.18	<0.01	0.86	3.20	0.73	14.5	1.3
Area6	A6E-77	7831412.0	795114.3	1833	44.5	386.7	569.4	0.26	<0.01	1.02	3.76	1.08	12.6	1.3
Area6	A6E-78	7831462.0	795114.3	1839	38.9	159.5	329.3	0.26	<0.01	0.89	3.80	0.75	12.6	2.7
Area6	A6E-79	7831512.1	795114.3	1830	15.3	102.4	145.0	0.29	<0.01	0.81	3.67	0.63	9.2	1.7
Area6	A6E-8	7830961.7	794814.1	1871	63.8	92.3	215.0	0.46	<0.01	1.25	6.36	1.06	11.0	3.6
Area6	A6E-81	7830611.5	795214.3	1814	121.9	93.6	281.0	0.26	<0.01	4.47	3.98	0.66	21.7	1.4
Area6	A6E-82	7830661.5	795214.3	1817	119.3	96.9	320.3	0.26	<0.01	8.28	3.26	0.98	31.5	1.7
Area6	A6E-83	7830711.5	795214.3	1827	277.7	120.9	429.5	0.6	<0.01	10.25	3.64	0.68	43.8	1.9
Area6	A6E-84	7830761.6	795214.3	1838	420.9	394.8	1450.7	1.09	<0.01	20.57	4.68	0.95	68.5	2.8
Area6	A6E-85	7830811.6	795214.3	1857	194.2	558.5	1277.8	0.58	<0.01	2.57	5.12	0.67	41.0	1.3
Area6	A6E-86	7830861.6	795214.3	1864	234.4	366.5	1413.3	0.44	<0.01	1.98	5.69	0.56	32.0	2.1
Area6	A6E-87	7830911.7	795214.3	1863	212.8	167.8	3362.4	0.53	<0.01	1.53	3.85	0.55	24.6	1.3
Area6	A6E-88	7830961.7	795214.3	1864	171.9	177.2	1611.6	0.4	<0.01	1.48	3.86	0.66	20.4	1.8

DataSet	SampleID	NAT North	NAT East	NAT RL	Cu ppm	Zn ppm	Pb ppm	Ag ppm	Ge ppm	Sb ppm	Ga ppm	Mo ppm	As ppm	Au ppb
Area6	A6E-89	7831011.7	795214.3	1865	82.5	156.9	834.4	0.29	<0.01	0.85	4.05	0.49	10.4	1.5
Area6	A6E-9	7831011.7	794814.1	1850	61.7	110.4	237.8	0.27	<0.01	1.28	4.56	0.52	13.1	3.6
Area6	A6E-90	7831061.8	795214.3	1841	63.5	115.1	447.6	0.22	<0.01	1.03	3.08	0.41	12.8	1.0
Area6	A6E-91	7831111.8	795214.3	1829	47.4	112.4	469.6	0.19	<0.01	0.76	3.56	0.33	6.2	1.0
Area6	A6E-92	7831161.8	795214.3	1831	27.0	109.7	329.4	0.19	<0.01	0.59	3.71	0.47	6.1	1.3
Area6	A6E-93	7831211.9	795214.3	1833	27.6	46.6	165.8	0.2	<0.01	1.08	2.52	0.36	7.9	1.0
Area6	A6E-94	7831261.9	795214.3	1838	32.4	47.9	109.0	0.24	<0.01	0.92	2.22	0.48	8.2	0.7
Area6	A6E-95	7831311.9	795214.3	1853	50.3	62.7	263.7	0.29	<0.01	1.00	3.16	0.42	12.0	0.6
Area6	A6E-96	7831362.0	795214.3	1867	20.2	59.3	182.1	0.11	<0.01	0.34	2.15	0.43	9.8	0.3
Area6	A6E-97	7831412.0	795214.3	1859	50.8	369.1	578.9	0.23	<0.01	0.65	3.49	0.55	12.6	0.9
Area6	A6E-98	7831462.0	795214.3	1856	17.7	77.9	164.1	0.19	<0.01	0.92	1.95	0.70	8.1	4.5
Area6	A6E-99	7831512.1	795214.3	1855	26.4	161.0	182.1	0.28	<0.01	0.87	4.87	1.08	14.9	2.5

APPENDIX 3: JORC 2012 Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where 'industry standard' work has been done this would be relatively simple (e.g., 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information.</i>	- The rockchip sampling program involved the collection of 55 new rockchip samples from mineralised outcrops identified by geological reconnaissance mapping and during a gridded soil sampling program over an expanded 2km x 1km area in Target Area 6 (see Figure 4). - Each individual rockchip sample was chipped from selected outcrops using a geological hammer prior to being placed in an individually numbered calico bag in preparation for chemical analysis (multielement assay) at the conclusion of the field program(s). Each sample weighed approximately 1 to 2 kg. - One sample was obtained from small outcrops, and multiple samples were obtained from larger outcrops (>1m x 1m), to provide some representivity. However, channel sampling has not yet been carried out to provide representative widths and grades. This will be done at the second, follow-up stage of sampling, which is in progress. - Rockchip samples were prepared by Intertek Genalysis in Tsumeb, Namibia. Here the samples were sorted, dried, crushed and pulverised in a vibrating pulveriser. A ~300g sub sample was despatched to Intertek Genalysis in Perth for analysis. - Rockchip samples were analysed via "ore-grade" method, FP1/OM42 = Sodium Peroxide Fusion dissolution then ICP-MS or ICP-OES analysis. Samples were analysed for a 43 element package. In addition, a 25g charge was taken for fire assay for Au, Pt, Pd. - Appendix 1 includes all rockchip sample results for selected elements of significance with detection limits. - The Soil sampling program involved the collection of an additional 399 samples. The new soil samples are outside the previous 100m x 25m grid (1km x 800m area) and were collected on a 200m x 50m grid extending to a 2km x 1km area. - The soil samples were collected by use of a handheld auger, from ~10cm diameter holes to depths of about 30 to 50cm, depending on the ground conditions. If not possible to auger, the samples were collected with a garden scoop, after removing the topsoil. Approximately 200g of soil was collected into a plastic zip-lock bag.

Criteria	JORC Code explanation	Commentary
		- Soil samples were prepared by Intertek Genalysis in Tsumeb, Namibia. Here the samples were sorted, dried, crushed and pulverised in a vibrating pulveriser. The sample was then despatched to Intertek Genalysis in Perth for analysis. - Soil samples were analysed via method 4AR-MS/OES = Four Acid Aqua Regia digest prior to ICP Mass Spectroscopy (ICP-MS). Samples were analysed for a 53 element package. - Appendix 2 includes all soil sample results for selected elements of significance.
Drilling techniques	Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g., core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	No new drilling reported in this release.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	No new drilling reported in this release.
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. - The total length and percentage of the relevant intersections logged.	Rockchip sample geological notes were recorded at each sample location (see Appendix 1)
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	- No new drilling reported in this release. - Rockchip sampling of outcrops was not systematic. No duplicate samples collected. - Rockchip samples were prepared by Intertek Genalysis in Tsumeb, Namibia. Here the samples were sorted, dried, crushed and pulverised in a vibrating pulveriser. A ~300g sub sample was despatched to Intertek Genalysis in Perth for analysis. The sample preparation technique is quality assured and appropriate for the sample type being analysed.

Criteria	JORC Code explanation	Commentary
	- Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. - Whether sample sizes are appropriate to the grain size of the material being sampled.	- Approximately 200g of soil sample was collected into a plastic zip-lock bag. Soil samples were prepared by Intertek Genalysis in Tsumeb, Namibia. Here the samples were sorted, dried, crushed and pulverised in a vibrating pulveriser. The sample was then despatched to Intertek Genalysis in Perth for analysis. The sample preparation technique is quality assured and appropriate for the sample type being analysed. - Rockchip sample sizes range from 1 to 2kg and are deemed appropriate for the grain size of the material being sampled. - Soil sample sizes of 200g are appropriate for the grain size of the (soil and gravel) material being sampled.
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (e.g., standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e., lack of bias) and precision have been established.	- The rockchip sample(s) have been fully digested using "ore-grade" method, FP1/OM42 = Sodium Peroxide Fusion dissolution then analysed by ICP-MS or ICP-OES. Samples were analysed for a 43 element package. In addition, a 25g charge was taken for fire assay for Au, Pt, Pd. - These methods are quality assured and appropriate for the samples analysed. - Soil samples were fully digested via a Four Acid Aqua Regia total digest prior to analysis via method 4AR-MS/OES = Four Acid Aqua Regia digest prior to ICP Mass Spectroscopy (ICP-MS). Samples were analysed for a 53 element package. - For both rockchip and soil samples sampling procedures involve the insertion of registered Standards every 20 samples. Quality control reports are undertaken routinely to monitor the performance of field standards and duplicates, and laboratory accuracy and precision.
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	No drilling reported in this release.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- Rockchip and soil sampling locations were logged using a hand-held GPS (National Grid ID: WGS84_33S). - Location of the rockchip samples are provided in Appendix 1. - Location of the soil samples are provided in Appendix 2.

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	• <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i>	• Rockchip samples were collected from identified mineralised outcrops. Sampling was not systematic, and samples were not evenly spaced. Multiple samples were collected from outcrops of >1m x 1m to provide an indication of continuity. • The Soil sampling program involved the collection of an additional 399 samples. The new soil samples are outside the previous 100m x 25m grid (1km x 800m area) and were collected on a 200m x 50m east-west grid (north-south lines) extending to a 2km x 1km area. • No sample compositing applied.
Orientation of data in relation to geological structure	• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	• Rockchip samples were collected from specific sample sites where mineralisation was identified. However, channel sampling has not yet been carried out to provide representative widths and grades and sampling orthogonal to the strike of significant outcrops.
Sample security	• <i>The measures taken to ensure sample security.</i>	• All samples remain in the custody of Company geologists and are fully supervised from point of field collection to laboratory drop-off for secure transport to registered laboratories.
Audits or reviews	• <i>The results of any audits or reviews of sampling techniques and data.</i>	• New data is industry best practice sampling techniques and laboratory procedures. Current practices are well established and quality control data regularly reviewed.

JORC 2012 Edition - Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The four tenements that make up the Central Otavi Project are owned by Metalex Mining and Exploration Pty Ltd (Metalex). Golden Deeps Ltd purchased 80% of Namex Pty Ltd, the Australian holding Company of Metalex. - The four Metalex tenements are as follows: - EPL8548: (Kaskara) granted 1/08/2023 to 31/07/2026 - EPL8547: (Khusib North) granted 21/12/2022 to 20/12/2025 - EPL8546: (Nosib West) granted 21/12/2022 to 20/12/2025 - EPL8643: (Abenab NE) granted 21/12/2022 to 20/12/2025 - The tenements are in good standing and renewal of the tenements at expiry by the Namibian Government is expected as they are in their first term. - The Company already operates in the region and the Otavi Mountain Land is an established mining and exploration area. Exploration is subject to Environmental Compliance Certificates are in place for these tenements as well as landholder access agreements.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- The majority of historical exploration was carried out by Sabre Resources Ltd between 2007 and 2021. - Sabre carried out extensive soil sampling programs (pXRF analysis), electrical geophysics programs (IP and EM) and in selected prospect areas, including Border, Driehoek and Kaskara, trenching and channel sampling, and reverse circulation (RC) and diamond drilling (see prospect locations, Figures 1 and 5). - The work by Sabre generally represents standard industry practice and will be the subject of ongoing review and assessment. - Goldfields Ltd also carried out geochemical and geophysical programs as well as selected drilling from 1981 to 2006 – including of the shallow portions of the Border deposit. Goldfields conducted a shallow 21-hole percussion drilling program at Border (10m depth) in an attempt to define easily mineable shallow mineralisation. Goldfields also carried out trenching and diamond drilling of the Driehoek deposit. Further information on location and sampling is required for this work. - Exploration was also undertaken by previous holders Etosha Minerals (1969-1981). Etosha

Criteria	JORC Code explanation	Commentary
		carried out diamond drilling as well as resource estimates and metallurgical test work on the Border deposit. A total of 23 diamond holes were completed. Further information on location and sampling is required for this work. - Eland Exploration Ltd carried out diamond drilling at the Driehoek prospect in the 1970s and produced several intersections. Insufficient data is available to report these intersections in compliance with JORC 2012. - Previous exploration in Area 6 was limited to soil sampling by Goldfields and by Sabre Resources who carried out pXRF analysis of samples. Insufficient quality control data is available to allow reporting of this information.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	- The tenements held by Metalex are located in the Otavi Mountain Land (OML) District of Namibia (see Figure 5). - The OML is located in the Northern Platform Zone of the east-northeast striking intracontinental branch of the Damara Belt, at the southern margin of the Congo craton. The Damara Belt is a regional mobile belt of Pan African age, between 1,000Ma and 250Ma, consisting of complex rift spreading and compressional events. The sediments in the OML are mainly shallow water carbonates and siliciclastic rocks of the Neoproterozoic Damaran Supergroup. - There are in excess of 600 mineral occurrences in the OML, including the renowned Tsumeb and Kombat copper mines. Based on their geometry, geochemical and Pb-isotopic characteristics, previous have grouped these deposits into two different types of primary deposits. The pipe-like structure of the Tsumeb-Type (Cu-Pb-Zn-Ag +/- Sb, Ge, Ga) and the stratabound Berg Aukas-Type (Pb-Zn-Ag) are the best-known examples of these deposits. - The deposit types have been described as Missisipi Valley Type, carbonate hosted deposits formed during early basinal fluid migration. However recent authors have generally attributed the mineralisation to an orogenic setting, with mineralisation associated with extensional then inverted fault zones and deposition of metals in solution breccias and vein networks. - The OML is also host to secondary, non-sulphide deposit types associated the Pb-Zn vanadate descloizite and/or the Cu-Zn vanadate Mottramite. The Abenab vanadium deposit is the largest known example of this type of deposit. The formation of the vanadates is related to a secondary overprint by circulation of slightly heated meteoric fluids took place during a phase of deep continental

Criteria	JORC Code explanation	Commentary
		weathering in the late Cenozoic. This circulation fostered the formation of supergene Pb-Zn-Cu vanadates in post-Damara karst fillings, solution collapse and tectonic breccias. • The Border deposit and the Driehoek deposit are examples of Berg Aukas-Type (Pb-Zn-Ag) deposits. Border occurs on the Pavian Trend which includes a number of evenly spaced Zn-Pb-Ag sulphide deposits and prospects which are generally stratabound but also show characteristics of fault control. • The Kaskara deposit, as expressed at surface, is a series of secondary, non-sulphide vanadate breccia hosted deposits, associated with the V-Pb-Zn vanadate descloizite and/or the V-Cu-Pb vanadate Mottramite. The vanadate deposits in the OML generally form above or in the vicinity of primary sulphide deposits which may be of the Tsumeb (Cu-Pb-Zn-Ag) type or the Berg Aukas (Zn-Pb-Ag) type. • Area 6 geology is predominantly Abenab (Otavi) Group carbonate rocks (dolomite and limestone/marble with siliclastic layers and some arenite / sandstone and peilte layers). Significant faulting has been observed, sub-parallel to the predominantly east-northeast-west-southwest trending stratigraphy. Cross faulting is also evident and the largest mineralisation occurrences are associated with these fault zones. • The style of mineralisation encountered at Area 6 includes gossanous iron-oxide with breccia fabrics and relict sulphide textures as well as secondary malachite and azurite (copper-carbonate) mineralisation. Sulphide outcrops have also been logged, and include sphalerite, galena and lesser chalcopyrite as clots, veins and massive sulphide lenses.
Drill hole Information	• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: ○ easting and northing of the drill hole collar ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not	• No drilling reported in this release.

Criteria	JORC Code explanation	Commentary
	<i>detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	- Rockchip samples were collected from specific sample sites where mineralisation was identified. However, channel sampling has not yet been carried out to provide representative widths and grades and sampling orthogonal to the strike of significant outcrops. - No aggregation of samples has been carried out. - No metal equivalent values are reported in this release.
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g., 'down hole length, true width not known').</i>	Rockchip samples were collected from specific samples sites where mineralisation was identified. However, channel sampling has not yet been carried out to provide representative widths and grades and sampling orthogonal to the strike of significant outcrops.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	- Figure 1 is a plan of the Central Otavi Project Tenements with key prospects, mineralised trends and Target Areas. - Figure 2 is a plan of Graceland Prospect in Target Area 6 with rockchip sample grades shown as variable size grade ranges for copper and soil samples shown as variable colours grade ranges for copper, with contours at the same ranges and corridor outlines. - Figure 3 is a plan of Graceland Prospect in Target Area 6 with rockchip sample grades shown as variable size grade ranges for silver and soil samples shown as variable colours grade ranges for silver, with contours at the same ranges and corridor outlines. - Figure 4 is a plan of the extended Target Area 6 including Graceland Prospect with rockchip sample grades shown as variable size grade ranges for copper and soil samples shown as variable colours grade range contours with corridor outlines. - Figure 5 is a plan of Graceland Prospect in Target Area 6 with rockchip sample grades shown as variable size grade ranges for zinc and soil samples shown as variable colours

Criteria	JORC Code explanation	Commentary
		grade ranges for zinc, with contours at the same ranges and corridor outlines. - Figure 6 is a plan of Graceland Prospect in Target Area 6 with rockchip sample grades shown as variable size grade ranges for lead and soil samples shown as variable colours grade ranges for lead, with contours at the same ranges and corridor outlines. - Figure 6 is a plan of Target Area 6 with zinc colour and size ranges for soil and rockchip samples with rockchip sample highlights. - Figure 7 is a location plan of Golden Deeps Otavi Mountain Land existing and acquisition tenements with key prospects and other mine locations, with Namibia location inset.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- Appendix 1 includes all rockchip sample results for selected elements of significance. - Appendix 2 includes all soil sample results for selected elements of significance.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No other substantive exploration data reported.
Further work	- The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- The main outcropping gossans and sulphide occurrences (Gossan 1, gossan 2 and Gossan 1 East at Graceland have been trenched and diamond saw channel sampled to determine thicknesses and grades of the high-grade mineralisation. - Further, extension, soil and rockchip sampling will continue on extensions of the trends. - In order to locate the potential high-grade polymetallic sulphide deposits within the mineralised corridors, Induced polarisation (IP) geophysics will be carried out to detect the sulphide bodies and their spatial relationship to surface gossan and sulphide occurrences. - The results received to date have enabled the Company to define the key target zones within the two mineralised corridors. The IP geophysical programs will be designed to detect chargeable and conductive sulphide targets within the identified corridors and specifically below the identified gossans and surface sulphide occurrences. - Based on initial discussions with Namibian-

Criteria	JORC Code explanation	Commentary
		based drilling contractors, suitable drilling rigs have been identified which can access the hilly terrain to test below the most significant high-grade gossan and sulphide outcrop areas. Drilling will also be required to test IP/Resistivity targets up to 250m below surface in the first phase. Drilling of the identified high-grade (Cu, Ag, Zn, Pb, Ge) sulphide targets is planned to commence after receipt of the channel-sampling and IP/Resistivity geophysical results and modelling, and once drill targeting is completed Landholder access agreements are in place, and access tracks to the main gossan and sulphide occurrences established, so that further work can be progressed as rapidly as possible after geophysical programs.