



ASX ANNOUNCEMENT

8 September 2025

Third Batch of Iguana Grade Control Assays Received

Continued depth extensions in the Northwest Corridor is looking promising

HIGHLIGHTS

- The Stage 2 grade control drill program was drilled to further increase the geological confidence in the Iguana Stage 1 Pit. Beacon has completed a 298 hole, 16,506 metre RC drill program
- Beacon has received the third batch of 6,483 assay results with multiple mineralised zones. Significant high-grade intersections include:
 - 3 metres @ 25.6 g/t gold from Surface (IGGC_484)
 - Including 1 metre @ 73.8 g/t gold from 2 metres
 - 8 metres @ 11.6 g/t gold from 32 metres (IGGC_460)
 - Including 1 metre @ 38.9 g/t gold from 34 metres
 - Including 2 metres @ 22.5 g/t gold from 38 metres
 - 4 metres @ 11.4 g/t gold from 32 metres (IGGC_463)
 - Including 1 metre @ 28.6 g/t gold from 32 metres
 - 10 metres @ 7.9 g/t gold from 37 metres (IGGC_476)
 - Including 1 metre @ 39.5 g/t gold from 41 metres
 - 12 metres @ 6.2 g/t gold from 16 metres (IGGC_456)
 - Including 1 metre @ 47.3 g/t gold from 23 metres
- Northwest Corridor – Drillhole Extensions. Significant high-grade intersections include:
 - 3 metres @ 24.0 g/t gold from 81 metres (IGGC_220)
 - Including 1 metre @ 65.0 g/t gold from 82 metres
 - 10 metres @ 13.1 g/t gold from 68 metres (IGGC_233)
 - Including 1 metre @ 69.9 g/t gold from 71 metres
- Beacon is expecting the remaining assays to be received over the next 2 weeks

Beacon Minerals Executive Chairman and Managing Director Graham McGarry commented:

“We are delighted with the continued high grades and strong continuity of the Iguana deposit. The exceptionally high-grade intercepts in the Northwest corridor are continuing at depth and with that in mind we are following up with deeper RC and diamond drill programs.”

Beacon Minerals Limited (**ASX: BCN**) (“Beacon” or “the Company”) is pleased to announce the third batch of assay results from the Stage 2 Grade Control drill program at Lady Ida – Iguana Deposit.

Iguana Deposit Overview

The Iguana deposit is a part of the Lady Ida Project, which sits on the inferred extension of the Ida Fault and is a part of the north-south striking Mount Ida Greenstone Belt. It is predominantly metamorphosed (upper greenschist-amphibolite facies) mafic and ultramafic rocks. The complex structural history provides the space for mineralisation deposition. The mineralisation is controlled by structural and hydrothermal alteration.

On the deposit scale the depth of weathering increases significantly within shear zones and reaches depths of 90 m in the centre of the deposit. Supergene gold enrichment is apparent from grade control drilling in the upper portion of the existing Jamaican Rock pit (mined by Delta Gold in 2000) where significantly higher grades were mined compared to the current resource model.

Recent Diamond Drilling has indicated two distinct “In situ” mineralisation styles within the Iguana deposit.

- Early Stage mineralisation
 - Dominant mineralisation style of the Iguana deposit
 - Sulphide-rich gold mineralisation
 - Quartz is notably absent
- Later Stage mineralisation
 - Quartz-Fuchsite mineralisation style locally includes coarse visible gold
 - Relatively small percentage of Iguana’s mineralisation





Figure 1: Iguana Local Geology and Tenements

Lady Ida Iguana Stage 2 Grade Control Drill Program

The Iguana stage 2 grade control drill program was drilled to further increase the confidence in the Iguana Stage 1 Pit. This program was a 298 hole reverse circulation drill program totalling 16,506 metres. The drilling phase of this program is complete. The third batch of 6,483 assay results has been received and Beacon is awaiting the remaining 3,759 assays.






Figure 3: Cross section of Northwest Corridor at 6,624,250N

Stage 2 Grade Control Significant Results

The third batch of 6,483 assay results produced several zones of significant mineralisation (*All intervals of greater than 1.0 g/t gold, with maximum internal dilution of 1m*) including but not limited to:

IGGC_209

- 2 metres @ 2.08 g/t gold from 72 metres
- 3 metres @ 1.82 g/t gold from 76 metres

IGGC_210

- 1 metre @ 2.42 g/t gold from 54 metres
- 12 metres @ 1.80 g/t gold from 59 metres
- 1 metre @ 2.61 g/t gold from 80 metres

IGGC_220

- 3 metres @ 1.09 g/t gold from 61 metres
- 4 metres @ 1.86 g/t gold from 75 metres
- 3 metres @ 23.99 g/t gold from 81 metres
Including 1 metre @ **65.0 g/t** gold from 82 metres
- 1 metre @ 1.41 g/t gold from 85 metres

IGGC_231

- 5 metres @ 2.40 g/t gold from 84 metres

IGGC_233

- 1 metre @ 1.11 g/t gold from 54 metres
- 10 metres @ 13.07 g/t gold from 68 metres
Including 1 metre @ **69.9 g/t** gold from 72 metres
Including 1 metre @ **22.5 g/t** gold from 75 metres

IGGC_306

- 8 metres @ 5.46 g/t gold from 2 metres
- 1 metre @ 1.58 g/t gold from 14 metres

IGGC_307

- 3 metres @ 1.82 g/t gold from 10 metres
- 3 metres @ 4.26 g/t gold from 15 metres
- 1 metre @ 1.07 g/t gold from 19 metres

IGGC_321

- 9 metres @ 3.52 g/t gold from 33 metres
Including 1 metre @ **21.5 g/t** gold from 40 metres

IGGC_323

- 1 metre @ 1.19 g/t gold from 8 metres
- 1 metre @ 1.01 g/t gold from 15 metres
- 4 metres @ 3.41 g/t gold from 23 metres

IGGC_324

- 9 metres @ 2.85 g/t gold from 15 metres
- 6 metres @ 5.61 g/t gold from 30 metres
Including 1 metre @ **27.6 g/t** gold from 33 metres

IGGC_351

- 2 metres @ 5.96 g/t gold from Surface
- 2 metres @ 1.03 g/t gold from 34 metres

IGGC_362

- 7 metres @ 3.64 g/t gold from Surface
- 1 metre @ 1.12 g/t gold from 42 metres
- 3 metres @ 1.15 g/t gold from 50 metres

IGGC_370

- 4 metres @ 4.40 g/t gold from 8 metres

IGGC_377

- 1 metre @ 6.59 g/t gold from Surface

IGGC_378

- 4 metres @ 2.92 g/t gold from 9 metres
- 2 metres @ 5.81 g/t gold from 20 metres

IGGC_399

- 1 metre @ 5.13 g/t gold from 34 metres
- 1 metre @ 2.45 g/t gold from 43 metres
- 1 metre @ 1.47 g/t gold from 50 metres
- 1 metre @ 8.85 g/t gold from 52 metres

IGGC_400

- 5 metres @ 1.00 g/t gold from 18 metres
- 3 metres @ 1.42 g/t gold from 31 metres
- 2 metres @ 1.74 g/t gold from 39 metres
- 1 metre @ 2.06 g/t gold from 42 metres
- 2 metres @ 1.91 g/t gold from 47 metres

IGGC_455

- 5 metres @ 2.23 g/t gold from 25 metres
- 6 metres @ 2.63 g/t gold from 31 metres
- 4 metres @ 1.52 g/t gold from 42 metres
- 3 metres @ 4.66 g/t gold from 48 metres

IGGC_456

- 12 metres @ 6.21 g/t gold from 16 metres
Including 1 metre @ **43.7 g/t** gold from 24 metres
- 2 metres @ 1.02 g/t gold from 52 metres

IGGC_460

- 2 metres @ 1.26 g/t gold from 9 metres
- 2 metres @ 1.00 g/t gold from 13 metres
- 6 metres @ 2.50 g/t gold from 24 metres
- 8 metres @ 11.57 g/t gold from 32 metres
Including 1 metre @ **38.9 g/t** gold from 34 metres
Including 2 metres @ **22.5 g/t** gold from 38 metres
- 6 metres @ 1.50 g/t gold from 44 metres

IGGC_461

- 6 metres @ 3.22 g/t gold from Surface
- 1 metre @ 12.1 g/t gold from 45 metres
- 3 metres @ 1.32 g/t gold from 49 metres

IGGC_462

- 1 metre @ 1.57 g/t gold from 15 metres
- 3 metres @ 4.65 g/t gold from 22 metres
- 3 metres @ 1.32 g/t gold from 41 metres
- 7 metres @ 1.82 g/t gold from 46 metres

IGGC_463

- 3 metres @ 1.13 g/t gold from 13 metres
- 4 metres @ 11.40 g/t gold from 30 metres
Including 1 metre @ **28.6 g/t** gold from 31 metres
- 1 metre @ 1.04 g/t gold from 47 metres
- 1 metre @ 1.51 g/t gold from 53 metres

IGGC_467

- 1 metre @ 1.33 g/t gold from 38 metres
- 1 metre @ 9.29 g/t gold from 44 metres
- 2 metres @ 1.05 g/t gold from 52 metres

IGGC_471

- 4 metres @ 1.53 g/t gold from 41 metres
- 8 metres @ 4.03 g/t gold from 46 metres

IGGC_473

- 2 metres @ 1.40 g/t gold from 28 metres
- 5 metres @ 2.02 g/t gold from 31 metres
- 4 metres @ 1.19 g/t gold from 37 metres
- 2 metres @ 11.79 g/t gold from 50 metres

IGGC_474

- 1 metre @ 1.05 g/t gold from 1 metre
- 1 metre @ 1.03 g/t gold from 6 metres
- 2 metres @ 1.30 g/t gold from 24 metres
- 3 metres @ 1.28 g/t gold from 27 metres
- 2 metres @ 1.56 g/t gold from 32 metres
- 5 metres @ 2.29 g/t gold from 35 metres
- 4 metres @ 1.85 g/t gold from 50 metres

IGGC_476

- 2 metres @ 1.33 g/t gold from 30 metres
- 10 metres @ 7.85 g/t gold from 37 metres
Including 1 metre @ **39.5 g/t** gold from 42 metres

IGGC_477

- 8 metres @ 3.70 g/t gold from 22 metres

IGGC_480

- 2 metres @ 8.30 g/t gold from 35 metres
- 4 metres @ 1.31 g/t gold from 45 metres

IGGC_481

- 2 metres @ 2.99 g/t gold from 17 metres
- 3 metres @ 1.08 g/t gold from 28 metres
- 1 metre @ 2.46 g/t gold from 34 metres
- 1 metre @ 1.08 g/t gold from 41 metres
- 1 metre @ 4.51 g/t gold from 43 metres
- 2 metres @ 1.27 g/t gold from 46 metres
- 5 metres @ 1.22 g/t gold from 49 metres

IGGC_482

- 3 metres @ 1.29 g/t gold from 6 metres
- 6 metres @ 1.47 g/t gold from 12 metres
- 1 metre @ 1.35 g/t gold from 39 metres
- 5 metres @ 2.36 g/t gold from 47 metres

IGGC_483

- 2 metres @ 2.07 g/t gold from Surface
- 4 metres @ 1.32 g/t gold from 5 metres
- 2 metres @ 1.05 g/t gold from 13 metres
- 2 metres @ 1.03 g/t gold from 17 metres
- 11 metres @ 3.63 g/t gold from 21 metres
- 2 metres @ 1.48 g/t gold from 52 metres

IGGC_484

- 3 metres @ 25.56 g/t gold from Surface
Including 1 metre @ **73.8 g/t** gold from 2 metres
- 2 metres @ 2.74 g/t gold from 6 metres
- 1 metre @ 1.07 g/t gold from 11 metres
- 7 metres @ 4.55 g/t gold from 14 metres
- 2 metres @ 2.92 g/t gold from 52 metres

IGGC_487

- 6 metres @ 1.99 g/t gold from 38 metres
- 2 metres @ 2.32 g/t gold from 46 metres
- 2 metres @ 2.33 g/t gold from 50 metres

IGGC_488

- 1 metre @ **26.00 g/t** gold from 1 metre

IGGC_495

- 5 metres @ 2.31 g/t gold from 46 metres

IGGC_495

- 1 metre @ 1.21 g/t gold from 43 metres
- 5 metres @ 3.01 g/t gold from 49 metres

IGGC_499

- 5 metres @ 2.74 g/t gold from 21 metres
- 5 metres @ 3.91 g/t gold from 27 metres
- 13 metres @ 1.64 g/t gold from 39 metres

IGGC_501

- 2 metres @ 3.78 g/t gold from 2 metres

IGGC_503

- 2 metres @ 1.13 g/t gold from 8 metres
- 3 metres @ 3.63 g/t gold from 32 metres
- 2 metres @ 1.18 g/t gold from 36 metres
- 8 metres @ 2.95 g/t gold from 40 metres
- 6 metres @ 4.83 g/t gold from 46 metres
- 2 metres @ 1.02 g/t gold from 50 metres

IGGC_517

- 6 metres @ 4.83 g/t gold from 46 metres
Including 1 metre @ **24.4 g/t** gold from 48 metres




Figure 4: Collar Locations of Iguana Batch 1, Batch 2 and Batch 3 Results

About the Lady Ida Project

The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103, L16/142 and application L16/138 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.

For further details in relation to the Earn-In, JV and Tenement Transfer Agreement for the Lady Ida Project refer to ASX releases dated 6 December 2023 entitled “Beacon to Acquire an interest in the Lady Ida Gold Project” and 4 September 2024 “Lady Ida Completes and Appointment of New Director”.




Figure 5: Location of the Lady Ida Project (Iguana Deposit)

Authorised for release by the Board of Beacon Minerals Limited.

For more information contact:

Graham McGarry
Managing Director/Chairman
Beacon Minerals Ltd
M: 0459 240 379

Geoffrey Greenhill
Non-Executive Director
Beacon Minerals Ltd
M: 0419 991 713

JORC Compliance Statement

The information in the report relating to the exploration results and targets have been compiled by Lachlan Kenna BSc (Hons) MAusIMM. Mr. Kenna has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Kenna is a full-time employee of Beacon Minerals Limited.

Mr Kenna consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Previously released exploration results referred to in this announcement were originally reported in the following Company announcements in accordance with ASX Listing Rule 5.7:

18 August 2025	Second Batch of Assay Results at Iguana Deposit
11 August 2025	Stage 2 Grade Control Program Completed at Lady Ida Iguana Deposit
5 August 2025	Updated Laterite Mineral Resource for Iguana Deposit
29 July 2025	Results of the Iguana Diamond Drill Program
22 July 2025	Stage 2 Grade Control Program Commences at Lady Ida Iguana Deposit
16 July 2025	Extensive Near Surface Laterite Mineralisation Identified at Iguana
18 June 2025	Extensive Mineralisation Confirmed in First Pass Drill Program at Iguana
4 June 2025	Stage 2 Laterite Drill Program completed at Lady Ida Iguana Deposit
21 January 2025	Core Drilling commences at Lady Ida Iguana Deposit

The Company confirms that it is not aware of any information or data that materially affects the information included in the said original announcements and the form and context in which the Competent Persons' findings are presented have not materially modified from the original market announcements.

Disclaimer

This ASX announcement (Announcement) has been prepared by Beacon Minerals Limited ("Beacon" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Beacon, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Beacon.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Beacon's securities are speculative. Potential investors should consult their stockbroker or financial advisor. There are a number of risks, both specific to Beacon and of a general nature which may affect the future operating and financial performance of Beacon and the value of an investment in Beacon including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Beacon and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices, recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;
- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Beacon, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Beacon disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein. No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

Appendix 1: Significant Intercepts Table for the Iguana Stage 2 Grade Control program

All intervals of greater than 0.5 g/t gold with intervals of 1m samples only shown. The highly deformed nature of the deposit, and extensive mineralized envelop prevent the effective use or calculation of True Widths.

Hole ID	From	To	Interval	Average Grade (g/t)	Maximum Grade (g/t)	Gram Metres
IGGC209	72	74	2	2.08	3.62	4.16
IGGC209	76	79	3	1.82	3.37	5.46
IGGC209	83	84	1	0.78	0.78	0.78
IGGC209	88	89	1	0.74	0.74	0.74
IGGC210	54	55	1	2.42	2.42	2.42
IGGC210	59	71	12	1.80	5.09	21.6
IGGC210	80	81	1	2.61	2.61	2.61
IGGC220	61	64	3	1.09	1.85	3.27
IGGC220	71	72	1	0.84	0.84	0.84
IGGC220	75	79	4	1.86	2.77	7.44
IGGC220	81	84	3	23.99	65.00	71.97
IGGC220	85	86	1	1.32	1.32	1.32
IGGC230	85	86	1	0.60	0.60	0.60
IGGC231	84	89	5	2.40	3.50	12.00
IGGC233	54	55	1	1.11	1.11	1.11
IGGC233	56	60	4	0.80	1.55	3.20
IGGC233	68	78	10	13.07	69.90	130.67
IGGC233	76	79	3	8.99	22.50	26.97
IGGC306	2	10	8	5.46	16.80	43.68
IGGC306	14	15	1	1.58	1.58	1.58
IGGC306	17	18	1	0.51	0.51	0.51
IGGC306	25	26	1	0.74	0.74	0.74
IGGC307	0	2	2	0.69	0.85	1.38
IGGC307	10	13	3	1.82	2.46	5.46
IGGC307	15	18	3	4.26	7.35	12.78
IGGC307	19	20	1	1.07	1.07	1.07
IGGC307	26	27	1	0.56	0.56	0.56
IGGC308	0	2	2	0.90	1.02	1.80
IGGC308	6	7	1	1.02	1.02	1.02
IGGC308	20	21	1	0.60	0.60	0.60
IGGC309	0	1	1	0.90	0.90	0.90
IGGC321	21	22	1	0.72	0.72	0.72
IGGC321	26	27	1	0.81	0.81	0.81
IGGC321	33	42	9	3.52	21.50	31.68
IGGC321	53	54	1	0.58	0.58	0.58
IGGC322	24	25	1	0.63	0.63	0.63

IGGC322	26	28	2	1.25	1.29	2.5
IGGC322	29	32	3	1.72	2.96	5.16
IGGC322	37	38	1	0.54	0.54	0.54
IGGC322	42	44	2	0.91	1.05	1.82
IGGC323	0	1	1	0.96	0.96	0.96
IGGC323	8	9	1	1.19	1.19	1.19
IGGC323	15	16	1	1.01	1.01	1.01
IGGC323	23	27	4	3.41	4.84	13.64
IGGC323	29	30	1	0.75	0.75	0.75
IGGC324	11	12	1	0.54	0.54	0.54
IGGC324	15	24	9	2.85	9.49	25.65
IGGC324	30	36	6	5.61	27.60	33.66
IGGC324	38	39	1	0.99	0.99	0.99
IGGC325	0	1	1	0.63	0.63	0.63
IGGC325	19	20	1	1.17	1.17	1.17
IGGC325	25	27	2	0.62	0.73	1.24
IGGC325	33	36	3	0.87	1.37	2.61
IGGC325	37	38	1	0.78	0.78	0.78
IGGC326	0	2	2	1.06	1.09	2.12
IGGC326	3	4	1	1.08	1.08	1.08
IGGC350	19	20	1	0.68	0.68	0.68
IGGC350	48	49	1	0.50	0.50	0.50
IGGC351	0	2	2	5.96	10.6	11.92
IGGC351	30	31	1	0.84	0.84	0.84
IGGC351	34	36	2	1.03	1.03	2.06
IGGC351	37	38	1	0.61	0.61	0.61
IGGC351	43	44	1	0.59	0.59	0.59
IGGC352	0	1	1	4.75	4.75	4.75
IGGC352	24	25	1	0.51	0.51	0.51
IGGC352	31	32	1	1.39	1.39	1.39
IGGC352	39	40	1	1.17	1.17	1.17
IGGC353	0	2	2	2.85	3.90	5.70
IGGC353	23	24	1	0.68	0.68	0.68
IGGC353	35	36	1	0.62	0.62	0.62
IGGC353	39	40	1	0.53	0.53	0.53
IGGC353	44	45	1	0.60	0.60	0.60
IGGC354	34	35	1	0.84	0.84	0.84
IGGC355	0	1	1	1.51	1.51	1.51
IGGC355	41	42	1	0.57	0.57	0.57
IGGC357	12	13	1	0.63	0.63	0.63
IGGC358	0	1	1	3.30	3.30	3.30
IGGC358	2	3	1	0.53	0.53	0.53
IGGC362	0	7	7	3.64	10.60	25.48

IGGC362	36	37	1	0.62	0.62	0.62
IGGC362	42	43	1	1.12	1.12	1.12
IGGC362	45	46	1	0.77	0.77	0.77
IGGC362	50	53	3	1.15	1.72	3.45
IGGC367	0	3	3	2.13	4.64	6.39
IGGC369	0	1	1	1.14	1.14	1.14
IGGC369	4	5	1	1.56	1.56	1.56
IGGC369	36	39	3	1.16	1.36	3.48
IGGC369	41	42	1	1.27	1.27	1.27
IGGC369	46	47	1	0.70	0.70	0.70
IGGC369	49	53	4	0.78	0.96	3.12
IGGC370	2	4	2	0.65	0.79	1.30
IGGC370	8	12	4	4.40	7.87	17.6
IGGC370	27	30	3	0.75	0.78	2.25
IGGC370	31	33	2	0.74	0.83	1.48
IGGC370	40	41	1	0.88	0.88	0.88
IGGC371	0	2	2	1.05	1.24	2.10
IGGC371	13	14	1	2.11	2.11	2.11
IGGC372	0	1	1	3.69	3.69	3.69
IGGC373	0	2	2	3.23	5.59	6.46
IGGC373	26	27	1	0.51	0.51	0.51
IGGC373	29	30	1	0.71	0.71	0.71
IGGC373	33	34	1	1.00	1.00	1.00
IGGC373	40	41	1	0.50	0.50	0.50
IGGC376	1	2	1	0.89	0.89	0.89
IGGC376	38	39	1	0.93	0.93	0.93
IGGC377	0	1	1	6.59	6.59	6.59
IGGC377	16	17	1	0.68	0.68	0.68
IGGC377	32	33	1	0.60	0.60	0.60
IGGC377	34	36	2	0.98	1.36	1.96
IGGC377	38	39	1	0.83	0.83	0.83
IGGC378	2	3	1	0.54	0.54	0.54
IGGC378	4	5	1	0.83	0.83	0.83
IGGC378	9	13	4	2.92	8.99	11.68
IGGC378	20	22	2	5.81	9.28	11.62
IGGC378	44	45	1	0.63	0.63	0.63
IGGC379	16	18	2	1.54	1.95	3.08
IGGC379	23	24	1	0.77	0.77	0.77
IGGC379	42	43	1	0.78	0.78	0.78
IGGC387	0	1	1	2.03	2.03	2.03
IGGC387	45	46	1	0.57	0.57	0.57
IGGC387	50	53	3	0.76	0.94	2.28
IGGC388	0	1	1	1.44	1.44	1.44

IGGC388	6	8	2	1.18	1.35	2.36
IGGC388	38	39	1	0.70	0.70	0.70
IGGC389	11	12	1	0.82	0.82	0.82
IGGC389	29	30	1	0.58	0.58	0.58
IGGC390	0	2	2	1.93	3.05	3.86
IGGC397	35	36	1	1.19	1.19	1.19
IGGC398	0	1	1	0.54	0.54	0.54
IGGC398	3	4	1	1.06	1.06	1.06
IGGC398	6	8	2	0.90	1.10	1.80
IGGC398	18	19	1	0.94	0.94	0.94
IGGC398	20	21	1	0.58	0.58	0.58
IGGC398	25	26	1	3.46	3.46	3.46
IGGC398	29	31	2	1.00	1.43	2.00
IGGC398	32	33	1	0.58	0.58	0.58
IGGC398	39	42	3	2.48	2.61	7.44
IGGC398	52	54	2	1.23	1.89	2.46
IGGC399	0	1	1	0.97	0.97	0.97
IGGC399	8	9	1	0.54	0.54	0.54
IGGC399	34	35	1	5.13	5.13	5.13
IGGC399	43	44	1	2.45	2.45	2.45
IGGC399	50	51	1	1.47	1.47	1.47
IGGC399	52	53	1	8.85	8.85	8.85
IGGC400	18	23	5	1.00	1.93	5.00
IGGC400	27	28	1	0.78	0.78	0.78
IGGC400	29	30	1	0.62	0.62	0.62
IGGC400	31	34	3	1.42	2.05	4.26
IGGC400	35	36	1	0.53	0.53	0.53
IGGC400	39	41	2	1.74	2.73	3.48
IGGC400	42	43	1	2.06	2.06	2.06
IGGC400	44	46	2	0.76	0.79	1.52
IGGC400	47	49	2	1.91	3.32	3.82
IGGC401	0	4	4	1.71	3.30	6.84
IGGC454	0	3	3	0.66	0.75	1.98
IGGC454	15	16	1	2.58	2.58	2.58
IGGC454	20	21	1	0.70	0.70	0.70
IGGC454	23	24	1	0.75	0.75	0.75
IGGC454	26	27	1	0.51	0.51	0.51
IGGC454	35	36	1	0.73	0.73	0.73
IGGC454	45	46	1	0.57	0.57	0.57
IGGC454	51	54	3	1.35	2.54	4.05
IGGC455	25	30	5	2.23	7.88	11.15
IGGC455	31	37	6	2.63	4.04	15.78
IGGC455	42	46	4	1.52	3.24	6.08

IGGC455	48	51	3	4.66	11.6	13.98
IGGC456	1	2	1	0.91	0.91	0.91
IGGC456	16	28	12	6.21	43.70	74.52
IGGC456	32	33	1	0.64	0.64	0.64
IGGC456	35	41	6	0.72	0.91	4.32
IGGC456	42	44	2	0.89	1.06	1.78
IGGC456	48	49	1	0.54	0.54	0.54
IGGC456	50	51	1	0.79	0.79	0.79
IGGC456	52	54	2	1.02	1.03	2.04
IGGC457	1	2	1	0.57	0.57	0.57
IGGC457	35	36	1	0.95	0.95	0.95
IGGC457	37	42	5	0.92	1.69	4.60
IGGC457	43	44	1	0.69	0.69	0.69
IGGC457	46	47	1	0.57	0.57	0.57
IGGC457	49	54	5	1.97	6.77	9.85
IGGC458	10	11	1	0.85	0.85	0.85
IGGC458	18	19	1	4.08	4.08	4.08
IGGC458	27	31	4	1.62	2.71	6.48
IGGC458	33	36	3	1.30	2.13	3.90
IGGC458	39	42	3	1.31	2.53	3.93
IGGC458	44	45	1	0.53	0.53	0.53
IGGC458	46	48	2	0.97	1.07	1.94
IGGC458	50	51	1	0.69	0.69	0.69
IGGC459	33	34	1	0.66	0.66	0.66
IGGC459	49	50	1	1.10	1.10	1.10
IGGC459	53	54	1	1.10	1.10	1.10
IGGC460	0	1	1	0.84	0.84	0.84
IGGC460	9	11	2	1.26	1.47	2.52
IGGC460	13	15	2	1.00	1.03	2.00
IGGC460	16	17	1	0.70	0.70	0.70
IGGC460	24	30	6	2.50	8.19	15.00
IGGC460	32	40	8	11.57	38.9	92.52
IGGC460	41	43	2	0.80	0.93	1.60
IGGC460	44	50	6	1.50	3.11	9.00
IGGC460	51	52	1	0.88	0.88	0.88
IGGC461	0	6	6	3.22	10.5	19.32
IGGC461	7	11	4	0.69	0.86	2.76
IGGC461	45	46	1	12.10	12.10	12.10
IGGC461	47	48	1	0.52	0.52	0.52
IGGC461	49	52	3	1.32	1.77	3.96
IGGC462	0	2	2	0.65	0.65	1.30
IGGC462	10	11	1	0.53	0.53	0.53
IGGC462	15	16	1	1.57	1.57	1.57

IGGC462	22	25	3	4.65	10.3	13.95
IGGC462	41	44	3	1.32	2.44	3.96
IGGC462	46	53	7	1.82	4.34	12.74
IGGC463	13	16	3	1.13	2.21	3.39
IGGC463	23	24	1	0.82	0.82	0.82
IGGC463	30	34	4	11.40	28.6	45.60
IGGC463	37	38	1	0.71	0.71	0.71
IGGC463	39	40	1	0.55	0.55	0.55
IGGC463	47	48	1	1.04	1.04	1.04
IGGC463	53	54	1	1.51	1.51	1.51
IGGC464	0	2	2	1.30	1.96	2.60
IGGC464	21	22	1	0.60	0.60	0.60
IGGC465	32	33	1	1.33	1.33	1.33
IGGC465	44	45	1	1.41	1.41	1.41
IGGC465	50	51	1	0.52	0.52	0.52
IGGC466	27	28	1	0.96	0.96	0.96
IGGC466	31	32	1	0.56	0.56	0.56
IGGC466	33	39	6	1.33	2.09	7.98
IGGC466	44	47	3	0.71	0.86	2.13
IGGC466	49	51	2	2.07	2.54	4.14
IGGC467	24	25	1	0.51	0.51	0.51
IGGC467	27	29	2	0.93	1.25	1.86
IGGC467	33	34	1	0.52	0.52	0.52
IGGC467	38	39	1	1.33	1.33	1.33
IGGC467	42	43	1	0.71	0.71	0.71
IGGC467	44	45	1	9.29	9.29	9.29
IGGC467	52	54	2	1.05	1.23	2.10
IGGC468	3	4	1	2.32	2.32	2.32
IGGC468	33	34	1	0.55	0.55	0.55
IGGC468	35	36	1	0.56	0.56	0.56
IGGC468	42	43	1	4.37	4.37	4.37
IGGC468	44	52	8	2.32	5.26	18.56
IGGC468	53	54	1	4.39	4.39	4.39
IGGC469	20	22	2	0.90	1.03	1.80
IGGC469	23	24	1	0.77	0.77	0.77
IGGC469	36	37	1	0.78	0.78	0.78
IGGC469	39	41	2	2.10	2.62	4.20
IGGC469	45	49	4	0.81	1.47	3.24
IGGC469	50	54	4	1.42	2.54	5.68
IGGC470	2	3	1	0.74	0.74	0.74
IGGC470	27	28	1	1.74	1.74	1.74
IGGC470	33	35	2	0.89	1.11	1.78
IGGC470	41	42	1	0.52	0.52	0.52

IGGC471	34	38	4	0.87	1.31	3.48
IGGC471	41	45	4	1.53	1.71	6.12
IGGC471	46	54	8	4.03	11.50	32.24
IGGC472	1	2	1	1.45	1.45	1.45
IGGC472	16	17	1	2.51	2.51	2.51
IGGC472	22	23	1	0.52	0.52	0.52
IGGC472	27	28	1	1.29	1.29	1.29
IGGC472	31	39	8	0.87	1.08	6.96
IGGC472	43	44	1	0.54	0.54	0.54
IGGC472	46	47	1	1.29	1.29	1.29
IGGC472	49	50	1	0.54	0.54	0.54
IGGC473	13	14	1	0.58	0.58	0.58
IGGC473	28	30	2	1.40	1.40	2.80
IGGC473	31	36	5	2.02	4.80	10.10
IGGC473	37	41	4	1.19	2.43	4.76
IGGC473	42	46	4	0.60	0.74	2.40
IGGC473	47	48	1	0.52	0.52	0.52
IGGC473	50	52	2	11.79	19.3	23.58
IGGC474	1	2	1	1.05	1.05	1.05
IGGC474	6	7	1	1.03	1.03	1.03
IGGC474	21	22	1	0.55	0.55	0.55
IGGC474	24	26	2	1.30	1.66	2.60
IGGC474	27	30	3	1.28	2.07	3.84
IGGC474	32	34	2	1.56	2.08	3.12
IGGC474	35	40	5	2.29	8.65	11.45
IGGC474	45	47	2	0.74	0.74	1.48
IGGC474	50	51	1	1.85	1.85	1.85
IGGC475	12	15	3	2.20	4.88	6.60
IGGC475	27	28	1	0.81	0.81	0.81
IGGC475	29	31	2	0.56	0.61	1.12
IGGC475	37	39	2	0.65	0.66	1.30
IGGC475	40	42	2	0.80	0.97	1.60
IGGC476	2	3	1	0.51	0.51	0.51
IGGC476	26	27	1	0.60	0.60	0.60
IGGC476	30	32	2	1.33	1.57	2.66
IGGC476	37	47	10	7.85	39.50	78.50
IGGC477	1	2	1	0.68	0.68	0.68
IGGC477	22	30	8	3.70	8.61	29.60
IGGC478	46	51	5	0.75	1.05	3.75
IGGC478	52	54	2	0.64	0.69	1.28
IGGC479	0	1	1	1.43	1.43	1.43
IGGC479	9	14	5	1.77	4.74	8.85
IGGC480	0	1	1	0.52	0.52	0.52

IGGC480	32	33	1	0.58	0.58	0.58
IGGC480	35	37	2	8.30	16.00	16.60
IGGC480	45	49	4	1.31	2.34	5.24
IGGC480	53	54	1	0.50	0.50	0.50
IGGC481	17	19	2	2.99	3.83	5.98
IGGC481	28	31	3	1.08	1.48	3.24
IGGC481	34	35	1	2.46	2.46	2.46
IGGC481	41	42	1	1.08	1.08	1.08
IGGC481	43	44	1	4.51	4.51	4.51
IGGC481	46	48	2	1.27	1.99	2.54
IGGC481	49	54	5	1.22	2.84	6.10
IGGC482	0	1	1	0.57	0.57	0.57
IGGC482	6	9	3	1.29	2.19	3.87
IGGC482	12	18	6	1.47	4.02	8.82
IGGC482	39	40	1	1.35	1.35	1.35
IGGC482	43	45	2	0.62	0.64	1.24
IGGC482	47	52	5	2.36	3.94	11.8
IGGC483	0	2	2	2.07	2.72	4.14
IGGC483	5	9	4	1.32	2.81	5.28
IGGC483	13	15	2	1.05	1.41	2.1
IGGC483	17	19	2	1.03	1.26	2.06
IGGC483	21	32	11	3.63	13.8	39.93
IGGC483	38	39	1	0.63	0.63	0.63
IGGC483	43	45	2	0.84	0.88	1.68
IGGC483	47	49	2	0.65	0.73	1.3
IGGC483	52	54	2	1.48	2.31	2.96
IGGC484	0	3	3	25.56	73.80	76.68
IGGC484	6	8	2	2.74	4.87	5.48
IGGC484	11	12	1	1.07	1.07	1.07
IGGC484	14	21	7	4.55	12.20	31.85
IGGC484	52	54	2	2.92	4.71	5.84
IGGC485	2	3	1	1.29	1.29	1.29
IGGC485	40	41	1	0.68	0.68	0.68
IGGC485	48	49	1	0.92	0.92	0.92
IGGC486	4	5	1	0.66	0.66	0.66
IGGC486	42	44	2	0.58	0.64	1.16
IGGC487	23	24	1	0.75	0.75	0.75
IGGC487	27	28	1	0.60	0.60	0.60
IGGC487	34	36	2	0.79	0.81	1.58
IGGC487	38	44	6	1.99	4.53	11.94
IGGC487	46	48	2	2.32	3.94	4.64
IGGC487	50	52	2	2.33	3.73	4.66
IGGC488	1	2	1	26.00	26.00	26.00

IGGC491	29	31	2	0.77	0.89	1.54
IGGC491	37	38	1	0.76	0.76	0.76
IGGC491	40	41	1	1.41	1.41	1.41
IGGC491	50	54	4	0.89	1.19	3.56
IGGC492	0	1	1	0.81	0.81	0.81
IGGC492	3	4	1	0.95	0.95	0.95
IGGC492	29	32	3	1.09	1.93	3.27
IGGC492	33	36	3	2.03	3.95	6.09
IGGC492	38	39	1	0.65	0.65	0.65
IGGC492	41	42	1	0.62	0.62	0.62
IGGC492	50	51	1	1.09	1.09	1.09
IGGC493	20	21	1	0.50	0.50	0.50
IGGC493	24	27	3	1.08	1.63	3.24
IGGC493	32	35	3	3.06	5.00	9.18
IGGC493	36	37	1	0.50	0.50	0.50
IGGC493	38	40	2	1.31	1.87	2.62
IGGC493	41	46	5	1.27	2.8	6.35
IGGC494	9	10	1	0.50	0.50	0.50
IGGC495	46	51	5	2.31	6.34	11.55
IGGC496	37	38	1	2.10	2.10	2.10
IGGC496	44	46	2	1.81	2.63	3.62
IGGC496	49	51	2	0.78	0.87	1.56
IGGC496	52	54	2	0.86	1.03	1.72
IGGC497	11	12	1	1.39	1.39	1.39
IGGC497	16	17	1	0.62	0.62	0.62
IGGC497	22	23	1	0.56	0.56	0.56
IGGC497	46	51	5	1.03	1.58	5.15
IGGC497	52	53	1	1.98	1.98	1.98
IGGC498	12	13	1	0.60	0.60	0.60
IGGC498	35	37	2	0.87	1.09	1.74
IGGC498	39	41	2	0.84	0.97	1.68
IGGC498	43	44	1	1.21	1.21	1.21
IGGC498	45	47	2	0.84	1.18	1.68
IGGC498	49	54	5	3.01	4.88	15.05
IGGC499	21	26	5	2.74	5.45	13.7
IGGC499	27	32	5	3.91	5.87	19.55
IGGC499	33	35	2	0.83	0.98	1.66
IGGC499	39	52	13	1.64	3.51	21.32
IGGC500	6	7	1	0.83	0.83	0.83
IGGC500	11	12	1	0.53	0.53	0.53
IGGC500	13	14	1	0.63	0.63	0.63
IGGC500	19	20	1	0.88	0.88	0.88
IGGC500	26	27	1	1.40	1.40	1.40

IGGC500	30	33	3	0.93	1.75	2.79
IGGC500	37	43	6	0.94	1.23	5.64
IGGC500	47	51	4	0.93	1.39	3.72
IGGC500	52	53	1	0.86	0.86	0.86
IGGC501	2	4	2	3.78	6.79	7.56
IGGC501	8	9	1	0.71	0.71	0.71
IGGC501	31	32	1	0.85	0.85	0.85
IGGC503	8	10	2	1.13	1.69	2.26
IGGC503	18	19	1	0.76	0.76	0.76
IGGC503	20	22	2	0.64	0.65	1.28
IGGC503	32	35	3	3.63	5.30	10.89
IGGC503	36	38	2	1.18	1.29	2.36
IGGC503	40	48	8	2.95	7.94	23.6
IGGC503	50	52	2	1.02	1.03	2.04
IGGC516	0	1	1	1.45	1.45	1.45
IGGC517	46	52	6	4.83	24.40	28.98
IGGC518	0	1	1	0.50	0.50	0.50
IGGC518	35	36	1	2.53	2.53	2.53
IGGC518	49	50	1	0.81	0.81	0.81
IGGC518	51	54	3	1.57	2.91	4.71
IGGC519	45	46	1	0.80	0.80	0.80
IGGC519	48	49	1	0.74	0.74	0.74
IGGC520	50	51	1	0.63	0.63	0.63
IGGC521	1	3	2	3.80	4.45	7.60
IGGC521	45	46	1	0.69	0.69	0.69
IGGC522	49	51	2	0.57	0.59	1.14
IGGC523	31	35	4	1.25	2.06	5.00
IGGC523	37	38	1	0.58	0.58	0.58
IGGC523	52	54	2	1.27	1.72	2.54
IGGC524	26	27	1	2.29	2.29	2.29
IGGC524	30	32	2	1.15	1.21	2.30
IGGC524	35	38	3	0.81	0.93	2.43
IGGC524	39	41	2	0.85	1.06	1.70
IGGC524	42	44	2	0.77	0.83	1.54
IGGC524	45	46	1	0.53	0.53	0.53
IGGC524	49	50	1	0.66	0.66	0.66
IGGC524	51	52	1	3.22	3.22	3.22
IGGC525	1	2	1	1.62	1.62	1.62
IGGC525	7	8	1	0.59	0.59	0.59
IGGC525	9	10	1	1.14	1.14	1.14
IGGC525	37	40	3	0.92	1.53	2.76
IGGC525	41	45	4	1.15	2.04	4.60
IGGC526	1	2	1	0.82	0.82	0.82

IGGC526	7	8	1	0.55	0.55	0.55
IGGC526	22	27	5	0.66	0.83	3.30
IGGC526	30	31	1	0.82	0.82	0.82
IGGC526	32	33	1	1.57	1.57	1.57
IGGC527	2	3	1	0.89	0.89	0.89
IGGC527	16	17	1	0.86	0.86	0.86
IGGC527	18	20	2	0.89	1.11	1.78
IGGC529	46	47	1	0.62	0.62	0.62
IGGC530	27	29	2	0.80	0.85	1.60
IGGC530	30	31	1	1.47	1.47	1.47
IGGC530	33	34	1	1.02	1.02	1.02
IGGC530	35	42	7	2.87	4.77	20.09
IGGC530	43	44	1	1.13	1.13	1.13
IGGC530	50	51	1	0.51	0.51	0.51
IGGC531	27	28	1	0.84	0.84	0.84
IGGC531	35	36	1	0.81	0.81	0.81
IGGC531	49	50	1	0.54	0.54	0.54

Appendix 2: Collar Data for Drillholes Included in this ASX Release

All Holes located on Tenement M 16/262.

All Collar locations are from survey pickups, planned dip and azimuth is currently provided however Beacon Minerals has access to, and is validating all survey files.

Hole ID	Easting	Northing	Elevation	Azimuth	Dip	Max Depth	Comments
IGGC209	275470	6624280	525	90	60	90	Extension of Prior Released Hole
IGGC210	275480	6624280	524	90	60	90	Extension of Prior Released Hole
IGGC220	275480	6624260	525	90	60	90	Extension of Prior Released Hole
IGGC230	275460	6624250	525	90	60	90	Extension of Prior Released Hole
IGGC231	275470	6624250	525	90	60	90	Extension of Prior Released Hole
IGGC233	275490	6624250	525	90	60	90	Extension of Prior Released Hole
IGGC306	275658	6624154	516	90	60	54	
IGGC307	275670	6624154	517	90	60	54	
IGGC308	275685	6624155	517	90	60	54	
IGGC309	275701	6624155	516	90	60	54	
IGGC321	275651	6624127	517	90	60	54	
IGGC322	275659	6624128	517	90	60	54	
IGGC323	275673	6624127	516	90	60	54	
IGGC324	275680	6624127	516	90	60	54	
IGGC325	275690	6624127	516	90	60	54	
IGGC326	275701	6624127	516	90	60	54	
IGGC350	275692	6624079	516	90	60	54	
IGGC351	275701	6624079	516	90	60	54	
IGGC352	275711	6624080	516	90	60	54	
IGGC353	275720	6624079	516	90	60	54	
IGGC354	275729	6624079	515	90	60	54	
IGGC355	275740	6624080	515	90	60	54	
IGGC357	275727	6624070	515	90	60	54	
IGGC358	275736	6624070	515	90	60	54	
IGGC362	275710	6624058	516	90	60	54	
IGGC367	275760	6624058	516	90	60	54	
IGGC369	275710	6624040	516	90	60	54	
IGGC370	275740	6624039	515	90	60	54	
IGGC371	275751	6624039	515	90	60	54	
IGGC372	275760	6624040	515	90	60	54	
IGGC373	275769	6624040	514	90	60	54	
IGGC376	275716	6624030	516	90	60	54	
IGGC377	275731	6624030	515	90	60	54	
IGGC378	275745	6624030	515	90	60	54	
IGGC379	275761	6624030	515	90	60	54	

IGGC387	275745	6624007	515	90	60	54	
IGGC388	275760	6624007	514	90	60	54	
IGGC389	275775	6624007	514	90	60	54	
IGGC390	275790	6624007	514	90	60	54	
IGGC397	275685	6623980	517	90	60	54	
IGGC398	275701	6623980	516	90	60	54	
IGGC399	275716	6623980	516	90	60	54	
IGGC400	275731	6623980	515	90	60	54	
IGGC401	275745	6623980	515	90	60	54	
IGGC454	275685	6623880	520	90	60	54	
IGGC455	275701	6623880	520	90	60	54	
IGGC456	275730	6623880	519	90	60	54	
IGGC457	275744	6623880	519	90	60	54	
IGGC458	275759	6623880	518	90	60	54	
IGGC459	275790	6623881	516	90	60	54	
IGGC460	275805	6623881	515	90	60	54	
IGGC461	275819	6623880	514	90	60	54	
IGGC462	275835	6623880	514	90	60	54	
IGGC463	275849	6623880	514	90	60	54	
IGGC464	275865	6623880	514	90	60	54	
IGGC465	275671	6623855	520	90	60	54	
IGGC466	275690	6623855	520	90	60	54	
IGGC467	275700	6623855	520	90	60	54	
IGGC468	275710	6623855	520	90	60	54	
IGGC469	275721	6623855	519	90	60	54	
IGGC470	275730	6623855	519	90	60	54	
IGGC471	275740	6623855	519	90	60	54	
IGGC472	275750	6623856	519	90	60	54	
IGGC473	275760	6623856	519	90	60	54	
IGGC474	275770	6623855	518	90	60	54	
IGGC475	275780	6623856	517	90	60	54	
IGGC476	275791	6623855	516	90	60	54	
IGGC477	275801	6623856	515	90	60	54	
IGGC478	275820	6623857	514	90	60	54	
IGGC479	275811	6623856	515	90	60	54	
IGGC480	275830	6623858	514	90	60	54	
IGGC481	275841	6623858	514	90	60	54	
IGGC482	275850	6623858	514	90	60	54	
IGGC483	275860	6623859	514	90	60	54	
IGGC484	275870	6623857	514	90	60	54	
IGGC485	275880	6623857	513	90	60	54	
IGGC486	275890	6623857	513	90	60	54	
IGGC487	275708	6623830	519	90	60	54	

IGGC488	275721	6623830	519	90	60	54	
IGGC491	275778	6623830	518	90	60	54	
IGGC492	275790	6623830	517	90	60	54	
IGGC493	275802	6623830	516	90	60	54	
IGGC494	275824	6623831	514	90	60	54	
IGGC495	275848	6623830	513	90	60	54	
IGGC496	275858	6623830	513	90	60	54	
IGGC497	275868	6623830	513	90	60	54	
IGGC498	275706	6623805	517	90	60	54	
IGGC499	275725	6623805	517	90	60	54	
IGGC500	275745	6623805	516	90	60	54	
IGGC501	275764	6623805	517	90	60	54	
IGGC503	275806	6623805	517	90	60	54	
IGGC516	275740	6623760	518	90	60	54	
IGGC517	275749	6623760	518	90	60	54	
IGGC518	275761	6623760	517	90	60	54	
IGGC519	275769	6623760	517	90	60	54	
IGGC520	275780	6623760	517	90	60	54	
IGGC521	275789	6623760	517	90	60	54	
IGGC522	275800	6623760	517	90	60	54	
IGGC523	275808	6623760	517	90	60	54	
IGGC524	275820	6623760	517	90	60	54	
IGGC525	275829	6623760	517	90	60	54	
IGGC526	275840	6623760	517	90	60	54	
IGGC527	275849	6623760	516	90	60	54	
IGGC529	275730	6623749	518	90	60	54	
IGGC530	275803	6623745	517	90	60	54	
IGGC531	275823	6623746	517	90	60	54	

Appendix 3: JORC Tables

Section 1: Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sampling techniques	<p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Reverse circulation (RC), rotary air blast (RAB) and aircore (AC) drilling with 1 m sampling from cyclone (BDRB prefix holes RAB drilling with 2 m sampling). Samples sent to accredited laboratories for drying, crushing and pulverising. Composite samples assayed by aqua regia/atomic absorption spectroscopy (AAS) (except in areas of elevated graphite – fire assay (FA) and those returning greater than 0.2–0.3 g/t were re-assayed as individual metres by FA to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. HQ triple diamond (DD) drilling was halved, 50 g charge FA with 0.01 ppm detection limit. <p>EGL:</p> <ul style="list-style-type: none"> RC samples collected from the riffle or cone splitter directly off rig into calico bags. Splitter maintained on level site to ensure sample representativity. 1 m samples are dried, crushed, pulverised and a 40 g charge is analysed by FA. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB 1 m sampling with blade or hammer. Dried, crushed and pulverised samples analysed by aqua regia/AAS finish with 25 g charge. <p>Monarch:</p> <ul style="list-style-type: none"> AC, RAB and RC drilling on 1 m sampling basis with RAB samples being composited to 4 m for initial analysis by aqua regia/AAS. Individual AC and RC metres collected from cyclone, riffle split and submitted for aqua regia/AAS and FA/AAS respectively. <p>Siberia Mining Corporation (SMC):</p> <ul style="list-style-type: none"> 1 m sampling of AC, RAB and RC drilling composites and individual re-assays dispatched for FA. <p>Perilya:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> 5 m composite RAB and AC assayed at Analabs Perth by method P649, 50 g aqua regia, DIBK, Carbon Rod. <p>Croesus:</p> <ul style="list-style-type: none"> RC 1 m samples collected under cyclone. RAB drilling on a 1 m basis. 3.5 kg samples were pulverised to make 50 g charge for analysis by FA/inductively coupled plasma-optical spectrometry (ICP-OS). <p>Delta:</p> <ul style="list-style-type: none"> 1 m sampling of AC, RAB and RC. 5 m composites submitted to Genalysis and/or ALS laboratories Kalgoorlie for preparation, followed by aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values ≥ 0.1 ppm Au, corresponding single metre samples were collected and submitted. <p>Ora Banda Mining Ltd (OBM):</p> <ul style="list-style-type: none"> 1 m RC samples using face sampling hammer with samples collected under cone splitter. 4 m composite RC samples collected using a PVC spear from the sample piles at the drill site. For drilling up to April 2020, RC samples were submitted for pulverising and 50 g charge FA. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. Half-core samples, cut by automated core saw. Core sample intervals selected by geologist and defined by geological boundaries. Samples are crushed, pulverised and a 40 g charge is analysed by FA. A total of 56 holes were drilled by OBM, including three RCDD holes and 53 RC holes. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals</p> <ul style="list-style-type: none"> 1m RC samples using face hammer with samples collected under cone splitter.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> 4m composite AC samples collected via scoop on sample piles. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. DD logged and full hole sampled utilising geology defined sample intervals. Core was halved or quartered depending on use and dispatched to the BV Cunningham facility. All Assays conducted for Beacon Minerals were performed by BV Cunningham. Samples are crushed, pulverised and a 40 g charge is analysed by FA.
Drilling techniques	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> No details for early RAB drilling. Later drilling involved RAB drilling using 4–4.25-inch blade or hammer to blade refusal. AC using 3.5-inch blade. RC 5.25–5.5-inch diameter face sampling hammer. <p>Croesus:</p> <ul style="list-style-type: none"> Undocumented details. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes. <p>Delta:</p> <ul style="list-style-type: none"> RC 5.5-inch face sampling hammers. At times, a stepped AC bit was used to drill through sand at beginning of hole which changed to face-sampling hammer when laterite encountered. HQ triple twin DD holes at Lizard. LZD1-3 was oriented. <p>EGL:</p> <ul style="list-style-type: none"> RC 5.25-inch diameter. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB with blade and/or hammer bit. RC drilling with 5.25-inch diameter face sampling hammer. <p>Monarch:</p> <ul style="list-style-type: none"> RC drilling 5.5-inch diameter with face sampling hammer.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • RAB 4-inch diameter blade with occasional hammer bit usage. • AC details undocumented. <p>SMC:</p> <ul style="list-style-type: none"> • AC, RAB, RC details undocumented. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes. <p>OBM:</p> <ul style="list-style-type: none"> • 5.25–5.5-inch diameter RC holes using face sampling hammer with samples collected under cone splitter. HQ and HQ3 coring to approx. 40 m, then NQ2 to bottom of hole. • Metallurgical and geotechnical core holes drilled using HQ3 exclusively. • All core oriented by reflex instrument. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • RC drilling conducted by 115mm Hammer face bit. • AC drilling conducted utilising both Blade and Hammer methods, varying in bit size due to ground conditions • DD drilling was conducted in PQ3 or HQ3. Two holes were collared in PQ3 before casing off at approx. 70m depth to HQ3. Remaining holes were drilled HQ3 from collar.
Drill sample recovery	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>Delta:</p> <ul style="list-style-type: none"> • Recoveries for resource RC drilling made as a subjective estimate. Recoveries in resource drilling were generally in excess of 70% (Iguana laterite), 60% (Lizard). Poor recoveries occurred outside mineralised zones. <p>OBM:</p> <ul style="list-style-type: none"> • DD drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks).

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC samples are weighed at the laboratory to monitor recoveries. <p>Other operators have not captured recovery data.</p> <p>There is no known relationship between sample recovery and grade.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> DD drill recoveries were recorded in logging and sampling processes, with noted core loss existing in upper weathering profiles RC sample had recoveries recorded by percentage of material, significant material loss was present near surface due to unconsolidated sands AC sample had recoveries recorded in percentage, material retention was good to excellent from surface.
Logging	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Logging on 1 m basis. Qualitative – lithology, oxidation, grain size. Quantitative – quartz. <p>Croesus:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, grain size, alteration, oxidation, texture, structures, regolith. Quantitative – estimates are made of quartz veining. <p>Delta:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, structure, texture, alteration. Quantitative – estimates are made of quartz veining and minerals. <p>EGL:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • Qualitative – alteration, colour, grain size, lithology, oxidation, mineralogy, structure, texture, vein style, vein assemblage, remarks. • Quantitative – mineralisation intensity, vein percent. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • Qualitative – colour, lithology, oxidation, BOCO, texture, alteration, minerals, sulphides. • Quantitative – quartz. <p>Monarch:</p> <ul style="list-style-type: none"> • Qualitative – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. • Quantitative – estimates are made of quartz veining, sulphide percentages. <p>SMC:</p> <ul style="list-style-type: none"> • Qualitative – lithology, colour, oxidation, alteration. • Quantitative – estimates are made of quartz veining. <p>OBM:</p> <ul style="list-style-type: none"> • Field logging was conducted using Geobank Mobile™ software on Panasonic Toughbook CF-31 ruggedised laptop computers. • Qualitative logging – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. • Quantitative – estimates are made of quartz veining, sulphide and alteration percentages. Core photographed both wet and dry. • Magnetic susceptibility and rock quality designation (RQD) were also recorded for core holes. <p>All holes were geologically logged in their entirety to a level of detail to support Mineral Resource estimation.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> Diamond Drilling- Logging was completed by competent contractors utilising Beacon logging template. Sampling was then conducted off the logging intervals. Reverse Circulation/ Air Core- Logging was conducted using chip samples, prepared by conducting both dry and wet sieves. Logging was done in accordance with the Beacon Logging code.
Subsampling techniques and sample preparation	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all subsampling stages to maximise representativity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Early (~1990) drilling – 2 m samples composited to 6m by undocumented method. Results returning >0.2 g/t re-sampled on a 2 m basis. Subsequent drilling – RAB/AC 2 m surface composites and 4 m composite thereafter. RC 1 m samples riffle split and composited to 4 m samples. Composite assays returning greater than 0.2 g/t re-sampled on a metre basis. <p>Croesus:</p> <ul style="list-style-type: none"> RAB drill samples were collected in buckets below a freestanding cyclone and laid out at 1 m intervals in rows of ten metres adjacent to the drill collar. Composite analytical samples (~3.5 kg) were initially collected over 5 m intervals for each hole and a 1 m bottom of hole analytical sample. Analytical composite samples were collected by taking a representative scoop through each 1 m drill sample. Composite assays returning greater than 100 ppb Au were resampled on an individual basis by an undocumented method. RC drill samples were riffle split at 1 m intervals off the rig into calico bags whilst excess material was placed on the ground in 1 m piles for logging. The analytical samples were dried, crushed and split to obtain a sample less than 3.5 kg, and then fine pulverised prior to a 50 g sample being taken for analysis. <p>Delta:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC: Samples collected on 1 m intervals via a cyclone into green plastic bags. Each bag was riffle split if dry to a 2–3 kg sample and retained on site. A PVC spear sample was taken from residues to create a 5 m composite. If composites returned values ≥ 0.1 g/t, geologically interesting or had elevated arsenic levels, the original 1 m splits were collected and submitted. Original wet samples were split at this stage using wet triple riffle splitter, washed between samples. Wet samples were rare and usually outside of main mineralisation. RAB: Typically 1 m samples were composited to 5 m (occasionally 10 m) by PVC spear. Significant assay results were re-submitted on a single metre basis. DD: Core was halved. Sample length typically 1 m. <p>EGL:</p> <ul style="list-style-type: none"> RC samples riffle split into calico bags. Wet or moist samples are noted during sampling. Core was cut with diamond saw and half core sampled. All mineralised zones are sampled, including portions of visibly unmineralised hangingwall and footwall zones. Sample weights range from >1.0 kg to 3.5 kg. Samples weighed by laboratory, dried and split to <3 kg if necessary and pulverised by LM-5. Field duplicates, blanks and standards were submitted for QAQC analysis. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB and RC holes were composited to 6 m and 4 m respectively with anomalous zones of nickel or gold being resubmitted on a metre basis. <p>Monarch:</p> <ul style="list-style-type: none"> RAB: 2 – 4 m composites scoop sampled. AC and RC 1 m splits via riffle splitter. RAB samples were composited to 4 m by scoop for initial analysis. Samples were riffle split and prepared with single stage mix and grinding. <p>SMC:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form 4 m or 5 m composite. • AC: Predominantly 4 m composite samples. Methods unknown. • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form a 5 m composite. • AC: Predominantly 4 m composite samples. • RAB: Predominantly 5 m composite samples. <p>OBM:</p> <ul style="list-style-type: none"> • RC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples speared from the onsite drill sample piles. Half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. • For drilling up to April 2020, RC samples were dried, crushed, split, pulverised and a 50 g charge taken. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. • Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC/AC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples scooped from the onsite drill sample piles. Any 4m composites which exceeded 0.3g/t or where otherwise noted as anomalous were selected for re-sample and had 1m sample bags dispatched to the lab with these results over-writing the prior composite results DD drill were half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. <p>Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory.</p>
Quality of assay data and laboratory tests	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> RC/RAB: composites assayed by aqua regia AAS. Composites returning >0.2–0.3g/t Au re-submitted as 1 m samples by 50 g charge FA. AC: Composites by 50 g charge FA. Composites returning >0.2–0.3g/t Au re-submitted as 1 m samples for FA again. In areas of elevated graphite (Burke Dam), RC composites were assayed by 50 g FA. Assayed at Genalysis. <p>Croesus:</p> <ul style="list-style-type: none"> 50 g charge analysed for gold (FA/ICP-Os) by Analabs Kalgoorlie for RC and Ultratrace Perth for RAB. Lab repeats at discretion of laboratory. <p>Delta:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC and RAB: 5 m composites dispatched to Genalysis and/or ALS laboratories Kalgoorlie for aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values ≥ 0.1 ppm Au, corresponding single metre samples were collected and despatched to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. Core despatched to Genalysis Kalgoorlie for 50 g charge FA with 0.01ppm detection limit. Standards of an undocumented provenance and locally (uncertified) sourced blanks inserted but frequency undocumented. One in 20 pulp duplicate frequency. Blind pulp re-assays performed. <p>EGL:</p> <ul style="list-style-type: none"> Samples were sent to Kalgoorlie Assay Laboratories to be analysed for gold by 40 g FA. Samples were also analysed at Genalysis. Certified reference material (CRM) standards were submitted. Field duplicate samples taken at rate of 1:40. <p>Roper River Resources:</p> <ul style="list-style-type: none"> 25 g sample by aqua regia/AAS finish at MiniLab Kalgoorlie. Lab repeats at discretion of laboratory. <p>Monarch:</p> <ul style="list-style-type: none"> RAB and AC: Assayed by aqua regia/AAS with 10 ppb detection limit. RC: 50 g charge FA/AAS at SGS Kalgoorlie. <p>SMC:</p> <ul style="list-style-type: none"> FA, undocumented charge and laboratory. <p>OBM:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> Up to April 2020, all samples were sent to an accredited laboratory (Nagrom Laboratories in Perth, Intertek-Genalysis in Kalgoorlie or SGS in Kalgoorlie). The samples have been analysed by firing a 50 g portion of the sample. This is the classical fire assay process and will give total separation of gold. An ICP-OES finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:12. Sizing results (percentage of pulverised sample passing a 75 µm mesh) are undertaken on approximately 1 in 40 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. Standards and blanks were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30. Fire assay is considered a total technique, aqua regia is considered partial. <p>Beacon Minerals:</p> <ul style="list-style-type: none"> All assay work was conducted by BV Cunningham utilising FA/AAS analysis with 40g charge. Beacon Minerals submitted QA/QC samples every 20 samples utilising multiple different CRM providers.
Verification of sampling and assaying	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p> <p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>	<p>Holes are not deliberately twinned in Iguana area.</p> <p>Monarch:</p> <ul style="list-style-type: none"> Geological and sample data was logged digitally and .csv or .xls files imported into Datashed SQL database with in-built validation. Samples bags were placed into numbered plastic bags and then cable tied. Samples collected daily from site by laboratory. <p>EGL:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the core yard using Field Marshall. Data is transferred to Perth via email and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>OBM:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the drill rig or core yard using Field Marshall or Geobank Mobile. Data is transferred to Perth via email and imported into Geobank SQL database by the DBA. Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>Data entry, verification and storage protocols for remaining operators is unknown.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Geological and sampling data was entered directly into a formatted excel file in the field which was then verified. Data was then formatted and imported into Datashed 5 passing through further validation before acceptance into the database.
Location of data points	<p><i>Accuracy and quality of surveys used to locate drillholes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p> <p><i>Specification of the grid system used.</i></p> <p><i>Quality and adequacy of topographic control.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> All drilling not surveyed. Collars located on AMG Zone 51 Grid utilised. <p>Croesus:</p> <ul style="list-style-type: none"> TGRC holes were collar surveyed in AMG Zone 51 Grid. No downhole surveys. <p>Delta:</p> <ul style="list-style-type: none"> All drillholes used for resource definition surveyed by Minecomp. All post-1993 RC and DD holes downhole surveyed using EMS or Eastman single shot where possible. Where not possible, data from proximal holes was used. LAD and LZC, LZD, LAC, and selected G prefixed holes downhole surveyed by undocumented method approximately every 10 m. Many RAB holes appear to be collar surveyed. AMG Zone 51 Grid utilised except for holes in the Nyborgs region where a local grid (Lady Ida) was utilised.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>EGL:</p> <ul style="list-style-type: none"> Collars were surveyed by differential global positioning system (GPS) in MGA Zone 51. No downhole surveying performed. <p>Roper River Resources:</p> <ul style="list-style-type: none"> No surveys post drilling. AMG Zone 51 Grid utilised. <p>Monarch:</p> <ul style="list-style-type: none"> RC and some AC collars surveyed by differential GPS. All remaining holes surveyed by GPS. MGA Zone 51 Grid utilised. IGRC holes were downhole surveyed by EMS every 5 m. RC drilling was surveyed by Electronic Multi-shot on selected holes. <p>SMC:</p> <ul style="list-style-type: none"> No evidence of post drilling surveys, MGA Zone 51 Grid utilised. <p>OBM:</p> <ul style="list-style-type: none"> (RC, DD) MGA94, Zone 51. Drillhole collar positions were picked up by a contract surveyor using RTK GPS subsequent to drilling. Drillhole, downhole surveys are recorded every 30 m using a reflex digital downhole camera. Some RC holes not surveyed if holes short and/or drilling an early-stage exploration project. DD drillholes completed in 2019 and 2020 by OBM were surveyed using a Gyro tool. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Collars were picked up by a qualified surveyor in MGA94 Z 51 format utilising a RTK GPS and appropriately set control. Locations were also cross checked with hand held GPS. DD Holes were surveyed using a Reflex Continuous Gyro system.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC Holes were surveyed at EOH depth only, with a partial portion of the program surveyed 6m (1 rod) from EOH to avoid loss of instrument or hole collapse.
Data spacing and distribution	<p><i>Data spacing for reporting of Exploration Results.</i></p> <p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p> <p><i>Whether sample compositing has been applied.</i></p>	<ul style="list-style-type: none"> Exploration results are reported for single holes only. Data spacing highly variable from wide spaced ~800 m x ~80 m regional RAB to close spaced resource drilling ~10 m x ~10 m and grade control drilling at ~5 m x ~5 m. Drillhole spacing is adequate to establish geological and grade continuity for the Iguana deposit. Drill composites have been length weighted, 0.5 g/t lower cut-off, not top cut, maximum 2 m internal dilution.
Orientation of data in relation to geological structure	<p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p> <p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p>	<ul style="list-style-type: none"> Deposits in the Lady Ida area are generally oriented on northwest trends. Once the orientation of mineralisation was established, drilling was mostly oriented towards 90° with Iguana grade control oriented towards 45°. Drilling of laterite mineralisation is almost exclusively vertical in nature.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>The Iguana Deposit presents multiple orientations of mineralisation which include both near vertical sets and shallow dipping mineralisation zones.</p> <ul style="list-style-type: none"> • Drilling in the Iguana region has primarily been focused on -60° dipping holes, either East or West orientated. Recent drilling by Beacon Minerals replicated prior RC drilling orientations in the region. • The selection of eastern orientated drilling is primarily driven by the shallow westerly plunge of the vertical structures present in the region.
Sample security	<i>The measures taken to ensure sample security.</i>	<p>Unknown for all drilling except for the following:</p> <ul style="list-style-type: none"> • Monarch: Sample calicos were placed into numbered plastic bags and cable tied. Any samples going to SGS were collected daily by the lab. Samples sent to ALS were placed into sample crates and sent via courier on a weekly basis. • EGL: Samples were bagged, tied and in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. • OBM: Samples were bagged, tied and stored in a secure yard on site. Once submitted to the laboratories they were stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. • Beacon Minerals: Samples were collected from the field and immediately recorded, and dispatched to BV Cunningham utilising Beacon employees or appropriately qualified contractors
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	<p>OBM has reviewed historical digital data, particularly from the Iguana deposit, and compared it to hardcopy and digital (including WAMEX) records.</p>

Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103, L16/138 and application L16/142 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Drilling, sampling and assay procedures and methods as stated in the database and confirmed from WAMEX reports and hardcopy records are considered acceptable and to industry standards of the time. There is sufficient understanding of drilling, sampling and assay methodologies for the majority of drilling in the Lady Ida area. BCN is confident that previous operators completed work to standards considered acceptable for the time.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	<p>The project is located along the inferred trace of the Ida Fault, a north-south trending deep-seated crustal structure juxtaposing batholithic granites and subordinate basalt and banded iron formation of the Southern Cross Province against greenstones of the Eastern Goldfields Province.</p> <p>The Eastern Goldfields Province sequences are metamorphosed to amphibolite facies and dominated by tholeiitic to komatiitic basalts, tremolite-chlorite rich ultramafics and psammitic to pelitic sediments. The regional stratigraphy trends north-northwest, sub-parallel to the Ida Fault, and the regional dip is sub-vertical. The structural complexity of the area, including inferred thrusts, fault splays and crosscutting shears, presents good potential for additional trap sites.</p> <p>The resource at Iguana is dominantly hosted in a highly sheared, silica-muscovite-carbonate altered, tholeiitic metabasalt and sediments of lower to mid amphibolite facies. It is interpreted as being controlled by imbricate thrusts contained between two north-south trending faults. Ultramafic units lie to the west and the mafic-sedimentary package lies to the east. Post-mineralisation pegmatite dykes attain considerable thickness in places and stope out mineralisation.</p>
Drillhole information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drillhole collar</i> 	Refer to the collar information provided in this report for all Released RC Holes

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> elevation or RL (<i>Reduced Level – elevation above sea level in metres</i>) of the drillhole collar dip and azimuth of the hole downhole length and interception depth hole length. 	
Data aggregation methods	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	<p>Mineral intercepts are reported as raw, with no top cutting conducted.</p> <p>Mineral intercepts reported have an Au value greater than 0.5g/t. Internal dilution is restricted to 1m or less within intercept intervals.</p> <p>Metal equivalent calculations are not required as the Iguana project is gold only</p> <p>All intercepts are present in their 1m interval format in appendix 1.</p>
Relationship between mineralisation widths and intercept lengths	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported.</i></p> <p><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. ‘downhole length, true width not known’).</i></p>	<p>Mineral intercepts have been recorded as downhole widths. The multiple different orientations of mineralisation present, with not all visually identifiable means an accurate true width is not possible.</p>
Diagrams	<p><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</i></p>	<p>See plan and cross-section views provided in this report.</p>
Balanced reporting	<p><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></p>	<p>Beacon Minerals is reporting only significant intercepts as prior outlined (greater than 0.5g/t zone, with less than 1m of internal dilution). All drillhole zones not tabularised in this report can be interpreted as being insignificant in relation to Au grades.</p>

Criteria	JORC Code explanation	Commentary
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	Iguana has no known reported metallurgical issues. Primary ore was previously mined by Delta in the early 2000s with ore treated at the Greenfields processing plant in Coolgardie. Recovery and reconciliation figures are unknown.
Further work	<i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Further resource work is ongoing, with new data currently being incorporated into an updated resource model.