

3 January 2020

KTA finds anomalous Au-Cu geochemical corridor trending towards Belgravia

- ***Krakatoa digitises historical RAB drilling results and discovers further support for porphyry-related mineralisation at the Copper Hill Igneous Complex and Larras Lake Igneous Complex, recognised at Belgravia***
- ***Geochemical trends associated with the shallow RAB drilling support the porphyries as being gold mineralised and open to the southeast, towards Belgravia and the undrilled Bella Prospect***
- ***A broad geochemical zonation is outlined with a copper-gold enriched core partly enclosed by base metal (Pb-Zn) enriched outer zone***
- ***The Larras Lake Igneous Complex and Copper Hill Igneous Complex provide the Company with a highly prospective area of over 15km² for the discovery of porphyry clusters***
- ***The lateral extent of each porphyry target within the project area was covered by the recently completed drone magnetics survey***
- ***Field sampling of the Larras Lake Igneous Complex to commence immediately***

Krakatoa Resources Limited (ASX: KTA) (“Krakatoa” or the “Company”) is pleased to advise that a review of the historical shallow RAB drilling completed by Mt Isa Mines (MIM) in 1995, further supports the prospectivity of the Larras Lake Igneous Complex and the Copper Hill Igneous Complex within the Company’s Belgravia Project, located in the Lachlan Fold Belt, NSW.

The Larras Lake Igneous Complex (LLIC) lies immediately north of the Copper Hill Igneous Complex (CHIC) within the Molong Volcanic Belt (MVB) and is also known to be gold mineralised (see ASX announcement, 3 December 2019).

The LLIC and CHIC, which form part of the Company’s Bell Valley target, were recently flown by Unmanned Aerial Vehicle (UAV) (or drone) as part of the completed magnetic survey (see ASX announcement, 27 November 2019).



ASX Code
KTA, KTAOC

Capital Structure

175,000,000 Fully Paid Shares
85,000,000 Options @ 5c exp 31/07/21
5,000,000 Options @ 7.5c exp 31/07/21
12,000,000 Options @ 10c exp 24/10/20

Directors

Colin Locke
David Palumbo
Timothy Hogan

Enquiries regarding this announcement can be directed to
Colin Locke
T. +61 457 289 582




Figure 1: Location of the Historical RAB drilling in relation to the Belgravia Project

Regional Geology

The geology of the MVB consists of north-trending Ordovician mafic volcanics and related intrusions (principally the Fairbridge Volcanics), Silurian felsic volcanics and associated sediments. Volcanism within MVB relates to distinct groups and ages of porphyritic intrusion that vary from monzodiorite-diorite through monzonite-granodiorite compositions and correspond with porphyry copper-gold and epithermal gold-silver mineralisation. Significant metal endowments such as Cadia Valley (43.4Moz Au, 7.97Mt Cu), and the adjacent Copper Hill (890Koz Au, 310Kt Cu), are a common feature of porphyry-hosted copper-gold mineralisation in the MVB.

As described previously, the porphyries typically form in clusters as narrow (usually less than 200m in diameter, but can surpass 400m), and as vertically persistent pipes (commonly exceeding 900m in length). Mineralisation and their associated alteration habitually extend from the body of the porphyry into their host lithology. The alteration assemblages are often zoned and include sericite, hematite, epidote, quartz and carbonate within the Fairbridge Volcanics.

Previous work

Mount Isa Mines (MIM) in 1995, identified weak potassic and propylitic alteration associated with a monzodiorite intrusion through a 233 vertical hole Rotary Air Blast (RAB) program at Larras Lake. The drilling comprised mostly shallow (averaging 8m or less) holes sampled in 3-metre composites, with a maximum depth of 33m. The holes terminated at blade refusal. The deepest holes are coincident with higher copper and gold results, and are supportive of an alteration trough being associated with the mineralizing event (Figure 2).




Figure 2: Depth of blade refusal: MIMEX RAB drilling from 1995 (red = shallow hole, blue/magenta = deeper hole).

The drill program followed some preliminary field investigations, including BCL (bulk cyanide leach) stream sediment and rock chip sampling, with the latter containing highly anomalous gold and copper grades south of the Larras Lake homestead.

Imaged max value geochemistry for copper (Figure 3) and gold (Figure 4) are presented which support a strong northwesterly - southeasterly trend, which is most evident in the distribution of copper within the drilled area. A typical metal zonation with a gold and copper enriched core partly enclosed by a lead-zinc enriched outer zone. The inner core trends southeast towards the Company's Belgravia Project, capturing the undrilled Bella Prospect.




Figure 3: Max value geochemistry for Copper: MIMEX RAB drilling from 1995




Figure 4: Max value geochemistry for Gold: MIMEX RAB drilling from 1995

Consistent with the Company's ASX announcement on 3 December 2019, Krakatoa believes that the metal tenor and distribution, and that of the alteration minerals support MIM (and as discussed previously, Newcrest) as potentially drilling the periphery of a larger mineralised system that lies at depth and in a direction consistent with the Company's Belgravia Project.

Authorised for release by the Board.

FOR FURTHER INFORMATION:


Colin Locke
Executive Chairman
+61 457 289 582
locke@ktaresources.com

ABOUT BELGRAVIA PROJECT:

The Belgravia Project covers an area of 80km² and is located in the central part of the Molong Volcanic Belt (MVB), which forms as part of the East Lachlan province within the Lachlan Fold Belt, NSW. The East Lachlan region constitutes the largest porphyry province in Australia.

The Project lies approximately 7km east of the township of Molong and 20km northwest of the regional centre of Orange, providing excellent road, rail, power, gas and water infrastructure.

The Belgravia Project has 6 initial targets considered highly prospective for porphyry Cu-Au and associated skarn Cu-Au. Historical exploration appears to have failed to adequately consider the regolith and tertiary basalt (up to 40m thick) that obscures much of the prospective geology.



Disclaimer

Forward-looking statements are statements that are not historical facts. Words such as “expect(s)”, “feel(s)”, “believe(s)”, “will”, “may”, “anticipate(s)” and similar expressions are intended to identify forward-looking statements. These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All of such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the Company’s prospects, properties and business strategy. Our audience is cautioned not to place undue reliance on these forward-looking statements that speak only as of the date hereof, and we do not undertake any obligation to revise and disseminate forward-looking statements to reflect events or circumstances after the date hereof, or to reflect the occurrence of or non-occurrence of any events.

Competent Persons Statement

The information in this announcement is based on and fairly represents information compiled by Mr Jonathan King, consultant geologist, who is a Member of the Australian Institute of Geoscientists and employed by Collective Prosperity Pty Ltd, and is an accurate representation of the available data and studies for the Project. Mr King has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he has undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr King consents to the inclusion in this announcement of the matters based on this information in the form and context in which it appears.

APPENDIX 1 – DRILLING DETAILS (MIMEX)

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
4200	3600	6345458	674582	5	7	13292	0.005	115	2.5	109
4200	3600	6345458	674582	0	2	13290	0.005	114	8	94
4200	3600	6345458	674582	2	5	13291	0.005	95	8	100
4000	3700	6345365	674786	0	2	13302	0.005	92	2.5	90
4200	3700	6345521	674660	6	9	13295	0.005	148	2.5	117
4200	3700	6345521	674660	9	12	13296	0.005	115	5	108
4200	3700	6345521	674660	0	3	13293	0.005	91	8	90
4200	3700	6345521	674660	3	6	13294	0.005	89	13	96
4000	3800	6345428	674864	9	12	13306	0.01	177	2.5	106
4000	3800	6345428	674864	12	12.5	13307	0.005	176	2.5	113
4000	3800	6345428	674864	3	6	13304	0.01	170	2.5	97
4000	3800	6345428	674864	0	3	13303	0.005	169	2.5	102
4000	3800	6345428	674864	6	9	13305	0.01	168	2.5	107
4200	3800	6345583	674738	11	12	13301	0.005	286	2.5	110
4200	3800	6345583	674738	5	8	13299	0.005	157	6	143
4200	3800	6345583	674738	2	5	13298	0.005	104	7	100
4200	3800	6345583	674738	0	2	13297	0.005	101	6	112
4200	3800	6345583	674738	8	11	13300	0.005	96	2.5	111
3800	3900	6345334	675067	0	3	13321	0.005	113	2.5	105
3800	3900	6345334	675067	3	4	13322	0.01	82	7	99
4000	3900	6345490	674941	5	6	13310	0.005	143	2.5	111
4000	3900	6345490	674941	0	2	13308	0.005	134	2.5	100
4000	3900	6345490	674941	2	5	13309	0.01	126	2.5	106
4400	3900	6345802	674691	2	3	13416	0.005	144	2.5	126
4400	3900	6345802	674691	0	2	13415	0.005	138	2.5	94
4600	3900	6345958	674566	0	1	13420	0.005	193	2.5	74
3800	4000	6345397	675145	0	1	13320	0.01	120	2.5	92
4000	4000	6345553	675019	0	2	13311	0.005	108	9	142
4000	4000	6345553	675019	2	5	13312	0.005	65	5	100
4200	4000	6345709	674894	0	1	13409	0.01	105	2.5	96
4200	4000	6345709	674894	1	3	13410	0.005	105	2.5	109
4400	4000	6345865	674769	1	2	13414	0.01	96	2.5	82
4400	4000	6345865	674769	0	1	13413	0.09	76	2.5	64
4600	4000	6346020	674643	3	6	13418	0.01	141	2.5	116
4600	4000	6346020	674643	6	6.5	13419	0.005	133	2.5	97
4600	4000	6346020	674643	0	3	13417	0.03	120	2.5	90
4700	4000	6346098	674581	3	5	15343	0.005	146	9	92
4700	4000	6346098	674581	0	3	15342	0.01	131	12	89
4800	4000	6346176	674518	0	1	15344	0.005	136	14	82
4800	4000	6346176	674518	4	6	15346	0.005	96	52	122
4800	4000	6346176	674518	1	4	15345	0.005	88	120	157
3600	4022	6345255	675287	0	3	13323	0.005	155	6	108
3600	4022	6345255	675287	3	4	13324	0.005	146	2.5	94
3600	4100	6345304	675348	1	4	13326	0.005	144	2.5	99
3600	4100	6345304	675348	4	6	13327	0.005	122	5	87
3600	4100	6345304	675348	0	1	13325	0.005	115	2.5	87
3800	4100	6345460	675223	1	1.5	13319	0.01	183	6	89
3800	4100	6345460	675223	0	1	13318	0.005	97	5	103
4000	4100	6345616	675097	0	1	13313	0.005	108	7	103
4000	4100	6345616	675097	1	4	13314	0.005	97	7	104
4000	4100	6345616	675097	4	6.5	13315	0.005	95	2.5	91
4200	4100	634771	674972	0	1	13408	0.005	71	2.5	99
4400	4100	6345927	674847	1	3	13412	0.01	142	2.5	72
4400	4100	6345927	674847	0	1	13411	0.005	128	8	82

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
4600	4100	6346083	674721	6	8	13442	0.005	170	2.5	87
4600	4100	6346083	674721	3	6	13441	0.005	137	2.5	79
4600	4100	6346083	674721	0	3	13440	0.005	126	2.5	83
4700	4100	6346161	674659	2	5	15341	0.005	136	7	68
4700	4100	6346161	674659	0	2	15340	0.005	110	9	80
4800	4100	6346239	674596	5	6	15349	0.04	113	5	74
4800	4100	6346239	674596	0	2	15347	0.005	110	8	75
4800	4100	6346239	674596	2	5	15348	0.005	110	5	63
3400	4200	6345211	675551	0	3	13351	0.005	139	2.5	93
3600	4200	6345366	675426	1	4	13329	0.005	140	17	142
3600	4200	6345366	675426	4	6.5	13330	0.005	140	2.5	106
3600	4200	6345366	675426	0	1	13328	0.01	134	2.5	136
3800	4200	6345522	675301	0	1	13316	0.005	110	7	123
3800	4200	6345522	675301	1	3	13317	0.005	90	6	129
4000	4200	6345678	675175	0	0.2	11793	0.005	84	2.5	69
4200	4200	6345834	675050	1	4	13407	0.005	116	18	119
4200	4200	6345834	675050	0	1	13406	0.005	100	2.5	97
4400	4200	6345990	674925	0	2	13421	0.01	161	2.5	65
4400	4200	6345990	674925	2	3.5	13422	0.005	94	2.5	65
4600	4200	6346146	674799	0	2	13439	0.005	166	2.5	93
4700	4200	6346224	674737	0	3	15338	0.005	98	9	63
4700	4200	6346224	674737	3	6	15339	0.005	87	5	63
4800	4200	6346302	674674	13	16	13448	0.02	141	2.5	82
4800	4200	6346302	674674	0	1	13443	0.005	116	7	112
4800	4200	6346302	674674	1	4	13444	0.005	111	2.5	106
4800	4200	6346302	674674	10	13	13447	0.01	102	2.5	87
4800	4200	6346302	674674	4	7	13445	0.01	102	2.5	86
4800	4200	6346302	674674	7	10	13446	0.02	69	2.5	61
4900	4200	6346380	674611	2	3	15351	0.02	145	7	72
4900	4200	6346380	674611	0	2	15350	0.01	110	10	87
5000	4200	6346458	674549	0	0.3	11800	0.005	136	2.5	77
3400	4300	6345273	675629	1	2.5	13350	0.005	131	2.5	88
3400	4300	6345273	675629	0	1	13349	0.005	111	5	88
3600	4300	6345429	675504	0	3	13331	0.005	137	2.5	194
3600	4300	6345429	675504	3	4.5	13332	0.005	119	2.5	108
3800	4300	6345585	675379	0	0.2	11792	0.005	83	2.5	89
4000	4300	6345741	675253	0	0.3	11794	0.005	121	2.5	78
4400	4300	6346053	675003	1	2	13424	0.005	152	2.5	147
4400	4300	6346053	675003	0	1	13423	0.01	108	2.5	132
4600	4300	6346208	674877	0	3	13436	0.07	135	2.5	52
4600	4300	6346208	674877	3	6	13437	0.005	96	2.5	58
4600	4300	6346208	674877	6	8	13438	0.005	63	2.5	60
4700	4300	6346286	674815	0	2	15337	0.03	174	7	63
4800	4300	6346364	674752	3	4	13450	0.15	132	2.5	66
4800	4300	6346364	674752	0	3	13449	0.03	123	2.5	80
5000	4300	6346520	674627	0	0.1	11799	0.005	120	2.5	71
5200	4300	6346676	674501	0	0.2	11538	0.09	303	2.5	82
4300	4350	6346006	675104	0	3	12488	0.005	162	2.5	60
4300	4350	6346006	675104	3	4	12489	0.03	106	2.5	48
3200	4400	6345180	675232	3	5	13353	0.02	153	2.5	80
3200	4400	6345180	675232	0	3	13352	0.01	109	2.5	87
3400	4400	6345336	675707	2	5	13346	0.005	154	2.5	99
3400	4400	6345336	675707	0	2	13345	0.005	145	2.5	93
3400	4400	6345336	675707	5	8	13347	0.01	128	2.5	103
3400	4400	6345336	675707	8	10.5	13348	0.005	52	2.5	112
3600	4400	6345492	675582	3	4	13334	0.005	119	2.5	107

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
3600	4400	6345492	675582	0	3	13333	0.01	95	7	96
3800	4400	6345648	675456	0	0.2	11791	0.005	110	2.5	90
3900	4400	6345726	675394	0	3	13372	0.005	115	2.5	106
3900	4400	6345726	675394	3	6	13373	0.005	101	2.5	96
4000	4400	6345803	675331	0	0.1	11795	0.005	65	2.5	60
4100	4400	6345881	675268	0	3	13401	0.005	81	8	75
4100	4400	6345881	675268	3	6	13402	0.005	68	2.5	67
4100	4400	6345881	675268	6	6.5	13403	0.005	59	2.5	66
4200	4400	6345959	675206	0	3	13404	0.005	87	2.5	73
4200	4400	6345959	675206	3	6	13405	0.03	79	6	56
4300	4400	6346037	675143	3	6	12486	0.005	150	2.5	63
4300	4400	6346037	675143	0	3	12485	0.005	134	7	52
4300	4400	6346037	675143	6	7	12487	0.01	68	2.5	68
4400	4400	6346115	675081	6	6.5	12422	0.01	166	2.5	51
4400	4400	6346115	675081	3	6	12421	0.01	153	2.5	61
4400	4400	6346115	675081	0	3	12420	0.02	139	2.5	42
4500	4400	6346193	675018	1	4	13426	0.005	272	2.5	86
4500	4400	6346193	675018	4	6.5	13427	0.01	260	2.5	83
4500	4400	6346193	675018	0	1	13425	0.01	189	2.5	80
4600	4400	6346271	674955	0	3	13433	0.13	350	2.5	69
4600	4400	6346271	674955	6	8	13435	0.06	177	2.5	63
4600	4400	6346271	674955	3	6	13434	0.08	106	2.5	59
4700	4400	6346349	674893	3	6	15336	0.06	213	6	72
4700	4400	6346349	674893	0	3	15335	0.06	196	6	70
4800	4400	6346427	674830	0	2	13451	0.02	103	2.5	99
4800	4400	6346427	674830	2	5	13452	0.01	93	2.5	77
4800	4400	6346427	674830	11	13	13455	0.02	89	2.5	74
4800	4400	6346427	674830	5	8	13453	0.01	87	2.5	72
4800	4400	6346427	674830	8	11	13454	0.02	83	2.5	69
5000	4400	6346583	675705	0	1	13494	0.02	257	2.5	117
5000	4400	6346583	675705	4	5	13496	0.05	254	2.5	109
5000	4400	6346583	675705	1	4	13495	0.01	252	2.5	91
5200	4400	6346739	674579	3	6	13500	0.05	227	8	133
5200	4400	6346739	674579	6	7.5	13501	0.02	158	2.5	126
5200	4400	6346739	674579	0	3	13499	0.03	149	2.5	109
5400	4400	6346895	674454	1	4	13503	0.01	135	2.5	94
5400	4400	6346895	674454	0	1	13502	0.005	133	5	101
5400	4400	6346895	674454	4	7	13504	0.005	117	2.5	84
5400	4400	6346895	674454	7	9	13505	0.005	111	2.5	80
4300	4450	6346069	675182	3	6.4	12484	0.05	173	2.5	63
4300	4450	6346069	675182	0	3	12483	0.04	162	2.5	57
4400	4450	6346147	675119	2.5	4.5	12424	0.02	192	2.5	80
4400	4450	6346147	675119	0	2.5	12423	0.05	125	2.5	55
4500	4450	6346224	675057	1	4	13429	0.14	222	2.5	58
4500	4450	6346224	675057	0	1	13428	0.005	189	2.5	71
4500	4450	6346224	675057	4	5.5	13430	0.07	142	2.5	62
3400	4500	6345399	675785	5	8	13343	0.005	124	2.5	100
3400	4500	6345399	675785	8	9.5	13344	0.005	111	2.5	99
3400	4500	6345399	675785	0	2	13341	0.01	90	2.5	76
3400	4500	6345399	675785	2	5	13342	0.005	89	2.5	101
3600	4500	6345554	675660	3	4.5	13336	0.01	146	2.5	107
3600	4500	6345554	675660	0	3	13335	0.005	111	2.5	106
3800	4500	6345710	675534	1	4	13370	0.005	142	2.5	104
3800	4500	6345710	675534	4	7	13371	0.005	141	2.5	113
3800	4500	6345710	675534	0	1	13369	0.005	88	11	69
3900	4500	6345788	675472	0	3	13374	0.005	121	2.5	116

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
3900	4500	6345851	675472	6	7	13376	0.005	114	2.5	71
3900	4500	6345788	675472	3	6	13375	0.005	106	2.5	95
4000	4500	6345866	675409	3	6	13394	0.005	179	5	120
4000	4500	6345866	675409	6	9	13395	0.01	78	2.5	67
4000	4500	6345866	675409	0	3	13393	0.005	60	2.5	63
4100	4500	6345944	675346	6	7	13400	0.005	150	2.5	67
4100	4500	6345944	675346	0	3	13398	0.03	141	2.5	72
4100	4500	6345944	675346	3	6	13399	0.01	121	2.5	66
4200	4500	6346022	675284	1	3.5	12491	0.03	243	2.5	47
4200	4500	6346022	675284	0	1	12490	0.03	197	2.5	57
4300	4500	6346100	675221	0	3	12480	0.22	283	6	56
4300	4500	6346100	675221	6	7	12482	0.09	213	2.5	65
4300	4500	6346100	675221	3	6	12481	0.11	202	2.5	64
4400	4500	6346178	675158	0	1	12425	0.01	188	2.5	82
4500	4500	6346256	675096	1	4	12416	0.02	207	2.5	90
4500	4500	6346256	675096	7	10	12418	0.03	189	2.5	76
4500	4500	6346256	675096	10	11	12419	0.02	188	2.5	76
4500	4500	6346256	675096	0	1	12415	0.02	176	8	80
4500	4500	6346256	675096	4	7	12417	0.01	147	7	78
4600	4500	6346334	675033	0	3	13431	0.02	158	2.5	82
4600	4500	6346334	675033	3	6	13432	0.01	111	2.5	95
4700	4500	6346412	674970	3	6	15334	0.01	107	7	74
4700	4500	6346412	674970	0	3	15333	0.005	102	8	84
4800	4500	6346490	674908	0	2	13456	0.04	132	2.5	89
4800	4500	6346490	674908	20	23	13463	0.005	97	2.5	64
4800	4500	6346490	974908	14	17	13461	0.02	95	2.5	65
4800	4500	6346490	674908	17	20	13462	0.005	94	2.5	67
4800	4500	6346490	674908	2	5	13457	0.01	89	6	126
4800	4500	6346490	674908	11	14	13460	0.02	88	2.5	61
4800	4500	6346490	674908	8	11	13459	0.005	75	2.5	53
4800	4500	6346490	674908	5	8	13458	0.005	74	2.5	70
4900	4500	6346568	674845	3	6	15326	0.02	148	6	78
4900	4500	6346568	674845	0	3	15325	0.04	130	11	105
5000	4500	6346645	675782	0	2	13484	0.005	156	2.5	94
5000	4500	6346645	675782	5	7	13486	0.005	99	2.5	73
5000	4500	6346645	675782	2	5	13485	0.005	39	2.5	91
5200	4500	6346801	675657	0	1	13497	0.01	125	2.5	91
5200	4500	6346801	675657	1	4	13498	0.005	123	2.5	95
5400	4500	6346957	674532	2	5	13507	0.01	156	2.5	89
5400	4500	6346957	674532	0	2	13506	0.01	148	2.5	108
5400	4500	6346957	674532	5	8	13508	0.005	130	2.5	86
5400	4500	6346957	674532	8	11	13509	0.005	111	2.5	72
5600	4500	6347113	674407	3	4	13531	0.005	67	2.5	58
5600	4500	6147113	674407	0	3	13530	0.005	54	2.5	76
5800	4500	6347269	674281	1	4	13548	0.005	103	2.5	82
5800	4500	6347269	674281	0	1	13547	0.005	103	2.5	72
4200	4550	6346053	675323	0	3	12492	0.21	589	2.5	52
4200	4550	6346053	675323	3	5.5	12493	0.14	495	2.5	60
4300	4550	6346131	675260	3	6	12478	0.07	247	5	63
4300	4550	6346131	675260	0	3	12477	0.09	208	2.5	69
4300	4550	6346131	675260	6	8.5	12479	0.07	175	2.5	51
4400	4550	6346209	675197	0	1	12426	0.11	232	2.5	68
4400	4550	6346209	675197	3	4	12427	0.05	166	2.5	65
4500	4550	6346287	675135	5	8	12413	0.06	241	2.5	84
4500	4550	6346287	675135	2	5	12412	0.09	212	2.5	96
4500	4550	6346287	675135	0	2	12411	0.03	171	2.5	97

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
4500	4550	6346287	675135	8	9.5	12414	0.02	150	2.5	109
3400	4600	6345461	675863	9	10	13340	0.02	135	2.5	95
3400	4600	6345461	675863	0	3	13337	0.01	87	8	75
3400	4600	6345461	675863	6	9	13339	0.02	70		97
3400	4600	6345461	675863	3	6	13338	0.005	63	8	83
3600	4600	6345617	675738	1	3	13355	0.02	125	2.5	143
3600	4600	6345617	675738	0	1	13354	0.01	109	5	104
3800	4600	6345773	675612	9	12	13366	0.005	187	2.5	126
3800	4600	6345773	675612	6	9	13365	0.005	174	2.5	120
3800	4600	6345773	675612	0	3	13363	0.02	173	2.5	126
3800	4600	6345773	675612	3	6	13364	0.01	162	2.5	114
3800	4600	6345773	675612	12	15	13367	0.005	159	2.5	108
3800	4600	6345773	675612	15	16	13368	0.005	129	11	122
3900	4600	6345851	675550	0	3	13377	0.005	139	2.5	94
3900	4600	6345882	675550	3	5	13378	0.005	115	2.5	75
4000	4600	6345929	675487	3	5	13392	0.01	178	2.5	79
4000	4600	6345929	675487	0	3	13391	0.005	134	2.5	72
4100	4600	6346007	675424	0	3	13396	0.005	136	2.5	55
4100	4600	6346007	675424	3	4.5	13397	0.01	134	2.5	54
4200	4600	6346085	675362	1	4	12495	0.12	289	2.5	42
4200	4600	6346085	675362	4	5	12496	0.11	272	2.5	42
4200	4600	6346085	675362	0	1	12494	0.06	179	2.5	64
4300	4600	6346163	675299	0	1	12474	0.03	129	2.5	70
4300	4600	6346163	675299	1	4	12475	0.05	113	2.5	59
4300	4600	6346163	675299	4	6.5	12476	0.04	104	2.5	59
4400	4600	6346241	675236	4	7	12430	0.05	198	2.5	72
4400	4600	6346241	675236	1	4	12429	0.04	189	2.5	78
4400	4600	6346241	675236	7	10	12431	0.04	178	2.5	69
4400	4600	6346241	675236	10	11	12432	0.03	167	2.5	71
4400	4600	6346241	675236	0	1	12428	0.02	157	2.5	83
4500	4600	6346318	675174	1	4	12410	0.43	950	6	104
4500	4600	6346318	675174	0	1	12409	0.21	600	2.5	100
4600	4600	6346396	675111	7	9	12391	0.01	135	6	69
4600	4600	6346396	675111	4	7	12390	0.005	119	2.5	77
4600	4600	6346396	675111	0	1	12388	0.01	118	2.5	84
4600	4600	6346396	675111	1	4	12389	0.005	79	2.5	66
4700	4600	6346474	675048	0	1	15327	0.02	150	8	79
4700	4600	6346474	675048	13	16	15332	0.005	127	5	67
4700	4600	6346474	675048	1	4	15328	0.005	120	5	71
4700	4600	6346474	675048	4	7	15329	0.005	118	7	64
4700	4600	6346474	675048	7	10	15330	0.005	106	5	64
4700	4600	6346474	675048	10	13	15331	0.005	102	5	67
4800	4600	6346552	674986	7	10	13467	0.05	154	2.5	64
4800	4600	6346552	674986	10	12	13468	0.01	147	2.5	78
4800	4600	6346552	674986	0	1	13464	0.01	120	2.5	86
4800	4600	6346552	674986	4	7	13466	0.01	100	2.5	73
4800	4600	6346552	674986	1	4	13465	0.01	89	2.5	93
4900	4600	6346630	674923	6	8	15324	0.005	150	8	72
4900	4600	6346630	674923	3	6	15323	0.005	114	7	54
4900	4600	6346630	674923	0	3	15322	0.005	112	9	91
5000	4600	6346708	675860	0	3	13481	0.01	112	2.5	77
5000	4600	6346708	675860	3	6	13482	0.005	91	2.5	73
5000	4600	6346708	675860	6	7	13483	0.005	91	2.5	70
5200	4600	6346864	675735	4	7	13489	0.05	263	2.5	111
5200	4600	6346864	675735	0	1	13487	0.01	232	2.5	102
5200	4600	6346864	675735	1	4	13488	0.04	201	2.5	95

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5200	4600	6350310	674642	0	3	11917	0.005	129	2.5	100
5200	4600	6350310	674642	3	4.5	11918	0.01	126	2.5	96
5400	4600	6350463	674771	6	9	11869	0.005	139	2.5	114
5400	4600	6350463	674771	3	6	11868	0.005	134	2.5	106
5400	4600	6350463	674771	12	15	11871	0.005	133	2.5	106
5400	4600	6350463	674771	9	12	11870	0.005	132	2.5	108
5400	4600	6350463	674771	15	17	11872	0.01	128	2.5	98
5400	4600	6347020	674610	0	3	13510	0.005	119	2.5	109
5400	4600	6350463	674771	0	3	11867	0.005	110	2.5	109
5400	4600	6347020	674610	3	6	13511	0.005	80	5	171
5600	4600	6347176	674484	3	4.5	13529	0.005	180	9	73
5600	4600	6350616	674899	0	2.5	11836	0.005	145	2.5	95
5600	4600	6747176	674484	0	3	13528	0.005	124	12	74
5600	4600	6350616	674899	2.5	5.5	11837	0.01	91	2.5	102
5800	4600	6350769	675028	0	3	11801	0.01	172	5	106
5800	4600	6350769	675028	3	6	11802	0.02	154	2.5	109
5800	4600	6347332	674359	4	5.5	13546	0.005	134	9	66
5800	4600	6347332	674359	1	4	13545	0.005	128	7	72
5800	4600	6350769	675028	9	12	11804	0.005	126	2.5	108
5800	4600	6350769	675028	15	18	11806	0.01	112	2.5	95
5800	4600	6350769	675028	6	9	11803	0.01	109	2.5	97
5800	4600	6350769	675028	12	15	11805	0.005	106	2.5	110
5800	4600	6347332	674359	0	1	13544	0.005	81	2.5	93
5800	4600	6350769	675028	18	18.5	11807	0.005	69	2.5	110
6000	4600	6347487	674234	0	2.5	13549	0.005	37	2.5	120
3900	4650	6345882	675589	0	3	13379	0.005	190	2.5	84
3900	4650	6345882	675589	12	12.5	13383	0.005	165	2.5	79
3900	4650	6345882	675589	9	12	13382	0.005	164	2.5	82
3900	4650	6345882	675589	6	9	13381	0.005	135	2.5	72
3900	4650	6345882	675589	3	6	13380	0.005	86	2.5	66
4100	4650	6346038	675463	5	7	13269	0.01	195	2.5	65
4100	4650	6346038	675463	2	5	13268	0.005	177	2.5	66
4100	4650	6346038	675463	0	2	13267	0.01	147	2.5	86
4200	4650	6346116	675401	7	8.5	12500	0.07	315	2.5	98
4200	4650	6346116	675401	4	7	12499	0.09	228	2.5	77
4200	4650	6346116	675401	0	1	12497	0.005	150	2.5	56
4200	4650	6346116	675401	1	4	12498	0.01	140	5	63
4300	4650	6346194	675338	7	10	12472	0.1	300	7	95
4300	4650	6346194	675338	10	12.5	12473	0.11	237	2.5	89
4300	4650	6346194	675338	1	4	12470	0.04	141	2.5	65
4300	4650	6346194	675338	4	7	12471	0.03	140	2.5	72
4300	4650	6346194	675338	0	1	12469	0.06	122	5	56
4400	4650	6346272	675275	0	2	12433	0.02	161	2.5	72
4400	4650	6346272	675275	8	8.5	12436	0.04	148	2.5	69
4400	4650	6346272	675275	2	5	12434	0.03	135	2.5	61
4400	4650	6346272	675275	5	8	12435	0.05	99	2.5	65
4500	4650	6346350	675273	5	6.5	12408	0.05	258	2.5	74
4500	4650	6346350	675213	2	5	12407	0.06	228	2.5	71
4500	4650	6346350	675213	0	2	12406	0.02	148	2.5	69
4600	4650	6346428	675150	4	7	12394	0.02	203	2.5	69
4600	4650	6346428	675150	1	4	12393	0.03	186	2.5	67
4600	4650	6346428	675150	7	8	12395	0.01	144	2.5	72
4600	4650	6346428	675150	0	1	12392	0.02	108	2.5	72
5200	4650	6350278	674689	3	4	11921	0.005	166	2.5	93
5200	4650	6350278	674680	2	3	11920	0.005	148	2.5	93
5200	4650	6350278	674680	0	2	11919	0.005	132	2.5	97

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5400	4650	6350431	674809	12	15	11877	0.01	142	2.5	110
5400	4650	6350431	674809	9	12	11876	0.01	140	2.5	112
5400	4650	6350431	674809	15	16	11878	0.005	140	2.5	113
5400	4650	6350431	674809	3	6	11874	0.01	131	2.5	103
5400	4650	6350431	674809	0	3	11873	0.02	128	2.5	118
5400	4650	6350431	674809	6	9	11875	0.01	128	2.5	92
5600	4650	6350584	674938	20	21	11845	0.005	248	2.5	106
5600	4650	6350584	674938	12	15	11842	0.005	122	2.5	79
5600	4650	6350584	674938	3	6	11839	0.005	117	2.5	93
5600	4650	6350584	674938	9	12	11841	0.005	114	2.5	92
5600	4650	6350584	674938	18	20	11844	0.005	113	2.5	85
5600	4650	6350584	674938	0	3	11838	0.01	109	2.5	104
5600	4650	6350584	674938	15	18	11843	0.005	107	2.5	83
5600	4650	6350584	674938	6	9	11840	0.005	68	2.5	94
5800	4650	6350737	675066	3	6	11809	0.01	103	2.5	88
5800	4650	6350737	675066	6	9	11810	0.005	100	2.5	92
5800	4650	6350737	675066	0	3	11808	0.01	93	2.5	116
5800	4650	6350737	675066	14	15	11813	0.005	92	2.5	103
5800	4650	6350737	675066	9	12	11811	0.005	90	2.5	97
5800	4650	6350737	675066	12	14	11812	0.005	75	2.5	108
3600	4700	6345680	675816	5	8	13358	0.005	188	2.5	83
3600	4700	6345680	675816	2	5	13357	0.01	170	2.5	95
3600	4700	6345680	675816	8	11.5	13359	0.005	121	2.5	86
3600	4700	6345680	675816	0	2	13356	0.01	83	10	66
3800	4700	6345836	675690	0	1	13362	0.01	144	2.5	126
4000	4700	6345991	675565	4	6	13390	0.03	136	2.5	87
4000	4700	6345991	675565	1	4	13389	0.02	135	2.5	74
4000	4700	6345991	675565	0	1	13388	0.005	130	2.5	70
4100	4700	6346069	675502	0	3	13263	0.005	107	2.5	67
4100	4700	6346069	675502	3	6	13264	0.005	92	2.5	64
4100	4700	6346069	675502	9	10	13266	0.01	91	2.5	60
4100	4700	6346069	675502	6	9	13265	0.005	89	2.5	57
4200	4700	6346147	675440	1	4	13222	0.005	379	2.5	85
4200	4700	6346147	675440	0	1	13221	0.005	178	2.5	80
4300	4700	6346225	675377	4	6.5	12468	0.15	171	2.5	55
4300	4700	6346225	675377	1	4	12467	0.04	140	2.5	48
4300	4700	6346225	675377	0	1	12466	0.005	116	2.5	62
4400	4700	6346303	675314	1	4	12438	0.05	204	2.5	61
4400	4700	6346303	675314	4	7	12439	0.06	198	2.5	64
4400	4700	6346303	675314	0	1	12437	0.06	156	2.5	57
4500	4700	6346381	675252	5	8	12403	0.14	271	2.5	65
4500	4700	6346381	675252	2	5	12402	0.09	269	2.5	61
4500	4700	6346381	675252	8	11	12404	0.04	148	5	55
4500	4700	6346381	675252	11	13.5	12405	0.03	124	2.5	59
4500	4700	6346381	675272	0	2	12401	0.02	105	2.5	60
4600	4700	6346459	675189	0	0.6	11798	0.005	93	2.5	84
4800	4700	6346615	675064	5	6	13471	0.005	272	2.5	83
4800	4700	6346615	675064	0	2	13469	0.005	195	2.5	81
4800	4700	6346615	675064	2	5	13470	0.005	112	2.5	73
5000	4700	6350092	674590	0	3	11942	0.005	139	2.5	100
5000	4700	6346771	675938	1	3	13480	0.005	115	2.5	60
5000	4700	6346771	675938	0	1	13479	0.005	99	2.5	73
5000	4700	6350092	674590	3	4	11943	0.01	59	2.5	96
5000	4700	6350092	674590	4	6	11944	0.005	31	2.5	87
5200	4700	6350246	674719	3	4.5	11923	0.005	143	2.5	78
5200	4700	6346927	675813	0	1	13490	0.005	137	2.5	83

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5200	4700	6350246	674719	0	3	11922	0.005	122	2.5	85
5200	4700	6346927	675813	1	4	13491	0.005	87	2.5	78
5200	4700	6346927	675813	4	6	13492	0.005	80	2.5	66
5400	4700	6350399	674847	9	12	11882	0.005	151	2.5	106
5400	4700	6350399	674847	3	6	11880	0.01	150	2.5	108
5400	4700	6350399	674847	15	18	11884	0.005	139	2.5	120
5400	4700	6350399	674847	6	9	11881	0.005	136	2.5	107
5400	4700	6350399	674847	18	18.5	11885	0.01	127	2.5	126
5400	4700	6347083	674688	3	6	13513	0.005	127	2.5	129
5400	4700	6350399	674847	0	3	11879	0.01	119	2.5	114
5400	4700	6350399	674847	12	15	11883	0.01	118	2.5	95
5400	4700	6347083	674688	6	9	13514	0.005	114	2.5	108
5400	4700	6347083	674688	0	3	13512	0.005	104	2.5	78
5600	4700	6350552	674976	6	7	11848	N.R.	N.R.	N.R.	N.R.
5600	4700	6350552	674976	0	3	11846	0.005	221	2.5	105
5600	4700	6350552	674976	3	6	11847	0.01	208	2.5	112
5600	4700	6350552	674976	7	7.5	11849	0.005	120	2.5	95
5600	4700	6347238	674562	6	6.5	13527	0.005	99	5	114
5600	4700	6347238	674562	3	6	13526	0.005	77	5	84
5600	4700	6347238	674562	0	3	13525	0.04	75	2.5	128
5800	4700	6350705	675104	0	3	11814	0.01	308	2.5	106
5800	4700	6350705	675104	6	9	11516	0.005	180	2.5	102
5800	4700	6350705	675104	3	6	11815	0.005	179	2.5	103
5800	4700	6350705	675104	12	15	11818	0.005	146	2.5	95
5800	4700	6350705	675104	9	12	11817	0.005	133	2.5	92
5800	4700	6350705	675104	15	17.5	11819	0.005	124	2.5	93
5800	4700	6347394	674437	0	3	13542	0.005	74	7	104
5800	4700	6347394	674437	3	3.5	13543	0.005	29	7	84
6000	4700	6347550	674312	1	4	13551	0.02	244	5	112
6000	4700	6347550	674312	0	1	13550	0.005	137	15	111
6000	4700	6347550	674312	4	7	13552	0.005	103	5	87
6000	4700	6347550	674312	7	7.5	13553	0.005	91	2.5	85
4100	4750	6346101	675541	1	4	13261	0.005	158	2.5	64
4100	4750	6346101	675541	4	7	13262	0.01	152	2.5	58
4100	4750	6346101	675541	0	1	13260	0.005	133	5	63
4200	4750	6346179	675479	6	7	13225	0.005	186	2.5	79
4200	4750	6346179	675479	3	6	13224	0.04	155	2.5	84
4200	4750	6346179	675479	0	3	13223	0.005	150	2.5	3
4300	4750	6346257	675416	0	1	12464	0.08	103	2.5	55
4300	4750	6346257	675416	1	3.5	12465	0.06	95	2.5	47
4400	4750	6346335	675353	5	6.5	12442	0.18	160	2.5	43
4400	4750	6346335	675353	2	5	12441	0.04	126	2.5	50
4400	4750	6346335	675353	0	2	12440	0.06	125	2.5	52
4500	4750	6346412	675291	3	6	12397	0.11	510	2.5	68
4500	4750	6346412	675291	0	3	12396	0.06	234	2.5	59
4500	4750	6346412	675291	6	9	12398	0.02	196	2.5	47
4500	4750	6346412	675291	12	14.5	12400	0.02	143	2.5	45
4500	4750	6346412	675291	9	12	12399	0.01	141	2.5	53
4600	4750	6346490	675228	9	12	12329	0.02	144	2.5	72
4600	4750	6346490	675228	0	3	12326	0.01	111	2.5	74
4600	4750	6346490	675228	12	15	12330	0.005	101	2.5	80
4600	4750	6346490	675228	6	9	12328	0.005	70	2.5	84
4600	4750	6346490	675228	3	6	12327	0.005	59	2.5	75
5000	4750	6350060	674628	0	3	11945	0.005	85	2.5	91
5000	4750	6350060	674628	6	8.5	11947	0.005	62	2.5	88
5000	4750	6350060	674628	8.5	12	11948	0.005	57	2.5	93

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5000	4750	6350060	674628	3	6	11946	0.005	53	2.5	92
5200	4750	6350213	674757	0	3	11924	0.01	143	2.5	105
5200	4750	6350213	674757	3	4.5	11925	0.01	130	2.5	108
5400	4750	6350367	674886	3	6	11887	0.005	155	2.5	106
5400	4750	6350367	674886	21	22.5	11894	0.005	143	2.5	102
5400	4750	6350367	674886	18	21	11893	0.005	142	2.5	100
5400	4750	6350367	673886	6	9	11888	0.005	139	2.5	100
5400	4750	6350367	674886	15	16	11891	0.005	139	2.5	98
5400	4750	6350367	674886	9	12	11889	0.005	139	2.5	95
5400	4750	6350367	673886	12	15	11890	0.005	138	2.5	100
5400	4750	6350367	674886	16	18	11892	0.005	138	2.5	98
5400	4750	6350367	674886	0	3	11886	0.005	102	2.5	113
5600	4750	6350520	675014	6	9	11852	0.005	299	2.5	99
5600	4750	6350520	675014	9	10	11853	0.01	195	2.5	90
5600	4750	6350520	675014	3	6	11851	0.005	72	2.5	94
5600	4750	6350520	675014	0	3	11850	0.005	67	2.5	104
5800	4750	6350673	675143	6	9	11822	0.005	128	2.5	108
5800	4750	6350673	675143	12	12.5	11824	0.005	106	2.5	95
5800	4750	6350673	675143	9	12	11823	0.005	97	2.5	99
5800	4750	6350673	675143	0	3	11820	0.005	74	2.5	114
5800	4750	6350673	675143	3	6	11821	0.01	65	2.5	115
3800	4800	6345898	675768	0	3	13360	0.02	118	18	107
3800	4800	6345898	675768	3	5	13361	0.01	28	2.5	68
3900	4800	6345976	675706	0	2	13384	0.005	137	2.5	72
4000	4800	6346054	675643	0	3	13270	0.005	104	2.5	53
4000	4800	6346054	675643	3	3.5	13271	0.005	64	2.5	47
4100	4800	6346132	675580	0	3	13257	0.01	129	2.5	50
4100	4800	6346132	675580	3	6	13258	0.005	116	2.5	54
4100	4800	6346132	675580	6	8	13259	0.02	109	2.5	49
4200	4800	6346210	675518	3	6	13227	0.01	192	2.5	53
4200	4800	6346210	675518	0	3	13226	0.005	130	2.5	45
4200	4800	6346210	675518	6	7.5	13228	0.01	115	2.5	53
4300	4800	6346288	675455	0	3	12462	0.61	245	2.5	73
4300	4800	6346288	675455	3	5	12463	0.08	147	2.5	65
4400	4800	6346366	975392	2	5	12444	0.08	171	2.5	78
4400	4800	6346366	375392	5	6	12445	0.05	151	11	67
4400	4800	6346366	675392	0	2	12443	0.03	139	2.5	75
4500	4800	6346444	675330	5	8	12333	0.03	150	2.5	79
4500	4800	6346444	675330	1.5	5	12332	0.04	132	2.5	62
4500	4800	6346444	675330	0	1.5	12331	0.02	105	2.5	65
4600	4800	6346522	675267	0	3	12323	0.005	98	2.5	86
4600	4800	6346522	675267	3	6	12324	0.005	53	2.5	92
4600	4800	6346522	675267	6	7	12325	0.005	34	2.5	90
4800	4800	6346678	675142	3	5.5	13473	0.005	182	2.5	85
4800	4800	6346678	675142	0	3	13472	0.005	182	2.5	85
5000	4800	6350028	674667	0	3	11949	0.005	222	2.5	106
5000	4800	6350028	674667	3	6	11950	0.005	192	2.5	100
5000	4800	6350028	674667	9	10	11952	0.005	182	2.5	92
5000	4800	6350028	674667	6	9	11951	0.005	181	2.5	87
5000	4800	6346833	675016	0	1	13477	0.005	102	2.5	104
5000	4800	6346833	675016	1	3	13478	0.005	57	2.5	97
5200	4800	6350181	674795	3	6	11927	0.01	181	2.5	142
5200	4800	6350181	674795	0	3	11926	0.005	160	2.5	182
5200	4800	6350181	674795	6	9	11928	0.005	153	2.5	107
5200	4800	6350181	674795	9	12	11929	0.01	146	2.5	104
5200	4800	6346989	675891	0	3	13493	0.005	144	2.5	83

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5200	4800	6350181	674795	12	15	11930	0.005	139	2.5	103
5200	4800	6350181	674795	18	19	11932	0.005	134	2.5	93
5400	4800	6350334	673924	3	6	11896	0.02	211	2.5	289
5400	4800	6350334	674924	0	3	11895	0.01	205	18	209
5400	4800	6347145	674766	0	3	13515	0.005	172	2.5	103
5400	4800	6347145	674766	3	4	13516	0.005	170	2.5	107
5400	4800	6350334	674924	6	9	11897	0.01	151	2.5	162
5400	4800	6350334	674924	9	12	11898	0.01	140	2.5	107
5400	4800	6340334	674924	12	14	11899	0.01	131	2.5	96
5600	4800	6347301	674640	3	6	13518	0.005	182	7	227
5600	4800	6347301	674640	9	12	13520	0.005	174	2.5	291
5600	4800	6347301	674640	6	9	13519	0.005	165	2.5	258
5600	4800	6347301	674640	15	18	13522	0.02	154	8	142
5600	4800	6347301	674640	12	15	13521	0.005	153	21	142
5600	4800	6347301	674640	21	21	13524	0.02	140	2.5	164
5600	4800	6347301	674640	18	21	13523	0.03	136	6	168
5600	4800	6347301	674640	0	3	13517	0.005	130	29	138
5600	4800	6350488	675052	3	6	11855	0.005	124	2.5	118
5600	4800	6350488	676052	6	9	11856	0.005	101	2.5	109
5600	4800	6350488	675052	0	3	11854	0.005	98	2.5	160
5600	4800	6350488	675052	9	10.5	11857	0.005	87	2.5	98
5600	4800	6350488	675052	12	12.5	11859	0.005	76	2.5	100
5600	4800	6350488	675052	10.5	12	11858	0.005	74	2.5	102
5800	4800	6350641	675181	11	11.5	11829	0.005	278	6	347
5800	4800	6350641	675181	0	3	11825	0.005	147	2.5	331
5800	4800	6350641	675181	9	11	11828	0.005	140	2.5	105
5800	4800	6350641	675181	3	6	11826	0.005	126	2.5	123
5800	4800	6350641	675181	6	9	11827	0.01	124	2.5	112
5800	4800	6347457	674515	3	6	13541	0.005	76	7	70
5800	4800	6347457	674515	0	3	13540	0.005	60	2.5	78
5600	4840	6350462	675083	0	3	11860	0.01	202	2.5	210
5600	4840	6350462	675083	3	6	11861	0.01	175	2.5	321
5600	4840	6350462	675083	6	9	11862	0.005	155	2.5	227
5600	4840	6350462	675083	9	10	11863	0.01	147	2.5	131
5600	4840	6350462	675083	10	12	11864	0.005	128	2.5	118
5600	4840	6350462	675083	12	15	11865	0.01	117	2.5	108
5600	4840	6350462	675083	15	17	11866	0.01	106	2.5	114
3900	4850	6346008	675745	0	3	13385	0.005	143	2.5	83
4000	4850	6346085	675682	6	7	13274	0.03	195	2.5	64
4000	4850	6346085	675682	0	3	13272	0.005	127	2.5	60
4000	4850	6346085	675682	3	6	13273	0.01	116	2.5	55
4100	4850	6346163	675619	0	1	13254	0.01	120	2.5	65
4100	4850	6346163	675619	4	6	13256	0.005	88	2.5	72
4100	4850	6346163	675619	1	4	13255	0.005	74	2.5	63
4200	4850	6346241	675557	0	1	13229	0.05	151	2.5	60
4200	4850	6346241	675557	1	3	13230	0.005	97	2.5	46
4300	4850	6346319	675494	0	3	12461	0.12	182	2.5	41
4400	4850	6346397	675431	1	4	12447	0.15	88	2.5	64
4400	4850	6346397	675431	0	1	12446	0.07	60	2.5	47
4500	4850	6346475	675369	0	1	12334	0.06	189	2.5	54
4500	4850	6346475	675369	1	3	12335	0.03	175	2.5	49
5000	4850	6349996	674705	0	3	11953	0.005	142	2.5	156
5000	4850	6349996	674705	9	12	11956	0.01	140	2.5	118
5000	4850	6349996	674705	24	25.5	11961	0.005	137	2.5	87
5000	4850	6349996	674705	18	21	11959	0.005	130	2.5	89
5000	4850	6349996	674705	15	18	11958	0.005	124	2.5	80

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5000	4850	6349996	674705	21	24	11960	0.005	123	2.5	81
5000	4850	6349996	674705	3	6	11954	0.005	120	2.5	71
5000	4850	6349996	674705	12	15	11957	0.005	107	2.5	96
5000	4850	6349996	674705	6	9	11955	0.005	81	2.5	94
5200	4850	6350149	674834	3	6	11934	0.005	278	2.5	301
5200	4850	6350149	674834	0	3	11933	0.005	236	2.5	189
5200	4850	6347021	674930	1	3	12267	0.005	207	5	172
5200	4850	6350179	674834	6	9	11935	0.01	197	2.5	195
5200	4850	6350149	674834	9	12	11936	0.005	159	2.5	172
5200	4850	6350149	674834	12	15	11937	0.005	156	2.5	113
5200	4850	6350149	674834	18	21	11939	0.01	138	2.5	99
5200	4850	6350149	674834	24	26.5	11941	0.005	134	2.5	98
5200	4850	6350149	674834	21	24	11940	0.01	116	2.5	98
5200	4850	6347021	674930	0	1	12266	0.005	87	8	174
5400	4850	6350302	673962	3	6	11901	0.01	295	2.5	132
5400	4850	6350302	674962	6	9	11902	0.005	266	2.5	172
5400	4850	6350302	674962	9	12	11903	0.005	216	2.5	233
5400	4850	6350302	674962	12	15	11904	0.01	178	2.5	140
5400	4850	6350302	674962	15	18	11905	0.005	177	6	105
5400	4850	6350302	674962	18	21	11906	0.005	163	2.5	109
5400	4850	6350302	674962	0	3	11900	0.01	162	2.5	105
5400	4850	6350302	674962	21	24	11907	0.01	160	2.5	115
5400	4850	6350302	674962	24	27	11908	0.02	152	2.5	107
5400	4850	6350302	674962	27	30	11909	0.005	150	2.5	112
5400	4850	6350302	674962	30	33	11910	0.01	135	2.5	110
5800	4850	6350609	675219	6	9	11832	0.05	697	17	198
5800	4850	6350609	675219	3	6	11831	0.005	231	2.5	288
5800	4850	6350609	675219	0	3	11830	0.01	188	2.5	393
5800	4850	6350609	675219	9	12	11833	0.02	182	2.5	139
5800	4850	6350609	675219	12	14	11834	0.01	151	2.5	114
5800	4850	6350609	675219	14	15	11835	0.01	115	2.5	96
3900	4900	6346039	675783	3	5	13387	0.01	342	2.5	122
3900	4900	6346039	675783	0	3	13386	0.03	297	2.5	106
4000	4900	6346117	675721	6	6.5	13277	0.01	225	2.5	90
4000	4900	6346117	675721	3	6	13276	0.01	196	2.5	89
4000	4900	6346117	675721	0	3	13275	0.005	135	2.5	84
4100	4900	6346195	675658	0	3	13252	0.01	110	2.5	62
4100	4900	6346195	675658	3	6	13253	0.03	97	2.5	62
4200	4900	6346273	675595	3	6	13232	0.005	102	2.5	73
4200	4900	6346273	675595	0	3	13231	0.02	85	2.5	66
4300	4900	6346351	675533	0	1	12458	0.005	78	2.5	60
4300	4900	6346351	675533	1	4	12459	0.02	60	2.5	70
4300	4900	6346351	675533	4	7	12460	0.03	40	2.5	63
4400	4900	6346429	675470	3	6	12449	0.02	136	11	69
4400	4900	6346429	675470	6	8.5	12450	0.04	127	8	68
4400	4900	6346429	675470	0	3	12448	0.01	112	7	82
4500	4900	6346506	675408	0	0.2	11797	0.005	72	2.5	59
4600	4900	6346584	675345	2	4	12322	0.005	197	2.5	104
4600	4900	6346584	675345	0	2	12321	0.01	47	2.5	131
4800	4900	6346740	675220	0	3	12293	0.005	245	2.5	77
4800	4900	6346740	675220	3	5	12294	0.005	141	2.5	122
5000	4900	6349964	674743	3	6	11963	0.005	271	2.5	235
5000	4900	6349964	674743	6	9	11964	0.005	187	2.5	259
5000	4900	6349964	674743	9	12	11965	0.005	170	2.5	127
5000	4900	6349964	674743	0	3	11962	0.005	160	2.5	122
5000	4900	6349964	674743	15	18	11967	0.005	150	2.5	87

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5000	4900	6349964	674743	12	15	11966	0.005	148	2.5	97
5000	4900	6349964	674743	18	21	11968	0.005	138	2.5	77
5000	4900	6349964	674743	21	21.5	11969	0.01	134	2.5	87
5000	4900	6346896	675094	0	2	13474	0.005	119	2.5	93
5000	4900	6346896	675094	2	5	13475	0.005	69	2.5	111
5000	4900	6346896	675094	5	7	13476	0.005	42	2.5	105
5200	4900	6347052	674969	1	2.5	12269	0.005	143	2.5	83
5200	4900	6347052	674969	0	1	12268	0.005	142	2.5	97
5400	4900	6347208	674844	3	6	12248	0.005	169	12	113
5400	4900	6347208	674844	0	3	12247	0.005	156	2.5	93
5400	4900	6350270	675001	15	18	11916	0.01	139	2.5	137
5400	4900	6347208	674844	6	6.5	12249	0.005	124	2.5	91
5400	4900	6350270	675001	12	15	11915	0.06	78	7	76
5400	4900	6350270	675001	9	12	11914	0.005	41	2.5	110
5400	4900	6350270	675001	3	6	11912	0.005	40	2.5	150
5400	4900	6350270	675001	6	9	11913	0.005	40	2.5	144
5400	4900	6350270	675001	0	3	11911	0.005	36	2.5	121
5600	4900	6347364	674718	0	2	13532	0.005	113	7	93
5600	4900	6347364	674718	2	4.5	13533	0.005	101	7	99
5800	4900	6347520	674593	2	2.5	13539	0.005	183	2.5	102
5800	4900	6347520	674593	0	2	13538	0.005	130	6	98
6000	4900	6347675	674468	0	1	13554	0.005	104	2.5	91
4000	4950	6346148	675760	3	6	13279	0.01	177	2.5	93
4000	4950	6346148	675760	6	9	13280	0.01	159	2.5	79
4000	4950	6346148	675760	0	3	13278	0.005	141	2.5	68
4100	4950	6346226	675697	3	5	13251	0.01	155	2.5	92
4100	4950	6346226	675697	0	3	13250	0.03	153	2.5	71
4200	4950	6346304	675634	0	0.5	11796	0.03	97	2.5	36
4200	4950	6346304	675634	0	3	13233	0.005	62	2.5	50
4300	4950	6346382	675572	4	7	12457	0.005	70	2.5	72
4300	4950	6346382	675572	1	4	12456	0.06	66	2.5	70
4300	4950	6346382	675572	0	1	12455	0.005	53	2.5	72
4400	4950	6346460	675509	4	6	12368	0.01	111	2.5	34
4400	4950	6346460	675509	1	4	12367	0.005	108	2.5	85
4400	4950	6346460	675509	0	1	12366	0.005	79	2.5	59
4500	4950	6346538	675446	6	8.5	12338	0.005	68	2.5	88
4500	4950	6346538	675446	3	6	12337	0.005	67	2.5	81
4500	4950	6346538	675446	0	3	12336	0.005	46	8	77
4800	4950	6346772	675258	0	1.5	12295	0.005	273	2.5	89
5200	4950	6347083	675008	0	3	12270	0.005	87	2.5	103
5200	4950	6347083	675008	4	5	12272	0.005	74	7	63
5200	4950	6347083	675008	3	4	12271	0.005	70	2.5	98
5400	4950	6347239	674883	6	7.5	12252	0.005	172	2.5	94
5400	4950	6347239	674883	3	6	12251	0.005	169	2.5	100
5400	4950	6347239	674883	0	3	12250	0.005	154	2.5	99
3900	5000	6346102	675861	0	1	13288	0.005	153	2.5	92
3900	5000	6346102	675861	1	4	13289	0.005	151	2.5	90
4000	5000	6346179	675799	4	5.5	13283	0.005	137	2.5	68
4000	5000	6346179	675799	1	4	13282	0.005	120	2.5	77
4000	5000	6346179	675799	0	1	13281	0.005	108	6	62
4100	5000	6346257	675736	0	1	13246	0.07	195	2.5	76
4100	5000	6346257	675736	1	4	13247	0.04	173	2.5	71
4100	5000	6346257	675736	7	8.5	13249	0.005	165	2.5	60
4100	5000	6346257	675736	4	7	13248	0.04	147	2.5	72
4200	5000	6346335	675673	0	3	13234	0.04	135	2.5	50
4200	5000	6346335	675673	6	6	13235	0.03	84	2.5	73

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
4200	5000	6346335	675673	3	7	13236	0.005	62	2.5	62
4300	5000	6346413	675611	7	8	12454	0.005	171	2.5	63
4300	5000	6346413	675611	4	7	12453	0.005	73	2.5	62
4300	5000	6346413	675611	0	1	12451	0.005	41	2.5	60
4300	5000	6346413	675611	1	4	12452	0.005	37	2.5	60
4400	5000	6346491	675548	0	3	12364	0.005	115	2.5	46
4400	5000	6346491	675548	3	5	12365	0.005	46	2.5	47
4500	5000	6346569	675485	0	1	12339	0.005	87	2.5	86
4600	5000	6346647	675423	0	2	12319	0.005	79	2.5	127
4600	5000	6346647	675423	2	3	12320	0.005	61	2.5	131
4800	5000	6346803	675297	0	2	12296	0.005	174	2.5	93
4800	5000	6346803	675297	2	3.5	12297	0.005	165	2.5	81
5000	5000	6346959	675172	0.5	2.5	12286	0.005	180	2.5	94
5000	5000	6346959	675172	0	0.5	12285	0.005	154	2.5	93
5200	5000	6347115	675047	6	8	12275	0.005	160	16	109
5200	5000	6347115	675047	3	6	12274	0.005	147	2.5	106
5200	5000	6347115	675047	0	3	12273	0.005	127	2.5	101
5400	5000	6347271	674921	1.5	4.5	12254	0.005	157	2.5	94
5400	5000	6347271	674921	4.5	7.5	12255	0.005	156	2.5	94
5400	5000	6347271	674921	7.5	10	12256	0.005	122	2.5	103
5400	5000	6347271	674921	0	1.5	12253	0.005	103	2.5	89
5800	5000	6347426	674796	0	3	13534	0.005	201	7	113
5800	5000	6347426	674796	3	5	13535	0.005	199	5	115
5800	5000	6347582	674671	0	2	13536	0.005	126	7	102
5800	5000	6347582	674671	2	5	13537	0.005	80	5	99
4200	5050	6346367	675712	0	3	13237	0.02	171	2.5	68
4200	5050	6346367	675712	3	6	13238	0.03	150	2.5	66
4200	5050	6346367	675712	6	7	13239	0.02	103	2.5	58
4400	5050	6346523	675587	4		12362	0.005	110	2.5	64
4400	5050	6346523	675587	0	1	12360	0.005	84	7	42
4400	5050	6346445	675650	3	6	12370	0.005	73	2.5	80
4400	5050	6346523	675587	7	7.5	12363	0.005	69	2.5	69
4400	5050	6346523	675587	1	4	12361	0.01	66	5	58
4400	5050	6346445	675650	0	3	12369	0.005	60	2.5	55
4400	5050	6346445	675650	6	9	12371	0.005	58	2.5	64
4400	5050	6346445	675650	9	12	12372	0.005	52	2.5	45
4800	5050	6346834	675336	6	9	12300	0.005	158	2.5	106
4800	5050	6346834	675336	3	6	12299	0.005	130	2.5	119
4800	5050	6346834	675336	0	3	12298	0.005	67	2.5	126
5000	5050	6346990	675211	3	6	12288	0.005	159	2.5	11
5000	5050	6346990	675211	0	3	12287	0.005	128	5	115
5000	5050	6346990	675211	6	7	12289	0.005	81	2.5	107
5200	5050	6347146	675086	2	3.5	12277	0.005	136	2.5	102
5200	5050	6347146	675086	0	2	12276	0.005	127	2.5	97
5400	5050	6347302	674960	0.5	3.5	12258	0.005	143	2.5	114
5400	5050	6347302	674960	6	6.5	12260	0.005	134	2.5	98
5400	5050	6347302	674960	3.5	6	12259	0.005	130	2.5	98
5400	5050	6347302	674960	0	0.5	12257	0.005	126	2.5	98
4000	5100	6346242	675877	4	7	13286	0.005	127	2.5	99
4000	5100	6346242	675877	1	4	13285	0.005	97	2.5	86
4000	5100	6346242	675877	7	7.5	13287	0.005	96	2.5	89
4000	5100	6346242	675877	0	1	13284	0.005	95	8	82
4100	5100	6346320	675814	3	6	13245	0.005	133	2.5	115
4100	5100	6346320	675814	0	3	13244	0.01	104	2.5	101
4200	5100	6346398	675751	0	3	13240	0.02	111	5	83
4200	5100	6346398	675751	3	6	13241	0.01	103	2.5	86

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
4200	5100	6346398	675751	6	9	13242	0.005	93	2.5	107
4200	5100	6346398	675751	9	12	13243	0.005	85	2.5	91
4300	5100	6346476	675689	3	5.5	12374	0.005	127	2.5	104
4300	5100	6346476	675689	0	3	12373	0.005	82	2.5	83
4400	5100	6346554	675626	6	9	12359	0.005	83	5	86
4400	5100	6346554	675626	0	3	12357	0.005	80	2.5	69
4400	5100	6346554	675626	3	6	12358	0.005	79	2.5	67
4500	5100	6346632	675563	0	1	12340	0.005	107	2.5	99
4500	5100	6346632	675563	1	3.5	12341	0.005	63	2.5	66
4600	5100	6346710	675501	2	3	12318	0.005	125	2.5	88
4600	5100	6346710	675501	0	2	12317	0.005	98	2.5	91
4800	5100	6346866	675375	5	6	12303	0.005	98	2.5	98
4800	5100	6346866	675375	0	2	12301	0.005	82	2.5	99
4800	5100	6346866	675375	2	5	12302	0.005	68	2.5	99
5000	5100	6347021	675250	5	6	12292	0.005	135	2.5	83
5000	5100	6347021	675250	2	5	12291	0.005	77	2.5	88
5000	5100	6347021	675250	0	2	12290	0.005	68	2.5	82
5100	5100	6349912	674961	18	19.5	12226	0.005	156	2.5	99
5100	5100	6349912	674961	6	9	12222	0.005	101	2.5	115
5100	5100	6349912	674961	3	6	12221	0.005	95	2.5	133
5100	5100	6349912	674961	9	12	12223	0.01	93	2.5	111
5100	5100	6349912	674961	12	15	12224	0.005	93	2.5	116
5100	5100	6349912	674961	0	3	12220	0.005	71	2.5	136
5100	5100	6349912	674961	15	18	12225	0.005	48	2.5	105
5200	5100	6349988	675025	3	6	12192	0.005	127	2.5	123
5200	5100	6349988	675025	6	9	12193	0.005	116	2.5	90
5200	5100	6349988	675025	9	11	12194	0.005	110	2.5	86
5200	5100	6347177	675125	14	17	12283	0.005	103	5	95
5200	5100	6347177	675125	8	11	12281	0.005	88	2.5	106
5200	5100	6347177	675125	0	2	12278	0.005	75	2.5	116
5200	5100	6347177	675125	2	5	12279	0.005	55	2.5	102
5200	5100	6347177	675125	5	8	12280	0.005	54	2.5	103
5200	5100	6347177	675125	11	14	12282	0.005	51	2.5	103
5200	5100	6349988	675025	0	3.5	12191	0.005	29	2.5	114
5200	5100	6347177	675125	17	18	12284	0.005	25	2.5	99
5400	5100	6350142	675154	0	3	12149	0.005	342	2.5	231
5400	5100	6350142	675154	21	23	12156	0.005	310	33	110
5400	5100	6350142	675154	3	6	12150	0.03	222	2.5	228
5400	5100	6350142	675154	15	18	12154	0.005	214	2.5	88
5400	5100	6350142	675154	18	21	12155	0.005	202	2.5	95
5400	5100	6347333	674999	3	4	12262	0.005	174	24	110
5400	5100	6347333	674999	0	3	12261	0.005	133	15	112
5400	5100	6350142	675154	12	15	12153	0.005	127	2.5	95
5400	5100	6350142	675154	9	12	12152	0.005	91	8	105
5400	5100	6350142	675154	6	9	12151	0.005	66	2.5	106
5600	5100	6350295	675282	21	23	12057	0.005	738	2.5	117
5600	5100	6350295	675282	23	25	12058	0.005	278	2.5	106
5600	5100	6350295	675282	12	15	12054	0.005	224	2.5	108
5600	5100	6350295	675382	3	6	12051	0.005	221	2.5	156
5600	5100	6350295	675282	0	3	12050	0.005	192	2.5	142
5600	5100	6250295	675282	9	12	12053	0.005	152	2.5	108
5600	5100	6350295	675282	15	18	12055	0.005	148	2.5	86
5600	5100	6350295	675282	18	21	12056	0.005	141	2.5	110
5600	5100	6350295	675282	6	9	12052	0.005	140	2.5	170
5800	5100	6350448	675411	15	18	12004	0.005	94	2.5	86
5800	5100	6350448	675411	18	19	12005	0.005	86	2.5	85

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5800	5100	6350448	675411	6	9	12000	0.005	84	2.5	128
5800	5100	6350448	675411	0	3	11998	0.005	82	2.5	240
5800	5100	6350448	675411	13	15	12003	0.005	76	2.5	87
5800	5100	6350448	675411	3	6	11999	0.005	73	2.5	190
5800	5100	6350448	675411	9	12	12001	0.005	57	2.5	93
5800	5100	6350448	675411	12	13	12002	0.005	48	2.5	91
4300	5150	6346507	675728	1	4	12376	0.005	85	2.5	110
4300	5150	6346507	675728	10	12.5	12379	0.005	78	2.5	113
4300	5150	6346507	675728	4	7	12377	0.005	78	2.5	94
4300	5150	6346507	675728	0	1	12375	0.005	71	2.5	90
4300	5150	6346507	675728	7	10	12378	0.005	54	2.5	90
5000	5150	6349803	674935	3	6	12241	0.01	180	2.5	104
5000	5150	6349803	674935	6	9	12242	0.005	162	2.5	120
5000	5150	6349803	674935	9	12	12243	0.005	120	2.5	120
5000	5150	6349803	674935	0	3	12240	0.005	120	2.5	113
5000	5150	6349803	674935	12	15	12244	0.005	100	2.5	112
5000	5150	6349803	674935	15	18	12245	0.005	95	2.5	95
5000	5150	6349803	674935	18	21	12246	0.005	53	2.5	82
5100	5150	6349880	674999	6	9	12214	0.005	146	33	139
5100	5150	6349880	674999	18	21	12218	0.005	142	2.5	92
5100	5150	6349880	674999	9	12	12215	0.01	128	2.5	109
5100	5150	6349880	674999	15	18	12217	0.005	123	2.5	94
5100	5150	6349880	674999	12	15	12216	0.005	121	2.5	100
5100	5150	6349880	674999	21	24	12219	0.005	103	2.5	90
5100	5150	6349880	674999	3	6	12213	0.005	87	2.5	150
5100	5150	6349880	674999	0	3	12212	0.005	80	2.5	145
5200	5150	6359956	675063	0	3	12186	0.005	166	2.5	113
5200	5150	6349956	675063	3	6	12187	0.005	148	2.5	100
5200	5150	6349956	675063	9	12	12189	0.01	132	2.5	89
5200	5150	6349956	675063	12	14	12190	0.01	98	2.5	102
5200	5150	6349956	675063	6	9	12188	0.005	87	2.5	91
5300	5150	6350033	675128	0	2	12173	0.01	112	2.5	144
5300	5150	6350033	675128	2	5	12174	0.01	94	2.5	111
5300	5150	6350033	675129	5	8	12175	0.005	80	2.5	85
5400	5150	6347365	675038	1	4	12264	0.03	181	2.5	108
5400	5150	6350110	675192	9	12	12146	0.005	159	2.5	99
5400	5150	6347365	675038	4	6	12265	0.005	142	2.5	118
5400	5150	6350110	675192	6	9	12145	0.005	139	2.5	94
5400	5150	6350110	675192	12	15	12147	0.005	134	2.5	88
5400	5150	6350110	675192	3	6	12144	0.005	132	2.5	97
5400	5150	6350110	675192	15	16.5	12148	0.005	105	2.5	74
5400	5150	6350110	675192	0	3	12143	0.005	94	2.5	107
5400	5150	6347365	675038	0	1	12263	0.005	47	2.5	117
5500	5150	6350186	675256	6	9	12080	0.005	164	2.5	86
5500	5150	6350186	675256	10	10.5	12082	0.005	139	2.5	87
5500	5150	6350186	675256	9	10	12081	0.005	136	2.5	84
5500	5150	6350186	675256	3	6	12079	0.005	126	2.5	92
5500	5150	6350186	675256	0	3	12078	0.005	117	2.5	93
5600	5150	6350263	675321	0	3	12046	0.005	117	2.5	103
5600	5150	6350263	675321	3	6	12047	0.005	66	2.5	97
5600	5150	6350263	675321	7	10	12049	0.005	65	2.5	88
5600	5150	6350263	675321	6	7	12048	0.005	60	2.5	78
5700	5150	6350339	675385	10	13	12035	0.005	192	2.5	82
5700	5150	6350339	675385	9	10	12034	0.005	111	2.5	81
5700	5150	6350339	675385	0	3	12031	0.005	84	2.5	148
5700	5150	6350339	675385	3	6	12032	0.005	71	2.5	104

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5700	5150	6350339	675385	6	9	12033	0.005	67	2.5	89
5800	5150	6350416	675449	6	9	11992	0.005	296	2.5	111
5800	5150	6350416	675449	18	20	11997	0.005	231	2.5	106
5800	5150	6350416	675449	3	6	11991	0.005	225	2.5	149
5800	5150	6350146	675449	0	3	11990	0.005	177	2.5	152
5800	5150	6350416	675449	9	12	11993	0.005	164	2.5	105
5800	5150	6350416	675449	10	12	11994	0.005	152	2.5	101
5800	5150	6350416	675449	12	15	11995	0.005	86	2.5	96
5800	5150	6350416	675449	15	18	11996	0.005	51	2.5	102
4200	5200	6346461	675829	6	8	12387	0.01	90	14	91
4200	5200	6346461	675829	3	6	12386	0.005	85	2.5	96
4200	5200	6346461	675829	0	3	12385	0.005	85	2.5	87
4300	5200	6346539	675767	1	4	12381	0.005	126	2.5	132
4300	5200	6346539	675767	7	10	12383	0.02	105	5	91
4300	5200	6346539	675767	4	7	12382	0.005	96	2.5	81
4300	5200	6346539	675767	10	13	12384	0.005	96	5	72
4300	5200	6346539	675767	0	1	12380	0.005	84	2.5	75
4400	5200	6346617	675704	0	2	12353	0.005	103	2.5	101
4400	5200	6346617	675704	5	8	12355	0.005	68	2.5	94
4400	5200	6346617	675704	8	8.5	12356	0.005	61	2.5	92
4400	5200	6346617	675704	2	5	12354	0.005	59	2.5	102
4480	5200	6346679	675654	0	3	12342	0.005	117	2.5	91
4480	5200	6346679	675654	3	5	12343	0.005	104	2.5	89
4600	5200	6346772	675579	2	4	12316	0.005	110	2.5	98
4600	5200	6346772	675579	0	2	12315	0.005	109	2.5	101
4800	5200	6346928	675453	5	8	12306	0.005	115	2.5	159
4800	5200	6346928	675453	2	5	12305	0.005	86	2.5	107
4800	5200	6346928	675453	0	2	12304	0.005	75	2.5	98
4800	5200	6346928	675453	8	9.5	12307	0.005	60	2.5	118
5000	5200	6349771	674973	6	9	12238	0.005	217	2.5	101
5000	5200	6349771	674973	3	6	12237	0.005	145	2.5	109
5000	5200	6349771	674973	9	11.5	12239	0.005	102	2.5	93
5000	5200	6349771	674973	0	3	12236	0.005	98	2.5	114
5100	5200	6349848	675037	9	12	12210	0.005	213	2.5	98
5100	5200	6349848	675037	6	9	12209	0.005	185	2.5	119
5100	5200	6349848	675037	12	15	12211	0.005	159	2.5	101
5100	5200	6349848	675037	0	3	12207	0.005	106	2.5	111
5100	5200	6349848	675037	3	6	12208	0.005	97	2.5	100
5200	5200	6349924	675102	9	10	12185	0.005	138	2.5	86
5200	5200	6349924	675102	6	9	12184	0.005	116	2.5	82
5200	5200	6349924	675102	3	6	12183	0.005	97	2.5	84
5200	5200	6329924	675102	0	3	12182	0.005	79	2.5	85
5300	5200	6350001	675166	12	14.5	12172	0.005	116	2.5	88
5300	5200	6350001	675166	0	3	12168	0.01	114	2.5	127
5300	5200	6350001	675166	6	9	12170	0.005	99	2.5	89
5300	5200	6350001	675166	9	12	12171	0.005	67	2.5	93
5300	5200	6350001	67166	3	6	12169	0.005	32	2.5	88
5400	5200	6350077	675230	8	11	12139	0.005	165	2.5	88
5400	5200	6350077	675230	6	8	12138	0.005	129	2.5	97
5400	5200	6350077	675230	3	6	12137	0.005	116	2.5	92
5400	5200	6350077	675230	0	3	12136	0.005	104	2.5	97
5400	5200	6350077	675230	14	17	12141	0.005	78	2.5	74
5400	5200	6350077	675230	11	14	12140	0.005	73	2.5	82
5400	5200	6350077	675230	17	18	12142	0.005	71	2.5	83
5500	5200	6350154	635295	0	3	12075	0.005	143	2.5	78
5500	5200	6350154	635295	3	6	12076	0.005	135	2.5	79

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5500	5200	6350154	675295	6	8.5	12077	0.005	113	2.5	82
5600	5200	6350231	675359	0	2	12044	0.005	70	2.5	93
5600	5200	6350231	675359	2	4	12045	0.005	60	2.5	100
5700	5200	6350307	675423	0	2.5	12030	0.005	122	5	106
5800	5200	6350384	675487	1	4	11988	0.005	151	2.5	145
5800	5200	6350384	675487	4	6	11989	0.005	133	2.5	97
5800	5200	6350384	675487	0	1	11987	0.005	71	6	105
5000	5250	6349739	675012	6	9	12232	0.005	279	2.5	97
5000	5250	6349739	675012	12	15	12234	0.005	174	2.5	101
5000	5250	6349739	675012	15	16.5	12235	0.005	160	2.5	109
5000	5250	6349739	675012	3	6	12231	0.005	123	2.5	94
5000	5250	6349739	675012	0	3	12230	0.005	87	2.5	97
5100	5250	6349815	675076	12	14	12206	0.005	316	2.5	110
5100	5250	6349815	675076	0	3	12202	0.005	218	2.5	98
5100	5250	6349815	675076	6	9	12204	0.005	218	2.5	93
5100	5250	6349815	675076	9	12	12205	0.01	175	2.5	98
5100	5250	6349815	675076	3	6	12203	0.005	162	2.5	98
5200	5250	6349892	675140	0	2.8	12180	0.005	123	2.5	97
5200	5250	6349892	675140	2.8	3.5	12181	0.005	52	2.5	87
5300	5250	6349969	675204	0	3	12163	0.005	128	2.5	127
5300	5250	6349969	675204	3	6	12164	0.005	122	2.5	78
5300	5250	6349969	675204	6	9	12165	0.005	113	2.5	78
5300	5250	6349969	675204	9	12	12166	0.005	99	2.5	87
5300	5250	6349969	675204	12	14	12167	0.005	68	2.5	83
5400	5250	6350045	675269	2.5	5	12135	0.005	66	2.5	76
5400	5250	6350045	675269	0	2.5	12134	0.005	58	2.5	91
5500	5250	6350122	675333	3	6	12070	0.005	188	2.5	87
5500	5250	6350122	675333	6	9	12071	0.005	180	2.5	92
5500	5250	6350122	675333	12	14	12073	0.005	153	2.5	84
5500	5250	6350122	675333	9	12	12072	0.005	152	2.5	86
5500	5250	6350122	675333	14	16	12074	0.005	132	2.5	78
5500	5250	6350122	675333	0	3	12069	0.005	99	5	83
5600	5250	6350198	675397	3	6	12041	0.005	139	2.5	130
5600	5250	6350198	675397	9	10	12043	0.005	105	2.5	89
5600	5250	6350198	675397	6	9	12042	0.005	98	2.5	92
5600	5250	6350198	675397	0	3	12040	0.005	70	7	99
5700	5250	6350275	675461	3	6	12028	0.005	144	2.5	88
5700	5250	6350275	675461	0	3	12027	0.005	76	2.5	103
5700	5250	6350275	675461	6	8	12029	0.005	11	2.5	93
5800	5250	6350352	675526	6	9	11985	0.005	182	2.5	89
5800	5250	6350352	675526	9	10.5	11986	0.005	170	2.5	98
5800	5250	6350352	675526	3	6	11984	0.005	148	2.5	97
5800	5250	6350352	675526	0	3	11983	0.005	97	7	101
5100	5280	6349796	675099	18	20	12201	0.005	257	2.5	116
5100	5280	6349596	675099	15	18	12200	0.005	147	2.5	114
5100	5280	6349796	675099	0	3	12195	0.005	96	2.5	101
5100	5280	6349796	675099	3	6	12196	0.005	96	2.5	96
5100	5280	6349796	675099	6	9	12197	0.005	64	2.5	105
5100	5280	6349796	675099	12	15	12199	0.005	63	2.5	111
5100	5280	6349796	675099	9	12	12198	0.005	62	2.5	97
4400	5300	6346679	675782	0	3	12350	0.005	116	2.5	82
4400	5300	6346679	675782	6	9	12352	0.01	112	2.5	88
4400	5300	6346679	675782	3	6	12351	0.005	104	2.5	91
4480	5300	6346742	675732	0	3	12344	0.005	92	2.5	76
4480	5300	6346742	675732	3	4	12345	0.005	76	2.5	87
4600	5300	6346835	675657	0	1	12313	0.01	74	2.5	97

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
4600	5300	6346835	675657	1	3	12314	0.005	70	12	82
4800	5300	6346991	675531	0	1	12308	0.01	80	13	64
5000	5300	6349707	675050	6	8	12229	0.005	166	2.5	107
5000	5300	6349707	675050	3	6	12228	0.03	164	2.5	106
5000	5300	6349707	675050	0	3	12227	0.005	158	2.5	101
5200	5300	6349860	675178	3	6	12177	0.005	170	2.5	102
5200	5300	6349860	675178	9	12	12179	0.01	164	2.5	84
5200	5300	6349860	675178	6	9	12178	0.005	164	2.5	97
5200	5300	6349860	675178	0	3	12176	0.005	79	5	103
5300	5300	6349936	675243	3	6	12158	0.005	167	2.5	95
5300	5300	6349936	675243	9	12	12160	0.005	164	2.5	85
5300	5300	6349936	675243	15	17	12162	0.09	158	2.5	85
5300	5300	6349936	675243	12	15	12161	0.005	139	2.5	85
5300	5300	6349936	675243	6	9	12159	0.005	122	2.5	93
5300	5300	6349936	675243	0	3	12157	0.01	93	5	98
5400	5300	6350013	675307	3	5	12133	0.005	118	2.5	82
5400	5300	6350013	675307	0	3	12132	0.005	55	2.5	74
5500	5300	6350090	675371	2	5	12066	0.005	120	2.5	91
5500	5300	6350090	675371	8	9	12068	0.005	115	2.5	87
5500	5300	6350090	675371	5	8	12067	0.005	103	2.5	98
5500	5300	6350090	675371	0	2	12065	0.005	82	6	93
5600	5300	6350166	675435	3	6	12037	0.005	181	2.5	87
5600	5300	6350166	675435	6	9	12038	0.005	173	2.5	87
5600	5300	6350166	675435	9	12	12039	0.005	167	2.5	89
5600	5300	6350166	675435	0	3	12036	0.005	94	5	107
5700	5300	6350243	675500	2	3	12016	0.005	172	2.5	82
5700	5300	6350243	675500	0	2	12015	0.005	62	6	84
5800	5300	6350319	675564	3	6	11981	0.005	178	2.5	82
5800	5300	6350319	675564	6	9	11982	0.005	173	2.5	87
5800	5300	6350319	675564	0	3	11980	0.005	63	2.5	90
5100	5350	6349751	675152	9	12	12128	0.005	184	2.5	87
5100	5350	6349751	675152	12	15	12129	0.005	181	2.5	91
5100	5350	6349751	675152	6	9	12127	0.005	104	2.5	87
5100	5350	6349751	675152	0	3	12125	0.005	64	10	90
5100	5350	6349751	675152	3	6	12126	0.005	63	2.5	89
5200	5350	6349828	675217	3	6	12115	0.005	121	2.5	88
5200	5350	6349828	675217	9	12	12117	0.005	119	2.5	90
5200	5350	6349828	675217	12	15	12118	0.005	113	2.5	94
5200	5350	6349828	675217	15	16	12119	0.005	98	2.5	87
5200	5350	6349828	675217	6	9	12116	0.005	82	2.5	94
5200	5350	6349828	675217	0	3	12114	0.005	67	8	89
5300	5350	6349904	675281	18	19.5	12106	0.005	109	2.5	88
5300	5350	6349904	675281	12	15	12104	0.005	105	2.5	90
5300	5350	6349904	675281	15	18	12105	0.005	89	2.5	92
5300	5350	6349904	675281	0	3	12100	0.005	67	6	94
5300	5350	6349904	675281	9	12	12103	0.005	66	2.5	93
5300	5350	6349904	675381	3	6	12101	0.005	60	2.5	95
5400	5350	6349981	675345	2	3.5	12131	0.005	155	2.5	96
5400	5350	6349981	675345	0	2	12130	0.005	68	8	78
5500	5350	6350058	675410	0	2	12063	0.005	617	2.5	476
5500	5350	6350058	675410	2	3	12064	0.005	159	5	88
5600	5350	6350134	675474	9	9.5	12026	0.005	127	2.5	88
5600	5350	6350134	675474	3	6	12024	0.005	89	2.5	98
5600	5350	6350134	675474	6	9	12025	0.005	76	2.5	100
5600	5350	6350134	675474	0	3	12023	0.005	69	6	99
5700	5350	6350211	675538	4.5	5	12014	0.005	146	2.5	76

NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5700	5350	6350211	675538	0	3	12012	0.005	133	2.5	100
5700	5350	6350211	675538	3	4.5	12013	0.005	115	2.5	80
5800	5350	6350287	675602	3	6	11978	0.005	101	2.5	71
5800	5350	6350287	675602	0	3	11977	0.005	82	2.5	80
5800	5350	6350287	675602	6	8.5	11979	0.005	60	2.5	68
4500	5380	6346807	675782	0	2	12346	0.005	116	10	128
4500	5380	6346807	675782	2	5	12347	0.005	104	2.5	103
4500	5380	6346807	675782	5	8	12348	0.005	92	8	92
4500	5380	6346807	675782	8	9.5	12349	0.005	76	2.5	89
4600	5400	6346898	675735	7	9	12312	0.01	106	10	125
4600	5400	6346898	675735	1	4	12310	0.005	94	2.5	94
4600	5400	6346898	675735	0	1	12309	0.01	83	7	96
4600	5400	6346898	675735	4	7	12311	0.005	83	2.5	95
5100	5400	6349719	675191	6	9	12122	0.005	142	2.5	106
5100	5400	6348719	675191	12	14	12124	0.005	136	2.5	89
5100	5400	6349719	675191	9	12	12123	0.005	123	2.5	92
5100	5400	6349719	675191	3	6	12121	0.005	92	2.5	90
5100	5400	6349719	675191	0	3	12120	0.005	66	9	82
5200	5400	6349796	675255	3	6	12110	0.005	144	2.5	88
5200	5400	6349796	675255	6	9	12111	0.005	139	2.5	80
5200	5400	6349796	675255	12	13	12113	0.005	134	2.5	96
5200	5400	6349796	675255	0	3	12109	0.005	129	2.5	98
5200	5400	6349796	675255	9	12	12112	0.005	120	2.5	95
5300	5400	6349872	675319	8	10	12099	0.005	140	2.5	81
5300	5400	6349872	675319	6	8	12098	0.005	118	2.5	87
5300	5400	6349872	675319	3	6	12097	0.005	107	2.5	92
5300	5400	6349872	675319	0	3	12096	0.005	86	2.5	92
5400	5400	6349949	675384	3	6	12086	0.005	157	2.5	88
5400	5400	6349949	675384	9	12	12088	0.005	138	2.5	94
5400	5400	6349949	675384	12	15	12089	0.005	134	2.5	98
5400	5400	6249949	675384	6	9	12087	0.005	134	2.5	86
5400	5400	6349949	675384	0	3	12085	0.005	101	2.5	94
5500	5400	6350025	675448	1	3	12062	0.005	170	2.5	96
5500	5400	6350025	675448	0	1	12061	0.005	146	2.5	98
5600	5400	6350102	675512	5	6	12022	0.005	164	2.5	94
5600	5400	6350102	675512	2	5	12021	0.005	150	2.5	97
5600	5400	6350102	675512	0	2	12020	0.005	123	2.5	108
5700	5400	6350179	675576	2	5	12009	0.005	107	2.5	93
5700	5400	6350179	675576	5	8	12010	0.005	104	2.5	90
5700	5400	6350179	675576	8	8.5	12011	0.005	96	2.5	75
5700	5400	6350179	675576	0	2	12008	0.005	87	2.5	86
5800	5400	6350255	675641	0	3	11973	0.005	240	2.5	82
5800	5400	6350255	675641	9	10	11976	0.005	173	2.5	100
5800	5400	6350255	675641	3	6	11974	0.005	162	2.5	74
5800	5400	6350255	675641	6	9	11975	0.005	137	2.5	78
5200	5450	6349763	675293	3	4	12108	0.005	138	2.5	96
5200	5450	6349763	675293	0	3	12107	0.005	123	2.5	93
5300	5450	6349840	675358	14	15	12095	0.005	295	9	95
5300	5450	6349840	675358	12	14	12094	0.005	138	2.5	91
5300	5450	6349840	675358	0	3	12090	0.005	131	2.5	92
5300	5450	6349840	675358	3	6	12091	0.005	130	2.5	88
5300	5450	6349840	675358	9	12	12093	0.005	86	2.5	89
5300	5450	6349840	675358	6	9	12092	0.005	84	2.5	88
5400	5450	6349917	675422	3	4	12084	0.005	462	2.5	84
5400	5450	6349917	675422	0	3	12083	0.005	137	2.5	94
5500	5450	6349993	675486	0	2.7	12059	0.005	138	2.5	94



NORTHING	EASTING	NORTHAMG	EASTAMG	FROM	TO	SAMPLE	AU	CU	PB	ZN
5500	5450	6349993	675486	2.7	3	12060	0.005	118	2.5	86
5600	5450	6350070	675550	4	5	12019	0.005	222	2.5	90
5600	5450	6350070	675550	1	4	12018	0.005	206	2.5	75
5600	5450	6350070	675550	0	1	12017	0.005	126	2.5	82
5700	5450	6350146	675615	0	2	12006	0.005	167	2.5	98
5700	5450	6350146	675615	2	3	12007	0.005	146	2.5	95
5800	5450	6350223	675679	0	3	11970	0.005	162	259	1010
5800	5450	6350223	675679	6	7	11972	0.005	143	7	118
5800	5450	6350223	675679	3	6	11971	0.005	138	73	448
5200	5850	6350149	674834	15	18	11938	0.005	144	2.5	97
5300	6350	6349904	675281	6	9	12102	0.005	94	2.5	92

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	- Mount Isa Mines first explored the target in 1995 utilizing Rotary Air Blast drilling to blade refusal, which most commonly was less than 10 metres (with a maximum of 33m) - The holes were all vertical and sampled in 3 m composites, except for the "C" horizon (when intersected or identified at the end of hold) which was sampled as an individual metre. - Standard procedures were adopted in sampling and assay
Drilling techniques	<i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	233 vertical RAB drill holes of variable depth - Holes terminated at blade refusal
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential</i>	- Standard reconnaissance sampling approaches were adopted, i.e. 3m composite intervals - Actual method of compositing not discussed, whether spear or grab sampled from quarter pile. - No geological logs were sourced for the drilling. No comments available regarding quality, weight recovery or whether they wet

Criteria	JORC Code explanation	Commentary
	<i>loss/gain of fine/coarse material.</i>	drilled Assume satisfactory performance as no negative comments provided in any of the public domain reports reviewed
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i>	- Each hole was logged geologically and sampled throughout the developed length - All drilling was at the reconnaissance level and not used in resource estimation
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	- Drilling approaches were standard, and suitable for the target type being explored at the time of their development. - No QA/QC is discussed - Sampling procedures were also not discussed
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	Drill samples were submitted to and assayed by ALS Minerals (Orange): gold by fire assay (method PM209), Copper, Lead, and Zinc via AAS (method G001)

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- No verification of the drilling has taken place, and the primary data is held in public domain reports kept by the Geological Survey of NSW - No adjustments were made to any data
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	AMG84 co-ordinates and local co-ordinates are provided within Appendix 1 of the report
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Data spacing is suitable for the exploration stage, which is mostly at the reconnaissance level - No resource is currently identified - First pass line spacing was 200m with holes on 100m centres - Line lengths were variable - Infill drilling was on 100m line spacing and 50m centres - Samples were generally as 3m composites, except for the "C" horizon (when intersected or identified at the end of hold) which was sampled as an individual metre.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	No bias introduced.
Sample security	The measures taken to ensure sample security.	Historical reports did not document the chain of custody to ensure sample security
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No reviews or audits of sampling techniques was undertaken. The data collated was reviewed respective to each generation of work undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The Belgravia Project (EL8153) is beneficially-owned by Krakatoa Resources Ltd who acquired the licence from Locksley Holdings. - The company holds 100% interest and all rights in the Belgravia Project - The adjacent ground on which the Larras Lake drilling exists is held by Golden Cross Resources (EL6391)
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- Parts of the Project area have been explored at various times by Cypress in their own right and then through joint venture with various companies, including Mount Isa Mines and Newcrest Mining - Only the drilling of Mount Isa Mines was reviewed for the purpose of this announcement
Geology	Deposit type, geological setting and style of mineralisation.	Volcanism within Molong Volcanic Belt, as part of the Macquarie Arc in the Lachlan Fold Belt, relates to distinct groups and ages of porphyritic intrusion that vary from monzodiorite-diorite through monzonite-granodiorite compositions and correspond with porphyry copper-gold and epithermal gold-silver mineralisation
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly	233 vertical RAB campaign by MIM (detail not reviewed for the purpose of this announcement) - All holes were vertical - Collar information in both local and AMG84 - Downhole intercepts, width and grade provided within the report. - All results are provided and are an accurate reflection of nature of the existing mineralisation and appropriate for the mineralisation-type being sought.

Criteria	JORC Code explanation	Commentary
	<i>explain why this is the case.</i>	
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	- No weightings or other manipulations were made to the data. - No metal equivalents were used or calculated
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	The local lies perpendicular to the strike of the interpreted NW control on emplacement and mineralisation.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	- The pertinent maps for this stage of project are included in the release. - Prepared images utilise the local grid
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	The report has relied on the information in the public records released by the previous explorers, academic and other research documents, etc.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	- Other geophysical data sets for the project area are available in the public domain. This will be recovered and reprocessed prior to reinterpretation to support future exploration - A drone magnetic survey is presently being flown over the area in question. The results will be released to the market after the information is processed
Further work	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i>	The results of the drone magnetic survey will be released to the market, once the review and targeting program has been



Criteria	JORC Code explanation	Commentary
	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	completed.