

## INITIAL DRILLING RESULTS RECEIVED FROM THE HILLSIDE PROJECT

### Highlights:

- Encouraging results received from recent Hillside drilling
- Results demonstrate support for mineralised gossan model
- Down dip extension of mineralised gossan intercepted in three holes
- Best anomalous results received include:
  - HRC 001: 1m @ 0.19% Cu, 230ppm Co, 0.14% Zn, 0.07ppm Au from 28m
  - HRC 022: 1m @ 0.74% Cu, 349ppm Co, 0.41% Zn, 0.14ppm Au from 83m
  - HRC 036: 1m @ 0.18% Cu, 0.12% Zn from 25m, 1m @ 0.27% Cu from 40m
- All Intercepts demonstrate down dip extensions to the mineralised gossan at surface exist

Fe Limited (ASX: **FEL**) (**FEL** or the **Company**) recently completed its first phase of preliminary drilling at the Hillside project. The drilling was targeting underground extensions to the periodically outcropping mineralised gossan identified during previous reconnaissance. A total strike length of 14km was mapped and sampled at outcrop resulting in high grade rock chip results as reported in ASX announcement 9 October 2019.

A total of 1798m from 36 holes were drilled at approximately 1km intervals along the length of the mapped gossan in a first pass drilling program targeting down dip extensions to the outcropping mineralisation.

Very little targeting data was available, and first pass hole locations were chosen using estimated dip and dip direction from the interpreted lineament of the mineralised strike. Supporting information included field observations, a coincident westerly dipping magnetic anomaly with its eastern extent coinciding roughly with the interpreted gossan lineament and the presence of highly leached surface lithologies indicating the possibility of sulphides at depth.

In order to minimise expense, all samples were pulverised and split in the lab with a total of 1,071 (including duplicates) select samples sent for assay based on the logged presence of quartz or visible sulphides. The remainder of the samples will be checked by portable XRF and sent for assay if anomalous results are returned.



Fe Limited ABN: 31 112 731 638

32 Harrogate St, West Leederville, Western Australia 6007

Phone +61 8 6181 9793

Email [admin@felimited.com.au](mailto:admin@felimited.com.au)


[felimited.com.au](http://felimited.com.au)

The Company has now received all of the results of the assays. Initial interpretation shows three holes have been positively identified to have intercepted down dip extensions of the surface gossan. The holes with the intercepts span the entire length of the mapped strike length demonstrating down dip extension of the surface mineralisation. Grades in all intersections show strongly anomalous mineralisation and provide valuable guidance for hole location in the next phase of drilling. The central and northern most holes intercepted the anomalous zone towards the end of the respective holes which indicates why some of the other planned holes failed to intersect the target. The southernmost hole intersected a wide zone of anomalism from 23m down to 42m with increasing levels of zinc continuing below. All three holes intersected anomalism below the optimal supergene and enrichment zones. This information will allow more accurate dip data to be used in locating further follow up drilling and target depths which will attempt to intersect supergene and enrichment zone mineralisation. Figures 2, 3 and 4 show cross sections of the intersecting holes with the interpreted target body and show where other nearby holes failed to intersect.


In addition, one hole towards the northern extent of the project area returned strongly anomalous gold grades from targeted drilling in known gold bearing quartz veins (anecdotal evidence from prospectors). As the quartz veins are host to nugget gold, the anomalous grades returned can be considered significant and represent the presence of fine gold given no visible gold was logged.

FE Limited Chairman Tony Sage commented, "We are encouraged by these results from Hillside and look forward to completing our interpretation and planning for the next phase of exploration. This knowledge will allow us to further understand the prospectivity of the area".


**Figure 1. Schematic of typical gossan section:**



**Figure 2. Section 7 599 760 North:**



**Figure 3. Section 7 592 258 North:**



**Figure 4. Section 7 586 060 North:**





Figure 5. Drill hole plan show section locations:



**Table 1. Drill Hole Locations:**

| Hole ID  | Easting | Northing | RL  | Dip | Azimuth | Depth |
|----------|---------|----------|-----|-----|---------|-------|
| HRC001   | 774880  | 7599753  | 326 | 60  | 79      | 59    |
| HRC002   | 774905  | 7599757  | 325 | 60  | 77      | 39    |
| HRC003   | 774798  | 7599678  | 327 | 60  | 75      | 40    |
| HRC005   | 774868  | 7599257  | 331 | 60  | 87      | 88    |
| HRC005b  | 774900  | 7599256  | 330 | 60  | 93      | 31    |
| HRC006   | 774711  | 7599252  | 338 | 60  | 71      | 41    |
| HRC007   | 774995  | 7598203  | 335 | 60  | 82      | 40    |
| HRC008   | 774935  | 7598190  | 340 | 60  | 94      | 6     |
| HRC008RE | 774934  | 7598190  | 340 | 60  | 94      | 66    |
| HRC009   | 775012  | 7597258  | 335 | 60  | 93      | 30    |
| HRC010   | 774952  | 7597259  | 338 | 60  | 90      | 61    |
| HRC013   | 775033  | 7595184  | 352 | 60  | 90      | 39    |
| HRC014   | 774986  | 7595157  | 353 | 60  | 86      | 60    |
| HRC015   | 775040  | 7594249  | 361 | 60  | 86      | 30    |
| HRC016   | 774998  | 7594241  | 363 | 60  | 79      | 60    |
| HRC017   | 775217  | 7593257  | 362 | 60  | 85      | 30    |
| HRC018   | 775155  | 7593249  | 364 | 60  | 92      | 60    |
| HRC019   | 774949  | 7592959  | 369 | 60  | 5       | 30    |
| HRC020   | 774950  | 7592939  | 369 | 60  | 353     | 60    |
| HRC021   | 775569  | 7592247  | 362 | 60  | 78      | 30    |
| HRC022   | 775535  | 7592246  | 362 | 60  | 79      | 88    |
| HRC023   | 775333  | 7592256  | 365 | 60  | 49      | 50    |
| HRC024   | 775511  | 7591246  | 372 | 60  | 123     | 49    |
| HRC025   | 775546  | 7591212  | 373 | 60  | 99      | 80    |
| HRC027   | 775205  | 7592656  | 365 | 60  | 86      | 100   |
| HRC028   | 775459  | 7590265  | 360 | 60  | 82      | 72    |
| HRC030   | 775409  | 7589246  | 354 | 60  | 103     | 59    |
| HRC032   | 775404  | 7588251  | 367 | 60  | 87      | 70    |
| HRC033   | 775430  | 7588243  | 366 | 60  | 99      | 36    |
| HRC034   | 775334  | 7587256  | 365 | 60  | 74      | 72    |
| HRC036   | 775252  | 7586069  | 363 | 60  | 90      | 80    |
| HRC038   | 774800  | 7599688  | 327 | 60  | 75      | 33    |
| HRC039   | 774782  | 7599738  | 326 | 60  | 79      | 30    |
| HRC039b  | 774794  | 7599740  | 326 | 60  | 79      | 40    |
| HRC100   | 775578  | 7591193  | 374 | 60  | 102     | 36    |

Announcement released with authority of the FEL board of directors.

Yours faithfully  
FE LIMITED

Tony Sage  
**Non-Executive Chairman**

For further information please contact:

Investor Relations



+61 8 6181 9793



ir@felimited.com.au

Follow us



@FeLimited



fe-limited

## COMPETENT PERSON

The information in this presentation that relates to Exploration Results is based on information compiled by Mr Olaf Frederickson. Mr Frederickson is a Member of The Australasian Institute of Mining and Metallurgy (AusIMM) and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which they are undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the "JORC Code"). Mr Frederickson is a consultant to Fe Limited and consents to the inclusion in the report of the Exploration Results in the form and context in which they appear.

## Appendix 1

### JORC Code, 2012 Edition - Table 1 report - Hillside Project Phase 1 Drilling

#### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria              | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Commentary                                                                                                                                                                                                                                                                            |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sampling techniques   | <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>                                                                                                                                                                                                                                             | <ul style="list-style-type: none"> <li>• Chips taken via a rotary splitter from reverse circulation rig.</li> <li>• Samples taken on metre intervals</li> </ul>                                                                                                                       |
|                       | <i>Include reference to measures taken to ensure sample representation and the appropriate calibration of any measurement tools or systems used.</i>                                                                                                                                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>- Multiple chips taken from each sample location to minimize any nugget influence.</li> </ul>                                                                                                                                                  |
|                       | <i>Aspects of the determination of mineralisation that are Material to the Public Report.<br/>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> | <ul style="list-style-type: none"> <li>- Reverse circulation drilling was used to obtain 1 m samples from which 3 kg was sent to the lab to be pulverised and split into a 30g pulp.</li> <li>- Select assays based on logging were sent for multi element and fire assay.</li> </ul> |
| Drilling techniques   | <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"> <li>- Reverse Circulation with 5.5 inch diameter face sampling hammer</li> </ul>                                                                                                                                                                   |
| Drill sample recovery | <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>- ~3kg sample recovered via rotary splitter into sample calico bags. Rejects collected in a bucket and placed in sequential piles.</li> </ul>                                                                                                  |
|                       | <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"> <li>- Specifically designed rotary splitter.</li> <li>- Splitter cleaned and inspected regularly.</li> </ul>                                                                                                                                       |

| Criteria                                       | JORC Code explanation                                                                                                                                                                                    | Commentary                                                                                                                                                                                                                                |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                | <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>                                  | - No relationship determined                                                                                                                                                                                                              |
| Logging                                        | <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> | - Brief description of RC chips including colour, major and minor lithologies, major and minor accessory mineral content, water table depth and general comments.                                                                         |
|                                                | <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>                                                                                            | - Qualitative logging                                                                                                                                                                                                                     |
|                                                | <i>The total length and percentage of the relevant intersections logged</i>                                                                                                                              | - 1 m intervals                                                                                                                                                                                                                           |
| Sub-sampling techniques and sample preparation | <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>                                                                                                                         | - Not applicable.                                                                                                                                                                                                                         |
|                                                | <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>                                                                                                     | - Rotary split.<br>- Dry sample                                                                                                                                                                                                           |
|                                                | <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>                                                                                                | - Samples crushed and split in the lab.                                                                                                                                                                                                   |
|                                                | <i>Quality control procedures adopted for all sub-sampling stages to maximise representation of samples.</i>                                                                                             | - Standard lab check procedures..                                                                                                                                                                                                         |
|                                                | <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i>                          | - Field duplicates taken at 5% frequency.                                                                                                                                                                                                 |
|                                                | <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>                                                                                                             | - Samples ranged between 0.5kg and 5.0kg. All were appropriate for the material sampled                                                                                                                                                   |
| Quality of assay data and laboratory tests     | <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>                                                  | - Samples were analysed at the ALS laboratory Perth. The analytical methods used were acid digest mass spectrometry for multi element and fire assay for gold. Considered to be appropriate for the material and style of mineralization. |
|                                                | <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model,</i>                                         | Not used.                                                                                                                                                                                                                                 |

| Criteria                                                | JORC Code explanation                                                                                                                                                                                                               | Commentary                                                                                                                                                                                                                         |
|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                         | <i>reading times, calibrations factors applied and their derivation, etc.</i>                                                                                                                                                       |                                                                                                                                                                                                                                    |
|                                                         | <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>                 | At the Laboratory, regular assay Repeats, Lab Standards and Blanks are analysed.<br>Independent CRM material submitted for standards and blanks.<br>Field duplicates included at 1 in 20.                                          |
| Verification of sampling and assaying                   | <i>The verification of significant intersections by either independent or alternative company personnel.</i>                                                                                                                        | Significant results were checked by senior geologists.                                                                                                                                                                             |
|                                                         | <i>The use of twinned holes.</i>                                                                                                                                                                                                    | No twinned holes drilled.                                                                                                                                                                                                          |
|                                                         | <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>                                                                                                   | Assay files are received electronically from the Laboratory. All data is stored in the Fe Limited database in Perth.                                                                                                               |
|                                                         | <i>Discuss any adjustment to assay data.</i>                                                                                                                                                                                        | No assay data was adjusted.                                                                                                                                                                                                        |
| Location of data points                                 | <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>                                                  | Sample locations were obtained by handheld GPS at the time of collection.                                                                                                                                                          |
|                                                         | <i>Specification of the grid system used.</i>                                                                                                                                                                                       | Grid projection is MGA94, Zone 50.                                                                                                                                                                                                 |
|                                                         | <i>Quality and adequacy of topographic control.</i>                                                                                                                                                                                 | None available                                                                                                                                                                                                                     |
| Data spacing and distribution                           | <i>Data spacing for reporting of Exploration Results.</i>                                                                                                                                                                           | Hole were drilled at 60 degree angles to intercept the interpreted dip of the target structure. Holes were designed nominally 50m apart across strike and 1km apart along strike. Drilling was at first pass investigative levels. |
|                                                         | <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> | Drill spacing is not appropriate for resource estimation.                                                                                                                                                                          |
|                                                         | <i>Whether sample compositing has been applied.</i>                                                                                                                                                                                 | No compositing was applied.                                                                                                                                                                                                        |
| Orientation of data in relation to geological structure | <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>                                                                   | This was the design intention.                                                                                                                                                                                                     |
|                                                         | <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>                   | Not expected to introduce bias.                                                                                                                                                                                                    |
| Sample security                                         | <i>The measures taken to ensure sample security.</i>                                                                                                                                                                                | Samples were transported by company transport and drilling contractor to Perth laboratory.                                                                                                                                         |

| Criteria                 | JORC Code explanation                                                        | Commentary                                                                                                                               |
|--------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Audits or reviews</i> | <i>The results of any audits or reviews of sampling techniques and data.</i> | Sampling and assaying techniques are industry-standard. No specific audits or reviews have been undertaken at this stage in the program. |

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                       | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Commentary                                                                                                                                                                                                       |
|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Mineral tenement and land tenure status</i> | <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | FEL have an option to earn-in to 75% interest in the Macarthur Minerals tenements in the Pilbara region of Western Australia. Samples referred to in this announcement are from tenements E45/4685 and E45/4824. |
|                                                | <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | The tenements are in good standing with the WA DMIRS.                                                                                                                                                            |
| <i>Exploration done by other parties</i>       | <i>Acknowledgment and appraisal of exploration by other parties.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Previous workers in the area include Great Sandy Pty Ltd, Blaze International, Macarthur Minerals PLC and Southern Hemisphere Holdings Limited.                                                                  |
| <i>Geology</i>                                 | <i>Deposit type, geological setting and style of mineralisation.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Gold and base metals within mafic and ultramafic host rocks in both vein hosts and gossanous weathering profiles                                                                                                 |
| <i>Drill hole Information</i>                  | <p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p> <ul style="list-style-type: none"> <li>▪ easting and northing of the drill hole collar</li> <li>▪ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>▪ dip and azimuth of the hole</li> <li>▪ down hole length and interception depth</li> <li>▪ hole length.</li> </ul> <p><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p> | Refer to Table 1 and Appendix 2 in the announcement.                                                                                                                                                             |
| <i>Data aggregation methods</i>                | <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | No data aggregation conducted. All results reported.                                                                                                                                                             |
|                                                | <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | N/A                                                                                                                                                                                                              |
|                                                | <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | No metal equivalent values are used.                                                                                                                                                                             |

| Criteria                                                                | JORC Code explanation                                                                                                                                                                                                                                                                                                                                                                        | Commentary                                                                                                |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <i>Relationship between mineralisation widths and intercept lengths</i> | <i>These relationships are particularly important in the reporting of Exploration Results.<br/>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.<br/>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>   | The geometry or orientation of the mineralisation is not established by these RC results.                 |
| <i>Diagrams</i>                                                         | <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>                                                                                                                    | Refer to Figures 2, 3, 4 and 5 in the body of the announcement.                                           |
| <i>Balanced reporting</i>                                               | <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>                                                                                                                                                             | No misleading results have been presented in this announcement.                                           |
| <i>Other substantive exploration data</i>                               | <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> | All relevant historical data previously reported.                                                         |
| <i>Further work</i>                                                     | <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).<br/>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>                                            | Further exploration work is currently being planned, the details of which will be released in due-course. |

## Appendix 2 – Table of Assay Results

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu   | Zn   | Au     |
|---------|-------|------|----|------|-----|------|------|--------|
|         |       |      |    | ppm  | ppm | ppm  | ppm  | ppm    |
| HRC001  | 1     | 0    | 1  | <0.5 | 43  | 162  | 116  | 0.004  |
| HRC001  | 7     | 6    | 7  | <0.5 | 43  | 207  | 219  | 0.003  |
| HRC001  | 20    | 19   | 20 | <0.5 | 53  | 262  | 78   | 0.001  |
| HRC001  | 40    | 39   | 40 | <0.5 | 51  | 123  | 43   | 0.001  |
| HRC001  | 53    | 52   | 53 | <0.5 | 94  | 164  | 847  | 0.015  |
| HRC001  | 54    | 53   | 54 | <0.5 | 143 | 99   | 812  | 0.001  |
| HRC001  | 60    | 59   | 60 | <0.5 | 88  | 97   | 134  | 0.001  |
| HRC002  | 62    | 1    | 2  | <0.5 | 32  | 90   | 57   | 0.004  |
| HRC002  | 63    | 2    | 3  | <0.5 | 52  | 72   | 74   | 0.002  |
| HRC002  | 64    | 3    | 4  | <0.5 | 56  | 61   | 72   | 0.001  |
| HRC002  | 65    | 4    | 5  | <0.5 | 54  | 138  | 86   | 0.002  |
| HRC002  | 66    | 5    | 6  | <0.5 | 42  | 248  | 71   | 0.001  |
| HRC002  | 67    | 6    | 7  | 1.6  | 54  | 200  | 126  | 0.005  |
| HRC002  | 76    | 15   | 16 | <0.5 | 52  | 57   | 67   | <0.001 |
| HRC002  | 80    | 19   | 20 | <0.5 | 60  | 110  | 94   | 0.001  |
| HRC002  | 89    | 28   | 29 | 2.8  | 230 | 1940 | 1425 | 0.071  |
| HRC002  | 90    | 29   | 30 | <0.5 | 100 | 120  | 705  | 0.012  |
| HRC003  | 100   | 0    | 1  | <0.5 | 53  | 408  | 147  | 0.035  |
| HRC003  | 106   | 6    | 7  | <0.5 | 49  | 358  | 132  | 0.086  |
| HRC003  | 108   | 8    | 9  | <0.5 | 52  | 578  | 88   | 0.258  |
| HRC003  | 111   | 11   | 12 | <0.5 | 159 | 1220 | 60   | 0.12   |
| HRC003  | 114   | 14   | 15 | <0.5 | 73  | 644  | 52   | 0.046  |
| HRC003  | 115   | 15   | 16 | <0.5 | 46  | 296  | 63   | 0.021  |
| HRC003  | 117   | 17   | 18 | <0.5 | 55  | 868  | 51   | 0.132  |
| HRC003  | 120   | 20   | 21 | <0.5 | 53  | 351  | 53   | 0.015  |
| HRC003  | 124   | 24   | 25 | <0.5 | 37  | 334  | 37   | 0.148  |
| HRC003  | 127   | 27   | 28 | <0.5 | 22  | 58   | 37   | 0.043  |
| HRC003  | 128   | 28   | 29 | <0.5 | 40  | 134  | 55   | 0.009  |
| HRC003  | 129   | 29   | 30 | <0.5 | 37  | 182  | 54   | 0.003  |
| HRC003  | 132   | 32   | 33 | <0.5 | 40  | 36   | 51   | 0.001  |
| HRC038  | 135   | 2    | 3  | <0.5 | 53  | 191  | 113  | 0.007  |
| HRC038  | 136   | 3    | 4  | <0.5 | 52  | 161  | 109  | 0.007  |
| HRC038  | 137   | 4    | 5  | <0.5 | 44  | 236  | 95   | 0.004  |
| HRC038  | 138   | 5    | 6  | <0.5 | 50  | 231  | 100  | 0.007  |
| HRC038  | 140   | 7    | 8  | <0.5 | 48  | 235  | 107  | 0.003  |
| HRC038  | 142   | 9    | 10 | <0.5 | 46  | 238  | 90   | 0.002  |
| HRC038  | 143   | 10   | 11 | <0.5 | 43  | 209  | 97   | 0.001  |
| HRC038  | 144   | 11   | 12 | <0.5 | 56  | 250  | 114  | 0.002  |
| HRC038  | 145   | 12   | 13 | <0.5 | 45  | 251  | 160  | 0.004  |
| HRC038  | 146   | 13   | 14 | <0.5 | 31  | 142  | 96   | 0.002  |
| HRC038  | 147   | 14   | 15 | <0.5 | 30  | 115  | 114  | 0.002  |
| HRC038  | 148   | 15   | 16 | <0.5 | 39  | 181  | 139  | 0.001  |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC038  | 149   | 16   | 17 | <0.5      | 34        | 121       | 121       | 0.005     |
| HRC038  | 150   | 17   | 18 | <0.5      | 34        | 133       | 121       | 0.002     |
| HRC038  | 151   | 18   | 19 | <0.5      | 51        | 326       | 122       | 0.002     |
| HRC038  | 154   | 21   | 22 | <0.5      | 33        | 168       | 108       | 0.001     |
| HRC038  | 159   | 26   | 27 | <0.5      | 33        | 164       | 112       | 0.001     |
| HRC038  | 160   | 27   | 28 | <0.5      | 31        | 169       | 100       | 0.002     |
| HRC038  | 161   | 28   | 29 | <0.5      | 33        | 207       | 93        | 0.001     |
| HRC038  | 162   | 29   | 30 | <0.5      | 48        | 237       | 105       | 0.001     |
| HRC038  | 163   | 30   | 31 | <0.5      | 52        | 185       | 106       | 0.005     |
| HRC038  | 164   | 31   | 32 | <0.5      | 42        | 198       | 89        | 0.024     |
| HRC038  | 170   | 37   | 38 | <0.5      | 46        | 206       | 93        | 0.002     |
| HRC039  | 173   | 0    | 1  | <0.5      | 26        | 107       | 62        | 0.004     |
| HRC039  | 174   | 1    | 2  | <0.5      | 40        | 121       | 99        | 0.004     |
| HRC039  | 175   | 2    | 3  | <0.5      | 45        | 169       | 100       | 0.005     |
| HRC039  | 177   | 4    | 5  | <0.5      | 70        | 161       | 102       | 0.004     |
| HRC039  | 178   | 5    | 6  | <0.5      | 76        | 175       | 114       | 0.003     |
| HRC039  | 179   | 6    | 7  | <0.5      | 70        | 212       | 207       | 0.004     |
| HRC039  | 180   | 7    | 8  | <0.5      | 70        | 218       | 150       | 0.005     |
| HRC039  | 181   | 8    | 9  | <0.5      | 60        | 121       | 166       | 0.003     |
| HRC039  | 182   | 9    | 10 | <0.5      | 64        | 198       | 147       | 0.004     |
| HRC039  | 183   | 10   | 11 | <0.5      | 45        | 163       | 118       | 0.002     |
| HRC039  | 184   | 11   | 12 | <0.5      | 54        | 162       | 126       | 0.001     |
| HRC039  | 187   | 14   | 15 | <0.5      | 58        | 211       | 136       | 0.003     |
| HRC039  | 188   | 15   | 16 | <0.5      | 60        | 198       | 112       | 0.008     |
| HRC039  | 192   | 19   | 20 | <0.5      | 52        | 279       | 100       | 0.005     |
| HRC039  | 193   | 20   | 21 | <0.5      | 52        | 224       | 106       | 0.003     |
| HRC039  | 194   | 21   | 22 | <0.5      | 48        | 239       | 100       | 0.003     |
| HRC039  | 195   | 22   | 23 | <0.5      | 56        | 237       | 92        | 0.003     |
| HRC039  | 196   | 23   | 24 | <0.5      | 46        | 241       | 95        | 0.004     |
| HRC039  | 199   | 26   | 27 | <0.5      | 49        | 245       | 106       | 0.006     |
| HRC039  | 200   | 27   | 28 | <0.5      | 45        | 213       | 102       | 0.002     |
| HRC039B | 203   | 0    | 1  | <0.5      | 61        | 46        | 123       | 0.008     |
| HRC039B | 204   | 1    | 2  | <0.5      | 90        | 95        | 103       | 0.013     |
| HRC039B | 205   | 2    | 3  | <0.5      | 76        | 106       | 122       | 0.004     |
| HRC039B | 207   | 4    | 5  | <0.5      | 28        | 66        | 55        | 0.003     |
| HRC039B | 208   | 5    | 6  | <0.5      | 49        | 164       | 101       | 0.006     |
| HRC039B | 209   | 6    | 7  | <0.5      | 44        | 127       | 123       | 0.003     |
| HRC039B | 210   | 7    | 8  | <0.5      | 46        | 142       | 122       | 0.002     |
| HRC039B | 211   | 8    | 9  | <0.5      | 57        | 109       | 111       | 0.002     |
| HRC039B | 212   | 9    | 10 | <0.5      | 62        | 144       | 113       | 0.003     |
| HRC039B | 213   | 10   | 11 | <0.5      | 62        | 190       | 101       | 0.004     |
| HRC039B | 214   | 11   | 12 | <0.5      | 38        | 135       | 96        | 0.002     |
| HRC039B | 215   | 12   | 13 | <0.5      | 33        | 108       | 122       | 0.001     |
| HRC039B | 216   | 13   | 14 | <0.5      | 34        | 107       | 156       | 0.002     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC039B | 217   | 14   | 15 | <0.5      | 21        | 88        | 91        | 0.002     |
| HRC039B | 218   | 15   | 16 | <0.5      | 35        | 119       | 97        | 0.001     |
| HRC039B | 219   | 16   | 17 | <0.5      | 33        | 145       | 107       | 0.002     |
| HRC039B | 220   | 17   | 18 | <0.5      | 31        | 135       | 117       | 0.001     |
| HRC039B | 221   | 18   | 19 | <0.5      | 21        | 81        | 95        | 0.002     |
| HRC039B | 222   | 19   | 20 | <0.5      | 58        | 146       | 50        | 0.002     |
| HRC039B | 224   | 21   | 22 | <0.5      | 38        | 162       | 102       | 0.001     |
| HRC039B | 225   | 22   | 23 | <0.5      | 43        | 200       | 105       | 0.001     |
| HRC039B | 230   | 27   | 28 | <0.5      | 46        | 173       | 111       | 0.002     |
| HRC039B | 231   | 28   | 29 | <0.5      | 46        | 196       | 114       | 0.002     |
| HRC039B | 233   | 30   | 31 | <0.5      | 46        | 185       | 140       | 0.004     |
| HRC039B | 234   | 31   | 32 | <0.5      | 45        | 189       | 117       | 0.002     |
| HRC039B | 238   | 35   | 36 | <0.5      | 44        | 204       | 122       | 0.002     |
| HRC039B | 240   | 37   | 38 | <0.5      | 45        | 200       | 116       | 0.001     |
| HRC039B | 242   | 39   | 40 | <0.5      | 48        | 220       | 103       | 0.001     |
| HRC006  | 250   | 7    | 8  | <0.5      | 52        | 74        | 91        | 0.001     |
| HRC006  | 254   | 11   | 12 | <0.5      | 62        | 101       | 87        | 0.001     |
| HRC006  | 257   | 14   | 15 | <0.5      | 56        | 92        | 88        | <0.001    |
| HRC006  | 258   | 15   | 16 | <0.5      | 58        | 91        | 85        | 0.002     |
| HRC006  | 260   | 17   | 18 | <0.5      | 57        | 88        | 92        | 0.001     |
| HRC006  | 263   | 20   | 21 | <0.5      | 50        | 84        | 103       | 0.001     |
| HRC006  | 264   | 21   | 22 | <0.5      | 56        | 97        | 118       | <0.001    |
| HRC006  | 265   | 22   | 23 | <0.5      | 56        | 93        | 211       | 0.001     |
| HRC006  | 266   | 23   | 24 | <0.5      | 51        | 93        | 202       | 0.001     |
| HRC006  | 267   | 24   | 25 | <0.5      | 50        | 99        | 154       | 0.001     |
| HRC006  | 268   | 25   | 26 | <0.5      | 52        | 90        | 112       | <0.001    |
| HRC006  | 269   | 26   | 27 | <0.5      | 52        | 99        | 121       | 0.001     |
| HRC006  | 270   | 27   | 28 | <0.5      | 46        | 65        | 100       | 0.001     |
| HRC006  | 271   | 28   | 29 | <0.5      | 59        | 75        | 106       | <0.001    |
| HRC006  | 272   | 29   | 30 | <0.5      | 77        | 53        | 105       | <0.001    |
| HRC006  | 274   | 31   | 32 | <0.5      | 55        | 100       | 113       | <0.001    |
| HRC006  | 275   | 32   | 33 | <0.5      | 30        | 34        | 67        | 0.005     |
| HRC006  | 276   | 33   | 34 | <0.5      | 54        | 198       | 107       | <0.001    |
| HRC006  | 277   | 34   | 35 | <0.5      | 50        | 102       | 90        | <0.001    |
| HRC006  | 278   | 35   | 36 | <0.5      | 58        | 98        | 100       | 0.001     |
| HRC006  | 279   | 36   | 37 | <0.5      | 50        | 100       | 113       | 0.001     |
| HRC006  | 280   | 37   | 38 | <0.5      | 52        | 89        | 103       | 0.001     |
| HRC005  | 285   | 1    | 2  | <0.5      | 54        | 240       | 110       | 0.002     |
| HRC005  | 286   | 2    | 3  | <0.5      | 49        | 246       | 107       | 0.002     |
| HRC005  | 287   | 3    | 4  | <0.5      | 57        | 268       | 121       | 0.002     |
| HRC005  | 288   | 4    | 5  | <0.5      | 81        | 39        | 119       | 0.001     |
| HRC005  | 289   | 5    | 6  | <0.5      | 42        | 28        | 72        | 0.001     |
| HRC005  | 290   | 6    | 7  | <0.5      | 50        | 220       | 103       | 0.001     |
| HRC005  | 291   | 7    | 8  | <0.5      | 44        | 248       | 92        | 0.003     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC005  | 292   | 8    | 9  | <0.5      | 50        | 242       | 109       | 0.001     |
| HRC005  | 293   | 9    | 10 | <0.5      | 54        | 224       | 121       | <0.001    |
| HRC005  | 295   | 11   | 12 | <0.5      | 57        | 240       | 146       | 0.001     |
| HRC005  | 296   | 12   | 13 | <0.5      | 53        | 229       | 150       | 0.001     |
| HRC005  | 299   | 15   | 16 | <0.5      | 51        | 189       | 145       | <0.001    |
| HRC005  | 300   | 16   | 17 | <0.5      | 50        | 195       | 147       | 0.001     |
| HRC005  | 304   | 20   | 21 | <0.5      | 44        | 122       | 137       | <0.001    |
| HRC005  | 305   | 21   | 22 | <0.5      | 39        | 139       | 124       | <0.001    |
| HRC005  | 306   | 22   | 23 | <0.5      | 34        | 225       | 166       | 0.001     |
| HRC005  | 307   | 23   | 24 | <0.5      | 39        | 168       | 157       | 0.002     |
| HRC005  | 318   | 34   | 35 | <0.5      | 33        | 19        | 108       | <0.001    |
| HRC005  | 319   | 35   | 36 | <0.5      | 45        | 82        | 138       | <0.001    |
| HRC005  | 320   | 36   | 37 | <0.5      | 47        | 166       | 147       | 0.001     |
| HRC005  | 321   | 37   | 38 | <0.5      | 44        | 178       | 143       | <0.001    |
| HRC005  | 322   | 38   | 39 | <0.5      | 50        | 185       | 154       | <0.001    |
| HRC005  | 323   | 39   | 40 | <0.5      | 46        | 146       | 137       | <0.001    |
| HRC005  | 324   | 40   | 41 | <0.5      | 48        | 193       | 155       | 0.001     |
| HRC005  | 325   | 41   | 42 | <0.5      | 42        | 182       | 170       | <0.001    |
| HRC005  | 326   | 42   | 43 | <0.5      | 41        | 121       | 122       | <0.001    |
| HRC005  | 327   | 43   | 44 | <0.5      | 45        | 91        | 135       | <0.001    |
| HRC005  | 328   | 44   | 45 | <0.5      | 45        | 55        | 120       | <0.001    |
| HRC005  | 329   | 45   | 46 | <0.5      | 45        | 82        | 122       | <0.001    |
| HRC005  | 330   | 46   | 47 | <0.5      | 41        | 142       | 116       | <0.001    |
| HRC005  | 331   | 47   | 48 | <0.5      | 44        | 108       | 128       | <0.001    |
| HRC005  | 340   | 56   | 57 | <0.5      | 49        | 34        | 82        | <0.001    |
| HRC005B | 372   | 0    | 1  | <0.5      | 46        | 67        | 108       | 0.001     |
| HRC005B | 373   | 1    | 2  | <0.5      | 44        | 71        | 97        | <0.001    |
| HRC005B | 374   | 2    | 3  | <0.5      | 49        | 175       | 100       | <0.001    |
| HRC005B | 375   | 3    | 4  | <0.5      | 45        | 106       | 97        | 0.001     |
| HRC005B | 380   | 8    | 9  | <0.5      | 58        | 160       | 113       | <0.001    |
| HRC005B | 382   | 10   | 11 | <0.5      | 46        | 52        | 110       | 0.002     |
| HRC005B | 390   | 18   | 19 | <0.5      | 46        | 204       | 239       | <0.001    |
| HRC005B | 391   | 19   | 20 | <0.5      | 50        | 260       | 153       | 0.001     |
| HRC005B | 392   | 20   | 21 | <0.5      | 44        | 195       | 144       | <0.001    |
| HRC005B | 393   | 21   | 22 | <0.5      | 42        | 39        | 115       | <0.001    |
| HRC005B | 394   | 22   | 23 | <0.5      | 44        | 41        | 102       | <0.001    |
| HRC005B | 395   | 23   | 24 | <0.5      | 48        | 43        | 109       | <0.001    |
| HRC005B | 396   | 24   | 25 | <0.5      | 46        | 32        | 115       | <0.001    |
| HRC005B | 397   | 25   | 26 | <0.5      | 51        | 353       | 68        | 0.001     |
| HRC005B | 398   | 26   | 27 | <0.5      | 44        | 21        | 54        | <0.001    |
| HRC005B | 399   | 27   | 28 | <0.5      | 43        | 18        | 63        | <0.001    |
| HRC005B | 400   | 28   | 29 | <0.5      | 42        | 23        | 72        | 0.004     |
| HRC005B | 401   | 29   | 30 | <0.5      | 42        | 22        | 64        | <0.001    |
| HRC007  | 411   | 8    | 9  | <0.5      | 69        | 103       | 173       | <0.001    |

| Hole_ID  | SAMID | FROM | TO | Ag   | Co  | Cu  | Zn  | Au     |
|----------|-------|------|----|------|-----|-----|-----|--------|
|          |       |      |    | ppm  | ppm | ppm | ppm | ppm    |
| HRC007   | 412   | 9    | 10 | <0.5 | 63  | 89  | 161 | <0.001 |
| HRC007   | 413   | 10   | 11 | <0.5 | 65  | 101 | 196 | <0.001 |
| HRC007   | 414   | 11   | 12 | <0.5 | 67  | 104 | 216 | <0.001 |
| HRC007   | 415   | 12   | 13 | <0.5 | 70  | 106 | 191 | <0.001 |
| HRC007   | 416   | 13   | 14 | <0.5 | 66  | 100 | 152 | <0.001 |
| HRC007   | 417   | 14   | 15 | <0.5 | 65  | 100 | 177 | <0.001 |
| HRC007   | 420   | 17   | 18 | <0.5 | 67  | 98  | 168 | <0.001 |
| HRC007   | 422   | 19   | 20 | <0.5 | 66  | 95  | 161 | 0.001  |
| HRC007   | 423   | 20   | 21 | <0.5 | 66  | 89  | 172 | <0.001 |
| HRC007   | 424   | 21   | 22 | <0.5 | 63  | 90  | 170 | <0.001 |
| HRC007   | 427   | 24   | 25 | <0.5 | 64  | 99  | 170 | <0.001 |
| HRC007   | 428   | 25   | 26 | <0.5 | 59  | 88  | 155 | 0.001  |
| HRC007   | 429   | 26   | 27 | 0.5  | 61  | 86  | 155 | 0.001  |
| HRC007   | 430   | 27   | 28 | <0.5 | 61  | 90  | 149 | 0.001  |
| HRC007   | 431   | 28   | 29 | <0.5 | 66  | 96  | 171 | 0.001  |
| HRC007   | 432   | 29   | 30 | <0.5 | 53  | 77  | 153 | 0.001  |
| HRC007   | 433   | 30   | 31 | <0.5 | 55  | 80  | 170 | <0.001 |
| HRC007   | 434   | 31   | 32 | <0.5 | 57  | 84  | 141 | <0.001 |
| HRC007   | 435   | 32   | 33 | <0.5 | 60  | 87  | 162 | <0.001 |
| HRC007   | 436   | 33   | 34 | <0.5 | 56  | 89  | 168 | 0.001  |
| HRC007   | 437   | 34   | 35 | <0.5 | 56  | 90  | 145 | <0.001 |
| HRC007   | 438   | 35   | 36 | <0.5 | 58  | 88  | 134 | 0.001  |
| HRC007   | 439   | 36   | 37 | <0.5 | 64  | 97  | 158 | <0.001 |
| HRC007   | 440   | 37   | 38 | <0.5 | 65  | 93  | 177 | <0.001 |
| HRC007   | 441   | 38   | 39 | <0.5 | 64  | 95  | 186 | <0.001 |
| HRC007   | 442   | 39   | 40 | <0.5 | 66  | 95  | 173 | <0.001 |
| HRC008RE | 456   | 7    | 8  | <0.5 | 75  | 116 | 167 | 0.007  |
| HRC008RE | 457   | 8    | 9  | <0.5 | 73  | 121 | 163 | 0.001  |
| HRC008RE | 458   | 9    | 10 | <0.5 | 70  | 112 | 161 | <0.001 |
| HRC008RE | 459   | 10   | 11 | <0.5 | 74  | 119 | 173 | <0.001 |
| HRC008RE | 460   | 11   | 12 | <0.5 | 74  | 117 | 167 | <0.001 |
| HRC008RE | 461   | 12   | 13 | <0.5 | 73  | 123 | 169 | 0.001  |
| HRC008RE | 462   | 13   | 14 | <0.5 | 74  | 117 | 158 | <0.001 |
| HRC008RE | 463   | 14   | 15 | <0.5 | 77  | 123 | 160 | 0.001  |
| HRC008RE | 464   | 15   | 16 | <0.5 | 73  | 122 | 160 | 0.001  |
| HRC008RE | 465   | 16   | 17 | <0.5 | 71  | 116 | 147 | 0.001  |
| HRC008RE | 466   | 17   | 18 | <0.5 | 75  | 123 | 160 | <0.001 |
| HRC008RE | 467   | 18   | 19 | <0.5 | 72  | 114 | 159 | <0.001 |
| HRC008RE | 468   | 19   | 20 | <0.5 | 70  | 118 | 143 | 0.001  |
| HRC008RE | 469   | 20   | 21 | <0.5 | 71  | 117 | 145 | 0.002  |
| HRC008RE | 470   | 21   | 22 | <0.5 | 67  | 115 | 155 | <0.001 |
| HRC008RE | 472   | 23   | 24 | <0.5 | 60  | 95  | 145 | 0.002  |
| HRC008RE | 473   | 24   | 25 | <0.5 | 63  | 102 | 185 | 0.001  |
| HRC008RE | 474   | 25   | 26 | <0.5 | 67  | 109 | 143 | <0.001 |

| Hole_ID  | SAMID | FROM | TO | Ag   | Co  | Cu  | Zn  | Au     |
|----------|-------|------|----|------|-----|-----|-----|--------|
|          |       |      |    | ppm  | ppm | ppm | ppm | ppm    |
| HRC008RE | 476   | 27   | 28 | <0.5 | 69  | 112 | 141 | 0.001  |
| HRC008RE | 477   | 28   | 29 | <0.5 | 73  | 105 | 162 | 0.001  |
| HRC008RE | 478   | 29   | 30 | <0.5 | 75  | 112 | 160 | 0.001  |
| HRC008RE | 479   | 30   | 31 | <0.5 | 73  | 113 | 186 | 0.001  |
| HRC008RE | 480   | 31   | 32 | <0.5 | 73  | 112 | 174 | <0.001 |
| HRC008RE | 482   | 33   | 34 | <0.5 | 72  | 111 | 177 | 0.001  |
| HRC008RE | 486   | 37   | 38 | <0.5 | 54  | 76  | 139 | 0.003  |
| HRC008RE | 487   | 38   | 39 | <0.5 | 67  | 97  | 172 | 0.003  |
| HRC008RE | 491   | 42   | 43 | <0.5 | 67  | 96  | 153 | <0.001 |
| HRC008RE | 493   | 44   | 45 | <0.5 | 68  | 96  | 156 | <0.001 |
| HRC008RE | 494   | 45   | 46 | <0.5 | 71  | 99  | 148 | <0.001 |
| HRC008RE | 495   | 46   | 47 | <0.5 | 72  | 103 | 142 | <0.001 |
| HRC008RE | 496   | 47   | 48 | <0.5 | 74  | 108 | 156 | <0.001 |
| HRC008RE | 497   | 48   | 49 | <0.5 | 70  | 97  | 142 | <0.001 |
| HRC008RE | 498   | 49   | 50 | <0.5 | 64  | 91  | 139 | <0.001 |
| HRC008RE | 499   | 50   | 51 | <0.5 | 63  | 89  | 147 | 0.004  |
| HRC008RE | 500   | 51   | 52 | <0.5 | 67  | 102 | 171 | <0.001 |
| HRC008RE | 501   | 52   | 53 | <0.5 | 65  | 93  | 134 | 0.002  |
| HRC008RE | 502   | 53   | 54 | <0.5 | 70  | 100 | 147 | <0.001 |
| HRC008RE | 503   | 54   | 55 | <0.5 | 66  | 99  | 146 | <0.001 |
| HRC008RE | 504   | 55   | 56 | <0.5 | 69  | 95  | 152 | <0.001 |
| HRC008RE | 505   | 56   | 57 | <0.5 | 68  | 101 | 148 | <0.001 |
| HRC008RE | 506   | 57   | 58 | <0.5 | 67  | 110 | 161 | <0.001 |
| HRC008RE | 507   | 58   | 59 | <0.5 | 69  | 106 | 167 | <0.001 |
| HRC008RE | 508   | 59   | 60 | <0.5 | 70  | 99  | 157 | <0.001 |
| HRC008RE | 509   | 60   | 61 | <0.5 | 66  | 97  | 159 | 0.001  |
| HRC008RE | 510   | 61   | 62 | <0.5 | 65  | 93  | 144 | <0.001 |
| HRC008RE | 511   | 62   | 63 | <0.5 | 66  | 92  | 140 | <0.001 |
| HRC008RE | 512   | 63   | 64 | <0.5 | 63  | 88  | 151 | <0.001 |
| HRC009   | 519   | 4    | 5  | <0.5 | 40  | 54  | 64  | 0.002  |
| HRC009   | 520   | 5    | 6  | <0.5 | 44  | 132 | 72  | 0.004  |
| HRC009   | 526   | 11   | 12 | <0.5 | 45  | 230 | 83  | 0.02   |
| HRC009   | 527   | 12   | 13 | <0.5 | 44  | 105 | 148 | 0.001  |
| HRC009   | 535   | 20   | 21 | <0.5 | 43  | 149 | 106 | 0.002  |
| HRC009   | 536   | 21   | 22 | <0.5 | 46  | 149 | 167 | 0.01   |
| HRC009   | 540   | 25   | 26 | <0.5 | 46  | 31  | 83  | <0.001 |
| HRC010   | 549   | 4    | 5  | <0.5 | 43  | 359 | 80  | 0.009  |
| HRC010   | 551   | 6    | 7  | <0.5 | 45  | 313 | 107 | 0.008  |
| HRC010   | 553   | 8    | 9  | <0.5 | 44  | 222 | 93  | 0.005  |
| HRC010   | 554   | 9    | 10 | <0.5 | 43  | 186 | 84  | 0.004  |
| HRC010   | 555   | 10   | 11 | <0.5 | 43  | 180 | 73  | 0.004  |
| HRC010   | 556   | 11   | 12 | <0.5 | 42  | 195 | 68  | 0.004  |
| HRC010   | 560   | 15   | 16 | <0.5 | 42  | 137 | 65  | 0.003  |
| HRC010   | 563   | 18   | 19 | <0.5 | 46  | 204 | 97  | 0.003  |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC010  | 568   | 23   | 24 | <0.5      | 41        | 155       | 63        | 0.004     |
| HRC010  | 569   | 24   | 25 | <0.5      | 40        | 94        | 77        | 0.003     |
| HRC010  | 573   | 28   | 29 | <0.5      | 42        | 186       | 75        | 0.003     |
| HRC010  | 574   | 29   | 30 | <0.5      | 43        | 153       | 78        | 0.003     |
| HRC010  | 575   | 30   | 31 | <0.5      | 41        | 119       | 77        | 0.002     |
| HRC010  | 580   | 35   | 36 | <0.5      | 46        | 274       | 83        | 0.003     |
| HRC010  | 583   | 38   | 39 | <0.5      | 45        | 100       | 81        | 0.001     |
| HRC010  | 584   | 39   | 40 | <0.5      | 28        | 18        | 39        | 0.003     |
| HRC010  | 585   | 40   | 41 | <0.5      | 48        | 201       | 82        | 0.001     |
| HRC010  | 595   | 50   | 51 | <0.5      | 46        | 291       | 90        | 0.002     |
| HRC010  | 596   | 51   | 52 | <0.5      | 41        | 123       | 81        | 0.001     |
| HRC010  | 597   | 52   | 53 | <0.5      | 42        | 184       | 79        | 0.001     |
| HRC010  | 598   | 53   | 54 | <0.5      | 43        | 186       | 78        | 0.017     |
| HRC010  | 599   | 54   | 55 | <0.5      | 46        | 154       | 88        | 0.001     |
| HRC010  | 600   | 55   | 56 | <0.5      | 43        | 187       | 89        | 0.028     |
| HRC010  | 601   | 56   | 57 | <0.5      | 43        | 138       | 90        | <0.001    |
| HRC010  | 602   | 57   | 58 | <0.5      | 34        | 103       | 71        | 0.001     |
| HRC010  | 603   | 58   | 59 | <0.5      | 35        | 148       | 74        | 0.006     |
| HRC010  | 604   | 59   | 60 | <0.5      | 26        | 35        | 53        | 0.004     |
| HRC013  | 605   | 0    | 1  | <0.5      | 47        | 163       | 157       | 0.003     |
| HRC013  | 606   | 1    | 2  | <0.5      | 50        | 161       | 91        | 0.003     |
| HRC013  | 607   | 2    | 3  | <0.5      | 56        | 181       | 86        | 0.016     |
| HRC013  | 610   | 5    | 6  | <0.5      | 50        | 330       | 93        | 0.001     |
| HRC013  | 613   | 8    | 9  | <0.5      | 47        | 225       | 91        | 0.003     |
| HRC013  | 615   | 10   | 11 | <0.5      | 48        | 155       | 97        | 0.001     |
| HRC013  | 620   | 15   | 16 | <0.5      | 48        | 293       | 125       | 0.002     |
| HRC013  | 621   | 16   | 17 | <0.5      | 45        | 153       | 112       | 0.001     |
| HRC013  | 624   | 19   | 20 | <0.5      | 47        | 206       | 94        | 0.001     |
| HRC013  | 625   | 20   | 21 | <0.5      | 46        | 220       | 101       | 0.001     |
| HRC013  | 626   | 21   | 22 | <0.5      | 46        | 176       | 120       | 0.001     |
| HRC013  | 627   | 22   | 23 | <0.5      | 47        | 186       | 119       | 0.001     |
| HRC013  | 628   | 23   | 24 | <0.5      | 46        | 181       | 125       | 0.001     |
| HRC013  | 629   | 24   | 25 | <0.5      | 46        | 171       | 137       | 0.001     |
| HRC013  | 630   | 25   | 26 | <0.5      | 48        | 191       | 131       | 0.002     |
| HRC013  | 633   | 28   | 29 | <0.5      | 47        | 180       | 122       | 0.001     |
| HRC013  | 634   | 29   | 30 | <0.5      | 46        | 170       | 121       | 0.002     |
| HRC013  | 635   | 30   | 31 | <0.5      | 49        | 185       | 128       | 0.001     |
| HRC013  | 636   | 31   | 32 | <0.5      | 46        | 220       | 118       | 0.001     |
| HRC013  | 637   | 32   | 33 | <0.5      | 41        | 159       | 112       | 0.001     |
| HRC013  | 638   | 33   | 34 | <0.5      | 43        | 142       | 112       | 0.001     |
| HRC013  | 639   | 34   | 35 | <0.5      | 44        | 170       | 105       | 0.001     |
| HRC013  | 640   | 35   | 36 | <0.5      | 47        | 185       | 119       | 0.001     |
| HRC013  | 641   | 36   | 37 | <0.5      | 47        | 204       | 131       | 0.001     |
| HRC014  | 647   | 4    | 5  | <0.5      | 41        | 18        | 93        | <0.001    |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC014  | 649   | 6    | 7  | <0.5      | 42        | 13        | 72        | <0.001    |
| HRC014  | 654   | 11   | 12 | <0.5      | 45        | 102       | 99        | <0.001    |
| HRC014  | 657   | 14   | 15 | <0.5      | 54        | 79        | 113       | <0.001    |
| HRC014  | 658   | 15   | 16 | <0.5      | 46        | 115       | 100       | <0.001    |
| HRC014  | 659   | 16   | 17 | <0.5      | 46        | 110       | 116       | <0.001    |
| HRC014  | 660   | 17   | 18 | <0.5      | 43        | 160       | 112       | <0.001    |
| HRC014  | 666   | 23   | 24 | <0.5      | 46        | 165       | 107       | <0.001    |
| HRC014  | 671   | 27   | 28 | <0.5      | 50        | 212       | 114       | 0.001     |
| HRC014  | 672   | 28   | 29 | <0.5      | 46        | 152       | 103       | <0.001    |
| HRC014  | 674   | 30   | 31 | <0.5      | 46        | 206       | 109       | <0.001    |
| HRC014  | 675   | 31   | 32 | <0.5      | 45        | 205       | 115       | <0.001    |
| HRC014  | 676   | 32   | 33 | <0.5      | 48        | 305       | 111       | 0.001     |
| HRC014  | 677   | 33   | 34 | <0.5      | 46        | 208       | 122       | 0.001     |
| HRC014  | 678   | 34   | 35 | <0.5      | 43        | 182       | 119       | 0.001     |
| HRC014  | 679   | 35   | 36 | <0.5      | 44        | 179       | 125       | <0.001    |
| HRC014  | 680   | 36   | 37 | <0.5      | 49        | 242       | 138       | <0.001    |
| HRC014  | 681   | 37   | 38 | <0.5      | 46        | 211       | 108       | 0.001     |
| HRC014  | 684   | 40   | 41 | <0.5      | 45        | 218       | 129       | 0.001     |
| HRC014  | 687   | 43   | 44 | <0.5      | 42        | 198       | 94        | 0.001     |
| HRC014  | 688   | 44   | 45 | <0.5      | 44        | 276       | 96        | 0.001     |
| HRC014  | 700   | 56   | 57 | <0.5      | 49        | 259       | 106       | 0.001     |
| HRC014  | 701   | 57   | 58 | <0.5      | 43        | 196       | 99        | 0.001     |
| HRC014  | 703   | 59   | 60 | <0.5      | 48        | 194       | 113       | 0.001     |
| HRC015  | 714   | 10   | 11 | <0.5      | 52        | 202       | 120       | 0.003     |
| HRC015  | 716   | 12   | 13 | <0.5      | 49        | 207       | 115       | 0.003     |
| HRC015  | 719   | 15   | 16 | <0.5      | 52        | 193       | 158       | 0.005     |
| HRC015  | 720   | 16   | 17 | <0.5      | 34        | 145       | 145       | 0.009     |
| HRC015  | 721   | 17   | 18 | <0.5      | 32        | 96        | 54        | 0.011     |
| HRC015  | 722   | 18   | 19 | <0.5      | 52        | 79        | 91        | 0.036     |
| HRC015  | 727   | 23   | 24 | <0.5      | 63        | 90        | 89        | 0.001     |
| HRC015  | 732   | 28   | 29 | <0.5      | 48        | 64        | 61        | 0.002     |
| HRC015  | 733   | 29   | 30 | <0.5      | 65        | 58        | 114       | 0.002     |
| HRC016  | 740   | 6    | 7  | <0.5      | 46        | 23        | 126       | 0.003     |
| HRC016  | 743   | 9    | 10 | <0.5      | 44        | 29        | 67        | 0.005     |
| HRC016  | 744   | 10   | 11 | <0.5      | 41        | 12        | 101       | 0.001     |
| HRC016  | 748   | 14   | 15 | <0.5      | 48        | 201       | 109       | 0.002     |
| HRC016  | 749   | 15   | 16 | <0.5      | 48        | 188       | 119       | 0.002     |
| HRC016  | 754   | 20   | 21 | <0.5      | 49        | 151       | 87        | 0.004     |
| HRC016  | 755   | 21   | 22 | <0.5      | 48        | 205       | 113       | 0.005     |
| HRC016  | 757   | 23   | 24 | <0.5      | 46        | 112       | 107       | 0.001     |
| HRC016  | 760   | 26   | 27 | <0.5      | 48        | 179       | 106       | 0.002     |
| HRC016  | 762   | 28   | 29 | <0.5      | 50        | 190       | 108       | 0.002     |
| HRC016  | 765   | 31   | 32 | <0.5      | 47        | 182       | 118       | 0.004     |
| HRC016  | 766   | 32   | 33 | <0.5      | 49        | 182       | 114       | 0.001     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC016  | 767   | 33   | 34 | <0.5      | 47        | 184       | 102       | 0.002     |
| HRC016  | 768   | 34   | 35 | <0.5      | 54        | 189       | 122       | 0.002     |
| HRC016  | 769   | 35   | 36 | <0.5      | 48        | 149       | 111       | 0.002     |
| HRC016  | 770   | 36   | 37 | <0.5      | 45        | 136       | 126       | 0.002     |
| HRC016  | 771   | 37   | 38 | <0.5      | 52        | 203       | 124       | 0.004     |
| HRC016  | 772   | 38   | 39 | <0.5      | 49        | 158       | 132       | 0.005     |
| HRC016  | 773   | 39   | 40 | <0.5      | 50        | 180       | 115       | 0.003     |
| HRC016  | 774   | 40   | 41 | <0.5      | 46        | 174       | 101       | 0.002     |
| HRC016  | 778   | 44   | 45 | <0.5      | 49        | 183       | 113       | 0.004     |
| HRC016  | 779   | 45   | 46 | <0.5      | 50        | 187       | 112       | 0.003     |
| HRC016  | 780   | 46   | 47 | <0.5      | 49        | 184       | 109       | 0.003     |
| HRC016  | 781   | 47   | 48 | <0.5      | 50        | 181       | 109       | 0.004     |
| HRC016  | 782   | 48   | 49 | <0.5      | 49        | 182       | 129       | 0.003     |
| HRC016  | 783   | 49   | 50 | <0.5      | 47        | 181       | 121       | 0.003     |
| HRC016  | 784   | 50   | 51 | <0.5      | 46        | 181       | 117       | 0.002     |
| HRC016  | 785   | 51   | 52 | <0.5      | 45        | 180       | 99        | 0.002     |
| HRC016  | 786   | 52   | 53 | <0.5      | 49        | 174       | 113       | 0.002     |
| HRC016  | 787   | 53   | 54 | <0.5      | 47        | 170       | 128       | 0.003     |
| HRC016  | 788   | 54   | 55 | <0.5      | 44        | 166       | 128       | 0.002     |
| HRC016  | 789   | 55   | 56 | <0.5      | 47        | 166       | 213       | 0.013     |
| HRC016  | 790   | 56   | 57 | <0.5      | 50        | 169       | 114       | 0.002     |
| HRC016  | 791   | 57   | 58 | <0.5      | 100       | 204       | 379       | 0.022     |
| HRC016  | 792   | 58   | 59 | <0.5      | 53        | 74        | 87        | 0.003     |
| HRC016  | 793   | 59   | 60 | <0.5      | 50        | 71        | 78        | 0.001     |
| HRC017  | 796   | 2    | 3  | <0.5      | 52        | 193       | 117       | 0.003     |
| HRC017  | 800   | 6    | 7  | <0.5      | 47        | 167       | 135       | 0.002     |
| HRC017  | 803   | 9    | 10 | <0.5      | 48        | 186       | 116       | 0.002     |
| HRC017  | 808   | 14   | 15 | <0.5      | 48        | 184       | 131       | 0.001     |
| HRC017  | 815   | 21   | 22 | <0.5      | 48        | 184       | 116       | 0.002     |
| HRC017  | 816   | 22   | 23 | <0.5      | 45        | 175       | 113       | 0.001     |
| HRC017  | 817   | 23   | 24 | <0.5      | 55        | 175       | 136       | 0.003     |
| HRC017  | 818   | 24   | 25 | <0.5      | 64        | 165       | 112       | 0.002     |
| HRC017  | 819   | 25   | 26 | <0.5      | 65        | 192       | 120       | 0.003     |
| HRC017  | 820   | 26   | 27 | <0.5      | 43        | 184       | 116       | 0.002     |
| HRC017  | 821   | 27   | 28 | <0.5      | 54        | 181       | 140       | 0.005     |
| HRC018  | 827   | 3    | 4  | <0.5      | 46        | 170       | 114       | 0.001     |
| HRC018  | 829   | 4    | 5  | <0.5      | 53        | 195       | 132       | 0.001     |
| HRC018  | 831   | 6    | 7  | <0.5      | 52        | 182       | 187       | <0.001    |
| HRC018  | 832   | 7    | 8  | <0.5      | 50        | 171       | 147       | 0.001     |
| HRC018  | 833   | 8    | 9  | <0.5      | 46        | 175       | 151       | 0.001     |
| HRC018  | 834   | 9    | 10 | <0.5      | 47        | 109       | 137       | 0.001     |
| HRC018  | 835   | 10   | 11 | <0.5      | 47        | 238       | 135       | <0.001    |
| HRC018  | 836   | 11   | 12 | <0.5      | 50        | 220       | 144       | <0.001    |
| HRC018  | 837   | 12   | 13 | <0.5      | 40        | 106       | 130       | 0.001     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC018  | 838   | 13   | 14 | <0.5      | 41        | 38        | 104       | 0.005     |
| HRC018  | 839   | 14   | 15 | <0.5      | 46        | 27        | 96        | 0.001     |
| HRC018  | 840   | 15   | 16 | <0.5      | 39        | 79        | 79        | <0.001    |
| HRC018  | 841   | 16   | 17 | <0.5      | 41        | 49        | 75        | <0.001    |
| HRC018  | 842   | 17   | 18 | <0.5      | 42        | 187       | 75        | <0.001    |
| HRC018  | 843   | 18   | 19 | <0.5      | 47        | 266       | 93        | 0.002     |
| HRC018  | 844   | 19   | 20 | <0.5      | 48        | 178       | 94        | <0.001    |
| HRC018  | 845   | 20   | 21 | <0.5      | 44        | 109       | 106       | 0.001     |
| HRC018  | 846   | 21   | 22 | <0.5      | 51        | 82        | 107       | 0.001     |
| HRC018  | 847   | 22   | 23 | <0.5      | 47        | 56        | 104       | 0.002     |
| HRC018  | 848   | 23   | 24 | <0.5      | 43        | 22        | 114       | <0.001    |
| HRC018  | 849   | 24   | 25 | <0.5      | 23        | 27        | 79        | <0.001    |
| HRC018  | 850   | 25   | 26 | <0.5      | 45        | 43        | 119       | <0.001    |
| HRC018  | 851   | 26   | 27 | <0.5      | 50        | 87        | 114       | 0.001     |
| HRC018  | 852   | 27   | 28 | <0.5      | 44        | 57        | 100       | <0.001    |
| HRC018  | 853   | 28   | 29 | <0.5      | 39        | 34        | 86        | 0.002     |
| HRC018  | 854   | 29   | 30 | <0.5      | 46        | 174       | 90        | <0.001    |
| HRC018  | 860   | 35   | 36 | <0.5      | 44        | 201       | 82        | <0.001    |
| HRC018  | 862   | 37   | 38 | <0.5      | 46        | 132       | 71        | 0.001     |
| HRC018  | 863   | 38   | 39 | <0.5      | 45        | 195       | 89        | 0.003     |
| HRC018  | 864   | 39   | 40 | <0.5      | 50        | 123       | 112       | 0.001     |
| HRC018  | 865   | 40   | 41 | <0.5      | 49        | 85        | 100       | <0.001    |
| HRC018  | 866   | 41   | 42 | <0.5      | 46        | 122       | 76        | 0.001     |
| HRC018  | 867   | 42   | 43 | <0.5      | 51        | 186       | 95        | 0.002     |
| HRC018  | 868   | 43   | 44 | <0.5      | 47        | 180       | 88        | 0.001     |
| HRC018  | 869   | 44   | 45 | <0.5      | 47        | 85        | 88        | 0.001     |
| HRC018  | 870   | 45   | 46 | <0.5      | 46        | 150       | 80        | 0.001     |
| HRC018  | 871   | 46   | 47 | <0.5      | 51        | 171       | 87        | 0.002     |
| HRC018  | 872   | 47   | 48 | <0.5      | 45        | 103       | 100       | 0.002     |
| HRC018  | 873   | 48   | 49 | <0.5      | 51        | 109       | 101       | 0.001     |
| HRC018  | 874   | 49   | 50 | <0.5      | 52        | 141       | 113       | 0.001     |
| HRC018  | 875   | 50   | 51 | <0.5      | 47        | 171       | 104       | 0.009     |
| HRC018  | 876   | 51   | 52 | <0.5      | 45        | 159       | 106       | 0.001     |
| HRC018  | 877   | 52   | 53 | <0.5      | 45        | 178       | 104       | 0.001     |
| HRC018  | 878   | 53   | 54 | <0.5      | 46        | 175       | 110       | 0.002     |
| HRC018  | 879   | 54   | 55 | <0.5      | 45        | 184       | 111       | 0.001     |
| HRC018  | 880   | 55   | 56 | <0.5      | 47        | 173       | 111       | 0.001     |
| HRC018  | 881   | 56   | 57 | <0.5      | 47        | 182       | 116       | 0.002     |
| HRC018  | 882   | 57   | 58 | <0.5      | 48        | 178       | 113       | 0.002     |
| HRC018  | 883   | 58   | 59 | <0.5      | 45        | 182       | 113       | 0.001     |
| HRC019  | 886   | 1    | 2  | <0.5      | 33        | 71        | 57        | 0.008     |
| HRC019  | 887   | 2    | 3  | <0.5      | 39        | 82        | 67        | 0.006     |
| HRC019  | 888   | 3    | 4  | <0.5      | 44        | 632       | 69        | 0.022     |
| HRC019  | 889   | 4    | 5  | <0.5      | 42        | 334       | 75        | 0.03      |

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu  | Zn  | Au     |
|---------|-------|------|----|------|-----|-----|-----|--------|
|         |       |      |    | ppm  | ppm | ppm | ppm | ppm    |
| HRC019  | 890   | 5    | 6  | <0.5 | 49  | 280 | 84  | 0.005  |
| HRC019  | 891   | 6    | 7  | <0.5 | 40  | 122 | 74  | 0.003  |
| HRC019  | 892   | 7    | 8  | <0.5 | 49  | 241 | 80  | 0.004  |
| HRC019  | 893   | 8    | 9  | <0.5 | 42  | 145 | 74  | 0.009  |
| HRC019  | 894   | 9    | 10 | <0.5 | 44  | 186 | 77  | 0.004  |
| HRC019  | 895   | 10   | 11 | <0.5 | 43  | 271 | 73  | 0.004  |
| HRC019  | 896   | 11   | 12 | <0.5 | 41  | 325 | 70  | 0.002  |
| HRC019  | 897   | 12   | 13 | <0.5 | 46  | 230 | 74  | 0.003  |
| HRC019  | 898   | 13   | 14 | <0.5 | 43  | 228 | 80  | 0.003  |
| HRC019  | 899   | 14   | 15 | <0.5 | 42  | 340 | 71  | 0.002  |
| HRC019  | 900   | 15   | 16 | <0.5 | 47  | 228 | 90  | 0.005  |
| HRC019  | 901   | 16   | 17 | <0.5 | 45  | 338 | 79  | 0.006  |
| HRC019  | 906   | 21   | 22 | <0.5 | 50  | 337 | 126 | 0.002  |
| HRC019  | 907   | 22   | 23 | <0.5 | 52  | 276 | 122 | 0.008  |
| HRC019  | 910   | 25   | 26 | <0.5 | 50  | 465 | 110 | 0.003  |
| HRC019  | 912   | 27   | 28 | <0.5 | 57  | 281 | 123 | 0.002  |
| HRC019  | 913   | 28   | 29 | <0.5 | 56  | 354 | 117 | 0.002  |
| HRC020  | 917   | 2    | 3  | <0.5 | 35  | 73  | 63  | 0.002  |
| HRC020  | 918   | 3    | 4  | <0.5 | 51  | 65  | 70  | 0.001  |
| HRC020  | 920   | 5    | 6  | <0.5 | 51  | 64  | 66  | 0.002  |
| HRC020  | 924   | 9    | 10 | <0.5 | 73  | 55  | 76  | <0.001 |
| HRC020  | 926   | 11   | 12 | <0.5 | 61  | 54  | 74  | 0.001  |
| HRC020  | 927   | 12   | 13 | <0.5 | 68  | 57  | 68  | 0.015  |
| HRC020  | 928   | 13   | 14 | <0.5 | 75  | 47  | 80  | 0.002  |
| HRC020  | 929   | 14   | 15 | <0.5 | 75  | 69  | 81  | 0.003  |
| HRC020  | 931   | 16   | 17 | <0.5 | 53  | 148 | 71  | 0.009  |
| HRC020  | 934   | 19   | 20 | <0.5 | 36  | 40  | 87  | 0.001  |
| HRC020  | 935   | 20   | 21 | <0.5 | 39  | 50  | 97  | 0.004  |
| HRC020  | 937   | 22   | 23 | <0.5 | 40  | 65  | 97  | 0.001  |
| HRC020  | 938   | 23   | 24 | <0.5 | 36  | 21  | 84  | <0.001 |
| HRC020  | 939   | 24   | 25 | <0.5 | 38  | 52  | 92  | 0.001  |
| HRC020  | 940   | 25   | 26 | <0.5 | 37  | 161 | 72  | 0.002  |
| HRC020  | 941   | 26   | 27 | <0.5 | 40  | 212 | 78  | 0.001  |
| HRC020  | 942   | 27   | 28 | <0.5 | 42  | 133 | 78  | 0.001  |
| HRC020  | 943   | 28   | 29 | <0.5 | 36  | 83  | 65  | 0.011  |
| HRC020  | 944   | 29   | 30 | <0.5 | 42  | 190 | 150 | 0.012  |
| HRC020  | 945   | 30   | 31 | <0.5 | 44  | 64  | 88  | 0.041  |
| HRC020  | 946   | 31   | 32 | <0.5 | 50  | 73  | 109 | 0.001  |
| HRC020  | 947   | 32   | 33 | <0.5 | 40  | 50  | 81  | 0.002  |
| HRC020  | 948   | 33   | 34 | <0.5 | 38  | 82  | 78  | 0.001  |
| HRC020  | 949   | 34   | 35 | <0.5 | 37  | 25  | 72  | 0.001  |
| HRC020  | 950   | 35   | 36 | <0.5 | 42  | 12  | 86  | <0.001 |
| HRC020  | 951   | 36   | 37 | <0.5 | 37  | 43  | 86  | <0.001 |
| HRC020  | 952   | 37   | 38 | <0.5 | 42  | 59  | 84  | 0.003  |

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu  | Zn  | Au     |
|---------|-------|------|----|------|-----|-----|-----|--------|
|         |       |      |    | ppm  | ppm | ppm | ppm | ppm    |
| HRC020  | 953   | 38   | 39 | <0.5 | 48  | 273 | 89  | 0.013  |
| HRC020  | 954   | 39   | 40 | <0.5 | 43  | 294 | 80  | 0.004  |
| HRC020  | 955   | 40   | 41 | <0.5 | 46  | 318 | 79  | 0.004  |
| HRC020  | 956   | 41   | 42 | <0.5 | 46  | 311 | 78  | 0.006  |
| HRC020  | 957   | 42   | 43 | <0.5 | 38  | 182 | 65  | 0.052  |
| HRC020  | 958   | 43   | 44 | <0.5 | 41  | 109 | 69  | 0.068  |
| HRC020  | 959   | 44   | 45 | <0.5 | 43  | 354 | 79  | 0.051  |
| HRC020  | 960   | 45   | 46 | <0.5 | 44  | 253 | 83  | 0.012  |
| HRC020  | 961   | 46   | 47 | <0.5 | 48  | 244 | 94  | 0.01   |
| HRC020  | 964   | 49   | 50 | <0.5 | 47  | 239 | 87  | 0.011  |
| HRC020  | 965   | 50   | 51 | <0.5 | 49  | 359 | 90  | 0.005  |
| HRC020  | 966   | 51   | 52 | <0.5 | 49  | 436 | 95  | 0.003  |
| HRC020  | 967   | 52   | 53 | <0.5 | 45  | 299 | 89  | 0.002  |
| HRC020  | 968   | 53   | 54 | <0.5 | 48  | 482 | 91  | 0.005  |
| HRC020  | 969   | 54   | 55 | <0.5 | 42  | 198 | 100 | 0.003  |
| HRC020  | 970   | 55   | 56 | <0.5 | 45  | 197 | 100 | 0.002  |
| HRC020  | 971   | 56   | 57 | <0.5 | 48  | 249 | 103 | 0.002  |
| HRC020  | 972   | 57   | 58 | <0.5 | 49  | 467 | 113 | 0.003  |
| HRC020  | 973   | 58   | 59 | <0.5 | 50  | 417 | 130 | 0.003  |
| HRC020  | 974   | 59   | 60 | <0.5 | 50  | 483 | 155 | 0.005  |
| HRC027  | 980   | 5    | 6  | <0.5 | 66  | 200 | 199 | 0.002  |
| HRC027  | 986   | 11   | 12 | <0.5 | 50  | 189 | 122 | <0.001 |
| HRC027  | 991   | 16   | 17 | <0.5 | 50  | 188 | 150 | <0.001 |
| HRC027  | 994   | 19   | 20 | <0.5 | 51  | 186 | 143 | 0.003  |
| HRC027  | 996   | 21   | 22 | <0.5 | 59  | 197 | 153 | <0.001 |
| HRC027  | 997   | 22   | 23 | <0.5 | 57  | 193 | 145 | <0.001 |
| HRC027  | 998   | 23   | 24 | <0.5 | 51  | 186 | 124 | 0.001  |
| HRC027  | 1000  | 25   | 26 | <0.5 | 66  | 196 | 169 | 0.001  |
| HRC027  | 1012  | 37   | 38 | <0.5 | 79  | 63  | 132 | 0.002  |
| HRC027  | 1016  | 41   | 42 | <0.5 | 62  | 65  | 87  | <0.001 |
| HRC027  | 1017  | 42   | 43 | <0.5 | 84  | 70  | 111 | <0.001 |
| HRC027  | 1018  | 43   | 44 | <0.5 | 51  | 61  | 78  | <0.001 |
| HRC027  | 1020  | 45   | 46 | <0.5 | 75  | 62  | 116 | <0.001 |
| HRC027  | 1021  | 46   | 47 | <0.5 | 61  | 27  | 92  | 0.005  |
| HRC027  | 1022  | 47   | 48 | <0.5 | 63  | 78  | 59  | <0.001 |
| HRC027  | 1023  | 48   | 49 | <0.5 | 67  | 71  | 84  | <0.001 |
| HRC027  | 1024  | 49   | 50 | <0.5 | 61  | 91  | 78  | <0.001 |
| HRC027  | 1025  | 50   | 51 | <0.5 | 66  | 90  | 95  | 0.001  |
| HRC027  | 1026  | 51   | 52 | <0.5 | 59  | 92  | 77  | 0.001  |
| HRC027  | 1027  | 52   | 53 | <0.5 | 62  | 57  | 80  | 0.003  |
| HRC027  | 1028  | 53   | 54 | <0.5 | 59  | 69  | 76  | <0.001 |
| HRC027  | 1029  | 54   | 55 | <0.5 | 59  | 84  | 87  | <0.001 |
| HRC027  | 1030  | 55   | 56 | <0.5 | 83  | 93  | 104 | <0.001 |
| HRC027  | 1031  | 56   | 57 | <0.5 | 52  | 91  | 71  | 0.001  |

| Hole_ID | SAMID | FROM | TO  | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|-----|-----------|-----------|-----------|-----------|-----------|
| HRC027  | 1032  | 57   | 58  | <0.5      | 62        | 74        | 77        | 0.001     |
| HRC027  | 1033  | 58   | 59  | <0.5      | 63        | 79        | 76        | 0.001     |
| HRC027  | 1034  | 59   | 60  | <0.5      | 62        | 84        | 80        | 0.001     |
| HRC027  | 1035  | 60   | 61  | <0.5      | 66        | 72        | 79        | 0.004     |
| HRC027  | 1036  | 61   | 62  | <0.5      | 73        | 79        | 85        | 0.002     |
| HRC027  | 1037  | 62   | 63  | <0.5      | 78        | 103       | 94        | 0.005     |
| HRC027  | 1038  | 63   | 64  | <0.5      | 70        | 71        | 98        | 0.002     |
| HRC027  | 1039  | 64   | 65  | <0.5      | 53        | 60        | 77        | 0.002     |
| HRC027  | 1040  | 65   | 66  | <0.5      | 57        | 69        | 73        | 0.002     |
| HRC027  | 1041  | 66   | 67  | <0.5      | 53        | 68        | 73        | 0.003     |
| HRC027  | 1042  | 67   | 68  | <0.5      | 59        | 66        | 96        | 0.001     |
| HRC027  | 1043  | 68   | 69  | <0.5      | 44        | 36        | 65        | 0.001     |
| HRC027  | 1044  | 69   | 70  | <0.5      | 50        | 66        | 76        | 0.003     |
| HRC027  | 1045  | 70   | 71  | <0.5      | 58        | 76        | 96        | 0.003     |
| HRC027  | 1046  | 71   | 72  | <0.5      | 61        | 63        | 99        | 0.001     |
| HRC027  | 1047  | 72   | 73  | <0.5      | 52        | 64        | 105       | 0.001     |
| HRC027  | 1048  | 73   | 74  | <0.5      | 53        | 70        | 97        | 0.001     |
| HRC027  | 1049  | 74   | 75  | <0.5      | 50        | 69        | 248       | 0.002     |
| HRC027  | 1050  | 75   | 76  | <0.5      | 49        | 58        | 88        | <0.001    |
| HRC027  | 1051  | 76   | 77  | <0.5      | 47        | 52        | 69        | <0.001    |
| HRC027  | 1052  | 77   | 78  | <0.5      | 47        | 64        | 66        | 0.001     |
| HRC027  | 1053  | 78   | 79  | <0.5      | 50        | 68        | 84        | 0.001     |
| HRC027  | 1054  | 79   | 80  | <0.5      | 47        | 62        | 67        | 0.006     |
| HRC027  | 1055  | 80   | 81  | <0.5      | 44        | 57        | 62        | 0.003     |
| HRC027  | 1056  | 81   | 82  | <0.5      | 50        | 64        | 68        | 0.006     |
| HRC027  | 1057  | 82   | 83  | <0.5      | 48        | 64        | 64        | <0.001    |
| HRC027  | 1058  | 83   | 84  | <0.5      | 45        | 63        | 62        | 0.003     |
| HRC027  | 1059  | 84   | 85  | <0.5      | 45        | 66        | 65        | 0.011     |
| HRC027  | 1060  | 85   | 86  | <0.5      | 47        | 51        | 69        | 0.004     |
| HRC027  | 1061  | 86   | 87  | <0.5      | 48        | 71        | 75        | 0.002     |
| HRC027  | 1062  | 87   | 88  | <0.5      | 46        | 68        | 61        | 0.001     |
| HRC027  | 1063  | 88   | 89  | <0.5      | 45        | 53        | 64        | 0.002     |
| HRC027  | 1064  | 89   | 90  | <0.5      | 45        | 61        | 60        | 0.001     |
| HRC027  | 1065  | 90   | 91  | <0.5      | 38        | 58        | 58        | 0.002     |
| HRC027  | 1066  | 91   | 92  | <0.5      | 40        | 56        | 65        | 0.004     |
| HRC027  | 1067  | 92   | 93  | <0.5      | 39        | 52        | 63        | 0.003     |
| HRC027  | 1068  | 93   | 94  | <0.5      | 43        | 62        | 67        | 0.005     |
| HRC027  | 1069  | 94   | 95  | <0.5      | 43        | 61        | 67        | 0.004     |
| HRC027  | 1070  | 95   | 96  | <0.5      | 42        | 61        | 60        | 0.004     |
| HRC027  | 1071  | 96   | 97  | <0.5      | 44        | 57        | 56        | 0.004     |
| HRC027  | 1072  | 97   | 98  | <0.5      | 42        | 51        | 56        | 0.001     |
| HRC027  | 1073  | 98   | 99  | <0.5      | 43        | 45        | 61        | 0.001     |
| HRC027  | 1074  | 99   | 100 | <0.5      | 47        | 63        | 58        | 0.002     |
| HRC021  | 1075  | 0    | 1   | <0.5      | 53        | 170       | 111       | <0.001    |

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu  | Zn  | Au     |
|---------|-------|------|----|------|-----|-----|-----|--------|
|         |       |      |    | ppm  | ppm | ppm | ppm | ppm    |
| HRC021  | 1078  | 3    | 4  | <0.5 | 51  | 182 | 117 | 0.001  |
| HRC021  | 1080  | 5    | 6  | <0.5 | 48  | 192 | 90  | 0.005  |
| HRC021  | 1091  | 16   | 17 | <0.5 | 54  | 207 | 94  | 0.001  |
| HRC021  | 1094  | 19   | 20 | <0.5 | 49  | 201 | 106 | <0.001 |
| HRC021  | 1096  | 21   | 22 | <0.5 | 52  | 236 | 97  | 0.001  |
| HRC021  | 1098  | 23   | 24 | <0.5 | 52  | 229 | 96  | 0.001  |
| HRC021  | 1099  | 24   | 25 | <0.5 | 50  | 198 | 101 | <0.001 |
| HRC021  | 1100  | 25   | 26 | <0.5 | 48  | 180 | 96  | <0.001 |
| HRC021  | 1101  | 26   | 27 | <0.5 | 49  | 224 | 97  | <0.001 |
| HRC021  | 1102  | 27   | 28 | <0.5 | 51  | 258 | 93  | <0.001 |
| HRC021  | 1103  | 28   | 29 | <0.5 | 53  | 299 | 103 | <0.001 |
| HRC022  | 1114  | 9    | 10 | <0.5 | 47  | 99  | 92  | 0.002  |
| HRC022  | 1117  | 12   | 13 | <0.5 | 50  | 89  | 88  | 0.006  |
| HRC022  | 1119  | 14   | 15 | <0.5 | 52  | 97  | 95  | 0.002  |
| HRC022  | 1120  | 15   | 16 | <0.5 | 51  | 200 | 103 | 0.003  |
| HRC022  | 1121  | 16   | 17 | <0.5 | 43  | 91  | 90  | 0.002  |
| HRC022  | 1122  | 17   | 18 | <0.5 | 51  | 207 | 99  | 0.001  |
| HRC022  | 1123  | 18   | 19 | <0.5 | 47  | 184 | 108 | 0.007  |
| HRC022  | 1124  | 19   | 20 | <0.5 | 52  | 94  | 101 | 0.003  |
| HRC022  | 1125  | 20   | 21 | <0.5 | 43  | 113 | 84  | 0.005  |
| HRC022  | 1126  | 21   | 22 | <0.5 | 46  | 119 | 91  | 0.009  |
| HRC022  | 1127  | 22   | 23 | <0.5 | 49  | 129 | 89  | 0.007  |
| HRC022  | 1128  | 23   | 24 | <0.5 | 45  | 119 | 85  | 0.003  |
| HRC022  | 1129  | 24   | 25 | <0.5 | 53  | 226 | 92  | 0.004  |
| HRC022  | 1130  | 25   | 26 | <0.5 | 57  | 265 | 85  | 0.003  |
| HRC022  | 1131  | 26   | 27 | <0.5 | 59  | 263 | 94  | 0.006  |
| HRC022  | 1132  | 27   | 28 | <0.5 | 54  | 111 | 86  | 0.009  |
| HRC022  | 1133  | 28   | 29 | <0.5 | 50  | 126 | 81  | 0.003  |
| HRC022  | 1134  | 29   | 30 | <0.5 | 48  | 67  | 68  | 0.002  |
| HRC022  | 1135  | 30   | 31 | <0.5 | 46  | 79  | 64  | 0.002  |
| HRC022  | 1136  | 31   | 32 | <0.5 | 54  | 111 | 71  | 0.002  |
| HRC022  | 1137  | 32   | 33 | <0.5 | 49  | 83  | 68  | 0.002  |
| HRC022  | 1138  | 33   | 34 | <0.5 | 53  | 200 | 88  | 0.004  |
| HRC022  | 1139  | 34   | 35 | <0.5 | 56  | 229 | 98  | 0.005  |
| HRC022  | 1140  | 35   | 36 | <0.5 | 53  | 200 | 113 | 0.002  |
| HRC022  | 1141  | 36   | 37 | <0.5 | 55  | 264 | 118 | 0.003  |
| HRC022  | 1142  | 37   | 38 | <0.5 | 50  | 206 | 100 | 0.005  |
| HRC022  | 1143  | 38   | 39 | <0.5 | 51  | 207 | 102 | 0.005  |
| HRC022  | 1144  | 39   | 40 | <0.5 | 54  | 222 | 99  | 0.001  |
| HRC022  | 1145  | 40   | 41 | <0.5 | 52  | 203 | 105 | 0.005  |
| HRC022  | 1146  | 41   | 42 | <0.5 | 56  | 247 | 100 | 0.001  |
| HRC022  | 1147  | 42   | 43 | <0.5 | 52  | 203 | 103 | 0.022  |
| HRC022  | 1148  | 43   | 44 | <0.5 | 60  | 250 | 114 | 0.002  |
| HRC022  | 1149  | 44   | 45 | <0.5 | 61  | 275 | 117 | 0.002  |

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu   | Zn   | Au     |
|---------|-------|------|----|------|-----|------|------|--------|
|         |       |      |    | ppm  | ppm | ppm  | ppm  | ppm    |
| HRC022  | 1150  | 45   | 46 | <0.5 | 59  | 259  | 101  | 0.002  |
| HRC022  | 1151  | 46   | 47 | <0.5 | 31  | 118  | 52   | 0.002  |
| HRC022  | 1152  | 47   | 48 | <0.5 | 25  | 112  | 89   | 0.011  |
| HRC022  | 1153  | 48   | 49 | <0.5 | 53  | 192  | 106  | 0.004  |
| HRC022  | 1154  | 49   | 50 | <0.5 | 61  | 363  | 108  | 0.004  |
| HRC022  | 1155  | 50   | 51 | <0.5 | 55  | 183  | 96   | 0.003  |
| HRC022  | 1156  | 51   | 52 | <0.5 | 52  | 211  | 91   | 0.002  |
| HRC022  | 1157  | 52   | 53 | <0.5 | 50  | 199  | 92   | 0.004  |
| HRC022  | 1158  | 53   | 54 | <0.5 | 53  | 187  | 87   | 0.002  |
| HRC022  | 1159  | 54   | 55 | <0.5 | 47  | 187  | 139  | 0.001  |
| HRC022  | 1160  | 55   | 56 | <0.5 | 49  | 180  | 114  | 0.002  |
| HRC022  | 1161  | 56   | 57 | <0.5 | 49  | 194  | 97   | 0.005  |
| HRC022  | 1162  | 57   | 58 | <0.5 | 54  | 210  | 101  | 0.002  |
| HRC022  | 1163  | 58   | 59 | <0.5 | 51  | 195  | 104  | 0.005  |
| HRC022  | 1164  | 59   | 60 | <0.5 | 48  | 184  | 115  | 0.003  |
| HRC022  | 1165  | 60   | 61 | <0.5 | 47  | 186  | 135  | 0.002  |
| HRC022  | 1166  | 61   | 62 | <0.5 | 47  | 199  | 121  | 0.001  |
| HRC022  | 1167  | 62   | 63 | <0.5 | 51  | 186  | 125  | 0.004  |
| HRC022  | 1168  | 63   | 64 | <0.5 | 51  | 197  | 88   | 0.003  |
| HRC022  | 1169  | 64   | 65 | <0.5 | 58  | 195  | 76   | 0.002  |
| HRC022  | 1170  | 65   | 66 | <0.5 | 50  | 180  | 85   | 0.002  |
| HRC022  | 1171  | 66   | 67 | <0.5 | 49  | 185  | 95   | 0.002  |
| HRC022  | 1172  | 67   | 68 | <0.5 | 45  | 177  | 137  | 0.003  |
| HRC022  | 1173  | 68   | 69 | <0.5 | 47  | 181  | 240  | 0.006  |
| HRC022  | 1174  | 69   | 70 | <0.5 | 49  | 188  | 189  | 0.003  |
| HRC022  | 1175  | 70   | 71 | <0.5 | 51  | 190  | 247  | 0.007  |
| HRC022  | 1176  | 71   | 72 | <0.5 | 49  | 190  | 184  | 0.006  |
| HRC022  | 1177  | 72   | 73 | <0.5 | 49  | 187  | 253  | 0.004  |
| HRC022  | 1178  | 73   | 74 | <0.5 | 46  | 177  | 201  | 0.003  |
| HRC022  | 1179  | 74   | 75 | <0.5 | 57  | 200  | 133  | 0.003  |
| HRC022  | 1180  | 75   | 76 | <0.5 | 39  | 157  | 98   | 0.005  |
| HRC022  | 1181  | 76   | 77 | <0.5 | 53  | 203  | 117  | 0.002  |
| HRC022  | 1182  | 77   | 78 | <0.5 | 52  | 205  | 117  | 0.002  |
| HRC022  | 1183  | 78   | 79 | <0.5 | 53  | 393  | 159  | 0.004  |
| HRC022  | 1184  | 79   | 80 | <0.5 | 42  | 251  | 828  | 0.003  |
| HRC022  | 1185  | 80   | 81 | 0.5  | 48  | 203  | 256  | 0.001  |
| HRC022  | 1186  | 81   | 82 | 0.6  | 45  | 193  | 152  | 0.004  |
| HRC022  | 1187  | 82   | 83 | 1.6  | 52  | 402  | 2690 | 0.081  |
| HRC022  | 1188  | 83   | 84 | 21.7 | 349 | 7440 | 4150 | 0.142  |
| HRC022  | 1189  | 84   | 85 | <0.5 | 57  | 85   | 102  | 0.001  |
| HRC022  | 1190  | 85   | 86 | <0.5 | 57  | 84   | 105  | 0.002  |
| HRC023  | 1200  | 5    | 6  | <0.5 | 57  | 245  | 126  | 0.001  |
| HRC023  | 1201  | 6    | 7  | <0.5 | 56  | 184  | 108  | 0.001  |
| HRC023  | 1206  | 11   | 12 | <0.5 | 61  | 156  | 121  | <0.001 |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC023  | 1207  | 12   | 13 | <0.5      | 52        | 155       | 109       | 0.001     |
| HRC023  | 1219  | 24   | 25 | <0.5      | 53        | 194       | 148       | 0.001     |
| HRC023  | 1220  | 25   | 26 | <0.5      | 54        | 192       | 135       | <0.001    |
| HRC023  | 1221  | 26   | 27 | <0.5      | 59        | 172       | 131       | 0.001     |
| HRC023  | 1222  | 27   | 28 | <0.5      | 56        | 161       | 127       | <0.001    |
| HRC023  | 1223  | 28   | 29 | <0.5      | 52        | 175       | 112       | <0.001    |
| HRC023  | 1224  | 29   | 30 | <0.5      | 53        | 188       | 117       | 0.002     |
| HRC023  | 1225  | 30   | 31 | <0.5      | 47        | 230       | 119       | 0.001     |
| HRC023  | 1226  | 31   | 32 | <0.5      | 54        | 225       | 113       | <0.001    |
| HRC023  | 1227  | 32   | 33 | <0.5      | 58        | 205       | 117       | <0.001    |
| HRC023  | 1230  | 35   | 36 | <0.5      | 61        | 181       | 121       | 0.001     |
| HRC023  | 1231  | 36   | 37 | <0.5      | 55        | 120       | 125       | <0.001    |
| HRC023  | 1233  | 38   | 39 | <0.5      | 54        | 218       | 132       | 0.001     |
| HRC023  | 1234  | 39   | 40 | <0.5      | 54        | 200       | 125       | <0.001    |
| HRC023  | 1235  | 40   | 41 | <0.5      | 54        | 154       | 123       | <0.001    |
| HRC023  | 1236  | 41   | 42 | <0.5      | 50        | 138       | 113       | <0.001    |
| HRC023  | 1237  | 42   | 43 | <0.5      | 51        | 166       | 151       | <0.001    |
| HRC023  | 1238  | 43   | 44 | <0.5      | 55        | 167       | 96        | <0.001    |
| HRC023  | 1239  | 44   | 45 | <0.5      | 48        | 189       | 98        | <0.001    |
| HRC023  | 1240  | 45   | 46 | <0.5      | 53        | 210       | 107       | <0.001    |
| HRC023  | 1241  | 46   | 47 | <0.5      | 161       | 164       | 111       | <0.001    |
| HRC023  | 1242  | 47   | 48 | <0.5      | 52        | 210       | 109       | <0.001    |
| HRC023  | 1244  | 49   | 50 | <0.5      | 51        | 198       | 109       | <0.001    |
| HRC024  | 1245  | 0    | 1  | <0.5      | 49        | 178       | 132       | 0.002     |
| HRC024  | 1246  | 1    | 2  | <0.5      | 44        | 136       | 111       | 0.002     |
| HRC024  | 1247  | 2    | 3  | <0.5      | 53        | 147       | 97        | <0.001    |
| HRC024  | 1248  | 3    | 4  | <0.5      | 48        | 84        | 96        | 0.001     |
| HRC024  | 1250  | 5    | 6  | <0.5      | 51        | 58        | 104       | <0.001    |
| HRC024  | 1254  | 9    | 10 | <0.5      | 50        | 181       | 99        | 0.001     |
| HRC024  | 1255  | 10   | 11 | <0.5      | 51        | 161       | 117       | <0.001    |
| HRC024  | 1256  | 11   | 12 | <0.5      | 52        | 148       | 118       | <0.001    |
| HRC024  | 1257  | 12   | 13 | <0.5      | 50        | 197       | 105       | <0.001    |
| HRC024  | 1258  | 13   | 14 | <0.5      | 48        | 110       | 94        | 0.002     |
| HRC024  | 1260  | 15   | 16 | <0.5      | 55        | 434       | 97        | 0.002     |
| HRC024  | 1261  | 16   | 17 | <0.5      | 48        | 118       | 95        | <0.001    |
| HRC024  | 1262  | 17   | 18 | <0.5      | 54        | 221       | 105       | 0.001     |
| HRC024  | 1263  | 18   | 19 | <0.5      | 55        | 256       | 309       | <0.001    |
| HRC024  | 1267  | 22   | 23 | <0.5      | 52        | 185       | 124       | 0.001     |
| HRC024  | 1268  | 23   | 24 | <0.5      | 51        | 194       | 130       | <0.001    |
| HRC024  | 1269  | 24   | 25 | <0.5      | 56        | 199       | 144       | <0.001    |
| HRC024  | 1271  | 26   | 27 | <0.5      | 55        | 186       | 118       | <0.001    |
| HRC024  | 1272  | 27   | 28 | <0.5      | 51        | 176       | 118       | 0.002     |
| HRC024  | 1273  | 28   | 29 | <0.5      | 49        | 204       | 107       | <0.001    |
| HRC024  | 1274  | 29   | 30 | <0.5      | 52        | 189       | 113       | 0.001     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC024  | 1275  | 30   | 31 | <0.5      | 51        | 192       | 92        | 0.003     |
| HRC024  | 1279  | 34   | 35 | <0.5      | 53        | 177       | 79        | <0.001    |
| HRC024  | 1280  | 35   | 36 | <0.5      | 53        | 153       | 81        | <0.001    |
| HRC024  | 1281  | 36   | 37 | <0.5      | 52        | 165       | 89        | 0.001     |
| HRC024  | 1282  | 37   | 38 | <0.5      | 52        | 127       | 90        | <0.001    |
| HRC024  | 1283  | 38   | 39 | <0.5      | 47        | 179       | 100       | 0.001     |
| HRC024  | 1284  | 39   | 40 | <0.5      | 52        | 205       | 123       | <0.001    |
| HRC024  | 1285  | 40   | 41 | <0.5      | 54        | 223       | 127       | 0.001     |
| HRC024  | 1286  | 41   | 42 | <0.5      | 54        | 188       | 124       | 0.002     |
| HRC024  | 1287  | 42   | 43 | <0.5      | 48        | 178       | 141       | <0.001    |
| HRC024  | 1288  | 43   | 44 | <0.5      | 50        | 187       | 133       | 0.006     |
| HRC024  | 1289  | 44   | 45 | <0.5      | 50        | 184       | 146       | 0.003     |
| HRC024  | 1290  | 45   | 46 | <0.5      | 51        | 178       | 138       | <0.001    |
| HRC024  | 1291  | 46   | 47 | <0.5      | 49        | 178       | 125       | 0.001     |
| HRC024  | 1292  | 47   | 48 | <0.5      | 48        | 191       | 164       | 0.001     |
| HRC024  | 1293  | 48   | 49 | <0.5      | 54        | 177       | 224       | 0.001     |
| HRC025  | 1297  | 3    | 4  | <0.5      | 54        | 213       | 128       | <0.001    |
| HRC025  | 1300  | 6    | 7  | <0.5      | 55        | 223       | 168       | 0.002     |
| HRC025  | 1306  | 12   | 13 | <0.5      | 50        | 239       | 262       | 0.004     |
| HRC025  | 1313  | 19   | 20 | <0.5      | 60        | 175       | 275       | 0.003     |
| HRC025  | 1314  | 20   | 21 | <0.5      | 53        | 162       | 411       | 0.013     |
| HRC025  | 1319  | 25   | 26 | <0.5      | 78        | 102       | 381       | 0.003     |
| HRC025  | 1320  | 26   | 27 | <0.5      | 94        | 98        | 376       | 0.002     |
| HRC025  | 1324  | 30   | 31 | <0.5      | 85        | 128       | 227       | 0.004     |
| HRC025  | 1325  | 31   | 32 | <0.5      | 53        | 65        | 133       | 0.002     |
| HRC025  | 1326  | 32   | 33 | <0.5      | 71        | 98        | 156       | 0.003     |
| HRC025  | 1329  | 35   | 36 | <0.5      | 69        | 88        | 114       | 0.004     |
| HRC028  | 1337  | 7    | 8  | <0.5      | 46        | 99        | 100       | 0.001     |
| HRC028  | 1338  | 8    | 9  | <0.5      | 50        | 84        | 105       | 0.008     |
| HRC028  | 1340  | 10   | 11 | <0.5      | 42        | 68        | 97        | 0.015     |
| HRC028  | 1347  | 17   | 18 | <0.5      | 59        | 70        | 87        | 0.003     |
| HRC028  | 1348  | 18   | 19 | <0.5      | 57        | 67        | 95        | 0.006     |
| HRC028  | 1349  | 19   | 20 | <0.5      | 44        | 59        | 87        | 0.003     |
| HRC028  | 1350  | 20   | 21 | <0.5      | 44        | 62        | 89        | 0.005     |
| HRC028  | 1351  | 21   | 22 | <0.5      | 54        | 65        | 101       | 0.005     |
| HRC028  | 1360  | 30   | 31 | <0.5      | 49        | 90        | 126       | 0.013     |
| HRC028  | 1361  | 31   | 32 | <0.5      | 45        | 60        | 88        | 0.012     |
| HRC028  | 1362  | 32   | 33 | <0.5      | 50        | 63        | 83        | 0.008     |
| HRC028  | 1363  | 33   | 34 | <0.5      | 59        | 76        | 105       | 0.007     |
| HRC028  | 1364  | 34   | 35 | <0.5      | 48        | 74        | 99        | 0.002     |
| HRC028  | 1365  | 35   | 36 | <0.5      | 50        | 70        | 116       | 0.007     |
| HRC030  | 1371  | 5    | 6  | <0.5      | 50        | 130       | 113       | <0.001    |
| HRC030  | 1372  | 6    | 7  | <0.5      | 51        | 179       | 124       | <0.001    |
| HRC030  | 1373  | 7    | 8  | <0.5      | 57        | 170       | 120       | <0.001    |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC030  | 1376  | 10   | 11 | <0.5      | 51        | 48        | 113       | <0.001    |
| HRC030  | 1380  | 14   | 15 | <0.5      | 52        | 154       | 104       | <0.001    |
| HRC030  | 1390  | 24   | 25 | <0.5      | 46        | 125       | 86        | 0.004     |
| HRC030  | 1391  | 25   | 26 | <0.5      | 50        | 179       | 83        | 0.001     |
| HRC030  | 1392  | 26   | 27 | <0.5      | 47        | 88        | 87        | <0.001    |
| HRC030  | 1393  | 27   | 28 | <0.5      | 50        | 125       | 92        | 0.001     |
| HRC030  | 1394  | 28   | 29 | <0.5      | 52        | 235       | 98        | 0.003     |
| HRC030  | 1395  | 29   | 30 | <0.5      | 51        | 216       | 104       | 0.004     |
| HRC030  | 1396  | 30   | 31 | <0.5      | 53        | 267       | 112       | 0.005     |
| HRC030  | 1397  | 31   | 32 | <0.5      | 54        | 361       | 115       | 0.001     |
| HRC030  | 1398  | 32   | 33 | <0.5      | 53        | 253       | 126       | 0.001     |
| HRC030  | 1399  | 33   | 34 | <0.5      | 49        | 343       | 113       | 0.005     |
| HRC030  | 1400  | 34   | 35 | <0.5      | 52        | 219       | 103       | 0.006     |
| HRC032  | 1410  | 8    | 9  | <0.5      | 76        | 485       | 224       | 0.004     |
| HRC032  | 1412  | 10   | 11 | <0.5      | 147       | 264       | 411       | 0.003     |
| HRC032  | 1418  | 16   | 17 | <0.5      | 58        | 333       | 505       | 0.006     |
| HRC032  | 1419  | 17   | 18 | <0.5      | 56        | 342       | 327       | 0.007     |
| HRC032  | 1420  | 18   | 19 | <0.5      | 43        | 307       | 294       | 0.04      |
| HRC032  | 1421  | 19   | 20 | <0.5      | 44        | 308       | 277       | 0.004     |
| HRC032  | 1426  | 24   | 25 | <0.5      | 41        | 265       | 277       | 0.009     |
| HRC032  | 1428  | 26   | 27 | <0.5      | 74        | 186       | 170       | 0.001     |
| HRC032  | 1429  | 27   | 28 | <0.5      | 62        | 216       | 230       | 0.002     |
| HRC032  | 1430  | 28   | 29 | <0.5      | 46        | 184       | 211       | 0.375     |
| HRC032  | 1431  | 29   | 30 | <0.5      | 71        | 142       | 364       | 0.024     |
| HRC032  | 1432  | 30   | 31 | <0.5      | 92        | 119       | 387       | 0.013     |
| HRC032  | 1433  | 31   | 32 | <0.5      | 88        | 106       | 294       | 0.008     |
| HRC032  | 1434  | 32   | 33 | <0.5      | 80        | 98        | 296       | 0.005     |
| HRC032  | 1435  | 33   | 34 | <0.5      | 95        | 82        | 317       | 0.004     |
| HRC032  | 1436  | 34   | 35 | <0.5      | 94        | 93        | 316       | 0.001     |
| HRC032  | 1437  | 35   | 36 | <0.5      | 80        | 91        | 251       | 0.001     |
| HRC032  | 1438  | 36   | 37 | <0.5      | 87        | 115       | 215       | 0.002     |
| HRC032  | 1439  | 37   | 38 | <0.5      | 75        | 85        | 171       | 0.005     |
| HRC032  | 1440  | 38   | 39 | <0.5      | 67        | 90        | 186       | 0.004     |
| HRC032  | 1441  | 39   | 40 | <0.5      | 56        | 59        | 160       | 0.002     |
| HRC032  | 1442  | 40   | 41 | <0.5      | 61        | 68        | 148       | 0.002     |
| HRC032  | 1443  | 41   | 42 | <0.5      | 57        | 76        | 154       | 0.015     |
| HRC032  | 1444  | 42   | 43 | <0.5      | 64        | 104       | 285       | 0.001     |
| HRC032  | 1445  | 43   | 44 | <0.5      | 67        | 97        | 215       | 0.003     |
| HRC032  | 1446  | 44   | 45 | <0.5      | 64        | 87        | 146       | 0.001     |
| HRC032  | 1447  | 45   | 46 | <0.5      | 66        | 107       | 123       | 0.001     |
| HRC032  | 1448  | 46   | 47 | <0.5      | 63        | 77        | 104       | 0.004     |
| HRC032  | 1449  | 47   | 48 | <0.5      | 64        | 68        | 97        | 0.003     |
| HRC032  | 1450  | 48   | 49 | <0.5      | 65        | 65        | 114       | 0.002     |
| HRC032  | 1451  | 49   | 50 | <0.5      | 61        | 76        | 102       | 0.005     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC032  | 1452  | 50   | 51 | <0.5      | 65        | 71        | 106       | 0.003     |
| HRC032  | 1453  | 51   | 52 | <0.5      | 55        | 75        | 90        | 0.003     |
| HRC032  | 1454  | 52   | 53 | <0.5      | 59        | 68        | 100       | 0.004     |
| HRC032  | 1455  | 53   | 54 | <0.5      | 57        | 75        | 99        | 0.004     |
| HRC032  | 1456  | 54   | 55 | <0.5      | 63        | 70        | 136       | 0.006     |
| HRC032  | 1457  | 55   | 56 | <0.5      | 55        | 67        | 101       | 0.009     |
| HRC032  | 1458  | 56   | 57 | <0.5      | 62        | 91        | 116       | 0.009     |
| HRC032  | 1459  | 57   | 58 | <0.5      | 51        | 69        | 89        | 0.004     |
| HRC032  | 1460  | 58   | 59 | <0.5      | 55        | 70        | 87        | 0.02      |
| HRC032  | 1461  | 59   | 60 | <0.5      | 48        | 70        | 82        | 0.005     |
| HRC032  | 1462  | 60   | 61 | <0.5      | 55        | 68        | 412       | 0.003     |
| HRC032  | 1463  | 61   | 62 | <0.5      | 53        | 62        | 134       | 0.006     |
| HRC032  | 1464  | 62   | 63 | <0.5      | 56        | 151       | 96        | 0.004     |
| HRC032  | 1465  | 63   | 64 | <0.5      | 46        | 69        | 91        | 0.004     |
| HRC032  | 1466  | 64   | 65 | <0.5      | 51        | 75        | 81        | 0.002     |
| HRC032  | 1467  | 65   | 66 | <0.5      | 51        | 65        | 84        | 0.002     |
| HRC032  | 1468  | 66   | 67 | <0.5      | 46        | 69        | 106       | 0.001     |
| HRC032  | 1469  | 67   | 68 | <0.5      | 52        | 71        | 84        | 0.001     |
| HRC032  | 1470  | 68   | 69 | <0.5      | 55        | 78        | 86        | 0.001     |
| HRC032  | 1471  | 69   | 70 | <0.5      | 55        | 73        | 77        | <0.001    |
| HRC033  | 1480  | 8    | 9  | <0.5      | 76        | 40        | 207       | 0.001     |
| HRC033  | 1481  | 9    | 10 | <0.5      | 78        | 74        | 190       | 0.001     |
| HRC033  | 1482  | 10   | 11 | <0.5      | 71        | 123       | 141       | <0.001    |
| HRC033  | 1483  | 11   | 12 | <0.5      | 79        | 70        | 142       | <0.001    |
| HRC033  | 1484  | 12   | 13 | <0.5      | 84        | 66        | 204       | 0.001     |
| HRC033  | 1485  | 13   | 14 | <0.5      | 89        | 65        | 235       | <0.001    |
| HRC033  | 1486  | 14   | 15 | <0.5      | 74        | 62        | 178       | 0.002     |
| HRC033  | 1487  | 15   | 16 | <0.5      | 74        | 66        | 148       | 0.002     |
| HRC033  | 1488  | 16   | 17 | <0.5      | 79        | 95        | 149       | <0.001    |
| HRC033  | 1489  | 17   | 18 | <0.5      | 82        | 62        | 154       | 0.002     |
| HRC033  | 1490  | 18   | 19 | <0.5      | 94        | 76        | 197       | 0.001     |
| HRC033  | 1491  | 19   | 20 | <0.5      | 92        | 77        | 180       | 0.001     |
| HRC033  | 1492  | 20   | 21 | <0.5      | 88        | 79        | 157       | <0.001    |
| HRC033  | 1493  | 21   | 22 | <0.5      | 93        | 83        | 167       | <0.001    |
| HRC033  | 1494  | 22   | 23 | <0.5      | 93        | 88        | 171       | <0.001    |
| HRC033  | 1495  | 23   | 24 | <0.5      | 99        | 95        | 162       | 0.002     |
| HRC033  | 1496  | 24   | 25 | <0.5      | 92        | 65        | 189       | 0.004     |
| HRC033  | 1497  | 25   | 26 | <0.5      | 101       | 102       | 180       | 0.002     |
| HRC033  | 1498  | 26   | 27 | <0.5      | 113       | 81        | 183       | 0.005     |
| HRC033  | 1499  | 27   | 28 | <0.5      | 118       | 90        | 202       | 0.002     |
| HRC033  | 1500  | 28   | 29 | <0.5      | 91        | 70        | 176       | 0.007     |
| HRC033  | 1501  | 29   | 30 | <0.5      | 84        | 91        | 241       | 0.002     |
| HRC033  | 1502  | 30   | 31 | <0.5      | 83        | 67        | 162       | 0.002     |
| HRC033  | 1503  | 31   | 32 | <0.5      | 84        | 66        | 159       | 0.001     |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC033  | 1504  | 32   | 33 | <0.5      | 71        | 64        | 132       | 0.001     |
| HRC033  | 1505  | 33   | 34 | <0.5      | 73        | 78        | 163       | 0.005     |
| HRC033  | 1506  | 34   | 35 | <0.5      | 70        | 75        | 142       | 0.004     |
| HRC033  | 1507  | 35   | 36 | <0.5      | 98        | 88        | 199       | 0.006     |
| HRC034  | 1513  | 5    | 6  | <0.5      | 51        | 192       | 114       | 0.002     |
| HRC034  | 1514  | 6    | 7  | <0.5      | 51        | 192       | 114       | 0.002     |
| HRC034  | 1516  | 8    | 9  | <0.5      | 51        | 192       | 114       | 0.002     |
| HRC034  | 1520  | 12   | 13 | <0.5      | 50        | 143       | 127       | 0.002     |
| HRC034  | 1540  | 32   | 33 | <0.5      | 48        | 183       | 101       | 0.007     |
| HRC034  | 1560  | 52   | 53 | <0.5      | 70        | 255       | 277       | 0.002     |
| HRC034  | 1573  | 65   | 66 | <0.5      | 93        | 239       | 392       | 0.008     |
| HRC034  | 1574  | 66   | 67 | <0.5      | 127       | 269       | 354       | 0.003     |
| HRC034  | 1575  | 67   | 68 | <0.5      | 132       | 410       | 533       | 0.005     |
| HRC034  | 1576  | 68   | 69 | <0.5      | 106       | 239       | 570       | 0.002     |
| HRC034  | 1577  | 69   | 70 | <0.5      | 135       | 245       | 872       | 0.003     |
| HRC034  | 1578  | 70   | 71 | <0.5      | 169       | 276       | 784       | 0.005     |
| HRC034  | 1579  | 71   | 72 | <0.5      | 135       | 246       | 983       | 0.004     |
| HRC036  | 1580  | 0    | 1  | <0.5      | 59        | 117       | 110       | 0.002     |
| HRC036  | 1589  | 9    | 10 | <0.5      | 70        | 79        | 122       | 0.001     |
| HRC036  | 1590  | 10   | 11 | <0.5      | 68        | 116       | 107       | 0.004     |
| HRC036  | 1591  | 11   | 12 | <0.5      | 76        | 62        | 158       | 0.001     |
| HRC036  | 1592  | 12   | 13 | <0.5      | 72        | 101       | 235       | 0.003     |
| HRC036  | 1593  | 13   | 14 | <0.5      | 62        | 121       | 191       | <0.001    |
| HRC036  | 1594  | 14   | 15 | <0.5      | 57        | 104       | 161       | 0.001     |
| HRC036  | 1595  | 15   | 16 | <0.5      | 53        | 92        | 149       | 0.002     |
| HRC036  | 1596  | 16   | 17 | <0.5      | 59        | 88        | 152       | 0.001     |
| HRC036  | 1597  | 17   | 18 | 0.6       | 58        | 94        | 162       | 0.002     |
| HRC036  | 1598  | 18   | 19 | 0.6       | 53        | 111       | 203       | 0.002     |
| HRC036  | 1599  | 19   | 20 | 0.7       | 56        | 105       | 212       | 0.005     |
| HRC036  | 1600  | 20   | 21 | 0.7       | 53        | 93        | 160       | 0.002     |
| HRC036  | 1601  | 21   | 22 | <0.5      | 53        | 146       | 164       | 0.001     |
| HRC036  | 1602  | 22   | 23 | <0.5      | 59        | 170       | 214       | <0.001    |
| HRC036  | 1603  | 23   | 24 | 0.7       | 94        | 912       | 521       | 0.006     |
| HRC036  | 1604  | 24   | 25 | 0.7       | 120       | 1810      | 1225      | 0.001     |
| HRC036  | 1605  | 25   | 26 | 2.6       | 129       | 1445      | 1580      | 0.02      |
| HRC036  | 1606  | 26   | 27 | 0.5       | 87        | 513       | 964       | 0.001     |
| HRC036  | 1607  | 27   | 28 | <0.5      | 43        | 367       | 449       | 0.006     |
| HRC036  | 1608  | 28   | 29 | 0.5       | 50        | 514       | 742       | 0.013     |
| HRC036  | 1609  | 29   | 30 | 0.6       | 43        | 478       | 757       | 0.003     |
| HRC036  | 1610  | 30   | 31 | 0.5       | 30        | 332       | 564       | 0.002     |
| HRC036  | 1611  | 31   | 32 | <0.5      | 18        | 293       | 477       | 0.003     |
| HRC036  | 1612  | 32   | 33 | 0.5       | 21        | 343       | 462       | 0.001     |
| HRC036  | 1613  | 33   | 34 | 0.8       | 26        | 418       | 644       | 0.001     |
| HRC036  | 1614  | 34   | 35 | 2.2       | 23        | 394       | 517       | 0.01      |

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu   | Zn   | Au     |
|---------|-------|------|----|------|-----|------|------|--------|
|         |       |      |    | ppm  | ppm | ppm  | ppm  | ppm    |
| HRC036  | 1615  | 35   | 36 | 1.7  | 46  | 638  | 1090 | 0.006  |
| HRC036  | 1616  | 36   | 37 | 0.9  | 38  | 477  | 806  | 0.004  |
| HRC036  | 1617  | 37   | 38 | 1.6  | 85  | 754  | 1435 | 0.006  |
| HRC036  | 1618  | 38   | 39 | 1.3  | 63  | 716  | 894  | 0.009  |
| HRC036  | 1619  | 39   | 40 | 3.4  | 125 | 1440 | 1175 | 0.043  |
| HRC036  | 1620  | 40   | 41 | 1.7  | 65  | 2700 | 974  | 0.013  |
| HRC036  | 1621  | 41   | 42 | 0.6  | 53  | 665  | 778  | 0.004  |
| HRC036  | 1622  | 42   | 43 | 0.5  | 51  | 312  | 1015 | 0.003  |
| HRC036  | 1623  | 43   | 44 | 0.7  | 56  | 474  | 1910 | 0.009  |
| HRC036  | 1624  | 44   | 45 | 0.6  | 74  | 200  | 1505 | 0.001  |
| HRC036  | 1625  | 45   | 46 | <0.5 | 70  | 168  | 1045 | 0.002  |
| HRC036  | 1626  | 46   | 47 | <0.5 | 83  | 150  | 950  | 0.004  |
| HRC036  | 1627  | 47   | 48 | <0.5 | 127 | 169  | 1150 | 0.002  |
| HRC036  | 1628  | 48   | 49 | 2.1  | 120 | 195  | 2050 | 0.006  |
| HRC036  | 1629  | 49   | 50 | 0.5  | 108 | 140  | 2490 | 0.004  |
| HRC036  | 1630  | 50   | 51 | <0.5 | 137 | 118  | 3000 | 0.004  |
| HRC036  | 1631  | 51   | 52 | 0.5  | 98  | 89   | 995  | 0.007  |
| HRC036  | 1632  | 52   | 53 | <0.5 | 103 | 88   | 913  | 0.003  |
| HRC036  | 1633  | 53   | 54 | <0.5 | 115 | 116  | 821  | 0.002  |
| HRC036  | 1634  | 54   | 55 | <0.5 | 92  | 75   | 862  | <0.001 |
| HRC036  | 1635  | 55   | 56 | <0.5 | 95  | 76   | 676  | 0.001  |
| HRC036  | 1636  | 56   | 57 | <0.5 | 118 | 90   | 668  | 0.003  |
| HRC036  | 1637  | 57   | 58 | <0.5 | 94  | 74   | 523  | 0.001  |
| HRC036  | 1638  | 58   | 59 | <0.5 | 98  | 72   | 556  | 0.002  |
| HRC036  | 1639  | 59   | 60 | 0.5  | 170 | 173  | 1125 | 0.013  |
| HRC036  | 1640  | 60   | 61 | <0.5 | 165 | 231  | 912  | 0.033  |
| HRC036  | 1648  | 68   | 69 | <0.5 | 45  | 64   | 133  | 0.003  |
| HRC100  | 1660  | 0    | 1  | <0.5 | 53  | 58   | 129  | 0.003  |
| HRC100  | 1661  | 1    | 2  | <0.5 | 54  | 58   | 126  | 0.006  |
| HRC100  | 1664  | 4    | 5  | <0.5 | 65  | 73   | 95   | 0.003  |
| HRC100  | 1665  | 5    | 6  | <0.5 | 73  | 76   | 102  | 0.003  |
| HRC100  | 1666  | 6    | 7  | <0.5 | 74  | 77   | 142  | 0.007  |
| HRC100  | 1667  | 7    | 8  | <0.5 | 66  | 69   | 120  | 0.001  |
| HRC100  | 1668  | 8    | 9  | <0.5 | 77  | 67   | 145  | 0.002  |
| HRC100  | 1669  | 9    | 10 | <0.5 | 83  | 78   | 124  | 0.006  |
| HRC100  | 1670  | 10   | 11 | <0.5 | 81  | 78   | 111  | 0.004  |
| HRC100  | 1671  | 11   | 12 | <0.5 | 66  | 80   | 97   | 0.007  |
| HRC100  | 1672  | 12   | 13 | <0.5 | 67  | 68   | 122  | 0.001  |
| HRC100  | 1673  | 13   | 14 | <0.5 | 65  | 79   | 92   | 0.004  |
| HRC100  | 1674  | 14   | 15 | <0.5 | 62  | 68   | 95   | 0.003  |
| HRC100  | 1675  | 15   | 16 | <0.5 | 65  | 77   | 89   | 0.001  |
| HRC100  | 1676  | 16   | 17 | <0.5 | 64  | 72   | 98   | 0.001  |
| HRC100  | 1677  | 17   | 18 | <0.5 | 66  | 63   | 108  | 0.007  |
| HRC100  | 1678  | 18   | 19 | <0.5 | 63  | 67   | 106  | 0.001  |

| Hole_ID | SAMID | FROM | TO | Ag   | Co  | Cu  | Zn  | Au    |
|---------|-------|------|----|------|-----|-----|-----|-------|
|         |       |      |    | ppm  | ppm | ppm | ppm | ppm   |
| HRC100  | 1679  | 19   | 20 | <0.5 | 64  | 65  | 102 | 0.002 |
| HRC100  | 1680  | 20   | 21 | <0.5 | 71  | 81  | 93  | 0.006 |
| HRC100  | 1681  | 21   | 22 | <0.5 | 47  | 53  | 79  | 0.01  |
| HRC100  | 1682  | 22   | 23 | <0.5 | 64  | 77  | 90  | 0.01  |
| HRC100  | 1683  | 23   | 24 | <0.5 | 61  | 69  | 86  | 0.004 |
| HRC100  | 1684  | 24   | 25 | <0.5 | 56  | 80  | 92  | 0.002 |
| HRC100  | 1685  | 25   | 26 | <0.5 | 58  | 111 | 96  | 0.002 |
| HRC100  | 1686  | 26   | 27 | <0.5 | 53  | 75  | 81  | 0.007 |
| HRC100  | 1687  | 27   | 28 | <0.5 | 54  | 64  | 88  | 0.009 |
| HRC100  | 1688  | 28   | 29 | <0.5 | 73  | 96  | 93  | 0.004 |
| HRC100  | 1689  | 29   | 30 | <0.5 | 62  | 76  | 92  | 0.007 |
| HRC100  | 1690  | 30   | 31 | <0.5 | 70  | 85  | 145 | 0.01  |
| HRC100  | 1691  | 31   | 32 | <0.5 | 60  | 62  | 117 | 0.006 |
| HRC100  | 1692  | 32   | 33 | <0.5 | 64  | 86  | 117 | 0.002 |
| HRC100  | 1693  | 33   | 34 | <0.5 | 66  | 87  | 119 | 0.007 |
| HRC100  | 1694  | 34   | 35 | <0.5 | 60  | 138 | 157 | 0.005 |
| HRC100  | 1695  | 35   | 36 | <0.5 | 58  | 88  | 105 | 0.006 |
| HRC025  | 1700  | 40   | 41 | <0.5 | 63  | 61  | 124 | 0.005 |
| HRC025  | 1703  | 43   | 44 | <0.5 | 49  | 60  | 111 | 0.008 |
| HRC025  | 1710  | 50   | 51 | <0.5 | 40  | 32  | 149 | 0.003 |
| HRC025  | 1711  | 51   | 52 | <0.5 | 49  | 65  | 122 | 0.011 |
| HRC025  | 1712  | 52   | 53 | <0.5 | 41  | 57  | 104 | 0.007 |
| HRC025  | 1713  | 53   | 54 | <0.5 | 40  | 55  | 88  | 0.003 |
| HRC025  | 1714  | 54   | 55 | <0.5 | 50  | 65  | 117 | 0.003 |
| HRC025  | 1718  | 58   | 59 | <0.5 | 48  | 65  | 120 | 0.004 |
| HRC025  | 1719  | 59   | 60 | <0.5 | 49  | 70  | 132 | 0.007 |
| HRC025  | 1720  | 60   | 61 | <0.5 | 42  | 59  | 108 | 0.009 |
| HRC025  | 1721  | 61   | 62 | <0.5 | 42  | 59  | 100 | 0.006 |
| HRC025  | 1722  | 62   | 63 | <0.5 | 47  | 69  | 115 | 0.004 |
| HRC025  | 1723  | 63   | 64 | <0.5 | 50  | 74  | 101 | 0.002 |
| HRC025  | 1724  | 64   | 65 | <0.5 | 45  | 61  | 88  | 0.005 |
| HRC025  | 1725  | 65   | 66 | <0.5 | 48  | 71  | 95  | 0.001 |
| HRC025  | 1729  | 69   | 70 | <0.5 | 49  | 64  | 90  | 0.003 |
| HRC025  | 1730  | 70   | 71 | <0.5 | 44  | 61  | 82  | 0.002 |
| HRC025  | 1731  | 71   | 72 | <0.5 | 44  | 60  | 89  | 0.003 |
| HRC025  | 1732  | 72   | 73 | <0.5 | 41  | 55  | 98  | 0.003 |
| HRC025  | 1737  | 77   | 78 | <0.5 | 44  | 60  | 92  | 0.004 |
| HRC030  | 1740  | 36   | 37 | <0.5 | 48  | 202 | 117 | 0.004 |
| HRC030  | 1756  | 52   | 53 | <0.5 | 49  | 176 | 107 | 0.003 |
| HRC030  | 1760  | 56   | 57 | <0.5 | 49  | 190 | 111 | 0.002 |
| HRC028  | 1765  | 38   | 39 | <0.5 | 46  | 70  | 115 | 0.004 |
| HRC028  | 1767  | 40   | 41 | <0.5 | 53  | 64  | 140 | 0.004 |
| HRC028  | 1768  | 41   | 42 | <0.5 | 44  | 70  | 113 | 0.009 |
| HRC028  | 1769  | 42   | 43 | <0.5 | 48  | 71  | 119 | 0.004 |

| Hole_ID | SAMID | FROM | TO | Ag<br>ppm | Co<br>ppm | Cu<br>ppm | Zn<br>ppm | Au<br>ppm |
|---------|-------|------|----|-----------|-----------|-----------|-----------|-----------|
| HRC028  | 1770  | 43   | 44 | <0.5      | 52        | 62        | 143       | 0.004     |
| HRC028  | 1771  | 44   | 45 | <0.5      | 54        | 77        | 125       | 0.03      |
| HRC028  | 1772  | 45   | 46 | <0.5      | 57        | 79        | 114       | 0.016     |
| HRC028  | 1773  | 46   | 47 | <0.5      | 47        | 69        | 120       | 0.005     |
| HRC028  | 1774  | 47   | 48 | <0.5      | 59        | 81        | 209       | 0.007     |
| HRC028  | 1775  | 48   | 49 | <0.5      | 64        | 84        | 158       | 0.007     |
| HRC028  | 1776  | 49   | 50 | <0.5      | 58        | 86        | 127       | 0.005     |
| HRC028  | 1779  | 52   | 53 | <0.5      | 78        | 92        | 98        | 0.007     |
| HRC028  | 1780  | 53   | 54 | <0.5      | 68        | 85        | 106       | 0.007     |
| HRC028  | 1781  | 54   | 55 | <0.5      | 72        | 99        | 167       | 0.003     |
| HRC028  | 1787  | 60   | 61 | <0.5      | 62        | 86        | 334       | 0.006     |
| HRC028  | 1788  | 61   | 62 | <0.5      | 73        | 98        | 304       | 0.005     |
| HRC028  | 1789  | 62   | 63 | <0.5      | 53        | 70        | 217       | 0.009     |
| HRC028  | 1790  | 63   | 64 | <0.5      | 55        | 79        | 128       | 0.006     |