

22 April 2020

AC Drilling Defines Geochemical Halo at Bella Target

- **Anomalous “deep lead” gold (192ppb and 187ppb Au) intersected next to the Bella Target in shallow drilling**
- **Two pathfinder-enriched zones delineated – one substantial halo located at the Bella Target; the other adjacent to the Lara 1 and 2 Targets**
- **Gold and copper enrichment increases to the south and at depth**
- **Previously unknown occurrences of monzodiorite discovered which are commonly related to porphyry Cu-Au deposits**
- **Deep ground penetrating radar proposed as next step to systematically progress to drill testing at depth**

Krakatoa Resources Limited (“Krakatoa” or the “Company”) is pleased to announce the results and findings from the Company’s geochemical aircore drilling program at Bell Valley, one of six target areas, at its 100% owned Belgravia Project in the central Molong Volcanic Belt (MVB), Lachlan Fold Belt (LFB), NSW.

The drilling program comprised 128 inclined holes for a total of 2,358 metres at an average depth of 18m. Drilling was to blade refusal, spaced at 100m along lines with 200m spacing between lines. As detailed in the Company’s previous announcements, the drilling objective was to test below Tertiary basalt and locate patterns of zoned alteration and mineralisation halos related to large porphyry-style gold and copper systems in magnetically complex zones of the LFB, like that found at Cadia.

Experienced Porphyry Geologist Mr Ian Cooper commented:

“The drill program went better than expected with previously hidden zones of monzodiorite and shoshonitic volcanics encountered and a geochemical halo identified at the Bella Target co-incident with anomalous gold and the previously defined geophysical signature.

These features are encouraging and give us confidence for our on-going exploration.”



ASX Code
KTA, KTAOC

Capital Structure

218,750,000 Fully Paid Shares
85,000,000 Options @ 5c exp 31/07/21
5,000,000 Options @ 7.5c exp 31/07/21
12,000,000 Options @ 10c exp 24/10/20

Directors

Colin Locke
David Palumbo
Timothy Hogan

Enquiries regarding this

announcement can be directed to

Colin Locke
T. +61 457 289 582

Results and Findings

Gold and multi-element assay results and geological logs from the aircore drilling program have been assessed and interpreted to have further heightened the prospectivity of the Bell Valley target area. Key findings from the program were:

- Two gold highs, 0.192 ppm Au (Hole BVAC096) and 0.187 ppm Au (Hole BVAC118), occur in lenses of quartz-rich gravels located beneath tertiary basalt. A source for the 'deep-lead' gold must lie south of the existing drill grid and is potentially obscured by a thick sheet of Tertiary basalt.
- The mineralisation and distal alteration is consistent with that observed in the nearby Mount Isa Mine's Larras Lake 1995 drilling. Returned gold results matched expectations for this type of drilling program which is typical for this region (where ≥ 0.1 g/t Au is considered anomalous in a bedrock context).
- Reporting levels in gold, copper and several pathfinder elements form a coincident SSE-trend across the drill grid and are most elevated adjacent to the recently identified monzodiorite bodies and along the western margin of the Bella Target.
- Outlined two zones of enrichment in elements typically present in evaluating porphyry prospectivity, including gold, copper, bismuth, lead, zinc, arsenic and molybdenum. These zones were located near the monzodiorite intrusions (Lara 1 and 2 Targets in the north) and at the Bella Target in the south (refer to Figures 1 and 2).
- Multielement geochemistry supports the southern parts of the Bell Valley area as being more prospective with gold and copper abundance increasing to the south and at depth
- Revealed prospective stratigraphy beneath Ordovician sediments and much younger regolith outlining two distinct zones of monzodiorite intrusion.
- Delineated the presence of (high potassium) shoshonitic intrusive and volcanic rocks known to be closely related to certain types of gold and base metal deposits, including epithermal Au and porphyry Cu-Au deposits.
- Successfully intersected areas of hydrothermal alteration with a propylitic assemblage featuring epidote, chlorite, Fe-carbonate, calcite, and hematite-dusting.

Discussion

At the Bell Valley Target Area, regolith and Tertiary basalt obscures much of the prospective geology as well as masks any present geochemical signatures, necessitating aircore drilling to first explore the area effectively. Drilling has since confirmed the presence of a sheet of tertiary basalt up to 20m (averaging 9m) thick that mantles much of the prospective geology. This layer was penetrated where it had sufficiently weathered. Additionally, drilling commonly intersected a thin, highly leached saprolite beneath the basalt layer before drilling terminated abruptly in highly to moderately weathered bedrock. The regolith (and basalt) generally thins from south to north on approach to the Bell River.

As the Company detailed in its announcement dated 3 January 2020, historical RAB drilling by MIM Exploration in 1995 identified weak potassic and propylitic alteration associated with a monzodiorite intrusion and a halo of low-grade gold and copper mineralisation, 400m to the west of the Belgravia Project. The Company's mineralisation and distal alteration noted in its drilling program at Bell Valley proved consistent with this work. The core of MIM's identified halo was subsequently drilled by Newcrest with 4 holes, each to a depth of 200m, with the best result being 30m @ 0.20 g/t Au from 163m (Hole: LLR004) – refer to announced dated 3 December 2019. Newcrest reported that the tenor and alteration were similar to other recent discoveries in the Lachlan Fold Belt (without naming them), and recommended retaining the ground even with the prevailing low gold price. No follow up work was completed on Hole LLR004.

Zones of enrichment in elements typically useful for evaluating porphyry prospectivity, including gold, copper, bismuth, lead, zinc, arsenic and molybdenum were located near the diorite/monzodiorite intrusions and co-incident with previously identified geophysical targets – Bella, Lara 1 and 2 and Power (refer to ASX announced dated 24 January 2020). The Bella Target now comprises a “doughnut” shaped magnetic pattern, considered characteristic of porphyry intrusion, supported by a geochemical halo of pathfinder minerals associated with porphyry-style mineralisation, and elevated gold and copper including two gold highs, 0.192 ppm Au and 0.187 ppm Au, on its western margin.

In this context, the Company is confident the assay results and geological findings from the aircore drilling program at Bell Valley have confirmed its prospectivity warranting immediate additional work.

Next Steps

The Company is currently arranging the following work programs as it systematically advances to drill testing priority target areas at depth including:

- Several traverses of deep ground penetrating radar
- Additional assessment of multielement data to confirm magmatic fertility for mineralisation
- Detailed mapping and sampling in the southern areas of the Bell Valley Target Area
- Radiometric age dating of diorite intrusions
- Continued expansion of work to other prospective target areas, including Sugarloaf Creek and Guanna Hill




Figure 1: Max gold in hole on a baselayer comprising a simple additive index (featuring arsenic, bismuth, lead, molybdenum and titanium) draped over Laplacian filter applied to RTP TMI greyscale image.




Figure 2: Max copper in hole on a baselayer comprising a simple additive index (featuring arsenic, bismuth, lead, molybdenum and titanium) draped over Laplacian filter applied to RTP TMI greyscale image.

Authorised for release by the Board

FOR FURTHER INFORMATION:

Colin Locke
Executive Chairman
+61 457 289 582
locke@ktaresources.com

Disclaimer

Forward-looking statements are statements that are not historical facts. Words such as “expect(s)”, “feel(s)”, “believe(s)”, “will”, “may”, “anticipate(s)” and similar expressions are intended to identify forward-looking statements. These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All of such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the Company’s prospects, properties and business strategy. Our audience is cautioned not to place undue reliance on these forward-looking statements that speak only as of the date hereof, and we do not undertake any obligation to revise and disseminate forward-looking statements to reflect events or circumstances after the date hereof, or to reflect the occurrence of or non-occurrence of any events.

Competent Persons Statement


The information in this announcement is based on and fairly represents information compiled by Mr Jonathan King, consultant geologist, who is a Member of the Australian Institute of Geoscientists and employed by Collective Prosperity Pty Ltd, and is an accurate representation of the available data and studies for the Project. Mr King has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he has undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr King consents to the inclusion in this announcement of the matters based on this information in the form and context in which it appears.

ABOUT BELGRAVIA PROJECT:

The Belgravia Project covers an area of 80km² and is located in the central part of the Molong Volcanic Belt (MVB), which forms as part of the East Lachlan province within the Lachlan Fold Belt, NSW. The East Lachlan region constitutes the largest porphyry province in Australia.

The Project lies approximately 7km east of the township of Molong and 20km northwest of the regional centre of Orange, providing excellent road, rail, power, gas and water infrastructure.

The Belgravia Project has six initial targets considered highly prospective for porphyry Cu-Au and associated skarn Cu-Au. Historical exploration appears to have failed to adequately consider the regolith and tertiary basalt (up to 40m thick) that obscures much of the prospective geology.



Annexure 1 – Aircore Drill Collar Locations

| Hole | Easting | Northing | Depth | Azi | Dip | Hole | Easting | Northing | Depth | Azi | Dip |
|---------|---------|-----------|-------|-----|-----|---------|---------|-----------|-------|-----|-----|
| BVAC001 | 676,028 | 6,346,898 | 7.5 | 270 | -60 | BVAC038 | 677,197 | 6,345,899 | 17.5 | 270 | -60 |
| BVAC002 | 675,979 | 6,346,712 | 7 | 270 | -60 | BVAC039 | 677,302 | 6,345,892 | 15 | 270 | -60 |
| BVAC003 | 676,099 | 6,346,699 | 4 | 270 | -60 | BVAC040 | 677,394 | 6,345,898 | 7.5 | 270 | -60 |
| BVAC004 | 676,093 | 6,346,499 | 9 | 270 | -60 | BVAC041 | 677,307 | 6,346,069 | 10.5 | 270 | -60 |
| BVAC005 | 676,295 | 6,346,498 | 7 | 270 | -60 | BVAC042 | 676,762 | 6,345,842 | 3 | 270 | -60 |
| BVAC006 | 675,980 | 6,346,298 | 12 | 270 | -60 | BVAC043 | 677,007 | 6,345,699 | 7 | 270 | -60 |
| BVAC007 | 676,200 | 6,346,296 | 9 | 270 | -60 | BVAC044 | 677,095 | 6,345,697 | 9.5 | 270 | -60 |
| BVAC008 | 676,036 | 6,346,100 | 20 | 270 | -60 | BVAC045 | 677,212 | 6,345,707 | 22.5 | 270 | -60 |
| BVAC009 | 676,105 | 6,346,100 | 15 | 270 | -60 | BVAC046 | 677,306 | 6,345,726 | 6 | 270 | -60 |
| BVAC010 | 676,199 | 6,346,100 | 14 | 270 | -60 | BVAC047 | 675,996 | 6,345,499 | 18 | 270 | -60 |
| BVAC011 | 676,301 | 6,346,097 | 19.5 | 270 | -60 | BVAC048 | 676,096 | 6,345,498 | 15 | 270 | -60 |
| BVAC012 | 676,396 | 6,346,099 | 24 | 270 | -60 | BVAC049 | 676,195 | 6,345,499 | 17 | 270 | -60 |
| BVAC013 | 676,496 | 6,346,079 | 6 | 270 | -60 | BVAC050 | 676,296 | 6,345,499 | 7 | 270 | -60 |
| BVAC014 | 676,597 | 6,346,078 | 3 | 270 | -60 | BVAC051 | 676,426 | 6,345,503 | 22 | 270 | -60 |
| BVAC015 | 676,695 | 6,346,079 | 23 | 270 | -60 | BVAC052 | 676,556 | 6,345,499 | 20 | 270 | -60 |
| BVAC016 | 675,973 | 6,346,102 | 10.5 | 270 | -60 | BVAC053 | 676,665 | 6,345,498 | 18 | 270 | -60 |
| BVAC017 | 675,997 | 6,345,896 | 12 | 270 | -60 | BVAC054 | 676,766 | 6,345,500 | 12 | 270 | -60 |
| BVAC018 | 676,097 | 6,345,899 | 10 | 270 | -60 | BVAC055 | 676,868 | 6,345,499 | 13.5 | 270 | -60 |
| BVAC019 | 676,197 | 6,345,900 | 9 | 270 | -60 | BVAC056 | 675,988 | 6,345,298 | 21.5 | 270 | -60 |
| BVAC020 | 676,295 | 6,345,899 | 18 | 270 | -60 | BVAC057 | 676,099 | 6,345,299 | 30 | 270 | -60 |
| BVAC021 | 676,396 | 6,345,898 | 12 | 270 | -60 | BVAC058 | 676,199 | 6,345,299 | 25 | 270 | -60 |
| BVAC022 | 676,496 | 6,345,898 | 15 | 270 | -60 | BVAC059 | 676,300 | 6,345,300 | 22 | 270 | -60 |
| BVAC023 | 675,994 | 6,345,699 | 19 | 270 | -60 | BVAC060 | 676,400 | 6,345,300 | 20 | 270 | -60 |
| BVAC024 | 676,098 | 6,345,698 | 9 | 270 | -60 | BVAC061 | 676,500 | 6,345,300 | 23 | 270 | -60 |
| BVAC025 | 676,199 | 6,345,699 | 15.5 | 270 | -60 | BVAC062 | 676,600 | 6,345,300 | 17.5 | 270 | -60 |
| BVAC026 | 676,296 | 6,345,698 | 24 | 270 | -60 | BVAC063 | 676,700 | 6,345,300 | 25 | 270 | -60 |
| BVAC027 | 676,398 | 6,345,698 | 12.5 | 270 | -60 | BVAC064 | 676,800 | 6,345,300 | 29.5 | 270 | -60 |
| BVAC028 | 676,490 | 6,345,680 | 12 | 270 | -60 | BVAC065 | 676,900 | 6,345,300 | 22.5 | 270 | -60 |
| BVAC029 | 676,599 | 6,345,699 | 6 | 270 | -60 | BVAC066 | 676,990 | 6,345,300 | 6 | 270 | -60 |
| BVAC030 | 676,700 | 6,345,698 | 15 | 270 | -60 | BVAC067 | 676,985 | 6,345,500 | 13 | 270 | -60 |
| BVAC031 | 676,797 | 6,345,697 | 17 | 270 | -60 | BVAC068 | 676,400 | 6,345,160 | 17.5 | 270 | -60 |
| BVAC032 | 676,888 | 6,345,700 | 12 | 270 | -60 | BVAC069 | 676,500 | 6,345,150 | 23 | 270 | -60 |
| BVAC033 | 676,795 | 6,346,100 | 7 | 270 | -60 | BVAC070 | 676,600 | 6,345,125 | 21.5 | 270 | -60 |
| BVAC034 | 676,875 | 6,346,100 | 12.5 | 270 | -60 | BVAC071 | 676,700 | 6,345,110 | 14 | 270 | -60 |
| BVAC035 | 676,897 | 6,345,899 | 14 | 270 | -60 | BVAC072 | 676,080 | 6,345,100 | 7.5 | 270 | -60 |
| BVAC036 | 677,011 | 6,345,899 | 8.5 | 270 | -60 | BVAC073 | 676,000 | 6,345,100 | 24.5 | 270 | -60 |
| BVAC037 | 677,097 | 6,345,898 | 10.5 | 270 | -60 | BVAC074 | 675,930 | 6,344,900 | 27 | 270 | -60 |

| Hole | Easting | Northing | Depth | Azi | Dip | Hole | Easting | Northing | Depth | Azi | Dip |
|---------|---------|-----------|-------|-----|-----|---------|---------|-----------|-------|-----|-----|
| BVAC075 | 676,005 | 6,344,900 | 30 | 270 | -60 | BVAC114 | 676,920 | 6,344,900 | 21 | 270 | -60 |
| BVAC076 | 676,100 | 6,345,100 | 27 | 270 | -60 | BVAC115 | 677,020 | 6,344,900 | 9.5 | 270 | -60 |
| BVAC077 | 676,200 | 6,345,100 | 25 | 270 | -60 | BVAC116 | 676,500 | 6,344,300 | 28 | 270 | -60 |
| BVAC078 | 676,300 | 6,345,100 | 37 | 270 | -60 | BVAC117 | 676,600 | 6,344,300 | 33 | 270 | -60 |
| BVAC079 | 676,100 | 6,344,900 | 18 | 270 | -60 | BVAC118 | 676,700 | 6,344,300 | 31 | 270 | -60 |
| BVAC080 | 676,200 | 6,344,900 | 19 | 270 | -60 | BVAC119 | 676,800 | 6,344,295 | 21.5 | 270 | -60 |
| BVAC081 | 676,300 | 6,344,900 | 13.5 | 270 | -60 | BVAC120 | 676,940 | 6,344,270 | 23 | 270 | -60 |
| BVAC082 | 675,975 | 6,344,700 | 10.5 | 270 | -60 | BVAC121 | 676,590 | 6,344,100 | 20.5 | 270 | -60 |
| BVAC083 | 676,100 | 6,344,700 | 21.5 | 270 | -60 | BVAC122 | 676,700 | 6,344,100 | 33 | 270 | -60 |
| BVAC084 | 676,200 | 6,344,700 | 6.5 | 270 | -60 | BVAC123 | 676,600 | 6,343,900 | 39 | 270 | -60 |
| BVAC085 | 675,925 | 6,344,500 | 21 | 270 | -60 | BVAC124 | 676,700 | 6,343,900 | 31 | 270 | -60 |
| BVAC086 | 676,000 | 6,344,500 | 14 | 270 | -60 | BVAC125 | 676,690 | 6,343,700 | 29 | 270 | -60 |
| BVAC087 | 676,100 | 6,344,500 | 16 | 270 | -60 | BVAC126 | 676,800 | 6,344,100 | 30 | 270 | -60 |
| BVAC088 | 676,200 | 6,344,500 | 15 | 270 | -60 | BVAC127 | 676,900 | 6,344,100 | 12 | 270 | -60 |
| BVAC089 | 676,300 | 6,344,500 | 17 | 270 | -60 | BVAC128 | 676,800 | 6,343,900 | 38 | 270 | -60 |
| BVAC090 | 676,400 | 6,344,500 | 21 | 270 | -60 | | | | | | |
| BVAC091 | 675,925 | 6,344,300 | 17.5 | 270 | -60 | | | | | | |
| BVAC092 | 676,015 | 6,344,320 | 13.5 | 270 | -60 | | | | | | |
| BVAC093 | 676,105 | 6,344,320 | 10 | 270 | -60 | | | | | | |
| BVAC094 | 676,200 | 6,344,300 | 29 | 270 | -60 | | | | | | |
| BVAC095 | 676,300 | 6,344,300 | 31 | 270 | -60 | | | | | | |
| BVAC096 | 676,400 | 6,344,300 | 32.5 | 270 | -60 | | | | | | |
| BVAC097 | 675,995 | 6,344,130 | 10.5 | 270 | -60 | | | | | | |
| BVAC098 | 676,110 | 6,344,100 | 23.5 | 270 | -60 | | | | | | |
| BVAC099 | 676,210 | 6,344,100 | 39.5 | 270 | -60 | | | | | | |
| BVAC100 | 675,915 | 6,343,900 | 26 | 270 | -60 | | | | | | |
| BVAC101 | 676,000 | 6,343,900 | 36 | 270 | -60 | | | | | | |
| BVAC102 | 676,100 | 6,343,900 | 17.5 | 270 | -60 | | | | | | |
| BVAC103 | 676,200 | 6,343,900 | 20 | 270 | -60 | | | | | | |
| BVAC104 | 675,915 | 6,343,700 | 12.5 | 270 | -60 | | | | | | |
| BVAC105 | 676,005 | 6,343,700 | 24 | 270 | -60 | | | | | | |
| BVAC106 | 676,065 | 6,343,515 | 37 | 270 | -60 | | | | | | |
| BVAC107 | 676,500 | 6,344,500 | 27 | 270 | -60 | | | | | | |
| BVAC108 | 676,600 | 6,344,500 | 17 | 270 | -60 | | | | | | |
| BVAC109 | 676,700 | 6,344,500 | 19.5 | 270 | -60 | | | | | | |
| BVAC110 | 676,800 | 6,344,500 | 26 | 270 | -60 | | | | | | |
| BVAC111 | 676,900 | 6,344,500 | 33.5 | 270 | -60 | | | | | | |
| BVAC112 | 676,990 | 6,344,500 | 30 | 270 | -60 | | | | | | |
| BVAC113 | 676,935 | 6,344,700 | 22 | 270 | -60 | | | | | | |

Annexure 2 – Assay Results

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|-----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0001 | BVACO 01 | 0 | 3 | 3 | 3.68 | 0.005 | 6 | -2 | 141 | 1 | 620 | 4 | 0.35 | 248 |
| BV0002 | BVACO 01 | 3 | 6 | 3 | 3.33 | 0.011 | -5 | -2 | 156 | -1 | 890 | 2 | 0.36 | 220 |
| BV0003 | BVACO 01 | 6 | 7.5 | 1.5 | 3.25 | 0.007 | 5 | -2 | 203 | 1 | 1110 | 7 | 0.38 | 145 |
| BV0004 | BVACO 02 | 0 | 3 | 3 | 3.6 | 0.007 | 13 | 2 | 137 | -1 | 710 | 7 | 0.4 | 101 |
| BV0005 | BVACO 02 | 3 | 6 | 3 | 4.2 | 0.018 | 16 | -2 | 107 | 1 | 820 | 5 | 0.36 | 119 |
| BV0006 | BVACO 02 | 6 | 7 | 1 | 2.33 | 0.01 | 7 | 2 | 126 | -1 | 790 | 3 | 0.39 | 227 |
| BV0007 | BVACO 03 | 0 | 3 | 3 | 3.62 | 0.008 | 6 | -2 | 110 | -1 | 490 | 6 | 0.3 | 177 |
| BV0008 | BVACO 03 | 3 | 4 | 1 | 2.58 | 0.011 | 6 | 2 | 112 | 1 | 440 | 5 | 0.26 | 289 |
| BV0009 | BVACO 04 | 0 | 3 | 3 | 3.72 | 0.015 | 64 | 2 | 132 | 2 | 800 | 6 | 0.37 | 139 |
| BV0011 | BVACO 04 | 3 | 6 | 3 | 3.32 | 0.01 | 52 | -2 | 129 | 2 | 780 | 2 | 0.36 | 110 |
| BV0012 | BVACO 04 | 6 | 9 | 3 | 3.08 | 0.006 | 5 | -2 | 141 | -1 | 640 | 5 | 0.3 | 79 |
| BV0013 | BVACO 05 | 0 | 3 | 3 | 3 | 0.012 | 9 | 2 | 179 | 1 | 1320 | 2 | 0.42 | 105 |
| BV0014 | BVACO 05 | 3 | 6 | 3 | 3.77 | 0.01 | 9 | 2 | 168 | 1 | 1420 | 7 | 0.38 | 93 |
| BV0015 | BVACO 05 | 6 | 7 | 1 | 2.25 | 0.009 | 13 | -2 | 163 | 2 | 1650 | 4 | 0.38 | 92 |
| BV0016 | BVACO 06 | 0 | 3 | 3 | 3.49 | 0.013 | 25 | -2 | 124 | 1 | 600 | 11 | 0.39 | 115 |
| BV0017 | BVACO 06 | 3 | 6 | 3 | 3.58 | 0.007 | 10 | 3 | 100 | 1 | 1050 | 8 | 0.3 | 104 |
| BV0018 | BVACO 06 | 6 | 9 | 3 | 3.93 | 0.011 | 10 | -2 | 123 | -1 | 1110 | 3 | 0.37 | 134 |
| BV0019 | BVACO 06 | 9 | 12 | 3 | 3.78 | 0.013 | 15 | -2 | 120 | 1 | 1150 | 12 | 0.34 | 116 |
| BV0020 | BVACO 07 | 0 | 3 | 3 | 3.3 | 0.016 | 7 | -2 | 65 | -1 | 800 | 9 | 0.28 | 110 |
| BV0021 | BVACO 07 | 3 | 6 | 3 | 3.62 | 0.006 | -5 | 2 | 66 | -1 | 1120 | 6 | 0.3 | 107 |
| BV0022 | BVACO 07 | 6 | 9 | 3 | 3.44 | 0.011 | 19 | 2 | 89 | 1 | 930 | 9 | 0.26 | 71 |
| BV0023 | BVACO 08 | 0 | 3 | 3 | 3.47 | 0.009 | -5 | -2 | 130 | 1 | 350 | 8 | 0.41 | 103 |
| BV0024 | BVACO 08 | 3 | 6 | 3 | 3.08 | 0.011 | -5 | 2 | 193 | -1 | 1100 | 2 | 0.38 | 100 |
| BV0025 | BVACO 08 | 6 | 9 | 3 | 3.8 | 0.013 | -5 | -2 | 177 | -1 | 1120 | 5 | 0.38 | 78 |
| BV0026 | BVACO 08 | 9 | 12 | 3 | 3.38 | -0.005 | -5 | -2 | 157 | -1 | 1020 | -2 | 0.36 | 77 |
| BV0027 | BVACO 08 | 12 | 15 | 3 | 3.56 | 0.015 | 5 | -2 | 157 | 1 | 1010 | 3 | 0.33 | 124 |
| BV0028 | BVACO 08 | 15 | 18 | 3 | 4.02 | 0.014 | -5 | -2 | 173 | -1 | 920 | 3 | 0.34 | 87 |
| BV0029 | BVACO 08 | 18 | 20 | 2 | 3.38 | 0.015 | -5 | -2 | 187 | -1 | 950 | 6 | 0.37 | 138 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0031 | BVACO 09 | 0 | 3 | 3 | 3.09 | 0.006 | 5 | -2 | 196 | -1 | 950 | 4 | 0.36 | 84 |
| BV0032 | BVACO 09 | 3 | 6 | 3 | 3.17 | 0.011 | 6 | -2 | 179 | -1 | 1240 | -2 | 0.38 | 79 |
| BV0033 | BVACO 09 | 6 | 9 | 3 | 3.73 | 0.01 | -5 | 2 | 182 | -1 | 1330 | 5 | 0.36 | 86 |
| BV0034 | BVACO 09 | 9 | 12 | 3 | 3.55 | 0.01 | -5 | -2 | 191 | -1 | 1040 | -2 | 0.35 | 98 |
| BV0035 | BVACO 09 | 12 | 15 | 3 | 3.02 | 0.012 | -5 | -2 | 185 | 1 | 930 | 3 | 0.36 | 77 |
| BV0036 | BVACO 10 | 0 | 3 | 3 | 2.89 | -0.005 | 6 | 2 | 93 | -1 | 190 | 8 | 0.33 | 100 |
| BV0037 | BVACO 10 | 3 | 6 | 3 | 2.95 | -0.005 | -5 | -2 | 122 | -1 | 700 | -2 | 0.26 | 117 |
| BV0038 | BVACO 10 | 6 | 9 | 3 | 2.7 | -0.005 | 5 | -2 | 98 | -1 | 1170 | 5 | 0.3 | 129 |
| BV0039 | BVACO 10 | 9 | 12 | 3 | 3.54 | -0.005 | -5 | -2 | 69 | -1 | 1150 | -2 | 0.3 | 140 |
| BV0040 | BVACO 10 | 12 | 14 | 2 | 3.87 | 0.008 | 6 | -2 | 88 | -1 | 970 | 4 | 0.3 | 103 |
| BV0041 | BVACO 11 | 0 | 3 | 3 | 3.07 | 0.005 | 8 | 4 | 71 | 1 | 480 | 16 | 0.46 | 79 |
| BV0042 | BVACO 11 | 3 | 6 | 3 | 2.89 | 0.007 | 9 | 2 | 122 | -1 | 760 | 6 | 0.4 | 145 |
| BV0043 | BVACO 11 | 6 | 9 | 3 | 3.47 | 0.005 | 9 | 3 | 137 | 1 | 1650 | 7 | 0.37 | 121 |
| BV0044 | BVACO 11 | 9 | 12 | 3 | 3.41 | 0.01 | 5 | 2 | 122 | -1 | 1560 | 4 | 0.37 | 96 |
| BV0045 | BVACO 11 | 12 | 15 | 3 | 2.94 | 0.015 | 17 | 5 | 138 | 2 | 1410 | 27 | 0.39 | 130 |
| BV0046 | BVACO 11 | 15 | 18 | 3 | 3.51 | 0.015 | 10 | 3 | 120 | 2 | 1140 | 10 | 0.35 | 148 |
| BV0047 | BVACO 11 | 18 | 19.5 | 1.5 | 3.5 | 0.013 | 13 | 2 | 120 | 5 | 1110 | 10 | 0.39 | 123 |
| BV0048 | BVACO 12 | 0 | 3 | 3 | 2.64 | -0.005 | 8 | 2 | 64 | 1 | 280 | 16 | 0.53 | 76 |
| BV0049 | BVACO 12 | 3 | 6 | 3 | 2.95 | -0.005 | 6 | 2 | 88 | -1 | 710 | 4 | 0.48 | 75 |
| BV0051 | BVACO 12 | 6 | 9 | 3 | 3.63 | -0.005 | -5 | -2 | 87 | -1 | 840 | -2 | 0.51 | 76 |
| BV0052 | BVACO 12 | 9 | 12 | 3 | 2.96 | -0.005 | 5 | 3 | 88 | -1 | 630 | -2 | 0.53 | 78 |
| BV0053 | BVACO 12 | 12 | 15 | 3 | 3.49 | 0.005 | -5 | 3 | 118 | -1 | 670 | -2 | 0.53 | 85 |
| BV0054 | BVACO 12 | 15 | 18 | 3 | 3.5 | -0.005 | -5 | -2 | 99 | -1 | 710 | -2 | 0.53 | 85 |
| BV0055 | BVACO 12 | 18 | 21 | 3 | 4.02 | -0.005 | -5 | 3 | 93 | -1 | 740 | 2 | 0.54 | 105 |
| BV0056 | BVACO 12 | 21 | 24 | 3 | 4.11 | -0.005 | -5 | 4 | 88 | 1 | 630 | -2 | 0.56 | 85 |
| BV0057 | BVACO 13 | 0 | 3 | 3 | 3.06 | -0.005 | 7 | -2 | 100 | -1 | 300 | 7 | 0.38 | 71 |
| BV0058 | BVACO 13 | 3 | 6 | 3 | 3.24 | -0.005 | 5 | -2 | 116 | -1 | 480 | 3 | 0.32 | 88 |
| BV0059 | BVACO 14 | 0 | 3 | 3 | 2.82 | -0.005 | 5 | 2 | 80 | 1 | 280 | 10 | 0.39 | 63 |
| BV0060 | BVACO 15 | 0 | 3 | 3 | 3.82 | -0.005 | 6 | -2 | 75 | -1 | 360 | 10 | 0.39 | 67 |
| BV0061 | BVACO 15 | 3 | 6 | 3 | 4.14 | -0.005 | -5 | -2 | 85 | -1 | 780 | -2 | 0.26 | 76 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0062 | BVACO 15 | 6 | 9 | 3 | 3.1 | -0.005 | -5 | 4 | 91 | -1 | 1180 | 3 | 0.29 | 89 |
| BV0063 | BVACO 15 | 9 | 12 | 3 | 3.83 | -0.005 | -5 | 3 | 97 | -1 | 1170 | -2 | 0.3 | 70 |
| BV0064 | BVACO 15 | 12 | 15 | 3 | 4.2 | -0.005 | 5 | -2 | 85 | -1 | 1210 | 9 | 0.26 | 66 |
| BV0065 | BVACO 15 | 15 | 18 | 3 | 3.74 | -0.005 | 7 | 3 | 71 | 1 | 720 | 3 | 0.22 | 61 |
| BV0066 | BVACO 15 | 18 | 21 | 3 | 4.27 | -0.005 | 13 | 4 | 75 | -1 | 810 | -2 | 0.23 | 67 |
| BV0067 | BVACO 15 | 21 | 23 | 2 | 4.19 | -0.005 | 17 | 5 | 82 | 1 | 570 | 5 | 0.22 | 110 |
| BV0068 | BVACO 16 | 0 | 3 | 3 | 3.75 | 0.005 | 7 | 3 | 137 | -1 | 420 | 8 | 0.39 | 72 |
| BV0069 | BVACO 16 | 3 | 6 | 3 | 3.34 | -0.005 | -5 | 4 | 158 | -1 | 780 | 2 | 0.34 | 75 |
| BV0071 | BVACO 16 | 6 | 9 | 3 | 3.97 | -0.005 | 9 | 5 | 166 | -1 | 990 | 4 | 0.34 | 77 |
| BV0072 | BVACO 16 | 9 | 10. 5 | 1.5 | 3.22 | -0.005 | 7 | 5 | 149 | -1 | 910 | 3 | 0.36 | 121 |
| BV0073 | BVACO 17 | 0 | 3 | 3 | 4.01 | 0.007 | 6 | 2 | 80 | 1 | 300 | 14 | 0.51 | 59 |
| BV0074 | BVACO 17 | 3 | 6 | 3 | 3.96 | 0.008 | 6 | 4 | 169 | 1 | 1050 | 4 | 0.4 | 83 |
| BV0075 | BVACO 17 | 6 | 9 | 3 | 3.38 | -0.005 | -5 | 2 | 169 | -1 | 1090 | -2 | 0.35 | 216 |
| BV0076 | BVACO 17 | 9 | 12 | 3 | 3.36 | -0.005 | 5 | 3 | 181 | -1 | 950 | 3 | 0.39 | 79 |
| BV0077 | BVACO 18 | 0 | 3 | 3 | 3.42 | -0.005 | 7 | 3 | 82 | -1 | 230 | 15 | 0.48 | 69 |
| BV0078 | BVACO 18 | 3 | 6 | 3 | 3.65 | -0.005 | 6 | 4 | 83 | -1 | 440 | 8 | 0.43 | 74 |
| BV0079 | BVACO 18 | 6 | 9 | 3 | 3.48 | -0.005 | -5 | 2 | 111 | -1 | 810 | 2 | 0.36 | 82 |
| BV0080 | BVACO 18 | 9 | 10 | 1 | 4.27 | -0.005 | -5 | 4 | 160 | 1 | 780 | 4 | 0.34 | 146 |
| BV0081 | BVACO 19 | 0 | 3 | 3 | 3.7 | -0.005 | 7 | 4 | 68 | -1 | 360 | 15 | 0.51 | 59 |
| BV0082 | BVACO 19 | 3 | 6 | 3 | 3.39 | -0.005 | 5 | -2 | 137 | -1 | 450 | 6 | 0.38 | 72 |
| BV0083 | BVACO 19 | 6 | 9 | 3 | 3.77 | 0.007 | 5 | -2 | 165 | -1 | 800 | 2 | 0.36 | 98 |
| BV0084 | BVACO 20 | 0 | 3 | 3 | 3.55 | -0.005 | 7 | 4 | 78 | 1 | 260 | 16 | 0.51 | 85 |
| BV0085 | BVACO 20 | 3 | 6 | 3 | 3.06 | 0.009 | 7 | 3 | 83 | -1 | 260 | 13 | 0.5 | 84 |
| BV0086 | BVACO 20 | 6 | 9 | 3 | 3.37 | 0.007 | 8 | 4 | 152 | 1 | 1280 | 9 | 0.4 | 259 |
| BV0087 | BVACO 20 | 9 | 12 | 3 | 3.83 | 0.005 | 5 | 2 | 162 | 1 | 1640 | 5 | 0.38 | 113 |
| BV0088 | BVACO 20 | 12 | 15 | 3 | 3.67 | 0.007 | 5 | 4 | 164 | 1 | 1700 | 3 | 0.37 | 87 |
| BV0089 | BVACO 20 | 15 | 18 | 3 | 3.87 | 0.01 | -5 | -2 | 143 | -1 | 1480 | 5 | 0.38 | 91 |
| BV0091 | BVACO 21 | 0 | 3 | 3 | 3.33 | -0.005 | 8 | 2 | 58 | -1 | 300 | 18 | 0.57 | 60 |
| BV0092 | BVACO 21 | 3 | 6 | 3 | 3.01 | 0.007 | 8 | 3 | 69 | 1 | 240 | 13 | 0.51 | 91 |
| BV0093 | BVACO 21 | 6 | 9 | 3 | 3.85 | -0.005 | -5 | 3 | 84 | -1 | 380 | 4 | 0.46 | 153 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0094 | BVACO 21 | 9 | 12 | 3 | 4.01 | -0.005 | -5 | 3 | 88 | -1 | 360 | -2 | 0.48 | 83 |
| BV0095 | BVACO 22 | 0 | 3 | 3 | 2.81 | 0.006 | 8 | 3 | 69 | -1 | 230 | 12 | 0.51 | 100 |
| BV0096 | BVACO 22 | 3 | 6 | 3 | 2.73 | 0.006 | 6 | 3 | 106 | -1 | 530 | 4 | 0.38 | 89 |
| BV0097 | BVACO 22 | 6 | 9 | 3 | 3.92 | -0.005 | -5 | 2 | 108 | -1 | 910 | 3 | 0.34 | 188 |
| BV0098 | BVACO 22 | 9 | 12 | 3 | 4.29 | -0.005 | 6 | 4 | 103 | -1 | 870 | 2 | 0.32 | 94 |
| BV0099 | BVACO 22 | 12 | 15 | 3 | 4.29 | 0.007 | -5 | 2 | 121 | 1 | 770 | 10 | 0.32 | 104 |
| BV0100 | BVACO 23 | 0 | 3 | 3 | 3.17 | 0.008 | 6 | 2 | 98 | -1 | 300 | 11 | 0.46 | 77 |
| BV0101 | BVACO 23 | 3 | 6 | 3 | 3.11 | 0.008 | -5 | 3 | 147 | -1 | 750 | 4 | 0.4 | 81 |
| BV0102 | BVACO 23 | 6 | 9 | 3 | 3.67 | 0.011 | -5 | 5 | 165 | -1 | 1100 | 2 | 0.4 | 81 |
| BV0103 | BVACO 23 | 9 | 12 | 3 | 3.48 | 0.014 | -5 | -2 | 115 | -1 | 1120 | -2 | 0.37 | 92 |
| BV0104 | BVACO 23 | 12 | 15 | 3 | 3.53 | 0.005 | -5 | 2 | 149 | -1 | 1000 | 4 | 0.35 | 82 |
| BV0105 | BVACO 23 | 15 | 18 | 3 | 3.55 | 0.01 | -5 | 3 | 173 | -1 | 960 | 2 | 0.36 | 93 |
| BV0106 | BVACO 23 | 18 | 19 | 3 | 2.99 | 0.005 | -5 | 4 | 166 | 1 | 790 | 4 | 0.36 | 269 |
| BV0107 | BVACO 24 | 0 | 3 | 3 | 3.59 | 0.015 | 7 | 4 | 81 | -1 | 240 | 16 | 0.49 | 67 |
| BV0108 | BVACO 24 | 3 | 6 | 3 | 2.75 | -0.005 | 7 | 4 | 120 | 1 | 400 | 7 | 0.42 | 71 |
| BV0109 | BVACO 24 | 6 | 9 | 3 | 4.04 | 0.006 | 5 | 6 | 178 | 1 | 890 | 5 | 0.38 | 80 |
| BV0111 | BVACO 25 | 0 | 3 | 3 | 2.77 | 0.007 | 6 | 4 | 79 | 1 | 240 | 16 | 0.52 | 74 |
| BV0112 | BVACO 25 | 3 | 6 | 3 | 2.66 | 0.008 | 6 | -2 | 81 | -1 | 200 | 11 | 0.47 | 74 |
| BV0113 | BVACO 25 | 6 | 9 | 3 | 3.38 | 0.008 | -5 | 4 | 160 | -1 | 640 | 4 | 0.37 | 185 |
| BV0114 | BVACO 25 | 9 | 12 | 3 | 3.42 | 0.018 | -5 | -2 | 161 | -1 | 1050 | 5 | 0.36 | 155 |
| BV0115 | BVACO 25 | 12 | 15 | 3 | 3.37 | 0.009 | 6 | 4 | 165 | -1 | 950 | 4 | 0.37 | 259 |
| BV0116 | BVACO 25 | 15 | 15.5 | 0.5 | 2.65 | 0.006 | -5 | 2 | 153 | 1 | 880 | 7 | 0.37 | 272 |
| BV0117 | BVACO 26 | 0 | 3 | 3 | 3.2 | 0.01 | 9 | 3 | 70 | 1 | 250 | 17 | 0.56 | 76 |
| BV0118 | BVACO 26 | 3 | 6 | 3 | 2.26 | 0.006 | 8 | 4 | 79 | -1 | 200 | 16 | 0.53 | 94 |
| BV0119 | BVACO 26 | 6 | 9 | 3 | 2.77 | -0.005 | -5 | 4 | 109 | -1 | 270 | 10 | 0.5 | 126 |
| BV0120 | BVACO 26 | 9 | 12 | 3 | 2.76 | 0.006 | -5 | 3 | 160 | -1 | 680 | 9 | 0.4 | 135 |
| BV0121 | BVACO 26 | 12 | 15 | 3 | 2.62 | -0.005 | -5 | 3 | 180 | -1 | 860 | 6 | 0.49 | 145 |
| BV0122 | BVACO 26 | 15 | 18 | 3 | 3.55 | 0.008 | -5 | 2 | 211 | -1 | 1870 | 5 | 0.42 | 124 |
| BV0123 | BVACO 26 | 18 | 21 | 3 | 4 | 0.011 | -5 | 2 | 217 | -1 | 1470 | 4 | 0.39 | 115 |
| BV0124 | BVACO 26 | 21 | 24 | 3 | 4.21 | 0.013 | 7 | 4 | 206 | -1 | 1820 | 7 | 0.39 | 205 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0125 | BVACO 27 | 0 | 3 | 3 | 3.35 | -0.005 | 5 | 3 | 92 | -1 | 380 | 8 | 0.41 | 98 |
| BV0126 | BVACO 27 | 3 | 6 | 3 | 3.31 | -0.005 | -5 | 6 | 102 | -1 | 1210 | -2 | 0.36 | 93 |
| BV0127 | BVACO 27 | 6 | 9 | 3 | 3.86 | -0.005 | -5 | -2 | 91 | -1 | 1430 | -2 | 0.34 | 202 |
| BV0128 | BVACO 27 | 9 | 12. 5 | 3.5 | 3.99 | 0.006 | -5 | 2 | 118 | -1 | 950 | 2 | 0.37 | 162 |
| BV0129 | BVACO 28 | 0 | 3 | 3 | 3.26 | 0.007 | 36 | 3 | 107 | 6 | 440 | 20 | 0.33 | 144 |
| BV0131 | BVACO 28 | 3 | 6 | 3 | 3.56 | -0.005 | 14 | 3 | 76 | 1 | 550 | 8 | 0.3 | 136 |
| BV0132 | BVACO 28 | 6 | 9 | 3 | 2.96 | 0.012 | 34 | 4 | 92 | 3 | 510 | 10 | 0.28 | 292 |
| BV0133 | BVACO 28 | 9 | 12 | 3 | 3.2 | 0.007 | 12 | -2 | 122 | 1 | 520 | 6 | 0.33 | 196 |
| BV0134 | BVACO 29 | 0 | 3 | 3 | 3.47 | -0.005 | 6 | -2 | 95 | 1 | 520 | 4 | 0.33 | 134 |
| BV0135 | BVACO 29 | 3 | 6 | 3 | 4.07 | 0.005 | 6 | 2 | 97 | 1 | 770 | 3 | 0.32 | 145 |
| BV0136 | BVACO 30 | 0 | 3 | 3 | 3.45 | -0.005 | 5 | -2 | 69 | -1 | 260 | 11 | 0.35 | 168 |
| BV0137 | BVACO 30 | 3 | 6 | 3 | 2.97 | -0.005 | -5 | 3 | 78 | -1 | 450 | 4 | 0.33 | 159 |
| BV0138 | BVACO 30 | 6 | 9 | 3 | 3.21 | -0.005 | -5 | 4 | 88 | -1 | 430 | 4 | 0.43 | 168 |
| BV0139 | BVACO 30 | 9 | 12 | 3 | 3.91 | -0.005 | 11 | 3 | 80 | 2 | 1090 | 6 | 0.38 | 164 |
| BV0140 | BVACO 30 | 12 | 15 | 3 | 3.07 | -0.005 | 12 | 2 | 74 | 2 | 800 | 8 | 0.34 | 134 |
| BV0141 | BVACO 31 | 0 | 3 | 3 | 3.8 | -0.005 | 6 | -2 | 54 | 1 | 310 | 16 | 0.52 | 84 |
| BV0142 | BVACO 31 | 3 | 6 | 3 | 2.95 | -0.005 | 5 | -2 | 85 | -1 | 440 | 3 | 0.34 | 106 |
| BV0143 | BVACO 31 | 6 | 9 | 3 | 3.84 | -0.005 | 6 | -2 | 95 | -1 | 850 | 2 | 0.32 | 133 |
| BV0144 | BVACO 31 | 9 | 12 | 3 | 3.83 | 0.005 | -5 | -2 | 92 | -1 | 850 | 3 | 0.33 | 154 |
| BV0145 | BVACO 31 | 12 | 15 | 3 | 3.45 | -0.005 | 6 | -2 | 76 | 4 | 740 | -2 | 0.3 | 130 |
| BV0146 | BVACO 31 | 15 | 17 | 2 | 2.86 | 0.005 | -5 | -2 | 63 | -1 | 690 | 2 | 0.28 | 143 |
| BV0147 | BVACO 32 | 0 | 3 | 3 | 3.36 | 0.006 | 5 | -2 | 130 | -1 | 260 | 8 | 0.34 | 102 |
| BV0148 | BVACO 32 | 3 | 6 | 3 | 3.13 | -0.005 | -5 | -2 | 107 | -1 | 600 | 3 | 0.31 | 145 |
| BV0149 | BVACO 32 | 6 | 9 | 3 | 3.42 | 0.005 | -5 | -2 | 109 | -1 | 760 | -2 | 0.31 | 127 |
| BV0151 | BVACO 32 | 9 | 12 | 3 | 2.99 | -0.005 | -5 | -2 | 107 | 1 | 900 | 2 | 0.33 | 122 |
| BV0152 | BVACO 33 | 0 | 3 | 3 | 3.39 | -0.005 | 9 | -2 | 76 | 1 | 350 | 9 | 0.37 | 77 |
| BV0153 | BVACO 33 | 3 | 6 | 3 | 4.26 | -0.005 | 7 | 2 | 92 | 2 | 860 | 6 | 0.34 | 91 |
| BV0154 | BVACO 33 | 6 | 7 | 1 | 3.91 | -0.005 | -5 | -2 | 94 | 1 | 850 | 8 | 0.36 | 139 |
| BV0155 | BVACO 34 | 0 | 3 | 3 | 4.39 | -0.005 | 6 | -2 | 62 | 1 | 360 | 3 | 0.25 | 86 |
| BV0156 | BVACO 34 | 3 | 6 | 3 | 3.39 | -0.005 | 12 | -2 | 71 | -1 | 650 | 9 | 0.25 | 79 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0157 | BVACO 34 | 6 | 9 | 3 | 3.4 | -0.005 | 13 | -2 | 87 | 1 | 930 | 8 | 0.64 | 196 |
| BV0158 | BVACO 34 | 9 | 12. 5 | 3.5 | 3.14 | -0.005 | 6 | -2 | 83 | -1 | 1060 | 6 | 0.35 | 142 |
| BV0159 | BVACO 34 | 0 | 3 | 3 | 2.92 | -0.005 | -5 | -2 | 91 | -1 | 1450 | 3 | 0.86 | 101 |
| BV0160 | BVACO 35 | 3 | 6 | 3 | 3.22 | -0.005 | -5 | -2 | 108 | -1 | 1210 | 3 | 0.47 | 113 |
| BV0161 | BVACO 35 | 6 | 9 | 3 | 3.18 | -0.005 | -5 | -2 | 105 | -1 | 1050 | -2 | 0.35 | 82 |
| BV0162 | BVACO 35 | 9 | 12 | 3 | 3.78 | -0.005 | -5 | -2 | 92 | -1 | 810 | -2 | 0.29 | 85 |
| BV0163 | BVACO 35 | 12 | 14 | 2 | 3.04 | -0.005 | -5 | -2 | 106 | 1 | 860 | -2 | 0.31 | 85 |
| BV0164 | BVACO 36 | 0 | 3 | 3 | 3.61 | -0.005 | 11 | -2 | 104 | 1 | 1020 | 6 | 0.51 | 110 |
| BV0165 | BVACO 36 | 3 | 6 | 3 | 3.35 | -0.005 | 5 | -2 | 94 | -1 | 2070 | 3 | 0.6 | 111 |
| BV0166 | BVACO 36 | 6 | 8.5 | 2.5 | 2.92 | -0.005 | -5 | 2 | 67 | 1 | 2890 | 8 | 0.56 | 196 |
| BV0167 | BVACO 37 | 0 | 3 | 3 | 3.15 | -0.005 | -5 | -2 | 112 | -1 | 670 | 4 | 0.32 | 85 |
| BV0168 | BVACO 37 | 3 | 6 | 3 | 3.4 | -0.005 | -5 | -2 | 112 | -1 | 670 | -2 | 0.28 | 96 |
| BV0169 | BVACO 37 | 6 | 9 | 3 | 3.77 | -0.005 | -5 | -2 | 184 | -1 | 670 | 3 | 0.27 | 121 |
| BV0171 | BVACO 37 | 9 | 10. 5 | 1.5 | 3.13 | -0.005 | -5 | -2 | 174 | -1 | 710 | -2 | 0.26 | 142 |
| BV0172 | BVACO 38 | 0 | 3 | 3 | 3.68 | -0.005 | 7 | -2 | 97 | -1 | 490 | 7 | 0.28 | 108 |
| BV0173 | BVACO 38 | 3 | 6 | 3 | 3.55 | -0.005 | 7 | -2 | 218 | -1 | 800 | 3 | 0.25 | 93 |
| BV0174 | BVACO 38 | 6 | 9 | 3 | 3.36 | -0.005 | 9 | -2 | 116 | -1 | 880 | 2 | 0.27 | 92 |
| BV0175 | BVACO 38 | 9 | 12 | 3 | 3.87 | -0.005 | 8 | -2 | 106 | -1 | 850 | 7 | 0.26 | 90 |
| BV0176 | BVACO 38 | 12 | 15 | 3 | 3.91 | -0.005 | -5 | -2 | 118 | -1 | 690 | 2 | 0.23 | 95 |
| BV0177 | BVACO 38 | 15 | 17. 5 | 2.5 | 4.32 | -0.005 | -5 | -2 | 118 | -1 | 710 | 3 | 0.25 | 151 |
| BV0178 | BVACO 39 | 0 | 3 | 3 | 3.25 | -0.005 | 8 | -2 | 74 | -1 | 720 | -2 | 0.76 | 88 |
| BV0179 | BVACO 39 | 3 | 6 | 3 | 3.36 | -0.005 | 5 | -2 | 55 | -1 | 770 | -2 | 0.29 | 88 |
| BV0180 | BVACO 39 | 6 | 9 | 3 | 3.47 | -0.005 | 8 | -2 | 54 | -1 | 740 | 3 | 0.28 | 85 |
| BV0181 | BVACO 39 | 9 | 12 | 3 | 3.43 | 0.006 | -5 | -2 | 131 | -1 | 770 | 4 | 0.3 | 107 |
| BV0182 | BVACO 39 | 12 | 15 | 3 | 3.3 | -0.005 | -5 | -2 | 288 | -1 | 810 | 2 | 0.3 | 96 |
| BV0183 | BVACO 40 | 0 | 3 | 3 | 2.82 | -0.005 | -5 | -2 | 137 | -1 | 590 | 2 | 0.3 | 88 |
| BV0184 | BVACO 40 | 3 | 6 | 3 | 3.37 | -0.005 | 5 | -2 | 109 | -1 | 720 | 2 | 0.27 | 94 |
| BV0185 | BVACO 40 | 6 | 7.5 | 1.5 | 3.09 | -0.005 | -5 | -2 | 195 | -1 | 660 | 2 | 0.27 | 103 |
| BV0186 | BVACO 41 | 0 | 3 | 3 | 3.32 | -0.005 | 13 | -2 | 72 | -1 | 1230 | 13 | 1.03 | 106 |
| BV0187 | BVACO 41 | 3 | 6 | 3 | 3.78 | 0.006 | 8 | -2 | 127 | -1 | 860 | 4 | 0.32 | 101 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0188 | BVACO 41 | 6 | 9 | 3 | 3.02 | -0.005 | 6 | -2 | 220 | -1 | 830 | 5 | 0.31 | 101 |
| BV0189 | BVACO 41 | 9 | 10. 5 | 1.5 | 2.18 | 0.005 | 6 | 2 | 128 | -1 | 890 | 6 | 0.34 | 97 |
| BV0191 | BVACO 42 | 0 | 3 | 3 | 3.52 | -0.005 | 8 | -2 | 128 | -1 | 650 | 4 | 0.38 | 98 |
| BV0192 | BVACO 43 | 0 | 3 | 3 | 2.94 | -0.005 | -5 | -2 | 88 | -1 | 500 | 13 | 0.49 | 83 |
| BV0193 | BVACO 43 | 3 | 7 | 4 | 4.14 | -0.005 | 5 | 2 | 116 | -1 | 1710 | -2 | 0.6 | 86 |
| BV0194 | BVACO 44 | 0 | 3 | 3 | 3.61 | -0.005 | 7 | -2 | 79 | -1 | 480 | 6 | 0.39 | 90 |
| BV0195 | BVACO 44 | 3 | 6 | 3 | 3.4 | -0.005 | -5 | -2 | 77 | -1 | 830 | 2 | 0.29 | 99 |
| BV0196 | BVACO 44 | 6 | 9.5 | 3.5 | 4.55 | 0.005 | -5 | -2 | 74 | -1 | 900 | -2 | 0.33 | 109 |
| BV0197 | BVACO 45 | 0 | 3 | 3 | 2.5 | -0.005 | 7 | -2 | 105 | -1 | 810 | 8 | 0.46 | 89 |
| BV0198 | BVACO 45 | 3 | 6 | 3 | 4.2 | -0.005 | 9 | -2 | 151 | -1 | 620 | 2 | 0.32 | 109 |
| BV0199 | BVACO 45 | 6 | 9 | 3 | 3.36 | -0.005 | 8 | -2 | 129 | -1 | 610 | 4 | 0.3 | 100 |
| BV0200 | BVACO 45 | 9 | 12 | 3 | 3.71 | -0.005 | 5 | -2 | 151 | -1 | 600 | 3 | 0.29 | 91 |
| BV0201 | BVACO 45 | 12 | 15 | 3 | 3.52 | 0.007 | -5 | 2 | 65 | -1 | 580 | 3 | 0.27 | 84 |
| BV0202 | BVACO 45 | 15 | 18 | 3 | 3.9 | 0.006 | -5 | -2 | 53 | -1 | 690 | 4 | 0.28 | 89 |
| BV0203 | BVACO 45 | 18 | 21 | 3 | 3.19 | 0.007 | 5 | -2 | 131 | -1 | 630 | -2 | 0.26 | 83 |
| BV0204 | BVACO 45 | 21 | 22. 5 | 1.5 | 2.84 | -0.005 | -5 | -2 | 98 | -1 | 630 | 4 | 0.26 | 90 |
| BV0205 | BVACO 46 | 0 | 3 | 3 | 3.01 | -0.005 | -5 | -2 | 156 | -1 | 600 | -2 | 0.28 | 85 |
| BV0206 | BVACO 46 | 3 | 6 | 3 | 3.39 | -0.005 | -5 | -2 | 124 | -1 | 670 | 4 | 0.26 | 107 |
| BV0207 | BVACO 47 | 0 | 3 | 3 | 3.33 | -0.005 | 7 | -2 | 85 | 1 | 270 | 13 | 0.48 | 92 |
| BV0208 | BVACO 47 | 3 | 6 | 3 | 2.95 | -0.005 | 6 | -2 | 110 | -1 | 300 | 8 | 0.41 | 109 |
| BV0209 | BVACO 47 | 6 | 9 | 3 | 3.13 | 0.006 | 5 | -2 | 93 | -1 | 990 | -2 | 0.33 | 143 |
| BV0211 | BVACO 47 | 9 | 12 | 3 | 3.61 | 0.005 | -5 | -2 | 158 | -1 | 1710 | 3 | 0.55 | 166 |
| BV0212 | BVACO 47 | 12 | 15 | 3 | 3.92 | -0.005 | -5 | -2 | 157 | 1 | 910 | 2 | 0.35 | 107 |
| BV0213 | BVACO 47 | 15 | 18 | 3 | 3.47 | 0.005 | -5 | -2 | 162 | -1 | 1010 | 5 | 0.34 | 122 |
| BV0214 | BVACO 48 | 0 | 3 | 3 | 3.2 | 0.009 | 7 | -2 | 74 | 1 | 260 | 12 | 0.5 | 82 |
| BV0215 | BVACO 48 | 3 | 6 | 3 | 3.14 | -0.005 | 10 | -2 | 70 | -1 | 230 | 16 | 0.47 | 80 |
| BV0216 | BVACO 48 | 6 | 9 | 3 | 3.26 | 0.008 | -5 | -2 | 104 | -1 | 920 | 7 | 0.32 | 154 |
| BV0217 | BVACO 48 | 9 | 12 | 3 | 3.17 | -0.005 | -5 | -2 | 97 | 1 | 1210 | 8 | 0.57 | 162 |
| BV0218 | BVACO 48 | 12 | 15 | 3 | 3.43 | 0.009 | 6 | -2 | 101 | 1 | 740 | 12 | 0.28 | 184 |
| BV0219 | BVACO 49 | 0 | 3 | 3 | 2.45 | -0.005 | 5 | -2 | 59 | -1 | 250 | 14 | 0.5 | 75 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0220 | BVACO 49 | 3 | 6 | 3 | 2.5 | 0.01 | 9 | -2 | 71 | 1 | 230 | 12 | 0.49 | 81 |
| BV0221 | BVACO 49 | 6 | 9 | 3 | 3.19 | 0.016 | 14 | -2 | 139 | -1 | 510 | 17 | 0.35 | 119 |
| BV0222 | BVACO 49 | 9 | 12 | 3 | 3.9 | 0.019 | 11 | -2 | 139 | -1 | 880 | 7 | 0.37 | 145 |
| BV0223 | BVACO 49 | 12 | 15 | 3 | 3.34 | 0.048 | 18 | -2 | 155 | -1 | 1080 | 10 | 0.37 | 119 |
| BV0224 | BVACO 49 | 15 | 17 | 2 | 3.56 | 0.017 | -5 | 2 | 113 | -1 | 890 | 2 | 0.38 | 232 |
| BV0225 | BVACO 50 | 0 | 3 | 3 | 3.36 | -0.005 | 7 | -2 | 106 | 1 | 1150 | 17 | 0.44 | 121 |
| BV0226 | BVACO 50 | 3 | 6 | 3 | 4.24 | -0.005 | 10 | -2 | 148 | 1 | 1410 | 5 | 0.48 | 113 |
| BV0227 | BVACO 50 | 6 | 7 | 1 | 2.1 | 0.007 | 23 | -2 | 121 | 5 | 1270 | 19 | 0.38 | 97 |
| BV0228 | BVACO 51 | 0 | 3 | 3 | 2.79 | 0.005 | 5 | -2 | 82 | -1 | 190 | -2 | 0.33 | 124 |
| BV0229 | BVACO 51 | 3 | 6 | 3 | 3.32 | -0.005 | -5 | -2 | 76 | -1 | 310 | 2 | 0.3 | 102 |
| BV0231 | BVACO 51 | 6 | 9 | 3 | 3.11 | -0.005 | 6 | -2 | 87 | -1 | 370 | 6 | 0.3 | 108 |
| BV0232 | BVACO 51 | 9 | 12 | 3 | 2.92 | -0.005 | 5 | -2 | 116 | -1 | 960 | 3 | 0.32 | 104 |
| BV0233 | BVACO 51 | 12 | 15 | 3 | 2.76 | 0.006 | -5 | -2 | 92 | -1 | 1030 | 2 | 0.33 | 93 |
| BV0234 | BVACO 51 | 15 | 18 | 3 | 3.06 | 0.005 | 7 | -2 | 100 | -1 | 1140 | 5 | 0.3 | 108 |
| BV0235 | BVACO 51 | 18 | 21 | 3 | 3.9 | 0.005 | 6 | -2 | 92 | -1 | 930 | 3 | 0.29 | 98 |
| BV0236 | BVACO 51 | 21 | 22 | 1 | 2.68 | -0.005 | 8 | -2 | 36 | -1 | 990 | 2 | 0.3 | 230 |
| BV0237 | BVACO 52 | 0 | 3 | 3 | 3.3 | 0.006 | 12 | -2 | 60 | -1 | 2500 | 12 | 0.88 | 110 |
| BV0238 | BVACO 52 | 3 | 6 | 3 | 3.58 | -0.005 | 11 | -2 | 58 | -1 | 4800 | 6 | 1.23 | 106 |
| BV0239 | BVACO 52 | 6 | 9 | 3 | 3.31 | -0.005 | 5 | -2 | 11 | -1 | 1740 | 5 | 0.45 | 86 |
| BV0240 | BVACO 52 | 9 | 12 | 3 | 3.13 | -0.005 | 9 | -2 | 25 | 1 | 1590 | -2 | 0.37 | 92 |
| BV0241 | BVACO 52 | 12 | 15 | 3 | 3.19 | -0.005 | 5 | -2 | 114 | -1 | 810 | 5 | 0.26 | 123 |
| BV0242 | BVACO 52 | 15 | 18 | 3 | 3.37 | -0.005 | -5 | -2 | 95 | -1 | 700 | 2 | 0.27 | 94 |
| BV0243 | BVACO 52 | 18 | 20 | 2 | 3.03 | 0.008 | 6 | -2 | 96 | -1 | 650 | 3 | 0.29 | 117 |
| BV0244 | BVACO 53 | 0 | 3 | 3 | 3.23 | -0.005 | 7 | -2 | 74 | -1 | 330 | 14 | 0.53 | 109 |
| BV0245 | BVACO 53 | 3 | 6 | 3 | 2.62 | 0.007 | -5 | -2 | 97 | -1 | 200 | 6 | 0.36 | 331 |
| BV0246 | BVACO 53 | 6 | 9 | 3 | 2.96 | -0.005 | -5 | -2 | 99 | -1 | 400 | 2 | 0.31 | 348 |
| BV0247 | BVACO 53 | 9 | 12 | 3 | 2.92 | -0.005 | -5 | -2 | 71 | -1 | 260 | 4 | 0.27 | 204 |
| BV0248 | BVACO 53 | 12 | 15 | 3 | 3.1 | -0.005 | -5 | -2 | 70 | -1 | 710 | -2 | 0.27 | 99 |
| BV0249 | BVACO 53 | 15 | 18 | 3 | 2.98 | -0.005 | -5 | -2 | 67 | -1 | 950 | 3 | 0.26 | 111 |
| BV0251 | BVACO 54 | 0 | 3 | 3 | 3.39 | -0.005 | 5 | -2 | 65 | 1 | 360 | 15 | 0.51 | 73 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0252 | BVACO 54 | 3 | 6 | 3 | 2.25 | -0.005 | 9 | -2 | 99 | -1 | 280 | 9 | 0.38 | 142 |
| BV0253 | BVACO 54 | 6 | 9 | 3 | 2.74 | -0.005 | -5 | -2 | 93 | -1 | 520 | 3 | 0.25 | 92 |
| BV0254 | BVACO 54 | 9 | 12 | 3 | 3.44 | -0.005 | -5 | -2 | 88 | -1 | 390 | 3 | 0.23 | 81 |
| BV0255 | BVACO 55 | 0 | 3 | 3 | 2.9 | -0.005 | 5 | -2 | 84 | -1 | 310 | 11 | 0.45 | 128 |
| BV0256 | BVACO 55 | 3 | 6 | 3 | 4.15 | -0.005 | -5 | 2 | 104 | 1 | 850 | 5 | 0.33 | 94 |
| BV0257 | BVACO 55 | 6 | 9 | 3 | 3.62 | -0.005 | 5 | -2 | 99 | 1 | 980 | 5 | 0.33 | 100 |
| BV0258 | BVACO 55 | 9 | 12 | 3 | 3.02 | -0.005 | -5 | -2 | 96 | 1 | 1100 | -2 | 0.41 | 109 |
| BV0259 | BVACO 55 | 12 | 13. 5 | 1.5 | 3.05 | 0.008 | 7 | -2 | 79 | 1 | 1990 | 4 | 0.85 | 189 |
| BV0260 | BVACO 56 | 0 | 3 | 3 | 3.08 | 0.006 | 9 | -2 | 70 | 1 | 330 | 14 | 0.47 | 79 |
| BV0261 | BVACO 56 | 3 | 6 | 3 | 3.2 | 0.008 | 7 | -2 | 78 | -1 | 290 | 12 | 0.43 | 132 |
| BV0262 | BVACO 56 | 6 | 9 | 3 | 3.17 | 0.006 | 7 | -2 | 95 | -1 | 750 | 9 | 0.32 | 119 |
| BV0263 | BVACO 56 | 9 | 12 | 3 | 3.44 | -0.005 | 6 | -2 | 95 | 1 | 850 | 5 | 0.31 | 130 |
| BV0264 | BVACO 56 | 12 | 15 | 3 | 3.2 | 0.006 | 7 | -2 | 89 | -1 | 720 | -2 | 0.32 | 99 |
| BV0265 | BVACO 56 | 15 | 18 | 3 | 3.72 | 0.009 | -5 | -2 | 106 | -1 | 930 | 2 | 0.32 | 82 |
| BV0266 | BVACO 56 | 18 | 21. 5 | 3.5 | 3.55 | -0.005 | 6 | -2 | 109 | 1 | 1070 | 6 | 0.31 | 132 |
| BV0267 | BVACO 57 | 0 | 3 | 3 | 3.53 | 0.006 | 8 | -2 | 53 | -1 | 270 | 22 | 0.57 | 77 |
| BV0268 | BVACO 57 | 3 | 6 | 3 | 2.49 | 0.009 | 9 | -2 | 61 | 1 | 220 | 19 | 0.52 | 158 |
| BV0269 | BVACO 57 | 6 | 9 | 3 | 2.4 | -0.005 | 11 | -2 | 92 | -1 | 280 | 11 | 0.45 | 225 |
| BV0271 | BVACO 57 | 9 | 12 | 3 | 2.7 | 0.005 | 14 | -2 | 110 | -1 | 240 | 7 | 0.29 | 369 |
| BV0272 | BVACO 57 | 12 | 15 | 3 | 3.04 | 0.009 | 11 | -2 | 125 | -1 | 800 | 2 | 0.3 | 213 |
| BV0273 | BVACO 57 | 15 | 18 | 3 | 3.35 | 0.005 | 5 | -2 | 110 | -1 | 1500 | 2 | 0.31 | 101 |
| BV0274 | BVACO 57 | 18 | 21 | 3 | 3.25 | 0.007 | -5 | -2 | 114 | -1 | 1570 | 5 | 0.31 | 96 |
| BV0275 | BVACO 57 | 21 | 24 | 3 | 3.53 | 0.008 | 5 | -2 | 71 | -1 | 1360 | 3 | 0.32 | 119 |
| BV0276 | BVACO 57 | 24 | 27 | 3 | 3.27 | 0.008 | -5 | -2 | 55 | -1 | 1540 | 3 | 0.35 | 211 |
| BV0277 | BVACO 57 | 27 | 30 | 3 | 3.95 | 0.007 | 5 | -2 | 55 | -1 | 1450 | 3 | 0.34 | 122 |
| BV0278 | BVACO 58 | 0 | 3 | 3 | 4.13 | 0.008 | 8 | -2 | 57 | 1 | 310 | 21 | 0.56 | 91 |
| BV0279 | BVACO 58 | 3 | 6 | 3 | 2.89 | 0.007 | 6 | -2 | 66 | -1 | 230 | 15 | 0.48 | 85 |
| BV0280 | BVACO 58 | 6 | 9 | 3 | 3.26 | -0.005 | -5 | -2 | 78 | -1 | 240 | 12 | 0.41 | 141 |
| BV0281 | BVACO 58 | 9 | 12 | 3 | 3.28 | -0.005 | -5 | -2 | 79 | -1 | 480 | 5 | 0.32 | 108 |
| BV0282 | BVACO 58 | 12 | 15 | 3 | 3.33 | 0.005 | -5 | 4 | 108 | -1 | 930 | 4 | 0.31 | 225 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0283 | BVACO 58 | 15 | 18 | 3 | 4.08 | 0.022 | 6 | -2 | 106 | -1 | 1200 | 5 | 0.32 | 112 |
| BV0284 | BVACO 58 | 18 | 21 | 3 | 3.96 | 0.011 | -5 | -2 | 89 | -1 | 1090 | -2 | 0.32 | 139 |
| BV0285 | BVACO 58 | 21 | 24 | 3 | 3.71 | 0.006 | -5 | -2 | 111 | -1 | 1120 | 3 | 0.32 | 108 |
| BV0286 | BVACO 58 | 24 | 25 | 1 | 2.59 | 0.007 | -5 | -2 | 66 | 1 | 980 | -2 | 0.3 | 81 |
| BV0287 | BVACO 59 | 0 | 3 | 3 | 2.54 | 0.007 | 7 | -2 | 73 | 1 | 300 | 15 | 0.48 | 90 |
| BV0288 | BVACO 59 | 3 | 6 | 3 | 2.38 | 0.01 | -5 | -2 | 88 | 1 | 300 | 10 | 0.4 | 119 |
| BV0289 | BVACO 59 | 6 | 9 | 3 | 2.34 | 0.007 | -5 | -2 | 108 | -1 | 400 | 11 | 0.36 | 180 |
| BV0291 | BVACO 59 | 9 | 12 | 3 | 1.88 | -0.005 | -5 | -2 | 122 | 1 | 510 | 6 | 0.35 | 102 |
| BV0292 | BVACO 59 | 12 | 15 | 3 | 2.54 | -0.005 | -5 | 3 | 106 | 1 | 1120 | 6 | 0.33 | 98 |
| BV0293 | BVACO 59 | 15 | 18 | 3 | 2.94 | -0.005 | -5 | -2 | 95 | 1 | 1020 | 2 | 0.32 | 83 |
| BV0294 | BVACO 59 | 18 | 21 | 3 | 3.3 | -0.005 | -5 | 2 | 131 | -1 | 950 | -2 | 0.38 | 89 |
| BV0295 | BVACO 59 | 21 | 22 | 1 | 2.62 | -0.005 | -5 | 2 | 103 | 1 | 1020 | -2 | 0.32 | 84 |
| BV0296 | BVACO 60 | 0 | 3 | 3 | 2.78 | -0.005 | 8 | -2 | 94 | 1 | 300 | 10 | 0.44 | 88 |
| BV0297 | BVACO 60 | 3 | 6 | 3 | 2.56 | -0.005 | 5 | -2 | 73 | -1 | 450 | 7 | 0.32 | 85 |
| BV0298 | BVACO 60 | 6 | 9 | 3 | 2.76 | -0.005 | -5 | -2 | 77 | -1 | 890 | 8 | 0.28 | 117 |
| BV0299 | BVACO 60 | 9 | 12 | 3 | 2.74 | 0.006 | -5 | -2 | 109 | 1 | 1100 | 7 | 0.31 | 102 |
| BV0300 | BVACO 60 | 12 | 15 | 3 | 2.76 | -0.005 | 6 | -2 | 118 | 1 | 1240 | 6 | 0.34 | 137 |
| BV0301 | BVACO 60 | 15 | 18 | 3 | 2.44 | 0.006 | -5 | 3 | 124 | -1 | 1090 | 5 | 0.36 | 102 |
| BV0302 | BVACO 60 | 18 | 20 | 2 | 3.38 | 0.007 | 11 | -2 | 120 | 4 | 910 | 19 | 0.37 | 99 |
| BV0303 | BVACO 61 | 0 | 3 | 3 | 2.88 | 0.007 | 5 | -2 | 112 | 1 | 270 | 12 | 0.42 | 75 |
| BV0304 | BVACO 61 | 3 | 6 | 3 | 2.72 | -0.005 | 5 | -2 | 174 | 1 | 670 | 6 | 0.37 | 126 |
| BV0305 | BVACO 61 | 6 | 9 | 3 | 2.74 | -0.005 | -5 | 3 | 159 | 2 | 1490 | 10 | 0.38 | 154 |
| BV0306 | BVACO 61 | 9 | 12 | 3 | 3.22 | 0.007 | 6 | -2 | 131 | 3 | 1140 | 11 | 0.34 | 127 |
| BV0307 | BVACO 61 | 12 | 15 | 3 | 3.26 | -0.005 | -5 | 2 | 117 | -1 | 1130 | 3 | 0.36 | 153 |
| BV0308 | BVACO 61 | 15 | 18 | 3 | 3.12 | -0.005 | 6 | -2 | 104 | -1 | 1490 | 8 | 0.72 | 123 |
| BV0309 | BVACO 61 | 18 | 21 | 3 | 3.7 | 0.005 | -5 | 4 | 52 | 1 | 1470 | 3 | 1.11 | 88 |
| BV0311 | BVACO 61 | 21 | 23 | 2 | 3.44 | -0.005 | 6 | -2 | 128 | 1 | 1310 | 11 | 0.71 | 266 |
| BV0312 | BVACO 62 | 0 | 3 | 3 | 2.7 | -0.005 | 7 | 2 | 79 | 1 | 340 | 17 | 0.55 | 68 |
| BV0313 | BVACO 62 | 3 | 6 | 3 | 2.08 | -0.005 | 10 | -2 | 99 | 1 | 280 | 13 | 0.49 | 92 |
| BV0314 | BVACO 62 | 6 | 9 | 3 | 2.38 | 0.006 | 5 | -2 | 153 | 4 | 310 | 9 | 0.34 | 246 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0315 | BVACO 62 | 9 | 12 | 3 | 2.22 | -0.005 | 10 | 2 | 147 | 6 | 350 | 6 | 0.34 | 178 |
| BV0316 | BVACO 62 | 12 | 15 | 3 | 3.12 | -0.005 | -5 | -2 | 90 | -1 | 510 | 3 | 0.23 | 77 |
| BV0317 | BVACO 62 | 15 | 17. 5 | 2.5 | 3.12 | -0.005 | -5 | 4 | 74 | 1 | 420 | -2 | 0.21 | 72 |
| BV0318 | BVACO 63 | 0 | 3 | 3 | 2.32 | -0.005 | 7 | -2 | 77 | 1 | 290 | 14 | 0.53 | 72 |
| BV0319 | BVACO 63 | 3 | 6 | 3 | 2.16 | -0.005 | 5 | -2 | 84 | 1 | 200 | 11 | 0.52 | 83 |
| BV0320 | BVACO 63 | 6 | 9 | 3 | 2.08 | -0.005 | -5 | 2 | 146 | -1 | 340 | 9 | 0.49 | 129 |
| BV0321 | BVACO 63 | 9 | 12 | 3 | 2.28 | -0.005 | -5 | -2 | 155 | -1 | 360 | 5 | 0.4 | 248 |
| BV0322 | BVACO 63 | 12 | 15 | 3 | 2.44 | -0.005 | -5 | 3 | 88 | -1 | 840 | 3 | 0.41 | 403 |
| BV0323 | BVACO 63 | 15 | 18 | 3 | 2.22 | -0.005 | -5 | -2 | 117 | 1 | 1140 | 4 | 0.4 | 129 |
| BV0324 | BVACO 63 | 18 | 21 | 3 | 3 | -0.005 | -5 | 2 | 79 | 1 | 1010 | 6 | 0.35 | 107 |
| BV0325 | BVACO 63 | 21 | 24 | 3 | 2.96 | -0.005 | 6 | 2 | 70 | 1 | 1060 | 6 | 0.36 | 105 |
| BV0326 | BVACO 63 | 24 | 25 | 1 | 3.34 | -0.005 | -5 | -2 | 60 | 1 | 920 | 5 | 0.34 | 145 |
| BV0327 | BVACO 64 | 0 | 3 | 3 | 2.32 | 0.007 | 5 | -2 | 71 | 1 | 290 | 14 | 0.55 | 99 |
| BV0328 | BVACO 64 | 3 | 6 | 3 | 2.32 | 0.006 | 6 | -2 | 80 | 1 | 260 | 6 | 0.48 | 142 |
| BV0329 | BVACO 64 | 6 | 9 | 3 | 2.28 | 0.007 | -5 | -2 | 100 | 1 | 380 | 3 | 0.39 | 241 |
| BV0331 | BVACO 64 | 9 | 12 | 3 | 2.12 | -0.005 | -5 | -2 | 105 | -1 | 390 | 2 | 0.41 | 268 |
| BV0332 | BVACO 64 | 12 | 15 | 3 | 2.38 | 0.005 | -5 | -2 | 91 | -1 | 580 | 3 | 0.38 | 194 |
| BV0333 | BVACO 64 | 15 | 18 | 3 | 2.72 | -0.005 | -5 | 2 | 93 | -1 | 1540 | 3 | 0.4 | 124 |
| BV0334 | BVACO 64 | 18 | 21 | 3 | 2.72 | 0.005 | -5 | -2 | 63 | 1 | 1130 | 4 | 0.38 | 102 |
| BV0335 | BVACO 64 | 21 | 24 | 3 | 3.32 | -0.005 | -5 | -2 | 47 | -1 | 1040 | 4 | 0.38 | 102 |
| BV0336 | BVACO 64 | 24 | 27 | 3 | 3.62 | 0.006 | -5 | 4 | 63 | -1 | 1040 | -2 | 0.38 | 114 |
| BV0337 | BVACO 64 | 27 | 29. 5 | 2.5 | 2.9 | 0.006 | 5 | -2 | 82 | 1 | 950 | 8 | 0.4 | 114 |
| BV0338 | BVACO 65 | 0 | 3 | 3 | 2.92 | 0.007 | 9 | -2 | 77 | 1 | 380 | 13 | 0.53 | 136 |
| BV0339 | BVACO 65 | 3 | 6 | 3 | 2.14 | 0.007 | -5 | -2 | 170 | -1 | 670 | 9 | 0.45 | 60 |
| BV0340 | BVACO 65 | 6 | 9 | 3 | 2.62 | 0.022 | 20 | 2 | 227 | 3 | 960 | 53 | 0.41 | 123 |
| BV0341 | BVACO 65 | 9 | 12 | 3 | 2.76 | 0.025 | 24 | -2 | 273 | 4 | 940 | 21 | 0.43 | 163 |
| BV0342 | BVACO 65 | 12 | 15 | 3 | 2.7 | 0.024 | 20 | -2 | 174 | 2 | 870 | 16 | 0.4 | 186 |
| BV0343 | BVACO 65 | 15 | 18 | 3 | 3.6 | 0.006 | -5 | -2 | 128 | 1 | 1280 | 5 | 0.48 | 113 |
| BV0344 | BVACO 65 | 18 | 21 | 3 | 3.26 | 0.023 | 8 | 2 | 128 | 1 | 960 | 8 | 0.43 | 90 |
| BV0345 | BVACO 65 | 21 | 22. 5 | 1.5 | 3.12 | 0.017 | 23 | -2 | 109 | 3 | 510 | 18 | 0.34 | 143 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0346 | BVACO 66 | 0 | 3 | 3 | 3.1 | 0.008 | -5 | -2 | 160 | 1 | 1320 | 4 | 0.4 | 162 |
| BV0347 | BVACO 66 | 3 | 6 | 3 | 3.22 | 0.005 | 5 | -2 | 135 | 1 | 1110 | 2 | 0.39 | 111 |
| BV0348 | BVACO 67 | 0 | 3 | 3 | 2.96 | 0.011 | 13 | -2 | 127 | 1 | 350 | 13 | 0.48 | 103 |
| BV0349 | BVACO 67 | 3 | 6 | 3 | 2.68 | 0.007 | 18 | -2 | 109 | -1 | 650 | 7 | 0.5 | 93 |
| BV0351 | BVACO 67 | 6 | 9 | 3 | 3.08 | 0.012 | 20 | -2 | 118 | 1 | 960 | 9 | 0.5 | 82 |
| BV0352 | BVACO 67 | 9 | 12 | 3 | 3.64 | 0.009 | 10 | -2 | 130 | 1 | 1100 | 2 | 0.48 | 102 |
| BV0353 | BVACO 67 | 12 | 13 | 1 | 2.84 | 0.009 | -5 | -2 | 115 | 1 | 880 | 5 | 0.34 | 114 |
| BV0354 | BVACO 68 | 0 | 3 | 3 | 2.82 | 0.012 | 8 | -2 | 117 | 1 | 400 | 10 | 0.45 | 83 |
| BV0355 | BVACO 68 | 3 | 6 | 3 | 2.76 | 0.009 | -5 | -2 | 115 | -1 | 860 | 2 | 0.38 | 79 |
| BV0356 | BVACO 68 | 6 | 9 | 3 | 2.66 | 0.007 | 5 | -2 | 124 | 1 | 1260 | 5 | 0.39 | 224 |
| BV0357 | BVACO 68 | 9 | 12 | 3 | 2.7 | 0.007 | 5 | 2 | 124 | 1 | 1350 | -2 | 0.38 | 137 |
| BV0358 | BVACO 68 | 12 | 15 | 3 | 3.08 | 0.005 | -5 | -2 | 121 | 1 | 1300 | 2 | 0.39 | 80 |
| BV0359 | BVACO 68 | 15 | 17. 5 | 2.5 | 3.14 | 0.009 | 5 | 2 | 125 | 1 | 1020 | 4 | 0.39 | 93 |
| BV0360 | BVACO 69 | 0 | 3 | 3 | 2.64 | 0.01 | 5 | -2 | 175 | -1 | 510 | 14 | 0.44 | 85 |
| BV0361 | BVACO 69 | 3 | 6 | 3 | 2.34 | 0.018 | -5 | -2 | 194 | -1 | 1290 | 6 | 0.45 | 83 |
| BV0362 | BVACO 69 | 6 | 9 | 3 | 2.46 | 0.013 | -5 | -2 | 204 | 1 | 1690 | 5 | 0.46 | 127 |
| BV0363 | BVACO 69 | 9 | 12 | 3 | 2.74 | 0.011 | -5 | -2 | 242 | 1 | 1630 | 7 | 0.45 | 166 |
| BV0364 | BVACO 69 | 12 | 15 | 3 | 3.44 | 0.018 | -5 | -2 | 234 | -1 | 1730 | 5 | 0.45 | 124 |
| BV0365 | BVACO 69 | 15 | 18 | 3 | 3.26 | 0.009 | -5 | -2 | 214 | -1 | 1650 | 4 | 0.45 | 93 |
| BV0366 | BVACO 69 | 18 | 21 | 3 | 3.5 | 0.01 | -5 | -2 | 195 | 1 | 1550 | 5 | 0.46 | 128 |
| BV0367 | BVACO 69 | 21 | 23 | 2 | 3.44 | 0.011 | 5 | 2 | 216 | 1 | 1600 | 5 | 0.46 | 125 |
| BV0368 | BVACO 70 | 0 | 3 | 3 | 2.2 | 0.012 | 6 | -2 | 106 | 1 | 340 | 12 | 0.43 | 113 |
| BV0369 | BVACO 70 | 3 | 6 | 3 | 2.34 | 0.007 | 5 | -2 | 144 | 1 | 630 | 11 | 0.4 | 113 |
| BV0371 | BVACO 70 | 6 | 9 | 3 | 2.7 | 0.012 | -5 | -2 | 148 | -1 | 690 | 4 | 0.4 | 106 |
| BV0372 | BVACO 70 | 9 | 12 | 3 | 2.86 | 0.011 | -5 | -2 | 139 | -1 | 620 | 9 | 0.39 | 102 |
| BV0373 | BVACO 70 | 12 | 15 | 3 | 3.02 | 0.013 | 9 | -2 | 142 | -1 | 590 | 7 | 0.35 | 89 |
| BV0374 | BVACO 70 | 15 | 18 | 3 | 3.28 | 0.015 | 7 | -2 | 153 | -1 | 1080 | 7 | 0.37 | 127 |
| BV0375 | BVACO 70 | 18 | 21. 5 | 3.5 | 4.56 | 0.012 | 7 | -2 | 152 | 1 | 920 | 10 | 0.38 | 130 |
| BV0376 | BVACO 71 | 0 | 3 | 3 | 2.74 | 0.01 | -5 | -2 | 72 | 1 | 380 | 17 | 0.57 | 65 |
| BV0377 | BVACO 71 | 3 | 6 | 3 | 2.62 | 0.012 | 9 | -2 | 128 | -1 | 370 | 10 | 0.41 | 84 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0378 | BVACO 71 | 6 | 9 | 3 | 3.08 | 0.01 | -5 | -2 | 148 | 1 | 810 | 3 | 0.31 | 84 |
| BV0379 | BVACO 71 | 9 | 12 | 3 | 3.3 | 0.013 | 8 | -2 | 206 | 1 | 850 | 6 | 0.35 | 96 |
| BV0380 | BVACO 71 | 12 | 14 | 2 | 3.24 | 0.009 | 5 | 2 | 146 | 1 | 710 | 3 | 0.32 | 82 |
| BV0381 | BVACO 72 | 0 | 3 | 3 | 2.54 | 0.008 | 6 | -2 | 77 | 1 | 310 | 18 | 0.54 | 79 |
| BV0382 | BVACO 72 | 3 | 6 | 3 | 2.78 | 0.005 | -5 | 2 | 72 | -1 | 630 | 11 | 0.43 | 69 |
| BV0383 | BVACO 72 | 6 | 7.5 | 1.5 | 3.02 | 0.005 | -5 | -2 | 47 | 1 | 1100 | -2 | 0.31 | 77 |
| BV0384 | BVACO 73 | 0 | 3 | 3 | 2.5 | 0.009 | 8 | 3 | 69 | -1 | 280 | 17 | 0.5 | 109 |
| BV0385 | BVACO 73 | 3 | 6 | 3 | 2.28 | 0.026 | 6 | -2 | 96 | -1 | 230 | 13 | 0.48 | 156 |
| BV0386 | BVACO 73 | 6 | 9 | 3 | 2.04 | 0.012 | -5 | 2 | 162 | -1 | 300 | 4 | 0.35 | 434 |
| BV0387 | BVACO 73 | 9 | 12 | 3 | 2.48 | 0.013 | -5 | -2 | 102 | 1 | 640 | 3 | 0.3 | 292 |
| BV0388 | BVACO 73 | 12 | 15 | 3 | 2.36 | 0.01 | -5 | -2 | 98 | -1 | 540 | 4 | 0.28 | 92 |
| BV0389 | BVACO 73 | 15 | 18 | 3 | 2.22 | 0.008 | -5 | -2 | 96 | -1 | 500 | 16 | 0.26 | 130 |
| BV0391 | BVACO 73 | 18 | 21 | 3 | 2.66 | 0.01 | -5 | -2 | 106 | -1 | 710 | 23 | 0.26 | 154 |
| BV0392 | BVACO 73 | 21 | 24.5 | 3.5 | 3.66 | 0.012 | -5 | -2 | 103 | -1 | 480 | 3 | 0.29 | 94 |
| BV0393 | BVACO 74 | 0 | 3 | 3 | 2.24 | -0.005 | 9 | -2 | 85 | -1 | 450 | 5 | 0.34 | 106 |
| BV0394 | BVACO 74 | 3 | 6 | 3 | 2.12 | 0.007 | 7 | -2 | 71 | -1 | 1640 | 7 | 0.31 | 100 |
| BV0395 | BVACO 74 | 6 | 9 | 3 | 2.82 | 0.005 | 6 | -2 | 71 | -1 | 1330 | 8 | 0.32 | 100 |
| BV0396 | BVACO 74 | 9 | 12 | 3 | 2.5 | 0.006 | -5 | -2 | 83 | -1 | 1330 | 9 | 0.31 | 133 |
| BV0397 | BVACO 74 | 12 | 15 | 3 | 3 | 0.007 | 5 | -2 | 91 | -1 | 1370 | 6 | 0.36 | 139 |
| BV0398 | BVACO 74 | 15 | 18 | 3 | 2.98 | 0.009 | 12 | -2 | 107 | -1 | 2860 | 6 | 0.34 | 75 |
| BV0399 | BVACO 74 | 18 | 21 | 3 | 3.06 | -0.005 | 7 | -2 | 112 | -1 | 1410 | 2 | 0.35 | 81 |
| BV0400 | BVACO 74 | 21 | 24 | 3 | 3.1 | 0.007 | 6 | -2 | 100 | -1 | 1240 | -2 | 0.35 | 73 |
| BV0401 | BVACO 74 | 24 | 27 | 3 | 3.08 | 0.006 | -5 | -2 | 76 | 1 | 1060 | 7 | 0.32 | 104 |
| BV0402 | BVACO 75 | 0 | 3 | 3 | 2.64 | 0.006 | 9 | -2 | 63 | 1 | 310 | 14 | 0.53 | 122 |
| BV0403 | BVACO 75 | 3 | 6 | 3 | 2.62 | -0.005 | 9 | -2 | 76 | 1 | 490 | 11 | 0.44 | 78 |
| BV0404 | BVACO 75 | 6 | 9 | 3 | 2.56 | -0.005 | 7 | -2 | 97 | -1 | 730 | 4 | 0.29 | 84 |
| BV0405 | BVACO 75 | 9 | 12 | 3 | 2.66 | 0.005 | 5 | -2 | 92 | -1 | 910 | -2 | 0.25 | 71 |
| BV0406 | BVACO 75 | 12 | 15 | 3 | 2.8 | 0.013 | 5 | -2 | 83 | -1 | 840 | -2 | 0.31 | 79 |
| BV0407 | BVACO 75 | 15 | 18 | 3 | 2.84 | -0.005 | -5 | -2 | 71 | -1 | 2990 | -2 | 0.26 | 79 |
| BV0408 | BVACO 75 | 18 | 21 | 3 | 3.06 | -0.005 | -5 | -2 | 71 | -1 | 430 | -2 | 0.24 | 76 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----|--------------|----------------------|------------|------------|------------|------------|------------|------------|------------|----------|------------|
| BV0409 | BVACO 75 | 21 | 24 | 3 | 3.36 | -0.005 | 5 | -2 | 57 | -1 | 520 | 3 | 0.25 | 82 |
| BV0411 | BVACO 75 | 24 | 27 | 3 | 2.46 | 0.006 | -5 | -2 | 74 | -1 | 1820 | 5 | 0.22 | 70 |
| BV0412 | BVACO 75 | 27 | 30 | 3 | 3.04 | -0.005 | -5 | -2 | 97 | -1 | 730 | 2 | 0.18 | 51 |
| BV0413 | BVACO 76 | 0 | 3 | 3 | 2.26 | 0.007 | 10 | -2 | 65 | -1 | 300 | 14 | 0.49 | 112 |
| BV0414 | BVACO 76 | 3 | 6 | 3 | 2.26 | 0.006 | 6 | -2 | 70 | -1 | 220 | 7 | 0.35 | 87 |
| BV0415 | BVACO 76 | 6 | 9 | 3 | 3.08 | -0.005 | 7 | -2 | 64 | -1 | 500 | -2 | 0.24 | 127 |
| BV0416 | BVACO 76 | 9 | 12 | 3 | 2.22 | 0.006 | -5 | -2 | 111 | -1 | 900 | 3 | 0.29 | 83 |
| BV0417 | BVACO 76 | 12 | 15 | 3 | 2.82 | -0.005 | 5 | -2 | 106 | -1 | 1030 | 3 | 0.3 | 89 |
| BV0418 | BVACO 76 | 15 | 18 | 3 | 3.2 | 0.005 | -5 | -2 | 105 | -1 | 750 | 3 | 0.29 | 75 |
| BV0419 | BVACO 76 | 18 | 21 | 3 | 3.3 | -0.005 | -5 | -2 | 89 | -1 | 1090 | 5 | 0.31 | 94 |
| BV0420 | BVACO 76 | 21 | 24 | 3 | 3.58 | -0.005 | -5 | -2 | 105 | -1 | 710 | 4 | 0.3 | 86 |
| BV0421 | BVACO 76 | 24 | 27 | 3 | 3.4 | -0.005 | -5 | -2 | 122 | -1 | 710 | 3 | 0.3 | 78 |
| BV0422 | BVACO 77 | 0 | 3 | 3 | 2.28 | 0.005 | 6 | -2 | 69 | -1 | 280 | 13 | 0.43 | 69 |
| BV0423 | BVACO 77 | 3 | 6 | 3 | 2.28 | -0.005 | 8 | -2 | 102 | -1 | 480 | 3 | 0.31 | 75 |
| BV0424 | BVACO 77 | 6 | 9 | 3 | 2.72 | -0.005 | 9 | -2 | 106 | 1 | 1030 | -2 | 0.32 | 91 |
| BV0425 | BVACO 77 | 9 | 12 | 3 | 2.98 | -0.005 | 10 | -2 | 111 | 1 | 1210 | 2 | 0.33 | 84 |
| BV0426 | BVACO 77 | 12 | 15 | 3 | 2.96 | -0.005 | 6 | -2 | 105 | -1 | 1640 | 2 | 0.32 | 84 |
| BV0427 | BVACO 77 | 15 | 18 | 3 | 3.06 | -0.005 | -5 | -2 | 90 | -1 | 1080 | 2 | 0.29 | 145 |
| BV0428 | BVACO 77 | 18 | 21 | 3 | 3.16 | -0.005 | -5 | -2 | 82 | -1 | 1010 | 4 | 0.29 | 150 |
| BV0429 | BVACO 77 | 21 | 24 | 3 | 3.18 | -0.005 | -5 | -2 | 97 | -1 | 960 | 2 | 0.29 | 78 |
| BV0431 | BVACO 77 | 24 | 25 | 1 | 2.58 | -0.005 | -5 | -2 | 88 | -1 | 1690 | -2 | 0.29 | 103 |
| BV0432 | BVACO 78 | 0 | 3 | 3 | 2.28 | -0.005 | 5 | -2 | 77 | 1 | 300 | 10 | 0.39 | 95 |
| BV0433 | BVACO 78 | 3 | 6 | 3 | 2.52 | -0.005 | -5 | -2 | 68 | -1 | 720 | 3 | 0.28 | 93 |
| BV0434 | BVACO 78 | 6 | 9 | 3 | 2.34 | -0.005 | -5 | -2 | 87 | -1 | 1160 | 4 | 0.29 | 121 |
| BV0435 | BVACO 78 | 9 | 12 | 3 | 3.08 | -0.005 | -5 | -2 | 98 | -1 | 1310 | 3 | 0.29 | 145 |
| BV0436 | BVACO 78 | 12 | 15 | 3 | 2.92 | 0.005 | 6 | -2 | 99 | -1 | >1000 0 | -2 | 0.32 | 106 |
| BV0437 | BVACO 78 | 15 | 18 | 3 | 2.58 | -0.005 | 6 | -2 | 101 | -1 | 1270 | 3 | 0.37 | 120 |
| BV0438 | BVACO 78 | 18 | 21 | 3 | 3.46 | -0.005 | -5 | -2 | 106 | 1 | 1000 | 2 | 0.34 | 111 |
| BV0439 | BVACO 78 | 21 | 24 | 3 | 3.42 | -0.005 | -5 | -2 | 76 | 1 | 1020 | 5 | 0.29 | 114 |
| BV0440 | BVACO 78 | 24 | 27 | 3 | 3.08 | -0.005 | -5 | -2 | 89 | -1 | 1100 | -2 | 0.3 | 98 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0441 | BVACO 78 | 27 | 30 | 3 | 3.34 | -0.005 | -5 | -2 | 93 | -1 | 1120 | -2 | 0.31 | 91 |
| BV0442 | BVACO 78 | 30 | 33 | 3 | 3.24 | -0.005 | 5 | -2 | 95 | -1 | 1110 | 2 | 0.33 | 93 |
| BV0443 | BVACO 78 | 33 | 36 | 3 | 3.62 | -0.005 | 5 | -2 | 96 | -1 | 970 | 5 | 0.3 | 144 |
| BV0444 | BVACO 78 | 36 | 37 | 1 | 2.4 | 0.005 | 7 | -2 | 64 | 1 | 480 | 5 | 0.36 | 115 |
| BV0445 | BVACO 79 | 0 | 3 | 3 | 2.28 | 0.006 | 10 | -2 | 58 | 1 | 250 | 17 | 0.48 | 91 |
| BV0446 | BVACO 79 | 3 | 6 | 3 | 2.16 | -0.005 | 6 | -2 | 87 | -1 | 240 | 9 | 0.35 | 114 |
| BV0447 | BVACO 79 | 6 | 9 | 3 | 2.6 | 0.006 | 5 | -2 | 119 | -1 | 670 | 5 | 0.39 | 113 |
| BV0448 | BVACO 79 | 9 | 12 | 3 | 3.14 | -0.005 | 8 | -2 | 87 | -1 | 650 | 3 | 0.29 | 116 |
| BV0449 | BVACO 79 | 12 | 15 | 3 | 3.02 | -0.005 | -5 | -2 | 90 | -1 | 710 | 3 | 0.32 | 132 |
| BV0451 | BVACO 79 | 15 | 18 | 3 | 3.18 | 0.048 | 9 | -2 | 86 | 1 | 1140 | 4 | 0.31 | 145 |
| BV0452 | BVACO 80 | 0 | 3 | 3 | 2.72 | 0.008 | 9 | -2 | 59 | -1 | 300 | 14 | 0.53 | 82 |
| BV0453 | BVACO 80 | 3 | 6 | 3 | 2.94 | 0.006 | 8 | -2 | 71 | -1 | 330 | 10 | 0.4 | 189 |
| BV0454 | BVACO 80 | 6 | 9 | 3 | 2.88 | -0.005 | 7 | -2 | 77 | -1 | 1120 | 2 | 0.29 | 119 |
| BV0455 | BVACO 80 | 9 | 12 | 3 | 3.06 | 0.008 | 7 | -2 | 61 | -1 | 1210 | 3 | 0.3 | 136 |
| BV0456 | BVACO 80 | 12 | 15 | 3 | 2.54 | -0.005 | 5 | -2 | 78 | -1 | 910 | 3 | 0.29 | 106 |
| BV0457 | BVACO 80 | 15 | 18 | 3 | 3.26 | -0.005 | 5 | -2 | 85 | -1 | 980 | 2 | 0.29 | 108 |
| BV0458 | BVACO 80 | 18 | 19 | 1 | 3.02 | -0.005 | -5 | -2 | 82 | -1 | 1020 | 4 | 0.31 | 232 |
| BV0459 | BVACO 81 | 0 | 3 | 3 | 2.5 | -0.005 | 7 | -2 | 73 | -1 | 300 | 14 | 0.46 | 116 |
| BV0460 | BVACO 81 | 3 | 6 | 3 | 2.3 | -0.005 | -5 | -2 | 104 | -1 | 490 | 3 | 0.38 | 91 |
| BV0461 | BVACO 81 | 6 | 9 | 3 | 1.84 | -0.005 | 5 | -2 | 111 | 1 | 750 | 5 | 0.33 | 96 |
| BV0462 | BVACO 81 | 9 | 12 | 3 | 3.28 | 0.007 | 5 | -2 | 125 | -1 | 1180 | 5 | 0.37 | 165 |
| BV0463 | BVACO 81 | 12 | 13.5 | 1.5 | 2.76 | 0.006 | 5 | -2 | 130 | 1 | 960 | 6 | 0.38 | 304 |
| BV0464 | BVACO 82 | 0 | 3 | 3 | 2.82 | -0.005 | 7 | -2 | 98 | -1 | 580 | 10 | 0.36 | 78 |
| BV0465 | BVACO 82 | 3 | 6 | 3 | 3.34 | 0.005 | -5 | -2 | 93 | -1 | 480 | 2 | 0.26 | 73 |
| BV0466 | BVACO 82 | 6 | 9 | 3 | 3.04 | -0.005 | -5 | -2 | 86 | -1 | 620 | -2 | 0.25 | 78 |
| BV0467 | BVACO 82 | 9 | 10.5 | 1.5 | 2.94 | 0.006 | 6 | -2 | 122 | -1 | 840 | -2 | 0.28 | 94 |
| BV0468 | BVACO 83 | 0 | 3 | 3 | 2.66 | 0.006 | 7 | -2 | 84 | -1 | 540 | 9 | 0.41 | 100 |
| BV0469 | BVACO 83 | 3 | 6 | 3 | 3.1 | 0.006 | -5 | -2 | 102 | -1 | 940 | 2 | 0.32 | 84 |
| BV0471 | BVACO 83 | 6 | 9 | 3 | 3.06 | 0.007 | -5 | -2 | 86 | -1 | 740 | 2 | 0.31 | 101 |
| BV0472 | BVACO 83 | 9 | 12 | 3 | 3.24 | 0.008 | -5 | -2 | 87 | -1 | 700 | 3 | 0.33 | 87 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0473 | BVACO 83 | 12 | 15 | 3 | 3.42 | 0.007 | -5 | -2 | 67 | -1 | 490 | 4 | 0.36 | 103 |
| BV0474 | BVACO 83 | 15 | 18 | 3 | 3.4 | 0.009 | 6 | -2 | 95 | -1 | 840 | -2 | 0.32 | 153 |
| BV0475 | BVACO 83 | 18 | 21. 5 | 3.5 | 3.64 | 0.007 | 7 | -2 | 130 | -1 | 1360 | 5 | 0.37 | 167 |
| BV0476 | BVACO 84 | 0 | 3 | 3 | 2.82 | 0.007 | 6 | -2 | 111 | -1 | 520 | 8 | 0.39 | 92 |
| BV0477 | BVACO 84 | 3 | 6.5 | 3.5 | 3.68 | 0.005 | -5 | -2 | 137 | -1 | 670 | -2 | 0.31 | 135 |
| BV0478 | BVACO 85 | 0 | 3 | 3 | 2.24 | -0.005 | -5 | -2 | 85 | -1 | 210 | 8 | 0.42 | 244 |
| BV0479 | BVACO 85 | 3 | 6 | 3 | 2.36 | -0.005 | -5 | -2 | 99 | -1 | 760 | 4 | 0.34 | 270 |
| BV0480 | BVACO 85 | 6 | 9 | 3 | 3.4 | -0.005 | 6 | -2 | 87 | -1 | 780 | 4 | 0.32 | 163 |
| BV0481 | BVACO 85 | 9 | 12 | 3 | 3.58 | -0.005 | 8 | -2 | 134 | -1 | 870 | 4 | 0.35 | 92 |
| BV0482 | BVACO 85 | 12 | 15 | 3 | 3.42 | -0.005 | 11 | -2 | 124 | -1 | 970 | -2 | 0.37 | 82 |
| BV0483 | BVACO 85 | 15 | 18 | 3 | 3.36 | -0.005 | 6 | -2 | 77 | -1 | 890 | -2 | 0.33 | 172 |
| BV0484 | BVACO 85 | 18 | 21 | 3 | 3.7 | -0.005 | 5 | -2 | 43 | -1 | 850 | 6 | 0.28 | 196 |
| BV0485 | BVACO 86 | 0 | 3 | 3 | 2.4 | -0.005 | 8 | -2 | 48 | -1 | 310 | 12 | 0.43 | 130 |
| BV0486 | BVACO 86 | 3 | 6 | 3 | 2.82 | -0.005 | 9 | -2 | 78 | -1 | 940 | 7 | 0.32 | 114 |
| BV0487 | BVACO 86 | 6 | 9 | 3 | 3.56 | -0.005 | 13 | -2 | 69 | -1 | 1160 | 6 | 0.34 | 110 |
| BV0488 | BVACO 86 | 9 | 12 | 3 | 3.18 | -0.005 | 12 | -2 | 66 | -1 | 950 | 7 | 0.31 | 118 |
| BV0489 | BVACO 86 | 12 | 14 | 2 | 2.6 | -0.005 | 20 | -2 | 64 | -1 | 1400 | 6 | 0.36 | 113 |
| BV0491 | BVACO 87 | 0 | 3 | 3 | 3.02 | -0.005 | 11 | -2 | 76 | -1 | 440 | 9 | 0.36 | 82 |
| BV0492 | BVACO 87 | 3 | 6 | 3 | 3.66 | -0.005 | 10 | -2 | 88 | -1 | 1180 | 6 | 0.3 | 101 |
| BV0493 | BVACO 87 | 6 | 9 | 3 | 3.08 | -0.005 | 12 | -2 | 84 | -1 | 1170 | 3 | 0.32 | 104 |
| BV0494 | BVACO 87 | 9 | 12 | 3 | 3.62 | 0.006 | 11 | -2 | 79 | -1 | 1090 | 3 | 0.3 | 92 |
| BV0495 | BVACO 87 | 12 | 15 | 3 | 3.42 | 0.008 | 8 | -2 | 77 | -1 | 930 | 5 | 0.29 | 127 |
| BV0496 | BVACO 87 | 15 | 16 | 1 | 2.44 | 0.006 | 5 | -2 | 89 | 1 | 750 | 5 | 0.32 | 269 |
| BV0497 | BVACO 88 | 0 | 3 | 3 | 3.08 | 0.006 | 9 | -2 | 73 | -1 | 520 | 9 | 0.4 | 360 |
| BV0498 | BVACO 88 | 3 | 6 | 3 | 3.14 | 0.007 | 6 | -2 | 71 | 1 | 860 | 10 | 0.27 | 152 |
| BV0499 | BVACO 88 | 6 | 9 | 3 | 3.62 | 0.008 | 6 | -2 | 74 | -1 | 890 | 5 | 0.26 | 118 |
| BV0500 | BVACO 88 | 9 | 12 | 3 | 2.98 | 0.008 | 5 | -2 | 70 | -1 | 880 | 8 | 0.26 | 226 |
| BV0501 | BVACO 88 | 12 | 15 | 3 | 3.56 | 0.013 | 16 | -2 | 85 | -1 | 780 | 5 | 0.28 | 109 |
| BV0502 | BVACO 89 | 0 | 3 | 3 | 2.42 | 0.008 | -5 | -2 | 61 | -1 | 200 | 8 | 0.45 | 141 |
| BV0503 | BVACO 89 | 3 | 6 | 3 | 1.74 | 0.005 | -5 | -2 | 77 | -1 | 310 | 2 | 0.36 | 90 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0504 | BVACO 89 | 6 | 9 | 3 | 2.5 | 0.01 | -5 | -2 | 115 | 1 | 960 | 4 | 0.34 | 110 |
| BV0505 | BVACO 89 | 9 | 12 | 3 | 2.82 | 0.074 | -5 | -2 | 127 | -1 | 1040 | -2 | 0.38 | 103 |
| BV0506 | BVACO 89 | 12 | 15 | 3 | 2.78 | 0.011 | 8 | -2 | 132 | -1 | 1170 | 2 | 0.37 | 128 |
| BV0507 | BVACO 89 | 15 | 17 | 2 | 2.92 | 0.008 | 16 | -2 | 122 | 1 | 1240 | 8 | 0.33 | 90 |
| BV0508 | BVACO 90 | 0 | 3 | 3 | 2.34 | -0.005 | 6 | -2 | 54 | 1 | 340 | 17 | 0.65 | 121 |
| BV0509 | BVACO 90 | 3 | 6 | 3 | 2.5 | 0.005 | 7 | -2 | 89 | 1 | 250 | 14 | 0.57 | 143 |
| BV0511 | BVACO 90 | 6 | 9 | 3 | 2.18 | -0.005 | 13 | -2 | 207 | -1 | 540 | 9 | 0.54 | 362 |
| BV0512 | BVACO 90 | 9 | 12 | 3 | 2.26 | -0.005 | 7 | -2 | 170 | -1 | 680 | 4 | 0.42 | 663 |
| BV0513 | BVACO 90 | 12 | 15 | 3 | 2.66 | -0.005 | 6 | -2 | 126 | 1 | 960 | 4 | 0.35 | 152 |
| BV0514 | BVACO 90 | 15 | 18 | 3 | 2.88 | -0.005 | 6 | -2 | 144 | -1 | 1220 | 5 | 0.41 | 108 |
| BV0515 | BVACO 90 | 18 | 21 | 3 | 3.58 | 0.006 | -5 | -2 | 137 | 1 | 1090 | 4 | 0.41 | 119 |
| BV0516 | BVACO 91 | 0 | 3 | 3 | 2.6 | -0.005 | 8 | -2 | 70 | 1 | 250 | 18 | 0.52 | 175 |
| BV0517 | BVACO 91 | 3 | 6 | 3 | 3.06 | -0.005 | 11 | -2 | 109 | -1 | 920 | 9 | 0.36 | 177 |
| BV0518 | BVACO 91 | 6 | 9 | 3 | 3 | -0.005 | 12 | -2 | 133 | 1 | 960 | 7 | 0.34 | 156 |
| BV0519 | BVACO 91 | 9 | 12 | 3 | 2.92 | -0.005 | 7 | -2 | 39 | -1 | 780 | 7 | 0.32 | 277 |
| BV0520 | BVACO 91 | 12 | 15 | 3 | 3.04 | 0.008 | -5 | -2 | 21 | -1 | 740 | 4 | 0.32 | 250 |
| BV0521 | BVACO 91 | 15 | 17.5 | 2.5 | 3.24 | 0.009 | -5 | -2 | 4 | -1 | 760 | 4 | 0.21 | 242 |
| BV0522 | BVACO 92 | 0 | 3 | 3 | 3.08 | -0.005 | 8 | -2 | 79 | -1 | 490 | 11 | 0.47 | 108 |
| BV0523 | BVACO 92 | 3 | 6 | 3 | 3.2 | -0.005 | 7 | -2 | 92 | -1 | 1060 | 4 | 0.33 | 97 |
| BV0524 | BVACO 92 | 6 | 9 | 3 | 2.66 | -0.005 | -5 | -2 | 97 | -1 | 930 | 5 | 0.31 | 136 |
| BV0525 | BVACO 92 | 9 | 12 | 3 | 2.72 | -0.005 | 5 | -2 | 100 | -1 | 920 | -2 | 0.35 | 90 |
| BV0526 | BVACO 92 | 12 | 15 | 3 | 2.84 | -0.005 | 15 | -2 | 98 | 2 | 1280 | 3 | 0.34 | 116 |
| BV0527 | BVACO 93 | 0 | 3 | 3 | 2.28 | -0.005 | 6 | -2 | 51 | 1 | 310 | 22 | 0.77 | 115 |
| BV0528 | BVACO 93 | 3 | 6 | 3 | 3.18 | -0.005 | 5 | -2 | 106 | -1 | 830 | 4 | 0.4 | 99 |
| BV0529 | BVACO 93 | 6 | 9 | 3 | 3.04 | 0.005 | 5 | 2 | 104 | -1 | 960 | 2 | 0.38 | 117 |
| BV0531 | BVACO 93 | 9 | 10 | 1 | 2.46 | 0.007 | -5 | 2 | 118 | -1 | 1060 | 3 | 0.38 | 169 |
| BV0532 | BVACO 94 | 0 | 3 | 3 | 2.64 | -0.005 | 5 | 2 | 45 | 1 | 370 | 14 | 0.94 | 113 |
| BV0533 | BVACO 94 | 3 | 6 | 3 | 2.84 | -0.005 | 11 | 2 | 66 | -1 | 280 | 13 | 0.72 | 190 |
| BV0534 | BVACO 94 | 6 | 9 | 3 | 2.92 | -0.005 | 30 | 3 | 103 | -1 | 420 | 14 | 0.27 | 139 |
| BV0535 | BVACO 94 | 9 | 12 | 3 | 3.16 | 0.006 | 20 | -2 | 91 | 1 | 720 | 11 | 0.26 | 111 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0536 | BVACO 94 | 12 | 15 | 3 | 2.42 | -0.005 | 16 | -2 | 110 | -1 | 1000 | 19 | 0.29 | 143 |
| BV0537 | BVACO 94 | 15 | 18 | 3 | 2.78 | -0.005 | 15 | -2 | 113 | -1 | 1100 | 9 | 0.3 | 208 |
| BV0538 | BVACO 94 | 18 | 21 | 3 | 3.02 | 0.005 | 14 | -2 | 104 | 1 | 3690 | 13 | 0.3 | 139 |
| BV0539 | BVACO 94 | 21 | 24 | 3 | 3.14 | 0.006 | 42 | -2 | 135 | 1 | 1050 | 60 | 0.38 | 242 |
| BV0540 | BVACO 94 | 24 | 27 | 3 | 3.06 | -0.005 | 71 | -2 | 64 | 1 | 1130 | 7 | 0.48 | 111 |
| BV0541 | BVACO 94 | 27 | 29 | 2 | 2.94 | -0.005 | 21 | 2 | 101 | -1 | 1090 | 6 | 0.37 | 123 |
| BV0542 | BVACO 95 | 0 | 3 | 3 | 2.64 | 0.006 | -5 | 5 | 39 | 1 | 310 | 9 | 0.92 | 114 |
| BV0543 | BVACO 95 | 3 | 6 | 3 | 2.44 | -0.005 | -5 | -2 | 37 | 1 | 270 | 11 | 0.91 | 141 |
| BV0544 | BVACO 95 | 6 | 9 | 3 | 2.08 | -0.005 | -5 | -2 | 39 | -1 | 600 | 10 | 1.08 | 186 |
| BV0545 | BVACO 95 | 9 | 12 | 3 | 2.26 | 0.006 | -5 | -2 | 58 | -1 | 300 | 15 | 0.58 | 105 |
| BV0546 | BVACO 95 | 12 | 15 | 3 | 2.38 | 0.008 | 24 | -2 | 115 | 1 | 250 | 19 | 0.55 | 165 |
| BV0547 | BVACO 95 | 15 | 18 | 3 | 2.08 | 0.005 | 13 | -2 | 22 | 4 | 340 | 7 | 0.38 | 373 |
| BV0548 | BVACO 95 | 18 | 21 | 3 | 2.22 | -0.005 | 38 | -2 | 50 | 2 | 110 | 12 | 0.42 | 212 |
| BV0549 | BVACO 95 | 21 | 24 | 3 | 2.28 | 0.007 | 15 | 2 | 113 | -1 | 940 | 4 | 0.63 | 177 |
| BV0551 | BVACO 95 | 24 | 27 | 3 | 2 | -0.005 | 44 | -2 | 143 | -1 | 860 | 2 | 0.4 | 117 |
| BV0552 | BVACO 95 | 27 | 30 | 3 | 2.2 | -0.005 | 11 | -2 | 88 | -1 | 520 | 5 | 0.41 | 98 |
| BV0553 | BVACO 95 | 30 | 31 | 1 | 2.54 | -0.005 | 12 | -2 | 57 | -1 | 360 | -2 | 0.35 | 107 |
| BV0554 | BVACO 96 | 0 | 3 | 3 | 2.22 | -0.005 | 6 | 3 | 42 | -1 | 510 | 9 | 0.97 | 139 |
| BV0555 | BVACO 96 | 3 | 6 | 3 | 2.56 | -0.005 | -5 | 3 | 42 | 1 | 630 | 9 | 1.02 | 125 |
| BV0556 | BVACO 96 | 6 | 9 | 3 | 2.72 | -0.005 | -5 | -2 | 42 | 1 | 2310 | 11 | 1.54 | 379 |
| BV0557 | BVACO 96 | 9 | 12 | 3 | 2.32 | -0.005 | -5 | 2 | 43 | -1 | 520 | 15 | 0.62 | 151 |
| BV0558 | BVACO 96 | 12 | 15 | 3 | 2.48 | 0.012 | -5 | 2 | 95 | -1 | 400 | 17 | 0.64 | 127 |
| BV0559 | BVACO 96 | 15 | 18 | 3 | 2.02 | 0.192 | 11 | -2 | 71 | 1 | 240 | 11 | 0.42 | 77 |
| BV0560 | BVACO 96 | 18 | 21 | 3 | 1.98 | 0.008 | 8 | -2 | 231 | 1 | 340 | 8 | 0.48 | 187 |
| BV0561 | BVACO 96 | 21 | 24 | 3 | 1.8 | -0.005 | -5 | -2 | 276 | 1 | 770 | 7 | 0.54 | 278 |
| BV0562 | BVACO 96 | 24 | 27 | 3 | 1.94 | 0.007 | -5 | 2 | 259 | -1 | 1130 | 6 | 0.52 | 166 |
| BV0563 | BVACO 96 | 27 | 30 | 3 | 2.4 | 0.006 | -5 | -2 | 260 | -1 | 1240 | 6 | 0.52 | 234 |
| BV0564 | BVACO 96 | 30 | 32. 5 | 2.5 | 2.36 | -0.005 | -5 | -2 | 183 | 1 | 930 | 8 | 0.61 | 300 |
| BV0565 | BVACO 97 | 0 | 3 | 3 | 2.84 | 0.005 | -5 | 2 | 80 | -1 | 700 | 7 | 0.46 | 193 |
| BV0566 | BVACO 97 | 3 | 6 | 3 | 2.54 | -0.005 | -5 | -2 | 87 | -1 | 1110 | 4 | 0.45 | 126 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0567 | BVAC0 97 | 6 | 9 | 3 | 3 | -0.005 | -5 | -2 | 62 | -1 | 1210 | 6 | 0.37 | 180 |
| BV0568 | BVAC0 97 | 9 | 10. 5 | 1.5 | 3.38 | -0.005 | 10 | -2 | 88 | 1 | 1230 | 12 | 0.43 | 267 |
| BV0569 | BVAC0 98 | 0 | 3 | 3 | 2.02 | -0.005 | -5 | 2 | 76 | 1 | 460 | 8 | 0.93 | 173 |
| BV0571 | BVAC0 98 | 3 | 6 | 3 | 2.24 | -0.005 | -5 | -2 | 127 | -1 | 640 | 5 | 0.46 | 151 |
| BV0572 | BVAC0 98 | 6 | 9 | 3 | 2 | 0.019 | -5 | -2 | 149 | 1 | 1110 | 5 | 0.43 | 130 |
| BV0573 | BVAC0 98 | 9 | 12 | 3 | 1.86 | -0.005 | 5 | -2 | 138 | -1 | 1280 | 5 | 0.43 | 173 |
| BV0574 | BVAC0 98 | 12 | 15 | 3 | 2.46 | -0.005 | 7 | -2 | 52 | -1 | 750 | 7 | 0.35 | 283 |
| BV0575 | BVAC0 98 | 15 | 18 | 3 | 2.68 | -0.005 | 6 | -2 | 96 | -1 | 1140 | 10 | 0.41 | 254 |
| BV0576 | BVAC0 98 | 18 | 21 | 3 | 2.64 | -0.005 | 6 | -2 | 42 | -1 | 1060 | 2 | 0.53 | 453 |
| BV0577 | BVAC0 98 | 21 | 23. 5 | 2.5 | 2.46 | -0.005 | 6 | -2 | 108 | -1 | 1630 | 8 | 0.62 | 163 |
| BV0578 | BVAC0 99 | 0 | 3 | 3 | 1.92 | -0.005 | -5 | 3 | 69 | -1 | 1010 | 10 | 0.7 | 366 |
| BV0579 | BVAC0 99 | 3 | 6 | 3 | 2.56 | -0.005 | -5 | -2 | 60 | -1 | 1270 | 13 | 1 | 610 |
| BV0580 | BVAC0 99 | 6 | 9 | 3 | 1.94 | 0.005 | 6 | -2 | 113 | -1 | 540 | 14 | 0.6 | 150 |
| BV0581 | BVAC0 99 | 9 | 12 | 3 | 2.18 | 0.005 | -5 | -2 | 118 | -1 | 170 | 6 | 0.48 | 184 |
| BV0582 | BVAC0 99 | 12 | 15 | 3 | 2.08 | -0.005 | -5 | -2 | 146 | -1 | 140 | 3 | 0.37 | 253 |
| BV0583 | BVAC0 99 | 15 | 18 | 3 | 2.4 | -0.005 | -5 | -2 | 99 | -1 | 380 | 3 | 0.31 | 138 |
| BV0584 | BVAC0 99 | 18 | 21 | 3 | 2.6 | -0.005 | -5 | -2 | 117 | -1 | 640 | -2 | 0.31 | 105 |
| BV0585 | BVAC0 99 | 21 | 24 | 3 | 2.18 | -0.005 | -5 | -2 | 131 | -1 | 670 | -2 | 0.35 | 85 |
| BV0586 | BVAC0 99 | 24 | 27 | 3 | 2.76 | -0.005 | -5 | -2 | 107 | -1 | 630 | -2 | 0.31 | 90 |
| BV0587 | BVAC0 99 | 27 | 30 | 3 | 2.14 | -0.005 | -5 | -2 | 89 | -1 | 670 | 2 | 0.31 | 123 |
| BV0588 | BVAC0 99 | 30 | 33 | 3 | 2.5 | -0.005 | -5 | -2 | 93 | -1 | 630 | -2 | 0.29 | 93 |
| BV0589 | BVAC0 99 | 33 | 36 | 3 | 2.9 | 0.006 | -5 | 2 | 89 | -1 | 600 | 2 | 0.26 | 72 |
| BV0591 | BVAC0 99 | 36 | 39. 5 | 3.5 | 2.8 | -0.005 | -5 | -2 | 109 | -1 | 630 | 2 | 0.28 | 105 |
| BV0592 | BVAC1 00 | 0 | 3 | 3 | 2.7 | -0.005 | -5 | -2 | 51 | -1 | 260 | 8 | 0.76 | 105 |
| BV0593 | BVAC1 00 | 3 | 6 | 3 | 2.28 | -0.005 | 5 | -2 | 33 | -1 | 590 | 7 | 0.8 | 134 |
| BV0594 | BVAC1 00 | 6 | 9 | 3 | 2.32 | 0.008 | 12 | -2 | 14 | -1 | 710 | 7 | 0.58 | 143 |
| BV0595 | BVAC1 00 | 9 | 12 | 3 | 2.42 | 0.007 | 8 | -2 | 62 | -1 | 960 | 6 | 0.64 | 182 |
| BV0596 | BVAC1 00 | 12 | 15 | 3 | 2.98 | -0.005 | -5 | 2 | 125 | -1 | 1330 | 10 | 0.66 | 219 |
| BV0597 | BVAC1 00 | 15 | 18 | 3 | 3.18 | -0.005 | 5 | -2 | 158 | -1 | 900 | 22 | 0.34 | 210 |
| BV0598 | BVAC1 00 | 18 | 21 | 3 | 2.56 | -0.005 | 6 | -2 | 308 | -1 | 1640 | 18 | 0.71 | 280 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0599 | BVAC1 00 | 21 | 24 | 3 | 2.74 | -0.005 | 6 | -2 | 150 | -1 | 930 | 11 | 0.3 | 393 |
| BV0600 | BVAC1 00 | 24 | 26 | 2 | 2.92 | -0.005 | 8 | -2 | 47 | -1 | 880 | 3 | 0.3 | 176 |
| BV0601 | BVAC1 01 | 0 | 3 | 3 | 2.58 | -0.005 | -5 | 5 | 38 | -1 | 560 | 10 | 1.11 | 176 |
| BV0602 | BVAC1 01 | 3 | 6 | 3 | 2.44 | -0.005 | -5 | 2 | 54 | -1 | 620 | 6 | 0.97 | 128 |
| BV0603 | BVAC1 01 | 6 | 9 | 3 | 2.2 | -0.005 | -5 | -2 | 101 | 1 | 1080 | 11 | 0.79 | 1040 |
| BV0604 | BVAC1 01 | 9 | 12 | 3 | 2.98 | -0.005 | 7 | -2 | 107 | -1 | 1160 | 6 | 0.44 | 225 |
| BV0605 | BVAC1 01 | 12 | 15 | 3 | 2.9 | -0.005 | 7 | -2 | 51 | -1 | 1380 | 4 | 0.42 | 165 |
| BV0606 | BVAC1 01 | 15 | 18 | 3 | 2.82 | -0.005 | 9 | -2 | 18 | -1 | 1320 | 7 | 0.44 | 148 |
| BV0607 | BVAC1 01 | 18 | 21 | 3 | 3.32 | 0.005 | 10 | -2 | 339 | -1 | 1180 | 10 | 0.4 | 173 |
| BV0608 | BVAC1 01 | 21 | 24 | 3 | 3.6 | -0.005 | 10 | -2 | 197 | -1 | 1090 | 8 | 0.39 | 136 |
| BV0609 | BVAC1 01 | 24 | 27 | 3 | 3.16 | -0.005 | 23 | 3 | 80 | 1 | 1250 | 5 | 0.36 | 116 |
| BV0611 | BVAC1 01 | 27 | 30 | 3 | 3.06 | -0.005 | 16 | -2 | 189 | -1 | 1320 | 7 | 0.48 | 112 |
| BV0612 | BVAC1 01 | 30 | 33 | 3 | 2.78 | 0.005 | 5 | -2 | 114 | -1 | 890 | 6 | 0.34 | 170 |
| BV0613 | BVAC1 01 | 33 | 36 | 3 | 3.3 | -0.005 | 11 | -2 | 46 | -1 | 1010 | 7 | 0.36 | 146 |
| BV0614 | BVAC1 02 | 0 | 3 | 3 | 2.56 | -0.005 | -5 | -2 | 84 | -1 | 400 | 16 | 0.74 | 141 |
| BV0615 | BVAC1 02 | 3 | 6 | 3 | 2.02 | -0.005 | 6 | 4 | 170 | -1 | 350 | 20 | 0.47 | 100 |
| BV0616 | BVAC1 02 | 6 | 9 | 3 | 2.26 | -0.005 | 5 | -2 | 245 | -1 | 580 | 9 | 0.35 | 192 |
| BV0617 | BVAC1 02 | 9 | 12 | 3 | 2.94 | 0.006 | 5 | -2 | 146 | -1 | 640 | 4 | 0.31 | 150 |
| BV0618 | BVAC1 02 | 12 | 15 | 3 | 3.44 | -0.005 | -5 | -2 | 101 | -1 | 730 | 7 | 0.3 | 108 |
| BV0619 | BVAC1 02 | 15 | 17.5 | 2.5 | 2.8 | -0.005 | -5 | -2 | 120 | -1 | 860 | -2 | 0.35 | 222 |
| BV0620 | BVAC1 03 | 0 | 3 | 3 | 3.66 | -0.005 | -5 | -2 | 35 | 1 | 2740 | 4 | 1.76 | 190 |
| BV0621 | BVAC1 03 | 3 | 6 | 3 | 3.94 | -0.005 | -5 | -2 | 29 | 2 | 3130 | 3 | 1.77 | 234 |
| BV0622 | BVAC1 03 | 6 | 9 | 3 | 2.56 | 0.005 | -5 | -2 | 47 | 1 | 1370 | 11 | 0.93 | 99 |
| BV0623 | BVAC1 03 | 9 | 12 | 3 | 2.4 | 0.01 | 6 | -2 | 70 | 1 | 400 | 17 | 0.54 | 93 |
| BV0624 | BVAC1 03 | 12 | 15 | 3 | 2.58 | 0.005 | -5 | -2 | 56 | -1 | 130 | 10 | 0.29 | 52 |
| BV0625 | BVAC1 03 | 15 | 18 | 3 | 2.06 | 0.009 | 6 | -2 | 144 | -1 | 260 | 4 | 0.4 | 175 |
| BV0626 | BVAC1 03 | 18 | 20 | 2 | 2.66 | 0.006 | 8 | -2 | 107 | -1 | 450 | -2 | 0.36 | 197 |
| BV0627 | BVAC1 04 | 0 | 3 | 3 | 3.14 | 0.005 | 6 | -2 | 151 | -1 | 540 | 2 | 0.41 | 90 |
| BV0628 | BVAC1 04 | 3 | 6 | 3 | 2.9 | 0.008 | -5 | -2 | 105 | -1 | 690 | -2 | 0.3 | 105 |
| BV0629 | BVAC1 04 | 6 | 9 | 3 | 3.18 | 0.005 | 5 | -2 | 142 | -1 | 970 | 5 | 0.38 | 179 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0631 | BVAC1 04 | 9 | 12. 5 | 3.5 | 3.76 | 0.005 | -5 | -2 | 171 | -1 | 910 | -2 | 0.36 | 111 |
| BV0632 | BVAC1 05 | 0 | 3 | 3 | 3.2 | 0.005 | -5 | -2 | 42 | -1 | 460 | 9 | 0.95 | 115 |
| BV0633 | BVAC1 05 | 3 | 6 | 3 | 2.72 | 0.008 | 5 | 2 | 53 | -1 | 750 | 11 | 1.05 | 159 |
| BV0634 | BVAC1 05 | 6 | 9 | 3 | 2.38 | 0.005 | 5 | -2 | 146 | -1 | 410 | 7 | 0.67 | 335 |
| BV0635 | BVAC1 05 | 9 | 12 | 3 | 2.66 | 0.005 | 5 | -2 | 151 | -1 | 200 | 4 | 0.5 | 368 |
| BV0636 | BVAC1 05 | 12 | 15 | 3 | 2.1 | 0.014 | -5 | -2 | 133 | -1 | 160 | 2 | 0.44 | 209 |
| BV0637 | BVAC1 05 | 15 | 18 | 3 | 2.54 | 0.007 | 5 | -2 | 182 | -1 | 460 | 3 | 0.51 | 182 |
| BV0638 | BVAC1 05 | 18 | 21 | 3 | 2.38 | -0.005 | 5 | -2 | 157 | 1 | 1370 | 6 | 0.39 | 118 |
| BV0639 | BVAC1 05 | 21 | 24 | 3 | 3.78 | 0.009 | 8 | -2 | 106 | -1 | 1070 | -2 | 0.37 | 103 |
| BV0640 | BVAC1 06 | 0 | 3 | 3 | 2.54 | 0.008 | 5 | -2 | 45 | 1 | 940 | 9 | 1.26 | 158 |
| BV0641 | BVAC1 06 | 3 | 6 | 3 | 2.6 | 0.006 | -5 | -2 | 29 | -1 | 240 | 10 | 0.67 | 64 |
| BV0642 | BVAC1 06 | 6 | 9 | 3 | 2.28 | 0.007 | -5 | -2 | 28 | -1 | 110 | 10 | 0.37 | 53 |
| BV0643 | BVAC1 06 | 9 | 12 | 3 | 2.6 | 0.007 | -5 | -2 | 24 | -1 | 100 | 8 | 0.33 | 44 |
| BV0644 | BVAC1 06 | 12 | 15 | 3 | 2.56 | 0.008 | -5 | 2 | 39 | -1 | 180 | 12 | 0.41 | 149 |
| BV0645 | BVAC1 06 | 15 | 18 | 3 | 2.34 | 0.025 | -5 | -2 | 43 | 1 | 150 | 7 | 0.28 | 75 |
| BV0646 | BVAC1 06 | 18 | 21 | 3 | 2.28 | 0.006 | 5 | -2 | 109 | -1 | 170 | 4 | 0.4 | 106 |
| BV0647 | BVAC1 06 | 21 | 24 | 3 | 2.16 | -0.005 | -5 | -2 | 125 | 1 | 720 | 6 | 0.41 | 92 |
| BV0648 | BVAC1 06 | 24 | 27 | 3 | 1.9 | 0.006 | -5 | 2 | 132 | -1 | 1060 | 4 | 0.43 | 89 |
| BV0649 | BVAC1 06 | 27 | 30 | 3 | 2.3 | 0.007 | -5 | 2 | 118 | -1 | 960 | 4 | 0.38 | 84 |
| BV0651 | BVAC1 06 | 30 | 33 | 3 | 2.82 | 0.008 | -5 | -2 | 161 | -1 | 1130 | -2 | 0.41 | 99 |
| BV0652 | BVAC1 06 | 33 | 36 | 3 | 2.34 | 0.008 | -5 | -2 | 126 | -1 | 1010 | 3 | 0.39 | 79 |
| BV0653 | BVAC1 06 | 36 | 37 | 1 | 1.04 | 0.008 | -5 | -2 | 102 | -1 | 1010 | 6 | 0.42 | 110 |
| BV0654 | BVAC1 07 | 0 | 3 | 3 | 2.96 | 0.007 | 5 | -2 | 79 | 1 | 500 | 12 | 0.51 | 105 |
| BV0655 | BVAC1 07 | 3 | 6 | 3 | 1.92 | 0.007 | 9 | -2 | 147 | 1 | 490 | 12 | 0.47 | 79 |
| BV0656 | BVAC1 07 | 6 | 9 | 3 | 1.82 | 0.007 | 13 | -2 | 384 | -1 | 810 | 12 | 0.49 | 189 |
| BV0657 | BVAC1 07 | 9 | 12 | 3 | 2.2 | 0.007 | 6 | -2 | 271 | 1 | 1100 | 10 | 0.45 | 247 |
| BV0658 | BVAC1 07 | 12 | 15 | 3 | 2.16 | 0.016 | 8 | -2 | 193 | 1 | 1330 | 7 | 0.38 | 112 |
| BV0659 | BVAC1 07 | 15 | 18 | 3 | 2.46 | -0.005 | 6 | -2 | 195 | 1 | 1270 | 13 | 0.39 | 549 |
| BV0660 | BVAC1 07 | 18 | 21 | 3 | 2.42 | 0.008 | 5 | -2 | 220 | 1 | 1410 | 10 | 0.4 | 138 |
| BV0661 | BVAC1 07 | 21 | 24 | 3 | 2.42 | 0.006 | 10 | -2 | 113 | 1 | 1090 | 8 | 0.35 | 118 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0662 | BVAC1 07 | 24 | 27 | 3 | 3.04 | 0.007 | 7 | -2 | 117 | 1 | 940 | 11 | 0.34 | 141 |
| BV0663 | BVAC1 08 | 0 | 3 | 3 | 2.64 | 0.006 | 9 | -2 | 83 | 1 | 840 | 16 | 0.98 | 96 |
| BV0664 | BVAC1 08 | 3 | 6 | 3 | 2.18 | -0.005 | 5 | -2 | 70 | 1 | 660 | 12 | 0.93 | 113 |
| BV0665 | BVAC1 08 | 6 | 9 | 3 | 2.28 | 0.014 | 6 | -2 | 190 | 1 | 510 | 14 | 0.64 | 89 |
| BV0666 | BVAC1 08 | 9 | 12 | 3 | 2.06 | 0.016 | -5 | -2 | 279 | 1 | 840 | 16 | 0.55 | 81 |
| BV0667 | BVAC1 08 | 12 | 15 | 3 | 1.62 | -0.005 | -5 | -2 | 487 | -1 | 900 | 11 | 0.63 | 274 |
| BV0668 | BVAC1 08 | 15 | 17 | 2 | 2.26 | 0.008 | 15 | -2 | 259 | 1 | 1130 | 11 | 0.48 | 280 |
| BV0669 | BVAC1 09 | 0 | 3 | 3 | 2.1 | 0.007 | 9 | -2 | 107 | -1 | 360 | 13 | 0.6 | 123 |
| BV0671 | BVAC1 09 | 3 | 6 | 3 | 2.44 | -0.005 | 20 | -2 | 197 | -1 | 300 | 13 | 0.53 | 115 |
| BV0672 | BVAC1 09 | 6 | 9 | 3 | 2.1 | 0.006 | 9 | -2 | 230 | 1 | 400 | 10 | 0.51 | 125 |
| BV0673 | BVAC1 09 | 9 | 12 | 3 | 2.28 | -0.005 | 6 | -2 | 200 | 1 | 850 | 7 | 0.54 | 238 |
| BV0674 | BVAC1 09 | 12 | 15 | 3 | 2.18 | 0.012 | 5 | -2 | 264 | -1 | 850 | 11 | 0.53 | 422 |
| BV0675 | BVAC1 09 | 15 | 18 | 3 | 2.38 | 0.006 | 5 | -2 | 133 | -1 | 1020 | 9 | 0.4 | 150 |
| BV0676 | BVAC1 09 | 18 | 19. 5 | 1.5 | 2.84 | 0.009 | 7 | -2 | 145 | 2 | 510 | 8 | 0.37 | 145 |
| BV0677 | BVAC1 10 | 0 | 3 | 3 | 2.58 | 0.007 | 5 | -2 | 50 | 1 | 680 | 10 | 0.82 | 100 |
| BV0678 | BVAC1 10 | 3 | 6 | 3 | 2.22 | 0.007 | -5 | -2 | 39 | 1 | 130 | 8 | 0.31 | 67 |
| BV0679 | BVAC1 10 | 6 | 9 | 3 | 2.64 | 0.014 | -5 | -2 | 53 | -1 | 220 | 15 | 0.52 | 92 |
| BV0680 | BVAC1 10 | 9 | 12 | 3 | 2 | 0.013 | 9 | -2 | 128 | 1 | 200 | 12 | 0.54 | 83 |
| BV0681 | BVAC1 10 | 12 | 15 | 3 | 1.62 | 0.008 | 7 | -2 | 157 | 1 | 330 | 7 | 0.36 | 181 |
| BV0682 | BVAC1 10 | 15 | 18 | 3 | 1.86 | 0.007 | 8 | -2 | 132 | -1 | 150 | 4 | 0.3 | 151 |
| BV0683 | BVAC1 10 | 18 | 21 | 3 | 2.44 | 0.007 | 10 | -2 | 141 | 1 | 740 | 5 | 0.3 | 110 |
| BV0684 | BVAC1 10 | 21 | 24 | 3 | 2.62 | -0.005 | 6 | -2 | 116 | -1 | 660 | 7 | 0.28 | 104 |
| BV0685 | BVAC1 10 | 24 | 26 | 2 | 3.3 | -0.005 | 9 | -2 | 97 | -1 | 760 | -2 | 0.27 | 100 |
| BV0686 | BVAC1 11 | 0 | 3 | 3 | 2.9 | 0.005 | 8 | -2 | 62 | 1 | 350 | 13 | 0.65 | 81 |
| BV0687 | BVAC1 11 | 3 | 6 | 3 | 2.3 | 0.009 | 14 | -2 | 108 | 1 | 190 | 14 | 0.65 | 67 |
| BV0688 | BVAC1 11 | 6 | 9 | 3 | 2.28 | 0.005 | 11 | -2 | 138 | 1 | 230 | 11 | 0.45 | 64 |
| BV0689 | BVAC1 11 | 9 | 12 | 3 | 1.64 | 0.007 | -5 | 2 | 178 | -1 | 360 | 8 | 0.4 | 99 |
| BV0691 | BVAC1 11 | 12 | 15 | 0 | 1.52 | 0.007 | 6 | -2 | 187 | 1 | 740 | 6 | 0.38 | 147 |
| BV0692 | BVAC1 11 | 15 | 18 | 0 | 1.5 | 0.01 | 11 | -2 | 188 | -1 | 210 | 7 | 0.39 | 285 |
| BV0693 | BVAC1 11 | 18 | 21 | 0 | 2.14 | 0.012 | 7 | -2 | 129 | 1 | 980 | 6 | 0.32 | 165 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0694 | BVAC1 11 | 21 | 24 | 0 | 1.62 | 0.008 | 9 | -2 | 125 | -1 | 270 | 6 | 0.32 | 112 |
| BV0695 | BVAC1 11 | 24 | 27 | 0 | 1.94 | 0.006 | 8 | -2 | 201 | -1 | 450 | 3 | 0.32 | 217 |
| BV0696 | BVAC1 11 | 27 | 30 | 0 | 3.1 | 0.005 | 5 | -2 | 325 | -1 | 530 | 3 | 0.31 | 180 |
| BV0697 | BVAC1 11 | 30 | 33. 5 | 0 | 3.52 | 0.005 | -5 | -2 | 260 | -1 | 650 | 3 | 0.29 | 181 |
| BV0698 | BVAC1 12 | 0 | 3 | 0 | 2.52 | 0.01 | 9 | -2 | 73 | 1 | 300 | 14 | 0.73 | 80 |
| BV0699 | BVAC1 12 | 3 | 6 | 0 | 2.12 | -0.005 | -5 | -2 | 108 | -1 | 250 | 7 | 0.43 | 105 |
| BV0700 | BVAC1 12 | 6 | 9 | 0 | 1.66 | 0.009 | 10 | -2 | 150 | -1 | 230 | 4 | 0.38 | 378 |
| BV0701 | BVAC1 12 | 9 | 12 | 0 | 1.62 | 0.005 | 12 | -2 | 122 | -1 | 230 | 5 | 0.36 | 303 |
| BV0702 | BVAC1 12 | 12 | 15 | 0 | 2.34 | 0.009 | 6 | -2 | 100 | -1 | 700 | 6 | 0.33 | 139 |
| BV0703 | BVAC1 12 | 15 | 18 | 0 | 3.04 | -0.005 | 9 | -2 | 103 | 1 | 1080 | 9 | 0.33 | 113 |
| BV0704 | BVAC1 12 | 18 | 21 | 0 | 3.26 | -0.005 | 5 | -2 | 110 | 3 | 1140 | 4 | 0.34 | 130 |
| BV0705 | BVAC1 12 | 21 | 24 | 0 | 2.52 | -0.005 | 11 | -2 | 114 | 1 | 1040 | 7 | 0.34 | 145 |
| BV0706 | BVAC1 12 | 24 | 27 | 0 | 2.86 | 0.006 | 5 | -2 | 135 | 1 | 790 | 6 | 0.42 | 119 |
| BV0707 | BVAC1 12 | 27 | 30 | 0 | 3.14 | 0.039 | 7 | -2 | 156 | 2 | 900 | 7 | 0.4 | 107 |
| BV0708 | BVAC1 13 | 0 | 3 | 0 | 2.28 | -0.005 | 9 | -2 | 153 | -1 | 540 | 8 | 0.5 | 94 |
| BV0709 | BVAC1 13 | 3 | 6 | 0 | 2.16 | -0.005 | 8 | -2 | 162 | 1 | 1880 | 7 | 0.41 | 122 |
| BV0711 | BVAC1 13 | 6 | 9 | 3 | 1.88 | -0.005 | 5 | -2 | 157 | 1 | 620 | 9 | 0.39 | 165 |
| BV0712 | BVAC1 13 | 9 | 12 | 3 | 1.88 | -0.005 | 6 | -2 | 136 | 1 | 1200 | 10 | 0.4 | 157 |
| BV0713 | BVAC1 13 | 12 | 15 | 3 | 1.84 | -0.005 | 9 | -2 | 145 | 1 | 1090 | 5 | 0.38 | 199 |
| BV0714 | BVAC1 13 | 15 | 18 | 3 | 2.1 | -0.005 | 10 | -2 | 120 | -1 | 900 | 6 | 0.45 | 189 |
| BV0715 | BVAC1 13 | 18 | 21 | 3 | 1.84 | -0.005 | 8 | -2 | 213 | -1 | 530 | 14 | 0.61 | 224 |
| BV0716 | BVAC1 13 | 21 | 24 | 3 | 2.06 | -0.005 | 5 | -2 | 141 | 2 | 900 | 14 | 0.37 | 151 |
| BV0717 | BVAC1 13 | 24 | 26 | 2 | 2.94 | -0.005 | 7 | -2 | 48 | 1 | 1760 | 10 | 0.37 | 132 |
| BV0718 | BVAC1 14 | 0 | 3 | 3 | 2.24 | -0.005 | 8 | -2 | 67 | 1 | 460 | 10 | 0.74 | 104 |
| BV0719 | BVAC1 14 | 3 | 6 | 3 | 2.12 | 0.008 | 7 | -2 | 111 | 1 | 360 | 10 | 0.29 | 86 |
| BV0720 | BVAC1 14 | 6 | 9 | 3 | 2.22 | 0.006 | -5 | -2 | 158 | 1 | 890 | 8 | 0.32 | 89 |
| BV0721 | BVAC1 14 | 9 | 12 | 3 | 2.18 | -0.005 | -5 | -2 | 174 | -1 | 1200 | 7 | 0.35 | 213 |
| BV0722 | BVAC1 14 | 12 | 15 | 3 | 2.26 | 0.006 | -5 | -2 | 120 | -1 | 230 | 4 | 0.33 | 223 |
| BV0723 | BVAC1 14 | 15 | 18 | 3 | 2.42 | -0.005 | -5 | -2 | 118 | -1 | 730 | 7 | 0.35 | 126 |
| BV0724 | BVAC1 14 | 18 | 21 | 3 | 2.72 | -0.005 | -5 | -2 | 100 | -1 | 1150 | 4 | 0.32 | 108 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|-----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0725 | BVAC1 15 | 0 | 3 | 3 | 2.44 | -0.005 | 6 | -2 | 92 | 1 | 370 | 13 | 0.52 | 111 |
| BV0726 | BVAC1 15 | 3 | 6 | 3 | 2.24 | -0.005 | 7 | -2 | 138 | -1 | 600 | 6 | 0.41 | 108 |
| BV0727 | BVAC1 15 | 6 | 9.5 | 3.5 | 3.06 | -0.005 | -5 | -2 | 116 | -1 | 1230 | 4 | 0.4 | 134 |
| BV0728 | BVAC1 16 | 0 | 3 | 3 | 2.2 | -0.005 | -5 | -2 | 45 | 2 | 1730 | 7 | 1.47 | 171 |
| BV0729 | BVAC1 16 | 3 | 6 | 3 | 2.3 | -0.005 | -5 | -2 | 34 | 1 | 3350 | 7 | 1.92 | 179 |
| BV0731 | BVAC1 16 | 6 | 9 | 3 | 2.78 | -0.005 | 7 | -2 | 35 | 2 | 3970 | 7 | 2.04 | 265 |
| BV0732 | BVAC1 16 | 9 | 12 | 3 | 2.26 | -0.005 | 9 | -2 | 45 | -1 | 450 | 9 | 0.45 | 120 |
| BV0733 | BVAC1 16 | 12 | 15 | 3 | 2.42 | -0.005 | 15 | -2 | 67 | 1 | 280 | 16 | 0.53 | 113 |
| BV0734 | BVAC1 16 | 15 | 18 | 3 | 2.24 | 0.011 | 18 | -2 | 91 | 2 | 330 | 14 | 0.48 | 219 |
| BV0735 | BVAC1 16 | 18 | 21 | 3 | 2.18 | 0.009 | 28 | -2 | 85 | 1 | 590 | 7 | 0.37 | 110 |
| BV0736 | BVAC1 16 | 21 | 24 | 3 | 1.9 | -0.005 | 9 | -2 | 71 | 1 | 1940 | 6 | 1.09 | 358 |
| BV0737 | BVAC1 16 | 24 | 27 | 3 | 2.68 | 0.005 | 15 | -2 | 123 | -1 | 1680 | 8 | 0.54 | 111 |
| BV0738 | BVAC1 16 | 27 | 28 | 1 | 1.98 | 0.007 | 13 | -2 | 148 | 1 | 1090 | 7 | 0.45 | 121 |
| BV0739 | BVAC1 17 | 0 | 3 | 3 | 2.14 | -0.005 | -5 | -2 | 50 | 1 | 1700 | 15 | 1.28 | 144 |
| BV0740 | BVAC1 17 | 3 | 6 | 3 | 2.5 | -0.005 | -5 | -2 | 55 | 2 | 2510 | 15 | 1.53 | 183 |
| BV0741 | BVAC1 17 | 6 | 9 | 3 | 2.28 | 0.012 | 12 | -2 | 60 | -1 | 410 | 16 | 0.59 | 145 |
| BV0742 | BVAC1 17 | 9 | 12 | 3 | 2.34 | 0.009 | 5 | -2 | 75 | 1 | 330 | 15 | 0.64 | 113 |
| BV0743 | BVAC1 17 | 12 | 15 | 3 | 1.94 | 0.008 | 11 | -2 | 112 | 1 | 220 | 17 | 0.65 | 168 |
| BV0744 | BVAC1 17 | 15 | 18 | 3 | 2.32 | -0.005 | 6 | -2 | 160 | 1 | 290 | 6 | 0.43 | 196 |
| BV0745 | BVAC1 17 | 18 | 21 | 3 | 2.32 | -0.005 | -5 | -2 | 142 | 1 | 870 | 6 | 0.39 | 179 |
| BV0746 | BVAC1 17 | 21 | 24 | 3 | 2.48 | -0.005 | 10 | -2 | 134 | 1 | 790 | 3 | 0.37 | 131 |
| BV0747 | BVAC1 17 | 24 | 27 | 3 | 3.26 | 0.007 | 19 | -2 | 133 | 1 | 890 | 7 | 0.37 | 112 |
| BV0748 | BVAC1 17 | 27 | 30 | 3 | 2.78 | -0.005 | 16 | -2 | 130 | 1 | 1120 | 5 | 0.41 | 120 |
| BV0749 | BVAC1 17 | 30 | 33 | 3 | 3.22 | 0.005 | 10 | -2 | 124 | 1 | 960 | 4 | 0.38 | 106 |
| BV0751 | BVAC1 18 | 0 | 3 | 3 | 2.24 | -0.005 | 8 | -2 | 47 | 1 | 430 | 16 | 0.78 | 114 |
| BV0752 | BVAC1 18 | 3 | 6 | 3 | 2 | -0.005 | 8 | -2 | 52 | 1 | 220 | 20 | 0.67 | 104 |
| BV0753 | BVAC1 18 | 6 | 9 | 3 | 2.26 | 0.007 | -5 | -2 | 46 | -1 | 340 | 13 | 0.37 | 76 |
| BV0754 | BVAC1 18 | 9 | 12 | 3 | 2.14 | 0.008 | 9 | -2 | 68 | 1 | 260 | 11 | 0.43 | 94 |
| BV0755 | BVAC1 18 | 12 | 15 | 3 | 2.42 | 0.187 | 16 | -2 | 114 | 3 | 360 | 10 | 0.46 | 160 |
| BV0756 | BVAC1 18 | 15 | 18 | 3 | 2.36 | 0.008 | 7 | -2 | 118 | 2 | 270 | 26 | 0.4 | 351 |

| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|------|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0757 | BVAC1 18 | 18 | 21 | 3 | 1.88 | 0.006 | -5 | 2 | 161 | 1 | 320 | 14 | 0.36 | 486 |
| BV0758 | BVAC1 18 | 21 | 24 | 3 | 2.26 | 0.006 | -5 | -2 | 131 | 1 | 570 | 10 | 0.37 | 271 |
| BV0759 | BVAC1 18 | 24 | 27 | 3 | 2.14 | 0.007 | -5 | -2 | 136 | 1 | 940 | 9 | 0.39 | 274 |
| BV0760 | BVAC1 18 | 27 | 30 | 3 | 2.68 | 0.005 | 10 | -2 | 132 | 1 | 1980 | 18 | 0.38 | 221 |
| BV0761 | BVAC1 18 | 30 | 31 | 1 | 2.84 | 0.005 | 9 | -2 | 118 | -1 | 1910 | 17 | 0.4 | 141 |
| BV0762 | BVAC1 19 | 0 | 3 | 3 | 1.98 | 0.005 | 9 | -2 | 85 | 1 | 430 | 14 | 0.57 | 126 |
| BV0763 | BVAC1 19 | 3 | 6 | 3 | 2.26 | 0.006 | 7 | -2 | 116 | 1 | 520 | 8 | 0.4 | 66 |
| BV0764 | BVAC1 19 | 6 | 9 | 3 | 2.02 | 0.008 | 9 | -2 | 177 | -1 | 600 | 7 | 0.39 | 223 |
| BV0765 | BVAC1 19 | 9 | 12 | 3 | 2.16 | -0.005 | 11 | -2 | 144 | 1 | 380 | 7 | 0.35 | 395 |
| BV0766 | BVAC1 19 | 12 | 15 | 3 | 1.88 | -0.005 | 10 | -2 | 113 | -1 | 370 | 9 | 0.34 | 194 |
| BV0767 | BVAC1 19 | 15 | 18 | 3 | 2.2 | -0.005 | 7 | -2 | 118 | 1 | 330 | 6 | 0.35 | 238 |
| BV0768 | BVAC1 19 | 18 | 21.5 | 3.5 | 2.96 | 0.006 | 12 | -2 | 107 | 1 | 710 | 7 | 0.33 | 174 |
| BV0769 | BVAC1 20 | 0 | 3 | 3 | 2.26 | -0.005 | 7 | -2 | 121 | 1 | 400 | 10 | 0.43 | 254 |
| BV0771 | BVAC1 20 | 3 | 6 | 3 | 2.1 | 0.006 | 8 | -2 | 140 | -1 | 370 | 7 | 0.42 | 265 |
| BV0772 | BVAC1 20 | 6 | 9 | 3 | 2.18 | -0.005 | 9 | -2 | 130 | 1 | 490 | 7 | 0.37 | 147 |
| BV0773 | BVAC1 20 | 9 | 12 | 3 | 2.52 | 0.006 | 11 | -2 | 122 | 1 | 790 | 5 | 0.37 | 154 |
| BV0774 | BVAC1 20 | 12 | 15 | 3 | 2.9 | 0.013 | 9 | -2 | 115 | 1 | 800 | 5 | 0.35 | 119 |
| BV0775 | BVAC1 20 | 15 | 18 | 3 | 2.42 | 0.007 | 6 | -2 | 119 | 1 | 680 | 5 | 0.36 | 199 |
| BV0776 | BVAC1 20 | 18 | 21 | 3 | 3.36 | 0.013 | 7 | -2 | 122 | 1 | 800 | 4 | 0.35 | 154 |
| BV0777 | BVAC1 20 | 21 | 23 | 2 | 2.64 | 0.007 | 7 | -2 | 114 | 1 | 920 | 3 | 0.34 | 139 |
| BV0778 | BVAC1 21 | 0 | 3 | 3 | 2.24 | -0.005 | -5 | -2 | 52 | 1 | 2180 | 8 | 1.45 | 196 |
| BV0779 | BVAC1 21 | 3 | 6 | 3 | 2.18 | 0.005 | -5 | -2 | 36 | 2 | 3190 | 5 | 1.73 | 186 |
| BV0780 | BVAC1 21 | 6 | 9 | 3 | 2.24 | -0.005 | 9 | -2 | 42 | 1 | 420 | 8 | 0.36 | 90 |
| BV0781 | BVAC1 21 | 9 | 12 | 3 | 2.32 | 0.006 | 7 | -2 | 70 | -1 | 400 | 16 | 0.53 | 134 |
| BV0782 | BVAC1 21 | 12 | 15 | 3 | 2.52 | 0.014 | 11 | -2 | 95 | 2 | 350 | 13 | 0.66 | 127 |
| BV0783 | BVAC1 21 | 15 | 18 | 3 | 2.22 | -0.005 | -5 | -2 | 155 | 2 | 330 | 4 | 0.42 | 132 |
| BV0784 | BVAC1 21 | 18 | 20.5 | 2.5 | 3.18 | -0.005 | 11 | -2 | 120 | 1 | 930 | 3 | 0.36 | 210 |
| BV0785 | BVAC1 22 | 0 | 3 | 3 | 2.4 | -0.005 | 8 | -2 | 42 | 1 | 480 | 15 | 1.04 | 254 |
| BV0786 | BVAC1 22 | 3 | 6 | 3 | 2.14 | -0.005 | 5 | -2 | 45 | 1 | 270 | 14 | 0.88 | 148 |
| BV0787 | BVAC1 22 | 6 | 9 | 3 | 2.18 | 0.005 | 16 | -2 | 124 | 1 | 330 | 7 | 0.6 | 95 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0788 | BVAC1 22 | 9 | 12 | 3 | 2.2 | -0.005 | 22 | -2 | 244 | 1 | 300 | 12 | 0.41 | 126 |
| BV0789 | BVAC1 22 | 12 | 15 | 3 | 2.12 | 0.005 | 12 | -2 | 176 | 1 | 290 | 7 | 0.36 | 301 |
| BV0791 | BVAC1 22 | 15 | 18 | 3 | 2.3 | -0.005 | 16 | -2 | 158 | 1 | 460 | 7 | 0.52 | 318 |
| BV0792 | BVAC1 22 | 18 | 21 | 3 | 2.36 | -0.005 | 17 | -2 | 225 | 13 | 870 | 20 | 0.42 | 181 |
| BV0793 | BVAC1 22 | 21 | 24 | 3 | 2.52 | -0.005 | 8 | -2 | 178 | 1 | 1580 | 6 | 0.43 | 180 |
| BV0794 | BVAC1 22 | 24 | 27 | 3 | 2.64 | -0.005 | 14 | -2 | 224 | 1 | 1860 | 4 | 0.44 | 164 |
| BV0795 | BVAC1 22 | 27 | 30 | 3 | 3.16 | -0.005 | 12 | -2 | 128 | -1 | 980 | 2 | 0.31 | 169 |
| BV0796 | BVAC1 22 | 30 | 33 | 3 | 2.54 | -0.005 | 14 | -2 | 78 | 1 | 1370 | 8 | 0.54 | 229 |
| BV0797 | BVAC1 23 | 0 | 3 | 3 | 2.74 | -0.005 | -5 | -2 | 40 | 1 | 3010 | 5 | 1.73 | 232 |
| BV0798 | BVAC1 23 | 3 | 6 | 3 | 3.28 | -0.005 | -5 | -2 | 38 | 2 | 3830 | -2 | 2.01 | 203 |
| BV0799 | BVAC1 23 | 6 | 9 | 3 | 3.2 | -0.005 | -5 | 7 | 31 | 2 | 3610 | 4 | 2 | 194 |
| BV0800 | BVAC1 23 | 9 | 12 | 3 | 3.38 | -0.005 | -5 | -2 | 31 | 3 | 3720 | 6 | 1.89 | 246 |
| BV0801 | BVAC1 23 | 12 | 15 | 3 | 3.38 | -0.005 | -5 | -2 | 43 | 1 | 2650 | 9 | 1.61 | 164 |
| BV0802 | BVAC1 23 | 15 | 18 | 3 | 2.58 | 0.006 | 9 | -2 | 208 | 1 | 660 | 8 | 0.71 | 119 |
| BV0803 | BVAC1 23 | 18 | 21 | 3 | 2.16 | -0.005 | 13 | -2 | 303 | 1 | 1090 | 10 | 0.67 | 76 |
| BV0804 | BVAC1 23 | 21 | 24 | 3 | 1.82 | -0.005 | 5 | -2 | 355 | 1 | 1050 | 6 | 0.63 | 126 |
| BV0805 | BVAC1 23 | 24 | 27 | 3 | 1.94 | 0.006 | 8 | -2 | 356 | -1 | 1060 | 9 | 0.63 | 228 |
| BV0806 | BVAC1 23 | 27 | 30 | 3 | 1.98 | 0.009 | 5 | -2 | 283 | 1 | 820 | 5 | 0.55 | 278 |
| BV0807 | BVAC1 23 | 30 | 33 | 3 | 1.98 | 0.012 | 5 | -2 | 251 | -1 | 760 | 4 | 0.51 | 260 |
| BV0808 | BVAC1 23 | 33 | 36 | 3 | 2.28 | 0.008 | 8 | -2 | 295 | -1 | 800 | 3 | 0.54 | 293 |
| BV0809 | BVAC1 23 | 36 | 39 | 3 | 2.56 | -0.005 | 6 | -2 | 308 | 1 | 1400 | 5 | 0.56 | 225 |
| BV0811 | BVAC1 24 | 0 | 3 | 3 | 2.16 | -0.005 | 9 | -2 | 101 | 1 | 660 | 5 | 0.77 | 138 |
| BV0812 | BVAC1 24 | 3 | 6 | 3 | 2.18 | -0.005 | -5 | -2 | 114 | -1 | 700 | -2 | 0.39 | 33 |
| BV0813 | BVAC1 24 | 6 | 9 | 3 | 2 | 0.008 | 9 | -2 | 148 | 1 | 1080 | 6 | 0.45 | 86 |
| BV0814 | BVAC1 24 | 9 | 12 | 3 | 2.12 | -0.005 | 9 | -2 | 207 | 1 | 1670 | 7 | 0.57 | 81 |
| BV0815 | BVAC1 24 | 12 | 15 | 3 | 2.14 | -0.005 | 9 | -2 | 206 | 1 | 1440 | 11 | 0.54 | 154 |
| BV0816 | BVAC1 24 | 15 | 18 | 3 | 2.42 | -0.005 | 14 | 2 | 227 | 1 | 1160 | 4 | 0.56 | 103 |
| BV0817 | BVAC1 24 | 18 | 21 | 3 | 2.28 | -0.005 | 11 | -2 | 359 | 1 | 910 | 9 | 0.54 | 166 |
| BV0818 | BVAC1 24 | 21 | 24 | 3 | 2.48 | -0.005 | 12 | -2 | 471 | 2 | 920 | 3 | 0.5 | 320 |
| BV0819 | BVAC1 24 | 24 | 27 | 3 | 2.06 | -0.005 | 7 | -2 | 299 | 1 | 1190 | 4 | 0.44 | 165 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_% | Zn_ ppm |
|--------------|-------------|----------|----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|------|------------|
| BV0820 | BVAC1 24 | 27 | 30 | 3 | 2.44 | -0.005 | 10 | -2 | 298 | -1 | 1660 | 4 | 0.42 | 139 |
| BV0821 | BVAC1 24 | 30 | 31 | 1 | 2.64 | -0.005 | 8 | -2 | 271 | -1 | 1330 | 7 | 0.38 | 122 |
| BV0822 | BVAC1 25 | 0 | 3 | 3 | 2.66 | -0.005 | 6 | -2 | 195 | 1 | 960 | 9 | 0.69 | 199 |
| BV0823 | BVAC1 25 | 3 | 6 | 3 | 2.64 | 0.005 | 12 | -2 | 65 | -1 | 770 | 12 | 0.92 | 153 |
| BV0824 | BVAC1 25 | 6 | 9 | 3 | 2.54 | -0.005 | 26 | -2 | 107 | -1 | 860 | 20 | 0.39 | 134 |
| BV0825 | BVAC1 25 | 9 | 12 | 3 | 2.26 | -0.005 | 21 | -2 | 147 | -1 | 1150 | 7 | 0.44 | 106 |
| BV0826 | BVAC1 25 | 12 | 15 | 3 | 2.36 | -0.005 | 16 | -2 | 162 | -1 | 1240 | 9 | 0.42 | 109 |
| BV0827 | BVAC1 25 | 15 | 18 | 3 | 2.38 | -0.005 | 27 | 2 | 159 | 2 | 1060 | 21 | 0.4 | 152 |
| BV0828 | BVAC1 25 | 18 | 21 | 3 | 1.92 | -0.005 | 27 | -2 | 139 | 1 | 870 | 12 | 0.38 | 291 |
| BV0829 | BVAC1 25 | 21 | 24 | 3 | 2.54 | -0.005 | 17 | -2 | 120 | -1 | 760 | 10 | 0.33 | 193 |
| BV0831 | BVAC1 25 | 24 | 27 | 3 | 3.2 | 0.008 | 14 | -2 | 126 | 1 | 1180 | 4 | 0.34 | 155 |
| BV0832 | BVAC1 25 | 27 | 29 | 2 | 2.98 | -0.005 | 9 | -2 | 131 | 1 | 990 | 3 | 0.35 | 136 |
| BV0833 | BVAC1 26 | 0 | 3 | 3 | 2.36 | 0.009 | 6 | -2 | 49 | -1 | 290 | 12 | 0.78 | 126 |
| BV0834 | BVAC1 26 | 3 | 6 | 3 | 2.28 | 0.008 | 10 | -2 | 124 | -1 | 330 | 4 | 0.51 | 127 |
| BV0835 | BVAC1 26 | 6 | 9 | 3 | 1.9 | 0.005 | 11 | -2 | 157 | 1 | 440 | 10 | 0.37 | 114 |
| BV0836 | BVAC1 26 | 9 | 12 | 3 | 2.16 | 0.009 | 15 | -2 | 182 | 1 | 660 | 14 | 0.38 | 199 |
| BV0837 | BVAC1 26 | 12 | 15 | 3 | 2.18 | 0.006 | 9 | -2 | 202 | 2 | 510 | 9 | 0.32 | 318 |
| BV0838 | BVAC1 26 | 15 | 18 | 3 | 1.94 | 0.006 | 7 | -2 | 135 | 1 | 220 | 10 | 0.32 | 292 |
| BV0839 | BVAC1 26 | 18 | 21 | 3 | 2.04 | 0.006 | 7 | -2 | 117 | -1 | 180 | 7 | 0.34 | 223 |
| BV0840 | BVAC1 26 | 21 | 24 | 3 | 2.14 | 0.009 | 8 | -2 | 166 | -1 | 780 | -2 | 0.37 | 133 |
| BV0841 | BVAC1 26 | 24 | 27 | 3 | 2.76 | 0.007 | 7 | -2 | 188 | -1 | 980 | 4 | 0.36 | 91 |
| BV0842 | BVAC1 26 | 27 | 30 | 3 | 3.38 | 0.007 | 7 | -2 | 177 | 1 | 920 | 4 | 0.37 | 143 |
| BV0843 | BVAC1 27 | 0 | 3 | 3 | 2.5 | 0.007 | 5 | -2 | 92 | 1 | 400 | 6 | 0.38 | 114 |
| BV0844 | BVAC1 27 | 3 | 6 | 3 | 3.34 | 0.008 | 10 | -2 | 107 | 1 | 780 | 2 | 0.31 | 93 |
| BV0845 | BVAC1 27 | 6 | 9 | 3 | 3.08 | 0.021 | 9 | -2 | 106 | -1 | 980 | -2 | 0.32 | 132 |
| BV0846 | BVAC1 27 | 9 | 12 | 3 | 3.52 | 0.006 | 13 | -2 | 154 | 1 | 850 | 2 | 0.29 | 107 |
| BV0847 | BVAC1 28 | 0 | 3 | 3 | 2.6 | 0.007 | 7 | -2 | 88 | -1 | 530 | 7 | 0.5 | 95 |
| BV0848 | BVAC1 28 | 3 | 6 | 3 | 2.18 | 0.009 | 14 | -2 | 111 | 1 | 930 | 5 | 0.31 | 88 |
| BV0849 | BVAC1 28 | 6 | 9 | 3 | 2.82 | 0.014 | 12 | -2 | 110 | -1 | 920 | 4 | 0.32 | 86 |
| BV0851 | BVAC1 28 | 9 | 12 | 3 | 2.4 | 0.006 | 15 | -2 | 118 | 1 | 1070 | 3 | 0.37 | 99 |



| SAMPLE _# | HOLE_I D | FRO M | TO | INTER VAL | SAMPL E_ WT_kg | Au_ ppm | As_ ppm | Bi_ ppm | Cu_ ppm | Mo_ ppm | P_ ppm | Pb_ ppm | Ti_ % | Zn_ ppm |
|--------------|-------------|----------|----|--------------|----------------------|------------|------------|------------|------------|------------|-----------|------------|----------|------------|
| BV0852 | BVAC1 28 | 12 | 15 | 3 | 2.68 | 0.012 | 9 | -2 | 113 | 1 | 870 | -2 | 0.34 | 95 |
| BV0853 | BVAC1 28 | 15 | 18 | 3 | 2.28 | 0.007 | 10 | -2 | 115 | -1 | 990 | -2 | 0.37 | 161 |
| BV0854 | BVAC1 28 | 18 | 21 | 3 | 2.28 | 0.007 | 8 | -2 | 114 | -1 | 1010 | -2 | 0.36 | 99 |
| BV0855 | BVAC1 28 | 21 | 24 | 3 | 2.42 | 0.01 | 15 | -2 | 108 | 1 | 1020 | -2 | 0.33 | 92 |
| BV0856 | BVAC1 28 | 24 | 27 | 3 | 2.56 | -0.005 | 12 | -2 | 103 | 1 | 850 | 6 | 0.32 | 96 |
| BV0857 | BVAC1 28 | 27 | 30 | 3 | 2.98 | 0.006 | 9 | -2 | 94 | 2 | 1080 | 3 | 0.3 | 114 |
| BV0858 | BVAC1 28 | 30 | 33 | 3 | 3.42 | 0.005 | 10 | -2 | 93 | 2 | 1060 | -2 | 0.29 | 93 |
| BV0859 | BVAC1 28 | 33 | 36 | 3 | 3.24 | 0.011 | 9 | -2 | 98 | 4 | 1150 | 7 | 0.32 | 113 |
| BV0860 | BVAC1 28 | 36 | 38 | 2 | 3.28 | 0.017 | 19 | -2 | 125 | 4 | 1150 | 6 | 0.34 | 144 |

JORC Code, 2012 Edition – Table 1 report template

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria | JORC Code explanation | Commentary |
|---------------------|---|--|
| Sampling techniques | <ul style="list-style-type: none"> • <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> | <ul style="list-style-type: none"> • Aircore drilling was on 100m centres x 200m spaced lines on a regular grid oriented north-south. • Lines were of variable length and drilling was focused over where the company had permissions and the underlying rocks were dominantly of the Fairbridge Volcanics • Drilling was too blade refusal with holes drilled grid west at - 60° • Samples were submitted to ALS in Orange for gold and multi-element geochemistry (34 elements with moderate detection limits) • 128 holes for 2358.5m were developed at an average depth of 18.4 m |
| Drilling techniques | <ul style="list-style-type: none"> • <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-</i> | <ul style="list-style-type: none"> • Aircore drilling • 3” hole |



| | | |
|---|--|--|
| | <i>sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> | |
| <i>Drill sample recovery</i> | <ul style="list-style-type: none"> • <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> | <ul style="list-style-type: none"> • Samples were developed on metre intervals and spear sampled as 3 metre composites for analysis • Individual splits will be collected as single metre intervals and submitted to ALS in orange |
| <i>Logging</i> | <ul style="list-style-type: none"> • <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> | <ul style="list-style-type: none"> • Samples were collected and systematically logged as each hole was developed • The logging is qualitative and of sufficient detail to support the current work |
| <i>Sub-sampling techniques and sample preparation</i> | <ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the</i> | <ul style="list-style-type: none"> • The project is at an early stage of evaluation and the suitability of sub-sampling methods and sub-sample sizes for all sampling groups has not been comprehensively established. The available data suggests that sampling procedures provide sufficiently representative sub-samples for the current interpretation. |



| | | |
|---|---|---|
| | <i>material being sampled.</i> | |
| <i>Quality of assay data and laboratory tests</i> | <ul style="list-style-type: none"> <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> | <ul style="list-style-type: none"> QA/QC procedures and analytical methods were performed 22 OREAS standards (66a, 503a, 21e, and 62c) were inserted into assay stream at a rate of ~1: 40. All standards were passed, indicating no significant issues within the data. Samples were submitted to ALS Laboratories in Orange |
| <i>Verification of sampling and assaying</i> | <ul style="list-style-type: none"> <i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> <i>Discuss any adjustment to assay data.</i> | <ul style="list-style-type: none"> The developed holes were logged by an independent consulting geologist The samples were collected and submitted by an independent consulting geologist. |
| <i>Location of data points</i> | <ul style="list-style-type: none"> <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> <i>Specification of the grid system used.</i> <i>Quality and adequacy of topographic control.</i> | <ul style="list-style-type: none"> Sample locations were collected by handheld GPS, utilising GDA94, Zone 55. |
| <i>Data spacing and distribution</i> | <ul style="list-style-type: none"> <i>Data spacing for reporting of Exploration Results.</i> <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> <i>Whether sample compositing has been applied.</i> | <ul style="list-style-type: none"> Drill hole spacing is suitable for the target type being considered and the method adopted is appropriate for the exploration given the knowledge of the project |



KRAKATOA

RESOURCES LTD.

www.ktaresources.com



ASX Code
KTA, KTAOC

| | | |
|--|---|---|
| <i>Orientation of data in relation to geological structure</i> | <ul style="list-style-type: none">• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> | <ul style="list-style-type: none">• Secondary mineralisation has been located on the property, however, sources for which remain unlocated |
| <i>Sample security</i> | <ul style="list-style-type: none">• <i>The measures taken to ensure sample security.</i> | <ul style="list-style-type: none">• Samples were collected in heavy-duty polywoven bags which were immediately sealed. These bags were delivered to the assay laboratory by the consultant geologist. |
| <i>Audits or reviews</i> | <ul style="list-style-type: none">• <i>The results of any audits or reviews of sampling techniques and data.</i> | <ul style="list-style-type: none">• The competent person independently reviewed the consultant's sample quality information and database validity.• These reviews included consistency checks within and between database tables and comparison of assay entries with original source records.• The review showed no material discrepancies.• The competent person considers that the results have been sufficiently verified to provide an adequate basis for the current reporting of exploration results. |

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria | JORC Code explanation | Commentary |
|--|--|---|
| <i>Mineral tenement and land tenure status</i> | <ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> | <ul style="list-style-type: none"> The Belgravia Project (EL8153) is wholly-owned by Krakatoa Australia Pty Ltd, a wholly owned subsidiary of Krakatoa Resources Ltd who bought the licence from Locksley Holdings The company holds 100% interest and all rights in the Belgravia Project |
| <i>Exploration done by other parties</i> | <ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> | <ul style="list-style-type: none"> Parts of the Project area have been explored at various times by Cypress in their own right and then through joint venture with various companies, including Homestake Mining, Mount Isa Mines and Newcrest Mining |
| <i>Geology</i> | <ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> | <ul style="list-style-type: none"> Volcanism within the Molong Volcanic Belt, as part of the Macquarie Arc in the Lachlan Fold Belt, relates to distinct groups and ages of porphyritic intrusion that vary from monzodiorite-diorite through monzonite-granodiorite compositions and correspond with porphyry copper-gold and epithermal gold-silver mineralisation |
| <i>Drill hole Information</i> | <ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar</i> <i>elevation or RL (Reduced Level – elevation above sea level in</i> | <ul style="list-style-type: none"> The drill program was designed to test the extensions to large low grade mineralised halo the lies northwest of the Bell Valley target. The halo was previously drilled by MIM Exploration and Newcrest, and extends on to the northwest margin of the Bell |



| | | |
|--|--|---|
| | <p><i>metres) of the drill hole collar</i></p> <ul style="list-style-type: none"> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> <ul style="list-style-type: none"> ● <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> | <p>Valley Target</p> <ul style="list-style-type: none"> ● The drilling also covered the interpreted doughnut mag features, referred to as Lara 1&2 target and the accompanying demagnetised all previously described by the Company ● Drilling was also designed to probe beneath a variably thick saprolite to determine the likely protolith ● Bedrock lithologies were captured for comparison with existing detailed surface mapping |
| <p><i>Data aggregation methods</i></p> | <ul style="list-style-type: none"> ● <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> ● <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> ● <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> | <ul style="list-style-type: none"> ● A simple additive index, where relationships between elements are confirmed through normalised data, correlation matrix then confirmed by factor analysis ● The related elements are then divided by their respective mean with numbers above their earn a point score, those below get zero. ● The additive is where the scores are combined for the elements of interest and plotted to show general enrichment trends. |
| <p><i>Relationship between mineralisation widths and intercept lengths</i></p> | <ul style="list-style-type: none"> ● <i>These relationships are particularly important in the reporting of Exploration Results.</i> ● <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> ● <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg ‘down hole length, true width not known’).</i> | <ul style="list-style-type: none"> ● No primary mineralisation identified as yet |
| <p><i>Diagrams</i></p> | <ul style="list-style-type: none"> ● <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being</i> | <ul style="list-style-type: none"> ● The pertinent maps for this stage of project are included in the release. |



| | | |
|---|--|--|
| | <i>reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> | <ul style="list-style-type: none"> • Co-ordinates in MGA94Z55 |
| <i>Balanced reporting</i> | <ul style="list-style-type: none"> • <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> | <ul style="list-style-type: none"> • The report has relied on the information provided by an independent consultant that oversees the company’s activities at Belgravia. • The Competent person has reviewed this information and believes it is consistent with his observations and knowledge of the project |
| <i>Other substantive exploration data</i> | <ul style="list-style-type: none"> • <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> | <ul style="list-style-type: none"> • Other pertinent data to the design and implementation of the drilling program has been previously released by the company |
| <i>Further work</i> | <ul style="list-style-type: none"> • <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> | <ul style="list-style-type: none"> • The company has planned a deep ground-penetrating radar survey (DGPR) • This results of the DGPR and drilling results will be used to plan and direct deeper drilling on the Bell Valley target • The market will be updated as information comes to hand |