

4 May 2020

ABOUT ADRIATIC METALS (ASX:ADT, LON:ADT1)

Adriatic Metals Plc is focused on the development of the 100% owned, high-grade polymetallic Vareš Project in Bosnia & Herzegovina.

DIRECTORS

Mr Peter Bilbe
NON-EXECUTIVE CHAIRMAN

Mr Paul Cronin
MANAGING DIRECTOR & CEO

Mr Michael Rawlinson
NON-EXECUTIVE DIRECTOR

Mr Julian Barnes
NON-EXECUTIVE DIRECTOR

Mr Milos Bosnjakovic
NON-EXECUTIVE DIRECTOR

Ms Sandra Bates
NON-EXECUTIVE DIRECTOR

Mr John Richards
NON-EXECUTIVE DIRECTOR

adriaticmetals.com



Adriatic Metals

MASSIVE SULPHIDE MINERALISATION CONTINUES SOUTH AND EAST AT RUPICE

HIGHLIGHTS

- **BR-02-20 intersected massive sulphide mineralisation in the south-eastern extension of the Rupice deposit, extending the known mineralisation 20m down dip, returning:**
 - 8.9m @ 2.40g/t Au, 398g/t Ag, 1.79% Zn, 3.16% Pb, 0.35% Cu and 45% BaSO₄ from 368.5m.
- **This mineralised intersection in BR-02-20 is the deepest mineralised intersection drilled to date in the southern part of the Rupice deposit, and confirms continuity of mineralisation both down-dip and southward.**
- **Drill results from infill drill holes BR-06-20, BR-07-20 and BR-09-20 confirm continuity of the high-grade mineralisation in the central part of the Rupice deposit:**
 - **BR-06-20** – 26.7m @ 3.95g/t Au, 502g/t Ag, 6.75% Zn, 3.76% Pb, 0.35% Cu and 72% BaSO₄ from 275.5m
 - **BR-06-20** – 10.2m @ 5.81g/t Au, 876g/t Ag, 8.65% Zn, 5.94% Pb, 0.50% Cu and 69% BaSO₄ from 323m
 - **BR-07-20** – 9.3m @ 3.49g/t Au, 393g/t Ag, 3.13% Zn, 3.86% Pb, 0.36% Cu and 59% BaSO₄ from 181.7m
 - **BR-07-20** – 22.9m @ 3.18g/t Au, 259g/t Ag, 10.71% Zn, 6.48% Pb, 0.63% Cu and 45% BaSO₄ from 199m
 - **BR-09-20** – 31m @ 3.85g/t Au, 335g/t Ag, 9.50% Zn, 8.12% Pb, 0.76% Cu and 36% BaSO₄ from 198m.

Adriatic Metals PLC (ASX:ADT, LON:ADT1) ("Adriatic" or the "Company") is pleased to announce that it has received assay results from a number of holes from its programme at Rupice. Figure 1 illustrates a plan view of the drilling locations.

Paul Cronin, Adriatic's Managing Director and CEO commented, "The latest drill results show that the mineralisation at Rupice continues down-dip to the south of the deposit, and remains open to the South, North, East and at depth. The infill confirmation drilling completed in the central part of the deposit confirms continuity of grade and supports our understanding of the geological and structural complexities of the deposit. With the winter months behind us, we will now look to expand our mineralisation in the northern plunge, whilst continuing to test the southern and depth extents". He also added "Drilling and exploration works continue as per normal despite the current limitations due to the COVID-19 pandemic, with little interruption to daily activities."



OVERVIEW

Drill hole BR-02-20 was drilled as part of the southern extensional drilling of the Rupice deposit. It is located 170 metres down-dip of drill hole BR-49-19, and 80 metres down-dip of BR-44-19, as reported 16 January 2020. BR-49-19 was the highest grade intercept drilled at Rupice to date. Mineralisation still remains open down-dip and to the south into previously untested ground outside of the current ore block model (Figure 2).

The mineralised intercept in BR-02-20 has confirmed mineralisation continues southward towards the Jurasevac-Brestic prospect. Drilling will continue to extend this known mineralisation both southward and down-dip.

Drill holes BR-06-20, BR-07-20 and BR-09-20 were drilled into the central part of the Rupice deposit in order to test the continuity of the known high-grade mineralisation. These drill holes were also designed to confirm the geological and structural model, and provide additional geotechnical information for the current pre-feasibility studies.

Along with structural geology specialist studies, and a revision of the geological controls on the mineralisation, new revisions to the structural and geological model have taken place.

The Rupice deposit is structurally complex, and the results from these infill drill holes have confirmed that there is good understanding of the geological and structural complexities of the deposit, with a good grade correlation to the existing neighbouring drill holes. This increased understanding will be utilised for future drill hole planning.

Drill hole BR-06-20 was drilled towards the northwest in order to intersect the massive sulphide mineralisation, perpendicular to the majority of the existing drilling, testing for any additional structural complications that may influence the controls on mineralisation. BR-06-20 intersected 2 confirmatory, robust zones of mineralisation, but was abandoned whilst drilling through the second zone due to drill rig issues (Figure 3).

BR-07-20 was also drilled perpendicular to the majority of the existing drilling, but was angled towards the south. Drill hole BR-07-20 also confirmed a wide zone of high grade mineralisation, returning a 23 metre intercept of robust mineralisation within the main massive sulphide orebody (Figure 4).

Drill hole BR-09-20 confirmed the high grade massive sulphide mineralisation, and structural offsets. BR-09-20 was drilled towards the northeast (Figure 5). The 2 mineralisation zones reported represent a structural repetition of the same ore zone due to a fault displacement.

The mineralised intervals of the drill holes are shown in Table 1 with further information in Appendix 1.

Table 1 – Drill hole results for the reported holes; Lead or Zinc greater than 1%, including higher-grade intersection with Lead or Zinc > 5%

Hole	From (m)	To (m)	Interval (m)	Au g/t	Ag g/t	Zn %	Pb %	Cu %	BaSO ₄ %
BR-01-20	248	262	4	0.15	24	0.68	1.74	0.62	0
BR-02-20	368.5	377.4	8.9	2.40	398	1.79	3.16	0.35	45
BR-04-20	241	247.5	6.5	0.72	77	1.71	1.06	0.23	49
BR-06-20	275.5	302.2	26.7	3.95	502	6.75	3.76	0.35	72
BR-06-20	323	333.2	10.2	5.81	876	8.65	5.94	0.50	69
BR-07-20	181.7	191	9.3	3.49	393	3.13	3.86	0.36	59
BR-07-20	199	221.9	22.9	3.18	259	10.71	6.48	0.63	45
BR-07-20	229.6	233.8	4.2	0.84	65	3.19	2.53	0.20	9
BR-09-20	165	173	8	2.29	181	1.88	1.33	0.13	52
BR-09-20	198	229	31	3.85	335	9.51	8.12	0.76	36



Figure 1: Plan Map showing the Location of the Rupice Drill Holes







Figure 2: Cross Section illustrating Drill Hole BR-02-20



Results for drill holes BR-01-20 and BR-04-20, in the central part of the most southernly drill section at Rupice have also been received. Drill hole BR-01-20 was drilled to a depth of 337m, and intersected the same mineralised brecciated dolomite stratigraphic horizon, albeit weakly mineralised.

Drill hole BR-04-20, drilled 60m up-dip of BR-01-20 also intersected the same mineralised horizon, with a 6.5 metre wide intercept of weak mineralisation. These results show that the mineralised orebody continues to the south, but a plunge component to the mineralisation is apparent. Further drilling in this area will help define these structural controls, and enable targeting of high-grade mineralisation further southward.

Despite the current limitations due to the COVID-19 pandemic, drilling and exploration works continue on the Vares project. Currently 4 drill rigs are operating, 2 drilling mineralised extensions at Rupice, and the other 2 drill rigs testing the newly defined gravity target at Jurasevic-Brestic (see ASX announcement 26 March 2020 for details of the Gravity re-processing).

Further drilling will continue to target the extensions to the Rupice deposit, which still remains open in all directions.



Figure 3: Cross Section illustrating Drill Hole BR-06-20




Figure 4: Cross Section illustrating Drill Hole BR-07-20







Figure 5: Cross Section illustrating Drill Hole BR-09-20



Authorised by, and for further information please contact:

Paul Cronin
Managing Director & CEO
info@adriaticmetals.com

MARKET ABUSE REGULATION DISCLOSURE

The information contained within this announcement is deemed by the Company (LEI: 549300OHAH2GL1DP0L61) to constitute inside information as stipulated under the Market Abuse Regulations (EU) No. 596/2014. The person responsible for arranging the release of this announcement on behalf of the Company is Paul Cronin, Managing Director and CEO.



COMPETENT PERSONS REPORT

The information in this report which relates to Exploration Results is based on and fairly represents information and supporting documentation prepared by Mr Phillip Fox, who is a member of the Australian Institute of Geoscientists (AIG). Mr Fox is a consultant to Adriatic Metals PLC, and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Fox consents to the inclusion in this report of the matters based on that information and the supporting information in the form and context in which it appears.

ABOUT ADRIATIC METALS

Adriatic Metals PLC (ASX:ADT, LON:ADT1) ("Adriatic" or the "Company") is a dual listed (ASX and LSE) precious and base metals explorer and developer via its 100% interest in the world class Vares Project (the "Project") in Bosnia & Herzegovina. The Project comprises a historic open cut mine at Veovaca and brownfield exploration at Rupice, an advanced proximal deposit which exhibits exceptionally high grades of base and precious metals.

The Company announced the results of a Scoping Study on 19 November 2019 which indicated an NPV₈ of US\$917 million and IRR of 107%, following the release of a Maiden Resource Estimate earlier the year on 23 July 2019. There have been no material adverse changes in the assumptions underpinning the forecast financial information or material assumptions and technical parameters underpinning the Maiden Resource Estimate since the original relevant market announcements which continue to apply.

Adriatic has attracted a world class team to both expedite its exploration efforts to expand the current JORC resource at the high-grade Rupice deposit and to rapidly advance the Project into the development phase utilising its first mover advantage and strategic position in Bosnia.





DISCLAIMER

Forward-looking statements are statements that are not historical facts. Words such as “expect(s)”, “feel(s)”, “believe(s)”, “will”, “may”, “anticipate(s)”, “potential(s)” and similar expressions are intended to identify forward-looking statements. These statements include, but are not limited to statements regarding future production, resources or reserves and exploration results. All of such statements are subject to certain risks and uncertainties, many of which are difficult to predict and generally beyond the control of the Company, that could cause actual results to differ materially from those expressed in, or implied or projected by, the forward-looking information and statements. These risks and uncertainties include, but are not limited to: (i) those relating to the interpretation of drill results, the geology, grade and continuity of mineral deposits and conclusions of economic evaluations, (ii) risks relating to possible variations in reserves, grade, planned mining dilution and ore loss, or recovery rates and changes in project parameters as plans continue to be refined, (iii) the potential for delays in exploration or development activities or the completion of feasibility studies, (iv) risks related to commodity price and foreign exchange rate fluctuations, (v) risks related to failure to obtain adequate financing on a timely basis and on acceptable terms or delays in obtaining governmental approvals or in the completion of development or construction activities, and (vi) other risks and uncertainties related to the Company’s prospects, properties and business strategy. Our audience is cautioned not to place undue reliance on these forward-looking statements that speak only as of the date hereof, and we do not undertake any obligation to revise and disseminate forward-looking statements to reflect events or circumstances after the date hereof, or to reflect the occurrence of or non-occurrence of any events.

Table 2 – Collar Information for reported drill holes (MGI Balkans Z6)

Drill Hole	Easting	Northing	Elevation	Average Azimuth (TN)	Average Dip	Depth (m)
BR-01-20	6519428	4894588	1273	222	-75	336.7
BR-02-20	6519518	4894722	1260	223	-71	440.5
BR-04-20	6519428	4894588	1273	225	-61	329.2
BR-06-20	6519315	4894652	1243	324	-62	333.2
BR-07-20	6519173	4894834	1151	167	-58	258.3
BR-09-20	6519191	4894656	1181	51	-76	382.3

Table 3 - Assay Results for reported drill holes

Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-01-20	0	60.4	60.4	No Sample					
BR-01-20	60.4	61	0.6	0.0105	0.0136	0.0077	<0.5	0.005	0.061
BR-01-20	61	63	2	0.0127	0.0074	0.0058	<0.5	<0.005	0.046
BR-01-20	63	65	2	0.0143	0.0048	0.0082	<0.5	0.007	0.046
BR-01-20	65	67	2	0.0106	0.0029	0.0089	<0.5	<0.005	0.046
BR-01-20	67	69	2	0.0095	0.0021	0.0061	<0.5	0.007	0.046
BR-01-20	69	70.1	1.1	0.0075	0.0012	0.0079	<0.5	0.005	0.046
BR-01-20	70.1	71	0.9	0.0078	0.0032	0.0137	<0.5	0.005	0.015
BR-01-20	71	72.3	1.3	0.0181	0.0025	0.0055	<0.5	<0.005	0.015
BR-01-20	72.3	73	0.7	0.0107	0.0018	0.0084	<0.5	0.007	0.046
BR-01-20	73	75	2	0.011	0.0028	0.0081	<0.5	<0.005	0.046
BR-01-20	75	77	2	0.0104	0.0023	0.0081	<0.5	0.009	0.046
BR-01-20	77	78.1	1.1	0.012	0.0033	0.0062	<0.5	<0.005	0.046
BR-01-20	78.1	79	0.9	0.0126	0.0035	0.0081	<0.5	<0.005	0.03
BR-01-20	79	80	1	0.0072	0.0017	0.0077	<0.5	0.006	0.046
BR-01-20	80	81.6	1.6	0.0069	0.0017	0.0075	<0.5	0.005	0.061
BR-01-20	81.6	83	1.4	0.0076	0.0013	0.0029	<0.5	<0.005	0.03
BR-01-20	83	84.3	1.3	0.0051	0.0011	0.0033	<0.5	<0.005	0.03
BR-01-20	84.3	85	0.7	0.0069	0.0022	0.0206	<0.5	<0.005	0.046



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-01-20	85	86.5	1.5	0.007	0.0017	0.0057	<0.5	<0.005	0.046
BR-01-20	86.5	88	1.5	0.004	0.0016	0.0018	<0.5	<0.005	0.015
BR-01-20	88	90	2	0.0026	0.0008	0.0015	<0.5	<0.005	0.015
BR-01-20	90	90.7	0.7	0.0044	0.0006	0.0021	<0.5	<0.005	0.015
BR-01-20	90.7	92.1	1.4	0.005	0.0013	0.0073	<0.5	<0.005	0.046
BR-01-20	92.1	93.6	1.5	0.0037	0.0005	0.0021	<0.5	<0.005	0.015
BR-01-20	93.6	95	1.4	0.0066	0.0017	0.0067	<0.5	0.005	0.046
BR-01-20	95	97	2	0.0043	0.0013	0.0062	<0.5	0.007	0.03
BR-01-20	97	99	2	0.0056	0.0012	0.0067	<0.5	<0.005	0.03
BR-01-20	99	101	2	0.0044	0.0009	0.0053	<0.5	<0.005	0.015
BR-01-20	101	103	2	0.0046	0.0011	0.005	<0.5	<0.005	0.015
BR-01-20	103	105	2	0.0059	0.0013	0.007	<0.5	0.007	0.015
BR-01-20	105	107	2	0.0055	0.0011	0.0081	<0.5	0.009	0.015
BR-01-20	107	109	2	0.0048	0.001	0.0068	<0.5	0.008	0.015
BR-01-20	109	111	2	0.0064	0.0015	0.0078	<0.5	0.01	0.03
BR-01-20	111	113	2	0.0063	0.0012	0.008	<0.5	0.009	0.046
BR-01-20	113	115	2	0.0062	0.0015	0.0087	<0.5	0.011	0.03
BR-01-20	115	117	2	0.0056	0.0015	0.0078	<0.5	0.009	0.03
BR-01-20	117	119	2	0.0068	0.0011	0.0075	<0.5	0.008	0.03
BR-01-20	119	119.85	0.85	0.005	0.0011	0.0059	<0.5	0.007	0.015
BR-01-20	119.85	121	1.15	0.0054	0.0012	0.0055	<0.5	0.01	0.015
BR-01-20	121	123	2	0.0045	0.0007	0.0056	<0.5	<0.005	0.015
BR-01-20	123	125	2	0.005	0.0013	0.0052	<0.5	<0.005	0.015
BR-01-20	125	127	2	0.0041	0.001	0.0032	<0.5	<0.005	0.015
BR-01-20	127	129	2	0.005	0.0018	0.0031	<0.5	<0.005	0.015
BR-01-20	129	131	2	0.0042	0.0019	0.0023	<0.5	<0.005	0.015
BR-01-20	131	132	1	0.0036	0.001	0.002	<0.5	<0.005	0.015
BR-01-20	132	134	2	0.0033	0.0009	0.0017	<0.5	<0.005	0.008
BR-01-20	134	136	2	0.0038	0.0025	0.0026	<0.5	<0.005	0.008
BR-01-20	136	138	2	0.0038	0.0011	0.0013	<0.5	<0.005	0.015
BR-01-20	138	140	2	0.0036	0.0005	0.002	<0.5	<0.005	0.015
BR-01-20	140	142	2	0.0028	0.0004	0.0006	<0.5	<0.005	0.015
BR-01-20	142	144	2	0.0033	0.0008	0.0008	<0.5	<0.005	0.008
BR-01-20	144	146	2	0.0025	0.0004	0.0003	<0.5	<0.005	0.008
BR-01-20	146	148	2	0.0021	0.0004	0.0004	<0.5	<0.005	0.008
BR-01-20	148	150	2	0.0021	0.0002	0.0004	<0.5	<0.005	0.008
BR-01-20	150	152	2	0.0022	0.0003	0.0005	<0.5	<0.005	0.008
BR-01-20	152	154	2	0.0021	0.0004	0.0004	<0.5	<0.005	0.008
BR-01-20	154	156	2	0.0025	0.0001	0.0005	<0.5	<0.005	0.008
BR-01-20	156	158	2	0.0019	0.0003	0.0004	<0.5	<0.005	0.008
BR-01-20	158	160	2	0.0023	0.0003	0.0008	<0.5	<0.005	0.008
BR-01-20	160	162	2	0.0024	0.0003	0.0009	<0.5	<0.005	0.008
BR-01-20	162	164	2	0.0136	0.0034	0.0029	<0.5	<0.005	0.03
BR-01-20	164	166	2	0.0172	0.0045	0.0037	<0.5	<0.005	0.015
BR-01-20	166	167.7	1.7	0.0042	0.001	0.0012	<0.5	<0.005	0.015
BR-01-20	167.7	169	1.3	0.0036	0.0008	0.0011	<0.5	<0.005	0.015
BR-01-20	169	171	2	0.0023	0.0001	0.001	<0.5	<0.005	0.008
BR-01-20	171	173	2	0.0036	0.0005	0.001	<0.5	<0.005	0.015
BR-01-20	173	175	2	0.0033	0.0001	0.0006	<0.5	<0.005	0.015
BR-01-20	175	177	2	0.003	0.0003	0.0006	<0.5	<0.005	0.015
BR-01-20	177	179	2	0.0035	0.0004	0.001	<0.5	<0.005	0.015
BR-01-20	179	179.5	0.5	0.0044	0.0006	0.0021	<0.5	<0.005	0.008
BR-01-20	179.5	181	1.5	0.0034	0.0004	0.001	<0.5	<0.005	0.015
BR-01-20	181	183	2	0.0028	0.0004	0.001	<0.5	<0.005	0.008
BR-01-20	183	185	2	0.0025	0.0004	0.0009	<0.5	<0.005	0.015
BR-01-20	185	187	2	0.0025	0.0006	0.0015	<0.5	<0.005	0.015



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-01-20	187	189	2	0.0038	0.0006	0.003	<0.5	0.016	0.015
BR-01-20	189	190.25	1.25	0.0032	0.001	0.003	<0.5	0.005	0.015
BR-01-20	190.25	192	1.75	0.0059	0.0011	0.0031	<0.5	<0.005	0.015
BR-01-20	192	194	2	0.0057	0.0015	0.0026	<0.5	<0.005	0.015
BR-01-20	194	196	2	0.0041	0.0011	0.0025	<0.5	0.006	0.03
BR-01-20	196	197.6	1.6	0.0075	0.002	0.0029	<0.5	<0.005	0.015
BR-01-20	197.6	199	1.4	0.017	0.0045	0.0013	<0.5	<0.005	0.03
BR-01-20	199	201	2	0.0136	0.007	0.0014	<0.5	<0.005	0.03
BR-01-20	201	203	2	0.0113	0.0035	0.0015	<0.5	<0.005	0.015
BR-01-20	203	205	2	0.018	0.0027	0.0015	<0.5	<0.005	0.03
BR-01-20	205	205.2	0.2	0.0148	0.0021	0.0009	<0.5	<0.005	0.046
BR-01-20	205.2	207	1.8	0.0086	0.0015	0.0008	<0.5	<0.005	0.03
BR-01-20	207	208.3	1.3	0.0101	0.003	0.0009	<0.5	<0.005	0.046
BR-01-20	208.3	209	0.7	0.0136	0.0056	0.0019	<0.5	<0.005	0.091
BR-01-20	209	210	1	0.0114	0.0047	0.0016	<0.5	<0.005	0.076
BR-01-20	210	211.1	1.1	0.0096	0.0028	0.0038	<0.5	<0.005	0.046
BR-01-20	211.1	212.15	1.05	0.0099	0.0021	0.0002	<0.5	<0.005	0.046
BR-01-20	212.15	213	0.85	0.0152	0.0011	0.0033	<0.5	<0.005	0.03
BR-01-20	213	214	1	0.0119	0.0018	0.0005	<0.5	<0.005	0.091
BR-01-20	214	215	1	0.0107	0.0011	0.0002	<0.5	<0.005	0.289
BR-01-20	215	216	1	0.0121	0.0043	0.0024	<0.5	<0.005	0.152
BR-01-20	216	217	1	0.0129	0.0033	0.0027	<0.5	<0.005	0.167
BR-01-20	217	218	1	0.0098	0.0007	0.0002	<0.5	<0.005	0.046
BR-01-20	218	219	1	0.0092	0.0022	0.0009	<0.5	<0.005	0.076
BR-01-20	219	220	1	0.0063	0.0019	0.0006	<0.5	<0.005	0.106
BR-01-20	220	221	1	0.0076	0.0021	0.0017	<0.5	<0.005	0.274
BR-01-20	221	221.9	0.9	0.0066	0.0017	0.0027	<0.5	0.005	0.228
BR-01-20	221.9	223	1.1	0.0073	0.0017	0.0003	<0.5	0.006	0.091
BR-01-20	223	224	1	0.0074	0.0014	0.0011	<0.5	0.01	0.046
BR-01-20	224	225	1	0.0093	0.0008	0.0058	<0.5	0.007	0.106
BR-01-20	225	226	1	0.005	0.0009	0.0009	<0.5	0.008	0.046
BR-01-20	226	227	1	0.0084	0.0009	0.0043	<0.5	0.007	0.046
BR-01-20	227	228	1	0.0077	0.0008	0.001	<0.5	0.005	0.091
BR-01-20	228	229	1	0.0079	0.0128	0.0005	<0.5	0.021	0.046
BR-01-20	229	230	1	0.01	0.0016	0.0002	<0.5	0.015	0.046
BR-01-20	230	231	1	0.0046	0.0027	0.0036	<0.5	0.056	0.061
BR-01-20	231	232	1	0.0061	0.0039	0.0132	<0.5	0.186	0.137
BR-01-20	232	233	1	0.0066	0.0487	0.0148	0.7	0.063	0.106
BR-01-20	233	234	1	0.0218	0.0371	0.0787	0.8	0.041	0.183
BR-01-20	234	235	1	0.0287	0.0228	0.111	1.5	0.098	0.974
BR-01-20	235	236	1	0.0047	0.001	0.0032	<0.5	0.039	0.578
BR-01-20	236	237	1	0.0039	0.0012	0.0023	<0.5	0.071	0.152
BR-01-20	237	238	1	0.0084	0.0026	0.0278	0.6	0.134	0.122
BR-01-20	238	239	1	0.0126	0.0017	0.0507	1	0.133	0.03
BR-01-20	239	239.8	0.8	0.0039	0.0014	0.0007	<0.5	0.078	0.061
BR-01-20	239.8	241	1.2	0.009	0.005	0.0176	<0.5	0.043	0.106
BR-01-20	241	242	1	0.0083	0.001	0.0024	<0.5	0.006	0.411
BR-01-20	242	243	1	0.0065	0.003	0.0011	2.2	<0.005	0.38
BR-01-20	243	244	1	0.0185	0.0047	0.0017	5.4	0.015	0.715
BR-01-20	244	245	1	0.0097	0.0022	0.0007	1.2	0.015	0.167
BR-01-20	245	245.3	0.3	0.0108	0.0023	0.0017	0.7	0.009	0.7
BR-01-20	245.3	246	0.7	0.294	0.348	0.0457	11.6	0.294	1.978
BR-01-20	246	247	1	0.214	0.102	0.183	8.8	0.34	0.213
BR-01-20	247	248	1	0.218	0.0533	0.108	3.7	0.132	0.008
BR-01-20	248	249	1	0.133	0.0182	0.0318	1.9	0.1	1.856
BR-01-20	249	250	1	0.149	0.0229	0.0099	1.9	0.054	0.008



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-01-20	250	251	1	0.138	0.261	0.0962	4.8	0.221	0.076
BR-01-20	251	252	1	0.307	0.211	0.436	9.2	0.205	0.38
BR-01-20	252	253	1	0.331	2.42	0.191	24.2	0.206	0.015
BR-01-20	253	254	1	0.147	0.0521	0.0366	2.4	0.05	0.122
BR-01-20	254	255	1	0.13	0.141	0.0069	1.2	0.035	0.061
BR-01-20	255	256	1	0.266	0.261	0.0143	2.4	0.117	0.061
BR-01-20	256	257	1	0.737	0.568	0.607	14.9	0.129	0.472
BR-01-20	257	258	1	0.35	0.684	0.591	16	0.101	0.472
BR-01-20	258	259	1	1.535	3.94	1.095	47.1	0.148	0.152
BR-01-20	259	260	1	0.193	0.0929	0.0346	2.1	0.096	0.122
BR-01-20	260	261	1	0.568	1.82	0.814	25.1	0.187	0.03
BR-01-20	261	262	1	0.425	1.115	0.532	21.5	0.168	0.046
BR-01-20	262	263	1	0.512	0.312	0.0992	4.8	0.08	1.613
BR-01-20	263	264	1	0.124	0.0801	0.381	4.9	0.128	11.272
BR-01-20	264	265	1	0.212	0.271	0.145	15.5	0.191	8.565
BR-01-20	265	265.3	0.3	0.0141	0.102	0.215	4.8	0.084	6.131
BR-01-20	265.3	267	1.7	0.0182	0.0097	0.0047	1.1	0.023	0.974
BR-01-20	267	269	2	0.0119	0.0044	0.0024	<0.5	0.006	0.411
BR-01-20	269	271	2	0.0133	0.0058	0.0031	<0.5	0.008	0.167
BR-01-20	271	273	2	0.0114	0.0071	0.0063	<0.5	0.014	0.259
BR-01-20	273	275	2	0.0128	0.0063	0.0045	<0.5	0.009	0.076
BR-01-20	275	277	2	0.0077	0.0049	0.0028	<0.5	<0.005	0.274
BR-01-20	277	277.9	0.9	0.0053	0.0032	0.0025	<0.5	<0.005	0.183
BR-01-20	277.9	279	1.1	0.0069	0.0017	0.0033	<0.5	<0.005	0.106
BR-01-20	279	281	2	0.0056	0.0017	0.0028	<0.5	<0.005	0.046
BR-01-20	281	283	2	0.0062	0.0015	0.0028	<0.5	<0.005	0.03
BR-01-20	283	285	2	0.0067	0.0016	0.009	<0.5	<0.005	0.03
BR-01-20	285	286.4	1.4	0.0093	0.0017	0.0024	<0.5	<0.005	0.03
BR-01-20	286.4	288.2	1.8	0.0103	0.0218	0.0041	<0.5	<0.005	0.03
BR-01-20	288.2	289	0.8	0.0083	0.0022	0.0014	<0.5	<0.005	0.122
BR-01-20	289	291	2	0.029	0.0038	0.0016	<0.5	<0.005	0.091
BR-01-20	291	293	2	0.0105	0.0034	0.0013	<0.5	<0.005	0.198
BR-01-20	293	295	2	0.0125	0.0041	0.0016	<0.5	<0.005	0.046
BR-01-20	295	297	2	0.0114	0.0024	0.001	<0.5	<0.005	0.046
BR-01-20	297	299	2	0.01	0.002	0.0005	<0.5	<0.005	0.061
BR-01-20	299	300.2	1.2	0.0093	0.0021	0.0001	<0.5	<0.005	0.076
BR-01-20	300.2	301	0.8	0.0097	0.0017	0.0012	<0.5	<0.005	0.061
BR-01-20	301	303	2	0.0075	0.0013	0.0024	<0.5	<0.005	0.076
BR-01-20	303	305	2	0.0057	0.0012	0.0014	<0.5	<0.005	0.046
BR-01-20	305	307	2	0.0062	0.0011	0.0013	<0.5	<0.005	0.076
BR-01-20	307	309	2	0.0062	0.0008	0.0018	<0.5	<0.005	0.106
BR-01-20	309	311	2	0.0059	0.0014	0.0019	<0.5	<0.005	0.167
BR-01-20	311	313	2	0.008	0.0011	0.0017	<0.5	<0.005	0.137
BR-01-20	313	315	2	0.0056	0.0008	0.0003	<0.5	<0.005	0.076
BR-01-20	315	317	2	0.0073	0.0008	0.0014	<0.5	<0.005	0.106
BR-01-20	317	319	2	0.0074	0.0384	0.0024	1.1	0.012	0.289
BR-01-20	319	321	2	0.0069	0.0153	0.0022	<0.5	0.006	0.259
BR-01-20	321	323	2	0.0064	0.0009	0.0024	<0.5	<0.005	0.122
BR-01-20	323	325	2	0.0063	0.0006	0.0003	<0.5	<0.005	0.091
BR-01-20	325	327	2	0.0046	0.0007	0.0012	<0.5	<0.005	0.091
BR-01-20	327	329	2	0.0059	0.0007	0.0007	<0.5	<0.005	0.091
BR-01-20	329	330.1	1.1	0.0069	0.0009	0.0013	<0.5	<0.005	0.106
BR-01-20	330.1	332	1.9	0.009	0.0013	0.0015	<0.5	<0.005	0.076
BR-01-20	332	334	2	0.0053	0.0008	0.0011	<0.5	<0.005	0.091
BR-01-20	334	336	2	0.0049	0.0009	0.0017	<0.5	<0.005	0.076
BR-01-20	336	336.7	0.7	0.0061	0.0008	0.0019	<0.5	<0.005	0.091



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-02-20	0	1.9	1.9	0.0376	0.0749	0.007	<0.5	0.006	0.03
BR-02-20	1.9	3	1.1	0.0101	0.0093	0.0038	<0.5	0.005	0.015
BR-02-20	3	5	2	0.0201	0.0155	0.0039	<0.5	<0.005	0.015
BR-02-20	5	7	2	0.0094	0.007	0.0039	<0.5	<0.005	0.046
BR-02-20	7	9	2	0.0108	0.0201	0.0036	<0.5	<0.005	0.03
BR-02-20	9	11	2	0.0084	0.0041	0.0036	<0.5	<0.005	0.015
BR-02-20	11	12.5	1.5	0.0069	0.0028	0.0031	<0.5	<0.005	0.015
BR-02-20	12.5	13.5	1	0.0083	0.0059	0.0028	<0.5	<0.005	0.015
BR-02-20	13.5	15	1.5	0.0168	0.0174	0.0029	<0.5	<0.005	0.015
BR-02-20	15	16.1	1.1	0.0244	0.0221	0.0033	<0.5	<0.005	0.015
BR-02-20	16.1	18	1.9	0.0067	0.0079	0.0022	<0.5	<0.005	0.015
BR-02-20	18	20	2	0.0054	0.005	0.0018	<0.5	<0.005	0.015
BR-02-20	20	22	2	0.0057	0.0107	0.0017	<0.5	<0.005	0.015
BR-02-20	22	23.75	1.75	0.003	0.011	0.0004	<0.5	<0.005	0.008
BR-02-20	23.75	25.2	1.45	0.0079	0.0049	0.0034	<0.5	0.006	0.015
BR-02-20	25.2	26.2	1	0.0042	0.0105	0.0011	<0.5	<0.005	0.015
BR-02-20	26.2	27.5	1.3	0.0079	0.003	0.0051	<0.5	0.006	0.015
BR-02-20	27.5	28.4	0.9	0.0056	0.0017	0.0053	<0.5	0.005	0.015
BR-02-20	28.4	29.2	0.8	0.0065	0.0021	0.003	<0.5	0.007	0.015
BR-02-20	29.2	31	1.8	0.0091	0.0025	0.006	<0.5	0.006	0.03
BR-02-20	31	32.5	1.5	0.0082	0.0026	0.0049	<0.5	0.005	0.03
BR-02-20	32.5	33.3	0.8	0.0098	0.0032	0.0052	<0.5	0.006	0.015
BR-02-20	33.3	33.6	0.3	0.0151	0.02	0.0055	<0.5	0.008	0.03
BR-02-20	33.6	35	1.4	0.0074	0.0025	0.0038	<0.5	0.005	0.015
BR-02-20	35	37	2	0.0077	0.0021	0.0042	<0.5	<0.005	0.015
BR-02-20	37	39	2	0.0104	0.0025	0.0051	<0.5	0.005	0.015
BR-02-20	39	41	2	0.0058	0.0022	0.0034	<0.5	<0.005	0.015
BR-02-20	41	43	2	0.0063	0.0063	0.0031	<0.5	<0.005	0.015
BR-02-20	43	45	2	0.0116	0.0218	0.006	<0.5	0.007	0.015
BR-02-20	45	47	2	0.0148	0.033	0.0049	<0.5	0.005	0.015
BR-02-20	47	49	2	0.0079	0.0053	0.0045	<0.5	0.005	0.015
BR-02-20	49	51	2	0.0089	0.0049	0.0035	<0.5	<0.005	0.015
BR-02-20	51	53	2	0.0081	0.0055	0.0025	<0.5	<0.005	0.015
BR-02-20	53	55	2	0.0117	0.01	0.0033	<0.5	0.005	0.015
BR-02-20	55	57	2	0.0113	0.0243	0.0079	<0.5	0.005	0.03
BR-02-20	57	59	2	0.0101	0.0129	0.0027	<0.5	<0.005	0.015
BR-02-20	59	61	2	0.0188	0.025	0.0042	<0.5	<0.005	0.015
BR-02-20	61	63	2	0.0125	0.0118	0.0029	<0.5	<0.005	0.015
BR-02-20	63	63.6	0.6	0.1205	0.0982	0.0033	<0.5	0.005	0.03
BR-02-20	63.6	65	1.4	0.0324	0.0162	0.0038	<0.5	<0.005	0.015
BR-02-20	65	67	2	0.0095	0.007	0.0056	<0.5	0.005	0.03
BR-02-20	67	68	1	0.0104	0.0152	0.0058	<0.5	0.005	0.03
BR-02-20	68	69.2	1.2	0.0123	0.0313	0.0048	<0.5	0.005	0.03
BR-02-20	69.2	71	1.8	0.0084	0.0173	0.0042	<0.5	<0.005	0.015
BR-02-20	71	72.5	1.5	0.0142	0.0132	0.0039	<0.5	<0.005	0.03
BR-02-20	72.5	73.8	1.3	0.0069	0.0081	0.0033	<0.5	<0.005	0.015
BR-02-20	73.8	75	1.2	0.0173	0.022	0.0016	<0.5	<0.005	0.03
BR-02-20	75	75.9	0.9	0.0088	0.0138	0.0034	<0.5	<0.005	0.015
BR-02-20	75.9	77.2	1.3	0.0103	0.0062	0.0051	<0.5	0.005	0.03
BR-02-20	77.2	79	1.8	0.0062	0.0022	0.0044	<0.5	<0.005	0.03
BR-02-20	79	81	2	0.0054	0.0017	0.0042	<0.5	<0.005	0.03
BR-02-20	81	82.5	1.5	0.0057	0.0016	0.0037	<0.5	<0.005	0.015
BR-02-20	82.5	83.8	1.3	0.0068	0.0016	0.0038	<0.5	<0.005	0.015
BR-02-20	83.8	85.5	1.7	0.0049	0.0011	0.0038	<0.5	<0.005	0.015
BR-02-20	85.5	87	1.5	0.0065	0.0019	0.0036	<0.5	<0.005	0.015
BR-02-20	87	89	2	0.0046	0.0014	0.0033	<0.5	<0.005	0.015



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-02-20	89	91	2	0.0065	0.0018	0.0057	<0.5	0.005	0.015
BR-02-20	91	93	2	0.0067	0.0022	0.0045	<0.5	<0.005	0.015
BR-02-20	93	95	2	0.0085	0.0048	0.003	<0.5	<0.005	0.015
BR-02-20	95	97	2	0.0083	0.0044	0.0033	<0.5	0.005	0.015
BR-02-20	97	99	2	0.014	0.0117	0.0054	<0.5	0.005	0.03
BR-02-20	99	101	2	0.013	0.0122	0.0046	<0.5	0.005	0.061
BR-02-20	101	103	2	0.1025	0.0518	0.0042	<0.5	<0.005	0.091
BR-02-20	103	105	2	0.0143	0.016	0.0038	<0.5	<0.005	0.076
BR-02-20	105	107	2	0.0167	0.0246	0.0053	<0.5	<0.005	0.03
BR-02-20	107	109	2	0.024	0.0273	0.0034	<0.5	<0.005	0.03
BR-02-20	109	111	2	0.0909	0.0471	0.0019	<0.5	<0.005	0.015
BR-02-20	111	112.5	1.5	0.0265	0.0301	0.0031	<0.5	<0.005	0.015
BR-02-20	112.5	113.5	1	0.0268	0.0256	0.0033	<0.5	<0.005	0.046
BR-02-20	113.5	115	1.5	0.0345	0.0275	0.0063	<0.5	<0.005	0.046
BR-02-20	115	116.5	1.5	0.0145	0.0176	0.0031	<0.5	<0.005	0.015
BR-02-20	116.5	118	1.5	0.0076	0.0107	0.0041	<0.5	<0.005	0.03
BR-02-20	118	120	2	0.0079	0.0142	0.0035	<0.5	<0.005	0.015
BR-02-20	120	120.9	0.9	0.0097	0.01	0.0034	<0.5	<0.005	0.015
BR-02-20	120.9	122	1.1	0.0193	0.0106	0.002	<0.5	<0.005	0.015
BR-02-20	122	123.8	1.8	0.0166	0.0112	0.0018	<0.5	<0.005	0.015
BR-02-20	123.8	125	1.2	0.0071	0.0072	0.0014	<0.5	<0.005	0.015
BR-02-20	125	127	2	0.0137	0.0117	0.0027	<0.5	<0.005	0.015
BR-02-20	127	129	2	0.0159	0.0214	0.0037	<0.5	<0.005	0.015
BR-02-20	129	131	2	0.0041	0.0049	0.0091	<0.5	<0.005	0.046
BR-02-20	131	133	2	0.0043	0.0102	0.004	<0.5	<0.005	0.03
BR-02-20	133	135	2	0.0072	0.0064	0.0053	<0.5	0.011	0.061
BR-02-20	135	136.4	1.4	0.011	0.0128	0.0058	<0.5	<0.005	0.046
BR-02-20	136.4	138	1.6	0.0395	0.0447	0.0133	<0.5	0.011	0.03
BR-02-20	138	139.1	1.1	0.0172	0.0196	0.0033	<0.5	<0.005	0.03
BR-02-20	139.1	141	1.9	0.0121	0.0179	0.0056	<0.5	0.007	0.046
BR-02-20	141	143	2	0.0246	0.0255	0.0069	<0.5	0.014	0.046
BR-02-20	143	145	2	0.0106	0.0161	0.0079	<0.5	0.009	0.046
BR-02-20	145	147	2	0.0185	0.0177	0.012	<0.5	0.011	0.061
BR-02-20	147	149	2	0.0173	0.0136	0.0057	<0.5	0.007	0.091
BR-02-20	149	151	2	0.0141	0.0168	0.0033	<0.5	0.005	0.03
BR-02-20	151	152.1	1.1	0.029	0.0257	0.005	<0.5	<0.005	0.03
BR-02-20	152.1	154	1.9	0.0115	0.0165	0.0058	<0.5	<0.005	0.03
BR-02-20	154	155.7	1.7	0.0097	0.0092	0.0059	<0.5	0.007	0.046
BR-02-20	155.7	157	1.3	0.0089	0.0038	0.0082	<0.5	<0.005	0.046
BR-02-20	157	159	2	0.01	0.0046	0.0093	<0.5	0.007	0.046
BR-02-20	159	161	2	0.0179	0.0114	0.0114	<0.5	0.008	0.061
BR-02-20	161	163	2	0.0113	0.0056	0.0098	<0.5	0.009	0.046
BR-02-20	163	165	2	0.012	0.0098	0.0164	<0.5	0.009	0.183
BR-02-20	165	167	2	0.0145	0.0037	0.0105	<0.5	0.005	0.046
BR-02-20	167	169	2	0.0134	0.0041	0.0076	<0.5	0.005	0.046
BR-02-20	169	171	2	0.0122	0.005	0.0077	<0.5	0.006	0.046
BR-02-20	171	173	2	0.0117	0.0025	0.0062	<0.5	<0.005	0.046
BR-02-20	173	175	2	0.018	0.003	0.0111	<0.5	0.005	0.046
BR-02-20	175	177	2	0.0143	0.0067	0.0089	<0.5	0.007	0.046
BR-02-20	177	179	2	0.0141	0.012	0.0055	0.5	0.006	0.046
BR-02-20	179	179.6	0.6	0.0144	0.0055	0.0073	<0.5	0.01	0.046
BR-02-20	179.6	180	0.4	0.009	0.0022	0.0036	<0.5	<0.005	0.046
BR-02-20	180	182	2	0.0097	0.0017	0.0095	<0.5	0.01	0.046
BR-02-20	182	184	2	0.0104	0.002	0.0145	<0.5	<0.005	0.046
BR-02-20	184	186	2	0.0099	0.0018	0.0155	<0.5	0.005	0.046
BR-02-20	186	188	2	0.0092	0.0016	0.009	<0.5	0.006	0.061



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-02-20	188	189.2	1.2	0.0077	0.0017	0.0168	<0.5	0.006	0.046
BR-02-20	189.2	191	1.8	0.0081	0.0022	0.0098	<0.5	<0.005	0.03
BR-02-20	191	193	2	0.0073	0.0008	0.0063	<0.5	0.005	0.046
BR-02-20	193	195	2	0.0095	0.0016	0.0063	<0.5	0.006	0.03
BR-02-20	195	197	2	0.0078	0.0022	0.0061	<0.5	0.006	0.03
BR-02-20	197	199	2	0.0276	0.0067	0.0053	<0.5	0.009	0.046
BR-02-20	199	201	2	0.0089	0.0074	0.0033	<0.5	<0.005	0.015
BR-02-20	201	203	2	0.0065	0.0056	0.0029	<0.5	<0.005	0.015
BR-02-20	203	205	2	0.0057	0.0082	0.0013	<0.5	<0.005	0.015
BR-02-20	205	207	2	0.006	0.0037	0.0013	<0.5	<0.005	0.015
BR-02-20	207	209	2	0.0042	0.0015	0.0014	<0.5	<0.005	0.015
BR-02-20	209	211	2	0.0077	0.0068	0.0019	<0.5	<0.005	0.015
BR-02-20	211	212.7	1.7	0.0039	0.001	0.0028	<0.5	<0.005	0.008
BR-02-20	212.7	214	1.3	0.0085	0.0022	0.0054	<0.5	0.008	0.015
BR-02-20	214	216	2	0.0069	0.002	0.0067	<0.5	0.007	0.015
BR-02-20	216	218	2	0.009	0.0025	0.0071	<0.5	0.006	0.015
BR-02-20	218	220	2	0.0097	0.0014	0.008	<0.5	0.01	0.015
BR-02-20	220	222	2	0.0084	0.0014	0.0088	<0.5	0.009	0.015
BR-02-20	222	223	1	0.0085	0.0017	0.0087	<0.5	0.013	0.03
BR-02-20	223	225	2	0.01	0.0026	0.0088	<0.5	0.012	0.03
BR-02-20	225	227	2	0.0091	0.0038	0.0075	<0.5	<0.005	0.03
BR-02-20	227	229	2	0.0099	0.0037	0.0048	<0.5	<0.005	0.015
BR-02-20	229	231	2	0.0114	0.0057	0.0055	<0.5	<0.005	0.015
BR-02-20	231	231.5	0.5	0.0085	0.0028	0.0041	<0.5	<0.005	0.015
BR-02-20	231.5	233	1.5	0.0146	0.0065	0.0037	<0.5	<0.005	0.015
BR-02-20	233	235	2	0.0239	0.007	0.0034	<0.5	<0.005	0.015
BR-02-20	235	237	2	0.0092	0.0182	0.0009	<0.5	<0.005	0.015
BR-02-20	237	239	2	0.033	0.0197	0.0034	<0.5	<0.005	0.015
BR-02-20	239	239.3	0.3	0.0156	0.0146	0.0011	<0.5	<0.005	0.015
BR-02-20	239.3	241	1.7	0.0255	0.0041	0.0026	<0.5	<0.005	0.015
BR-02-20	241	243	2	0.0202	0.038	0.0111	<0.5	0.009	0.167
BR-02-20	243	245	2	0.0183	0.0597	0.0123	0.6	0.006	0.061
BR-02-20	245	245.8	0.8	0.0529	0.0855	0.0248	0.7	0.005	0.106
BR-02-20	245.8	247	1.2	0.114	0.25	0.0254	4.6	0.036	0.578
BR-02-20	247	248	1	0.114	0.226	0.0165	1.4	0.012	0.137
BR-02-20	248	250	2	0.0073	0.118	0.0003	<0.5	<0.005	0.046
BR-02-20	250	252	2	0.0056	0.085	0.0011	<0.5	<0.005	0.03
BR-02-20	252	254	2	0.0039	0.0636	0.0017	<0.5	<0.005	0.008
BR-02-20	254	256	2	0.0047	0.127	0.0051	<0.5	<0.005	0.015
BR-02-20	256	258	2	0.0139	0.123	0.0008	<0.5	<0.005	0.015
BR-02-20	258	259	1	0.0449	0.0715	0.0021	<0.5	<0.005	0.03
BR-02-20	259	261	2	0.0151	0.0282	0.0011	<0.5	<0.005	0.015
BR-02-20	261	262.3	1.3	0.0165	0.013	0.0018	<0.5	<0.005	0.03
BR-02-20	262.3	264	1.7	0.0123	0.0273	0.001	<0.5	<0.005	0.015
BR-02-20	264	266	2	0.0314	0.162	0.0028	<0.5	<0.005	0.03
BR-02-20	266	268	2	0.0272	0.126	0.0027	<0.5	<0.005	0.03
BR-02-20	268	270	2	0.0267	0.119	0.0009	<0.5	<0.005	0.008
BR-02-20	270	272	2	0.0328	0.0564	0.0033	<0.5	<0.005	0.03
BR-02-20	272	273.2	1.2	0.0266	0.0197	0.0079	<0.5	<0.005	0.046
BR-02-20	273.2	275.1	1.9	0.0099	0.0022	0.0018	<0.5	<0.005	0.046
BR-02-20	275.1	277	1.9	0.0086	0.0034	0.0007	<0.5	<0.005	0.03
BR-02-20	277	279	2	0.0132	0.0025	0.0006	<0.5	<0.005	0.015
BR-02-20	279	280.3	1.3	0.0073	0.0009	0.0007	<0.5	<0.005	0.015
BR-02-20	280.3	282	1.7	0.0175	0.0072	0.0018	<0.5	<0.005	0.03
BR-02-20	282	284	2	0.0112	0.0014	0.001	<0.5	<0.005	0.015
BR-02-20	284	285.2	1.2	0.0132	0.0014	0.0014	<0.5	<0.005	0.015



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-02-20	285.2	286	0.8	0.0093	0.0013	0.0009	<0.5	<0.005	0.03
BR-02-20	286	288	2	0.0091	0.002	0.0016	<0.5	<0.005	0.03
BR-02-20	288	290	2	0.009	0.0015	0.0005	<0.5	<0.005	0.061
BR-02-20	290	292	2	0.0088	0.0014	0.0007	<0.5	0.014	0.076
BR-02-20	292	294	2	0.0094	0.0015	0.0008	<0.5	<0.005	0.076
BR-02-20	294	295.3	1.3	0.008	0.0019	0.0005	<0.5	<0.005	0.046
BR-02-20	295.3	297	1.7	0.009	0.0017	0.0004	<0.5	<0.005	0.091
BR-02-20	297	299	2	0.0101	0.0044	0.0025	<0.5	<0.005	0.061
BR-02-20	299	301	2	0.0116	0.0019	0.006	<0.5	<0.005	0.106
BR-02-20	301	303	2	0.0121	0.0013	0.0004	<0.5	<0.005	0.03
BR-02-20	303	305	2	0.0111	0.0017	0.0019	<0.5	<0.005	0.122
BR-02-20	305	305.4	0.4	0.0094	0.0034	0.0023	<0.5	<0.005	0.213
BR-02-20	305.4	307	1.6	0.005	0.0021	0.0015	<0.5	<0.005	0.137
BR-02-20	307	309	2	0.0197	0.006	0.0025	0.6	0.009	0.304
BR-02-20	309	311	2	0.0814	0.0104	0.0018	0.7	0.023	0.198
BR-02-20	311	313	2	0.0086	0.0054	0.0017	0.7	0.02	0.106
BR-02-20	313	315	2	0.0232	0.0171	0.0016	0.9	0.029	0.106
BR-02-20	315	315.5	0.5	0.0144	0.0107	0.0044	1.6	0.021	0.806
BR-02-20	315.5	317	1.5	0.123	0.069	0.005	1.8	0.034	1.263
BR-02-20	317	318.75	1.75	0.471	0.124	0.0157	5.5	0.076	1.704
BR-02-20	318.75	320.4	1.65	0.0978	0.142	0.0566	6.7	0.214	0.532
BR-02-20	320.4	321	0.6	0.0065	0.0007	0.0005	<0.5	0.046	0.03
BR-02-20	321	323	2	0.0072	0.0014	0.0005	0.5	0.051	0.03
BR-02-20	323	324.5	1.5	0.0054	0.0022	0.0007	<0.5	0.045	0.015
BR-02-20	324.5	326.3	1.8	0.0056	0.0004	0.0017	<0.5	0.017	0.076
BR-02-20	326.3	328	1.7	0.0066	0.0003	0.0012	<0.5	<0.005	0.487
BR-02-20	328	329.8	1.8	0.0087	0.0029	0.0015	<0.5	0.037	0.183
BR-02-20	329.8	331	1.2	0.0074	0.0004	0.0004	<0.5	0.007	0.106
BR-02-20	331	333	2	0.0072	0.0009	0.0001	<0.5	<0.005	0.335
BR-02-20	333	335	2	0.227	0.134	0.153	2.7	0.15	0.517
BR-02-20	335	336	1	0.0131	0.0008	0.0014	<0.5	0.019	0.03
BR-02-20	336	338	2	0.0277	0.0483	0.0565	1.3	0.27	0.335
BR-02-20	338	340	2	0.0108	0.0043	0.0023	<0.5	0.084	0.03
BR-02-20	340	342	2	0.0073	0.0014	0.0026	<0.5	0.074	0.03
BR-02-20	342	344	2	0.01	0.0015	0.0304	<0.5	0.026	0.03
BR-02-20	344	345	1	0.0118	0.0011	0.0009	<0.5	0.021	0.046
BR-02-20	345	346.15	1.15	0.0083	0.0026	0.001	<0.5	0.107	0.03
BR-02-20	346.15	348	1.85	0.272	0.0756	0.399	9.4	0.137	0.304
BR-02-20	348	350	2	0.0165	0.0016	0.0121	0.5	0.076	0.076
BR-02-20	350	351	1	0.0116	0.001	0.0006	<0.5	<0.005	0.319
BR-02-20	351	352.5	1.5	0.0093	0.0009	0.0003	<0.5	0.013	0.046
BR-02-20	352.5	353.5	1	0.178	0.045	0.0156	1.1	0.15	0.791
BR-02-20	353.5	355.1	1.6	0.0198	0.0016	0.0253	<0.5	0.017	0.091
BR-02-20	355.1	357	1.9	0.0116	0.0012	0.0009	<0.5	<0.005	0.122
BR-02-20	357	358.7	1.7	0.0088	0.0101	0.002	<0.5	0.012	0.152
BR-02-20	358.7	359.5	0.8	0.676	0.169	0.0186	20.7	0.104	1.08
BR-02-20	359.5	360.5	1	0.728	0.329	0.0568	35.6	0.309	2.419
BR-02-20	360.5	361.5	1	0.619	0.131	0.0322	24.1	0.359	3.544
BR-02-20	361.5	363	1.5	0.486	0.13	0.0436	14.5	0.313	3.149
BR-02-20	363	364.2	1.2	0.0577	0.0928	0.117	18	0.376	5.34
BR-02-20	364.2	365	0.8	0.945	0.247	0.0502	33.5	0.223	4.838
BR-02-20	365	366	1	0.0478	0.0124	0.0019	1.7	0.024	1.384
BR-02-20	366	367	1	0.0048	0.0023	0.0006	<0.5	0.008	0.38
BR-02-20	367	367.8	0.8	0.0138	0.0026	0.0008	0.5	0.017	0.259
BR-02-20	367.8	368.5	0.7	0.0258	0.0144	0.0066	3.6	0.08	2.236
BR-02-20	368.5	369.4	0.9	2.04	3.41	0.186	91.6	0.537	14.148



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-02-20	369.4	370	0.6	1.075	2.96	0.317	320	2.06	56.438
BR-02-20	370	371	1	0.376	4.21	0.979	1545	5.11	85.494
BR-02-20	371	372	1	0.128	1.76	0.212	367	3.42	69.825
BR-02-20	372	373	1	0.861	2.4	0.155	247	1.845	55.221
BR-02-20	373	374	1	3.34	3.74	0.281	474	2.73	62.523
BR-02-20	374	374.6	0.6	1.71	2	0.163	268	1.735	75.606
BR-02-20	374.6	375	0.4	0.516	0.405	0.103	63.2	0.601	13.417
BR-02-20	375	376	1	0.871	0.53	0.0736	45.9	0.443	14.726
BR-02-20	376	377	1	5.92	8	0.894	326	3.23	18.863
BR-02-20	377	377.4	0.4	1.895	3.19	0.163	196	3.92	1.689
BR-02-20	377.4	378	0.6	0.026	0.0358	0.0076	2.9	0.033	0.456
BR-02-20	378	379	1	0.0283	0.022	0.0031	1.5	0.018	0.608
BR-02-20	379	379.8	0.8	0.0158	0.0084	0.0075	2	0.012	2.267
BR-02-20	379.8	380.5	0.7	0.158	0.1085	0.0164	12.6	0.051	2.708
BR-02-20	380.5	381.5	1	1.03	1.03	0.0373	82.8	0.292	2.449
BR-02-20	381.5	382.5	1	0.0936	0.0794	0.0055	16.1	0.061	0.213
BR-02-20	382.5	383.6	1.1	0.926	0.56	0.0095	55	0.123	0.152
BR-02-20	383.6	384.8	1.2	0.33	0.1705	0.0034	27.4	0.109	0.122
BR-02-20	384.8	385.8	1	0.331	0.127	0.0033	20.6	0.072	0.106
BR-02-20	385.8	386.5	0.7	0.325	0.0754	0.0051	13.1	0.06	1.08
BR-02-20	386.5	387.5	1	0.0375	0.0117	0.0052	1.7	0.006	0.487
BR-02-20	387.5	388.5	1	0.0732	0.0243	0.0051	8	0.029	0.441
BR-02-20	388.5	389.5	1	0.0526	0.0222	0.0019	4.3	0.035	0.639
BR-02-20	389.5	390	0.5	0.17	0.0862	0.0081	14.6	0.149	0.913
BR-02-20	390	391	1	0.073	0.0563	0.0068	4.1	0.029	1.308
BR-02-20	391	392	1	0.15	0.0698	0.0049	5	<0.005	0.259
BR-02-20	392	393	1	0.0544	0.0233	0.0026	3.5	<0.005	0.061
BR-02-20	393	394	1	0.0774	0.0186	0.0027	2.9	<0.005	0.061
BR-02-20	394	395	1	0.0225	0.0121	0.0022	1.8	<0.005	0.091
BR-02-20	395	396	1	0.0218	0.021	0.0024	3.1	<0.005	0.456
BR-02-20	396	396.5	0.5	0.0603	0.0217	0.0024	2.8	<0.005	0.289
BR-02-20	396.5	397	0.5	0.0256	0.0283	0.003	2.6	<0.005	0.593
BR-02-20	397	398	1	0.056	0.0416	0.003	1.6	0.028	0.38
BR-02-20	398	398.5	0.5	0.114	0.061	0.0034	1.8	0.018	1.46
BR-02-20	398.5	399.2	0.7	0.0745	0.0455	0.0062	4.1	0.028	0.974
BR-02-20	399.2	400	0.8	1.255	1.01	0.0436	37.8	0.106	8.169
BR-02-20	400	400.4	0.4	0.633	0.353	0.0166	18.6	0.084	10.74
BR-02-20	400.4	401	0.6	0.0415	0.0163	0.0022	1.6	0.008	0.517
BR-02-20	401	402	1	0.0151	0.0071	0.0027	<0.5	<0.005	0.122
BR-02-20	402	402.9	0.9	0.0174	0.0078	0.0004	0.7	<0.005	0.304
BR-02-20	402.9	404	1.1	0.0126	0.0051	0.0032	1.3	<0.005	0.913
BR-02-20	404	405	1	0.0196	0.0145	0.003	3.8	<0.005	0.517
BR-02-20	405	406	1	0.089	0.0264	0.0039	7.1	<0.005	0.304
BR-02-20	406	407	1	0.0213	0.0068	0.0019	1.8	<0.005	0.441
BR-02-20	407	408	1	0.0102	0.0053	0.0026	2.7	<0.005	0.426
BR-02-20	408	409	1	0.0125	0.004	0.0031	0.6	<0.005	0.183
BR-02-20	409	410	1	0.0217	0.0084	0.0025	<0.5	<0.005	0.274
BR-02-20	410	411	1	0.0115	0.002	0.0015	<0.5	<0.005	0.061
BR-02-20	411	412	1	0.0171	0.0019	0.0012	<0.5	<0.005	0.076
BR-02-20	412	413	1	0.0145	0.0018	0.0011	<0.5	<0.005	0.167
BR-02-20	413	414	1	0.0129	0.0019	0.0029	<0.5	<0.005	0.076
BR-02-20	414	415	1	0.0095	0.0019	0.0017	<0.5	<0.005	0.122
BR-02-20	415	415.5	0.5	0.0095	0.0017	0.0009	<0.5	<0.005	0.061
BR-02-20	415.5	416	0.5	0.0095	0.0013	0.0002	<0.5	<0.005	0.046
BR-02-20	416	417	1	0.0122	0.0016	0.0004	<0.5	<0.005	0.046
BR-02-20	417	440.5	23.5						Assays pending



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-04-20	0	2	2	0.012	0.0034	0.0048	<0.5	<0.005	0.03
BR-04-20	2	4	2	0.0116	0.0077	0.0061	<0.5	<0.005	0.015
BR-04-20	4	5.5	1.5	0.0032	0.0009	0.0021	<0.5	<0.005	0.015
BR-04-20	5.5	7	1.5	0.0049	0.0009	0.0052	<0.5	0.005	0.015
BR-04-20	7	8	1	0.0052	0.0009	0.0063	<0.5	0.006	0.015
BR-04-20	8	8.5	0.5	0.0118	0.004	0.0073	<0.5	<0.005	0.03
BR-04-20	8.5	9.1	0.6	0.0067	0.0013	0.0046	<0.5	0.005	0.015
BR-04-20	9.1	11	1.9	0.0048	0.0015	0.004	<0.5	<0.005	0.015
BR-04-20	11	11.8	0.8	0.0055	0.0017	0.0031	<0.5	<0.005	0.015
BR-04-20	11.8	13	1.2	0.0053	0.0012	0.0034	<0.5	<0.005	0.015
BR-04-20	13	15	2	0.0049	0.0011	0.003	<0.5	<0.005	0.015
BR-04-20	15	15.6	0.6	0.0034	0.001	0.0026	<0.5	<0.005	0.015
BR-04-20	16	16.2	0.2	0.0022	0.0011	0.0025	<0.5	<0.005	0.015
BR-04-20	19.3	20.9	1.6	0.0025	0.0009	0.0013	<0.5	<0.005	0.015
BR-04-20	20.9	22	1.1	0.0061	0.001	0.0053	<0.5	0.005	0.015
BR-04-20	22	24	2	0.0062	0.0011	0.0049	<0.5	<0.005	0.015
BR-04-20	24	26	2	0.0067	0.0018	0.0036	<0.5	<0.005	0.015
BR-04-20	26	27.3	1.3	0.0026	0.0016	0.0047	<0.5	<0.005	0.015
BR-04-20	27.3	29	1.7	0.0038	0.0009	0.003	<0.5	<0.005	0.015
BR-04-20	29	31	2	0.0045	0.0013	0.0033	<0.5	<0.005	0.015
BR-04-20	31	33	2	0.0044	0.0008	0.0037	<0.5	<0.005	0.015
BR-04-20	33	34.2	1.2	0.0064	0.0028	0.0036	<0.5	<0.005	0.008
BR-04-20	34.2	36	1.8	0.0047	0.0029	0.0015	<0.5	<0.005	0.015
BR-04-20	36	37	1	0.0046	0.0029	0.0014	<0.5	<0.005	0.008
BR-04-20	37	38.3	1.3	0.0053	0.004	0.0015	<0.5	<0.005	0.015
BR-04-20	38.3	39	0.7	0.0121	0.0093	0.0083	<0.5	<0.005	0.03
BR-04-20	39	39.5	0.5	0.0076	0.0028	0.0026	<0.5	<0.005	0.046
BR-04-20	39.5	40.3	0.8	0.0076	0.0046	0.0118	<0.5	0.01	0.03
BR-04-20	40.3	42.3	2	0.0053	0.0013	0.0084	<0.5	0.009	0.061
BR-04-20	42.3	44.3	2	0.0076	0.0032	0.0121	<0.5	0.011	0.061
BR-04-20	44.3	46	1.7	0.0061	0.0022	0.0067	<0.5	0.009	0.046
BR-04-20	46	47.1	1.1	0.0172	0.0146	0.0105	<0.5	0.011	0.046
BR-04-20	47.1	48.6	1.5	0.0112	0.0122	0.0051	<0.5	<0.005	0.03
BR-04-20	50.9	52	1.1	0.011	0.0039	0.0065	<0.5	0.007	0.046
BR-04-20	52	54	2	0.0104	0.0025	0.0149	<0.5	0.009	0.152
BR-04-20	54	56	2	0.01	0.0032	0.0085	<0.5	0.006	0.122
BR-04-20	56	56.5	0.5	0.0091	0.0015	0.0088	<0.5	0.005	0.061
BR-04-20	56.5	58.5	2	0.0093	0.0023	0.0066	<0.5	0.008	0.03
BR-04-20	58.5	60.5	2	0.0091	0.003	0.0096	<0.5	0.006	0.03
BR-04-20	60.5	62.5	2	0.0082	0.0011	0.0073	<0.5	<0.005	0.046
BR-04-20	62.5	64.5	2	0.0078	0.0012	0.017	<0.5	<0.005	0.046
BR-04-20	64.5	66.5	2	0.0083	0.0014	0.008	<0.5	<0.005	0.046
BR-04-20	66.5	67.5	1	0.0087	0.0014	0.0071	<0.5	0.006	0.046
BR-04-20	67.5	69	1.5	0.0075	0.0018	0.0041	<0.5	0.014	0.046
BR-04-20	69	71	2	0.0092	0.0019	0.0103	<0.5	0.005	0.061
BR-04-20	71	73	2	0.0115	0.0034	0.0077	<0.5	0.006	0.046
BR-04-20	73	75	2	0.009	0.0016	0.0058	<0.5	0.006	0.046
BR-04-20	75	76	1	0.0077	0.0022	0.0072	<0.5	0.009	0.046
BR-04-20	76	78	2	0.0066	0.0016	0.0067	<0.5	0.007	0.03
BR-04-20	78	79	1	0.0033	0.0011	0.003	<0.5	<0.005	0.015
BR-04-20	79	80.1	1.1	0.0048	0.0014	0.0047	<0.5	<0.005	0.03
BR-04-20	80.1	81.9	1.8	0.0069	0.0014	0.0076	<0.5	<0.005	0.046
BR-04-20	81.9	83	1.1	0.0028	0.0013	0.0013	<0.5	<0.005	0.03
BR-04-20	83	85	2	0.0028	0.0006	0.0015	<0.5	<0.005	0.015
BR-04-20	85	87	2	0.0041	0.0015	0.0044	<0.5	0.005	0.015
BR-04-20	87	89	2	0.0061	0.0021	0.0078	<0.5	0.007	0.03



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-04-20	89	91	2	0.0044	0.002	0.0063	<0.5	0.006	0.015
BR-04-20	91	93	2	0.0055	0.0024	0.0062	<0.5	0.007	0.03
BR-04-20	93	95	2	0.0045	0.0015	0.0057	<0.5	0.006	0.015
BR-04-20	95	97	2	0.0054	0.0013	0.0067	<0.5	0.009	0.015
BR-04-20	97	99	2	0.0095	0.0015	0.0091	<0.5	0.015	0.015
BR-04-20	99	101	2	0.0065	0.0011	0.0071	<0.5	0.009	0.015
BR-04-20	101	103	2	0.0057	0.0014	0.0072	<0.5	0.011	0.015
BR-04-20	103	105	2	0.0064	0.0012	0.0088	<0.5	0.013	0.03
BR-04-20	105	107	2	0.0055	0.0017	0.0086	<0.5	0.013	0.03
BR-04-20	107	109	2	0.0068	0.0018	0.0082	<0.5	0.012	0.015
BR-04-20	109	111	2	0.0079	0.0053	0.0077	<0.5	0.011	0.03
BR-04-20	111	111.9	0.9	0.0102	0.019	0.0071	<0.5	0.01	0.03
BR-04-20	111.9	113	1.1	0.0052	0.0082	0.0035	<0.5	<0.005	0.046
BR-04-20	113	114.5	1.5	0.0046	0.0112	0.0031	<0.5	<0.005	0.015
BR-04-20	114.5	116	1.5	0.0041	0.0035	0.0021	<0.5	<0.005	0.015
BR-04-20	116	118	2	0.0054	0.0043	0.0021	<0.5	<0.005	0.015
BR-04-20	118	119.8	1.8	0.0052	0.002	0.002	<0.5	<0.005	0.015
BR-04-20	119.8	121	1.2	0.0032	0.0009	0.0015	<0.5	<0.005	0.015
BR-04-20	121	123	2	0.0042	0.0009	0.0068	<0.5	<0.005	0.015
BR-04-20	123	125	2	0.0044	0.0006	0.0025	<0.5	<0.005	0.015
BR-04-20	125	127	2	0.0033	0.0007	0.0012	<0.5	<0.005	0.015
BR-04-20	127	129	2	0.0037	0.0007	0.0026	<0.5	<0.005	0.015
BR-04-20	129	131	2	0.0041	0.0008	0.0007	<0.5	<0.005	0.015
BR-04-20	131	133	2	0.0052	0.0018	0.0011	<0.5	<0.005	0.015
BR-04-20	133	135	2	0.0052	0.0007	0.0012	<0.5	0.005	0.015
BR-04-20	135	137	2	0.006	0.0006	0.0011	<0.5	<0.005	0.015
BR-04-20	137	139	2	0.0027	0.0005	0.0005	<0.5	<0.005	0.008
BR-04-20	139	141	2	0.0026	0.0002	0.0005	<0.5	<0.005	0.008
BR-04-20	141	143	2	0.0046	0.0013	0.0009	<0.5	<0.005	0.015
BR-04-20	143	145	2	0.0025	0.0013	0.0007	<0.5	<0.005	0.008
BR-04-20	145	146.6	1.6	0.0028	0.0006	0.0005	<0.5	<0.005	0.015
BR-04-20	146.6	148	1.4	0.0032	0.001	0.0005	<0.5	<0.005	0.015
BR-04-20	148	150	2	0.0081	0.0015	0.0015	<0.5	<0.005	0.046
BR-04-20	150	152	2	0.0054	0.001	0.0016	<0.5	<0.005	0.015
BR-04-20	152	154	2	0.0028	0.0007	0.001	<0.5	<0.005	0.015
BR-04-20	154	156	2	0.0078	0.003	0.003	<0.5	<0.005	0.015
BR-04-20	156	158	2	0.0076	0.0022	0.0016	<0.5	<0.005	0.015
BR-04-20	158	158.4	0.4	0.0096	0.0021	0.0024	<0.5	<0.005	0.03
BR-04-20	158.4	160	1.6	0.0022	0.0003	0.0009	<0.5	<0.005	0.008
BR-04-20	160	161	1	0.0021	0.0004	0.0012	<0.5	<0.005	0.015
BR-04-20	161	162	1	0.0017	0.0003	0.0009	<0.5	<0.005	0.008
BR-04-20	162	164	2	0.003	0.0004	0.0021	<0.5	<0.005	0.008
BR-04-20	164	228	64	Assays pending					
BR-04-20	228	230	2	0.0059	0.0006	0.0004	<0.5	0.019	0.061
BR-04-20	230	231.2	1.2	0.0108	0.0015	0.0005	0.9	0.014	0.213
BR-04-20	231.2	232	0.8	0.0097	0.0018	0.0012	3.1	<0.005	0.183
BR-04-20	232	233	1	0.0087	0.001	0.0013	2.6	0.009	0.776
BR-04-20	233	234	1	0.0075	0.0014	0.0014	2.8	0.016	0.989
BR-04-20	234	235	1	0.0086	0.0014	0.0012	1.8	0.035	0.122
BR-04-20	235	236	1	0.0086	0.0054	0.001	2	0.024	0.289
BR-04-20	236	237	1	0.833	0.481	0.0228	58.4	0.061	4.64
BR-04-20	237	238	1	0.0412	0.0151	0.0024	7.7	0.049	0.396
BR-04-20	238	239	1	0.0798	0.0881	0.0047	18.9	0.026	1.856
BR-04-20	239	239.9	0.9	0.0135	0.0074	0.0011	3.5	0.011	1.323
BR-04-20	239.9	241	1.1	0.176	0.0586	0.0092	4.6	0.077	2.434
BR-04-20	241	242	1	1.87	0.958	0.238	148	0.96	36.51



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-04-20	242	243	1	2.48	1.64	0.454	128	0.797	63.284
BR-04-20	243	244	1	3.15	1.665	0.319	75	0.971	49.136
BR-04-20	244	245	1	1.775	1.29	0.158	56.4	0.457	50.962
BR-04-20	245	246	1	0.525	0.316	0.0472	19.4	0.523	60.85
BR-04-20	246	246.7	0.7	0.593	0.436	0.124	41.1	0.454	32.402
BR-04-20	246.7	247.5	0.8	1.16	0.866	0.259	57	0.834	42.443
BR-04-20	247.5	248.6	1.1	0.519	0.56	0.234	49.7	0.341	8.412
BR-04-20	248.6	250	1.4	0.0782	0.0415	0.0067	4	0.064	2.571
BR-04-20	250	252	2	0.0169	0.0068	0.0055	0.8	0.007	0.091
BR-04-20	252	254	2	0.0279	0.024	0.0042	<0.5	0.005	0.061
BR-04-20	254	256	2	0.0126	0.005	0.0044	<0.5	<0.005	0.03
BR-04-20	256	258	2	0.016	0.0044	0.0016	<0.5	<0.005	0.03
BR-04-20	258	260	2	0.0079	0.0016	0.003	<0.5	<0.005	0.046
BR-04-20	260	262	2	0.0143	0.0056	0.0034	<0.5	0.007	0.091
BR-04-20	262	264	2	0.016	0.0062	0.0019	<0.5	0.006	0.122
BR-04-20	264	266	2	0.0134	0.005	0.0032	<0.5	<0.005	0.046
BR-04-20	266	268	2	0.0097	0.0044	0.0017	<0.5	<0.005	0.03
BR-04-20	268	270	2	0.0133	0.0473	0.0106	<0.5	0.019	0.03
BR-04-20	270	272	2	0.0105	0.0052	0.0037	<0.5	0.005	0.03
BR-04-20	272	274	2	0.0062	0.0089	0.0033	<0.5	0.008	0.076
BR-04-20	274	275	1	0.0142	0.0045	0.001	<0.5	<0.005	0.091
BR-04-20	275	276	1	0.0084	0.0032	0.001	<0.5	<0.005	0.091
BR-04-20	276	277	1	0.0096	0.0025	0.0009	<0.5	<0.005	0.061
BR-04-20	277	278	1	0.0094	0.0017	0.0012	<0.5	<0.005	0.091
BR-04-20	278	279	1	0.008	0.0015	0.0015	<0.5	<0.005	0.259
BR-04-20	279	280	1	0.0097	0.0016	0.0003	<0.5	<0.005	0.061
BR-04-20	280	281	1	0.0113	0.0016	0.0018	<0.5	<0.005	0.076
BR-04-20	281	282	1	0.0132	0.0018	0.0053	<0.5	<0.005	0.061
BR-04-20	282	283	1	0.0098	0.0016	0.0007	<0.5	<0.005	0.046
BR-04-20	283	284	1	0.0106	0.0031	0.0046	<0.5	<0.005	0.091
BR-04-20	284	284.7	0.7	0.0093	0.0016	0.0007	<0.5	<0.005	0.137
BR-04-20	284.7	285.7	1	0.008	0.001	0.0025	<0.5	<0.005	0.061
BR-04-20	285.7	287	1.3	0.0071	0.0013	0.0018	<0.5	<0.005	0.076
BR-04-20	287	289	2	0.0068	0.0008	0.0026	<0.5	<0.005	0.076
BR-04-20	289	291	2	0.0061	0.0019	0.0021	<0.5	<0.005	0.046
BR-04-20	291	293	2	0.0066	0.0013	0.0013	<0.5	<0.005	0.106
BR-04-20	293	295	2	0.0073	0.0028	0.0021	<0.5	<0.005	0.061
BR-04-20	295	297	2	0.0071	0.0016	0.0015	<0.5	<0.005	0.061
BR-04-20	297	299	2	0.0066	0.0025	0.0023	<0.5	<0.005	0.076
BR-04-20	299	301	2	0.0078	0.0008	0.0016	<0.5	<0.005	0.076
BR-04-20	301	303	2	0.0069	0.0023	0.0021	<0.5	<0.005	0.061
BR-04-20	303	305	2	0.0064	0.0021	0.0011	<0.5	<0.005	0.046
BR-04-20	305	307	2	0.0057	0.0009	0.0017	<0.5	<0.005	0.061
BR-04-20	307	309	2	0.0063	0.0008	0.0016	<0.5	<0.005	0.243
BR-04-20	309	311	2	0.0057	0.0008	0.0019	<0.5	<0.005	0.183
BR-04-20	311	313	2	0.0074	0.0006	0.0015	<0.5	<0.005	0.106
BR-04-20	313	315	2	0.0159	0.0034	0.0009	0.6	0.01	0.061
BR-04-20	315	316.8	1.8	0.0426	0.0177	0.0079	0.9	0.032	0.03
BR-04-20	316.8	317.5	0.7	0.17	0.528	0.073	8.4	0.097	0.35
BR-04-20	317.5	318	0.5	0.0049	0.0128	0.0194	3.3	0.042	0.715
BR-04-20	318	319	1	0.0595	0.096	0.0433	6.1	0.306	0.517
BR-04-20	319	320	1	0.0042	0.0025	0.0004	<0.5	0.252	0.03
BR-04-20	320	321	1	0.0061	0.0041	0.0005	0.8	0.153	0.137
BR-04-20	321	322	1	0.0049	0.0028	0.0007	<0.5	0.024	0.167
BR-04-20	322	323	1	0.004	0.0018	0.0002	<0.5	0.015	0.061
BR-04-20	323	324	1	0.0042	0.0018	0.0002	<0.5	0.025	0.046



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %		
BR-04-20	324	325	1	0.0037	0.0029	0.0014	<0.5	0.031	0.106		
BR-04-20	325	326	1	0.0071	0.0064	0.02	1.6	0.077	0.38		
BR-04-20	326	327	1	0.0083	0.0194	0.0228	2.3	0.06	0.243		
BR-04-20	327	328	1	0.044	0.0102	0.0011	1.3	0.061	0.122		
BR-04-20	328	329.2	1.2	0.0125	0.0025	0.0004	<0.5	0.051	0.03		
BR-06-20	0	166.9	166.9	Assays pending							
BR-06-20	166.9	168	1.1	0.0342	0.0202	0.028	1.1	0.01	0.015		
BR-06-20	168	169	1	0.0378	0.02	0.0337	1.1	0.006	0.015		
BR-06-20	169	170	1	0.0382	0.0261	0.0285	1.3	0.009	0.015		
BR-06-20	170	171	1	0.0305	0.177	0.0117	1.1	<0.005	0.015		
BR-06-20	171	172	1	0.0451	0.186	0.0217	1.8	0.021	0.03		
BR-06-20	172	173	1	0.0356	0.0738	0.0353	4.2	0.015	0.03		
BR-06-20	173	174	1	0.0697	0.0911	0.113	4.3	0.018	0.061		
BR-06-20	174	175	1	0.0495	0.96	0.0557	9.9	0.023	0.046		
BR-06-20	175	176	1	0.111	2.43	0.409	29.7	<0.005	1.263		
BR-06-20	176	177	1	0.0183	0.287	0.004	1.8	<0.005	0.046		
BR-06-20	177	178	1	0.0151	0.556	0.0024	1.9	<0.005	0.106		
BR-06-20	178	179	1	0.0129	0.129	0.0028	1	<0.005	0.076		
BR-06-20	179	180	1	0.0349	0.0901	0.0104	0.5	<0.005	0.03		
BR-06-20	180	181	1	0.0145	0.0043	0.0017	<0.5	<0.005	0.046		
BR-06-20	181	266.5	85.5	Assays pending							
BR-06-20	266.5	267.5	1	0.0379	0.048	0.0012	15.6	0.013	0.943		
BR-06-20	267.5	268.5	1	0.0055	0.0068	0.0007	1.1	0.032	0.837		
BR-06-20	268.5	269.5	1	0.0068	0.0065	0.0009	0.6	0.028	0.106		
BR-06-20	269.5	270.5	1	0.042	0.0275	0.0017	2.5	0.053	0.122		
BR-06-20	270.5	271.5	1	0.0097	0.0536	0.0031	4.9	0.111	0.183		
BR-06-20	271.5	272.5	1	0.031	0.0172	0.0013	0.8	0.049	0.076		
BR-06-20	272.5	273.5	1	0.0172	0.0195	0.0065	2.1	0.113	3.803		
BR-06-20	273.5	274.5	1	0.0866	0.0782	0.0291	4.9	0.174	2.586		
BR-06-20	274.5	275.5	1	0.179	0.028	0.0168	2.8	0.111	1.187		
BR-06-20	275.5	276.5	1	1.395	0.913	0.356	126	0.883	14.817		
BR-06-20	276.5	277	0.5	8.65	3.86	1.23	700	3.6	67.543		
BR-06-20	277	278	1	6.01	3.35	0.838	750	4.5	69.216		
BR-06-20	278	279	1	2.06	0.818	0.713	393	2.85	77.279		
BR-06-20	279	280	1	5.58	4.4	0.435	776	4.39	80.778		
BR-06-20	280	281	1	3.36	3.17	0.288	631	3.8	86.254		
BR-06-20	281	282	1	0.388	0.303	0.0092	26	1.18	90.666		
BR-06-20	282	283	1	0.273	0.112	0.008	16.5	0.705	86.254		
BR-06-20	283	284	1	0.335	0.421	0.0299	118	0.793	88.993		
BR-06-20	284	285	1	1.075	1.745	0.199	761	2.77	86.559		
BR-06-20	285	286	1	0.0484	0.597	0.0091	54.3	0.525	93.556		
BR-06-20	286	287	1	1.265	3.2	0.161	811	2.33	83.972		
BR-06-20	287	288	1	9.76	6.07	0.421	1180	3.84	74.084		
BR-06-20	288	289	1	10.5	4.99	0.366	1725	2.57	73.932		
BR-06-20	289	290	1	15.6	6.88	0.407	2540	2.47	65.413		
BR-06-20	290	291	1	14.9	7.28	0.381	346	3.02	65.718		
BR-06-20	291	292	1	10.1	5.26	0.384	764	3.76	74.084		
BR-06-20	292	293	1	12.45	5.67	0.403	195	5.62	70.89		
BR-06-20	293	294	1	13.75	6.66	0.478	322	5.71	66.782		
BR-06-20	294	295	1	14.55	6.87	0.552	453	6.59	65.261		
BR-06-20	295	296	1	20	10.1	0.745	342	10.9	55.83		
BR-06-20	296	297	1	10.85	4.97	0.495	257	7.94	69.673		
BR-06-20	297	298	1	11.55	5.99	0.47	150	9.18	68.304		
BR-06-20	298	299	1	9.78	5.8	0.548	274	7.06	59.937		
BR-06-20	299	300	1	0.0544	0.66	0.0125	25.7	7.21	68.152		
BR-06-20	300	301	1	0.0696	0.755	0.0047	11.9	1.235	70.281		



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-06-20	301	302.2	1.2	0.0958	1.22	0.003	12.1	1.6	72.715
BR-06-20	302.2	303	0.8	0.14	0.846	0.0123	6.7	0.506	16.658
BR-06-20	303	304	1	0.105	0.196	0.0355	5.8	0.07	5.568
BR-06-20	304	305	1	0.0271	0.036	0.0122	3.2	0.03	7.895
BR-06-20	305	306	1	0.0415	0.0657	0.0024	0.9	<0.005	0.243
BR-06-20	306	307	1	0.0597	0.094	0.026	5	0.094	1.034
BR-06-20	307	308	1	0.0091	0.0169	0.0017	1.2	0.015	3.195
BR-06-20	308	309	1	0.0069	0.0522	0.0086	0.5	0.006	1.643
BR-06-20	309	310	1	0.0052	0.0541	0.0101	1.4	<0.005	1.369
BR-06-20	310	311	1	0.0039	0.0124	0.0015	1.8	0.005	1.886
BR-06-20	311	312	1	0.0116	0.0366	0.0063	1	0.012	0.974
BR-06-20	312	313	1	0.0313	0.135	0.004	1.5	0.005	0.274
BR-06-20	313	314	1	0.0977	0.0443	0.0028	1	<0.005	0.441
BR-06-20	314	315	1	0.261	0.0623	0.004	2.6	0.009	0.319
BR-06-20	315	316	1	0.0213	0.127	0.0038	2.9	0.007	0.517
BR-06-20	316	317	1	0.0282	0.23	0.049	9.5	0.043	1.856
BR-06-20	317	318	1	0.125	0.302	0.0336	5.8	0.07	2.145
BR-06-20	318	318.5	0.5	0.0237	0.266	0.052	6.1	0.213	21.221
BR-06-20	318.5	319	0.5	0.157	0.666	0.0101	13.2	0.954	64.196
BR-06-20	319	320	1	0.203	0.978	0.0108	20.5	0.7	69.977
BR-06-20	320	321	1	0.0725	0.401	0.0042	17.4	1.175	70.129
BR-06-20	321	322	1	0.0641	0.686	0.0255	75.8	6.06	60.85
BR-06-20	322	323	1	0.171	0.971	1.16	1465	8.25	61.154
BR-06-20	323	324	1	2.31	2.55	0.28	522	5.79	67.087
BR-06-20	324	325	1	4.45	7.42	0.606	1190	5.4	62.979
BR-06-20	325	326	1	0.189	0.832	0.191	609	3.16	80.017
BR-06-20	326	327	1	2.31	5.44	0.661	1840	5.67	83.82
BR-06-20	327	328	1	12.75	13.25	0.915	1070	6.21	54.765
BR-06-20	328	329	1	13.55	5.8	0.421	857	5.59	66.935
BR-06-20	329	330	1	4.71	2.14	0.179	718	4.22	83.212
BR-06-20	330	331	1	10.5	4.68	0.324	651	4.46	71.346
BR-06-20	331	332	1	18.65	8.86	0.588	654	8.29	56.134
BR-06-20	332	333.2	1.2	15.7	7.97	0.772	684	8.74	61.762
BR-07-20	0	172.7	172.7	Assays pending					
BR-07-20	172.7	173.5	0.8	0.006	0.0075	0.0023	<0.5	0.126	0.563
BR-07-20	173.5	174.5	1	0.0091	0.0169	0.0033	1	0.209	1.567
BR-07-20	174.5	175.5	1	0.054	0.0244	0.005	2.8	0.158	1.795
BR-07-20	175.5	176.5	1	0.0039	0.0083	0.0022	1.3	0.096	0.259
BR-07-20	176.5	177.6	1.1	0.158	0.0438	0.0151	18.3	0.166	4.366
BR-07-20	177.6	178.7	1.1	0.0615	0.0084	0.0014	1.3	0.102	1.339
BR-07-20	178.7	179.7	1	0.053	0.0124	0.0026	1.5	0.178	4.244
BR-07-20	179.7	180.7	1	0.449	0.142	0.107	43	0.395	12.063
BR-07-20	180.7	181.7	1	0.669	0.422	0.19	95.3	0.409	11.409
BR-07-20	181.7	182.8	1.1	1.735	1.24	0.376	209	0.605	15.821
BR-07-20	182.8	184	1.2	4.66	3.32	0.461	268	1.985	79.713
BR-07-20	184	185	1	0.306	0.328	0.0388	16.2	0.076	5.416
BR-07-20	185	185.4	0.4	0.353	0.292	0.0214	22.1	0.124	11.166
BR-07-20	185.4	186	0.6	0.743	0.908	0.157	181	0.909	73.476
BR-07-20	186	187	1	1.19	0.974	0.383	413	1.485	90.514
BR-07-20	187	188	1	4.58	3.53	0.347	383	3.77	83.516
BR-07-20	188	189	1	4.55	4.92	0.421	454	7.75	77.279
BR-07-20	189	190	1	9.8	12.8	0.463	944	9.57	61.002
BR-07-20	190	191	1	0.599	7.29	0.642	776	6.13	68.456
BR-07-20	191	191.5	0.5	0.0251	0.0464	0.0228	10.6	2.68	61.458
BR-07-20	191.5	192.2	0.7	0.0176	0.113	0.0175	4.5	0.082	2.769
BR-07-20	192.2	193.3	1.1	0.0297	0.0822	0.0223	4.4	0.021	2.038



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %		
BR-07-20	193.3	194.5	1.2	0.0161	0.0318	0.0101	0.7	0.011	0.243		
BR-07-20	194.5	195.5	1	0.248	0.249	0.0136	1.9	0.023	3.955		
BR-07-20	195.5	196.5	1	0.115	0.508	0.0166	2.1	0.025	3.347		
BR-07-20	196.5	197	0.5	0.0645	0.623	0.322	27.1	0.385	4.64		
BR-07-20	197	197.9	0.9	0.19	0.143	0.0344	8.6	0.145	14.802		
BR-07-20	197.9	199	1.1	0.198	0.165	0.0058	9.5	0.673	78.952		
BR-07-20	199	200	1	0.0714	2	0.0933	120	3.87	79.257		
BR-07-20	200	201	1	0.0388	1.66	0.0089	34.7	6.55	92.187		
BR-07-20	201	202.2	1.2	3.97	4.31	0.95	1505	8.86	82.299		
BR-07-20	202.2	203.2	1	11.55	5.29	0.391	373	3.47	71.803		
BR-07-20	203.2	204.3	1.1	12.7	6.14	0.606	879	1.38	67.543		
BR-07-20	204.3	207.8	3.5	No sample							
BR-07-20	207.8	208.2	0.4	15.3	7.92	0.543	471	7.08	63.588		
BR-07-20	208.2	208.5	0.3	13.85	5.99	0.398	173	4.63	69.673		
BR-07-20	208.5	209	0.5	17.85	9.56	0.45	281	5.18	59.176		
BR-07-20	209	209.5	0.5	17.85	10.3	0.516	292	5.7	57.046		
BR-07-20	209.5	210	0.5	11.45	4.67	0.418	137	7.82	71.65		
BR-07-20	210	210.5	0.5	11.15	4.34	0.405	137	7.29	72.107		
BR-07-20	210.5	211	0.5	17.3	8.86	0.629	160	7	60.241		
BR-07-20	211	212	1	18.25	9.86	0.633	165	6.42	58.111		
BR-07-20	212	213	1	24.2	12.95	0.812	178	5.62	46.398		
BR-07-20	213	214	1	21	11.85	0.764	154	2.99	49.897		
BR-07-20	214	215	1	18.6	9.2	0.669	142	1.965	57.199		
BR-07-20	215	216	1	26.3	15.35	1.14	211	1.85	38.639		
BR-07-20	216	217	1	24.8	19.85	1.575	267	3.1	34.228		
BR-07-20	217	218	1	20.3	14.2	1.135	234	1.88	46.398		
BR-07-20	218	219	1	8.62	7.26	0.818	177	0.967	19.624		
BR-07-20	219	220	1	2.36	1.375	0.384	120	0.463	7.606		
BR-07-20	220	221	1	1.605	0.949	2.5	127	0.412	30.577		
BR-07-20	221	221.9	0.9	0.893	1.035	0.237	130	0.46	25.937		
BR-07-20	221.9	223	1.1	0.117	0.0314	0.0109	1.7	0.019	1.825		
BR-07-20	223	224	1	0.118	0.057	0.009	2.1	0.021	1.597		
BR-07-20	224	225	1	0.0787	0.0279	0.0074	1.1	0.011	1.323		
BR-07-20	225	226	1	0.0852	0.0183	0.0066	0.5	0.011	0.456		
BR-07-20	226	227	1	0.053	0.0292	0.0051	0.5	0.006	0.426		
BR-07-20	227	228	1	0.109	0.0425	0.0099	<0.5	0.03	3.757		
BR-07-20	228	229	1	0.0768	0.0408	0.0078	0.7	0.019	1.05		
BR-07-20	229	229.6	0.6	0.125	0.0998	0.0131	2.8	0.034	1.095		
BR-07-20	229.6	230.6	1	4.46	2.86	0.347	92.1	0.929	15.897		
BR-07-20	230.6	231.7	1.1	5.43	4.84	0.338	123	1.27	13.706		
BR-07-20	231.7	232.8	1.1	1.97	0.996	0.069	28.5	0.675	0.761		
BR-07-20	232.8	233.8	1	0.778	1.345	0.0355	13.8	0.457	5.583		
BR-07-20	233.8	234.9	1.1	0.736	0.798	0.0106	4.2	0.283	5.096		
BR-07-20	234.9	235.2	0.3	0.516	0.392	0.0148	15.4	0.118	2.206		
BR-07-20	235.2	236	0.8	0.0253	0.0089	0.0014	0.9	<0.005	0.137		
BR-07-20	236	237	1	0.0479	0.0144	0.0024	1.1	<0.005	0.061		
BR-07-20	237	238	1	0.052	0.0095	0.0014	1.7	<0.005	0.122		
BR-07-20	238	239	1	0.0129	0.0376	0.0145	0.6	0.038	2.83		
BR-07-20	239	240	1	0.0162	0.0513	0.0178	<0.5	0.062	3.484		
BR-07-20	240	240.8	0.8	0.0992	0.0937	0.0097	3.7	0.05	5.172		
BR-07-20	240.8	241.3	0.5	0.0145	0.146	0.0476	21.1	0.023	4.944		
BR-07-20	241.3	242	0.7	0.083	0.07	0.0094	6.6	0.046	0.821		
BR-07-20	242	243	1	0.193	0.106	0.0112	6.7	0.027	2.236		
BR-07-20	243	244	1	0.0961	0.0603	0.0089	3.1	0.041	0.958		
BR-07-20	244	245	1	0.0893	0.0389	0.0042	6.9	0.082	2.221		
BR-07-20	245	246	1	0.0367	0.0661	0.0686	8.2	0.051	7.5		



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %		
BR-07-20	246	247	1	0.0264	0.0258	0.0026	2	0.029	2.525		
BR-07-20	247	248	1	0.0265	0.0227	0.0045	5.2	0.052	3.56		
BR-07-20	248	249	1	0.0145	0.0047	0.0029	2.2	0.016	1.384		
BR-07-20	249	250.1	1.1	0.246	0.456	0.469	77.6	0.193	0.274		
BR-07-20	250.1	258.3	8.2	Assays pending							
BR-09-20	0	127.7	127.7	Assays pending							
BR-09-20	127.7	128.5	0.8	0.0084	0.0015	0.0008	<0.5	0.022	0.122		
BR-09-20	128.5	129.5	1	0.0096	0.0012	0.0041	<0.5	0.008	0.35		
BR-09-20	129.5	130.5	1	0.175	0.0321	0.0115	0.9	0.012	5.857		
BR-09-20	130.5	131.5	1	0.0112	0.0068	0.0015	<0.5	0.011	0.426		
BR-09-20	131.5	132.5	1	0.0083	0.0021	0.0004	<0.5	0.015	1.81		
BR-09-20	132.5	133.5	1	0.362	0.267	0.014	2.6	0.011	5.4		
BR-09-20	133.5	134.1	0.6	0.236	0.0769	0.0092	1.7	0.015	2.084		
BR-09-20	134.1	135	0.9	0.0116	0.0124	0.0033	0.9	0.032	0.487		
BR-09-20	135	136	1	0.0191	0.0149	0.0027	1.2	0.122	0.259		
BR-09-20	136	137.7	1.7	0.0106	0.0082	0.003	1.3	0.086	0.867		
BR-09-20	137.7	138	0.3	0.034	0.0266	0.0041	1.2	0.075	0.867		
BR-09-20	138	139	1	0.0297	0.0234	0.0526	6.4	0.116	3.24		
BR-09-20	139	140	1	0.0192	0.0157	0.0033	0.8	0.07	0.304		
BR-09-20	140	141	1	0.0162	0.0166	0.0026	0.5	0.13	0.776		
BR-09-20	141	142	1	0.0326	0.0205	0.0029	1.5	0.15	2.191		
BR-09-20	142	143	1	0.587	0.299	0.0538	31.4	0.393	3.423		
BR-09-20	143	144	1	0.0349	0.0292	0.0391	2.9	0.233	0.958		
BR-09-20	144	145	1	0.129	0.091	0.169	9.6	0.338	13.296		
BR-09-20	145	146	1	0.0765	0.0465	0.0062	2.9	0.258	1.323		
BR-09-20	146	147	1	0.0702	0.0423	0.0073	2.9	0.35	1.171		
BR-09-20	147	148	1	0.0186	0.0253	0.0087	2.8	0.222	1.46		
BR-09-20	148	149	1	0.297	0.271	0.137	6.7	0.472	4.518		
BR-09-20	149	150	1	0.274	0.0723	0.216	5.6	0.399	2.86		
BR-09-20	150	151	1	0.253	0.396	0.041	17.8	0.284	11.394		
BR-09-20	151	153	2	0.0376	0.0123	0.0029	1.4	0.173	1.384		
BR-09-20	153	154	1	0.259	0.0212	0.0045	1.6	0.229	5.689		
BR-09-20	154	155	1	0.0773	0.0195	0.004	1.1	0.277	5.568		
BR-09-20	155	156	1	0.343	0.1905	0.0504	3.5	0.501	3.301		
BR-09-20	156	157	1	0.0784	0.0564	0.0471	3.3	0.239	3.225		
BR-09-20	157	158	1	0.317	0.0961	0.0172	1.5	0.176	4.518		
BR-09-20	158	159	1	0.0467	0.0092	0.005	1.3	0.196	7.454		
BR-09-20	159	160	1	0.304	0.134	0.0938	4	0.269	3.651		
BR-09-20	160	160.3	0.3	0.0419	0.037	0.0106	2	0.309	0.396		
BR-09-20	160.3	161.3	1	0.521	0.0647	0.0121	4.9	0.12	0.608		
BR-09-20	161.3	162.3	1	0.517	0.0438	0.0041	4.2	0.08	0.456		
BR-09-20	162.3	163.3	1	0.671	0.0432	0.0044	3.6	0.058	0.304		
BR-09-20	163.3	164.3	1	0.793	0.1	0.0081	6.6	0.063	2.784		
BR-09-20	164.3	165	0.7	0.1595	0.551	0.0507	26.4	0.267	13.189		
BR-09-20	165	166	1	1.56	0.437	0.0382	32.6	0.532	5.963		
BR-09-20	166	167.2	1.2	2.52	0.822	0.11	115	1.265	18.483		
BR-09-20	167.2	168	0.8	1.88	0.486	0.125	163	2.63	82.603		
BR-09-20	168	169	1	1.17	0.476	0.0659	82.5	1.265	76.67		
BR-09-20	169	170	1	6.74	4.67	0.514	872	7.46	64.348		
BR-09-20	170	171	1	0.445	1	0.183	126	2.2	62.067		
BR-09-20	171	172	1	0.226	1.21	0.0089	27.7	2.09	73.172		
BR-09-20	172	173	1	0.404	1.46	0.0341	39.4	1.13	48.68		
BR-09-20	173	174	1	0.62	0.369	0.0564	8.1	0.057	3.027		
BR-09-20	174	175	1	0.659	0.233	0.0419	4.2	0.033	1.217		
BR-09-20	175	176	1	0.523	0.38	0.0331	12.9	0.027	2.297		
BR-09-20	176	177	1	0.0545	0.0192	0.0068	1	0.035	4.457		



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-09-20	177	178	1	0.051	0.065	0.0095	1.1	0.023	0.35
BR-09-20	178	178.3	0.3	0.0666	0.0468	0.0084	1.4	0.019	8.869
BR-09-20	178.3	179	0.7	0.0097	0.0073	0.0024	<0.5	<0.005	0.472
BR-09-20	179	180	1	0.0422	0.0395	0.0059	0.9	0.017	0.137
BR-09-20	180	181	1	0.0696	0.0915	0.011	1.7	0.021	0.335
BR-09-20	181	182	1	0.0062	0.0058	0.0021	<0.5	<0.005	0.396
BR-09-20	182	183	1	0.0107	0.0046	0.0032	0.5	0.005	1.004
BR-09-20	183	184.2	1.2	0.0125	0.0119	0.0123	0.5	0.012	0.228
BR-09-20	184.2	185	0.8	0.0279	0.558	0.0594	1.7	0.108	0.974
BR-09-20	185	186	1	0.0234	0.044	0.0098	<0.5	0.023	0.122
BR-09-20	186	187	1	0.0444	0.0493	0.0138	<0.5	0.015	0.304
BR-09-20	187	188	1	0.249	0.0584	0.009	0.6	0.027	1.232
BR-09-20	188	189	1	0.251	0.211	0.0486	2.9	0.03	4.625
BR-09-20	189	190	1	0.0681	0.0856	0.0048	0.6	0.01	1.05
BR-09-20	190	191.1	1.1	0.0319	0.0465	0.0065	<0.5	0.01	0.365
BR-09-20	191.1	192	0.9	0.0092	0.0249	0.0065	<0.5	0.013	2.099
BR-09-20	192	193	1	0.0734	0.085	0.0135	1.4	0.011	0.274
BR-09-20	193	194	1	0.0238	0.0445	0.0119	1.1	0.01	1.902
BR-09-20	194	195	1	0.021	0.0414	0.0212	1.9	0.051	2.084
BR-09-20	195	196	1	0.192	0.953	0.0043	34.1	1.17	88.84
BR-09-20	196	197	1	0.0214	0.885	0.0079	55.2	5.83	83.668
BR-09-20	197	198	1	0.0347	0.0659	0.0116	59.4	8.27	76.518
BR-09-20	198	199	1	15.15	10.15	1.02	424	10.2	59.024
BR-09-20	199	200	1	18.65	10.5	0.687	233	9.74	56.438
BR-09-20	200	201	1	21.1	14.05	1.065	298	9.35	48.528
BR-09-20	201	202	1	31.27	27.6	2.49	442	12.25	7.667
BR-09-20	202	203	1	28.96	26.1	2.7	452	9.19	11.987
BR-09-20	203	204	1	17.5	12.65	0.969	286	4.48	54.46
BR-09-20	204	205	1	20.3	14.75	1.04	304	4.4	49.44
BR-09-20	205	206	1	18.85	13.95	1.03	262	4.58	51.418
BR-09-20	206	207	1	11.2	11.25	0.816	348	3.7	66.326
BR-09-20	207	208	1	12.65	15.1	1.055	565	4.43	58.568
BR-09-20	208	209	1	10.4	12.3	1.02	493	4.15	65.261
BR-09-20	209	210	1	8.73	9.6	0.693	873	3.72	71.498
BR-09-20	210	211	1	4.07	10.95	0.981	919	4.15	75.301
BR-09-20	211	212	1	6.44	13.65	0.917	1025	4.4	67.543
BR-09-20	212	213	1	4.26	6.69	0.528	764	4.22	81.386
BR-09-20	213	214	1	5.78	6.88	0.555	903	4.2	78.8
BR-09-20	214	215	1	7.04	5.64	0.357	350	2.1	79.104
BR-09-20	215	215.4	0.4	2.54	0.75	0.869	125	6.47	81.843
BR-09-20	215.4	216	0.6	4.15	1.12	0.171	131	1.205	26.241
BR-09-20	216	217	1	0.275	0.152	0.0191	18.1	0.539	1.643
BR-09-20	217	218	1	3.76	2.46	0.746	119	3.13	2.906
BR-09-20	218	219	1	6.01	4.1	1.43	155	1.85	1.247
BR-09-20	219	220	1	2.53	2.37	1.14	104	1.455	3.073
BR-09-20	220	221	1	7.05	2.88	0.18	132	1.42	3.97
BR-09-20	221	222	1	0.594	0.199	0.156	98.3	0.383	8.23
BR-09-20	222	223	1	1.99	0.658	0.0327	31.4	0.445	4.488
BR-09-20	223	224	1	7.82	5.3	0.426	230	1.895	12.748
BR-09-20	224	225	1	3.06	1.935	0.465	139	0.598	16.658
BR-09-20	225	226	1	0.806	0.438	0.239	40.2	0.493	4.914
BR-09-20	226	227	1	5.37	2.21	0.146	67.9	1.385	15.517
BR-09-20	227	228	1	3.84	2.88	0.39	91.3	2.24	8.002
BR-09-20	228	229	1	5.87	3.36	0.282	83.9	1.06	15.973
BR-09-20	229	230	1	0.218	0.0989	0.013	2.8	0.111	1.202
BR-09-20	230	232	2	0.12	0.0473	0.0082	3.3	0.208	2.008



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %
BR-09-20	232	232.4	0.4	0.0267	0.0126	0.0024	0.5	0.059	0.669
BR-09-20	232.4	233	0.6	1.725	1.315	0.722	32.1	1.44	18.711
BR-09-20	233	234	1	0.122	0.0468	0.0279	2.2	0.097	1.308
BR-09-20	234	235	1	0.0794	0.0162	0.0033	<0.5	0.024	0.867
BR-09-20	235	235.7	0.7	0.0674	0.0204	0.003	4.1	0.044	6.785
BR-09-20	235.7	236.2	0.5	0.0907	0.04	0.0079	1.8	0.072	13.858
BR-09-20	236.2	237	0.8	0.0195	0.0109	0.0047	1.2	0.041	4.138
BR-09-20	237	238	1	0.169	0.0853	0.0243	4.6	0.077	1.156
BR-09-20	238	238.7	0.7	0.337	0.0757	0.011	12.2	0.109	5.476
BR-09-20	238.7	239.2	0.5	0.0427	0.022	0.0073	1	0.017	3.149
BR-09-20	239.2	240	0.8	0.0298	0.0182	0.0048	1.2	0.005	0.137
BR-09-20	240	241	1	0.0185	0.0084	0.0027	1.5	0.012	1.065
BR-09-20	241	242	1	0.0824	0.0855	0.0153	2.2	0.036	8.458
BR-09-20	242	243	1	0.0438	0.433	0.0109	8.6	0.039	1.46
BR-09-20	243	244	1	0.0878	0.0343	0.005	2.4	0.091	0.441
BR-09-20	244	245	1	0.0189	0.0055	0.0038	1.6	0.044	0.441
BR-09-20	245	245.8	0.8	0.017	0.0081	0.0047	6	0.032	0.106
BR-09-20	245.8	246.7	0.9	0.49	0.302	0.021	59.9	0.175	0.685
BR-09-20	246.7	247.2	0.5	0.307	0.192	0.0127	49.6	0.173	0.958
BR-09-20	247.2	248	0.8	0.0121	0.007	0.0006	4.2	0.013	0.593
BR-09-20	248	249	1	0.0186	0.0857	0.0013	2.6	0.019	0.791
BR-09-20	249	250	1	0.0905	0.0224	0.0025	8.2	0.055	0.958
BR-09-20	250	251	1	0.0238	0.0129	0.0018	5.5	0.025	1.034
BR-09-20	251	252	1	0.115	0.074	0.0109	8.7	0.067	2.708
BR-09-20	252	253	1	0.0846	0.0204	0.002	1.6	0.019	0.441
BR-09-20	253	254	1	0.0278	0.007	0.0028	1.4	0.017	0.426
BR-09-20	254	255	1	0.0152	0.0428	0.0014	0.5	0.011	0.274
BR-09-20	255	256	1	0.0126	0.0038	0.0016	0.5	0.013	0.335
BR-09-20	256	257	1	0.113	0.0168	0.0104	1.2	0.026	0.608
BR-09-20	257	258	1	0.0183	0.0104	0.0042	2	0.021	0.396
BR-09-20	258	259.1	1.1	0.0109	0.0051	0.0015	1.8	<0.005	0.274
BR-09-20	259.1	260	0.9	0.185	0.0557	0.0024	3.1	0.005	0.624
BR-09-20	260	261	1	0.0424	0.0282	0.0025	2.4	<0.005	0.213
BR-09-20	261	262	1	0.0601	0.0243	0.0029	6.2	<0.005	0.259
BR-09-20	262	263	1	0.029	0.0094	0.002	1.1	<0.005	0.167
BR-09-20	263	264	1	0.0163	0.0037	0.0015	0.6	<0.005	0.03
BR-09-20	264	265	1	0.0514	0.0138	0.0021	1	<0.005	0.046
BR-09-20	265	266	1	0.0785	0.0263	0.0035	<0.5	<0.005	0.061
BR-09-20	266	267	1	0.012	0.0062	0.001	<0.5	<0.005	0.091
BR-09-20	267	268	1	0.017	0.007	0.0011	<0.5	<0.005	0.076
BR-09-20	268	269	1	0.0526	0.0085	0.0022	<0.5	<0.005	0.061
BR-09-20	269	270	1	0.0111	0.0036	0.0005	<0.5	<0.005	0.061
BR-09-20	270	271	1	0.0079	0.0031	0.0018	<0.5	<0.005	0.061
BR-09-20	271	272	1	0.0132	0.0023	0.0024	<0.5	<0.005	0.046
BR-09-20	272	273	1	0.014	0.0024	0.0016	<0.5	<0.005	0.046
BR-09-20	273	274	1	0.0208	0.0067	0.0018	<0.5	<0.005	0.122
BR-09-20	274	275	1	0.0261	0.0087	0.0022	<0.5	<0.005	0.061
BR-09-20	275	276	1	0.0128	0.0084	0.002	<0.5	<0.005	0.137
BR-09-20	276	277	1	0.178	0.0224	0.0026	2.8	<0.005	0.898
BR-09-20	277	278	1	0.0155	0.0089	0.0022	2.3	<0.005	0.152
BR-09-20	278	279.2	1.2	0.34	0.0884	0.0073	12.7	<0.005	4.062
BR-09-20	279.2	280	0.8	0.0839	0.0316	0.0029	6.5	<0.005	0.441
BR-09-20	280	280.8	0.8	0.0174	0.0104	0.0029	4.2	<0.005	0.213
BR-09-20	280.8	282	1.2	0.0171	0.0107	0.0016	3	<0.005	0.791
BR-09-20	282	283	1	0.013	0.0179	0.0022	3.4	<0.005	0.183
BR-09-20	283	284	1	0.0105	0.0042	0.0026	2.4	<0.005	0.243



Hole	From	To	Interval	Zn %	Pb %	Cu %	Ag g/t	Au g/t	BaSO ₄ %	
BR-09-20	284	285	1	0.0106	0.0009	0.0017	1.7	<0.005	0.228	
BR-09-20	285	285.5	0.5	0.0122	0.0017	0.0024	2.2	<0.005	0.152	
BR-09-20	285.5	286.4	0.9	0.0116	0.0022	0.0012	1.5	<0.005	0.091	
BR-09-20	286.4	287.5	1.1	0.116	0.0136	0.0024	4.3	<0.005	0.106	
BR-09-20	287.5	288.5	1	0.0699	0.0165	0.0024	3.8	<0.005	0.228	
BR-09-20	288.5	289.5	1	0.0447	0.0291	0.0017	3.1	<0.005	0.426	
BR-09-20	289.5	290.5	1	0.0607	0.0267	0.0043	11.1	<0.005	0.365	
BR-09-20	290.5	291.5	1	0.0204	0.009	0.0042	11.2	<0.005	0.563	
BR-09-20	291.5	292.5	1	0.0169	0.0081	0.0017	3.8	<0.005	0.122	
BR-09-20	292.5	293.5	1	0.0157	0.0152	0.0036	11.4	<0.005	1.095	
BR-09-20	293.5	294.5	1	0.011	0.0016	0.0009	1.9	<0.005	0.076	
BR-09-20	294.5	295.5	1	0.0144	0.0027	0.001	1.6	<0.005	0.091	
BR-09-20	295.5	296.5	1	0.0261	0.0126	0.0019	6.1	<0.005	0.563	
BR-09-20	296.5	297	0.5	0.0116	0.0068	0.0034	9.4	<0.005	0.183	
BR-09-20	297	297.8	0.8	0.0125	0.0359	0.0003	<0.5	<0.005	0.061	
BR-09-20	297.8	298.8	1	0.0112	0.0016	0.0066	8.5	<0.005	0.076	
BR-09-20	298.8	299.8	1	0.0093	0.0156	0.0045	5.4	<0.005	0.761	
BR-09-20	299.8	300.8	1	0.009	0.0368	0.0044	3.9	<0.005	0.532	
BR-09-20	300.8	382.3	81.5	Assays pending						



APPENDIX 1- JORC TABLES

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary																												
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	PQ3 and HQ3 diamond core was cut in half to provide a sample for assay typically weighing around 4-6kg. Samples were submitted to the ALS facility in Bor, Serbia for industry standard analytical analysis.																												
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	The half core and weight of the sample provides sufficient representivity. No calibration of any equipment was required as all samples were sent for assay by commercial laboratory.																												
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	PQ3 and HQ3 diamond core was used to obtain nominally 1m samples from which 4-6kg of material was pulverised to produce sample for fire assay, ICP-MS and X-ray Fluorescence (XRF).																												
Drilling techniques	<i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	Drill types - <table border="1"> <thead> <tr> <th>Drill Hole</th> <th>Non Core (m)</th> <th>PQ3 Diamond Core (m)</th> <th>HQ3 Diamond Core (m)</th> </tr> </thead> <tbody> <tr> <td>BR-01-20</td> <td>0 - 60.4</td> <td>60.4 - 99.7</td> <td>99.7 - 336.7</td> </tr> <tr> <td>BR-02-20</td> <td></td> <td>0 - 90.2</td> <td>90.2 - 440.5</td> </tr> <tr> <td>BR-04-20</td> <td></td> <td>0 - 83.8</td> <td>83.8 - 329.2</td> </tr> <tr> <td>BR-06-20</td> <td></td> <td>0 - 129.3</td> <td>129.3 - 333.2</td> </tr> <tr> <td>BR-07-20</td> <td></td> <td>0 - 48.8</td> <td>48.8 - 258.3</td> </tr> <tr> <td>BR-09-20</td> <td></td> <td>0 - 75.7</td> <td>75.7 - 382.3</td> </tr> </tbody> </table>	Drill Hole	Non Core (m)	PQ3 Diamond Core (m)	HQ3 Diamond Core (m)	BR-01-20	0 - 60.4	60.4 - 99.7	99.7 - 336.7	BR-02-20		0 - 90.2	90.2 - 440.5	BR-04-20		0 - 83.8	83.8 - 329.2	BR-06-20		0 - 129.3	129.3 - 333.2	BR-07-20		0 - 48.8	48.8 - 258.3	BR-09-20		0 - 75.7	75.7 - 382.3
Drill Hole	Non Core (m)	PQ3 Diamond Core (m)	HQ3 Diamond Core (m)																											
BR-01-20	0 - 60.4	60.4 - 99.7	99.7 - 336.7																											
BR-02-20		0 - 90.2	90.2 - 440.5																											
BR-04-20		0 - 83.8	83.8 - 329.2																											
BR-06-20		0 - 129.3	129.3 - 333.2																											
BR-07-20		0 - 48.8	48.8 - 258.3																											
BR-09-20		0 - 75.7	75.7 - 382.3																											
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	All core was logged for geology and RQD with recovery in the mineralised and sampled zone greater than 90%. The PQ3 and HQ3 diameter and sampling of half core ensured the representative nature of the samples. There is no observed relationship between sample recovery and grade, and with little to no loss of material there is considered to be little to no sample bias.																												
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>																													
	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>																													
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	Sufficient geotechnical logging of the core has been taken and in sufficient detail to support a Mineral Resource estimate however, no Mineral Resource estimate is being reported, only assay results.																												



	<p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>All core is photographed and logging is qualitative.</p> <p>All core is logged.</p>
<p><i>Sub-sampling techniques and sample preparation</i></p>	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p>	<p>The diamond core was cut in half using a diamond saw. Nominally 1 in 30 samples were cut in quarters, and both halves analysed (for purposes of field duplicates).</p>
	<p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p>	<p>Not applicable, as all samples are core.</p>
	<p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p>	<p>Collection of around 4-6kg of half core material with subsequent pulverisation of the total charge provided an appropriate and representative sample for analysis. Sample preparation was undertaken at the ALS laboratory in Bor, to industry best practice.</p>
	<p><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></p>	<p>Whole rock blanks and certified standards (~1 in 15) were introduced to the sample run to ensure laboratory QAQC. Additionally, industry best practice was adopted by ALS for laboratory sub-sampling and the avoidance of any cross contamination.</p>
	<p><i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p>	<p>The half core sampling is considered a reasonable representation of the in-situ material. Nominally 1 in 30 samples were cut in quarters, and both halves analysed (for purposes of field duplicates).</p>
	<p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<p>Sample size of around 4-6kg is considered to be appropriate to reasonably represent the material being tested.</p>
<p><i>Quality of assay data and laboratory tests</i></p>	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p>	<p>Analyses were undertaken at the accredited laboratory of ALS in Bor, Serbia which has full industry certification. Multi elements were assayed by an ICP-AES technique following a four-acid digest. Gold was determined using a fire assay on a nominal 50g charge. Barite was determined from a lithium borate fusion followed by dissolution and ICP-AES analysis. Total sulphur was determined by Leco.</p> <p>All techniques were appropriate for the elements being determined. Samples are considered a partial digestion when using an aqua regia digest.</p>
	<p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p>	<p>There was no reliance on determination of analysis by geophysical tools.</p>
	<p><i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></p>	<p>Certified Reference Material (CRM) appropriate for the elements being analysed were added at a rate better than 1 in 15. All results reported by ALS on the CRMs were to better than 2 standard deviation (2SD), it is considered that acceptable levels of accuracy have been achieved.</p>
<p><i>Verification of sampling and assaying</i></p>	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p>	<p>There has been no independent logging of the mineralised interval however, it has been logged by several company personnel and verified by senior staff.</p>
	<p><i>The use of twinned holes.</i></p>	<p>None of the reported holes are twin holes.</p>



	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	Data is stored on the Virtual Cloud and at various locations. And by an independent Database management company It is regularly backed-up.
	<i>Discuss any adjustment to assay data.</i>	No adjustments were necessary.
<i>Location of data points</i>	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	Sampling sites were surveyed using Total Station to better than 0.05m accuracy in the local BiH coordinate system.
	<i>Specification of the grid system used.</i>	The grid system used MGI 1901 / Balkans Zone 6.
	<i>Quality and adequacy of topographic control.</i>	The topographic surface of the immediate area was generated from a LiDAR survey to an accuracy of approximately 0.05m. It is considered sufficiently accurate for the Company's current activities.
<i>Data spacing and distribution</i>	<i>Data spacing for reporting of Exploration Results.</i>	Results from six drill holes are being reported. All samples were collected at nominally 1 and 2m intervals down hole, with subdivisions based on geological features.
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	No Mineral Resource or Ore Reserve are being reported.
	<i>Whether sample compositing has been applied.</i>	Sample composite was not employed.
<i>Orientation of data in relation to geological structure</i>	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	Reported holes were drilled at an average declination and azimuth as stated in Table 2 of the accompanying report. The drill holes are considered to be reasonably orthogonal to the interpreted dip of the mineralisation, or close to it.
	<i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	It is not considered that the drilling orientation has introduced a sampling bias, as the drilling is considered to be orthogonal to the stratabound mineralisation, or close to it.
<i>Sample security</i>	<i>The measures taken to ensure sample security.</i>	Chain of Custody of digital data is managed by the Company. Physical material was stored on site and, when necessary, delivered to the assay laboratory. Thereafter laboratory samples were controlled by the nominated laboratory. All sample collection was controlled by digital sample control file(s) and hard-copy ticket books.
<i>Audits or reviews</i>	<i>The results of any audits or reviews of sampling techniques and data.</i>	A Site and Laboratory (ALS and SGS, Bor) visit was made by Dr Belinda van Lente, an employee of CSA Global in January 2018. There were no material issues found for the 2017 drill campaign.



Section 2: Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	The Rupice deposit, Jurasevac-Brestic and Borovica prospects are located within the Company's 100% owned Concession, No. 04-18-21389-1/13 (Annex No. 04-18-21389-3/2018), located 13km west of Vareš in Bosnia. There are no known material issues with any third party other than normal royalties due to the State
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	The Concession is in good standing with the governing authority and there is no known impediment to the Concession remaining in force until 2038 (25 years), subject to meeting all necessary reporting requirements
<i>Exploration done by other parties</i>	<i>Acknowledgment and appraisal of exploration by other parties.</i>	<p>Modern exploration commenced with the work of Energoinvest in the late 1960s. For Rupice, during 1968-1969 underground development of 455m of drives and cross cuts were made, and 11 surface trenches dug for a total length of 93.5mm. Between 1980 and 1989 49 holes were drilled for an advance of 5,690.8m. Sample material from all of these programs was routinely analysed for lead, zinc, and barite, and on occasion silver and gold. The deposit was the subject of a number of reserve estimates in the 1980s.</p> <p>This work is documented in many reports which are certified by those geoscientists and Institutes that undertook the work.</p> <p>The work is considered to be of a standard equal to that prevalent within today's exploration industry.</p> <p>For Jurasevac-Brestic historic drilling took place 1969 and 1981, with 7 drill holes for 1,334.2m drilled.</p> <p>Vares Ironworks Mine mined 2 levels at Jurasevac-Brestic in 1971, and in 1990, Rudnk Olivo, Cinka I Barita, d.p. Vares mined another 2 levels for exploration and exploitation purposes.</p>
<i>Geology</i>	<i>Deposit type, geological setting and style of mineralisation.</i>	The deposit is hosted in a package of sediments of Triassic age unconformably overlain by Jurassic aged limestone and chert. The host sediments strike northwest-southeast and dip to the northeast at around 50°, although the sequence is heavily affected by folding and faulting. Mineralisation is within a brecciated dolomite unit, in-part silicified. The polymictic breccia contains zinc, lead and copper sulphides, and barite with minor silver and gold.



<p><i>Drill hole information</i></p>	<p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p> <ul style="list-style-type: none"> o <i>easting and northing of the drill hole collar</i> o <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> o <i>dip and azimuth of the hole</i> o <i>downhole length and interception depth</i> o <i>hole length.</i> <p><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></p>	<p>Drilling data is included in tables 1 and 2 of the main reporting document.</p>
<p><i>Data aggregation methods</i></p>	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p>	<p>No weighting or data truncation was applied to the results.</p>
	<p><i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p>	<p>Standard weight averaging of the drill results based on sample length were used.</p>
	<p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	<p>No metal equivalent reporting was conducted.</p>
<p><i>Relationship between mineralisation widths and intercept lengths</i></p>	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p>	
	<p><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></p>	<p>The mineralisation is within a moderately dipping dolomite which has been both folded and faulted. Historical holes were drilled vertically and mostly intersected the mineralisation at a high angle.</p> <p>Recent drilling by Eastern Mining was mostly inclined at between 70° and 80° to the southwest, perpendicular to the deposit strike, and intersected the mineralisation reasonably orthogonally. In-fill holes were aligned in different orientations to the majority of the drilling, to test for structural controls.</p>



	<i>If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known').</i>	The geometry of the mineralised body is known. The drilling being reported is intersected width vs true width is as follows – <table border="1" data-bbox="901 365 1364 633"> <thead> <tr> <th>Drill Hole</th> <th>Down hole width (m)</th> <th>True width (m)</th> </tr> </thead> <tbody> <tr> <td>BR-02-20</td> <td>8.9</td> <td>8.05</td> </tr> <tr> <td>BR-06-20</td> <td>27.5</td> <td>21.5</td> </tr> <tr> <td>BR-06-20</td> <td>15.2</td> <td>11.9</td> </tr> <tr> <td>BR-07-20</td> <td>11.8</td> <td>10.5</td> </tr> <tr> <td>BR-07-20</td> <td>25.4</td> <td>22.5</td> </tr> <tr> <td>BR-07-20</td> <td>5.3</td> <td>4.7</td> </tr> <tr> <td>BR-09-20</td> <td>34</td> <td>34</td> </tr> </tbody> </table>	Drill Hole	Down hole width (m)	True width (m)	BR-02-20	8.9	8.05	BR-06-20	27.5	21.5	BR-06-20	15.2	11.9	BR-07-20	11.8	10.5	BR-07-20	25.4	22.5	BR-07-20	5.3	4.7	BR-09-20	34	34
Drill Hole	Down hole width (m)	True width (m)																								
BR-02-20	8.9	8.05																								
BR-06-20	27.5	21.5																								
BR-06-20	15.2	11.9																								
BR-07-20	11.8	10.5																								
BR-07-20	25.4	22.5																								
BR-07-20	5.3	4.7																								
BR-09-20	34	34																								
<i>Diagrams</i>	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Relevant maps and diagrams are included in the body of the report.																								
<i>Balanced reporting</i>	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high-grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	All assay tables for all reported holes are included in the main reporting document.																								
<i>Other substantive exploration data</i>	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	No substantive exploration data not already mentioned in the report or in the JORC tables or in previous ASX announcements have been used.																								
<i>Further work</i>	<i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i>	Further drilling will be undertaken for infill and geotechnical purposes, and potentially to add to the Mineral Resource estimate.																								
	<i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Diagrams have been included in the body of this report.																								