



## STOCK EXCHANGE ANNOUNCEMENT

November 10, 2009

### Final Assays Received at Lindeman's Bore, NT

#### ASX Release: PRW

*Final assays at Lindeman's Bore reveal anomalous silver close to surface, as well as deeper cobalt intersection*

#### Executive Summary

- Final assay results now received from diamond core drill hole LBD 1 at Lindeman's Bore, revealing 24-metre intersection with anomalous silver close to surface (including 4m @ 16.15g/t Ag)
- Ground electromagnetic survey and soil sampling to begin this month to test the area of drill hole LBD 1, with shallow drilling to begin early in 2010 to test for further silver anomalism, and 400m deep RC hole to test cobalt and copper intersection
- Further testwork to be conducted on cobalt, copper, gold and silver mineralisation over next 12 months
- Second diamond drill hole planned to test centre of magnetic high before end of 2009

#### Lindeman's Bore, Northern Territory

The Directors of Proto Resources & Investments Ltd are pleased to announce that the final assay results have now been received from diamond drill hole LBD 1, which was completed in June 2009 to a vertical depth of 751m (Table 1) at the Lindeman's Bore Project in the Northern Territory. The hole was drilled to test a coincident geophysical gravity and magnetics anomaly which the Company feels was explained by the intersection of magnetic basaltic sills in hole LBD 1. Following initial assaying of selected half core samples, the entire hole was subsequently cut and sampled. Initial assay results were reported in an ASX Market Release on the 19<sup>th</sup> August 2009.

**Proto Resources &  
Investments Ltd**

ACN: 108 507 517

Suite 1901, Level 19, 109 Pitt St,  
Sydney 2000 NSW Australia  
PO Box R1870  
Royal Exchange NSW 1225

p: +61 2 9225 4000  
f: +61 2 9235 3889  
e: [info@protoresources.com.au](mailto:info@protoresources.com.au)  
w: [www.protoresources.com.au](http://www.protoresources.com.au)

## STOCK EXCHANGE ANNOUNCEMENT

The Lindeman's Bore Project, on granted exploration licence EL 25307, is located 380km southwest of Katherine, on the Limbunya Station near the community of Kalkarindji (Figure 1).

The final assay results for the entire length of LBD 1 show two zones that the Company feels are of significant interest, and intends to follow up with further core analysis, detailed geophysics, and soil sampling. These zones are listed below and in Table 2, with the hole's full assay results provided in Table 3. The unconformity surface between the Limbunya Group and the Inverway Metamorphics is a third zone of potential interest.

**Zone 1, between 32m and 56m      24m @ 4.92g/t Ag from 32m including 4m @ 16.15g/t Ag and**

**Zone 2 between 380m and 391m      5m @ 0.13g/t Au from 380m and 6m @ 0.03% Co & 0.05% Cu from 385m**

Zone 1 between 32m and 56m depth from surface is within Proterozoic aged (1,640 million years old) weathered sedimentary rocks of the Limbunya Group. This interval coincides with the changeover from weathered rock to fresh rock. The level of silver (24m @ 4.92g/t) is certainly anomalous and of interest in a regional context and will be followed up with further testwork.

Zone 2 between 380m and 391m depth from surface is within metamorphosed sedimentary units of the older Inverway Metamorphics. Elevated gold (5m @ 0.13g/t) and cobalt (6m @ 0.03%) appears to occur within vugs (or open spaces) within a silicified dolomitic sandstone unit.

A third zone showing weak elevations of several elements including tungsten (peak 470ppm) and uranium (peak 14ppm) occurs around the unconformable contact between the Limbunya Group and the older Inverway Metamorphics between 310m and 340m depth (Table 3). This contact is an erosional unconformity indicating that the Inverway Metamorphics have been uplifted and exposed at surface prior to deposition of the Limbunya Group sediments on top.

Before the end of the calendar year, Proto intends to undertake a fixed loop ground electromagnetic (EM) survey and a soil sampling program in the area where hole LBD 1 was drilled. This program replaces a downhole EM program, which was previously contemplated. The soil sampling program will examine the distribution of base metals surrounding the elevated silver levels returned from shallow depths in LBD 1. The Company also intends to drill 1,200m of Reverse Circulation ("RC") holes early in the new year to explore the extent of the silver mineralisation, with one 400m RC hole planned to test the anomalous cobalt zone once this zone has been defined further by a ground EM survey.

Proto is also preparing to drill a second diamond core drill hole 1.9km to the north of drill hole LBD 1. This second hole is targeting a different part of the magnetic high feature defined by previous airborne and surface magnetics surveys, and will commence as soon as final government approvals are received.

The Company looks forward to updating the market with future developments at the Lindeman's Bore project area.

Proto Chairman and Managing Director, Andrew Mortimer, said today: "We are very pleased to have all the results in and to have found a second zone of interest in the near surface silver intersection. Along with our recently announced acquisitions in the Northern Territory, we now have a substantial exploration project area in this region."



## STOCK EXCHANGE ANNOUNCEMENT

As recently announced, Proto has pegged additional landholdings of approximately another 6000 km<sup>2</sup> in the Northern Territory to the south, south-east and north-west of the project area.

Enquiries:

Mr Andrew Mortimer  
Chairman and Managing Director  
Proto Resources & Investments Ltd  
Office: +61 (2) 9225 4000  
Mobile: +61 (0)433 894 923

*The information in this report that relates to Exploration Results is based on information compiled by Andrew Jones, who is a Member of the Australasian Institute of Mining & Metallurgy. Mr Jones is a full-time employee of TasEx Geological Services Pty Ltd and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2004 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Jones consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.*

## STOCK EXCHANGE ANNOUNCEMENT

**Table 1 – Drill Hole LBD 1 Collar Co-ordinate Information**

Hole ID	Northing (m)	Easting (m)	Dip (°)	Final Depth (m)
LBD 1	8066817	619792	-90	751


- Hole collar located by handheld GPS (GDA94 datum, Zone 52).
- Vertical drill hole.
- HQ3 sized core from surface to 53.5m and NQ2 sized core from 53.5m to 751m.

**Table 2 – Drill Hole LBD 1 Table of Significant Intercepts**

Hole	Sample Type	Depth From (m)	Depth To (m)	Width (m)	Ag (g/t)	Au (g/t)	Co (%)	Cu (%)	Ni (%)
LBD 1	Half Core	32	56	24	4.92	<0.001	0.003	0.002	0.002
LBD 1	Half Core	380	385	5	<0.01	0.13	0.002	0.001	0.005
LBD 1	Half Core	385	391	6	<0.01	0.03	0.050	0.050	0.015
LBD 1	Half Core	392	393	1	<0.01	0.10	0.01	0.001	0.01
LBD 1	Half Core	397	398	1	<0.01	0.14	0.01	0.004	0.002

- Intercepts for Table 2 are from diamond core drilling
- Analysis by Fire Assay (Au), mass spectrometry (Ag & Co) and optical emission spectrometry (Cu & Ni)

# STOCK EXCHANGE ANNOUNCEMENT



**Figure 1** Lindeman's Bore project location and other application areas

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	0	4	<0.001	0.37	9.5	24.7	26.8	75.9	27.3	5.4	2.9	19
LBD1	4	8	<0.001	1	7.9	19.3	21.3	47	19.1	4.9	1.9	11
LBD1	8	12	1	0.39	9.8	11.8	33.3	23.3	16.3	3.3	2.1	7
LBD1	12	16	1	0.25	4.8	13.8	24.2	22.9	12.5	3.1	1.7	6
LBD1	16	20	<0.001	1.17	12.6	30.2	40.7	20.5	24.3	2.7	1.4	19
LBD1	20	24	<0.001	0.59	14.7	54.3	65.3	57.9	27.9	2.5	1.6	103
LBD1	24	28	<0.001	0.27	11.3	19	30	25.7	18.7	2.4	2.2	61
LBD1	28	32	<0.001	0.66	19.7	10.9	20	15.6	16.9	3.2	4.1	48
LBD1	32	36	<0.001	3.96	9.8	9.7	26.5	16.5	24.3	1.5	15.5	70
LBD1	36	40	1	16.15	8.8	9.8	43.6	20.4	28.8	1.6	65.7	84
LBD1	40	44	<0.001	0.74	11.6	114	20.4	50.5	112	4.2	3	213
LBD1	44	48	<0.001	0.42	6.8	10	7.3	16.6	23.5	1.9	4.6	69
LBD1	48	52	<0.001	3.8	9.3	14.9	19.7	22.8	96	2.8	16.8	158
LBD1	52	56	1	4.47	1.7	2.1	17.7	4.4	28.8	0.4	20.3	24
LBD1	56	60	2	0.49	6	2.5	8.4	<0.2	22.9	1.1	0.6	22
LBD1	60	64	2	0.3	7	6.4	12.8	9	27.1	2.4	1.2	26
LBD1	64	65	3	<0.01	7	8.2	81	12	21	2.48	*	28
LBD1	65	68	<0.001	0.17	<5	3	8.8	1.7	34.6	2.2	1	144
LBD1	68	72	1	0.1	8	2.3	7	<0.2	90.1	0.8	0.6	158
LBD1	72	76	<0.001	0.07	<5	2.3	7.3	0.6	25.5	0.9	0.8	14
LBD1	76	80	<0.001	0.07	1.4	3.3	11.9	5.7	5.8	0.9	1.5	14
LBD1	80	84	<0.001	0.05	0.8	2.4	9.5	3	6.7	0.5	0.9	10
LBD1	84	88	3	0.03	0.7	2.5	12.3	3.6	4	0.5	0.4	8
LBD1	88	92	<0.001	0.02	<0.2	2.9	7.4	9.4	4.2	0.8	1.1	12
LBD1	92	96	<0.001	<0.01	5	2.2	6.6	0.8	2.3	0.7	0.6	12
LBD1	96	100	1	0.05	3.1	6.4	45.6	14	6.7	2.4	1.3	23
LBD1	100	104	<0.001	0.24	9.2	9.2	20.5	11	37.7	2.9	1.1	25
LBD1	104	108	<0.001	0.22	6.6	8.8	18.9	11.8	26.5	2.5	1.2	25
LBD1	108	112	1	0.12	5	6.3	11.5	7.5	8.3	2.4	1.3	25
LBD1	112	116	1	0.24	<5	8.6	15.9	9	17.1	2.4	1.2	21
LBD1	116	120	<0.001	0.12	6	8.1	43.6	8.1	6.5	1.8	0.9	21
LBD1	120	124	1	0.06	2.3	7.8	4.9	12.6	5.4	2.6	1.6	31
LBD1	124	128	2	0.05	3.4	6.8	4.5	13	4.5	2.5	1.3	29
LBD1	128	132	5	0.05	3.5	7	4.3	13.2	4.3	3.2	1.6	28
LBD1	132	136	8	0.04	2.9	6.9	4.8	15	4.3	3	1.6	27
LBD1	136	140	2	0.05	<5	4.4	8.6	5.7	3.4	3	1.1	15
LBD1	140	144	2	0.05	<5	6.4	59.5	5.5	4.6	2.6	1.1	12
LBD1	144	148	<0.001	0.07	1.5	4.6	5.4	4.4	5.2	2.8	1	10
LBD1	148	152	<0.001	0.16	10	6.7	13.2	7.5	15.2	3.5	1.1	11
LBD1	152	156	<0.001	0.22	13	7.8	16.2	10.6	17.4	3.4	1.3	13
LBD1	156	160	1	0.33	13	8.4	22.4	10.4	24.4	3.6	1.1	10
LBD1	160	164	2	0.15	5.1	4.1	15.4	5.6	5.1	1.9	1	7

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	164	168	<0.001	0.07	<0.2	3.7	14.4	4.4	1.7	0.8	0.4	5
LBD1	168	172	<0.001	0.08	<0.2	2.6	4.7	1.8	3	1	0.2	3
LBD1	172	176	<0.001	0.02	<5	3.1	12.4	1.9	1.1	1	0.4	3
LBD1	176	180	1	0.03	10	3.8	12.6	2.8	3.6	1.2	0.3	7
LBD1	180	182	<0.001	0.07	7.9	6.9	14.9	3.7	8.1	1.9	0.3	12
LBD1	182	183	2	<0.01	21	11.4	25	6	18	1.29	*	20
LBD1	183	184	2	0.2	68	39.5	109	16	43	1.26	*	11
LBD1	184	185	2	0.4	96	52.5	90	19	62	2.57	*	13
LBD1	185	186	2	0.3	50	26.6	77	13	14	1.87	*	11
LBD1	186	187	2	0.3	66	36.1	126	14	34	1.36	*	85
LBD1	187	188	2	0.3	25	15.3	44	5	14	0.69	*	4
LBD1	188	189	2	<0.01	35	19.2	60	7	19	1.02	*	10
LBD1	189	190	2	0.2	31	16.5	58	8	18	1.84	*	11
LBD1	190	191	2	0.3	46	26.3	50	11	53	2.34	*	11
LBD1	191	192	2	<0.01	21	10.9	27	X	39	2.48	*	14
LBD1	192	193	3	0.2	30	14.7	29	6	18	3.6	*	19
LBD1	193	194	2	0.2	23	13.9	31	8	22	3.54	*	23
LBD1	194	198	<0.001	0.08	2.5	5	123	7.4	13.4	2.1	0.9	15
LBD1	198	199	2	<0.01	5	3.7	214	8	7	1.42	*	16
LBD1	199	203	<0.001	0.15	15.5	15.9	59.3	7.5	17.3	1.3	1	12
LBD1	203	207	1	0.24	20	20.9	17.6	8.5	25.4	2.7	0.7	27
LBD1	207	211	3	0.07	1.4	9.6	5.1	9.2	9.9	1.8	0.9	23
LBD1	211	215	1	0.04	0.3	2.3	14.7	4.6	1.5	1.3	0.4	3
LBD1	215	219	2	0.04	<0.2	0.9	7.6	3.7	1.1	0.8	1.1	3
LBD1	219	223	3	0.06	1	2.9	4.4	2.6	1.4	1	22.6	3
LBD1	223	227	1	0.04	0.4	1.3	6	4.3	1.1	0.7	0.3	2
LBD1	227	231	2	0.13	0.8	0.8	7.9	4.3	1.3	0.8	1.7	9
LBD1	231	235	1	0.07	0.3	0.9	4.4	2.9	1.1	0.7	0.6	3
LBD1	235	239	2	0.05	0.4	1.8	7.2	6.7	1.1	0.7	0.5	2
LBD1	239	244	1	0.06	0.7	1.6	10.9	7	1.5	0.7	2.1	6
LBD1	244	248	2	0.04	0.7	1.2	4.3	3	1.7	1	0.6	4
LBD1	248	252	2	0.04	0.7	1.7	4.7	4.3	1.9	0.9	0.4	3
LBD1	252	256	2	0.04	0.6	0.9	8.4	4.8	1.9	0.7	1.5	4
LBD1	256	260	2	0.04	0.5	1.6	1.6	2	2.1	0.7	0.4	4
LBD1	260	264	2	0.05	0.5	2.5	7.7	6.9	2.1	1	0.5	4
LBD1	264	268	1	0.05	1	1.6	7	4.9	2.8	1	1.6	8
LBD1	268	272	3	0.05	0.6	5.1	4.1	5.7	1.9	0.7	0.5	13
LBD1	272	276	<0.001	0.06	0.3	1.6	5.9	3.9	1.7	0.9	0.4	3
LBD1	276	280	1	0.04	0.7	0.6	5.5	2.8	1.8	0.9	1	3
LBD1	280	284	<0.001	0.05	0.6	0.6	2	1.9	2.3	0.8	0.3	2
LBD1	284	288	<0.001	0.04	0.2	0.9	3.8	1.2	1.9	0.7	0.2	2
LBD1	288	292	<0.001	0.05	0.4	0.4	2	1.3	2.8	0.8	0.6	3

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	292	296	2	0.04	<0.2	0.4	1.5	1.1	3.8	0.8	0.4	<2
LBD1	296	300	1	0.05	1.8	1.7	5.2	5.2	7.4	1.1	1	2
LBD1	300	304	1	0.03	1.8	0.8	5.5	3.9	8.5	1.6	1.9	3
LBD1	304	305	2	<0.01	5	0.6	4	3	17	3.07	*	5
LBD1	305	308	1	<0.01	2.3	1.1	3.8	4	11.5	2	1.3	<2
LBD1	308	312	1	0.04	2.4	0.8	4.9	5.3	12	1.6	2	4
LBD1	312	316	1	0.04	1.7	1.3	4.4	4.8	11	1.7	1.3	2
LBD1	316	320	1	0.06	3.1	1.6	7	4.6	10.5	5.1	2.3	2
LBD1	320	324	1	0.25	118	15.8	9.6	9.8	43.6	10.8	5.5	7
LBD1	324	328	3	0.12	108.5	2.5	5.2	12.2	54.1	13.4	6.9	4
LBD1	328	332	1	0.06	117	7.2	4.6	45.4	73.7	11.9	89.8	5
LBD1	332	334	1	0.11	182.5	7.9	3.8	22.8	38	10.4	284	8
LBD1	334	336	<0.001	0.13	248	9.8	4.5	27.9	35.9	10.1	470	22
LBD1	336	337	<0.001	0.15	99.9	7.5	6.3	23.5	50.9	14.4	395	26
LBD1	337	338	2	<0.01	139	6.5	7	6	30	10.93	*	20
LBD1	338	340	<0.001	0.12	109	7.5	6.4	27.1	46.1	8.9	345	19
LBD1	340	342	<0.001	0.1	64.4	6.2	8.8	24.8	18.7	4.4	139	12
LBD1	342	343	2	<0.01	33	3.5	9	12	7	1.87	*	8
LBD1	343	344	2	<0.01	29	4.6	9	14	6	2.1	*	9
LBD1	344	345	2	<0.01	38	5	12	21	7	2.41	*	13
LBD1	345	347	<0.001	0.05	32.6	4.7	8.6	18.1	7.4	2	48.9	9
LBD1	347	348	2	0.5	30	6.7	9	16	7	2.19	*	11
LBD1	348	350	2	0.07	66	3.5	6.4	13.7	8	3.7	77.3	6
LBD1	350	352	2	0.09	134.5	3.7	8	15.2	13.1	5.4	88.4	9
LBD1	352	354	4	0.05	161	7.5	12.3	15.3	18	7	99.1	16
LBD1	354	356	12	0.08	103	3.1	8.5	14.3	17.6	6.9	119.5	9
LBD1	356	357	3	0.07	174.5	2.5	4.3	12.7	19.9	6.2	74.7	5
LBD1	357	358	19	<0.01	146	2.4	9	10	25	7.14	*	12
LBD1	358	360	11	0.08	167	3.3	9	13.2	52.4	6.4	57.7	22
LBD1	360	362	6	0.08	42.5	2.9	5	11.8	198.5	5.1	32.4	28
LBD1	362	364	7	0.06	124	3.4	5.7	13.9	172	6.2	44.1	36
LBD1	364	366	2	0.07	45.4	4.2	6.1	16.5	45.9	5.6	39.2	14
LBD1	366	368	1	0.06	71	4.4	6.4	18.3	9.7	5.1	40	11
LBD1	368	370	1	0.07	124	4.6	8.4	17.9	28.1	4.5	62.9	21
LBD1	370	372	2	0.1	28.3	3.7	3.4	12.5	15.6	2.6	12.3	6
LBD1	372	374	1	0.11	37.5	2.3	2.6	16.7	15.6	2.6	8.3	7
LBD1	374	375	3	<0.01	86	4.8	5	25	36	6.7	*	30
LBD1	375	376	2	<0.01	21	3.3	4	27	10	3.21	*	48
LBD1	376	377	2	<0.01	16	4.4	3	27	4	1.64	*	12
LBD1	377	378	5	<0.01	16	3.4	4	32	4	3.63	*	51
LBD1	378	379	3	<0.01	11	4.4	5	4	3	3.57	*	15
LBD1	379	380	2	<0.01	26	8.2	5	47	3	3.34	*	14

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	380	381	140	<0.01	29	8.7	4	54	3	5.77	*	15
LBD1	381	382	224	<0.01	49	18.4	4	64	3	4.72	*	10
LBD1	382	383	79	<0.01	10	5.3	4	52	3	3.58	*	12
LBD1	383	384	63	<0.01	6	4.5	10	50	3	4.86	*	11
LBD1	384	385	167	<0.01	17	72.7	30	37	6	4.68	*	7
LBD1	385	386	5	<0.01	3	325.1	293	133	4	3.1	*	4
LBD1	386	387	5	<0.01	20	266.4	281	111	3	3.61	*	1
LBD1	387	388	5	<0.01	5	201	707	97	5	1.83	*	4
LBD1	388	389	5	<0.01	4	311.1	566	153	10	1.72	*	4
LBD1	389	390	4	<0.01	5	583.9	428	302	5	1.99	*	9
LBD1	390	391	5	<0.01	2	178.5	501	86	5	2.11	*	4
LBD1	391	392	4	<0.01	<0.2	25.1	50	18	2	0.94	*	4
LBD1	392	393	100	<0.01	2	5.8	12	6	2	1.53	*	<2
LBD1	393	394	3	<0.01	2	19.3	154	12	2	1.53	*	2
LBD1	394	395	3	<0.01	4	32.2	161	24	3	2.07	*	1
LBD1	395	396	2	0.5	5	28.1	173	24	10	2.82	*	2
LBD1	396	397	13	0.3	5	84.2	66	51	6	2.86	*	14
LBD1	397	398	135	<0.01	3	14.3	44	20	5	2.71	*	24
LBD1	398	399	4	<0.01	3	8.6	13	4	3	9.82	*	32
LBD1	399	400	9	<0.01	47	27.4	46	36	13	4.66	*	135
LBD1	400	401	13	<0.01	57	27.1	47	32	24	7.75	*	60
LBD1	401	402	11	<0.01	14	22.2	30	30	11	4.27	*	125
LBD1	402	403	12	<0.01	30	34.9	19	33	8	3.62	*	127
LBD1	403	404	9	<0.01	45	22.5	19	29	17	4.59	*	145
LBD1	404	405	23	<0.01	19	38.4	10	38	6	4.08	*	210
LBD1	405	406	17	<0.01	20	23.8	23	29	7	2	*	146
LBD1	406	407	22	<0.01	16	20	28	27	9	4.26	*	19
LBD1	407	408	6	<0.01	18	15.5	38	20	9	2.05	*	12
LBD1	408	409	39	<0.01	7	41.2	20	31	4	2.32	*	87
LBD1	409	410	14	<0.01	8	28.6	23	35	3	1.77	*	179
LBD1	410	411	48	<0.01	3	29.2	14	22	7	1.86	*	44
LBD1	411	412	9	<0.01	6	28.5	27	21	4	2.75	*	5
LBD1	412	413	23	<0.01	4	33.8	44	17	5	2.58	*	7
LBD1	413	414	34	0.9	9	57.3	48	65	19	2.53	*	11
LBD1	414	415	35	0.7	7	45.5	35	68	14	1.72	*	27
LBD1	415	416	10	0.6	10	36.9	63	65	16	1.5	*	22
LBD1	416	417	4	<0.01	6	28.5	79	60	7	1.44	*	44
LBD1	417	418	2	<0.01	7	36.5	92	69	4	1.46	*	33
LBD1	418	419	<0.001	0.11	5	37.8	64.7	81.6	5.5	1.7	1	95
LBD1	419	420	<0.001	0.09	2	36.5	54.3	92.1	6.4	1.2	1.1	88
LBD1	420	421	<0.001	0.08	1.6	35.5	65.3	95.4	4.4	1.2	0.8	103
LBD1	421	422	<0.001	0.11	12	27.8	60.2	69.1	6	1.4	0.9	60

## STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	422	423	<0.001	0.06	5	18	20.1	36.3	11.2	1.2	0.6	63
LBD1	423	424	<0.001	0.06	<5	22.5	25.7	51.8	10.4	1.2	0.5	76
LBD1	424	425	<0.001	0.07	<5	29.5	44.2	73.6	6.5	1.3	0.7	105
LBD1	425	426	<0.001	0.09	5	35.8	55.3	95.4	7.1	1.2	1	126
LBD1	426	427	<0.001	0.1	<5	38.3	87.1	106.5	7.3	1.2	0.6	142
LBD1	427	428	<0.001	0.08	<5	27.8	59.9	70.6	5.3	1.3	0.6	77
LBD1	428	429	<0.001	0.08	<5	23	34.3	59.2	5.1	1.4	0.5	72
LBD1	429	430	8	0.16	5	27.2	33.5	68.6	29.2	1.4	0.8	193
LBD1	430	431	<0.001	1.44	23	48.7	94.7	82.1	937	1.3	0.8	2290
LBD1	431	432	<0.001	0.46	<5	31.1	44.6	90.1	71.4	1.3	0.9	330
LBD1	432	433	<0.001	0.28	<5	26.3	35.5	65.3	16.7	1.4	1	98
LBD1	433	434	1	0.9	15	18.7	33.8	32.4	466	1.1	0.7	4360
LBD1	434	435	<0.001	0.22	6	27	48.7	50.7	8.6	1.8	0.8	68
LBD1	435	436	<0.001	0.08	6	19.2	28.3	36.9	11.1	1.4	0.5	64
LBD1	436	437	<0.001	0.11	10	50.6	117.5	83.5	3.2	1.1	0.5	71
LBD1	437	438	<0.001	0.13	2.8	56.9	194.5	121	4.1	0.8	0.5	117
LBD1	438	439	<0.001	0.09	0.9	46.3	61.9	128	6.2	0.5	0.4	103
LBD1	439	440	<0.001	0.1	0.2	50.5	69.2	146.5	6.4	0.6	0.6	111
LBD1	440	441	<0.001	0.09	0.3	47.8	56.7	133	7.1	0.7	0.6	113
LBD1	441	442	<0.001	0.09	0.6	46.8	95.5	140	6.5	0.6	0.6	123
LBD1	442	443	<0.001	0.06	<0.2	41.9	68.3	127	8.4	0.5	0.4	105
LBD1	443	444	5	0.05	0.4	42.5	68.4	126.5	7.1	0.5	0.4	107
LBD1	444	445	1	0.08	0.5	49.7	59.8	113	5.1	0.7	0.6	109
LBD1	445	446	<0.001	0.04	1.1	3.4	7.6	5	4.1	2.4	0.3	20
LBD1	446	447	<0.001	0.07	1.2	1.7	5.8	3.5	30.9	2.4	1.2	52
LBD1	447	448	<0.001	0.04	2.6	2.2	4.2	3	3.7	2.3	0.5	10
LBD1	448	449	<0.001	0.04	0.9	21.1	15.8	50	4.3	1.7	1.1	54
LBD1	449	450	2	0.02	<0.2	20.1	16.5	60.9	4.3	1.6	0.6	53
LBD1	450	451	<0.001	<0.01	<0.2	1.9	5.7	4.5	4.5	2.1	0.4	13
LBD1	451	452	1	0.05	<0.2	25.9	52.4	77.2	5.4	1.5	0.5	68
LBD1	452	453	1	0.09	<5	25.7	98.7	61.9	5.8	1.4	0.4	64
LBD1	453	454	<0.001	0.05	6	34.1	36.2	96.6	4.1	1.5	0.4	77
LBD1	454	455	<0.001	0.06	<5	34.4	28.1	96.6	4.5	1.1	0.6	89
LBD1	455	456	<0.001	0.06	0.7	46.4	68.4	136	7.5	0.8	0.6	102
LBD1	456	457	<0.001	0.04	0.3	50.9	18.3	153	7.4	1	0.6	124
LBD1	457	458	1	0.06	5	39.4	31.9	100	6	1.2	1.8	97
LBD1	458	459	1	0.04	1.4	29.4	5.1	79.9	6.6	1.9	0.8	91
LBD1	459	460	<0.001	<0.01	0.2	2	6	4.6	5.7	2.5	0.3	23
LBD1	460	461	<0.001	<0.01	1.4	2.5	10.4	4.4	7.5	2.4	0.4	25
LBD1	461	462	<0.001	0.05	0.5	25.3	37.4	89	5.4	1.5	0.7	71
LBD1	462	463	<0.001	0.06	<0.2	37.2	40.7	118	5.7	0.9	0.8	114
LBD1	463	464	<0.001	0.06	<0.2	36	22.9	119.5	6.8	0.9	0.7	113

## STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	464	465	<0.001	0.08	<5	36.8	44	110.5	7.5	0.9	0.6	122
LBD1	465	466	2	0.05	<0.2	31.2	90.2	97.5	4.9	1	0.6	102
LBD1	466	467	<0.001	0.06	<0.2	35.4	58.8	119.5	6	0.9	0.6	119
LBD1	467	468	8	0.03	0.3	39.1	81.6	147.5	8	0.8	0.6	133
LBD1	468	469	<0.001	0.04	<0.2	41.6	26.6	144	7.2	0.7	0.6	132
LBD1	469	470	6	0.06	0.7	35.1	89.9	126.5	5.8	0.8	0.6	114
LBD1	470	471	<0.001	0.04	<0.2	37.6	88.3	152	7.9	0.7	0.6	125
LBD1	471	472	1	0.07	5	38.3	113	100.5	14.8	1.1	0.4	110
LBD1	472	473	<0.001	0.03	<5	14.8	16	16.1	5.9	1.1	0.1	22
LBD1	473	474	<0.001	0.03	<5	10.6	14.8	15.3	2.7	1.5	0.1	13
LBD1	474	475	3	<0.01	<0.2	50.1	76	9	4	1.19	*	56
LBD1	475	476	3	<0.01	3	50.2	119	130	7	0.7	*	79
LBD1	476	477	2	<0.01	<0.2	44.9	69	134	6	0.91	*	93
LBD1	477	478	2	<0.01	<0.2	40.2	74	145	8	0.69	*	81
LBD1	478	479	3	<0.01	<0.2	48.4	97	148	10	0.69	*	110
LBD1	479	480	3	<0.01	<0.2	46.5	78	137	9	0.68	*	103
LBD1	480	481	4	<0.01	2	40.7	90	131	6	1.12	*	85
LBD1	481	482	2	<0.01	<0.2	41	23	124	4	0.49	*	102
LBD1	482	483	2	<0.01	4	53.8	105	139	7	0.48	*	93
LBD1	483	484	3	<0.01	2	47.8	99	144	6	0.61	*	94
LBD1	484	485	2	<0.01	2	44.6	78	138	6	0.5	*	81
LBD1	485	486	2	<0.01	2	45	22	126	5	0.57	*	89
LBD1	486	487	3	<0.01	2	47.1	27	128	4	0.71	*	112
LBD1	487	488	2	<0.01	<0.2	52.3	110	138	8	0.63	*	104
LBD1	488	489	2	<0.01	2	48.5	79	146	8	0.61	*	106
LBD1	489	490	3	<0.01	2	43.1	52	122	6	0.63	*	83
LBD1	490	491	2	<0.01	3	42.6	17	12	5	0.89	*	82
LBD1	491	492	2	<0.01	3	42.6	63	14	8	0.63	*	80
LBD1	492	493	2	<0.01	<0.2	48.9	103	14	9	0.57	*	95
LBD1	493	494	2	<0.01	2	42.8	54	8	7	0.65	*	49
LBD1	494	495	2	<0.01	2	44.9	84	13	6	0.42	*	82
LBD1	495	496	2	<0.01	<0.2	48.2	106	15	8	0.58	*	101
LBD1	496	497	3	<0.01	<0.2	47.7	73	15	6	0.57	*	122
LBD1	497	498	2	<0.01	<0.2	45.6	42	14	5	0.56	*	123
LBD1	498	499	18	<0.01	3	45	41	13	3	0.68	*	114
LBD1	499	500	3	<0.01	3	41.5	44	12	5	1.08	*	91
LBD1	500	501	2	<0.01	2	42.1	63	12	6	0.79	*	80
LBD1	501	502	2	<0.01	3	39.9	81	12	6	0.9	*	80
LBD1	502	503	2	<0.01	2	40.4	69	13	4	0.67	*	93
LBD1	503	504	2	<0.01	<0.2	45.4	64	13	4	0.66	*	110
LBD1	504	505	2	<0.01	<0.2	41.8	71	13	5	0.65	*	95
LBD1	505	506	8	0.2	5	40.9	51	12	3	0.68	*	91

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	506	507	2	0.2	<0.2	39.7	63	13	4	0.74	*	83
LBD1	507	508	4	<0.01	3	38.9	113	12	4	1.1	*	91
LBD1	508	509	2	<0.01	5	10.7	24	1	15	1.63	*	42
LBD1	509	510	1	0.16	<5	10.4	21	6.5	46.5	2	0.2	218
LBD1	510	511	5	0.33	23	23.7	48.5	35.9	19	2	0.3	54
LBD1	511	512	2	0.2	6	11	25.3	14.2	9.6	2	0.2	22
LBD1	512	513	1	0.12	<5	9.4	8.7	3.2	4.6	2.1	0.2	19
LBD1	513	514	<0.001	0.24	5	13.8	69.8	12.2	12.2	1.9	0.2	36
LBD1	514	515	1	0.11	<5	15.5	6.1	54	3.9	1.6	0.6	32
LBD1	515	516	1	0.06	<5	12.8	35.1	24.5	2.6	1.3	0.7	21
LBD1	516	517	1	0.09	<5	29.2	38.7	92.3	3.4	1.3	0.5	60
LBD1	517	518	1	0.03	0.5	52	254	216	2.7	0.8	0.6	94
LBD1	518	519	1	0.02	1	58.1	0.7	250	1.9	0.6	0.5	110
LBD1	519	520	1	0.03	1.3	65.9	0.3	272	1.6	0.6	0.4	126
LBD1	520	521	<0.001	<0.01	1.6	73.2	4	289	2.2	1	0.6	133
LBD1	521	522	<0.001	0.04	2	58.7	0.2	234	2.7	0.7	0.7	105
LBD1	522	523	<0.001	0.03	1.1	64.6	12.8	249	2	0.7	0.5	123
LBD1	523	524	<0.001	0.02	1.4	49	18.2	199	2.8	0.8	0.5	86
LBD1	524	525	1	0.02	7	15.7	334	43	4	1	0.2	26
LBD1	525	526	<0.001	0.03	1.9	56.8	3.6	218	2	0.7	0.7	106
LBD1	526	527	<0.001	0.02	2.5	61	5.7	240	2.1	0.7	0.9	123
LBD1	527	528	1	0.02	1.9	59.3	11.5	252	2.1	1	1.2	128
LBD1	528	529	3	<0.01	12	11.3	82	2	6	1.87	*	17
LBD1	529	530	1	0.06	14	9.5	17.3	9.4	4	1.9	0.1	6
LBD1	530	531	<0.001	0.06	13	9.2	18.1	12.3	3.7	2	0.2	9
LBD1	531	532	1	0.1	10	9.5	24.8	16	3.9	1.8	0.2	7
LBD1	532	533	1	0.06	14	8.1	22.4	11	3	1.9	0.2	6
LBD1	533	534	2	0.11	17	11.5	18	15	4	2	0.2	7
LBD1	534	535	2	0.07	10	8.9	16.6	12.2	3.3	1.7	0.2	8
LBD1	535	536	2	0.09	15	9.6	20.6	10.2	3.3	1.9	0.2	5
LBD1	536	537	2	0.06	21	9.1	32.3	9.7	3.5	1.9	0.2	5
LBD1	537	538	4	0.06	14	9.8	13.6	15.1	2.7	1.8	0.4	10
LBD1	538	539	3	0.06	6	5	7	<0.2	3.4	1.4	0.1	2
LBD1	539	540	<0.001	0.05	<5	5.5	7.9	<0.2	2.7	1.5	0.2	3
LBD1	540	541	<0.001	0.04	9	3.1	9.5	<0.2	2.7	1.4	0.1	4
LBD1	541	542	2	<0.01	4	2.4	6	X	27	1.32	*	91
LBD1	542	543	<0.001	0.04	12	2.3	4.4	<0.2	14.3	1.4	0.1	68
LBD1	543	544	1	0.05	17	4.7	4.7	<0.2	16.9	1.4	0.2	46
LBD1	544	545	<0.001	0.04	13	2	4.4	<0.2	12.9	1.2	0.1	60
LBD1	545	546	<0.001	0.05	13	2.2	4.4	<0.2	16.8	1.3	0.1	71
LBD1	546	547	<0.001	0.02	6	2.4	4.2	<0.2	3.9	1.2	0.1	14
LBD1	547	548	1	0.03	9	2.3	4.6	<0.2	8.5	1.2	0.1	30

## STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	548	549	<0.001	0.05	41	6.6	4.9	<0.2	28.8	1.3	0.1	57
LBD1	549	550	<0.001	0.06	13	2.6	6.2	<0.2	36.7	1.4	0.1	214
LBD1	550	551	1	0.06	7	2.6	5.7	<0.2	18.5	1.4	0.1	66
LBD1	551	552	<0.001	0.14	10	3.2	7.4	31	4.9	1.3	0.1	12
LBD1	552	553	<0.001	0.05	<5	2.6	5.1	<0.2	5.3	1.2	0.1	26
LBD1	553	554	<0.001	0.05	<5	2.7	5.7	0.9	2.6	1.2	0.1	9
LBD1	554	555	<0.001	0.06	5	3.3	6.8	2	4.6	1.6	0.1	71
LBD1	555	556	1	0.08	<5	2.6	5.6	1	3.8	1.3	0.1	21
LBD1	556	557	1	0.04	6	3.4	7.6	1.9	2	1.3	0.1	22
LBD1	557	558	1	0.04	<5	4	11.2	3.3	3.3	1.3	0.1	7
LBD1	558	559	<0.001	0.05	<5	3.4	7	4.6	3.1	2.4	0.1	6
LBD1	559	560	2	<0.01	3	4.1	8	1	36	2.38	*	121
LBD1	560	561	<0.001	0.13	7	8.4	13.6	13.9	67	2	0.2	344
LBD1	561	562	<0.001	0.12	<5	4.9	10.3	9.2	48.2	1.5	0.1	285
LBD1	562	563	<0.001	0.09	<5	5	8.7	8.5	23.3	1.9	0.1	106
LBD1	563	564	<0.001	0.04	8	7.9	13.7	13.4	4.2	1.6	0.2	19
LBD1	564	565	1	0.06	7	8.4	32.9	17.2	5.3	1.5	0.2	24
LBD1	565	566	1	0.06	<5	5.6	11.3	11.9	10.8	2.3	0.1	154
LBD1	566	567	2	<0.01	<0.2	3.7	8	1	10	1.47	*	43
LBD1	567	568	29	0.17	7	9.1	22.8	21.2	20.7	2.1	1	84
LBD1	568	569	30	0.28	6	7.3	35.8	19.9	75.5	1.9	0.9	346
LBD1	569	570	1	0.14	8	6.5	11.1	11.6	55.8	1.7	0.4	649
LBD1	570	571	1	0.12	7	4.9	19	7.3	25.3	2	0.3	438
LBD1	571	572	<0.001	0.19	<5	4.4	18.2	9.9	107.5	1.9	0.4	442
LBD1	572	573	8	0.23	12	10.4	26.1	18.7	39.4	2.3	0.4	328
LBD1	573	574	1	0.05	<5	2.4	5.9	3.8	5.3	1.9	0.1	12
LBD1	574	575	<0.001	0.08	6	3.3	6.6	5.3	26.1	2.4	0.1	32
LBD1	575	576	1	0.17	14	5.3	16.9	10.8	199	2.1	0.3	1840
LBD1	576	577	1	0.15	10	3.6	21.5	6.2	138	3.2	0.5	1300
LBD1	577	578	4	0.08	2.7	1.1	30	2.7	18.3	5	1	50
LBD1	578	579	1	0.2	15	5.4	25.3	9.7	224	1.7	0.4	909
LBD1	579	580	1	0.24	13	4	24	7.1	47.2	1.6	0.1	542
LBD1	580	581	1	0.17	22	3.8	19.1	5.5	140.5	1.5	0.2	97
LBD1	581	582	1	0.21	20	2.7	5.4	5.9	54.1	2.3	0.1	378
LBD1	582	583	<0.001	0.21	11	3.2	8.3	6.6	108.5	2.1	0.1	220
LBD1	583	584	1	0.25	10	6.6	16	13.6	201	2.1	0.1	400
LBD1	584	585	2	<0.01	7	10.9	26	2	30	2.71	*	102
LBD1	585	586	1	0.13	9	12.1	31.5	22.1	44.6	1.7	0.3	161
LBD1	586	587	<0.001	0.18	30	5.4	31.2	9.6	357	1.7	0.4	524
LBD1	587	588	1	0.13	<5	2.9	9.4	5	153.5	1.3	0.1	1260
LBD1	588	589	1	0.09	6	3	17.8	1.6	96.1	2.1	0.1	751
LBD1	589	590	3	0.21	59	5.5	11.7	7.7	171	2.7	0.2	770

## STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	590	591	1	0.19	26	4.1	20.9	5	173	2.2	0.2	745
LBD1	591	592	1	0.17	33	7	14	7.5	105	2.8	0.4	992
LBD1	592	593	<0.001	0.19	16	5	13.1	7.5	168	2.1	0.2	1320
LBD1	593	594	<0.001	0.16	23	5.3	33.8	4.9	240	2.4	0.3	1430
LBD1	594	595	18	0.35	17	5.6	14.8	5.5	125.5	1.5	0.4	403
LBD1	595	596	17	0.44	41	17.2	83.6	31.2	50.8	1.4	1.5	184
LBD1	596	597	4	0.16	28	37.1	103	82.9	9.2	1	3	58
LBD1	597	598	3	0.12	6.7	42.5	139	115	5.1	0.8	2.3	97
LBD1	598	599	1	0.09	4.1	40.3	6.3	121.5	3.3	0.8	3.6	89
LBD1	599	600	1	0.12	3.1	49.4	7.9	123	3.5	0.9	2.8	92
LBD1	600	601	<0.001	0.07	8	24.7	64.2	65	3.4	1.3	1.3	54
LBD1	601	602	1	0.14	10	27.5	38	60.9	13.2	1.6	0.8	92
LBD1	602	603	<0.001	0.21	10	26.2	30.8	58.6	8.2	1.6	1.1	51
LBD1	603	604	3	0.13	18	28.6	38.4	64	7.1	2.8	1.7	70
LBD1	604	605	3	<0.01	2	19.7	34	5	2	1.28	*	53
LBD1	605	606	<0.001	0.08	6	27.5	36.7	83.3	2.7	1.2	1.3	67
LBD1	606	607	49	0.07	0.5	33.8	18.2	115.5	3.8	1.3	2.1	92
LBD1	607	608	<0.001	0.05	7	24	36.2	75.4	2.6	1.1	1.4	57
LBD1	608	609	2	0.04	<5	25.8	26.5	82.4	2.6	1.6	1.2	66
LBD1	609	610	3	<0.01	3	5.8	47	2	5	1.42	*	24
LBD1	610	611	2	0.06	11	13.3	154	41.6	8.5	2.3	0.9	35
LBD1	611	612	<0.001	0.06	7	30.7	65.8	97.9	3.3	1.5	0.8	72
LBD1	612	613	<0.001	0.07	0.3	30.6	19.5	118.5	3.7	1.1	0.8	99
LBD1	613	614	<0.001	0.06	0.2	36.3	11.1	139.5	2.8	1.1	0.8	113
LBD1	614	615	<0.001	0.04	<5	25.9	66.8	92.6	1.7	1.1	0.4	64
LBD1	615	616	<0.001	0.06	<5	27.6	83.6	96.3	2.4	1.3	0.4	51
LBD1	616	617	2	0.06	5	30.9	63.4	99.1	2.1	1.3	0.5	65
LBD1	617	618	<0.001	0.04	<5	23	50.5	80.8	3.1	1.2	0.4	45
LBD1	618	619	1	0.06	<5	27.8	141	90.6	2.4	1.5	0.5	67
LBD1	619	620	1	0.07	0.7	42.6	31.7	136.5	3.3	1	1	95
LBD1	620	621	2	0.07	0.4	42.6	22	154.5	2.8	1	0.9	95
LBD1	621	622	2	0.08	0.9	43.9	7.1	181	2.7	0.8	0.7	100
LBD1	622	623	<0.001	0.06	1	46.6	3.5	181	2.8	0.8	1.1	100
LBD1	623	624	<0.001	0.06	0.8	47.8	41.4	185.5	2.7	0.9	0.8	99
LBD1	624	625	1	0.06	1.3	45.2	43.9	172.5	3.4	0.8	1	89
LBD1	625	626	1	0.04	<0.2	27.9	135	96.3	2.9	0.7	0.3	70
LBD1	626	627	1	0.06	0.9	55.9	81.6	200	3.5	0.8	0.6	125
LBD1	627	628	2	0.04	<5	22.4	164.5	76.3	2.3	1.1	0.3	64
LBD1	628	629	<0.001	0.04	<5	30.2	65.9	114	2.8	1.4	0.4	96
LBD1	629	630	<0.001	0.03	<5	18.1	75.6	57.5	2.1	1.5	0.2	50
LBD1	630	631	<0.001	0.02	<5	13	54.1	41.5	2.1	1.3	0.2	38
LBD1	631	632	<0.001	0.04	<5	26.2	65.6	94.6	2.6	1.4	0.3	70

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	632	633	2	<0.01	<0.2	19.9	42	6	4	1.54	*	45
LBD1	633	634	<0.001	0.04	<5	25	95.1	78.5	5.4	1.5	0.2	95
LBD1	634	635	<0.001	0.04	<5	22.2	359	70.1	2.7	1.4	0.2	57
LBD1	635	636	<0.001	0.05	<0.2	39.8	16.3	163.5	3.5	0.7	0.8	74
LBD1	636	637	1	0.05	0.2	46.2	47.3	175.5	2.3	0.8	0.7	95
LBD1	637	638	<0.001	0.05	0.4	47.8	8.3	191	2.8	0.7	0.6	96
LBD1	638	639	<0.001	0.06	0.6	51.6	7	210	5.4	0.7	0.5	106
LBD1	639	640	<0.001	0.05	0.2	47.5	3	185	3.2	0.7	0.5	96
LBD1	640	641	<0.001	0.05	0.9	47.3	49	187	2.7	0.7	0.4	94
LBD1	641	642	1	0.05	<0.2	48.6	31.5	206	2.5	0.7	0.4	103
LBD1	642	643	<0.001	0.05	0.4	54.1	24.1	229	2.1	0.8	0.3	111
LBD1	643	644	<0.001	0.04	<0.2	44.3	17.8	172	2.9	0.7	0.7	92
LBD1	644	645	<0.001	0.05	0.2	49.1	12.8	208	4.4	0.7	0.5	104
LBD1	645	646	<0.001	0.02	0.5	14.3	30.9	58.4	4.4	1.9	0.8	43
LBD1	646	647	1	0.04	0.7	42.2	91.6	168	2.9	1.3	0.8	94
LBD1	647	648	<0.001	0.04	0.3	48.3	37.9	199	5	0.9	0.8	98
LBD1	648	649	1	0.04	<0.2	39.4	34	158	3.4	0.8	0.6	75
LBD1	649	650	1	0.06	0.3	52.9	12.3	216	2	0.5	0.5	103
LBD1	650	651	1	0.06	0.5	55.9	36.5	228	1.5	0.5	0.5	108
LBD1	651	652	<0.001	0.05	<0.2	53.4	10.5	211	1.6	0.5	0.3	106
LBD1	652	653	<0.001	0.05	<0.2	49.6	13.8	195.5	2.4	0.5	0.3	103
LBD1	653	654	2	0.08	0.7	51.6	110.5	206	3.7	0.7	0.6	103
LBD1	654	655	1	0.06	0.2	53.9	57	235	5.1	0.5	0.4	121
LBD1	655	656	1	0.06	0.4	48.2	66.2	199	2.3	0.5	0.5	105
LBD1	656	657	1	0.06	0.6	64.1	5.3	262	1.6	0.5	1.1	141
LBD1	657	658	<0.001	0.06	0.8	59.1	6	221	2.3	0.8	2.2	123
LBD1	658	659	<0.001	0.06	0.4	48.4	13.4	195.5	1.7	0.5	1.1	101
LBD1	659	660	1	0.13	0.6	53.3	114.5	222	2.3	0.6	0.7	112
LBD1	660	661	3	0.11	<0.2	36.1	277	143	2.5	0.7	0.7	83
LBD1	661	662	<0.001	0.08	<5	19.4	88.8	62.1	3.8	1.1	0.4	49
LBD1	662	663	<0.001	0.06	<5	17.1	77.6	41.6	3.3	1.3	0.3	41
LBD1	663	664	<0.001	0.11	<5	34.3	86.1	137	3	1	0.6	86
LBD1	664	665	2	0.09	6	23	167.5	55.7	3.7	1.1	0.6	67
LBD1	665	666	2	0.11	<5	34.1	138	89	3.1	1.4	0.8	94
LBD1	666	667	<0.001	0.1	<5	29	94.7	90.4	5.8	1.4	0.5	84
LBD1	667	668	2	0.12	<5	39.6	187	113.5	10.1	1.4	0.7	99
LBD1	668	669	3	0.11	<5	28.3	143	101	7.9	1.2	0.7	88
LBD1	669	670	2	0.13	0.5	41.6	161.5	135.5	6.5	0.9	0.7	99
LBD1	670	671	1	0.13	0.5	49.2	100	166.5	5.1	0.9	0.8	112
LBD1	671	672	2	0.2	0.8	56.6	85.4	170	4.6	0.8	0.6	127
LBD1	672	673	<0.001	0.12	0.6	50.3	39.8	181	4	0.7	0.6	104
LBD1	673	674	1	0.12	0.6	59.9	149	194.5	5.1	0.7	0.5	135

# STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	675	676	4	<0.01	2	51.1	133	11	5	0.83	*	98
LBD1	676	677	6	<0.01	<0.2	50.8	603	15	5	1.19	*	98
LBD1	677	678	2	<0.01	2	51.7	10	15	4	0.59	*	99
LBD1	678	679	2	<0.01	2	41.9	38	10	5	0.73	*	80
LBD1	679	680	3	<0.01	2	45.1	50	10	5	0.82	*	83
LBD1	680	681	3	<0.01	<0.2	38	35	9	3	0.78	*	82
LBD1	681	682	2	<0.01	3	48.6	121	13	6	0.94	*	91
LBD1	682	683	2	<0.01	<0.2	44.1	6	11	5	0.81	*	84
LBD1	683	684	2	<0.01	3	47.2	7	13	6	0.91	*	91
LBD1	684	685	2	<0.01	3	44	11	12	6	0.84	*	89
LBD1	685	686	2	<0.01	<0.2	51.1	12	15	5	0.9	*	105
LBD1	686	687	<0.001	<0.01	<0.2	48.1	6	12	5	0.82	*	102
LBD1	687	688	2	<0.01	3	54.9	6	14	10	0.88	*	114
LBD1	688	689	2	<0.01	3	50.6	6	13	4	0.86	*	105
LBD1	689	690	4	<0.01	2	54.1	42	14	3	0.67	*	106
LBD1	690	691	2	0.12	0.5	50.4	26	144.5	2.4	0.8	0.8	120
LBD1	691	692	4	0.09	0.7	48.9	57.8	125	2.9	0.7	0.8	120
LBD1	692	693	1	0.11	0.9	47.6	39.8	144.5	3.6	0.6	0.7	109
LBD1	693	694	2	0.24	0.9	50.7	201	135	4.7	0.6	0.9	126
LBD1	694	695	7	0.26	1.1	49.3	260	128.5	3.7	0.6	1	122
LBD1	695	696	3	0.12	0.8	52.9	11.6	165.5	4.2	0.7	0.8	119
LBD1	696	697	1	0.09	1.1	46.2	4.7	149	3.4	0.7	1.2	114
LBD1	697	698	<0.001	0.09	1.2	50.3	10.9	167	2.7	0.7	0.9	121
LBD1	698	699	5	0.1	1.6	43.7	110	145	2.9	0.7	2.1	93
LBD1	699	700	1	0.11	0.9	51.5	71.7	154	3.1	0.7	1.5	114
LBD1	700	701	<0.001	0.09	1	48.9	14.9	156.5	3.2	0.6	1.3	117
LBD1	701	702	3	0.09	2.2	51.9	35.5	158.5	2.5	0.7	2.7	89
LBD1	702	703	4	0.09	1.1	48.8	16.9	157	2.4	0.7	1.9	89
LBD1	703	704	1	0.11	1.4	49.1	57.8	159.5	3.1	0.7	2.3	80
LBD1	704	705	1	0.1	0.6	45.3	35.8	128.5	2.4	0.7	2	108
LBD1	705	706	27	0.13	0.8	46	53.3	122.5	3.2	0.8	3	102
LBD1	706	707	<0.001	0.12	1.7	48.2	37.5	155.5	3.1	0.7	3.1	96
LBD1	707	708	<0.001	0.09	0.9	51.6	4.1	207	4.4	0.5	0.7	116
LBD1	708	709	1	0.09	1	54.4	3.2	205	3.6	0.4	0.9	142
LBD1	709	710	2	0.12	1	58.6	86.1	237	4.6	0.5	1.3	157
LBD1	710	711	6	0.13	0.9	59.5	442	216	3.5	0.5	1	141
LBD1	711	712	3	0.13	0.7	61.9	160	228	3.8	0.5	0.8	154
LBD1	712	713	<0.001	0.09	0.6	56.1	19.3	219	6.6	0.5	0.7	131
LBD1	713	714	19	0.35	0.2	53.8	723	216	5.1	0.7	1.1	117
LBD1	714	715	11	0.14	0.5	65.4	277	250	3.4	0.5	3.8	138
LBD1	715	716	10	0.12	0.8	55.6	143	219	3.4	0.6	33.5	101
LBD1	716	717	4	0.14	<0.2	58	202	226	3.3	0.6	2	131

## STOCK EXCHANGE ANNOUNCEMENT

Table 3 (Continued) – Drill Hole LBD 1 Full Assay Results

Hole ID	Depth From (m)	Depth To (m)	Au ppb	Ag ppm	As ppm	Co ppm	Cu ppm	Ni ppm	Pb ppm	U ppm	W ppm	Zn ppm
LBD1	717	718	4	0.12	0.4	62.4	267	238	2.8	0.5	1.6	148
LBD1	718	719	12	0.1	0.5	61.5	199	233	2.3	0.5	1.8	140
LBD1	719	720	2	0.08	0.7	66	142.5	248	2	0.5	1.5	171
LBD1	720	721	3	<0.01	<0.2	35.1	66	9	3	0.62	*	84
LBD1	721	722	5	<0.01	<0.2	31.9	19	8	4	0.62	*	74
LBD1	722	723	2	<0.01	<0.2	35.8	7	10	3	0.51	*	79
LBD1	723	724	3	<0.01	3	33.2	6	9	4	0.67	*	75
LBD1	724	725	2	<0.01	<0.2	48.2	8	17	2	0.46	*	98
LBD1	725	726.15	2	<0.01	<0.2	48.2	53	14	3	0.57	*	97
LBD1	728	729	<0.001	0.08	0.9	42.4	39.5	139.5	4.7	0.7	0.7	110
LBD1	729	730	2	0.12	0.6	41.8	114.5	122.5	5.4	0.8	0.7	106
LBD1	730	731	7	0.12	<5	38.8	66.9	104	5.7	0.9	0.7	88
LBD1	731	732	1	0.11	1	43.2	60.6	138	7.1	0.8	0.6	116
LBD1	732	733	2	0.13	1.9	47.2	40.3	138.5	6.5	0.8	0.9	107
LBD1	733	734	1	0.12	1	40.8	86.6	118.5	5.5	0.9	0.7	102
LBD1	734	735	1	0.1	<5	37.9	94.8	94.1	3.7	0.8	0.4	105
LBD1	735	736	1	0.04	6	17.7	26.8	38.6	4.5	1	0.2	32
LBD1	736	737	1	0.07	7	29.7	54.2	74.7	3	1.2	0.4	61
LBD1	737	738	1	0.1	0.9	40.7	41.5	125	5.5	0.9	0.7	111
LBD1	738	739	1	0.13	1.1	43.8	39.8	137.5	10.7	0.8	0.8	131
LBD1	739	740	1	0.12	1.1	45.3	82.4	137	8.2	0.9	0.8	110
LBD1	740	741	2	0.13	8	44	214	110	9.7	0.9	0.8	124
LBD1	741	742	1	0.07	7	20.4	40.9	47.2	5.9	1.1	0.3	50
LBD1	742	743	<0.001	0.05	<5	26	64.8	60.6	2.4	1.2	0.3	52
LBD1	743	744	2	0.08	0.5	54.8	185	130.5	4.6	0.8	0.6	118
LBD1	744	745	<0.001	0.11	1	55	110	141	5.6	0.7	0.7	125
LBD1	745	746	1	0.09	0.4	27.5	22	91.8	5	1.4	0.8	94
LBD1	746	747	<0.001	0.02	0.4	1.5	7.3	2.9	5.9	2.4	0.4	16
LBD1	747	748	1	0.02	0.9	2.7	16.8	9.4	6.9	2.4	0.8	17
LBD1	748	749	<0.001	<0.01	0.5	1.5	8.8	2	6.5	2.4	0.4	13
LBD1	749	750	1	<0.01	2	1.2	30	X	5	2.76	*	13
LBD1	750	751	1	<0.01	3	2.5	43	X	5	2.42	*	30

- Intercepts for Table 3 are from diamond core drilling
- The presence of the symbol "X" in the Ni column & "\*" in the W column indicates that the particular sample was not analysed for that element
- All samples were submitted as half core
- Analysis by Fire Assay (Au), mass spectrometry and optical emission spectrometry other elements