

**ASX Code: AIV****Issued Capital**

177,228,401 ordinary shares (AIV)

**Market Capitalisation**

\$30.12M (30 October 2017, \$0.17)

**Directors**

Min Yang (Chairman, NED)  
Grant Thomas (Managing Director)  
Geoff Baker (NED)  
Dongmei Ye (NED)  
Craig McPherson (Company Secretary)

**About ActivEX**

ActivEX Limited is a Brisbane based mineral exploration company committed to the acquisition, identification and delineation of new resource projects through active exploration.

The ActivEX portfolio is focussed on copper and gold projects, with substantial tenement packages in north and southeast Queensland and in the Cloncurry district of northwest Queensland.

The Company also has an advanced potash project in Western Australia where it is investigating optimal leaching methods for extraction and production of potash and by-products.

Suite 1, Level 1  
12 Creek Street  
BRISBANE QLD 4000  
PO Box 1533 MILTON QLD 4064

[admin@activex.com.au](mailto:admin@activex.com.au)  
[www.activex.com.au](http://www.activex.com.au)

Phone +61 (07) 3236 4188

ABN 11 113 452 896

**ACTIVITIES REPORT****QUARTER ENDED 30 SEPTEMBER 2017**

Brisbane-based gold and copper explorer ActivEX Limited (ASX: AIV) ("ActivEX" or "the Company") provides the following summary of activities undertaken during the quarter ended 30 September 2017.

**Summary and Highlights**

- ActivEX completed a reverse circulation drilling program of 23 holes for 1,584m that targeted near surface Au-Ag mineralisation at Mountain Maid, Carbon Copy, Carbon Copy East, Percy Queen, Long Lode prospects and Au-Cu (Co) mineralisation at Caledonia, Macedonia, and Oratava prospects.

Significant drill hole results include:

- AMH002 (Carbon Copy) 11m @ 0.15g/t Au and 14.3g/t Ag from 11m, and 2m @ 1.42g/t Au and 2.46g/t Ag from 31m
- AMH003 (Carbon Copy) 1m @ 0.24g/t Au and 1.15g/t Ag from 13m
- AMH005 (Carbon Copy East) 3m @ 0.54g/t Au and 0.62g/t Ag from 59m
- AMH008 (Carbon Copy East) 3m @ 0.26g/t Au and 3.13g/t Ag from 8m
- AMH010 (Percy Queen) 4m @ 0.38g/t Au and 61.7g/t Ag from 44m
- AMH011 (Long Lode) 2m @ 0.51g/t Au and 2.21g/t Ag from 8m
- AMH014 (Long Lode) 6m @ 0.16g/t Au and 7.50g/t Ag from 5m
- AGB001 (Caledonia) 1m @ 0.23g/t Au, 0.82g/t Ag, 0.25% Co & 0.4% Cu
- AGB004 (Macedonia) 7m @ 0.47g/t Au, 2.19g/t Ag and 0.71% Cu from 35m
- AGB005 (Macedonia) 13m @ 0.25g/t Au from 59
- AGB009 (Oratava) 2m @ 0.18g/t Au, 1.48g/t Ag and 0.41% Cu from 26m, and 1m @ 3.03g/t Au from 33m
- At Cloncurry Copper and Gold Project, rock chip sampling of several known prospects and over target areas identified in the in-house Cloncurry Project Assessment (205 samples) returned high gold, copper and cobalt grades. Significant rock chip assay results include:
  - Carcass Creek: 2.18 to 10.6g/t Au and 0.91 to 0.27% Cu
  - Dorie: 4.62g/t Au, 0.35% Cu, 0.04% Co
  - Slaty Creek: 2.85g/t Au, 7.31% Cu
  - Supersonic: 5.26g/t Au, 0.13% Cu
  - Waster: 2.42 to 3.3g/t Au, 3.75 to 1.21% Cu and 0.03 to 0.04% Co

At the end of the September quarter the Company held \$0.213M in cash at bank.

## OVERVIEW

### Gilberton Gold Project

During the quarter ActivEX completed a reverse circulation drilling program of 23 holes for 1,584m that targeted near surface Au-Ag mineralisation at Mountain Maid, Carbon Copy, Carbon Copy East, Percy Queen, Long Lode (EPM 18615, Mt Hogan) prospects and Au-Cu-(Co) mineralisation at Caledonia, Macedonia, and Oratava (EPM 18623, Gilberton) prospects.

Significant drill hole results include:

- AMH002 (Carbon Copy) 11m @ 0.15g/t Au and 14.3g/t Ag from 11m, and 2m @ 1.42g/t Au and 2.46g/t Ag from 31m
- AMH003 (Carbon Copy) 1m @ 0.24g/t Au and 1.15g/t Ag from 13m
- AMH005 (Carbon Copy East) 3m @ 0.54g/t Au and 0.62g/t Ag from 59m
- AMH008 (Carbon Copy East) 3m @ 0.26g/t Au and 3.13g/t Ag from 8m
- AMH010 (Percy Queen) 4m @ 0.38g/t Au and 61.7g/t Ag from 44m
- AMH011 (Long Lode) 2m @ 0.51g/t Au and 2.21g/t Ag from 8m
- AMH014 (Long Lode) 6m @ 0.16g/t Au and 7.50g/t Ag from 5m
- AGB001 (Caledonia) 1m @ 0.23g/t Au, 0.82g/t Ag, 0.25% Co & 0.4% Cu
- AGB004 (Macedonia) 7m @ 0.47g/t Au, 2.19g/t Ag and 0.71% Cu from 35m
- AGB005 (Macedonia) 13m @ 0.25g/t Au from 59
- AGB009 (Oratava) 2m @ 0.18g/t Au, 1.48g/t Ag and 0.41% Cu from 26m, and 1m @ 3.03g/t Au from 33m

>0.1g/t Au cut-off; may include up to a maximum of 2m internal dilution used for intercept calculations

The drill hole information is being fully evaluated and interpreted to ascertain if infill drilling (e.g. along strike and at depth) is required at any prospect.

### Cloncurry Copper and Gold Project

During the previous quarter ActivEX carried out rock chip sampling over several known prospects and over target areas identified in the in-house Cloncurry Project Assessment. Samples were collected from the following prospects: Carcass Creek, Slaty Creek, Tamborine, Tamborine South, Ross Williams (Bulonga EPM); Bull Creek, Bull Creek East (Camel Hill EPM); Hugarty South, Hugarty, Dorie, Pioneer South (Brightlands EPM); Waster (Malbon EPM); Trump, Dandy, Florence Bore North, Florence Bore South, Iron Clad (Florence Creek EPM); Sterling, Saddle Ridge, QMH (Mount Agate EPM); Heathrow, JFK (Selwyn East EPM); LAX (Heathrow East EPM) and Concorde, Blue Duck, Supersonic (Concorde EPM). During the quarter, these rock chip samples were assayed and returned high gold, copper and cobalt grades. Significant rock chip assay results include:

- Carcass Creek: 2.18 to 10.6g/t Au and 0.91 to 0.27% Cu
- Dorie: 4.62g/t Au, 0.35% Cu, 0.04% Co
- Slaty Creek: 2.85g/t Au, 7.31% Cu
- Supersonic: 5.26g/t Au, 0.13% Cu
- Waster: 2.42 to 3.3g/t Au, 3.75 to 1.21% Cu and 0.03 to 0.04% Co

## **CORPORATE**

During the quarter ActivEX announced (see ASX announcement 9 August 2017) that Mr Geoff Baker was appointed as Non-Executive Director, effective 8 August 2017.

During the quarter ActivEX announced (see ASX announcement 22 September 2017) that its registered office and principal place of business had changed to Suite 1, Level 1, 12 Creek Street, Brisbane 4000.

The Company is currently investigating various fund raising options including but not limited to potential farm-outs, a loan facility and capital raising scenarios.

## **FINANCIAL**

At the end of the September quarter the Company held \$0.213M in cash at the bank.




Figure 1. ActivEX Limited Queensland Projects.

## OPERATIONS

### GILBERTON GOLD PROJECT – North Queensland

(EPMs 18615, 18623, 19207, 26232 and 26307 – ActivEX 100%, refer Appendix 2)

The Gilberton Gold Project is situated in the Georgetown Province in northeast Queensland, approximately 300km west-northwest of Townsville (Figure 1). The Project is in an area which is prospective for several metals (Au, Ag, Cu, Ta-Nb, Co) and a wide range of deposit styles (plutonic IRGS, porphyry breccia, and epizonal / epithermal IRGS). The world-class Kidston breccia hosted Au-Ag deposit occurs in similar geological terrain approximately 50km to the northeast. The Project consists of EPMs 18615 (Mt Hogan), 18623 (Gilberton), 19207 (Percy River), 26232 (Gum Flat) and 26307 (Split Rock). The Project is comprised of a total of 184 sub-blocks and encompasses an area of 597km<sup>2</sup> (Figure 2). ActivEX Limited holds 100% interest in all the tenements.

During the quarter (July-August) ActivEX completed a reverse circulation (RC) drilling program (23 holes for 1,584m) that targeted near surface Au-Ag mineralisation at Mountain Maid (1 hole), Carbon Copy (2 holes), Carbon Copy East (6 holes), Percy Queen (1 hole), Long Lode (4 holes) prospects (EPM 18615, Mt Hogan) and Au-Cu-(Co) mineralisation at Caledonia (3 holes), Macedonia (3 holes), and Oratava (3 holes) prospects (EPM 18623, Gilberton) (Figures 3-6, Tables 1-2).

All assays have been received and significant drill hole results include:

- AMH002 (Carbon Copy) 11m @ 0.15g/t Au and 14.3g/t Ag from 11m, and 2m @ 1.42g/t Au and 2.46g/t Ag from 31m
- AMH003 (Carbon Copy) 1m @ 0.24g/t Au and 1.15g/t Ag from 13m
- AMH005 (Carbon Copy East) 3m @ 0.54g/t Au and 0.62g/t Ag from 59m
- AMH008 (Carbon Copy East) 3m @ 0.26g/t Au and 3.13g/t Ag from 8m
- AMH010 (Percy Queen) 4m @ 0.38g/t Au and 61.7g/t Ag from 44m
- AMH011 (Long Lode) 2m @ 0.51g/t Au and 2.21g/t Ag from 8m
- AMH014 (Long Lode) 6m @ 0.16g/t Au and 7.50g/t Ag from 5m
- AGB001 (Caledonia) 1m @ 0.23g/t Au, 0.82g/t Ag, 0.25% Co & 0.4% Cu
- AGB004 (Macedonia) 7m @ 0.47g/t Au, 2.19g/t Ag and 0.71% Cu from 35m
- AGB005 (Macedonia) 13m @ 0.25g/t Au from 59
- AGB009 (Oratava) 2m @ 0.18g/t Au, 1.48g/t Ag and 0.41% Cu from 26m, and 1m @ 3.03g/t Au from 33m

>0.1g/t Au cut-off; may include up to a maximum of 2m internal dilution used for intercept calculations

Drill hole lithology, alteration, weathering and gold assays are presented in section format (Figures 7-19).

The drill hole information is being fully evaluated and interpreted to ascertain if infill drilling (e.g. along strike and at depth) is required at any prospect.

Further exploration activities, such as pXRF surveys and focussed rock chip and conventional soil sampling, will be undertaken at Mt Hogan, Gilberton, Percy River, Gum Flat and Split Rock EPMs (e.g. Red Flat, Bernecker, Split Rock and Christmas Hill prospects) with a view to trenching and channel sampling at multiple targets within the Gilberton Gold Project in late-2017.




Figure 2. ActivEX Limited Gilberton Gold Project regional geology, tenements, prospect and rock chips thematically mapped by Au content.






Figure 3. ActivEX Limited Gilberton Gold Project Mountain Maid prospect and drill hole results.



**Figure 4.** ActivEX Limited Gilberton Gold Project Carbon Copy and Carbon Copy East prospects and drill hole results.



**Figure 5.** ActivEX Limited Gilberton Gold Project Percy Queen and Long Lode prospects and drill hole results.




Figure 6. ActivEX Limited Gilberton Gold Project Caledonia, Macedonia and Oratava prospects and drill hole results.

## CLONCURRY COPPER AND GOLD PROJECT – Northwest Queensland

(EPM 14955, 15285, 17313, 17454, 17805, 18053, 18073, 18511, 18852, 25192, 25194, 25454 and 25455 – ActivEX 100%, refer Appendix 2)

The Cloncurry Copper and Gold Project is situated in northeast Queensland, approximately 60km south of Cloncurry (Figure 1). The Project consists of EPMs 14955, 15285, 17313, 17454, 17805, 18053, 18073, 18511, 18852, 25192, 25194, 25454 and 25455, which comprise a total of 338 sub-blocks and encompasses an area of 1,082km<sup>2</sup> (Figure 20). ActivEX Limited holds 100% interest in all the tenements.

The Project is situated within the Eastern Succession of the Mount Isa Inlier, which is a highly prospective geological terrane containing numerous major deposits (Figure 20). These include Iron Oxide Copper Gold, skarn style Cu-Au, and Merlin-style Mo deposits.

During the previous quarter ActivEX carried out rock chip sampling over several known prospects and over target areas identified in the in-house Cloncurry Project Assessment (Figure 20). In all, 205 rock chip samples were collected and submitted for assay. Samples were collected from the following prospects: Carcass Creek, Slaty Creek, Tamborine, Tamborine South, Ross Williams (Bulonga EPM); Bull Creek, Bull Creek East (Camel Hill EPM); Hugarty South, Hugarty, Dorie, Pioneer South (Brightlands EPM); Waster (Malbon EPM); Trump, Dandy, Florence Bore North, Florence Bore South, Iron Clad (Florence Creek EPM); Sterling, Saddle Ridge, QMH (Mount Agate EPM); Heathrow, JFK (Selwyn East EPM); LAX (Heathrow East EPM) and Concorde, Blue Duck, Supersonic (Concorde EPM).

During the quarter, these rock chip samples were assayed and returned high gold, copper and cobalt grades (Figures 20-22, Table 3). Significant rock chip assay results include:


- Carcass Creek: 2.18 to 10.6g/t Au and 0.91 to 0.27% Cu
- Dorie: 4.62g/t Au, 0.35% Cu, 0.04% Co
- Slaty Creek: 2.85g/t Au, 7.31% Cu
- Supersonic: 5.26g/t Au, 0.13% Cu
- Waster: 2.42 to 3.3g/t Au, 3.75 to 1.21% Cu and 0.03 to 0.04% Co

Further exploration activities, such as pXRF surveys and focussed rock chip and conventional soil sampling, will be undertaken at Carcass Creek, Dorie, Slaty Creek and Supersonic with a view to trenching and channel sampling at multiple targets within the Cloncurry Copper and Gold Project in late-2017.

**For further information contact:**

**Mr Grant Thomas, Managing Director**

**or Mr Craig McPherson, Company Secretary**



**ACTIVEX LIMITED**

### Legend

|  |                           |
|--|---------------------------|
|  | Mt Agate EPM 14955        |
|  | Florence Creek EPM 15285  |
|  | Malbon EPM 17313          |
|  | Camel Hill EPM 17454      |
|  | Florence Flat EPM 17805   |
|  | Bulonga EPM 18053         |
|  | Selwyn East EPM 18073     |
|  | Brightlands EPM 18511     |
|  | Robur EPM 18852           |
|  | Concorde EPM 25192        |
|  | Upper Mort EPM 25194      |
|  | Heathrow East EPM 25454   |
|  | North Camel Dam EPM 25455 |

|  |                               |
|--|-------------------------------|
|  | Town                          |
|  | Road                          |
|  | Railway                       |
|  | Mine                          |
|  | Prospect / Mineral Occurrence |


### Geology

|  |                                                      |
|--|------------------------------------------------------|
|  | Quaternary Alluvial, Colluvial and Sedimentary Cover |
|  | Tertiary Alluvial, Colluvial and Sedimentary Cover   |
|  | Mesozoic                                             |
|  | Cretaceous-Jurassic Sediment                         |
|  | Palaeozoic                                           |
|  | Cambrian Stratified Metasediment                     |
|  | Precambrian                                          |
|  | Proterozoic Granitoid                                |
|  | Proterozoic Stratified Metasediment                  |

### CLONCURRY COPPER & GOLD PROJECT



**Figure 20.** Cloncurry Copper and Gold Project rock chip sample location, thematically mapped by Au (g/t) assays.



**ActivEX LIMITED**

### Legend

|  |                           |
|--|---------------------------|
|  | Mt Agate EPM 14955        |
|  | Florence Creek EPM 15285  |
|  | Malbon EPM 17313          |
|  | Camel Hill EPM 17454      |
|  | Florence Flat EPM 17805   |
|  | Bulonga EPM 18053         |
|  | Selwyn East EPM 18073     |
|  | Brightlands EPM 18511     |
|  | Robur EPM 18852           |
|  | Concorde EPM 25192        |
|  | Upper Mort EPM 25194      |
|  | Heathrow East EPM 25454   |
|  | North Camel Dam EPM 25455 |

|  |                               |
|--|-------------------------------|
|  | Town                          |
|  | Road                          |
|  | Railway                       |
|  | Mine                          |
|  | Prospect / Mineral Occurrence |


### Geology

|  |                                                      |
|--|------------------------------------------------------|
|  | Quaternary Alluvial, Colluvial and Sedimentary Cover |
|  | Tertiary Alluvial, Colluvial and Sedimentary Cover   |
|  | Mesozoic                                             |
|  | Cretaceous-Jurassic Sediment                         |
|  | Palaeozoic                                           |
|  | Cambrian Stratified Metasediment                     |
|  | Precambrian                                          |
|  | Proterozoic Granitoid                                |
|  | Proterozoic Stratified Metasediment                  |

### CLONCURRY COPPER & GOLD PROJECT



Figure 21. Cloncurry Copper and Gold Project rock chip sample location, thematically mapped by Cu (%) assays.



**Legend**

|  |                           |
|--|---------------------------|
|  | Mt Agate EPM 14955        |
|  | Florence Creek EPM 15285  |
|  | Malbon EPM 17313          |
|  | Camel Hill EPM 17454      |
|  | Florence Flat EPM 17805   |
|  | Bulonga EPM 18053         |
|  | Selwyn East EPM 18073     |
|  | Brightlands EPM 18511     |
|  | Robur EPM 18852           |
|  | Concorde EPM 25192        |
|  | Upper Mort EPM 25194      |
|  | Heathrow East EPM 25454   |
|  | North Camel Dam EPM 25455 |

|  |                               |
|--|-------------------------------|
|  | Town                          |
|  | Road                          |
|  | Railway                       |
|  | Mine                          |
|  | Prospect / Mineral Occurrence |

**Geology**

|  |                                                      |
|--|------------------------------------------------------|
|  | Cainozoic                                            |
|  | Quaternary Alluvial, Colluvial and Sedimentary Cover |
|  | Tertiary Alluvial, Colluvial and Sedimentary Cover   |
|  | Mesozoic                                             |
|  | Cretaceous-Jurassic Sediment                         |
|  | Palaeozoic                                           |
|  | Cambrian Stratified Metasediment                     |
|  | Precambrian                                          |
|  | Proterozoic Granitoid                                |
|  | Proterozoic Stratified Metasediment                  |

**CLONCURRY COPPER & GOLD PROJECT**



**Figure 22.** Cloncurry Copper and Gold Project rock chip sample location, thematically mapped by Co (ppm) assays.

## Gilberton Gold Project – Drill Hole Results

**Table 1. Gilberton Gold Project Drill Hole Collar Summary.**

| Prospect         | EPM   | Hole ID | East<br>(MGA94 Z54) | North<br>(MGA94 Z54) | Elevation<br>(RL, m) | Azimuth<br>(MGA94) | Dip<br>(°) | Depth<br>(m) |
|------------------|-------|---------|---------------------|----------------------|----------------------|--------------------|------------|--------------|
| Mountain Maid    | 18615 | AMH001  | 786159              | 7891906              | 594                  | 000                | 75         | 179          |
| Carbon Copy      | 18615 | AMH002  | 789501              | 7890638              | 606                  | 170                | 60         | 70           |
| Carbon Copy      | 18615 | AMH003  | 789370              | 7890795              | 570                  | 180                | 60         | 55           |
| Carbon Copy East | 18615 | AMH004  | 791199              | 7890811              | 618                  | 205                | 60         | 76           |
| Carbon Copy East | 18615 | AMH005  | 791072              | 7890897              | 633                  | 215                | 50         | 70           |
| Carbon Copy East | 18615 | AMH006  | 790979              | 7891008              | 609                  | 185                | 60         | 60           |
| Carbon Copy East | 18615 | AMH007  | 791142              | 7891026              | 613                  | 335                | 60         | 60           |
| Carbon Copy East | 18615 | AMH008  | 790648              | 7890909              | 599                  | 355                | 60         | 54           |
| Carbon Copy East | 18615 | AMH009  | 790808              | 7890946              | 621                  | 350                | 52         | 64           |
| Percy Queen      | 18615 | AMH010  | 793521              | 7893403              | 607                  | 190                | 60         | 70           |
| Long Lode        | 18615 | AMH011  | 794447              | 7893070              | 597                  | 325                | 60         | 60           |
| Long Lode        | 18615 | AMH012  | 794495              | 7893108              | 610                  | 315                | 60         | 46           |
| Long Lode        | 18615 | AMH013  | 794605              | 7893244              | 617                  | 320                | 60         | 31           |
| Long Lode        | 18615 | AMH014  | 794730              | 7893320              | 611                  | 310                | 60         | 29           |
| Caledonia        | 18623 | AGB001  | 776054              | 7872207              | 514                  | 352                | 60         | 75           |
| Caledonia        | 18623 | AGB002  | 776132              | 7872219              | 528                  | 310                | 60         | 75           |
| Caledonia        | 18623 | AGB003  | 776189              | 7872217              | 528                  | 345                | 60         | 75           |
| Macedonia        | 18623 | AGB004  | 776866              | 7872066              | 560                  | 345                | 60         | 69           |
| Macedonia        | 18623 | AGB005  | 776672              | 7872071              | 529                  | 345                | 60         | 72           |
| Macedonia        | 18623 | AGB006  | 776603              | 7872116              | 522                  | 170                | 65         | 62           |
| Oratava          | 18623 | AGB007  | 777076              | 7871699              | 540                  | 200                | 60         | 77           |
| Oratava          | 18623 | AGB008  | 776959              | 7871755              | 526                  | 225                | 60         | 91           |
| Oratava          | 18623 | AGB009  | 777274              | 7871479              | 540                  | 040                | 60         | 64           |

**Table 2. Gilberton Gold Project Drilling Assay Results.**

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm)     | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm)       | Mo (ppm) | Pb (ppm)       | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm)      |
|---------|----------|--------|-------------|--------------|----------|----------|----------|----------------|----------|----------------|----------|----------|---------|---------------|
| AMH001  | 038      | 039    | <0.01       | 0.08         | 3.2      | 1.50     | 12.9     | 21.9           | 3.5      | 44.8           | 0.38     | <0.05    | 4.7     | 204           |
| AMH001  | 039      | 040    | <0.01       | 0.17         | 3.3      | 1.16     | 15.7     | 48.8           | 6.6      | 90.7           | 0.36     | <0.05    | 2.7     | 260           |
| AMH001  | 040      | 041    | <0.01       | 1.10         | 4.6      | 3.46     | 15.5     | 46.5           | 23.2     | 302.0          | 0.43     | 0.10     | 5.5     | 398           |
| AMH001  | 041      | 042    | <0.01       | 1.20         | 6.4      | 2.76     | 22.5     | 54.1           | 16.5     | 508.0          | 0.44     | 0.12     | 4.9     | 302           |
| AMH001  | 042      | 043    | <0.01       | 0.66         | 6.5      | 1.45     | 14.3     | 54.0           | 6.1      | 143.5          | 0.59     | 0.08     | 4.2     | 238           |
| AMH001  | 043      | 044    | <0.01       | 0.24         | 4.8      | 0.83     | 13.7     | 35.0           | 3.9      | 37.0           | 0.41     | 0.06     | 11.9    | 219           |
| AMH001  | 050      | 051    | <0.01       | 0.23         | 20.1     | 1.80     | 17.2     | 53.5           | 6.5      | 23.4           | 1.75     | 0.08     | 8.4     | 189           |
| AMH001  | 051      | 052    | 0.01        | 0.52         | 21.7     | 3.75     | 13.9     | 27.6           | 5.2      | 29.9           | 1.50     | 0.12     | 12.1    | 186           |
| AMH001  | 052      | 053    | <0.01       | 0.41         | 36.7     | 2.84     | 12.3     | 62.6           | 4.0      | 37.6           | 2.03     | 0.11     | 14.5    | 141           |
| AMH001  | 053      | 054    | 0.02        | 0.37         | 39.1     | 2.16     | 15.3     | 32.0           | 4.0      | 34.0           | 1.81     | 0.11     | 13.8    | 107           |
| AMH001  | 066      | 067    | <0.01       | 0.30         | 13.2     | 8.37     | 9.7      | 26.8           | 4.9      | 18.2           | 1.28     | 0.05     | 14.2    | 121           |
| AMH001  | 067      | 068    | <0.01       | 0.25         | 32.4     | 1.17     | 13.0     | 74.7           | 2.1      | 14.0           | 2.23     | 0.06     | 24.5    | 139           |
| AMH001  | 068      | 069    | <0.01       | 0.07         | 7.7      | 0.28     | 6.5      | 14.2           | 2.2      | 10.5           | 1.23     | <0.05    | 15.8    | 91            |
| AMH001  | 069      | 070    | <0.01       | 0.03         | 5.5      | 0.20     | 4.5      | 5.6            | 2.7      | 9.7            | 0.70     | <0.05    | 10.4    | 63            |
| AMH001  | 076      | 077    | <0.01       | 0.15         | 2.7      | 0.87     | 15.1     | 36.0           | 3.4      | 34.5           | 0.52     | <0.05    | 3.0     | 193           |
| AMH001  | 077      | 078    | <0.01       | 0.50         | 6.9      | 1.07     | 17.3     | 136.5          | 9.3      | 209.0          | 0.88     | 0.06     | 3.2     | 554           |
| AMH001  | 078      | 079    | <0.01       | 6.69         | 4.3      | 15.05    | 19.4     | 48.1           | 32.1     | 630.0          | 0.63     | 0.32     | 4.7     | <b>1,840</b>  |
| AMH001  | 079      | 080    | <0.01       | 0.46         | 2.2      | 4.16     | 19.8     | 50.9           | 17.4     | 168.5          | 0.33     | 0.10     | 3.7     | 495           |
| AMH001  | 080      | 081    | <0.01       | 0.48         | 5.2      | 3.32     | 20.9     | 74.7           | 16.7     | 152.5          | 0.48     | 0.12     | 6.0     | 414           |
| AMH001  | 081      | 082    | <0.01       | 0.16         | 4.5      | 3.95     | 18.8     | 57.1           | 9.4      | 47.1           | 0.42     | 0.08     | 5.3     | 255           |
| AMH001  | 082      | 083    | <0.01       | 0.13         | 16.0     | 3.76     | 15.8     | 27.2           | 17.1     | 29.4           | 0.40     | 0.06     | 3.6     | 222           |
| AMH001  | 083      | 084    | <0.01       | 0.08         | 3.8      | 0.65     | 12.4     | 14.7           | 5.6      | 16.6           | 0.43     | <0.05    | 6.5     | 239           |
| AMH001  | 084      | 085    | <0.01       | 0.08         | 7.1      | 0.55     | 12.3     | 8.0            | 3.1      | 13.0           | 0.52     | <0.05    | 4.0     | 150           |
| AMH001  | 094      | 095    | <0.01       | 0.09         | 16.8     | 0.89     | 12.0     | 13.6           | 1.9      | 13.6           | 0.49     | <0.05    | 4.1     | 140           |
| AMH001  | 095      | 096    | <0.01       | 0.07         | 3.6      | 1.51     | 12.5     | 13.9           | 2.5      | 21.0           | 0.51     | <0.05    | 3.4     | 143           |
| AMH001  | 096      | 097    | <0.01       | 0.05         | 2.8      | 1.65     | 10.7     | 7.8            | 2.4      | 18.8           | 0.31     | <0.05    | 2.6     | 133           |
| AMH001  | 097      | 098    | <0.01       | 0.16         | 1.9      | 7.26     | 10.9     | 4.4            | 1.9      | 15.3           | 0.27     | <0.05    | 3.6     | 122           |
| AMH001  | 098      | 099    | <0.01       | 0.06         | 8.3      | 1.32     | 13.4     | 14.4           | 2.0      | 13.8           | 0.44     | <0.05    | 3.5     | 120           |
| AMH001  | 099      | 100    | <0.01       | 0.05         | 3.4      | 1.14     | 12.4     | 23.0           | 1.7      | 15.3           | 0.35     | <0.05    | 2.9     | 118           |
| AMH001  | 114      | 115    | <0.01       | 0.07         | 1.1      | 0.39     | 0.6      | 1.9            | 2.7      | 20.5           | 0.91     | <0.05    | 3.5     | 40            |
| AMH001  | 115      | 116    | <0.01       | 0.23         | 2.3      | 2.81     | 0.5      | 2.8            | 2.3      | 19.6           | 2.30     | <0.05    | 4.3     | 47            |
| AMH001  | 116      | 117    | <0.01       | 0.17         | 3.3      | 1.12     | 0.9      | 5.0            | 4.4      | 19.6           | 2.42     | <0.05    | 5.6     | 57            |
| AMH001  | 125      | 126    | <0.01       | 0.11         | 2.6      | 0.67     | 18.7     | 31.8           | 2.4      | 14.6           | 0.47     | <0.05    | 5.8     | 142           |
| AMH001  | 126      | 127    | <0.01       | 0.10         | 2.1      | 1.32     | 11.7     | 13.6           | 1.7      | 14.3           | 0.37     | <0.05    | 2.8     | 132           |
| AMH001  | 127      | 128    | <0.01       | 0.13         | 2.0      | 1.66     | 13.4     | 55.4           | 2.6      | 16.3           | 0.41     | <0.05    | 3.3     | 145           |
| AMH001  | 138      | 139    | <0.01       | 0.05         | 1.3      | 3.03     | 7.8      | 5.9            | 3.5      | 13.0           | 0.47     | <0.05    | 117.5   | 58            |
| AMH001  | 139      | 140    | <0.01       | 0.26         | 10.8     | 2.84     | 8.4      | 2.2            | 5.3      | 20.1           | 0.70     | 0.06     | 520.0   | 79            |
| AMH001  | 140      | 141    | <0.01       | 0.18         | 16.0     | 1.59     | 11.3     | 15.5           | 2.0      | 15.4           | 0.63     | <0.05    | 17.7    | 101           |
| AMH001  | 141      | 142    | <0.01       | 0.07         | 13.1     | 4.17     | 5.7      | 2.3            | 4.0      | 11.9           | 0.46     | <0.05    | 8.2     | 55            |
| AMH001  | 142      | 143    | <0.01       | 0.08         | 16.6     | 0.53     | 11.3     | 3.9            | 1.8      | 15.8           | 0.55     | <0.05    | 4.0     | 144           |
| AMH001  | 143      | 144    | <0.01       | 0.04         | 5.4      | 1.21     | 10.4     | 3.0            | 2.1      | 18.3           | 0.43     | <0.05    | 5.4     | 154           |
| AMH001  | 144      | 145    | <0.01       | 0.22         | 3.7      | 3.30     | 13.2     | 75.0           | 3.6      | 27.7           | 0.44     | 0.08     | 6.2     | 150           |
| AMH001  | 145      | 146    | <0.01       | 0.34         | 2.0      | 29.10    | 14.1     | 57.1           | 2.8      | 41.2           | 0.41     | 0.06     | 3.3     | 167           |
| AMH001  | 146      | 147    | <0.01       | 0.05         | 1.3      | 1.07     | 11.7     | 3.5            | 2.5      | 21.1           | 0.30     | <0.05    | 3.5     | 164           |
| AMH001  | 147      | 148    | <0.01       | 0.07         | 1.7      | 1.66     | 11.5     | 9.7            | 1.8      | 36.1           | 0.41     | <0.05    | 44.3    | 150           |
| AMH001  | 148      | 149    | <0.01       | 0.19         | 1.7      | 0.94     | 13.8     | 40.0           | 2.4      | 111.5          | 0.44     | <0.05    | 5.2     | 222           |
| AMH001  | 149      | 150    | 0.02        | 0.24         | 7.1      | 0.86     | 14.8     | 56.7           | 2.5      | 72.9           | 0.77     | 0.05     | 6.5     | 224           |
| AMH001  | 150      | 151    | <0.01       | 0.22         | 4.1      | 0.76     | 2.1      | 6.4            | 2.6      | 30.1           | 0.49     | <0.05    | 6.3     | 63            |
| AMH001  | 151      | 152    | <0.01       | 0.04         | 1.7      | 0.29     | 1.0      | 3.8            | 2.8      | 19.1           | 0.27     | <0.05    | 5.8     | 46            |
| AMH001  | 152      | 153    | <0.01       | 0.11         | 9.2      | 0.91     | 1.1      | 7.5            | 6.9      | 19.2           | 0.54     | <0.05    | 5.4     | 61            |
| AMH002  | 009      | 010    | <0.01       | 0.29         | 2.5      | 0.05     | 9.7      | 22.8           | 0.3      | 38.7           | 0.95     | <0.05    | 0.4     | 279           |
| AMH002  | 010      | 011    | <0.01       | 0.34         | 3.8      | 0.14     | 9.7      | 47.9           | 0.5      | 48.8           | 1.21     | <0.05    | 0.9     | 210           |
| AMH002  | 011      | 012    | <b>0.20</b> | 1.78         | 6.5      | 1.85     | 9.0      | 46.8           | 1.3      | 292.0          | 3.59     | 0.08     | 4.3     | 568           |
| AMH002  | 012      | 013    | <b>0.21</b> | <b>87.60</b> | 19.6     | 102.50   | 24.7     | <b>1,770.0</b> | 6.8      | <b>9,340.0</b> | 9.42     | 2.35     | 8.3     | <b>25,300</b> |
| AMH002  | 013      | 014    | <b>0.10</b> | <b>17.65</b> | 15.8     | 16.15    | 15.1     | 613.0          | 13.3     | <b>2,100.0</b> | 5.26     | 0.46     | 9.4     | <b>2,790</b>  |
| AMH002  | 014      | 015    | <b>0.49</b> | 4.59         | 4.3      | 5.68     | 11.3     | 123.0          | 1.0      | <b>1,685.0</b> | 1.54     | 0.26     | 4.4     | <b>2,910</b>  |
| AMH002  | 015      | 016    | 0.05        | 1.95         | 18.6     | 1.38     | 8.8      | 66.9           | 1.0      | <b>1,415.0</b> | 5.15     | 0.06     | 7.0     | <b>1,890</b>  |
| AMH002  | 016      | 017    | <b>0.10</b> | 7.08         | 8.8      | 9.37     | 13.3     | 963.0          | 0.9      | 681.0          | 2.65     | 0.15     | 4.3     | <b>2,770</b>  |

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm)     | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm)       | Mo (ppm) | Pb (ppm)       | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm)     |
|---------|----------|--------|-------------|--------------|----------|----------|----------|----------------|----------|----------------|----------|----------|---------|--------------|
| AMH002  | 017      | 018    | 0.01        | 2.08         | 13.9     | 2.27     | 10.1     | 92.5           | 1.0      | <b>1,210.0</b> | 4.46     | 0.13     | 5.7     | <b>1,900</b> |
| AMH002  | 018      | 019    | <b>0.30</b> | <b>13.95</b> | 20.3     | 21.50    | 11.5     | 234.0          | 3.9      | <b>1,410.0</b> | 7.37     | 0.41     | 9.2     | <b>3,270</b> |
| AMH002  | 019      | 020    | 0.01        | 2.23         | 14.6     | 2.98     | 9.7      | 43.9           | 0.8      | 385.0          | 3.05     | 0.13     | 5.1     | 936          |
| AMH002  | 020      | 021    | <b>0.16</b> | <b>15.75</b> | 27.0     | 26.30    | 14.6     | 137.5          | 3.7      | <b>1,045.0</b> | 4.10     | 0.96     | 5.6     | <b>1,020</b> |
| AMH002  | 021      | 022    | 0.03        | 2.79         | 11.0     | 3.62     | 8.7      | 48.4           | 0.9      | <b>1,000.0</b> | 2.94     | 0.21     | 5.2     | <b>1,540</b> |
| AMH002  | 031      | 032    | <b>0.51</b> | 1.58         | 7.4      | 2.02     | 8.8      | 56.8           | 0.5      | 714.0          | 4.88     | 0.05     | 4.9     | <b>1,140</b> |
| AMH002  | 032      | 033    | <b>2.33</b> | 3.33         | 7.5      | 5.00     | 10.9     | 38.5           | 0.6      | 908.0          | 2.41     | <0.05    | 3.1     | <b>2,470</b> |
| AMH002  | 033      | 034    | 0.02        | 0.12         | 3.2      | 0.13     | 9.8      | 16.8           | 0.8      | 42.4           | 0.89     | <0.05    | 1.2     | 217          |
| AMH002  | 034      | 035    | <0.01       | 0.10         | 2.8      | 0.14     | 9.4      | 15.4           | 1.2      | 29.8           | 0.50     | <0.05    | 1.3     | 111          |
| AMH002  | 035      | 036    | <0.01       | 0.05         | 3.6      | 0.05     | 10.0     | 16.3           | 1.0      | 27.7           | 0.56     | <0.05    | 1.2     | 116          |
| AMH002  | 036      | 037    | 0.02        | 0.11         | 5.2      | 0.10     | 11.4     | 12.7           | 0.6      | 143.5          | 1.35     | <0.05    | 1.4     | <b>1,940</b> |
| AMH002  | 037      | 038    | <0.01       | 0.11         | 5.2      | 0.13     | 10.3     | 15.0           | 0.8      | 74.1           | 0.94     | <0.05    | 1.1     | 858          |
| AMH002  | 038      | 039    | <0.01       | 0.05         | 3.2      | 0.03     | 9.4      | 15.1           | 1.0      | 23.6           | 0.55     | <0.05    | 1.2     | 100          |
| AMH002  | 039      | 040    | <0.01       | 0.05         | 4.7      | 0.03     | 9.2      | 13.2           | 0.7      | 23.4           | 1.35     | <0.05    | 1.5     | 142          |
| AMH002  | 040      | 041    | <0.01       | 0.06         | 4.9      | 0.03     | 9.5      | 17.5           | 0.8      | 43.0           | 1.36     | <0.05    | 1.9     | 295          |
| AMH002  | 041      | 042    | <0.01       | 1.34         | 7.1      | 0.93     | 12.0     | 84.4           | 5.0      | <b>1,745.0</b> | 2.14     | <0.05    | 5.5     | <b>4,530</b> |
| AMH002  | 042      | 043    | <0.01       | 0.08         | 4.3      | 0.04     | 9.7      | 15.5           | 0.6      | 132.5          | 1.27     | <0.05    | 1.8     | 451          |
| AMH002  | 043      | 044    | <0.01       | 0.11         | 4.2      | 0.03     | 9.7      | 14.8           | 0.6      | 125.0          | 1.34     | <0.05    | 1.1     | 662          |
| AMH002  | 044      | 045    | 0.01        | 0.96         | 5.3      | 0.27     | 10.0     | 29.2           | 0.5      | 606.0          | 3.44     | <0.05    | 3.6     | <b>3,050</b> |
| AMH002  | 045      | 046    | <0.01       | 0.05         | 2.5      | 0.03     | 10.1     | 13.4           | 0.9      | 55.0           | 0.81     | <0.05    | 1.6     | 194          |
| AMH003  | 007      | 008    | <0.01       | 0.83         | 2.4      | 0.22     | 9.4      | 368.0          | 0.3      | 33.6           | 1.10     | <0.05    | 2.3     | 279          |
| AMH003  | 008      | 009    | <0.01       | 4.10         | 1.9      | 0.22     | 10.0     | 312.0          | 0.4      | 40.5           | 1.08     | <0.05    | 2.6     | 263          |
| AMH003  | 009      | 010    | 0.02        | <b>24.50</b> | 6.8      | 366.00   | 11.0     | <b>5,650.0</b> | 1.2      | 687.0          | 5.00     | 2.70     | 5.2     | 440          |
| AMH003  | 010      | 011    | <0.01       | 1.00         | 2.2      | 10.65    | 9.7      | 254.0          | 0.4      | 63.3           | 1.29     | 0.09     | 4.3     | 263          |
| AMH003  | 011      | 012    | <0.01       | 0.55         | 2.1      | 3.90     | 10.2     | 144.0          | 0.6      | 37.6           | 1.01     | 0.06     | 2.0     | 148          |
| AMH003  | 012      | 013    | 0.04        | 1.01         | 48.1     | 2.23     | 11.1     | 354.0          | 1.5      | 73.5           | 6.59     | 0.06     | 8.9     | 555          |
| AMH003  | 013      | 014    | <b>0.24</b> | 1.15         | 85.8     | 2.91     | 11.1     | 278.0          | 3.0      | 91.0           | 6.00     | 0.07     | 13.4    | 550          |
| AMH003  | 014      | 015    | 0.01        | 0.22         | 9.6      | 1.30     | 9.4      | 45.3           | 0.6      | 37.7           | 1.09     | <0.05    | 3.1     | 186          |
| AMH003  | 029      | 030    | <0.01       | 0.51         | 10.4     | 1.02     | 9.5      | 15.9           | 0.4      | 29.8           | 2.35     | <0.05    | 6.6     | 217          |
| AMH003  | 030      | 031    | 0.04        | 1.20         | 37.1     | 2.49     | 16.7     | 131.5          | 3.1      | 294.0          | 10.25    | 0.05     | 13.7    | <b>1,960</b> |
| AMH003  | 031      | 032    | 0.08        | <b>18.05</b> | 34.6     | 116.00   | 20.4     | <b>5,360.0</b> | 28.1     | 272.0          | 10.70    | 0.78     | 15.1    | <b>2,340</b> |
| AMH003  | 032      | 033    | 0.08        | 4.70         | 34.3     | 19.55    | 15.8     | <b>1,650.0</b> | 9.6      | 83.8           | 11.55    | 0.18     | 10.2    | <b>1,020</b> |
| AMH003  | 033      | 034    | 0.03        | 0.61         | 23.2     | 1.72     | 11.2     | 193.0          | 1.4      | 20.9           | 21.50    | <0.05    | 8.8     | 302          |
| AMH003  | 034      | 035    | 0.01        | 0.82         | 15.6     | 2.30     | 10.4     | 70.1           | 0.5      | 62.6           | 15.35    | <0.05    | 7.8     | <b>1,650</b> |
| AMH003  | 035      | 036    | 0.01        | 1.01         | 24.9     | 4.04     | 11.5     | 101.0          | 1.0      | 86.1           | 16.60    | 0.06     | 9.4     | <b>1,950</b> |
| AMH003  | 036      | 037    | <0.01       | 0.86         | 20.4     | 2.49     | 7.6      | 85.1           | 0.7      | 304.0          | 11.25    | 0.06     | 9.5     | 963          |
| AMH003  | 037      | 038    | 0.06        | 0.66         | 41.9     | 0.99     | 9.1      | 30.1           | 3.2      | 258.0          | 10.05    | 0.05     | 8.1     | <b>1,340</b> |
| AMH003  | 038      | 039    | 0.01        | 0.32         | 41.6     | 0.50     | 21.0     | 44.9           | 1.6      | 64.1           | 5.65     | 0.10     | 10.5    | 299          |
| AMH003  | 039      | 040    | <0.01       | 0.20         | 44.1     | 0.16     | 27.3     | 31.3           | 1.6      | 18.8           | 3.31     | 0.16     | 5.6     | 208          |
| AMH003  | 040      | 041    | <0.01       | 0.33         | 34.5     | 0.34     | 24.1     | 47.1           | 1.7      | 23.0           | 3.65     | 0.16     | 6.7     | 216          |
| AMH003  | 041      | 042    | 0.02        | 1.50         | 23.1     | 2.44     | 11.2     | 59.8           | 2.5      | 301.0          | 4.00     | <0.05    | 5.4     | <b>2,050</b> |
| AMH003  | 042      | 043    | 0.02        | 0.91         | 19.4     | 1.66     | 9.9      | 70.5           | 3.6      | 81.0           | 2.63     | 0.08     | 4.9     | 767          |
| AMH004  | 059      | 060    | 0.07        | 0.04         | 1.1      | 0.04     | 10.0     | 22.5           | 1.3      | 21.9           | 0.32     | <0.05    | 1.6     | 88           |
| AMH004  | 060      | 061    | <0.01       | 0.06         | 1.9      | 0.03     | 10.5     | 18.1           | 1.4      | 21.2           | 0.67     | <0.05    | 1.6     | 84           |
| AMH004  | 061      | 062    | <0.01       | 0.05         | 2.4      | 0.03     | 10.1     | 15.3           | 1.6      | 25.9           | 1.03     | <0.05    | 1.6     | 91           |
| AMH004  | 062      | 063    | 0.01        | 1.54         | 3.1      | 1.28     | 8.9      | 58.7           | 0.9      | 196.5          | 2.62     | 0.07     | 6.5     | 719          |
| AMH004  | 063      | 064    | 0.02        | 2.06         | 8.4      | 2.18     | 6.8      | 140.5          | 1.0      | <b>1,070.0</b> | 3.06     | 0.16     | 10.9    | 710          |
| AMH004  | 064      | 065    | 0.01        | 1.73         | 9.0      | 1.19     | 7.8      | 117.0          | 1.3      | <b>1,495.0</b> | 5.36     | 0.21     | 11.4    | 946          |
| AMH004  | 065      | 066    | <0.01       | 1.11         | 4.0      | 1.19     | 9.0      | 62.7           | 0.8      | 487.0          | 2.70     | 0.09     | 8.4     | 508          |
| AMH004  | 066      | 067    | <0.01       | 0.89         | 2.3      | 0.30     | 9.4      | 28.2           | 0.8      | 171.5          | 1.61     | <0.05    | 5.0     | 356          |
| AMH004  | 067      | 068    | 0.01        | 0.78         | 1.6      | 0.15     | 9.6      | 24.2           | 0.9      | 100.5          | 1.01     | <0.05    | 4.1     | 337          |
| AMH004  | 068      | 069    | <0.01       | 2.69         | 4.6      | 3.74     | 9.6      | 39.8           | 0.7      | 395.0          | 1.90     | 0.11     | 6.2     | 882          |
| AMH004  | 069      | 070    | <0.01       | 2.34         | 4.1      | 3.16     | 10.0     | 73.1           | 0.7      | 309.0          | 1.77     | 0.12     | 4.8     | 838          |
| AMH004  | 070      | 071    | 0.03        | 1.35         | 3.1      | 1.86     | 10.5     | 47.5           | 0.9      | 169.0          | 1.10     | 0.09     | 2.9     | 504          |
| AMH004  | 071      | 072    | <b>0.20</b> | 0.69         | 2.2      | 0.99     | 10.0     | 34.1           | 1.1      | 93.6           | 0.67     | <0.05    | 2.6     | 299          |
| AMH004  | 072      | 073    | 0.03        | 0.28         | 1.4      | 0.22     | 10.0     | 21.4           | 1.0      | 56.3           | 0.50     | <0.05    | 2.0     | 117          |
| AMH004  | 073      | 074    | <0.01       | 0.53         | 1.6      | 0.14     | 8.7      | 16.5           | 0.7      | 73.9           | 0.56     | <0.05    | 2.2     | 135          |
| AMH004  | 074      | 075    | <0.01       | 0.34         | 1.4      | 0.13     | 9.7      | 17.7           | 0.6      | 74.2           | 0.47     | <0.05    | 1.8     | 113          |
| AMH005  | 035      | 036    | <0.01       | 0.05         | 2.5      | 0.07     | 10.3     | 19.7           | 1.5      | 32.4           | 0.67     | <0.05    | 1.9     | 99           |
| AMH005  | 036      | 037    | <0.01       | 0.35         | 3.5      | 0.67     | 12.7     | 37.2           | 1.6      | 205.0          | 1.29     | <0.05    | 4.3     | 832          |

| Hole ID | From (m) | To (m) | Au (ppm) | Ag (ppm) | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm) | Mo (ppm) | Pb (ppm) | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm) |
|---------|----------|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|
| AMH005  | 037      | 038    | 0.11     | 32.30    | 10.0     | 63.50    | 20.1     | 1,690.0  | 12.5     | 1,080.0  | 3.11     | 1.06     | 14.0    | 1,460    |
| AMH005  | 038      | 039    | 0.01     | 2.31     | 1.9      | 4.71     | 10.9     | 150.0    | 1.6      | 216.0    | 1.22     | 0.11     | 4.5     | 357      |
| AMH005  | 039      | 040    | <0.01    | 0.54     | 3.5      | 1.05     | 10.3     | 35.1     | 1.3      | 142.0    | 1.06     | 0.05     | 4.5     | 404      |
| AMH005  | 040      | 041    | <0.01    | 0.15     | 2.4      | 0.29     | 10.6     | 16.3     | 1.3      | 89.1     | 1.31     | <0.05    | 1.8     | 207      |
| AMH005  | 041      | 042    | <0.01    | 0.10     | 3.3      | 0.14     | 10.6     | 19.3     | 1.3      | 83.2     | 1.49     | <0.05    | 1.9     | 230      |
| AMH005  | 042      | 043    | 0.01     | 0.23     | 3.3      | 0.45     | 13.0     | 11.8     | 0.9      | 50.2     | 1.00     | <0.05    | 9.3     | 290      |
| AMH005  | 043      | 044    | 0.03     | 0.37     | 4.2      | 0.64     | 11.6     | 18.4     | 1.1      | 137.0    | 0.87     | <0.05    | 6.9     | 424      |
| AMH005  | 044      | 045    | <0.01    | 0.20     | 3.8      | 0.29     | 10.4     | 17.2     | 1.3      | 97.7     | 1.28     | <0.05    | 3.9     | 247      |
| AMH005  | 045      | 046    | 0.01     | 0.36     | 2.8      | 2.01     | 10.8     | 17.9     | 1.0      | 88.7     | 1.09     | 0.06     | 3.8     | 280      |
| AMH005  | 056      | 057    | 0.01     | 0.14     | 3.9      | 0.08     | 11.1     | 23.4     | 1.5      | 39.7     | 0.96     | <0.05    | 1.6     | 119      |
| AMH005  | 057      | 058    | <0.01    | 0.20     | 4.0      | 0.31     | 11.7     | 25.8     | 1.3      | 96.4     | 1.70     | <0.05    | 1.9     | 437      |
| AMH005  | 058      | 059    | <0.01    | 0.64     | 6.4      | 1.26     | 14.7     | 16.4     | 1.9      | 160.5    | 1.61     | <0.05    | 4.5     | 1,620    |
| AMH005  | 059      | 060    | 1.39     | 0.94     | 5.7      | 1.38     | 13.7     | 40.8     | 1.4      | 314.0    | 2.25     | <0.05    | 3.3     | 2,350    |
| AMH005  | 060      | 061    | 0.09     | 0.19     | 3.5      | 0.34     | 11.8     | 21.0     | 1.4      | 110.0    | 1.48     | <0.05    | 2.3     | 553      |
| AMH005  | 061      | 062    | 0.14     | 0.73     | 4.3      | 1.55     | 15.0     | 28.0     | 1.7      | 246.0    | 2.70     | <0.05    | 5.8     | 3,010    |
| AMH005  | 062      | 063    | 0.02     | 0.36     | 3.1      | 0.61     | 12.2     | 20.6     | 1.5      | 371.0    | 1.35     | <0.05    | 3.0     | 1,260    |
| AMH005  | 063      | 064    | 0.02     | 4.35     | 6.4      | 10.80    | 19.3     | 779.0    | 1.5      | 296.0    | 5.43     | 0.13     | 12.1    | 3,600    |
| AMH005  | 064      | 065    | <0.01    | 0.28     | 4.8      | 0.66     | 12.1     | 53.9     | 1.8      | 151.5    | 1.86     | <0.05    | 2.6     | 766      |
| AMH005  | 065      | 066    | <0.01    | 0.05     | 2.5      | 0.07     | 11.4     | 21.6     | 1.9      | 29.4     | 0.65     | <0.05    | 1.4     | 151      |
| AMH006  | 040      | 041    | <0.01    | 0.09     | 4.1      | 0.13     | 10.0     | 14.1     | 1.3      | 31.1     | 1.75     | <0.05    | 1.6     | 113      |
| AMH006  | 041      | 042    | <0.01    | 0.04     | 3.6      | 0.04     | 9.8      | 17.0     | 0.9      | 22.6     | 1.93     | <0.05    | 1.6     | 96       |
| AMH006  | 042      | 043    | 0.01     | 2.11     | 9.1      | 1.89     | 13.8     | 1,060.0  | 10.4     | 199.5    | 5.60     | 0.08     | 5.3     | 354      |
| AMH006  | 043      | 044    | <0.01    | 0.44     | 2.2      | 0.73     | 11.5     | 78.4     | 1.4      | 58.9     | 0.93     | <0.05    | 6.0     | 446      |
| AMH006  | 044      | 045    | 0.01     | 0.71     | 2.8      | 0.66     | 13.0     | 780.0    | 1.3      | 49.7     | 0.92     | <0.05    | 7.1     | 329      |
| AMH006  | 045      | 046    | <0.01    | 0.23     | 2.7      | 0.36     | 11.3     | 91.1     | 1.5      | 65.8     | 1.12     | <0.05    | 3.3     | 235      |
| AMH006  | 046      | 047    | <0.01    | 0.02     | 3.5      | 0.03     | 10.5     | 8.3      | 1.8      | 23.7     | 1.27     | <0.05    | 1.6     | 94       |
| AMH006  | 051      | 052    | <0.01    | 0.04     | 2.7      | 0.03     | 9.7      | 22.2     | 1.7      | 20.0     | 1.17     | <0.05    | 1.3     | 84       |
| AMH006  | 052      | 053    | <0.01    | 0.03     | 2.8      | 0.02     | 9.9      | 18.3     | 2.0      | 19.2     | 0.93     | <0.05    | 1.2     | 85       |
| AMH006  | 053      | 054    | 0.01     | 0.56     | 9.2      | 1.04     | 13.2     | 138.0    | 2.2      | 50.8     | 4.30     | <0.05    | 7.3     | 227      |
| AMH006  | 054      | 055    | 0.01     | 3.46     | 6.7      | 1.50     | 12.8     | 2,240.0  | 6.2      | 234.0    | 3.27     | 0.05     | 5.8     | 914      |
| AMH006  | 055      | 056    | 0.01     | 0.72     | 9.9      | 1.57     | 13.9     | 132.0    | 5.2      | 110.0    | 4.74     | <0.05    | 5.4     | 1,580    |
| AMH006  | 056      | 057    | <0.01    | 0.08     | 3.4      | 0.11     | 10.9     | 17.0     | 1.9      | 50.3     | 1.15     | <0.05    | 1.5     | 189      |
| AMH006  | 057      | 058    | <0.01    | 0.11     | 3.1      | 0.14     | 10.2     | 15.2     | 1.6      | 97.2     | 1.41     | <0.05    | 1.7     | 272      |
| AMH007  | 000      | 001    | 0.01     | 0.51     | 4.5      | 1.25     | 11.0     | 50.0     | 1.6      | 301.0    | 1.88     | <0.05    | 2.1     | 497      |
| AMH007  | 001      | 002    | <0.01    | 0.27     | 2.9      | 0.51     | 11.1     | 46.2     | 1.2      | 146.5    | 2.28     | <0.05    | 3.5     | 839      |
| AMH007  | 002      | 003    | 0.01     | 0.25     | 2.7      | 0.22     | 10.8     | 41.5     | 1.2      | 155.0    | 1.84     | <0.05    | 3.1     | 856      |
| AMH007  | 003      | 004    | <0.01    | 1.97     | 12.2     | 7.43     | 15.1     | 63.7     | 1.2      | 283.0    | 10.10    | <0.05    | 4.9     | 1,800    |
| AMH007  | 004      | 005    | 0.02     | 1.83     | 15.1     | 13.95    | 22.0     | 307.0    | 4.5      | 607.0    | 8.74     | 0.20     | 7.4     | 2,000    |
| AMH007  | 005      | 006    | <0.01    | 1.89     | 9.2      | 2.92     | 18.9     | 100.5    | 2.4      | 307.0    | 9.27     | 0.06     | 10.1    | 1,630    |
| AMH007  | 006      | 007    | <0.01    | 0.54     | 4.0      | 0.82     | 12.5     | 48.1     | 1.0      | 221.0    | 2.85     | <0.05    | 5.5     | 921      |
| AMH007  | 007      | 008    | <0.01    | 0.25     | 3.1      | 0.11     | 10.4     | 41.1     | 0.8      | 64.4     | 1.19     | <0.05    | 1.7     | 673      |
| AMH007  | 008      | 009    | <0.01    | 0.31     | 2.7      | 0.59     | 11.7     | 31.0     | 1.0      | 81.8     | 2.00     | <0.05    | 2.7     | 350      |
| AMH007  | 009      | 010    | <0.01    | 0.16     | 2.4      | 0.09     | 10.2     | 23.5     | 1.0      | 69.6     | 1.14     | <0.05    | 1.6     | 144      |
| AMH007  | 020      | 021    | <0.01    | 0.06     | 2.6      | 0.04     | 9.7      | 13.5     | 0.6      | 103.0    | 1.78     | <0.05    | 5.0     | 194      |
| AMH007  | 021      | 022    | 0.01     | 0.75     | 2.5      | 1.11     | 12.3     | 28.5     | 0.7      | 386.0    | 1.84     | <0.05    | 9.8     | 975      |
| AMH007  | 022      | 023    | <0.01    | 0.03     | 1.1      | 0.03     | 10.2     | 15.2     | 1.0      | 25.0     | 0.56     | <0.05    | 1.3     | 82       |
| AMH007  | 048      | 049    | <0.01    | 0.04     | 3.0      | 0.03     | 11.1     | 19.6     | 1.2      | 29.2     | 0.63     | <0.05    | 1.0     | 89       |
| AMH007  | 049      | 050    | 0.01     | 0.04     | 2.6      | 0.03     | 10.6     | 15.6     | 1.6      | 20.6     | 0.52     | <0.05    | 1.1     | 89       |
| AMH007  | 050      | 051    | <0.01    | 0.04     | 1.5      | 0.03     | 11.2     | 18.9     | 1.6      | 22.6     | 0.40     | <0.05    | 1.2     | 89       |
| AMH008  | 000      | 001    | <0.01    | 0.30     | 3.6      | 0.51     | 5.8      | 46.5     | 0.9      | 64.1     | 0.73     | <0.05    | 1.7     | 103      |
| AMH008  | 001      | 002    | <0.01    | 0.59     | 4.3      | 1.40     | 8.5      | 366.0    | 2.1      | 69.1     | 0.77     | <0.05    | 3.9     | 175      |
| AMH008  | 002      | 003    | 0.01     | 0.76     | 2.2      | 1.27     | 8.0      | 837.0    | 1.1      | 56.0     | 0.75     | <0.05    | 4.5     | 170      |
| AMH008  | 003      | 004    | 0.02     | 1.17     | 2.3      | 3.03     | 10.6     | 984.0    | 0.9      | 143.5    | 1.24     | 0.06     | 4.9     | 249      |
| AMH008  | 004      | 005    | <0.01    | 0.55     | 3.8      | 1.13     | 11.1     | 182.0    | 0.8      | 87.7     | 1.52     | <0.05    | 2.3     | 206      |
| AMH008  | 005      | 006    | <0.01    | 0.40     | 8.1      | 0.84     | 11.1     | 140.5    | 0.6      | 55.2     | 1.77     | <0.05    | 2.1     | 160      |
| AMH008  | 006      | 007    | <0.01    | 0.45     | 3.5      | 0.63     | 11.0     | 240.0    | 0.4      | 93.4     | 1.15     | <0.05    | 3.4     | 211      |
| AMH008  | 007      | 008    | <0.01    | 1.50     | 4.7      | 1.45     | 13.1     | 1,190.0  | 0.7      | 314.0    | 1.83     | <0.05    | 4.6     | 408      |
| AMH008  | 008      | 009    | 0.04     | 1.96     | 5.2      | 4.84     | 10.6     | 566.0    | 0.6      | 323.0    | 3.86     | 0.14     | 14.1    | 821      |
| AMH008  | 009      | 010    | 0.52     | 0.78     | 4.4      | 1.85     | 9.4      | 139.5    | 0.8      | 203.0    | 3.41     | <0.05    | 17.9    | 664      |
| AMH008  | 010      | 011    | 0.23     | 6.66     | 6.9      | 10.70    | 10.8     | 466.0    | 1.0      | 1,220.0  | 5.51     | 0.06     | 11.6    | 1,680    |

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm)      | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm)        | Mo (ppm) | Pb (ppm)       | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm)     |
|---------|----------|--------|-------------|---------------|----------|----------|----------|-----------------|----------|----------------|----------|----------|---------|--------------|
| AMH008  | 011      | 012    | 0.01        | 0.58          | 3.0      | 0.70     | 10.1     | 67.0            | 0.5      | 262.0          | 2.09     | <0.05    | 6.7     | 505          |
| AMH008  | 012      | 013    | 0.01        | 0.48          | 6.3      | 0.75     | 9.9      | 145.0           | 0.8      | 112.5          | 2.70     | <0.05    | 9.2     | 382          |
| AMH008  | 013      | 014    | <0.01       | 0.57          | 7.0      | 0.63     | 10.9     | 189.0           | 0.6      | 46.2           | 1.62     | <0.05    | 4.7     | 203          |
| AMH008  | 014      | 015    | <0.01       | 0.55          | 5.3      | 0.67     | 10.7     | 142.5           | 0.4      | 42.1           | 2.60     | <0.05    | 6.5     | 253          |
| AMH008  | 015      | 016    | <0.01       | 1.65          | 11.2     | 3.16     | 12.2     | 856.0           | 0.4      | 189.0          | 7.30     | 0.05     | 12.7    | 854          |
| AMH008  | 016      | 017    | 0.08        | 8.16          | 9.1      | 99.90    | 11.8     | <b>3,350.0</b>  | 0.6      | 401.0          | 6.20     | 0.45     | 10.6    | 676          |
| AMH008  | 017      | 018    | <0.01       | 0.56          | 3.3      | 5.93     | 10.8     | 178.0           | 0.9      | 50.3           | 1.68     | <0.05    | 4.3     | 169          |
| AMH008  | 042      | 043    | <0.01       | 0.06          | 2.9      | 0.24     | 10.0     | 19.8            | 1.6      | 22.6           | 0.74     | <0.05    | 1.2     | 95           |
| AMH008  | 043      | 044    | <0.01       | 0.18          | 4.1      | 0.47     | 11.1     | 33.7            | 1.6      | 34.0           | 1.77     | <0.05    | 1.7     | 151          |
| AMH008  | 044      | 045    | 0.03        | 1.27          | 23.1     | 2.18     | 14.3     | 340.0           | 2.4      | 83.3           | 9.58     | 0.07     | 7.5     | 774          |
| AMH008  | 045      | 046    | <0.01       | 0.39          | 6.7      | 0.71     | 11.8     | 201.0           | 1.8      | 49.2           | 2.15     | <0.05    | 2.8     | 247          |
| AMH009  | 006      | 007    | <0.01       | 0.73          | 4.5      | 0.58     | 8.7      | 52.1            | 0.8      | 61.4           | 1.09     | <0.05    | 1.6     | 181          |
| AMH009  | 007      | 008    | <0.01       | 1.32          | 5.5      | 1.46     | 10.9     | 103.5           | 0.6      | 112.0          | 1.66     | 0.05     | 3.1     | 479          |
| AMH009  | 008      | 009    | <0.01       | 1.87          | 3.8      | 1.84     | 14.4     | 459.0           | 0.9      | 211.0          | 1.55     | 0.06     | 7.3     | 746          |
| AMH009  | 009      | 010    | 0.01        | 0.80          | 3.4      | 1.01     | 11.1     | 90.0            | 1.2      | 305.0          | 1.88     | <0.05    | 5.0     | <b>1,520</b> |
| AMH009  | 010      | 011    | 0.02        | 2.34          | 5.5      | 6.49     | 20.4     | 121.0           | 1.2      | 341.0          | 2.50     | 0.05     | 15.5    | <b>3,690</b> |
| AMH009  | 011      | 012    | <0.01       | 2.24          | 3.3      | 3.09     | 15.5     | 494.0           | 0.9      | 858.0          | 1.91     | <0.05    | 29.4    | <b>3,080</b> |
| AMH009  | 012      | 013    | 0.01        | 2.61          | 4.1      | 2.96     | 14.5     | 296.0           | 1.0      | <b>1,020.0</b> | 2.46     | <0.05    | 19.5    | <b>2,810</b> |
| AMH009  | 013      | 014    | 0.02        | 4.29          | 4.5      | 6.73     | 13.9     | 403.0           | 1.0      | <b>1,080.0</b> | 2.65     | 0.07     | 17.4    | <b>2,610</b> |
| AMH009  | 014      | 015    | 0.02        | 2.56          | 5.4      | 28.40    | 12.8     | 208.0           | 0.7      | 484.0          | 2.86     | 0.16     | 15.6    | <b>1,160</b> |
| AMH009  | 015      | 016    | <0.01       | 0.42          | 4.9      | 4.16     | 11.0     | 36.6            | 1.0      | 126.5          | 2.30     | <0.05    | 4.4     | 436          |
| AMH009  | 016      | 017    | <0.01       | 0.09          | 3.4      | 0.44     | 10.6     | 20.6            | 0.8      | 32.5           | 1.70     | <0.05    | 1.8     | 117          |
| AMH009  | 017      | 018    | <0.01       | 0.06          | 2.7      | 0.11     | 10.1     | 16.8            | 0.7      | 25.6           | 1.22     | <0.05    | 1.4     | 90           |
| AMH009  | 018      | 019    | <0.01       | 0.07          | 5.4      | 0.09     | 10.6     | 18.3            | 1.0      | 49.7           | 1.98     | <0.05    | 2.1     | 172          |
| AMH009  | 019      | 020    | 0.07        | 0.89          | 11.8     | 2.29     | 12.9     | 123.5           | 1.7      | 371.0          | 4.65     | <0.05    | 13.4    | 718          |
| AMH009  | 020      | 021    | <0.01       | 0.12          | 5.1      | 0.16     | 9.6      | 22.0            | 1.2      | 99.6           | 1.83     | <0.05    | 2.7     | 182          |
| AMH009  | 038      | 039    | <0.01       | 0.05          | 4.2      | 0.03     | 9.7      | 17.5            | 1.3      | 31.6           | 1.46     | <0.05    | 1.6     | 92           |
| AMH009  | 039      | 040    | <0.01       | 0.04          | 4.8      | 0.03     | 9.1      | 15.7            | 1.1      | 32.3           | 1.94     | <0.05    | 1.6     | 129          |
| AMH009  | 040      | 041    | <0.01       | 0.22          | 2.8      | 0.33     | 9.7      | 45.7            | 1.0      | 63.4           | 1.34     | <0.05    | 1.7     | 241          |
| AMH009  | 041      | 042    | <0.01       | 0.21          | 2.4      | 0.60     | 10.1     | 26.6            | 0.9      | 49.2           | 1.61     | <0.05    | 4.7     | 376          |
| AMH009  | 042      | 043    | 0.07        | <b>31.00</b>  | 23.4     | 334.00   | 18.1     | <b>10,650.0</b> | 3.8      | 513.0          | 14.30    | 1.61     | 13.9    | <b>2,990</b> |
| AMH009  | 043      | 044    | 0.02        | 1.30          | 5.5      | 10.20    | 10.4     | 342.0           | 0.9      | 109.5          | 1.89     | 0.09     | 6.7     | 629          |
| AMH009  | 054      | 055    | 0.04        | 0.30          | 4.2      | 1.08     | 8.6      | 169.5           | 1.1      | 72.8           | 1.11     | <0.05    | 3.6     | 230          |
| AMH009  | 055      | 056    | 0.01        | 0.20          | 3.4      | 0.79     | 9.0      | 37.6            | 1.1      | 66.7           | 1.18     | <0.05    | 2.1     | 238          |
| AMH009  | 056      | 057    | 0.01        | 0.27          | 5.5      | 0.74     | 10.1     | 43.1            | 1.2      | 76.9           | 0.93     | <0.05    | 3.6     | 293          |
| AMH009  | 057      | 058    | 0.01        | 0.65          | 4.7      | 4.28     | 8.5      | 186.0           | 1.3      | 108.5          | 1.97     | 0.12     | 5.4     | 575          |
| AMH010  | 043      | 044    | 0.04        | 7.67          | 18.0     | 0.03     | 10.2     | 27.7            | 0.7      | 56.2           | 2.57     | <0.05    | 2.6     | 219          |
| AMH010  | 044      | 045    | <b>0.10</b> | <b>10.85</b>  | 26.6     | 0.10     | 8.9      | 38.5            | 1.1      | 135.5          | 12.50    | <0.05    | 2.9     | 299          |
| AMH010  | 045      | 046    | <b>0.98</b> | <b>110.00</b> | 74.4     | 0.06     | 8.0      | 169.0           | 5.9      | 378.0          | 9.21     | <0.05    | 8.9     | 782          |
| AMH010  | 046      | 047    | <b>0.30</b> | <b>84.60</b>  | 52.8     | 0.04     | 8.1      | 139.5           | 1.6      | 222.0          | 22.30    | <0.05    | 8.2     | <b>1,780</b> |
| AMH010  | 047      | 048    | <b>0.14</b> | <b>41.30</b>  | 26.7     | 0.05     | 8.3      | 68.3            | 0.9      | 723.0          | 16.05    | <0.05    | 7.3     | <b>1,640</b> |
| AMH010  | 048      | 049    | 0.05        | 9.84          | 23.4     | 2.94     | 6.6      | 15.3            | 4.2      | 308.0          | 10.00    | 0.17     | 5.2     | 375          |
| AMH010  | 049      | 050    | 0.02        | 5.40          | 20.3     | 2.01     | 2.2      | 8.8             | 4.7      | 179.5          | 6.98     | 0.19     | 4.7     | 268          |
| AMH010  | 050      | 051    | <0.01       | 1.61          | 23.5     | 0.26     | 0.4      | 6.5             | 4.4      | 147.5          | 4.92     | 0.08     | 4.2     | 579          |
| AMH010  | 051      | 052    | <0.01       | 2.49          | 36.5     | 0.13     | 0.4      | 8.0             | 5.1      | 122.5          | 7.57     | 0.05     | 4.1     | 457          |
| AMH010  | 052      | 053    | <0.01       | 1.08          | 46.8     | 0.15     | 0.4      | 6.0             | 5.0      | 104.0          | 7.84     | 0.05     | 4.0     | 401          |
| AMH010  | 053      | 054    | 0.01        | 1.39          | 10.1     | 0.08     | 0.4      | 11.1            | 3.8      | 330.0          | 5.19     | 0.06     | 3.1     | <b>1,460</b> |
| AMH010  | 054      | 055    | 0.01        | 1.09          | 4.4      | 0.07     | 0.5      | 10.3            | 2.8      | 353.0          | 3.43     | 0.05     | 3.4     | <b>1,500</b> |
| AMH010  | 055      | 056    | 0.03        | 3.28          | 8.5      | 0.13     | 0.5      | 10.2            | 3.8      | 456.0          | 5.22     | 0.06     | 3.0     | 550          |
| AMH010  | 056      | 057    | <0.01       | 0.74          | 14.1     | 0.20     | 0.4      | 6.9             | 3.7      | 131.0          | 4.12     | 0.06     | 2.5     | 313          |
| AMH010  | 057      | 058    | 0.01        | 0.61          | 24.7     | 0.24     | 0.6      | 7.0             | 2.7      | 62.7           | 11.45    | 0.06     | 2.7     | 253          |
| AMH010  | 058      | 059    | <0.01       | 1.10          | 15.2     | 0.31     | 2.0      | 6.8             | 2.3      | 86.7           | 23.50    | 0.05     | 2.1     | 218          |
| AMH010  | 059      | 060    | <0.01       | 0.45          | 8.3      | 0.06     | 8.9      | 8.8             | 1.0      | 85.9           | 2.67     | <0.05    | 1.6     | 178          |
| AMH011  | 004      | 005    | <0.01       | 1.43          | 4.8      | 0.08     | 7.3      | 17.8            | 1.7      | 31.6           | 1.34     | <0.05    | 2.5     | 120          |
| AMH011  | 005      | 006    | 0.02        | 2.09          | 6.0      | 0.05     | 9.3      | 22.0            | 0.7      | 36.8           | 1.81     | <0.05    | 2.4     | 138          |
| AMH011  | 006      | 007    | 0.02        | 0.16          | 3.7      | 0.04     | 8.8      | 20.3            | 0.6      | 31.6           | 5.14     | <0.05    | 12.7    | 129          |
| AMH011  | 007      | 008    | <0.01       | 0.27          | 8.1      | 0.12     | 26.5     | 259.0           | 1.2      | 232.0          | 3.00     | 0.52     | 3.9     | 514          |
| AMH011  | 008      | 009    | <b>0.90</b> | 3.65          | 15.7     | 5.82     | 40.3     | 306.0           | 1.5      | <b>1,880.0</b> | 17.35    | 1.16     | 8.0     | 485          |
| AMH011  | 009      | 010    | <b>0.11</b> | 0.77          | 5.3      | 0.96     | 30.1     | 162.5           | 1.0      | 732.0          | 4.77     | 0.19     | 10.1    | 375          |
| AMH011  | 029      | 030    | 0.01        | 0.07          | 3.7      | 0.03     | 7.8      | 16.4            | 0.6      | 22.7           | 1.12     | <0.05    | 1.3     | 61           |

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm)     | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm) | Mo (ppm) | Pb (ppm)       | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm)     |
|---------|----------|--------|-------------|--------------|----------|----------|----------|----------|----------|----------------|----------|----------|---------|--------------|
| AMH011  | 030      | 031    | 0.01        | 0.06         | 2.3      | 0.03     | 9.3      | 17.9     | 0.7      | 23.3           | 1.01     | <0.05    | 1.4     | 72           |
| AMH011  | 031      | 032    | 0.01        | 0.09         | 4.2      | 0.03     | 10.2     | 17.8     | 0.7      | 24.3           | 1.30     | <0.05    | 2.2     | 77           |
| AMH011  | 032      | 033    | 0.06        | 0.09         | 4.3      | 0.06     | 9.7      | 18.1     | 0.7      | 32.5           | 1.15     | <0.05    | 2.0     | 75           |
| AMH011  | 033      | 034    | <0.01       | 0.08         | 2.3      | 0.04     | 9.7      | 16.6     | 0.9      | 24.2           | 0.85     | <0.05    | 1.2     | 72           |
| AMH011  | 043      | 044    | <0.01       | 0.27         | 5.2      | 0.03     | 9.6      | 19.4     | 1.7      | 22.0           | 0.98     | <0.05    | 1.9     | 85           |
| AMH011  | 044      | 045    | 0.02        | 0.37         | 15.5     | 0.03     | 9.6      | 16.5     | 2.8      | 19.7           | 2.50     | <0.05    | 3.6     | 77           |
| AMH011  | 045      | 046    | 0.01        | 0.46         | 6.8      | 0.03     | 9.8      | 17.2     | 1.2      | 20.3           | 1.70     | <0.05    | 3.1     | 79           |
| AMH011  | 046      | 047    | 0.01        | 0.15         | 5.4      | 0.03     | 9.9      | 18.8     | 1.1      | 22.0           | 1.28     | <0.05    | 2.2     | 78           |
| AMH011  | 047      | 048    | <0.01       | 0.12         | 3.1      | 0.04     | 9.2      | 16.6     | 1.1      | 20.9           | 0.92     | <0.05    | 1.4     | 72           |
| AMH011  | 048      | 049    | 0.01        | 0.14         | 10.4     | 0.03     | 8.6      | 16.1     | 0.9      | 19.1           | 1.47     | <0.05    | 2.9     | 67           |
| AMH011  | 049      | 050    | 0.01        | 0.28         | 23.8     | 0.03     | 10.3     | 17.2     | 5.3      | 23.3           | 3.56     | <0.05    | 3.9     | 89           |
| AMH011  | 050      | 051    | 0.04        | 0.29         | 31.9     | 0.03     | 9.5      | 16.9     | 3.6      | 18.6           | 3.40     | <0.05    | 4.5     | 76           |
| AMH011  | 051      | 052    | 0.02        | 0.24         | 23.3     | 0.04     | 9.3      | 17.0     | 4.5      | 21.1           | 2.80     | <0.05    | 3.4     | 82           |
| AMH011  | 052      | 053    | 0.02        | 0.20         | 22.6     | 0.03     | 9.6      | 17.0     | 3.3      | 18.5           | 2.48     | <0.05    | 4.2     | 81           |
| AMH011  | 053      | 054    | 0.01        | 0.19         | 22.2     | 0.03     | 8.6      | 14.7     | 3.0      | 17.4           | 2.20     | <0.05    | 3.9     | 73           |
| AMH011  | 054      | 055    | 0.01        | 0.19         | 17.2     | 0.04     | 9.8      | 16.5     | 2.5      | 20.2           | 1.92     | <0.05    | 3.3     | 88           |
| AMH011  | 055      | 056    | 0.01        | 0.21         | 18.0     | 0.04     | 10.3     | 16.7     | 3.8      | 21.9           | 1.87     | <0.05    | 3.1     | 89           |
| AMH011  | 056      | 057    | 0.01        | 0.07         | 2.9      | 0.04     | 10.2     | 19.2     | 1.4      | 21.7           | 1.01     | <0.05    | 1.6     | 83           |
| AMH011  | 057      | 058    | 0.01        | 0.14         | 10.1     | 0.03     | 8.9      | 16.2     | 1.4      | 16.8           | 2.54     | <0.05    | 3.3     | 80           |
| AMH011  | 058      | 059    | 0.01        | 0.18         | 10.3     | 0.03     | 9.5      | 17.2     | 1.7      | 17.5           | 1.89     | <0.05    | 2.8     | 104          |
| AMH012  | 005      | 006    | <0.01       | 0.09         | 5.5      | 0.09     | 7.4      | 5.8      | 0.6      | 19.7           | 1.00     | <0.05    | 10.5    | 53           |
| AMH012  | 006      | 007    | 0.01        | 0.09         | 8.2      | 0.03     | 8.4      | 12.0     | 0.7      | 26.4           | 0.84     | <0.05    | 1.1     | 72           |
| AMH012  | 007      | 008    | <0.01       | 0.20         | 6.8      | 0.10     | 10.2     | 40.9     | 0.8      | 40.1           | 1.62     | <0.05    | 3.3     | 86           |
| AMH012  | 008      | 009    | <0.01       | 0.10         | 5.5      | 0.04     | 8.1      | 34.0     | 0.6      | 23.3           | 1.57     | <0.05    | 1.7     | 73           |
| AMH012  | 009      | 010    | 0.01        | 0.13         | 7.3      | 0.05     | 10.3     | 20.2     | 0.8      | 28.3           | 3.20     | <0.05    | 5.4     | 181          |
| AMH012  | 010      | 011    | <b>0.17</b> | 7.53         | 8.2      | 10.55    | 42.8     | 164.5    | 1.6      | <b>3,760.0</b> | 6.52     | 0.19     | 13.2    | 246          |
| AMH012  | 011      | 012    | <0.01       | 1.83         | 8.3      | 2.17     | 53.1     | 19.5     | 4.1      | 591.0          | 1.17     | 0.19     | 8.0     | 160          |
| AMH012  | 012      | 013    | <0.01       | 0.34         | 4.3      | 0.35     | 8.5      | 20.7     | 0.7      | 118.0          | 1.73     | <0.05    | 3.9     | 65           |
| AMH012  | 013      | 014    | 0.06        | 0.23         | 6.9      | 0.35     | 11.2     | 11.2     | 1.1      | 143.5          | 1.24     | <0.05    | 2.8     | 79           |
| AMH012  | 014      | 015    | 0.01        | 0.11         | 8.8      | 0.07     | 9.8      | 9.3      | 0.8      | 27.2           | 0.97     | <0.05    | 2.6     | 72           |
| AMH012  | 015      | 016    | <0.01       | 0.13         | 7.5      | 0.12     | 8.5      | 16.7     | 0.7      | 24.9           | 0.86     | <0.05    | 8.1     | 59           |
| AMH012  | 016      | 017    | <0.01       | 0.20         | 8.9      | 0.09     | 9.3      | 16.9     | 0.9      | 27.7           | 1.27     | <0.05    | 12.9    | 79           |
| AMH012  | 017      | 018    | <0.01       | 0.10         | 6.5      | 0.04     | 12.7     | 16.4     | 0.8      | 23.8           | 0.94     | <0.05    | 7.0     | 91           |
| AMH012  | 018      | 019    | <0.01       | 0.07         | 6.8      | 0.04     | 13.3     | 17.2     | 1.0      | 24.7           | 1.03     | <0.05    | 3.6     | 93           |
| AMH013  | 000      | 001    | 0.01        | 0.19         | 15.3     | 0.24     | 13.9     | 13.9     | 1.3      | 39.2           | 1.97     | 0.10     | 6.4     | 61           |
| AMH013  | 001      | 002    | <0.01       | 0.13         | 8.9      | 0.14     | 9.3      | 9.4      | 1.3      | 20.9           | 1.56     | 0.05     | 9.5     | 64           |
| AMH013  | 002      | 003    | <0.01       | 0.14         | 7.7      | 0.12     | 10.1     | 9.9      | 0.9      | 18.5           | 1.66     | <0.05    | 6.4     | 73           |
| AMH013  | 003      | 004    | <0.01       | 0.18         | 9.5      | 0.08     | 7.7      | 10.6     | 0.7      | 25.0           | 1.83     | <0.05    | 3.8     | 76           |
| AMH013  | 004      | 005    | 0.03        | 0.28         | 7.7      | 0.21     | 14.4     | 21.1     | 1.3      | 87.1           | 2.09     | 0.08     | 10.7    | 215          |
| AMH013  | 005      | 006    | 0.02        | 0.33         | 12.2     | 0.16     | 17.6     | 45.5     | 0.9      | 173.5          | 3.97     | 0.05     | 10.0    | 285          |
| AMH013  | 006      | 007    | 0.01        | 0.18         | 5.1      | 0.07     | 9.1      | 53.6     | 0.8      | 28.1           | 1.35     | <0.05    | 1.9     | 64           |
| AMH013  | 007      | 008    | <0.01       | 0.08         | 4.2      | 0.04     | 8.7      | 17.7     | 1.0      | 23.3           | 0.56     | <0.05    | 1.8     | 73           |
| AMH013  | 008      | 009    | <0.01       | 0.11         | 4.3      | 0.02     | 9.5      | 14.8     | 0.8      | 21.9           | 0.49     | <0.05    | 1.8     | 73           |
| AMH013  | 009      | 010    | <0.01       | 0.14         | 5.6      | 0.03     | 9.5      | 29.9     | 0.8      | 23.2           | 0.59     | <0.05    | 2.0     | 70           |
| AMH013  | 010      | 011    | <0.01       | 0.18         | 5.4      | 0.02     | 8.5      | 18.9     | 0.7      | 21.7           | 0.64     | <0.05    | 1.7     | 76           |
| AMH013  | 011      | 012    | <0.01       | 0.17         | 6.4      | 0.03     | 8.3      | 16.3     | 0.7      | 22.9           | 0.58     | <0.05    | 1.1     | 66           |
| AMH014  | 000      | 001    | 0.05        | 0.85         | 11.9     | 0.03     | 9.1      | 25.1     | 0.7      | 26.9           | 3.58     | <0.05    | 2.2     | 481          |
| AMH014  | 001      | 002    | 0.04        | 0.75         | 16.7     | 0.07     | 7.8      | 13.9     | 1.7      | 26.8           | 6.57     | <0.05    | 2.5     | 517          |
| AMH014  | 002      | 003    | 0.03        | 0.90         | 16.2     | 0.04     | 8.1      | 11.7     | 1.0      | 23.2           | 15.35    | <0.05    | 2.8     | 415          |
| AMH014  | 003      | 004    | 0.04        | 2.44         | 11.6     | 0.03     | 4.4      | 9.9      | 0.7      | 14.3           | 39.50    | <0.05    | 1.9     | 282          |
| AMH014  | 004      | 005    | 0.06        | 2.72         | 16.8     | 0.02     | 5.3      | 9.6      | 0.8      | 18.7           | 64.80    | <0.05    | 3.3     | 453          |
| AMH014  | 005      | 006    | <b>0.16</b> | 0.85         | 11.8     | 0.04     | 8.1      | 19.9     | 0.7      | 29.2           | 24.30    | <0.05    | 4.3     | 517          |
| AMH014  | 006      | 007    | <b>0.22</b> | 1.57         | 11.7     | 0.05     | 8.5      | 39.9     | 0.7      | 26.6           | 29.00    | <0.05    | 4.0     | 444          |
| AMH014  | 007      | 008    | <b>0.12</b> | 3.21         | 20.9     | 0.05     | 11.3     | 32.7     | 1.0      | 36.4           | 73.80    | <0.05    | 4.6     | 629          |
| AMH014  | 008      | 009    | <b>0.10</b> | 4.93         | 18.1     | 0.04     | 22.7     | 30.2     | 2.1      | 60.7           | 40.10    | <0.05    | 5.2     | <b>1,520</b> |
| AMH014  | 009      | 010    | <b>0.18</b> | 9.63         | 13.4     | 0.11     | 11.9     | 75.1     | 1.1      | 31.1           | 14.40    | <0.05    | 2.2     | 588          |
| AMH014  | 010      | 011    | <b>0.20</b> | <b>24.80</b> | 20.8     | 0.42     | 21.1     | 142.5    | 1.7      | 247.0          | 14.75    | 0.08     | 5.5     | 990          |
| AMH014  | 011      | 012    | 0.02        | 5.62         | 6.4      | 1.34     | 9.1      | 51.6     | 0.7      | 53.7           | 8.18     | <0.05    | 2.0     | 412          |
| AMH014  | 012      | 013    | 0.03        | <b>11.70</b> | 6.3      | 0.11     | 9.4      | 32.9     | 0.7      | 39.7           | 6.68     | <0.05    | 0.9     | 410          |
| AMH014  | 013      | 014    | 0.09        | <b>13.50</b> | 6.0      | 0.12     | 9.3      | 37.7     | 0.8      | 51.8           | 6.13     | <0.05    | 1.0     | 401          |

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm) | As (ppm)       | Bi (ppm) | Co (ppm) | Cu (ppm)       | Mo (ppm) | Pb (ppm) | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm) |
|---------|----------|--------|-------------|----------|----------------|----------|----------|----------------|----------|----------|----------|----------|---------|----------|
| AMH014  | 014      | 015    | 0.11        | 6.55     | 5.7            | 0.14     | 10.0     | 237.0          | 0.8      | 109.0    | 6.01     | <0.05    | 2.4     | 502      |
| AMH014  | 015      | 016    | 0.02        | 1.16     | 4.6            | 0.04     | 9.2      | 17.5           | 0.9      | 47.6     | 3.48     | <0.05    | 0.6     | 260      |
| AMH014  | 016      | 017    | <0.01       | 1.00     | 3.7            | 0.04     | 9.3      | 24.7           | 1.1      | 59.4     | 2.14     | <0.05    | 0.6     | 195      |
| AMH014  | 017      | 018    | 0.01        | 1.56     | 4.4            | 0.04     | 9.1      | 48.0           | 0.9      | 124.0    | 1.73     | <0.05    | 2.0     | 261      |
| AMH014  | 018      | 019    | <0.01       | 1.10     | 4.2            | 0.19     | 8.9      | 58.3           | 0.8      | 136.0    | 1.00     | <0.05    | 1.3     | 230      |
| AMH014  | 019      | 020    | <0.01       | 0.40     | 2.8            | 0.03     | 9.5      | 20.5           | 0.9      | 34.9     | 0.56     | <0.05    | 0.9     | 94       |
| AGB001  | 010      | 011    | <0.01       | 0.11     | 14.2           | 0.09     | 51.4     | 257.0          | 0.8      | 4.7      | 2.05     | 0.05     | 0.6     | 94       |
| AGB001  | 011      | 012    | 0.01        | 0.38     | 27.2           | 0.29     | 58.9     | <b>1,280.0</b> | 0.8      | 5.5      | 2.33     | 0.18     | 0.8     | 92       |
| AGB001  | 012      | 013    | 0.01        | 0.60     | 40.2           | 0.51     | 68.7     | <b>2,280.0</b> | 0.7      | 5.7      | 3.38     | 0.30     | 0.7     | 84       |
| AGB001  | 013      | 014    | <0.01       | 0.33     | 33.9           | 0.32     | 64.0     | <b>1,250.0</b> | 0.6      | 5.3      | 2.93     | 0.22     | 0.9     | 91       |
| AGB001  | 014      | 015    | <0.01       | 0.15     | 26.0           | 0.26     | 45.3     | 540.0          | 0.5      | 3.5      | 1.68     | 0.08     | 1.2     | 75       |
| AGB001  | 015      | 016    | 0.01        | 0.19     | 31.0           | 0.15     | 54.1     | 754.0          | 0.7      | 3.5      | 1.59     | 0.07     | 5.7     | 63       |
| AGB001  | 016      | 017    | 0.05        | 0.24     | 34.6           | 0.10     | 56.6     | <b>1,250.0</b> | 1.2      | 2.9      | 1.01     | 0.09     | 4.7     | 66       |
| AGB001  | 017      | 018    | 0.02        | 0.35     | 704.0          | 0.19     | 89.5     | <b>1,670.0</b> | 1.0      | 3.5      | 1.41     | 0.11     | 11.3    | 37       |
| AGB001  | 018      | 019    | <0.01       | 0.15     | 132.5          | 0.27     | 24.5     | 284.0          | 1.1      | 3.9      | 2.35     | <0.05    | 15.1    | 21       |
| AGB001  | 019      | 020    | 0.06        | 0.35     | 236.0          | 0.49     | 32.7     | <b>1,090.0</b> | 3.7      | 4.9      | 7.44     | 0.40     | 2.4     | 81       |
| AGB001  | 020      | 021    | <0.01       | 0.11     | 86.7           | 0.25     | 50.2     | 400.0          | 0.9      | 3.7      | 1.25     | 0.06     | 2.7     | 37       |
| AGB001  | 021      | 022    | <0.01       | 0.12     | 77.2           | 0.44     | 54.0     | 379.0          | 0.8      | 2.0      | 0.82     | 0.06     | 2.5     | 50       |
| AGB001  | 022      | 023    | <0.01       | 0.24     | 78.4           | 2.11     | 44.2     | 793.0          | 1.0      | 2.9      | 1.17     | 0.06     | 3.9     | 64       |
| AGB001  | 023      | 024    | <0.01       | 0.12     | 50.7           | 0.32     | 59.6     | 272.0          | 0.8      | 3.3      | 1.44     | 0.05     | 4.0     | 83       |
| AGB001  | 024      | 025    | 0.01        | 0.11     | 32.4           | 0.22     | 50.9     | 251.0          | 1.0      | 4.1      | 1.63     | <0.05    | 5.0     | 102      |
| AGB001  | 025      | 026    | <0.01       | 0.11     | 29.1           | 0.23     | 51.3     | 233.0          | 1.0      | 3.7      | 1.28     | <0.05    | 1.9     | 105      |
| AGB001  | 026      | 027    | <0.01       | 0.09     | 23.2           | 0.19     | 55.2     | 174.5          | 0.9      | 4.7      | 1.85     | 0.05     | 1.4     | 96       |
| AGB001  | 027      | 028    | <0.01       | 0.10     | 19.9           | 0.15     | 53.0     | 173.5          | 1.1      | 5.7      | 1.97     | <0.05    | 1.2     | 112      |
| AGB001  | 028      | 029    | <0.01       | 0.11     | 20.2           | 0.18     | 53.5     | 272.0          | 1.9      | 5.3      | 1.99     | <0.05    | 1.1     | 140      |
| AGB001  | 029      | 030    | <0.01       | 0.10     | 17.9           | 0.16     | 60.2     | 116.0          | 2.2      | 7.2      | 2.14     | <0.05    | 1.4     | 135      |
| AGB001  | 030      | 031    | <0.01       | 0.08     | 27.5           | 0.17     | 51.8     | 107.0          | 1.5      | 6.0      | 1.97     | <0.05    | 1.2     | 123      |
| AGB001  | 031      | 032    | <b>0.23</b> | 0.82     | <b>3,860.0</b> | 1.84     | 2500.0   | <b>4,050.0</b> | 2.9      | 6.0      | 1.97     | 0.73     | 13.6    | 77       |
| AGB001  | 032      | 033    | <0.01       | 0.22     | 47.3           | 0.20     | 64.0     | <b>1,220.0</b> | 1.0      | 5.8      | 2.56     | 0.07     | 2.5     | 113      |
| AGB001  | 033      | 034    | <0.01       | 0.07     | 19.0           | 0.12     | 47.6     | 105.5          | 1.1      | 6.5      | 2.18     | <0.05    | 1.2     | 131      |
| AGB001  | 034      | 035    | <0.01       | 0.12     | 18.1           | 0.14     | 42.8     | 160.0          | 1.5      | 8.1      | 2.48     | 0.06     | 2.8     | 150      |
| AGB001  | 044      | 045    | <0.01       | 0.07     | 44.6           | 0.14     | 37.4     | 157.5          | 2.3      | 8.8      | 1.03     | 0.06     | 1.8     | 66       |
| AGB001  | 045      | 046    | 0.04        | 0.31     | 26.8           | 0.48     | 46.3     | <b>2,030.0</b> | 3.7      | 10.1     | 2.76     | 0.31     | 3.6     | 34       |
| AGB001  | 046      | 047    | <0.01       | 0.05     | 5.7            | 0.15     | 5.7      | 38.1           | 2.4      | 9.1      | 2.16     | 0.05     | 2.2     | 42       |
| AGB001  | 047      | 048    | <0.01       | 0.07     | 9.1            | 0.12     | 9.1      | 78.2           | 2.2      | 7.3      | 1.16     | 0.06     | 1.5     | 60       |
| AGB002  | 013      | 014    | 0.02        | 0.16     | 192.0          | 0.13     | 34.2     | 221.0          | 1.1      | 4.3      | 2.15     | <0.05    | 4.0     | 116      |
| AGB002  | 014      | 015    | 0.01        | 0.16     | 329.0          | 0.11     | 29.9     | 422.0          | 1.3      | 7.8      | 5.66     | <0.05    | 2.5     | 90       |
| AGB002  | 015      | 016    | <0.01       | 0.06     | 32.7           | 0.13     | 24.7     | 55.7           | 1.6      | 10.7     | 5.61     | <0.05    | 3.5     | 66       |
| AGB002  | 016      | 017    | <0.01       | 0.06     | 27.4           | 0.11     | 25.6     | 50.8           | 1.4      | 13.9     | 1.81     | <0.05    | 1.7     | 151      |
| AGB002  | 017      | 018    | <0.01       | 0.10     | 20.9           | 0.10     | 26.7     | 102.5          | 1.2      | 11.5     | 2.03     | <0.05    | 3.9     | 161      |
| AGB002  | 018      | 019    | <0.01       | 0.07     | 18.3           | 0.14     | 29.6     | 60.8           | 1.4      | 17.8     | 2.24     | 0.05     | 1.2     | 215      |
| AGB002  | 019      | 020    | <0.01       | 0.08     | 62.0           | 0.11     | 35.0     | 105.5          | 1.5      | 10.7     | 2.26     | <0.05    | 4.1     | 92       |
| AGB002  | 020      | 021    | 0.01        | 0.28     | 112.0          | 0.23     | 41.2     | <b>1,730.0</b> | 0.8      | 13.8     | 2.63     | 0.14     | 6.4     | 29       |
| AGB002  | 021      | 022    | 0.04        | 0.28     | 41.1           | 0.19     | 9.9      | <b>1,960.0</b> | 1.4      | 12.8     | 4.58     | 0.11     | 1.9     | 25       |
| AGB002  | 022      | 023    | 0.04        | 0.27     | 49.0           | 0.26     | 63.5     | <b>1,190.0</b> | 1.6      | 6.9      | 3.04     | 0.14     | 3.3     | 70       |
| AGB002  | 023      | 024    | 0.02        | 0.08     | 18.9           | 0.10     | 31.3     | 160.5          | 1.5      | 5.2      | 1.44     | 0.05     | 2.7     | 77       |
| AGB002  | 024      | 025    | <0.01       | 0.06     | 15.1           | 0.14     | 32.8     | 77.9           | 1.4      | 5.2      | 1.47     | 0.05     | 2.6     | 104      |
| AGB002  | 025      | 026    | 0.03        | 0.09     | 16.7           | 3.80     | 54.8     | 187.0          | 1.5      | 4.7      | 2.44     | 2.32     | 3.9     | 66       |
| AGB002  | 026      | 027    | 0.02        | 0.07     | 13.1           | 0.31     | 14.5     | 63.7           | 1.3      | 5.6      | 2.18     | 0.05     | 6.8     | 56       |
| AGB002  | 027      | 028    | <0.01       | 0.08     | 13.9           | 0.16     | 23.7     | 111.0          | 1.2      | 5.5      | 1.88     | 0.05     | 6.6     | 97       |
| AGB002  | 028      | 029    | <0.01       | 0.08     | 13.7           | 0.15     | 28.7     | 77.9           | 1.3      | 5.2      | 1.75     | 0.05     | 6.5     | 103      |
| AGB002  | 029      | 030    | <0.01       | 0.08     | 14.0           | 0.17     | 28.8     | 146.0          | 1.2      | 6.9      | 1.92     | <0.05    | 5.3     | 140      |
| AGB002  | 030      | 031    | <0.01       | 0.08     | 17.0           | 0.11     | 30.6     | 50.9           | 1.5      | 5.5      | 2.00     | 0.05     | 4.5     | 111      |
| AGB002  | 031      | 032    | <0.01       | 0.09     | 15.6           | 0.11     | 27.8     | 115.0          | 2.1      | 5.5      | 2.26     | 0.05     | 2.5     | 122      |
| AGB002  | 032      | 033    | <0.01       | 0.08     | 10.2           | 0.31     | 27.0     | 63.8           | 4.9      | 5.1      | 3.49     | 0.15     | 3.7     | 57       |
| AGB002  | 033      | 034    | 0.01        | 0.10     | 12.7           | 0.29     | 48.3     | 153.5          | 6.2      | 4.4      | 2.19     | 0.17     | 4.0     | 72       |
| AGB002  | 034      | 035    | 0.01        | 0.11     | 8.6            | 0.20     | 14.0     | 281.0          | 1.9      | 6.1      | 3.49     | <0.05    | 2.5     | 57       |
| AGB002  | 035      | 036    | 0.01        | 0.08     | 9.2            | 0.15     | 23.1     | 134.0          | 1.8      | 5.1      | 1.87     | 0.06     | 1.6     | 61       |
| AGB002  | 036      | 037    | <0.01       | 0.08     | 15.3           | 0.16     | 28.2     | 146.5          | 1.6      | 5.5      | 2.13     | 0.05     | 1.8     | 102      |
| AGB002  | 037      | 038    | 0.01        | 0.14     | 12.2           | 0.11     | 22.9     | 652.0          | 1.9      | 5.5      | 5.46     | 0.05     | 3.8     | 68       |

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm)     | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm)       | Mo (ppm) | Pb (ppm) | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm) |
|---------|----------|--------|-------------|--------------|----------|----------|----------|----------------|----------|----------|----------|----------|---------|----------|
| AGB002  | 038      | 039    | <0.01       | 0.07         | 12.3     | 0.12     | 24.0     | 55.9           | 1.6      | 5.3      | 2.07     | 0.05     | 1.7     | 114      |
| AGB002  | 047      | 048    | <0.01       | 0.21         | 8.8      | 0.08     | 17.4     | 72.7           | 1.8      | 10.7     | 3.14     | 0.05     | 6.2     | 54       |
| AGB002  | 048      | 049    | 0.03        | <b>19.55</b> | 87.3     | 0.34     | 147.0    | 447.0          | 2.0      | 456.0    | 71.10    | 0.12     | 4.4     | 68       |
| AGB002  | 049      | 050    | 0.01        | 2.61         | 31.5     | 0.21     | 35.5     | 544.0          | 1.7      | 18.8     | 29.20    | 0.10     | 1.9     | 62       |
| AGB002  | 050      | 051    | 0.02        | 7.64         | 23.3     | 0.19     | 25.7     | 719.0          | 2.0      | 602.0    | 26.00    | 0.09     | 3.8     | 59       |
| AGB002  | 051      | 052    | <0.01       | 0.35         | 7.4      | 0.13     | 13.7     | 242.0          | 1.8      | 12.8     | 2.89     | 0.05     | 1.8     | 58       |
| AGB002  | 052      | 053    | <0.01       | 0.57         | 9.1      | 0.10     | 13.7     | 59.5           | 1.6      | 22.0     | 3.97     | 0.05     | 2.1     | 50       |
| AGB002  | 053      | 054    | <0.01       | 0.14         | 6.9      | 0.08     | 9.6      | 32.5           | 1.8      | 8.0      | 10.75    | <0.05    | 1.4     | 55       |
| AGB002  | 062      | 063    | <0.01       | 0.39         | 49.3     | 0.04     | 15.2     | 71.4           | 0.5      | 26.8     | 1.94     | <0.05    | 4.4     | 36       |
| AGB002  | 063      | 064    | 0.02        | 1.27         | 28.2     | 0.39     | 22.1     | <b>1,000.0</b> | 0.9      | 29.3     | 11.30    | 0.11     | 21.1    | 41       |
| AGB002  | 064      | 065    | 0.01        | 0.57         | 19.7     | 0.16     | 29.9     | <b>2,370.0</b> | 0.7      | 7.6      | 18.65    | 0.09     | 7.4     | 30       |
| AGB002  | 065      | 066    | 0.01        | 0.26         | 5.8      | 0.08     | 19.6     | <b>1,910.0</b> | 0.6      | 3.4      | 4.93     | 0.05     | 4.9     | 16       |
| AGB002  | 066      | 067    | 0.02        | 0.21         | 15.1     | 0.11     | 29.3     | <b>1,240.0</b> | 0.6      | 3.2      | 2.20     | 0.09     | 5.1     | 19       |
| AGB002  | 067      | 068    | <0.01       | 0.08         | 8.3      | 0.13     | 37.6     | 264.0          | 0.4      | 2.3      | 2.34     | 0.05     | 6.2     | 68       |
| AGB002  | 068      | 069    | <0.01       | 0.09         | 10.0     | 0.13     | 40.8     | 261.0          | 0.6      | 2.3      | 3.17     | 0.05     | 1.3     | 76       |
| AGB002  | 069      | 070    | <0.01       | 0.13         | 7.7      | 0.12     | 32.5     | <b>1,140.0</b> | 0.5      | 1.8      | 2.29     | 0.05     | 3.7     | 64       |
| AGB002  | 070      | 071    | <0.01       | 0.14         | 7.3      | 0.13     | 37.9     | 791.0          | 0.5      | 2.0      | 1.99     | 0.05     | 2.1     | 75       |
| AGB002  | 071      | 072    | <0.01       | 0.09         | 8.1      | 0.10     | 40.9     | 366.0          | 0.5      | 1.9      | 1.82     | 0.05     | 1.5     | 80       |
| AGB003  | 003      | 004    | 0.04        | 0.59         | 32.9     | 0.25     | 47.8     | <b>1,410.0</b> | 1.1      | 52.3     | 2.81     | 0.10     | 12.0    | 73       |
| AGB003  | 004      | 005    | 0.05        | 0.55         | 22.8     | 0.25     | 38.6     | <b>2,530.0</b> | 1.8      | 11.6     | 4.15     | 0.17     | 8.9     | 41       |
| AGB003  | 005      | 006    | <0.01       | 0.09         | 36.5     | 0.08     | 31.0     | 95.2           | 1.3      | 7.1      | 2.42     | <0.05    | 8.3     | 101      |
| AGB003  | 006      | 007    | <0.01       | 0.06         | 29.1     | 0.09     | 36.9     | 52.6           | 1.3      | 5.8      | 2.04     | <0.05    | 6.0     | 149      |
| AGB003  | 037      | 038    | <0.01       | 0.05         | 19.3     | 0.13     | 31.5     | 51.5           | 1.6      | 7.1      | 2.82     | 0.05     | 2.8     | 58       |
| AGB003  | 038      | 039    | <0.01       | 0.06         | 18.5     | 0.26     | 32.6     | 180.0          | 2.6      | 6.1      | 4.52     | 0.10     | 4.5     | 44       |
| AGB003  | 039      | 040    | 0.01        | 0.11         | 22.9     | 0.21     | 39.2     | 295.0          | 1.9      | 8.2      | 2.23     | 0.08     | 4.2     | 67       |
| AGB003  | 040      | 041    | 0.01        | 0.11         | 14.1     | 0.10     | 28.1     | 443.0          | 1.9      | 4.6      | 1.12     | 0.07     | 2.8     | 69       |
| AGB003  | 041      | 042    | <0.01       | 0.07         | 15.3     | 0.15     | 26.7     | 183.5          | 1.8      | 5.7      | 1.82     | 0.06     | 3.6     | 92       |
| AGB003  | 042      | 043    | 0.03        | 0.15         | 16.3     | 0.17     | 24.0     | 858.0          | 2.3      | 6.3      | 2.15     | 0.16     | 5.9     | 63       |
| AGB003  | 043      | 044    | 0.04        | 0.28         | 16.4     | 0.18     | 29.2     | 722.0          | 2.2      | 5.8      | 1.27     | 0.15     | 5.3     | 51       |
| AGB003  | 044      | 045    | <0.01       | 0.08         | 6.2      | 0.05     | 11.0     | 322.0          | 4.1      | 4.7      | 1.86     | <0.05    | 42.0    | 18       |
| AGB003  | 045      | 046    | 0.01        | <b>11.45</b> | 187.5    | 0.70     | 9.4      | <b>1,700.0</b> | 4.1      | 271.0    | 93.60    | 0.11     | 25.5    | 104      |
| AGB003  | 046      | 047    | 0.05        | 6.58         | 86.8     | 0.38     | 11.6     | <b>1,270.0</b> | 3.5      | 138.5    | 44.70    | 0.11     | 18.0    | 78       |
| AGB003  | 047      | 048    | <0.01       | 0.30         | 11.6     | 0.10     | 12.7     | 103.0          | 2.2      | 11.0     | 9.75     | 0.05     | 5.1     | 96       |
| AGB003  | 048      | 049    | 0.01        | 0.15         | 12.6     | 0.11     | 21.9     | 517.0          | 2.4      | 7.3      | 4.13     | 0.06     | 6.1     | 43       |
| AGB003  | 049      | 050    | 0.01        | 0.17         | 13.9     | 0.13     | 21.0     | 605.0          | 2.2      | 6.9      | 2.99     | 0.06     | 20.9    | 30       |
| AGB003  | 051      | 052    | <b>0.16</b> | 1.63         | 33.7     | 0.69     | 39.2     | <b>3,360.0</b> | 2.6      | 5.2      | 6.38     | 0.43     | 16.8    | 23       |
| AGB003  | 052      | 053    | 0.09        | 2.27         | 42.4     | 0.23     | 12.5     | <b>1,620.0</b> | 2.7      | 3.6      | 9.54     | 0.18     | 20.4    | 27       |
| AGB003  | 053      | 054    | 0.05        | 2.23         | 48.1     | 0.28     | 7.0      | <b>1,190.0</b> | 2.3      | 39.1     | 10.50    | 0.21     | 9.2     | 30       |
| AGB003  | 054      | 055    | <0.01       | 0.36         | 19.0     | 0.15     | 21.4     | 202.0          | 1.3      | 9.1      | 2.96     | 0.06     | 10.4    | 67       |
| AGB003  | 055      | 056    | <0.01       | 0.15         | 18.2     | 0.14     | 47.0     | 189.0          | 1.3      | 7.6      | 2.01     | 0.06     | 25.8    | 73       |
| AGB003  | 056      | 057    | 0.01        | 0.12         | 16.8     | 0.09     | 40.3     | 103.0          | 1.4      | 5.5      | 1.67     | 0.06     | 3.1     | 66       |
| AGB003  | 057      | 058    | <0.01       | 0.09         | 12.8     | 0.09     | 28.9     | 53.6           | 1.5      | 5.3      | 1.78     | 0.06     | 3.2     | 86       |
| AGB003  | 058      | 059    | <0.01       | 0.09         | 16.3     | 0.09     | 27.9     | 66.6           | 1.6      | 6.8      | 1.89     | <0.05    | 4.1     | 82       |
| AGB003  | 059      | 060    | <0.01       | 0.13         | 17.6     | 0.12     | 23.3     | 111.0          | 1.2      | 11.1     | 2.68     | 0.05     | 7.4     | 67       |
| AGB003  | 060      | 061    | <0.01       | 0.06         | 16.9     | 0.10     | 25.4     | 48.3           | 1.3      | 5.2      | 1.80     | <0.05    | 4.5     | 81       |
| AGB004  | 020      | 021    | <0.01       | 0.09         | 17.5     | 0.15     | 40.5     | 373.0          | 0.7      | 4.9      | 3.80     | 0.07     | 2.4     | 55       |
| AGB004  | 021      | 022    | <0.01       | 0.09         | 13.4     | 0.17     | 37.6     | 432.0          | 0.7      | 4.6      | 4.13     | 0.06     | 3.0     | 31       |
| AGB004  | 022      | 023    | <0.01       | 0.07         | 8.7      | 0.12     | 22.5     | 319.0          | 0.7      | 3.0      | 4.44     | 0.07     | 7.1     | 26       |
| AGB004  | 023      | 024    | <0.01       | 0.07         | 14.5     | 0.15     | 45.8     | 262.0          | 0.9      | 3.4      | 2.84     | 0.07     | 3.0     | 47       |
| AGB004  | 024      | 025    | <0.01       | 0.09         | 19.7     | 0.31     | 52.4     | 349.0          | 1.0      | 2.5      | 4.17     | 0.07     | 9.0     | 33       |
| AGB004  | 025      | 026    | <0.01       | 0.07         | 13.9     | 0.24     | 36.4     | 215.0          | 1.4      | 3.0      | 3.11     | 0.06     | 14.3    | 26       |
| AGB004  | 026      | 027    | 0.01        | 0.39         | 13.5     | 0.23     | 44.2     | <b>3,650.0</b> | 0.9      | 2.7      | 4.53     | 0.06     | 6.3     | 27       |
| AGB004  | 027      | 028    | <0.01       | 0.12         | 17.8     | 0.25     | 52.0     | 491.0          | 1.0      | 2.3      | 4.29     | 0.07     | 4.5     | 41       |
| AGB004  | 028      | 029    | <0.01       | 0.08         | 17.8     | 0.22     | 52.5     | 286.0          | 0.8      | 1.7      | 2.92     | 0.06     | 2.4     | 44       |
| AGB004  | 029      | 030    | <0.01       | 0.07         | 11.5     | 0.14     | 38.0     | 283.0          | 0.8      | 1.8      | 2.16     | 0.08     | 6.6     | 38       |
| AGB004  | 030      | 031    | 0.01        | 0.12         | 12.2     | 0.39     | 48.8     | 503.0          | 1.2      | 2.3      | 2.24     | 0.23     | 6.3     | 44       |
| AGB004  | 031      | 032    | <0.01       | 0.10         | 8.8      | 0.14     | 29.7     | 512.0          | 0.8      | 2.4      | 2.27     | 0.05     | 4.3     | 32       |
| AGB004  | 032      | 033    | 0.03        | 0.09         | 12.8     | 0.13     | 47.0     | 316.0          | 0.9      | 2.4      | 2.83     | 0.16     | 4.6     | 46       |
| AGB004  | 033      | 034    | <0.01       | 0.08         | 67.1     | 0.13     | 50.6     | 312.0          | 0.7      | 2.4      | 2.87     | 0.05     | 9.2     | 21       |
| AGB004  | 034      | 035    | <0.01       | 0.07         | 55.2     | 0.11     | 49.4     | 243.0          | 2.6      | 1.9      | 3.78     | 0.05     | 20.8    | 49       |

| Hole ID | From (m) | To (m) | Au (ppm) | Ag (ppm) | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm) | Mo (ppm) | Pb (ppm) | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm) |
|---------|----------|--------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|---------|----------|
| AGB004  | 035      | 036    | 1.66     | 5.70     | 1,195.0  | 9.53     | 1320.0   | 22,250.0 | 12.8     | 7.5      | 11.05    | 4.49     | 27.1    | 18       |
| AGB004  | 036      | 037    | 0.57     | 3.27     | 1,085.0  | 4.25     | 973.0    | 12,800.0 | 7.0      | 9.2      | 21.60    | 1.51     | 1.2     | 23       |
| AGB004  | 037      | 038    | 0.16     | 1.53     | 493.0    | 2.03     | 470.0    | 5,850.0  | 2.8      | 5.9      | 14.95    | 0.77     | 0.6     | 19       |
| AGB004  | 038      | 039    | 0.29     | 1.56     | 375.0    | 2.00     | 255.0    | 10,350.0 | 4.9      | 6.8      | 37.20    | 0.82     | 0.4     | 25       |
| AGB004  | 039      | 040    | 0.21     | 1.22     | 292.0    | 1.87     | 231.0    | 5,660.0  | 2.9      | 5.6      | 35.60    | 0.78     | 7.6     | 23       |
| AGB004  | 040      | 041    | 0.23     | 1.23     | 342.0    | 1.57     | 209.0    | 6,120.0  | 4.2      | 3.5      | 125.00   | 0.74     | 36.6    | 30       |
| AGB004  | 041      | 042    | 0.14     | 0.83     | 263.0    | 0.93     | 185.5    | 3,740.0  | 2.5      | 3.4      | 43.80    | 0.42     | 25.2    | 19       |
| AGB004  | 042      | 043    | 0.05     | 0.45     | 175.5    | 0.47     | 113.5    | 1,890.0  | 1.5      | 4.2      | 17.90    | 0.19     | 46.5    | 14       |
| AGB004  | 043      | 044    | 0.06     | 0.42     | 190.0    | 0.42     | 90.1     | 1,730.0  | 1.4      | 3.4      | 85.00    | 0.19     | 60.2    | 28       |
| AGB004  | 044      | 045    | 0.04     | 0.23     | 149.5    | 0.30     | 88.7     | 1,070.0  | 1.2      | 3.0      | 53.30    | 0.14     | 85.4    | 22       |
| AGB004  | 045      | 046    | 0.02     | 0.18     | 179.0    | 0.22     | 75.3     | 767.0    | 1.1      | 3.2      | 84.30    | 0.10     | 169.5   | 30       |
| AGB004  | 046      | 047    | <0.01    | 0.10     | 167.5    | 0.12     | 54.7     | 405.0    | 0.7      | 2.3      | 95.70    | 0.06     | 107.5   | 32       |
| AGB004  | 047      | 048    | 0.01     | 0.09     | 116.0    | 0.12     | 46.7     | 259.0    | 0.7      | 1.6      | 52.30    | 0.08     | 48.5    | 25       |
| AGB004  | 048      | 049    | 0.18     | 0.34     | 323.0    | 0.32     | 41.5     | 2,220.0  | 1.5      | 2.9      | 607.00   | 0.19     | 39.2    | 107      |
| AGB004  | 049      | 050    | 0.06     | 0.19     | 158.0    | 0.21     | 27.3     | 1,230.0  | 1.5      | 2.3      | 324.00   | 0.11     | 48.4    | 63       |
| AGB004  | 050      | 051    | 0.01     | 0.19     | 292.0    | 0.18     | 57.2     | 973.0    | 0.8      | 2.7      | 244.00   | 0.08     | 96.0    | 57       |
| AGB004  | 051      | 052    | 0.05     | 0.18     | 106.0    | 0.21     | 61.7     | 886.0    | 1.1      | 1.9      | 31.30    | 0.12     | 18.8    | 34       |
| AGB004  | 052      | 053    | <0.01    | 0.10     | 124.0    | 0.13     | 53.8     | 366.0    | 0.7      | 2.5      | 74.10    | 0.08     | 116.5   | 41       |
| AGB004  | 053      | 054    | 0.02     | 0.14     | 93.4     | 0.18     | 61.9     | 577.0    | 0.7      | 2.0      | 28.00    | 0.11     | 43.9    | 43       |
| AGB004  | 054      | 055    | 0.01     | 0.10     | 65.6     | 0.12     | 56.2     | 399.0    | 0.8      | 1.1      | 6.71     | 0.06     | 11.6    | 48       |
| AGB005  | 050      | 051    | <0.01    | 0.05     | 17.3     | 0.04     | 55.8     | 137.5    | 0.7      | 4.9      | 1.04     | 0.05     | 0.7     | 94       |
| AGB005  | 051      | 052    | <0.01    | 0.08     | 20.7     | 0.05     | 56.6     | 269.0    | 0.8      | 2.8      | 1.12     | 0.06     | 0.8     | 89       |
| AGB005  | 052      | 053    | <0.01    | 0.10     | 36.1     | 0.05     | 56.6     | 311.0    | 0.7      | 4.2      | 1.50     | 0.05     | 1.2     | 82       |
| AGB005  | 053      | 054    | 0.02     | 0.34     | 122.0    | 0.22     | 148.5    | 871.0    | 0.5      | 7.2      | 2.00     | 0.11     | 5.9     | 151      |
| AGB005  | 054      | 055    | 0.01     | 0.71     | 171.5    | 0.34     | 193.5    | 1,360.0  | 0.5      | 9.2      | 2.54     | 0.13     | 3.0     | 154      |
| AGB005  | 055      | 056    | 0.03     | 1.05     | 253.0    | 0.42     | 167.5    | 2,030.0  | 0.5      | 5.1      | 3.61     | 0.17     | 4.9     | 123      |
| AGB005  | 056      | 057    | <0.01    | 0.33     | 166.5    | 0.16     | 114.5    | 703.0    | 0.5      | 3.0      | 1.88     | 0.07     | 3.8     | 83       |
| AGB005  | 057      | 058    | <0.01    | 0.11     | 267.0    | 0.09     | 51.2     | 153.5    | 0.4      | 2.1      | 1.19     | 0.06     | 9.1     | 25       |
| AGB005  | 058      | 059    | <0.01    | 0.06     | 2,330.0  | 0.13     | 19.4     | 40.6     | 0.4      | 2.8      | 0.88     | <0.05    | 16.8    | 15       |
| AGB005  | 059      | 060    | 0.45     | 2.38     | 22,700.0 | 1.14     | 123.0    | 8,100.0  | 0.6      | 3.5      | 5.26     | 0.29     | 1.5     | 16       |
| AGB005  | 060      | 061    | 0.26     | 0.44     | 77,900.0 | 1.68     | 247.0    | 656.0    | 1.1      | 3.3      | 11.90    | 0.54     | 0.8     | 15       |
| AGB005  | 061      | 062    | 0.45     | 0.50     | 217,000  | 4.47     | 595.0    | 186.0    | 3.7      | 5.3      | 32.60    | 1.33     | 0.5     | 7        |
| AGB005  | 062      | 063    | 0.33     | 0.30     | 156,000  | 2.83     | 420.0    | 115.5    | 2.7      | 4.9      | 22.70    | 0.76     | 0.4     | 9        |
| AGB005  | 063      | 064    | 0.06     | 0.21     | 34,400.0 | 0.70     | 124.5    | 246.0    | 0.7      | 2.8      | 5.59     | 0.31     | 0.2     | 13       |
| AGB005  | 064      | 065    | 0.07     | 0.48     | 5,230.0  | 0.36     | 27.1     | 1,420.0  | 0.4      | 3.0      | 1.48     | 0.07     | 0.2     | 15       |
| AGB005  | 065      | 066    | 0.14     | 0.56     | 71,500.0 | 1.46     | 234.0    | 664.0    | 1.1      | 4.2      | 11.65    | 0.41     | 0.2     | 13       |
| AGB005  | 066      | 067    | 0.08     | 0.19     | 67,500.0 | 1.00     | 206.0    | 145.5    | 0.9      | 3.5      | 9.57     | 0.51     | 0.2     | 14       |
| AGB005  | 067      | 068    | 0.06     | 0.14     | 19,350.0 | 0.34     | 73.9     | 205.0    | 0.6      | 2.9      | 3.93     | 0.14     | 9.5     | 15       |
| AGB005  | 068      | 069    | 0.23     | 0.18     | 49,300.0 | 0.75     | 220.0    | 334.0    | 1.0      | 3.4      | 9.99     | 0.35     | 4.6     | 19       |
| AGB005  | 069      | 070    | 0.46     | 0.37     | 140,000  | 2.11     | 371.0    | 274.0    | 1.6      | 5.4      | 25.20    | 3.07     | 0.6     | 12       |
| AGB005  | 070      | 071    | 0.55     | 1.77     | 248,000  | 6.38     | 740.0    | 3,350.0  | 2.7      | 8.3      | 44.40    | 13.70    | 0.9     | 22       |
| AGB005  | 071      | 072    | 0.07     | 0.58     | 77,300.0 | 1.03     | 191.0    | 916.0    | 1.1      | 4.1      | 32.50    | 3.86     | 4.8     | 37       |
| AGB006  | 018      | 019    | <0.01    | 0.05     | 59.3     | 0.03     | 44.7     | 122.0    | 0.9      | 3.5      | 1.73     | <0.05    | 0.9     | 69       |
| AGB006  | 019      | 020    | <0.01    | 0.05     | 29.5     | 0.04     | 35.1     | 183.5    | 1.4      | 3.8      | 1.55     | <0.05    | 1.8     | 59       |
| AGB006  | 020      | 021    | <0.01    | 0.05     | 41.1     | 0.03     | 38.2     | 155.5    | 1.0      | 3.3      | 1.41     | <0.05    | 1.2     | 54       |
| AGB006  | 021      | 022    | <0.01    | 0.05     | 32.2     | 0.02     | 40.9     | 109.5    | 0.7      | 3.5      | 1.80     | <0.05    | 0.7     | 54       |
| AGB006  | 022      | 023    | <0.01    | 0.04     | 60.2     | 0.02     | 40.2     | 120.5    | 0.6      | 3.7      | 1.76     | <0.05    | 0.6     | 52       |
| AGB006  | 023      | 024    | 0.01     | 0.44     | 60.2     | 0.06     | 33.3     | 584.0    | 1.7      | 2.1      | 1.11     | 0.05     | 2.9     | 49       |
| AGB006  | 024      | 025    | 0.01     | 0.06     | 128.5    | 0.05     | 38.6     | 155.0    | 1.0      | 4.0      | 1.89     | <0.05    | 1.7     | 65       |
| AGB006  | 025      | 026    | <0.01    | 0.04     | 86.5     | 0.03     | 34.7     | 117.0    | 0.4      | 4.0      | 1.21     | <0.05    | 2.8     | 60       |
| AGB006  | 026      | 027    | <0.01    | 0.04     | 142.0    | 0.03     | 35.2     | 128.5    | 0.5      | 7.1      | 1.39     | <0.05    | 2.1     | 62       |
| AGB006  | 027      | 028    | 0.02     | 0.05     | 187.0    | 0.03     | 41.3     | 130.0    | 0.8      | 6.1      | 1.66     | <0.05    | 0.8     | 70       |
| AGB006  | 028      | 029    | <0.01    | 0.05     | 137.5    | 0.04     | 45.3     | 132.5    | 0.8      | 6.0      | 1.65     | <0.05    | 0.8     | 72       |
| AGB006  | 029      | 030    | <0.01    | 0.04     | 210.0    | 0.04     | 44.9     | 124.5    | 0.9      | 5.1      | 1.49     | <0.05    | 0.9     | 75       |
| AGB006  | 030      | 031    | <0.01    | 0.05     | 174.0    | 0.03     | 43.2     | 116.0    | 1.1      | 5.1      | 1.77     | <0.05    | 0.9     | 77       |
| AGB006  | 031      | 032    | <0.01    | 0.06     | 155.0    | 0.03     | 35.8     | 154.5    | 0.6      | 4.8      | 1.54     | <0.05    | 3.9     | 62       |
| AGB006  | 032      | 033    | <0.01    | 0.04     | 2,070.0  | 0.42     | 35.5     | 98.2     | 0.7      | 2.6      | 1.78     | <0.05    | 7.8     | 38       |
| AGB006  | 033      | 034    | <0.01    | 0.04     | 931.0    | 0.22     | 34.1     | 103.5    | 0.9      | 2.0      | 1.53     | <0.05    | 3.9     | 49       |
| AGB006  | 034      | 035    | <0.01    | 0.03     | 270.0    | 0.10     | 18.6     | 48.4     | 0.9      | 2.6      | 1.11     | <0.05    | 17.5    | 34       |
| AGB006  | 035      | 036    | <0.01    | 0.03     | 2,230.0  | 0.39     | 36.8     | 31.3     | 0.8      | 3.2      | 1.61     | <0.05    | 12.8    | 29       |

| Hole ID | From (m) | To (m) | Au (ppm) | Ag (ppm) | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm)       | Mo (ppm) | Pb (ppm) | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm) |
|---------|----------|--------|----------|----------|----------|----------|----------|----------------|----------|----------|----------|----------|---------|----------|
| AGB006  | 036      | 037    | <0.01    | 0.03     | 253.0    | 0.08     | 42.0     | 87.4           | 0.6      | 1.9      | 3.60     | <0.05    | 2.5     | 58       |
| AGB006  | 037      | 038    | 0.01     | 0.03     | 160.5    | 0.07     | 46.9     | 101.5          | 0.5      | 2.3      | 1.90     | <0.05    | 2.4     | 68       |
| AGB006  | 038      | 039    | <0.01    | 0.04     | 182.0    | 0.09     | 49.9     | 120.0          | 0.6      | 2.4      | 2.42     | <0.05    | 3.7     | 86       |
| AGB006  | 039      | 040    | 0.04     | 0.09     | 114.5    | 0.11     | 47.2     | 405.0          | 0.7      | 2.6      | 3.34     | 0.08     | 3.1     | 85       |
| AGB006  | 040      | 041    | <0.01    | 0.05     | 89.5     | 0.06     | 48.7     | 149.0          | 0.6      | 5.0      | 3.32     | <0.05    | 5.8     | 90       |
| AGB006  | 041      | 042    | <0.01    | 0.06     | 172.5    | 0.05     | 40.4     | 145.0          | 1.1      | 5.1      | 1.90     | <0.05    | 1.6     | 97       |
| AGB006  | 042      | 043    | <0.01    | 0.06     | 154.5    | 0.06     | 42.4     | 131.5          | 1.4      | 4.8      | 1.84     | <0.05    | 1.5     | 111      |
| AGB007  | 034      | 035    | <0.01    | 0.07     | 4.9      | 0.06     | 10.7     | 95.1           | 0.7      | 2.8      | 0.43     | <0.05    | 2.3     | 30       |
| AGB007  | 035      | 036    | <0.01    | 0.07     | 8.4      | 0.06     | 8.4      | 60.9           | 1.0      | 3.0      | 0.45     | <0.05    | 2.4     | 31       |
| AGB007  | 036      | 037    | <0.01    | 0.08     | 4.2      | 0.07     | 9.6      | 81.6           | 0.7      | 4.0      | 0.56     | <0.05    | 1.5     | 29       |
| AGB007  | 037      | 038    | <0.01    | 0.07     | 6.1      | 0.08     | 8.2      | 49.0           | 1.1      | 4.2      | 0.72     | <0.05    | 2.4     | 25       |
| AGB007  | 038      | 039    | <0.01    | 0.09     | 10.9     | 0.29     | 21.4     | 94.3           | 1.8      | 4.3      | 0.50     | 0.06     | 2.9     | 27       |
| AGB007  | 039      | 040    | <0.01    | 0.06     | 6.3      | 0.08     | 9.8      | 74.5           | 0.9      | 3.4      | 0.46     | <0.05    | 1.6     | 27       |
| AGB007  | 040      | 041    | <0.01    | 0.05     | 7.7      | 0.07     | 12.4     | 47.7           | 0.8      | 3.8      | 0.49     | <0.05    | 1.9     | 26       |
| AGB007  | 041      | 042    | <0.01    | 0.09     | 8.8      | 0.19     | 9.9      | 65.3           | 1.7      | 4.1      | 0.50     | <0.05    | 2.5     | 28       |
| AGB007  | 042      | 043    | <0.01    | 0.05     | 4.0      | 0.08     | 9.9      | 30.4           | 0.8      | 3.0      | 0.40     | <0.05    | 1.6     | 30       |
| AGB007  | 043      | 044    | <0.01    | 0.07     | 7.0      | 0.12     | 10.8     | 63.5           | 1.1      | 4.1      | 0.44     | 0.05     | 2.5     | 27       |
| AGB007  | 044      | 045    | <0.01    | 0.07     | 5.3      | 0.09     | 10.7     | 79.1           | 1.0      | 3.9      | 0.41     | <0.05    | 2.1     | 21       |
| AGB007  | 045      | 046    | <0.01    | 0.07     | 7.3      | 0.14     | 16.6     | 104.0          | 1.1      | 4.5      | 0.49     | <0.05    | 2.4     | 25       |
| AGB007  | 046      | 047    | <0.01    | 0.04     | 10.2     | 0.16     | 20.4     | 33.1           | 1.0      | 4.1      | 0.53     | <0.05    | 2.2     | 21       |
| AGB007  | 047      | 048    | 0.01     | 0.04     | 10.3     | 0.12     | 20.8     | 51.1           | 1.1      | 4.1      | 0.59     | <0.05    | 2.5     | 28       |
| AGB007  | 048      | 049    | 0.01     | 0.10     | 5.9      | 0.09     | 12.7     | 184.5          | 1.2      | 3.9      | 0.54     | <0.05    | 2.3     | 24       |
| AGB007  | 049      | 050    | 0.02     | 0.06     | 6.1      | 0.25     | 13.3     | 69.8           | 1.0      | 3.8      | 0.51     | <0.05    | 1.7     | 24       |
| AGB007  | 050      | 051    | <0.01    | 0.05     | 14.7     | 0.88     | 37.5     | 38.9           | 1.2      | 4.0      | 0.58     | 0.05     | 2.3     | 25       |
| AGB007  | 051      | 052    | <0.01    | 0.03     | 13.8     | 1.17     | 19.8     | 13.0           | 6.6      | 4.7      | 0.56     | 0.08     | 2.4     | 25       |
| AGB007  | 052      | 053    | <0.01    | 0.06     | 15.2     | 2.93     | 26.5     | 14.0           | 6.4      | 9.1      | 0.59     | 0.13     | 2.5     | 25       |
| AGB007  | 053      | 054    | <0.01    | 0.05     | 13.6     | 1.72     | 22.8     | 39.6           | 1.6      | 6.5      | 0.89     | 0.09     | 2.4     | 25       |
| AGB007  | 054      | 055    | <0.01    | 0.04     | 9.0      | 0.84     | 16.7     | 13.6           | 1.1      | 3.9      | 0.55     | <0.05    | 1.9     | 26       |
| AGB007  | 055      | 056    | 0.01     | 0.03     | 14.1     | 1.43     | 24.8     | 14.8           | 2.9      | 4.8      | 0.79     | 0.07     | 2.2     | 27       |
| AGB007  | 056      | 057    | <0.01    | 0.05     | 14.4     | 1.94     | 27.1     | 8.7            | 2.0      | 7.4      | 0.89     | 0.09     | 2.3     | 26       |
| AGB007  | 057      | 058    | <0.01    | 0.03     | 5.8      | 0.23     | 9.9      | 70.1           | 0.8      | 3.2      | 0.73     | <0.05    | 1.8     | 25       |
| AGB007  | 058      | 059    | <0.01    | 0.04     | 9.1      | 0.87     | 19.0     | 57.2           | 1.4      | 4.7      | 0.79     | 0.05     | 2.4     | 24       |
| AGB007  | 059      | 060    | <0.01    | 0.03     | 8.7      | 0.29     | 17.1     | 15.2           | 1.1      | 3.7      | 0.69     | <0.05    | 1.6     | 26       |
| AGB007  | 060      | 061    | <0.01    | 0.03     | 5.5      | 0.08     | 16.2     | 7.5            | 0.8      | 3.0      | 0.51     | <0.05    | 1.2     | 24       |
| AGB007  | 061      | 062    | <0.01    | 0.02     | 7.0      | 0.21     | 16.3     | 4.5            | 1.1      | 3.3      | 0.53     | <0.05    | 1.9     | 24       |
| AGB007  | 062      | 063    | 0.01     | 0.02     | 6.0      | 0.09     | 16.6     | 7.3            | 0.8      | 2.5      | 0.53     | <0.05    | 2.6     | 28       |
| AGB007  | 063      | 064    | <0.01    | 0.03     | 11.4     | 0.26     | 40.7     | 8.7            | 0.7      | 2.9      | 0.50     | <0.05    | 2.6     | 29       |
| AGB008  | 040      | 041    | <0.01    | 0.07     | 25.2     | 2.41     | 15.7     | 96.5           | 3.5      | 3.8      | 0.68     | 0.05     | 2.7     | 27       |
| AGB008  | 041      | 042    | <0.01    | 0.11     | 28.5     | 2.60     | 25.6     | 165.5          | 4.0      | 6.7      | 0.76     | 0.08     | 2.8     | 34       |
| AGB008  | 042      | 043    | <0.01    | 0.09     | 27.6     | 2.78     | 25.7     | 133.0          | 3.4      | 4.0      | 0.61     | 0.06     | 2.6     | 30       |
| AGB008  | 043      | 044    | <0.01    | 0.07     | 23.8     | 1.32     | 23.2     | 112.5          | 3.3      | 3.5      | 0.74     | 0.07     | 3.5     | 25       |
| AGB008  | 044      | 045    | <0.01    | 0.41     | 27.1     | 2.72     | 23.6     | 932.0          | 5.1      | 5.8      | 0.81     | 0.11     | 2.3     | 40       |
| AGB008  | 045      | 046    | <0.01    | 0.19     | 30.0     | 1.11     | 20.3     | 381.0          | 3.4      | 4.3      | 0.56     | 0.08     | 2.6     | 37       |
| AGB008  | 046      | 047    | <0.01    | 0.16     | 18.0     | 0.65     | 17.8     | 283.0          | 2.8      | 4.2      | 0.59     | 0.05     | 1.4     | 47       |
| AGB008  | 047      | 048    | <0.01    | 0.48     | 9.8      | 0.65     | 17.4     | 958.0          | 2.7      | 4.9      | 0.94     | 0.10     | 1.2     | 53       |
| AGB008  | 048      | 049    | <0.01    | 0.55     | 8.5      | 0.62     | 15.2     | <b>1,130.0</b> | 2.5      | 5.5      | 1.04     | 0.11     | 1.0     | 58       |
| AGB008  | 049      | 050    | <0.01    | 0.18     | 8.4      | 0.53     | 13.3     | 258.0          | 1.4      | 5.0      | 0.64     | <0.05    | 0.8     | 67       |
| AGB008  | 050      | 051    | <0.01    | 0.11     | 10.1     | 0.32     | 12.3     | 116.5          | 1.8      | 4.8      | 0.52     | 0.05     | 0.9     | 80       |
| AGB008  | 051      | 052    | <0.01    | 0.07     | 9.0      | 0.23     | 11.7     | 29.4           | 1.3      | 4.1      | 0.39     | <0.05    | 0.8     | 75       |
| AGB008  | 052      | 053    | <0.01    | 0.08     | 19.9     | 0.34     | 14.5     | 77.3           | 2.5      | 6.8      | 0.54     | <0.05    | 1.1     | 63       |
| AGB008  | 053      | 054    | <0.01    | 0.41     | 22.5     | 0.42     | 14.4     | 785.0          | 2.3      | 10.2     | 0.92     | <0.05    | 2.6     | 49       |
| AGB008  | 054      | 055    | <0.01    | 0.40     | 12.3     | 0.49     | 10.7     | 617.0          | 2.6      | 7.6      | 0.63     | 0.12     | 1.1     | 59       |
| AGB008  | 055      | 056    | <0.01    | 0.48     | 16.1     | 0.67     | 17.9     | 838.0          | 2.0      | 5.8      | 0.56     | 0.17     | 0.8     | 69       |
| AGB008  | 056      | 057    | <0.01    | 1.02     | 32.3     | 1.06     | 24.7     | <b>2,170.0</b> | 1.6      | 4.5      | 0.94     | 0.19     | 0.9     | 64       |
| AGB008  | 057      | 058    | <0.01    | 0.40     | 109.0    | 0.81     | 18.8     | 795.0          | 1.9      | 3.7      | 0.82     | 0.06     | 1.0     | 74       |
| AGB008  | 058      | 059    | <0.01    | 0.31     | 144.0    | 0.61     | 19.2     | 516.0          | 1.5      | 3.8      | 0.64     | <0.05    | 1.0     | 69       |
| AGB008  | 059      | 060    | <0.01    | 0.51     | 43.9     | 5.04     | 20.0     | 792.0          | 1.8      | 4.0      | 0.83     | 0.06     | 1.9     | 51       |
| AGB008  | 060      | 061    | <0.01    | 0.24     | 32.9     | 5.73     | 20.9     | 393.0          | 1.8      | 3.2      | 0.73     | 0.07     | 2.6     | 38       |
| AGB008  | 061      | 062    | <0.01    | 0.22     | 54.5     | 6.18     | 31.8     | 358.0          | 2.2      | 4.5      | 0.93     | 0.07     | 2.9     | 31       |
| AGB008  | 062      | 063    | <0.01    | 0.07     | 16.0     | 1.06     | 8.3      | 74.6           | 1.8      | 4.0      | 0.69     | <0.05    | 2.5     | 28       |

| Hole ID | From (m) | To (m) | Au (ppm)    | Ag (ppm) | As (ppm) | Bi (ppm) | Co (ppm) | Cu (ppm)       | Mo (ppm) | Pb (ppm) | Sb (ppm) | Te (ppm) | W (ppm) | Zn (ppm) |
|---------|----------|--------|-------------|----------|----------|----------|----------|----------------|----------|----------|----------|----------|---------|----------|
| AGB008  | 063      | 064    | <0.01       | 0.06     | 36.1     | 1.53     | 18.9     | 73.0           | 1.5      | 3.2      | 0.88     | <0.05    | 2.9     | 28       |
| AGB008  | 064      | 065    | <0.01       | 0.07     | 21.4     | 0.79     | 15.3     | 94.9           | 1.0      | 3.4      | 0.55     | <0.05    | 3.0     | 29       |
| AGB008  | 065      | 066    | <0.01       | 0.10     | 65.1     | 4.65     | 32.5     | 135.0          | 2.9      | 3.7      | 0.69     | 0.07     | 4.7     | 23       |
| AGB008  | 066      | 067    | <0.01       | 0.05     | 17.8     | 2.28     | 11.3     | 51.2           | 1.4      | 3.3      | 0.56     | <0.05    | 2.8     | 29       |
| AGB008  | 067      | 068    | <0.01       | 0.04     | 40.9     | 1.22     | 12.7     | 37.0           | 2.1      | 3.5      | 0.72     | <0.05    | 3.5     | 24       |
| AGB008  | 068      | 069    | <0.01       | 0.08     | 34.1     | 0.97     | 15.0     | 142.0          | 2.0      | 4.1      | 0.70     | <0.05    | 3.3     | 27       |
| AGB008  | 069      | 070    | 0.01        | 0.32     | 34.6     | 0.52     | 27.4     | 723.0          | 1.1      | 4.8      | 0.73     | <0.05    | 3.8     | 22       |
| AGB008  | 070      | 071    | <0.01       | 0.18     | 38.5     | 0.53     | 24.9     | 364.0          | 0.9      | 4.8      | 0.69     | <0.05    | 3.0     | 19       |
| AGB008  | 071      | 072    | <0.01       | 0.05     | 20.9     | 0.24     | 14.0     | 70.5           | 0.8      | 3.8      | 0.54     | <0.05    | 3.1     | 21       |
| AGB008  | 072      | 073    | <0.01       | 0.04     | 73.7     | 1.10     | 12.7     | 49.5           | 1.6      | 3.9      | 0.65     | <0.05    | 3.2     | 22       |
| AGB008  | 073      | 074    | <0.01       | 0.03     | 32.7     | 0.91     | 14.1     | 46.1           | 1.5      | 4.1      | 0.63     | <0.05    | 4.3     | 20       |
| AGB008  | 074      | 075    | <0.01       | 0.03     | 18.1     | 0.41     | 10.3     | 52.1           | 0.8      | 3.8      | 0.49     | <0.05    | 5.2     | 23       |
| AGB009  | 009      | 010    | <0.01       | 0.10     | 52.3     | 4.51     | 127.5    | 154.5          | 6.6      | 5.9      | 1.44     | 0.25     | 2.6     | 18       |
| AGB009  | 010      | 011    | 0.02        | 0.08     | 117.5    | 2.73     | 145.0    | 66.9           | 4.1      | 3.7      | 1.18     | 0.19     | 3.3     | 12       |
| AGB009  | 011      | 012    | <0.01       | 0.09     | 31.2     | 1.37     | 113.0    | 71.5           | 3.0      | 3.2      | 1.07     | 0.17     | 2.8     | 10       |
| AGB009  | 012      | 013    | <0.01       | 0.10     | 33.4     | 1.75     | 117.5    | 77.8           | 4.7      | 3.0      | 1.07     | 0.22     | 3.3     | 17       |
| AGB009  | 013      | 014    | 0.01        | 0.19     | 35.8     | 2.43     | 224.0    | 237.0          | 4.8      | 3.9      | 1.41     | 0.20     | 2.9     | 24       |
| AGB009  | 014      | 015    | 0.03        | 0.10     | 21.6     | 0.43     | 94.5     | 211.0          | 3.0      | 2.8      | 1.26     | 0.10     | 4.0     | 15       |
| AGB009  | 015      | 016    | 0.02        | 0.07     | 17.9     | 0.21     | 78.8     | 99.3           | 3.8      | 2.0      | 0.85     | 0.06     | 3.1     | 24       |
| AGB009  | 016      | 017    | 0.04        | 0.08     | 23.4     | 0.38     | 120.0    | 266.0          | 3.4      | 2.8      | 1.00     | 0.13     | 5.4     | 15       |
| AGB009  | 017      | 018    | 0.04        | 0.26     | 37.6     | 0.42     | 132.5    | <b>1,180.0</b> | 5.4      | 3.4      | 2.15     | 0.21     | 4.4     | 19       |
| AGB009  | 018      | 019    | 0.05        | 0.30     | 26.1     | 0.33     | 97.8     | <b>1,950.0</b> | 8.5      | 4.1      | 3.38     | 0.14     | 2.6     | 20       |
| AGB009  | 019      | 020    | 0.04        | 0.17     | 12.2     | 0.19     | 105.0    | 517.0          | 3.6      | 2.4      | 1.46     | 0.09     | 3.3     | 56       |
| AGB009  | 020      | 021    | 0.03        | 0.13     | 13.1     | 0.21     | 116.5    | 262.0          | 2.2      | 2.0      | 1.28     | 0.11     | 3.0     | 59       |
| AGB009  | 021      | 022    | 0.04        | 0.17     | 21.1     | 0.52     | 171.5    | 263.0          | 3.3      | 3.5      | 2.03     | 0.15     | 3.8     | 75       |
| AGB009  | 022      | 023    | 0.03        | 0.18     | 18.6     | 0.92     | 142.0    | 309.0          | 3.3      | 3.1      | 1.87     | 0.16     | 2.5     | 78       |
| AGB009  | 023      | 024    | 0.02        | 0.22     | 17.1     | 0.50     | 114.5    | 468.0          | 1.5      | 5.9      | 1.80     | 0.13     | 3.3     | 65       |
| AGB009  | 024      | 025    | 0.04        | 0.45     | 68.3     | 0.71     | 26.7     | <b>1,290.0</b> | 2.0      | 7.5      | 10.65    | 0.12     | 3.9     | 44       |
| AGB009  | 025      | 026    | 0.02        | 0.41     | 112.0    | 2.50     | 33.1     | <b>1,150.0</b> | 2.5      | 5.7      | 18.00    | 0.10     | 3.6     | 48       |
| AGB009  | 026      | 027    | <b>0.16</b> | 1.53     | 152.5    | 15.95    | 28.4     | <b>4,090.0</b> | 3.0      | 9.4      | 42.50    | 0.19     | 4.1     | 70       |
| AGB009  | 027      | 028    | <b>0.19</b> | 1.43     | 100.5    | 6.19     | 20.1     | <b>4,210.0</b> | 2.3      | 16.5     | 24.50    | 0.16     | 3.5     | 52       |
| AGB009  | 028      | 029    | 0.04        | 0.31     | 78.7     | 4.76     | 181.5    | <b>1,270.0</b> | 2.2      | 6.7      | 3.16     | 0.13     | 4.3     | 53       |
| AGB009  | 029      | 030    | 0.02        | 0.13     | 55.4     | 1.67     | 154.5    | 474.0          | 1.4      | 4.6      | 1.26     | 0.08     | 4.2     | 45       |
| AGB009  | 030      | 031    | 0.01        | 0.12     | 42.7     | 1.16     | 146.0    | 284.0          | 1.1      | 5.4      | 1.96     | 0.06     | 4.1     | 49       |
| AGB009  | 031      | 032    | 0.01        | 0.08     | 16.3     | 0.64     | 70.1     | 197.0          | 2.1      | 3.6      | 1.10     | <0.05    | 3.0     | 55       |
| AGB009  | 032      | 033    | 0.02        | 0.05     | 12.5     | 0.65     | 51.1     | 146.5          | 1.7      | 3.1      | 0.89     | <0.05    | 2.4     | 46       |
| AGB009  | 033      | 034    | <b>3.03</b> | 0.07     | 15.8     | 1.15     | 50.0     | 319.0          | 0.9      | 4.1      | 0.98     | 0.05     | 3.0     | 36       |






Figure 8. Drill hole AMH001 (Mountain Maid), lithology, alteration, weathering and gold assays section - looking west.




**Figure 9.** Drill holes AMH002 and AMH003 (Carbon Copy), lithology, alteration, weathering and gold assays section - looking east.




**Figure 10.** Drill holes AMH004 and AMH005 (Carbon Copy East), lithology, alteration, weathering and gold assays section - looking northeast.




**Figure 11.** Drill holes AMH006 and AMH007 (Carbon Copy East), lithology, alteration, weathering and gold assays section - looking north-northwest.




**Figure 12.** Drill holes AMH008 and AMH009 (Carbon Copy East), lithology, alteration, weathering and gold assays section - looking north-northwest.



**Figure 13.** Drill hole AMH010 (Percy Queen), lithology, alteration, weathering and gold assays section - looking east.



**Figure 14.** Drill holes AMH011 and AMH012 (Long Lode), lithology, alteration, weathering and gold assays section - looking southeast.



**Figure 15.** Drill holes AMH013 and AMH014 (Long Lode), lithology, alteration, weathering and gold assays section - looking east.




Figure 16. Drill holes AGB001, AGB002 and AGB003 (Caledonia), lithology, alteration, weathering and gold assays section- looking south.





Figure 17. Drill holes AGB004, AGB005 and AGB006 (Macedonia), lithology, alteration, weathering and gold assays section - looking north.



**Figure 18.** Drill holes AGB007 and AGB008 (Oratava), lithology, alteration, weathering and gold assays section - looking northeast.




Figure 19. Drill hole AGB009 (Oratava), lithology, alteration, weathering and gold assays section - looking northeast.

### Cloncurry Copper and Gold Project – Rock Chip Results

Table 3. Rock Chips Assay Results (ppm)

Mt Agate, Florence Creek, Malbon, Camel Hill, Bulonga, Selwyn East, Brightlands, Concorde, and Heathrow East EPMs (Cloncurry Copper and Gold Project). Highlighted in bold are assays > 1ppm Au, >10ppm Ag, and >1,000ppm Cu, Co, Pb, Zn. GPS location recorded in MGA94 Zone 54. N/A = not assayed.

| EPM              | Prospect | Easting | Northing | Au    | Ag   | As  | Bi   | Co    | Cu           | Mo   | Pb   | Sb   | Te    | W   | Zn |
|------------------|----------|---------|----------|-------|------|-----|------|-------|--------------|------|------|------|-------|-----|----|
| 14955 (Mt Agate) | Sterling | 430871  | 7652548  | 0.01  | 0.47 | 4.4 | 0.28 | 18    | 114.5        | 65   | 18.9 | 0.37 | 0.29  | 38  | 9  |
|                  |          | 430866  | 7652560  | 0.14  | 2.2  | 4.7 | 2.05 | 180   | <b>9060</b>  | 11.3 | 16.1 | 1.07 | 0.41  | 54  | 27 |
|                  |          | 430750  | 7652503  | <0.01 | 0.02 | 1.3 | 0.05 | 9.7   | 46.9         | 1.41 | 8.3  | 0.45 | 0.08  | 2.2 | 6  |
|                  |          | 430596  | 7652451  | <0.01 | 0.14 | 1.2 | 0.02 | 2.9   | 31.8         | 1.45 | 12.5 | 0.16 | <0.05 | 0.4 | 17 |
|                  |          | 430595  | 7652453  | 0.03  | 1.17 | 4.5 | 3.02 | 143.5 | <b>31200</b> | 3.16 | 4.7  | 0.51 | 0.26  | 17  | 15 |

| EPM                    | Prospect            | Easting | Northing | Au          | Ag    | As    | Bi    | Co          | Cu            | Mo    | Pb    | Sb   | Te    | W     | Zn          |
|------------------------|---------------------|---------|----------|-------------|-------|-------|-------|-------------|---------------|-------|-------|------|-------|-------|-------------|
| 15285 (Florence Creek) | Florence Bore North | 434151  | 7660787  | <0.01       | 0.01  | 1.4   | 0.04  | 3.9         | 29.1          | 0.77  | 4.5   | 0.22 | <0.05 | 2.7   | 4           |
|                        |                     | 434050  | 7660782  | <0.01       | 0.02  | 1.4   | 0.32  | 14.3        | 14.8          | 0.99  | 1.9   | 0.62 | <0.05 | 17.1  | 26          |
|                        |                     | 433821  | 7660746  | <0.01       | <0.01 | 0.9   | 0.03  | 3.6         | 16.4          | 0.78  | 1.8   | 0.21 | <0.05 | 3.5   | 4           |
|                        |                     | 434015  | 7660761  | <0.01       | 0.01  | 1.1   | 0.04  | 19.3        | 11            | 0.54  | 3.3   | 0.17 | <0.05 | 0.9   | 13          |
|                        |                     | 434085  | 7660710  | 0.02        | 0.02  | 36.4  | 0.39  | 30.2        | <b>1460</b>   | 1.04  | 2.4   | 0.18 | 0.48  | 0.3   | 4           |
|                        |                     | 434090  | 7660709  | 0.05        | 0.03  | 40.9  | 0.29  | 124         | 635           | 1.36  | 2.7   | 0.17 | 1.07  | 0.5   | 4           |
|                        |                     | 434151  | 7660651  | 0.44        | 0.06  | 75.7  | 0.79  | 44.2        | <b>2810</b>   | 1.61  | 2.6   | 0.38 | 1.19  | 1.7   | 5           |
|                        |                     | 434153  | 7660648  | 0.12        | 2.47  | 26.9  | 1.05  | 773         | <b>6790</b>   | 4.64  | 111.5 | 0.47 | 2.63  | 2.5   | 7           |
|                        |                     | 434154  | 7660649  | 0.17        | 2.36  | 29.5  | 0.72  | 295         | <b>4080</b>   | 3.24  | 51.5  | 1.25 | 1.38  | 1.6   | 5           |
| 17313 (Malbon)         | Waster              | 427609  | 7664843  | 0.62        | 0.63  | 23.7  | 39.8  | 194.5       | <b>12400</b>  | 21.2  | 3.4   | 0.34 | 68.2  | 5.7   | 11          |
|                        |                     | 427557  | 7664926  | 0.9         | 0.64  | 17.6  | 13.35 | 182.5       | <b>2260</b>   | 32.6  | 13.8  | 0.3  | 12.6  | 100.5 | 7           |
|                        |                     | 427635  | 7664825  | 0.11        | 0.06  | 10.2  | 1.45  | 62.1        | <b>2640</b>   | 18.85 | 13.2  | 0.24 | 9.29  | 76    | 11          |
|                        |                     | 427647  | 7664833  | <b>3.3</b>  | 0.92  | 63    | 26.5  | 438         | <b>37500</b>  | 14.4  | 3.1   | 0.39 | 60.1  | 6.5   | 10          |
|                        |                     | 427609  | 7664856  | <b>2.42</b> | 0.23  | 264   | 5.93  | 321         | <b>12050</b>  | 21.8  | 10.4  | 0.42 | 84    | 110.5 | 11          |
|                        |                     | 427591  | 7664799  | <b>1.52</b> | 0.81  | 51.3  | 27.5  | 59.6        | <b>4680</b>   | 4.95  | 655   | 8.41 | 9.44  | 38.2  | 12          |
|                        |                     | 427591  | 7664881  | 0.01        | 0.03  | 2.9   | 0.41  | 9.2         | 109           | 3.74  | 2.6   | 0.21 | 0.1   | 14    | 6           |
|                        |                     | 427619  | 7664812  | 0.21        | 0.37  | 3.2   | 2.6   | 8.2         | 321           | 2.27  | 2.9   | 0.18 | 2.45  | 6.9   | 8           |
| 17454 (Camel Hill)     | Bull Creek          | 456154  | 7694284  | 0.02        | 0.04  | 2.5   | 0.03  | 189.5       | 116           | 4.19  | 1     | 0.51 | <0.05 | 0.3   | 151         |
|                        |                     | 456155  | 7694284  | 0.01        | 0.07  | 4.8   | 0.03  | 320         | 91.2          | 3.72  | 0.9   | 0.31 | <0.05 | 0.5   | 363         |
|                        |                     | 456154  | 7694285  | <0.01       | 0.08  | 5.7   | 0.02  | 440         | 79            | 2.91  | 1     | 0.23 | <0.05 | 0.6   | 767         |
|                        | Bull Creek East     | 457905  | 7695301  | 0.05        | 1.03  | 20    | 1.35  | 15.2        | 411           | 6.34  | 10    | 0.38 | 6.05  | 0.1   | 12          |
|                        |                     | 457904  | 7695301  | 0.11        | 1.96  | 28.2  | 1.2   | 135.5       | <b>1000</b>   | 14.2  | 45.6  | 2.2  | 14.4  | 0.1   | 32          |
|                        | Green Monster South | 457711  | 7696720  | 0.01        | 0.28  | 0.5   | 0.61  | 7.6         | 36            | 3.16  | 32.4  | 0.44 | 0.74  | 1.9   | 73          |
|                        |                     | 457331  | 7696674  | 0.02        | 0.09  | 33.8  | 0.04  | 17.5        | 14.6          | 24.5  | 11    | 0.49 | 0.08  | 0.3   | <b>1510</b> |
|                        |                     | 457321  | 7696681  | <0.01       | 0.15  | 151.5 | 0.12  | 13.8        | 19.2          | 37    | 55.1  | 0.51 | 0.2   | 0.6   | <b>1560</b> |
|                        |                     | 457121  | 7696668  | 0.01        | 0.1   | 8     | 1.92  | 257         | 390           | 4.43  | 3.1   | 0.23 | 4.24  | 0.1   | 6           |
|                        |                     | 457242  | 7696843  | 0.09        | 0.13  | <0.2  | 0.03  | 2.7         | 21.3          | 0.78  | 3.8   | 0.09 | 0.06  | 0.1   | 68          |
|                        |                     | 457375  | 7697103  | 0.02        | 0.39  | 71.2  | 0.78  | 8.2         | 42.1          | 4.39  | 51.9  | 1.73 | 0.44  | 0.6   | 18          |
| 18053 (Bulonga)        | Carcass Creek       | 414273  | 7700394  | <0.01       | 0.08  | 8     | 0.05  | 106.5       | 88.7          | 0.35  | <0.5  | 0.24 | <0.05 | 0.5   | 9           |
|                        |                     | 414294  | 7700369  | <0.01       | 0.08  | 128.5 | 0.31  | 329         | 145           | 3.98  | 1.2   | 0.63 | 0.26  | 9.1   | 3           |
|                        |                     | 414298  | 7700368  | 0.01        | 0.08  | 151   | 0.61  | 262         | 528           | 2.66  | 3.8   | 0.75 | 0.52  | 12.5  | 25          |
|                        |                     | 414303  | 7700364  | <0.01       | 0.07  | 30.1  | 0.16  | 318         | 498           | 1.15  | 1.9   | 0.43 | 0.48  | 3.8   | 4           |
|                        |                     | 414390  | 7700356  | <b>10.6</b> | 0.6   | 72.6  | 0.69  | 104         | <b>2740</b>   | 3.03  | 19.1  | 0.48 | 7.11  | 1.2   | 9           |
|                        |                     | 414390  | 7700356  | 0.33        | 0.24  | 17.1  | 0.46  | 41.6        | <b>71300</b>  | 4.65  | 3.5   | 0.22 | 4.68  | 0.6   | 9           |
|                        |                     | 414388  | 7700358  | 0.09        | 0.26  | 16.2  | 0.07  | <b>5290</b> | <b>245000</b> | 14.5  | 1.7   | 0.23 | 0.23  | 5.1   | 30          |
|                        |                     | 414389  | 7700358  | <b>1.77</b> | 0.36  | 121   | 0.91  | 448         | <b>6250</b>   | 14.3  | 41.3  | 0.97 | 16.4  | 5.5   | 30          |
|                        |                     | 414388  | 7700359  | <b>2.18</b> | 0.37  | 268   | 0.59  | 53.5        | <b>9070</b>   | 6.15  | 6.4   | 0.62 | 8.3   | 7.8   | 8           |
|                        |                     | 414387  | 7700358  | 0.39        | 0.48  | 117.5 | 0.8   | 106.5       | <b>4920</b>   | 5.39  | 7.1   | 0.27 | 6.04  | 1.5   | 11          |
|                        |                     | 414353  | 7700421  | 0.95        | 0.57  | 504   | 0.58  | 190.5       | <b>10500</b>  | 3.07  | 3.3   | 0.4  | 2.65  | 1.2   | 12          |
|                        |                     | 414268  | 7700301  | 0.6         | 0.12  | 1315  | 5.57  | 392         | <b>2330</b>   | 2.56  | 19.8  | 1.03 | 0.44  | 1.7   | 7           |
|                        |                     | 414386  | 7700405  | 0.78        | 0.21  | 122.5 | 0.97  | 142.5       | <b>2840</b>   | 2.27  | 13.5  | 0.33 | 1.75  | 0.8   | 11          |
|                        |                     | 414280  | 7700417  | <0.01       | 0.03  | 2.3   | 0.01  | 98.1        | <b>7330</b>   | 0.98  | 8.9   | 0.17 | <0.05 | 0.5   | 29          |
|                        | Ross William        | 415429  | 7695441  | <b>1.15</b> | 0.09  | 0.8   | 0.23  | 10.6        | <b>4380</b>   | 0.46  | 1.1   | 0.2  | 0.08  | 0.7   | 14          |
|                        |                     | 415430  | 7695441  | 0.25        | 0.2   | 4.7   | 0.47  | 25.1        | <b>9260</b>   | 0.84  | 1     | 0.21 | 0.2   | 0.4   | 7           |
|                        |                     | 416525  | 7695513  | 0.04        | 0.07  | 1.3   | 2.36  | 2.8         | 32            | 0.82  | 3.1   | 0.29 | 0.32  | 203   | <2          |
|                        |                     | 415967  | 7695369  | 0.08        | 0.03  | 5.6   | 0.06  | 17.5        | 46.8          | 0.47  | 2.3   | 0.77 | 0.62  | 30.8  | 9           |
|                        |                     | 415968  | 7695357  | <0.01       | 0.01  | 1     | 0.01  | 18.4        | 52.9          | 0.61  | 2.1   | 0.25 | <0.05 | 4.4   | 16          |
|                        |                     | 414989  | 7695448  | 0.01        | <0.01 | 1     | 0.04  | 27          | 35.8          | 0.43  | 0.5   | 0.11 | 0.06  | 3.1   | 4           |
|                        |                     | 415414  | 7695543  | 0.07        | 0.07  | 1595  | 2.1   | <b>1040</b> | <b>1860</b>   | 20    | 23.1  | 6.4  | 3.45  | 13    | 6           |
|                        |                     | 415449  | 7695434  | 0.51        | 0.14  | 15.4  | 0.64  | 11.9        | 26            | 1.09  | 0.9   | 0.77 | 0.59  | 308   | <2          |
|                        |                     | 415446  | 7695437  | 0.26        | 0.11  | 32.4  | 0.94  | 76.2        | 21.2          | 0.66  | 1.3   | 0.8  | 1.19  | 95.1  | 2           |
|                        |                     | 415443  | 7695436  | 0.41        | 0.13  | 33.6  | 1.02  | 260         | 13.6          | 1.59  | 2     | 0.72 | 1.12  | 76.3  | 4           |

| EPM                 | Prospect              | Easting | Northing | Au          | Ag           | As   | Bi    | Co    | Cu            | Mo    | Pb    | Sb   | Te    | W    | Zn  |
|---------------------|-----------------------|---------|----------|-------------|--------------|------|-------|-------|---------------|-------|-------|------|-------|------|-----|
|                     | Slatey Creek          | 415871  | 7698166  | 0.41        | 3.33         | 10.4 | 2.26  | 133.5 | <b>133000</b> | 5.47  | 5.6   | 1.01 | 0.84  | 1.1  | 147 |
|                     |                       | 415872  | 7698168  | 0.19        | 1.28         | 0.5  | 0.54  | 13.7  | <b>22900</b>  | 2.25  | 1.9   | 0.13 | 0.13  | 0.6  | 22  |
|                     |                       | 415875  | 7698171  | 0.74        | 1.02         | 16.3 | 5.74  | 14.7  | <b>4200</b>   | 2.05  | 4.1   | 1.14 | 1.09  | 2.8  | 15  |
|                     |                       | 415874  | 7698170  | 0.82        | <b>16.2</b>  | 31.8 | 5.28  | 114   | <b>220000</b> | 7.97  | 16.6  | 2.28 | 1.64  | 1.5  | 155 |
|                     |                       | 415887  | 7698184  | <b>2.85</b> | 0.74         | 9.5  | 2.03  | 77.2  | <b>73100</b>  | 4.15  | 11.9  | 1.07 | 0.62  | 1.6  | 64  |
|                     | Slatey Creek North    | 415924  | 7699183  | 0.02        | <0.01        | 1.1  | 0.07  | 8.1   | 695           | 0.36  | 1.2   | 0.26 | <0.05 | 6.5  | 8   |
|                     |                       | 415925  | 7699184  | 0.1         | 0.01         | 15.8 | 0.48  | 14    | <b>6390</b>   | 1.27  | 1.4   | 0.83 | 0.18  | 4.7  | 17  |
|                     | Tamborine             | 413180  | 7695299  | 0.03        | 0.02         | 1.2  | 0.06  | 1     | 307           | 1.63  | 1     | 0.15 | <0.05 | 0.2  | 7   |
|                     |                       | 413181  | 7695299  | 0.02        | 0.02         | 1.4  | 0.04  | 1.6   | 413           | 1.27  | 1.3   | 0.11 | <0.05 | 0.4  | 7   |
|                     | Tamborine East        | 413656  | 7695237  | 0.05        | 0.01         | 1.8  | 0.47  | 4     | 977           | 1.13  | 1.6   | 0.13 | 0.07  | 0.1  | 6   |
|                     |                       | 413654  | 7695237  | 0.24        | 1.3          | 59.3 | 22.1  | 162.5 | <b>195500</b> | 21    | 52.4  | 1.16 | 4.74  | 0.9  | 104 |
|                     |                       | 413655  | 7695237  | 0.03        | 0.02         | <0.2 | 0.46  | 25.3  | <b>5280</b>   | 1.27  | 2.1   | 0.08 | 0.08  | 0.1  | 6   |
|                     | Tamborine South       | 411934  | 7694058  | 0.01        | 0.01         | 98   | 0.17  | 83.5  | 185           | 2.97  | 1.5   | 0.12 | 0.22  | 0.2  | 3   |
|                     |                       | 411935  | 7694057  | 0.01        | 0.04         | 379  | 0.75  | 970   | 218           | 5.67  | 2.2   | 0.15 | 1.35  | 0.5  | 10  |
|                     |                       | 412001  | 7694115  | 0.01        | 0.02         | 384  | 1.07  | 83.1  | 67.6          | 26    | 3.6   | 0.32 | 4.94  | 0.5  | 7   |
|                     |                       | 412037  | 7694128  | 0.02        | 0.06         | 347  | 0.41  | 539   | 367           | 15.35 | 2.2   | 0.13 | 1.04  | 0.4  | 9   |
|                     |                       | 412037  | 7694129  | <0.01       | 0.01         | 40.6 | 0.1   | 64.3  | 61.1          | 5.03  | 1.9   | 0.14 | 0.83  | 0.3  | 10  |
|                     |                       | 411845  | 7693992  | <0.01       | 0.04         | 867  | 3.45  | 410   | <b>1720</b>   | 7.68  | 2.4   | 0.25 | 4.7   | 0.3  | 9   |
|                     |                       | 414290  | 7700377  | <0.01       | 0.01         | 2.9  | 0.08  | 7.6   | 83.5          | 0.55  | 1.8   | 0.28 | 0.05  | 4    | 7   |
| 18073 (Selwyn East) | JFK                   | 454667  | 7606340  | 0.01        | 0.35         | 447  | 20.6  | 210   | <b>1590</b>   | 15.1  | 18.6  | 3.77 | 22.2  | 1.6  | 38  |
|                     |                       | 454640  | 7606262  | <0.01       | 0.15         | 7.9  | 1.26  | 68.6  | 352           | 6.95  | 2.9   | 1.95 | 0.89  | 37.5 | 17  |
|                     |                       | 454656  | 7606278  | 0.02        | 0.15         | 121  | 11.45 | 246   | <b>1465</b>   | 32    | 20.9  | 0.59 | 3.98  | 1.7  | 9   |
|                     |                       | 454633  | 7606299  | <0.01       | 0.16         | 5.7  | 0.07  | 146   | <b>1340</b>   | 6.22  | 1.7   | 0.8  | 1.79  | 0.6  | 16  |
|                     |                       | 454661  | 7606333  | 0.44        | 5.32         | 370  | 70.8  | 77.5  | 189           | 13.35 | 15.8  | 3.79 | 13.9  | 0.9  | 79  |
|                     |                       | 454650  | 7606302  | 0.02        | 0.17         | 12.5 | 1.94  | 47.9  | 594           | 13.45 | 6.1   | 1.92 | 8.19  | 0.7  | 17  |
|                     |                       | 454660  | 7606330  | 0.04        | 1.81         | 2870 | 658   | 477   | <b>3770</b>   | 29.5  | 133.5 | 41.9 | 23.8  | 1    | 266 |
|                     |                       | 454632  | 7606249  | 0.01        | 0.16         | 40.1 | 2.12  | 29.1  | 683           | 13.2  | 5.3   | 0.51 | 2.71  | 2.2  | 9   |
|                     | JFK South             | 454672  | 7606341  | 0.05        | 9.64         | 477  | 158   | 86.4  | <b>1455</b>   | 6.36  | 27.1  | 3.38 | 7.12  | 6.5  | 838 |
|                     |                       | 454090  | 7605481  | <0.01       | 0.19         | 8.9  | 0.06  | 35.6  | 486           | 1.99  | 5     | 0.55 | 0.12  | 1.3  | 60  |
|                     |                       | 454087  | 7605476  | <0.01       | 0.18         | 101  | 0.56  | 7.1   | 44.8          | 4.13  | 21.1  | 0.57 | 0.25  | 2.1  | 11  |
|                     | JFK West              | 454146  | 7605605  | <0.01       | 0.07         | 6.1  | 0.67  | 43.2  | 20.2          | 2.37  | 2.8   | 0.17 | 0.16  | 2    | 6   |
|                     |                       | 453775  | 7606399  |             | 0.05         | 7.3  | 0.83  | 3.9   | 67.8          | 1.64  | 2.8   | 0.66 | 0.09  | 1.9  | 27  |
|                     |                       | 453745  | 7606374  | <0.01       | 0.03         | 1.7  | 0.28  | 4.4   | 14.7          | 0.77  | 2.2   | 0.47 | <0.05 | 1.1  | 9   |
|                     |                       | 453702  | 7606333  | <0.01       | 0.03         | 1.7  | 0.29  | 1.5   | 20.5          | 1.29  | 2.6   | 0.61 | <0.05 | 2.4  | 5   |
|                     | Tourmaline Ridge West | 453702  | 7606332  | <0.01       | 0.03         | 4.2  | 0.62  | 3.4   | 37.7          | 0.33  | 2.9   | 0.53 | 0.08  | 4.4  | 10  |
|                     |                       | 454018  | 7600591  | <0.01       | 0.02         | 2    | 0.45  | 7.8   | 25            | 1.35  | 19.4  | 0.73 | 0.06  | 0.9  | 54  |
|                     |                       | 453902  | 7600761  | <0.01       | 0.02         | 1.4  | 0.11  | 8.3   | 11.6          | 0.73  | 2.2   | 0.34 | 0.05  | 5.4  | 15  |
|                     |                       | 453902  | 7600760  | <0.01       | 0.03         | 5.9  | 2.62  | 126   | 53.2          | 1.6   | 7     | 0.92 | 1.07  | 10   | 12  |
| 18511 (Brightlands) | Dorie                 | 423490  | 7668047  | 0.62        | 0.92         | 118  | 7.48  | 173   | <b>114000</b> | 3.02  | 19.8  | 3.86 | 3.88  | 4.3  | 9   |
|                     |                       | 423486  | 7668078  | 0.84        | <b>19.35</b> | 26.7 | 6.8   | 52.1  | <b>3190</b>   | 2.78  | 4.5   | 0.6  | 3.05  | 3.9  | 9   |
|                     |                       | 423509  | 7668070  | 0.24        | 3.23         | 20.5 | 4.25  | 15.1  | 489           | 3.18  | 2.3   | 0.25 | 2.29  | 0.8  | 11  |
|                     |                       | 423485  | 7668077  | 0.69        | 0.2          | 85.2 | 6.48  | 107   | <b>47700</b>  | 4.09  | 13.6  | 0.42 | 2.69  | 11   | 33  |
|                     |                       | 423527  | 7668066  | <0.01       | 0.33         | 2.9  | 0.21  | 149.5 | <b>7020</b>   | 1.04  | 5.2   | 0.16 | <0.05 | 0.9  | 42  |
|                     |                       | 423525  | 7668094  | 0.49        | <b>103</b>   | 40.6 | 5.69  | 147   | <b>26000</b>  | 4.39  | 38.1  | 0.37 | 3.27  | 3.1  | 9   |
|                     |                       | 423525  | 7668066  | 0.06        | 0.42         | 19.4 | 0.24  | 143   | <b>7200</b>   | 2.63  | 15    | 0.29 | 0.13  | 2.1  | 55  |
|                     |                       | 423495  | 7668080  | <0.01       | 0.26         | 10.9 | 0.07  | 82.4  | <b>3070</b>   | 2.22  | 1.8   | 0.2  | <0.05 | 1    | 27  |
|                     |                       | 423491  | 7668083  | <b>4.62</b> | 0.57         | 342  | 15.9  | 398   | <b>3480</b>   | 15.75 | 9.1   | 0.94 | 5.19  | 64.5 | 80  |
|                     | Hugarty               | 422955  | 7667249  | 0.19        | 0.22         | 50.2 | 1.17  | 230   | <b>7020</b>   | 4.72  | 1.5   | 0.21 | 1.24  | 7.7  | 5   |
|                     |                       | 422954  | 7667249  | 0.01        | 0.14         | 179  | 2.81  | 195   | <b>2640</b>   | 3.38  | 1.5   | 0.47 | 0.52  | 4.2  | 5   |
|                     |                       | 423131  | 7667234  | <0.01       | 0.01         | 1.1  | 0.02  | 4.6   | 19.4          | 1.04  | 0.6   | 0.12 | <0.05 | 0.8  | 2   |
|                     |                       | 423129  | 7667210  | <0.01       | <0.01        | 1.6  | 0.03  | 3.9   | 44.4          | 1.04  | 0.6   | 0.07 | <0.05 | 0.4  | 3   |
|                     |                       | 423074  | 7667203  | <0.01       | 0.01         | 233  | 0.85  | 24.7  | 121           | 1.2   | 1.8   | 0.12 | 0.37  | 2.8  | 3   |

| EPM              | Prospect      | Easting | Northing | Au    | Ag    | As    | Bi    | Co          | Cu           | Mo    | Pb    | Sb   | Te    | W     | Zn  |
|------------------|---------------|---------|----------|-------|-------|-------|-------|-------------|--------------|-------|-------|------|-------|-------|-----|
| 25192 (Concorde) |               | 423144  | 7667194  | <0.01 | 0.26  | 22.8  | 2.38  | 87.1        | 172.5        | 4.06  | 9.6   | 0.4  | 0.59  | 8.2   | 3   |
|                  |               | 423074  | 7667201  | <0.01 | 0.03  | 1070  | 2.82  | 394         | 766          | 2.7   | 2.1   | 0.14 | 1.35  | 4.3   | 4   |
|                  |               | 423121  | 7667192  | 0.18  | 0.04  | 76.2  | 5.15  | 41.7        | 195.5        | 2.98  | 2.8   | 0.5  | 0.55  | 12.3  | 4   |
|                  |               | 423033  | 7667205  | 0.03  | 0.08  | 337   | 1.42  | 432         | <b>7910</b>  | 2.45  | 1.6   | 0.21 | 0.76  | 2.2   | 26  |
|                  |               | 422968  | 7667145  | 0.05  | 0.15  | 381   | 0.61  | <b>1250</b> | <b>26000</b> | 6.16  | 1.9   | 0.21 | 0.67  | 4.2   | 11  |
|                  |               | 423031  | 7667204  | 0.01  | 0.05  | 190.5 | 0.89  | 159         | <b>3110</b>  | 1.93  | 1.7   | 0.16 | 0.48  | 1.8   | 8   |
|                  |               | 422967  | 7667147  | 0.05  | 0.16  | 21    | 0.36  | 126.5       | <b>15450</b> | 3.02  | 1.1   | 0.21 | 0.4   | 3.4   | 5   |
|                  |               | 423033  | 7667204  | 0.03  | 0.09  | 432   | 1.49  | 501         | <b>10250</b> | 2.61  | 2     | 0.18 | 0.84  | 2.6   | 21  |
|                  |               | 422984  | 7667196  | 0.01  | 0.32  | 4.9   | 0.58  | 461         | <b>10550</b> | 1.68  | 1.5   | 0.19 | <0.05 | 1.5   | 13  |
|                  |               | 422947  | 7667223  | 0.51  | 0.42  | 94.4  | 3.69  | 557         | <b>10100</b> | 8.07  | 5.1   | 0.71 | 2.69  | 56.3  | 7   |
|                  |               | 422966  | 7667196  | 0.01  | 0.06  | 26.1  | 0.42  | 345         | <b>11050</b> | 3.37  | 0.9   | 0.11 | 0.11  | 1.9   | 15  |
|                  |               | 422948  | 7667224  | <0.01 | 0.23  | 5.9   | 0.07  | 778         | <b>13500</b> | 0.76  | 0.7   | 0.07 | <0.05 | 0.9   | 45  |
|                  |               | 422944  | 7667202  | 0.24  | 0.21  | 200   | 1.42  | 552         | <b>5180</b>  | 4.9   | 3     | 0.53 | 0.8   | 19.7  | 7   |
|                  |               | 422947  | 7667222  | 0.01  | 0.04  | 10.3  | 0.21  | 326         | <b>2800</b>  | 1.31  | 0.9   | 0.18 | 0.08  | 1.9   | 9   |
|                  |               | 422971  | 7667229  | 0.08  | 0.26  | 34.3  | 1.13  | 758         | <b>33400</b> | 1.89  | 1.7   | 0.27 | 0.12  | 5.9   | 17  |
|                  |               | 422953  | 7667233  | 0.01  | 0.06  | 12.6  | 0.25  | 417         | <b>16650</b> | 1.18  | 0.9   | 0.17 | <0.05 | 1     | 18  |
|                  |               | 422958  | 7667222  | <0.01 | 0.12  | 27.4  | 0.41  | 376         | <b>5280</b>  | 1.54  | 1.7   | 0.12 | 0.07  | 0.8   | 12  |
|                  |               | 422953  | 7667234  | 0.01  | 0.07  | 16.6  | 0.53  | 178         | <b>9330</b>  | 2.15  | 0.6   | 0.13 | 0.05  | 0.7   | 6   |
|                  | Hugarty East  | 424664  | 7666434  | <0.01 | 0.04  | 2.1   | 0.18  | 20.5        | 101          | 1.02  | 2     | 0.1  | 0.08  | 0.6   | 7   |
|                  |               | 424735  | 7666436  | <0.01 | 0.04  | 175   | 5     | 15.8        | 124.5        | 1.93  | 1.6   | 0.21 | 3.32  | 3.5   | 11  |
|                  |               | 424802  | 7666421  | 0.01  | 0.06  | 57    | 0.28  | 84.2        | 646          | 7.97  | 7.3   | 0.29 | 0.99  | 20.7  | 12  |
|                  |               | 423188  | 7666766  | <0.01 | 0.23  | 2.5   | 0.56  | 13.8        | <b>21000</b> | 1.09  | 7.3   | 0.28 | 0.06  | 29.3  | 23  |
|                  |               | 423187  | 7666767  | <0.01 | 0.38  | 1.2   | 0.68  | 11.4        | <b>1520</b>  | 1     | 1.9   | 0.22 | 0.14  | 22.9  | 9   |
|                  |               | 423193  | 7666768  | 0.01  | 0.14  | 1.7   | 0.5   | 3.7         | <b>3120</b>  | 1.88  | 2.4   | 0.19 | 0.79  | 42.2  | 10  |
|                  |               | 423231  | 7666742  | <0.01 | 0.02  | 10    | 0.06  | 4.4         | 102.5        | 1.31  | 2.6   | 0.19 | 0.07  | 0.9   | 7   |
|                  |               | 423221  | 7666736  | 0.14  | 2.48  | 12.2  | 7.58  | 20.9        | 713          | 8.48  | 19.2  | 1.24 | 9.1   | 169.5 | 12  |
|                  | Pioneer South | 423222  | 7666735  | 0.1   | 0.69  | 12.3  | 17.6  | 5.3         | 158.5        | 4.82  | 25.8  | 1.64 | 13.65 | 292   | 5   |
|                  |               | 423221  | 7666737  | 0.08  | 0.61  | 15.7  | 18.95 | 19.8        | 451          | 15.8  | 28.6  | 0.86 | 5.77  | 107.5 | 8   |
|                  |               | 428362  | 7672276  | <0.01 | 0.01  | 1     | 0.05  | 8           | 5.4          | 0.66  | 3     | 0.23 | <0.05 | 3.8   | 13  |
|                  |               | 428359  | 7672281  | <0.01 | 0.02  | 6.4   | 0.1   | 11.3        | 13.1         | 0.92  | 2.8   | 0.3  | <0.05 | 4.9   | 10  |
|                  |               | 428807  | 7672444  | <0.01 | 0.03  | 3.3   | 0.52  | 5.4         | 13           | 1.17  | 4.2   | 0.92 | 0.17  | 4.7   | 11  |
|                  |               | 428810  | 7672423  | <0.01 | 0.01  | 1.5   | 0.24  | 2           | 6.2          | 0.83  | 1.6   | 0.54 | <0.05 | 7.1   | 6   |
|                  |               | 428821  | 7672569  | 0.03  | 0.37  | 120.5 | 2.44  | 382         | 438          | 2.65  | 5.2   | 0.25 | 1.03  | 0.2   | 8   |
|                  |               | 428789  | 7672538  | <0.01 | 0.03  | 54    | 1.8   | 140.5       | 98.1         | 1.22  | 2.7   | 0.28 | 0.38  | 0.5   | 5   |
|                  |               | 428875  | 7672464  | <0.01 | 0.01  | 1     | 0.04  | 1.1         | 10.6         | 0.99  | 1.6   | 0.17 | <0.05 | 0.5   | 6   |
|                  | Concorde      | 455009  | 7582014  | 0.09  | 1.03  | 771   | 0.23  | 121.5       | <b>1530</b>  | 16.95 | 3.4   | 0.26 | 0.11  | 1     | 170 |
|                  |               | 455008  | 7582013  | 0.06  | 3.15  | 527   | 13.15 | 51.8        | 998          | 19.1  | 10.3  | 0.6  | 2.01  | 7.3   | 196 |
|                  |               | 455010  | 7582017  | 0.02  | 3.43  | 146.5 | 0.61  | <b>2980</b> | <b>3530</b>  | 83.4  | 3.4   | 0.45 | 0.57  | 3.8   | 238 |
|                  |               | 456226  | 7581643  | 0.01  | 3.59  | 38.7  | 4.97  | 23.1        | <b>1700</b>  | 10.05 | 160.5 | 1.45 | 2.75  | 16.1  | 96  |
|                  |               | 455955  | 7576590  | <0.01 | 0.08  | 1     | 0.22  | 1           | 5.4          | 1.42  | 28.9  | 0.15 | <0.05 | 0.3   | 33  |
|                  |               | 456019  | 7576602  | <0.01 | <0.01 | 1     | 0.4   | 1.3         | 2            | 1.13  | 17.8  | 0.2  | 0.06  | 3.7   | 21  |
|                  |               | 464691  | 7575565  | 0.01  | 0.01  | 1.4   | 0.25  | 2.3         | 8.6          | 0.45  | 3.6   | 0.21 | 0.05  | 1.2   | 19  |
|                  |               | 464707  | 7575562  | <0.01 | 0.02  | 0.9   | 0.19  | 6.7         | 17.6         | 0.93  | 3.3   | 0.23 | <0.05 | 2.8   | 31  |
|                  |               | 450846  | 7577700  | <0.01 | 0.14  | 412   | 0.18  | 2.9         | 380          | 3.36  | 5.1   | 0.37 | 0.08  | 6.8   | 5   |
|                  |               | 450856  | 7577756  | <0.01 | 0.14  | 1190  | 6.21  | 17.9        | 230          | 5.52  | 22    | 0.55 | 1.44  | 1.7   | 17  |
|                  |               | 450854  | 7577758  | <0.01 | 0.06  | 410   | 0.35  | 9.6         | 98           | 6.4   | 8.4   | 0.66 | 0.32  | 0.5   | 8   |
|                  |               | 450797  | 7577698  | <0.01 | 0.03  | 280   | 0.92  | 2.2         | 42.9         | 2.17  | 3.2   | 0.27 | 0.5   | 0.6   | 4   |
|                  |               | 450772  | 7577665  | 0.01  | 0.67  | 1520  | 26.2  | 799         | 206          | 11.2  | 13.2  | 2.55 | 16    | 2.2   | 9   |
|                  |               | 450755  | 7577643  | 0.02  | 1.32  | 5700  | 18.5  | 730         | 738          | 5.81  | 27.1  | 1.78 | 11.8  | 0.9   | 17  |
|                  |               | 450761  | 7577650  | <0.01 | 0.33  | 2000  | 5.07  | 93.6        | 138.5        | 3.4   | 9.1   | 1.15 | 3.74  | 0.2   | 18  |
|                  |               | 450760  | 7577649  | 0.01  | 0.81  | 4310  | 4.17  | 208         | 308          | 2.58  | 13    | 2.17 | 4.47  | 0.3   | 8   |
|                  |               | 450745  | 7577626  | <0.01 | 0.04  | 42    | 2.3   | 8           | 99.6         | 3.46  | 3.2   | 0.54 | 1.14  | 0.2   | 20  |

| EPM                   | Prospect      | Easting | Northing | Au          | Ag   | As    | Bi    | Co          | Cu          | Mo    | Pb   | Sb   | Te    | W    | Zn  |
|-----------------------|---------------|---------|----------|-------------|------|-------|-------|-------------|-------------|-------|------|------|-------|------|-----|
| 25454 (Heathrow East) |               | 450733  | 7577606  | 0.01        | 0.12 | 76.5  | 14.6  | 114.5       | 874         | 6.04  | 1.8  | 0.38 | 13.9  | 3.5  | 11  |
|                       |               | 450733  | 7577606  | 0.01        | 0.14 | 96    | 14.9  | 99.6        | 934         | 4.33  | 2.9  | 0.44 | 10.25 | 5.5  | 14  |
|                       |               | 450731  | 7577606  | <0.01       | 0.01 | 6.7   | 0.1   | 1.6         | 48.9        | 0.74  | 0.8  | 0.11 | 0.07  | 0.2  | 10  |
|                       |               | 450731  | 7577604  | 0.01        | 0.16 | 79.4  | 20.6  | 119         | <b>1170</b> | 6.92  | 3    | 0.37 | 14    | 3.3  | 15  |
|                       |               | 450724  | 7577575  | 0.01        | 0.14 | 31.1  | 21.7  | 253         | <b>1510</b> | 16.1  | 11.4 | 0.82 | 18    | 0.4  | 38  |
|                       |               | 450722  | 7577527  | <0.01       | 0.16 | 50.1  | 23.1  | 147.5       | <b>3140</b> | 7.96  | 23.1 | 0.68 | 18.85 | 0.7  | 18  |
|                       |               | 450722  | 7577527  | 0.01        | 0.17 | 46.3  | 23.7  | 268         | <b>2350</b> | 9.43  | 13   | 0.59 | 18.65 | 1    | 10  |
|                       |               | 450650  | 7577475  | 0.03        | 0.12 | 56.1  | 7.02  | 200         | 577         | 9.61  | 1.8  | 0.24 | 4.32  | 0.4  | 12  |
|                       |               | 450622  | 7577448  | <0.01       | 0.14 | 0.4   | 0.06  | 53.4        | 138.5       | 0.89  | 7.6  | 0.39 | 0.09  | 0.1  | 141 |
|                       |               | 450652  | 7577393  | 0.01        | 0.16 | 10.6  | 0.68  | 255         | <b>1460</b> | 6.06  | 3.5  | 0.66 | 11.7  | 1.3  | 12  |
|                       |               | 450657  | 7577404  | 0.01        | 0.18 | 9.5   | 0.44  | 610         | 412         | 18.1  | 4.1  | 0.85 | 8.56  | 1610 | 14  |
|                       |               | 450655  | 7577400  | <0.01       | 0.21 | 10.1  | 0.73  | <b>1855</b> | <b>1400</b> | 37.3  | 3.8  | 1.36 | 13.65 | 17.4 | 19  |
|                       |               | 450655  | 7577392  | 0.04        | 0.22 | 7     | 0.69  | 325         | 317         | 5.74  | 6.6  | 0.51 | 8.2   | 2.3  | 9   |
|                       |               | 450654  | 7577394  | 0.04        | 0.13 | 9.2   | 1.03  | 377         | 920         | 12.45 | 7.1  | 0.32 | 11.25 | 6.8  | 10  |
|                       |               | 450655  | 7577394  | 0.03        | 0.11 | 9.7   | 1.35  | 121.5       | 310         | 4.2   | 2.1  | 0.89 | 3.68  | 7.1  | 4   |
|                       |               | 450655  | 7577329  | <0.01       | 0.21 | 4     | 0.02  | 29.5        | 19.4        | 0.62  | 1.5  | 0.35 | 0.13  | 3    | 20  |
|                       |               | 450629  | 7577229  | 0.03        | 0.28 | 52.7  | 3.43  | 17.9        | 789         | 11.15 | 2.4  | 0.43 | 7.07  | 0.7  | 4   |
|                       |               | 450628  | 7577224  | 0.23        | 0.31 | 31.9  | 10.15 | 371         | <b>1300</b> | 19.95 | 3.5  | 0.84 | 12.5  | 0.4  | 11  |
|                       |               | 450628  | 7577229  | 0.23        | 0.34 | 57.2  | 26.1  | 57.8        | 576         | 16.25 | 5.5  | 0.98 | 17.75 | 0.3  | 6   |
|                       |               | 450647  | 7577018  | 0.3         | 0.05 | 15.7  | 11.4  | 7.8         | 94.7        | 1.73  | 1.2  | 0.25 | 0.71  | 11.3 | 4   |
|                       |               | 450645  | 7577019  | <b>1.03</b> | 0.04 | 17.4  | 30.6  | 12.4        | 122.5       | 2.15  | 1.1  | 0.16 | 1.83  | 24.6 | 5   |
|                       |               | 450647  | 7577018  | <b>5.26</b> | 0.39 | 127.5 | 186   | 153         | <b>1380</b> | 9.67  | 6    | 0.74 | 7.97  | 404  | 17  |
|                       |               | 450627  | 7576931  | 0.01        | 0.02 | 19.4  | 0.23  | 9.5         | 56.7        | 2.81  | 2.3  | 0.33 | <0.05 | 1.3  | 12  |
|                       |               | 450600  | 7576865  | 0.94        | 0.21 | 52.2  | 37    | 9.5         | 132.5       | 6.41  | 3.7  | 0.21 | 5.76  | 7.9  | 7   |
|                       |               | 450620  | 7576934  | 0.05        | 0.56 | 14.3  | 31.8  | 92.6        | 239         | 12.6  | 7.3  | 0.45 | 11.8  | 2.1  | 31  |
|                       | Supersonic S  | 451526  | 7575260  | <0.01       | 0.2  | 24.8  | 2.54  | 1.7         | 113         | 9.93  | 12.6 | 2.57 | 1.11  | 1.2  | 26  |
|                       |               | 451530  | 7575255  | <0.01       | 0.05 | 3.3   | 0.32  | 0.7         | 9.6         | 1.25  | 13   | 0.14 | 0.11  | 2.1  | 18  |
|                       |               | 451475  | 7574986  | <0.01       | 0.11 | 1.5   | 0.21  | 0.8         | 8           | 2.34  | 6.2  | 0.52 | 0.06  | 1.7  | 23  |
|                       |               | 451478  | 7574968  | <0.01       | 0.15 | 13.3  | 7.25  | 6.7         | 88.1        | 11.7  | 96.6 | 5.65 | 1.84  | 3.7  | 184 |
|                       |               | 451472  | 7574969  | <0.01       | 0.15 | 14.5  | 0.38  | 0.8         | 19.6        | 12.3  | 52   | 2    | 0.58  | 1.6  | 14  |
|                       | Supersonic SE | 452609  | 7575673  | <0.01       | 0.11 | 180.5 | 0.99  | 1.5         | 122         | 7.65  | 990  | 1.97 | 1.09  | 0.7  | 15  |
|                       |               | 452609  | 7575672  | <0.01       | 0.11 | 129.5 | 0.28  | 1.8         | 138         | 9.56  | 342  | 2.05 | 0.77  | 0.5  | 22  |
|                       |               | 452610  | 7575671  | <0.01       | 0.1  | 51.4  | 0.21  | 1.5         | 74.5        | 4.07  | 32.8 | 1.3  | 0.36  | 0.9  | 15  |
|                       | Supersonic SW | 449515  | 7575120  | 0.01        | 0.17 | 29.7  | 0.39  | 3           | 35.4        | 4.13  | 21.3 | 0.33 | 0.34  | 4.2  | 7   |
|                       |               | 449505  | 7575120  | <0.01       | 0.17 | 49.7  | 0.58  | 5.5         | 51.6        | 7.92  | 25.9 | 0.8  | 0.67  | 4    | 12  |
| 25454 (Heathrow East) | LAX           | 456667  | 7607429  | 0.01        | 0.2  | 7.8   | 0.51  | 8.1         | 4.9         | 0.48  | 35   | 0.35 | 0.33  | 1.1  | 99  |
|                       |               | 456671  | 7607428  | <0.01       | 0.02 | 1.2   | 0.04  | 0.9         | 10.3        | 0.36  | 1.7  | 0.28 | <0.05 | 0.3  | 2   |
|                       |               | 456665  | 7607440  | <0.01       | 0.07 | 6.8   | 0.08  | 8.4         | 209         | 6.39  | 20.8 | 0.53 | 0.58  | 2.6  | 20  |
|                       |               | 456668  | 7607446  | <0.01       | 0.29 | 19.5  | 0.35  | <b>1125</b> | 12.8        | 0.78  | 15.5 | 0.27 | 1.98  | 0.8  | 19  |
|                       |               | 456658  | 7607447  | <0.01       | 0.02 | 2.6   | 0.12  | 11.2        | 11.7        | 4.6   | 3.2  | 0.21 | 0.06  | 5.3  | 9   |
|                       |               | 456669  | 7607446  | 0.01        | 0.21 | 14.7  | 0.38  | 711         | 16.5        | 1.37  | 19.3 | 0.29 | 1.7   | 0.7  | 7   |
|                       |               | 456657  | 7607439  | <0.01       | 0.18 | 17    | 0.33  | 156.5       | 7.6         | 0.54  | 20.7 | 0.32 | 1.97  | 3.3  | 12  |
|                       | Mort West N   | 451821  | 7601236  | <0.01       | 0.01 | 2.2   | 0.25  | 2.1         | 5.7         | 1.21  | 5.9  | 0.28 | <0.05 | 3.4  | 14  |

## Appendix 1

### Declarations under JORC 2012 and JORC Tables

#### Previous Disclosure - 2012 JORC Code

Certain Information relating to Mineral Resources, Exploration Targets and Exploration Data associated with the Company's projects in this September 2017 Quarterly Report has been extracted from the following ASX announcements:

- ASX announcement titled "Gilberton Gold Project – Drilling Operations Commenced" dated 12 July 2017;
- ASX announcement titled "Gilberton Gold Project Eight Mile Creek Lodes – Exploration Results" dated 12 December 2016;
- ASX announcement titled "Gilberton Gold Project Carbon Copy Exploration Results" dated 14 October 2016;
- ASX announcement titled "Percyvale Corridor, Gilberton - Exploration Results" dated 4 July 2016;
- ASX announcement titled "Gilberton Gold Project Welcome Prospect Exploration Results" dated 1 June 2016;
- ASX announcement titled "Gilberton Gold Project Mt Hogan Exploration Results" dated 3 February 2016; and
- ASX announcement titled "Gilberton Gold Project Mount Hogan EPM – New Prospects Outlined and High Grade Rock Assays up to 144g/t Au" dated 18 January 2016;

Copies of these reports are available to view on the ActivEX Limited website [www.activex.com.au](http://www.activex.com.au). These reports were issued in accordance with the 2012 Edition of the JORC Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

#### Current Disclosure – Declarations under 2012 JORC Code and JORC Tables

The information in this report which relates to new exploration results for the Gilberton Gold Project and Cloncurry Copper and Gold Project are based on information compiled by Mr G. Thomas, who is a Member of the Australasian Institute of Mining and Metallurgy (MAusIMM) and a Member of the Australian Institute of Geoscientists (AIG). Mr Thomas (Managing Director) is a full-time employee of ActivEX Limited and has sufficient experience relevant to the styles of mineralisation and types of deposit under consideration and the activities being undertaken to qualify as a Competent Person as defined by the 2012 Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012).

Mr Thomas consents to the inclusion of his name in this report and to the issue of this report in the form and context in which it appears. The following Tables detail sampling techniques, data management and reporting criteria according to the JORC Code (2012).

## JORC Table 1 – Gilberton Project – Geochemical Sampling

### Section 1 - Sampling Techniques and Data – Gilberton Project

| Criteria                                                | Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drilling techniques                                     | <ul style="list-style-type: none"> <li>RC drilling technique has been carried out for the drilling program.</li> <li>The assays reported are from RC drill hole samples.</li> <li>A total of 23 holes for 1,584.0m have been drilled.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Drill sample recovery                                   | <ul style="list-style-type: none"> <li>RC recovery is initially visually estimated based on the size of the green bags and recorded as a percentage.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Sampling techniques                                     | <ul style="list-style-type: none"> <li>All RC drill samples were collected at 1 metre interval spacing.</li> <li>RC drill samples were riffle split using a riffle splitter mounted on the drill rig, with 25% of the metre collected in a calico bag (ready to be sent to the laboratory, if required) and 75% of the metre collected in a green plastic bag.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Logging                                                 | <ul style="list-style-type: none"> <li>Drill chip samples were geologically logged on- and off-site at a per-metre level by Project Geologist Jose Veracruz and Project Geologist Sean Ke.</li> <li>Every metre drilled was geologically logged to a level of detail to support future Mineral Resource estimations.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Sub-sampling techniques and sample preparation          | <ul style="list-style-type: none"> <li>RC drill samples were riffle split using a riffle splitter mounted on the drill rig, with 25% collected in a calico bag (ready to be sent to the laboratory, if required) and 75% collected in a green plastic bag.</li> <li>XRF analysis was conducted on all drill chip samples using two Niton XL3t handheld XRF in 'Soil' mode, using three filters, each with a 30 second duration to give a total analysing time of 90 seconds.</li> <li>Samples to be sent for laboratory analysis were determined by geological methods (logging) and/or on-site handheld XRF (Niton) analysis as above.</li> <li>All samples sent for laboratory analysis were dry samples.</li> <li>Assays were conducted by ALS Global, Townsville laboratory, using standard procedures and standard laboratory checks, ME-MS61 and Au-AA25.</li> <li>The nature and quality of the sample preparation is considered appropriate for the mineralisation style.</li> <li>The samples sizes are appropriate for the material being sampled.</li> </ul> |
| Location of data points                                 | <ul style="list-style-type: none"> <li>Drill hole collars were located using a Garmin GPS, model GPSMap64s, with approximate accuracy of <math>\pm 3m</math>.</li> <li>Down hole surveys were taken approximately every 30m on drill hole AMH001 using a Reflex EZ-Trac digital downhole survey instrument.</li> <li>No down hole surveys were carried out in the rest of the holes (AMH002-AMH014, AGB001-AGB009).</li> <li>Coordinates are recorded in grid system MGA94, Zone 56.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Data spacing and distribution                           | <ul style="list-style-type: none"> <li>Drill hole spacing ranges from 100m to 200m over individual prospects.</li> <li>Drill hole spacing to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure is appropriate for Inferred Resource category.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> <li>The geometry of the mineralisation with respect to drill hole angles is approximately perpendicular.</li> <li>Drilling orientation and the orientation of the mineralised enrichment zone is considered to not have introduced a sampling bias.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Quality of assay data and laboratory tests              | <ul style="list-style-type: none"> <li>Handheld XRF analyses are considered to be partial assays and were only used as a guide for selecting samples for subsequent laboratory assay.</li> <li>The nature and quality of the assaying and laboratory procedures used is considered appropriate for the mineralisation style.</li> <li>The four acid digest used in assay method ME-MS61 is considered to be a 'near-total' digest.</li> <li>For all drill holes, sample selection from each hole was sent to laboratory as a separate batch.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                       | <ul style="list-style-type: none"> <li>Quality control measures for laboratory analysed samples consisted of: <ul style="list-style-type: none"> <li>One pebble blank (white decorative stones) per hole at the beginning of the batch.</li> <li>One head grade sample (OREAS 502c – porphyry copper-gold ore) in the middle of mineralised intersections.</li> <li>ALS processes runs containing 84 positions, 78 of which are samples and 6 are internal QC points, running 1x blank, 2x standards and 3x duplicates per processing run. Fire assay processes and equipment all comply with ALS's ISO9001 accreditation requirements. In respect to the ME-MS61 method, these runs are processes containing 40 positions, 35 samples, 1x blank, 2x standards and 2x duplicates. The ME-MS61 methods and associated equipment comply with ALS Brisbane's ISO17025 accreditation.</li> </ul> </li> </ul> |
| Verification of sampling and assaying | <ul style="list-style-type: none"> <li>Significant intersections were verified by Project Geologist Jose Veracruz.</li> <li>Geological logging is conducted on paper logs and later converted to digital format. Data is verified by geologist and paper logs are stored for reference.</li> <li>Laboratory results and associated QAQC documentation is stored digitally.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Sample security                       | <ul style="list-style-type: none"> <li>Sample bags were packed in batches into polyweave bags for transport.</li> <li>Samples were transported to the ALS Global Townsville laboratory by ActivEX personnel.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Audits or reviews                     | <ul style="list-style-type: none"> <li>The Niton XRF analyser is calibrated annually.</li> <li>The Niton XRF analyser is checked against five standards of varying compositions prior to operation each working day.</li> <li>Standard laboratory procedure for laboratory samples.</li> <li>In-house review of QAQC data for laboratory samples.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Section 2 - Reporting of Exploration Results – Gilberton Project

| Criteria                                | Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mineral tenement and land tenure status | <ul style="list-style-type: none"> <li>The ActivEX Gilberton Gold Project consists of EPMs 18615 (Mt Hogan), 18623 (Gilberton), 19207 (Percy River), 26232 (Gum Flat) and 26307 (Split Rock); all 100% owned by ActivEX Limited. See Figure 1 for location.</li> <li>The Gilberton Gold Project tenements were granted under the Native Title Protection Conditions. The Ewamian People are the Registered Native Title Claimant for the Project area.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Exploration done by other parties       | <ul style="list-style-type: none"> <li>Numerous companies have carried out surface exploration programs in the Gilberton Gold Project area and several occurrences have had limited (and mainly shallow) drill testing. The most recent exploration in the area was carried out by Newcrest Mining, who conducted extensive grid soil sampling, local ground geophysical surveys, and limited diamond drilling.</li> <li>For additional information, refer to the ActivEX website (<a href="http://www.activex.com.au/gilberton-gold.php">http://www.activex.com.au/gilberton-gold.php</a>).</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Geology                                 | <ul style="list-style-type: none"> <li>The geology of the Project area is dominated by Proterozoic metamorphics and granites, with local mid-Palaeozoic intrusions, fault-bounded Devonian basins, and Early Permian volcanics and intrusions of the Kennedy Association.</li> <li>The main units occurring within the Project area are: <ul style="list-style-type: none"> <li>Metamorphic units of the Proterozoic Etheridge group consisting mainly of calcareous sandstone, siltstone, shale, limestone units of the Bernecker Creek and Daniel Creek Formations; basic metavolcanics, metadolerite and metagabbro of the Dead Horse Metabasalt and Cobbold Metadolerite; gneiss and schist of the Einasleigh Metamorphics in the north east of EPM 18615.</li> <li>The Proterozoic, U-anomalous, Mount Hogan granite in the south-eastern portion of EPM 18615.</li> <li>Siluro-Devonian Robin Hood Granodiorite in the north of the tenement area.</li> <li>Late Devonian sediments of the Gilberton Formation in two fault-bounded structures in the central project area, consisting of pebbly coarse sandstone grading to coarse arkosic sandstone and polymict conglomerate.</li> </ul> </li> </ul> |

|                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                  | <ul style="list-style-type: none"> <li>• A north-west trending group of Early Permian volcanics considered to be related to the Agate Creek Volcanic Group (basalt, andesite, rhyolite, agglomerate, ignimbrite, minor interbedded siltstone and air-fall tuff), in the south west of EPM 18615.</li> <li>• Carboniferous – Permian intrusive rhyolites as small outcrops associated with the Early Permian Agate Creek Volcanics, and as a more extensive east-west trending intrusion and network of dykes in the north, around the Lower Percy gold field.</li> <li>• Mesozoic sandstones and pebble conglomerates, occurring mainly in the north west of the tenement area, and forming dissected plateaux and mesas</li> </ul> |
| Drill hole information                                           | <ul style="list-style-type: none"> <li>• Refer to body of report for significant drill hole results.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Data aggregation methods                                         | <ul style="list-style-type: none"> <li>• &gt;0.1g/t Au, &gt;10g/t Ag, and &gt;0.1% Cu, Pb or Zn cut-off and maximum 2m internal waste used for intercept calculations</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> <li>• The geometry of the mineralisation with respect to the drill hole angle is thought to be perpendicular at this stage.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Diagrams                                                         | <ul style="list-style-type: none"> <li>• Refer to body of report for diagrammatic information.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Balanced reporting                                               | <ul style="list-style-type: none"> <li>• Refer to body of report for relevant intersections of drill holes.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Other substantive exploration data                               | <ul style="list-style-type: none"> <li>• Refer to body of report for additional geological observations.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Further work                                                     | <ul style="list-style-type: none"> <li>• Refer to body of report for further work plans.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

## JORC Table 2 – Cloncurry Project – Geochemical Sampling

### Section 1 - Sampling Techniques and Data – Cloncurry Project

| Criteria                                       | Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sampling techniques                            | <ul style="list-style-type: none"> <li>• Rock samples were collected during field reconnaissance programs.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Sub-sampling techniques and sample preparation | <ul style="list-style-type: none"> <li>• Rock samples obtained using geo-pick and collected in calico bag.</li> <li>• Rock samples sent for laboratory analysis to ALS Global Mount Isa laboratory.</li> <li>• Assays were conducted using standard procedures and standard laboratory checks, by methods Au-AA25 for Au; ME-MS61r for Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, Tl, U, V, W, Y, Zn, Zr, Dy, Er, Eu, Gd, Ho, Lu, Nd, Pr, Sm, Tb, Tm and Yb.</li> <li>• The nature and quality of the sample preparation is considered appropriate for the mineralisation style.</li> <li>• The samples sizes are appropriate for the material being sampled.</li> </ul> |
| Quality of assay data and laboratory tests     | <ul style="list-style-type: none"> <li>• The four-acid digest used in ME-MS61r is considered to be a 'near-total' digest.</li> <li>• The nature and quality of the assaying and laboratory procedures used is considered appropriate for the mineralisation style.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Verification of sampling and assaying          | <ul style="list-style-type: none"> <li>• Laboratory results and associated QAQC documentation is stored digitally.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Location of data points                        | <ul style="list-style-type: none"> <li>• Location of all samples recorded by hand held Garmin GPS device.</li> <li>• North Queensland – grid system MGA94, Zone 54.</li> <li>• Refer to Table 3 for location of rock samples.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Data spacing and distribution                  | <ul style="list-style-type: none"> <li>• Rock samples collected at random spacing and distribution.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                                         |                                                                                                                                                                                       |
|---------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Orientation of data in relation to geological structure | <ul style="list-style-type: none"> <li>Rock samples collected at points of geological interest.</li> </ul>                                                                            |
| Sample security                                         | <ul style="list-style-type: none"> <li>Rock samples were packed into polyweave bags for transport.</li> <li>Samples were couriered to the ALS Global Mount Isa laboratory.</li> </ul> |
| Audits or reviews                                       | <ul style="list-style-type: none"> <li>Standard laboratory procedure and QAQC for laboratory samples.</li> </ul>                                                                      |

## Section 2 - Reporting of Exploration Results – Cloncurry Project

| Criteria                                                         | Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mineral tenement and land tenure status                          | <ul style="list-style-type: none"> <li>Cloncurry Copper and Gold Project EPMs are 100% owned by ActivEX Limited.</li> <li>There are several Registered Native Title Claimants for the Cloncurry Copper and Gold Project area, including the Kalkadoon People #4, the Yulluna People and the Mitakoodi &amp; Maya People. Access agreements are in place with the relevant Claimants.</li> </ul>                                                                        |
| Exploration done by other parties                                | <ul style="list-style-type: none"> <li>Numerous companies have carried out surface exploration programs in the Cloncurry Copper and Gold Project area.</li> <li>For additional information, refer to the ActivEX website (<a href="http://www.activex.com.au/cloncurry-copper-gold.php">http://www.activex.com.au/cloncurry-copper-gold.php</a>).</li> </ul>                                                                                                           |
| Geology                                                          | <ul style="list-style-type: none"> <li>The Cloncurry Copper and Gold Project lies in the Eastern Succession, a division of the Mesoproterozoic Mount Isa Province. The area comprises variably metamorphosed meta-sediments, meta-volcanics and intrusive rocks.</li> <li>For additional information, refer to the ActivEX website (<a href="http://www.activex.com.au/cloncurry-copper-gold.php">http://www.activex.com.au/cloncurry-copper-gold.php</a>).</li> </ul> |
| Drill hole information                                           | <ul style="list-style-type: none"> <li>Drill hole data not being reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                  |
| Data aggregation methods                                         | <ul style="list-style-type: none"> <li>No data aggregation applied.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                         |
| Relationship between mineralisation widths and intercept lengths | <ul style="list-style-type: none"> <li>Drill hole data not being reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                  |
| Diagrams                                                         | <ul style="list-style-type: none"> <li>Refer to body of report for diagrammatic information.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                |
| Balanced reporting                                               | <ul style="list-style-type: none"> <li>Drill hole data not being reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                  |
| Other substantive exploration data                               | <ul style="list-style-type: none"> <li>Refer to body of report for additional geological observations.</li> </ul>                                                                                                                                                                                                                                                                                                                                                      |
| Further work                                                     | <ul style="list-style-type: none"> <li>Refer to body of report for further work plans.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                      |

## Appendix 2

### List of Exploration/Mining Tenements held by ActivEX Limited at 30 September 2017 (in accordance with ASX Listing Rule 5.3.3)



| Project Name                    | Tenement Name   | EPM    | Status  | Granted   | Expires   | Holder          | Details        | Interest at start of quarter | Interest at end of quarter | Sub-blocks at start of quarter | Sub-blocks at end of quarter |
|---------------------------------|-----------------|--------|---------|-----------|-----------|-----------------|----------------|------------------------------|----------------------------|--------------------------------|------------------------------|
| <b>Southeast Queensland</b>     |                 |        |         |           |           |                 |                |                              |                            |                                |                              |
| Barambah Gold                   | Barambah        | 14937  | Granted | 14-Mar-05 | 13-Mar-22 | ActivEX Limited |                | 100%                         | 100%                       | 9                              | 9                            |
|                                 | One Mile        | 18732  | Granted | 15-Oct-10 | 14-Oct-20 | ActivEX Limited |                | 100%                         | 100%                       | 16                             | 16                           |
| Esk Copper and Gold             | Boobyjan        | 14476  | Granted | 08-Jun-04 | 07-Jun-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 23                             | 23                           |
|                                 | Dadamarine      | 14979  | Granted | 12-Apr-05 | 11-Apr-20 | ActivEX Limited |                | 100%                         | 100%                       | 15                             | 15                           |
|                                 | Blairmore       | 16265  | Granted | 04-Sep-07 | 03-Sep-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 24                             | 24                           |
|                                 | Ban Ban         | 16327  | Granted | 31-Jul-07 | 30-Jul-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 12                             | 12                           |
|                                 | Stockhaven      | 18717  | Granted | 13-Oct-10 | 12-Oct-20 | ActivEX Limited |                | 100%                         | 100%                       | 26                             | 26                           |
| Coalstoun Lakes Copper and Gold | Coalstoun       | 14079  | Granted | 23-Oct-03 | 22-Oct-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 57                             | 57                           |
| Prospect Gold                   | Prospect Creek  | 14121  | Granted | 03-Aug-05 | 02-Aug-20 | ActivEX Limited |                | 100%                         | 100%                       | 26                             | 26                           |
| <b>Northwest Queensland</b>     |                 |        |         |           |           |                 |                |                              |                            |                                |                              |
| Cloncurry Copper and Gold       | Mt Agate        | 14955  | Granted | 29-Jun-06 | 28-Jun-21 | ActivEX Limited |                | 100%                         | 100%                       | 55                             | 55                           |
|                                 | Florence Creek  | 15285  | Granted | 30-Oct-07 | 29-Oct-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 51                             | 51                           |
|                                 | Malbon          | 17313  | Granted | 24-May-10 | 23-May-18 | ActivEX Limited |                | 100%                         | 100%                       | 9                              | 9                            |
|                                 | Florence Flat   | 17805  | Granted | 21-Apr-11 | 20-Apr-21 | ActivEX Limited |                | 100%                         | 100%                       | 5                              | 5                            |
|                                 | Brightlands     | 18511  | Granted | 30-Apr-12 | 29-Apr-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 24                             | 24                           |
|                                 | Selwyn East     | 18073  | Granted | 19-Sep-11 | 18-Sep-21 | ActivEX Limited |                | 100%                         | 100%                       | 66                             | 66                           |
|                                 | Concorde        | 25192  | Granted | 16-Dec-14 | 15-Dec-19 | ActivEX Limited |                | 100%                         | 100%                       | 21                             | 21                           |
|                                 | Upper Mort      | 25194  | Granted | 16-Dec-14 | 15-Dec-19 | ActivEX Limited |                | 100%                         | 100%                       | 6                              | 6                            |
|                                 | Heathrow East   | 25454  | Granted | 24-Dec-14 | 23-Dec-19 | ActivEX Limited |                | 100%                         | 100%                       | 11                             | 11                           |
|                                 | North Camel Dam | 25455  | Granted | 01-May-15 | 30-Apr-20 | ActivEX Limited |                | 100%                         | 100%                       | 8                              | 8                            |
|                                 | Camel Hill      | 17454  | Granted | 23-Jan-12 | 22-Jan-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 8                              | 8                            |
|                                 | Robur           | 18852  | Granted | 10-Aug-12 | 09-Aug-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 45                             | 45                           |
|                                 | Bulonga         | 18053  | Granted | 27-Apr-12 | 26-Apr-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 29                             | 29                           |
| <b>North Queensland</b>         |                 |        |         |           |           |                 |                |                              |                            |                                |                              |
| Gilberton Gold                  | Percy River     | 19207  | Granted | 13-Dec-12 | 12-Dec-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 7                              | 7                            |
|                                 | Mt Hogan        | 18615  | Granted | 19-Jun-13 | 18-Jun-18 | ActivEX Limited |                | 100%                         | 100%                       | 96                             | 96                           |
|                                 | Gilberton       | 18623  | Granted | 08-Apr-14 | 07-Apr-19 | ActivEX Limited |                | 100%                         | 100%                       | 40                             | 40                           |
|                                 | Gum Flat        | 26232  | Granted | 02-Feb-17 | 01-Feb-22 | ActivEX Limited |                | 100%                         | 100%                       | 27                             | 27                           |
|                                 | Split Rock      | 26307  | Granted | 06-Mar-17 | 05-Mar-22 | ActivEX Limited |                | 100%                         | 100%                       | 14                             | 14                           |
| Pentland Gold                   | Pentland        | 14332  | Granted | 10-Dec-04 | 09-Dec-19 | ActivEX Limited |                | 100%                         | 100%                       | 39                             | 39                           |
|                                 | Oxley Creek     | 15055  | Granted | 11-Jan-06 | 10-Jan-21 | ActivEX Limited |                | 100%                         | 100%                       | 25                             | 25                           |
|                                 | Norwood South   | 15185  | Granted | 03-Aug-06 | 02-Aug-21 | ActivEX Limited |                | 100%                         | 100%                       | 18                             | 18                           |
| Ravenswood Gold                 | Mt Leyshon      | 18424  | Granted | 08-May-12 | 07-May-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 29                             | 29                           |
|                                 | King Solomon    | 18637  | Granted | 17-Aug-12 | 16-Aug-17 | ActivEX Limited | Renewal lodged | 100%                         | 100%                       | 8                              | 8                            |
|                                 | Cornishman      | 18426  | Granted | 16-Dec-14 | 15-Dec-19 | ActivEX Limited |                | 100%                         | 100%                       | 40                             | 40                           |
|                                 | Charlie Creek   | 25466  | Granted | 14-Oct-14 | 13-Oct-19 | ActivEX Limited |                | 100%                         | 100%                       | 6                              | 6                            |
|                                 | Birthday Hills  | 25467  | Granted | 19-Mar-15 | 18-Mar-20 | ActivEX Limited |                | 100%                         | 100%                       | 34                             | 34                           |
| <b>Western Australia</b>        |                 |        |         |           |           |                 |                |                              |                            |                                |                              |
| Lake Chandler Potash            | Lake Chandler   | M77/22 | Granted | 17-Jan-85 | 16-Jan-27 | ActivEX Limited |                | 100%                         | 100%                       | 359 ha                         | 359 ha                       |

## Appendix 5B

# Mining exploration entity and oil and gas exploration entity quarterly report

Introduced 01/07/96 Origin Appendix 8 Amended 01/07/97, 01/07/98, 30/09/01, 01/06/10, 17/12/10, 01/05/13, 01/09/16

### Name of entity

ActivEX Limited

### ABN

11 113 452 896

### Quarter ended ("current quarter")

30 September 2017

| Consolidated statement of cash flows                      | Current quarter<br>\$A'000 | Year to date<br>(3 months)<br>\$A'000 |
|-----------------------------------------------------------|----------------------------|---------------------------------------|
| <b>1. Cash flows from operating activities</b>            |                            |                                       |
| 1.1 Receipts from customers                               | -                          | -                                     |
| 1.2 Payments for                                          |                            |                                       |
| (a) exploration & evaluation                              | (445)                      | (445)                                 |
| (b) development                                           | -                          | -                                     |
| (c) production                                            | -                          | -                                     |
| (d) staff costs                                           | (221)                      | (221)                                 |
| (e) administration and corporate costs                    | (41)                       | (41)                                  |
| 1.3 Dividends received (see note 3)                       | -                          | -                                     |
| 1.4 Interest received                                     | 3                          | 3                                     |
| 1.5 Interest and other costs of finance paid              | -                          | -                                     |
| 1.6 Income taxes paid                                     | -                          | -                                     |
| 1.7 Research and development refunds                      | -                          | -                                     |
| 1.8 Other (provide details if material)                   | -                          | -                                     |
| <b>1.9 Net cash from / (used in) operating activities</b> | <b>(704)</b>               | <b>(704)</b>                          |

|                                                |   |   |
|------------------------------------------------|---|---|
| <b>2. Cash flows from investing activities</b> |   |   |
| 2.1 Payments to acquire:                       |   |   |
| (a) property, plant and equipment              | - | - |
| (b) tenements (see item 10)                    | - | - |
| (c) investments                                | - | - |
| (d) other non-current assets                   | - | - |

| Consolidated statement of cash flows |                                                       | Current quarter<br>\$A'000 | Year to date<br>(3 months)<br>\$A'000 |
|--------------------------------------|-------------------------------------------------------|----------------------------|---------------------------------------|
| 2.2                                  | Proceeds from the disposal of:                        |                            |                                       |
|                                      | (a) property, plant and equipment                     | -                          | -                                     |
|                                      | (b) tenements (see item 10)                           | -                          | -                                     |
|                                      | (c) investments                                       | -                          | -                                     |
|                                      | (d) other non-current assets                          | -                          | -                                     |
| 2.3                                  | Cash flows from loans to other entities               | -                          | -                                     |
| 2.4                                  | Dividends received (see note 3)                       | -                          | -                                     |
| 2.5                                  | Other (provide details if material)                   | -                          | -                                     |
| <b>2.6</b>                           | <b>Net cash from / (used in) investing activities</b> | <b>-</b>                   | <b>-</b>                              |

|             |                                                                             |          |          |
|-------------|-----------------------------------------------------------------------------|----------|----------|
| <b>3.</b>   | <b>Cash flows from financing activities</b>                                 |          |          |
| 3.1         | Proceeds from issues of shares                                              | -        | -        |
| 3.2         | Proceeds from issue of convertible notes                                    | -        | -        |
| 3.3         | Proceeds from exercise of share options                                     | -        | -        |
| 3.4         | Transaction costs related to issues of shares, convertible notes or options | -        | -        |
| 3.5         | Proceeds from borrowings                                                    | -        | -        |
| 3.6         | Repayment of borrowings                                                     | -        | -        |
| 3.7         | Transaction costs related to loans and borrowings                           | -        | -        |
| 3.8         | Dividends paid                                                              | -        | -        |
| 3.9         | Share buy back                                                              | -        | -        |
| <b>3.10</b> | <b>Net cash from / (used in) financing activities</b>                       | <b>-</b> | <b>-</b> |

|            |                                                                              |            |            |
|------------|------------------------------------------------------------------------------|------------|------------|
| <b>4.</b>  | <b>Net increase / (decrease) in cash and cash equivalents for the period</b> |            |            |
| 4.1        | Cash and cash equivalents at beginning of period                             | 917        | 917        |
| 4.2        | Net cash from / (used in) operating activities (item 1.9 above)              | (704)      | (704)      |
| 4.3        | Net cash from / (used in) investing activities (item 2.6 above)              | -          | -          |
| 4.4        | Net cash from / (used in) financing activities (item 3.10 above)             | -          | -          |
| 4.5        | Effect of movement in exchange rates on cash held                            | -          | -          |
| <b>4.6</b> | <b>Cash and cash equivalents at end of period</b>                            | <b>213</b> | <b>213</b> |

| 5. <b>Reconciliation of cash and cash equivalents</b><br>at the end of the quarter (as shown in the consolidated statement of cash flows) to the related items in the accounts | Current quarter<br>\$A'000 | Previous quarter<br>\$A'000 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------|
| 5.1    Bank balances                                                                                                                                                           | 213                        | 217                         |
| 5.2    Call deposits                                                                                                                                                           | -                          | 700                         |
| 5.3    Bank overdrafts                                                                                                                                                         | -                          | -                           |
| 5.4    Other (provide details)                                                                                                                                                 | -                          | -                           |
| <b>5.5    Cash and cash equivalents at end of quarter (should equal item 4.6 above)</b>                                                                                        | <b>213</b>                 | <b>917</b>                  |

**6.    Payments to directors of the entity and their associates**

- 6.1    Aggregate amount of payments to these parties included in item 1.2
- 6.2    Aggregate amount of cash flow from loans to these parties included in item 2.3
- 6.3    Include below any explanation necessary to understand the transactions included in items 6.1 and 6.2

| Current quarter<br>\$A'000 |
|----------------------------|
| 97                         |
| -                          |

Executive Directors' salary and Non-Executive Director fees.

**7.    Payments to related entities of the entity and their associates**

- 7.1    Aggregate amount of payments to these parties included in item 1.2
- 7.2    Aggregate amount of cash flow from loans to these parties included in item 2.3
- 7.3    Include below any explanation necessary to understand the transactions included in items 7.1 and 7.2

| Current quarter<br>\$A'000 |
|----------------------------|
| -                          |
| -                          |

## Mining exploration entity and oil and gas exploration entity quarterly report

| <b>8. Financing facilities available</b><br><i>Add notes as necessary for an understanding of the position</i>                                                                                                                                                                             | <b>Total facility amount<br/>at quarter end<br/>\$A'000</b> | <b>Amount drawn at<br/>quarter end<br/>\$A'000</b> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------------|
| 8.1 Loan facilities                                                                                                                                                                                                                                                                        | -                                                           | -                                                  |
| 8.2 Credit standby arrangements                                                                                                                                                                                                                                                            | -                                                           | -                                                  |
| 8.3 Other (please specify)                                                                                                                                                                                                                                                                 | -                                                           | -                                                  |
| 8.4 Include below a description of each facility above, including the lender, interest rate and whether it is secured or unsecured. If any additional facilities have been entered into or are proposed to be entered into after quarter end, include details of those facilities as well. |                                                             |                                                    |

|  |
|--|
|  |
|--|

| <b>9. Estimated cash outflows for next quarter</b> | <b>\$A'000</b> |
|----------------------------------------------------|----------------|
| 9.1 Exploration and evaluation                     | 35             |
| 9.2 Development                                    | -              |
| 9.3 Production                                     | -              |
| 9.4 Staff costs                                    | 75             |
| 9.5 Administration and corporate costs             | 120            |
| 9.6 Other (provide details if material)            | -              |
| <b>9.7 Total estimated cash outflows</b>           | <b>220 *</b>   |

\* The Company is investigating various fund raising options including but not limited to potential farm-outs, a loan facility and capital raising scenarios.

| <b>10. Changes in tenements (items 2.1(b) and 2.2(b) above)</b>                            | <b>Tenement reference and location</b> | <b>Nature of interest</b> | <b>Interest at beginning of quarter</b> | <b>Interest at end of quarter</b> |
|--------------------------------------------------------------------------------------------|----------------------------------------|---------------------------|-----------------------------------------|-----------------------------------|
| 10.1 Interests in mining tenements and petroleum tenements lapsed, relinquished or reduced |                                        |                           |                                         |                                   |
| 10.2 Interests in mining tenements and petroleum tenements acquired or increased           |                                        |                           |                                         |                                   |

### **Compliance statement**

- 1 This statement has been prepared in accordance with accounting standards and policies which comply with Listing Rule 19.11A.
- 2 This statement gives a true and fair view of the matters disclosed.

Sign here: .....  
(Company secretary)

Date: 30 October 2017

Print name: Craig J McPherson

### **Notes**

1. The quarterly report provides a basis for informing the market how the entity's activities have been financed for the past quarter and the effect on its cash position. An entity that wishes to disclose additional information is encouraged to do so, in a note or notes included in or attached to this report.
2. If this quarterly report has been prepared in accordance with Australian Accounting Standards, the definitions in, and provisions of, AASB 6: Exploration for and Evaluation of Mineral Resources and AASB 107: Statement of Cash Flows apply to this report. If this quarterly report has been prepared in accordance with other accounting standards agreed by ASX pursuant to Listing Rule 19.11A, the corresponding equivalent standards apply to this report.
3. Dividends received may be classified either as cash flows from operating activities or cash flows from investing activities, depending on the accounting policy of the entity.