

ASX Announcement


2 April 2019

La Opeñas Gold Project Drilling Program Update

The Board of Directors of Dark Horse Resources Limited (Dark Horse, the Company, ASX:DHR) is pleased to advise that its initial Reverse Circulation drilling program at the Las Opeñas Gold project in San Juan province is underway (project location shown in **Figure 2**). The program is targeting high grade gold, silver and base metal epithermal veins discovered during surface mapping and sampling by previous workers Teck and Genesis, who did not drill, but focussed their work on an adjacent preathomagmatic breccia target (refer **Figure 1**). Major Drilling (Major Perforaciónes SA) has been retained to carry out the work utilising a multipurpose UDR650 track mounted machine.

Numerous veins have been identified and several are being drilled in the current program, locally named Rock Oven Target, Tramway Target and Tabano Target, as shown in red on the location figure below (**Figure 1**). Eight (50 degree) inclined holes have been drilled to date for a total of 737 metres.

There have been some interesting vein drill-intersections at shallow depths with mineralised rock chips observed in the drilling samples. Several of these are included in the photos below.






Figure 1. Location of the Dark Horse's Argentina mineral projects.



Photo 1 (left): Hole LORC19-01, Rock Oven Target vein. Crystalline quartz with pyrite, sphalerite and arsenopyrite, some argillic alteration. **Photo 2** (right): Hole LORC19-02, Rock Oven Target vein. Sulfide banded veinlets: pyrite, sphalerite, black silica banded.



Photo 3 (left): Hole LORC19-03, Rock Oven Target vein. Crystalline and chalcedonic quartz, with some banded chalcedonic quartz: pyrite sphalerite, black silica. **Photo 4** (right): Hole LORC19-03, Rock Oven Target vein. Massive sulfides: pyrite, arsenopyrite, sphalerite, jarosite, some chalcopyrite.



Photo 5 (left): LORC19-07, Tramway Target vein. Sulfides in chalcedonic quartz vein-breccia: pyrite, sphalerite, arsenopyrite. **Photo 6** (right): LORC19-07, Tramway Target vein. Chalcedonic quartz vein with some brecciation: red sphalerite, pyrite, some chalcopyrite.



Photo 7. Drilling underway at the La Opeñas Gold Project. Hole LORC19-08 at the Tramway Target vein.

Samples are being assayed in an internationally recognised laboratory in Argentina. Once complete assay results are obtained, they will be evaluated and then reported by the Company, expected to be at earliest, later in April 2019.

On behalf of the Board Mr Karl Schlobohm Company Secretary

fellafor

For further information contact:

Mr David Mason

Managing Director, Dark Horse Resources Ltd Ph: 07 3303 0650

Karl Schlobohm

Company Secretary, Dark Horse Resources Ltd

Ph: 07 3303 0661

About Dark Horse Resources

Dark Horse Resources Ltd is an Australian, publicly listed mineral resource company (ASX: DHR), with a particular focus on Argentina, where it has invested in lithium and gold projects, with objectives to:

- Discover and define several multimillion ounce gold deposits.
- > Define substantial lithium resources, mine spodumene and brine, and produce high grade lithium products for the domestic and international battery and electronic markets.

Dark Horse also has a power generation subsidiary, Dark Horse Energy and a substantial holding (31%) in Australian-based and ASX-listed oil and gas exploration company Lakes Oil NL (ASX:LKO).

The Board believes that it will be successful in the short to medium term in defining Company making projects for which it will add value through further exploration and resource definition, with commercialisation options to be reviewed on a case by case basis upon maiden resource definition.

Company website: www.darkhorseresources.com.au

Follow us on Twitter: @ASX_DHR

Competent Persons Statement

The information herein that relates to Exploration Targets and Exploration Results is based on information compiled by Mr Jason Beckton, who is a member of The Australian Institute of Geoscientists. Mr Jason Beckton is a Director of Dark Horse Resources Ltd.

Mr Beckton has more than five years' experience which is relevant to the style of mineralisation and types of deposits being reported and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves' (the JORC Code). This public report is issued with the prior written consent of the Competent Person(s) as to the form and context in which it appears.

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	 Drilling results reported herein relate to RC drill holes at Las Opeñas project, San Juan Province, Argentina. RC holes LORC-19-01 to -08 were drilled in March 2019. The program used standard RC drilling techniques to collect 1m samples which were split to nominal 3kg sub-samples for assay by Fire Assay and ICP-OES.
Drilling techniques	 Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	 RC drilling was completed with a UDR rig, using dual RC pipe and 5¼" face sampling hammer. Air was provided by 900cfm/600 psi compressor. All drilling was conducted by Major Drilling Corp.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Sample bags were weighed and compared to the theoretical hole volume as a measure of recovery. Samples are considered fit for purpose.
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	 All holes were logged for lithology, mineralization (specifically quartz and sulphide occurrence and texture) and alteration using standardized qualitative codes RC holes were logged in the field from washed chip samples, a portion of which was archived in chip trays.

Criteria	JORC Code explanation	Commentary
Sub- sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/secondhalf sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	 Dry samples were split directly off the cyclone using a rotary cone splitter. Wet samples were air-dried before splitting with a Jones Riffle Samples were logged into the laboratory tracking system, weighed as received, crushed so 70% < 2 mm, split and ¼ of the split sample pulverized so 85 % < 75 μm). Sample sizes were appropriate for grain size of material sampled
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	 RC samples by Alex Stewart Laboratories, Mendoza. At Alex Stewart samples were assayed using methods Au-4-30 (50g Fire Assay gold with an AA reading) and ICP-MA-39 for a suite of elements. A QAQC program of Standard Reference Materials, Blanks and Duplicates was included with sample submission. Two SRMs (both High and Low grade), 1 Blank and 2 duplicates were submitted in each batch of 40 samples. Assay Results are AWAITED.
Verification of sampling and assaying	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	Assay Results are AWAITED
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	 RC collars were located using GPS. Downhole surveys were measured with SPT downhole gyroscope. Reference system used was Posgar-94, Faja2 (Argentina reference coordinates)

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	 Early prospect assessment Individual drill holes No sample compositing occurred.
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	Not Applicable - Preliminary assessment.
Sample security	The measures taken to ensure sample security.	 Sample security was managed by the Company using industry standard chain of custody procedure. Samples were collected by Alex Stewart from the Exploration Base in Rodeo.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	 Exploration procedures, including drilling and sampling, were reviewed and supervised by an external Geological consultant.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	 Dark Horse Resources has an Option Agreement with Genesis Minerals SA over exploration tenement 1124623T2012 LAS OPEÑAS 1 N-A.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	 Previous exploration has been carried out by Teck 2005-12 and Genesis Minerals 2012-2018 which included geological mapping, rock chip sampling, geophysics and drilling. Previous exploration targeted a Dacite Breccia Complex separate from the high grade vein target that DHR is assessing.
Geology	Deposit type, geological setting and style of mineralisation.	 Mineralization is believed to conform with an intermediate sulphidation epithermal model. High grade gold and silver occurs in quartz breccia veins that form a horsetail off a regional NNE trending fault. The veins are hosted by the Las Opeñas granite.
Drill hole Information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	See Table in ASX release
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such 	Not Applicable – Assay results awaited

Criteria	JORC Code explanation	Commentary
	 aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	
Relationship between mineralisati on widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	Not Applicable – Assay results awaited
Diagrams	 Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	Refer to figures and tables in this report.
Balanced reporting	 Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	 Representative reporting of drill details has been provided in this announcement.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	All meaningful and material exploration data has been reported.
Further work	 The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	On-going work is subject to data analysis.

Section 3 Estimation and Reporting of Mineral Resources

(Criteria listed in section 1, and where relevant in section 2, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Database integrity	 Measures taken to ensure that data has not been corrupted by, for example, transcription or keying errors, between its initial collection and its use for Mineral Resource estimation purposes. Data validation procedures used. 	Not Applicable
Site visits	 Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	Not Applicable
Geological interpretatio n	 Confidence in (or conversely, the uncertainty of) the geological interpretation of the mineral deposit. Nature of the data used and of any assumptions made. The effect, if any, of alternative interpretations on Mineral Resource estimation. The use of geology in guiding and controlling Mineral Resource estimation. The factors affecting continuity both of grade and geology. 	Not Applicable
Dimensions	 The extent and variability of the Mineral Resource expressed as length (along strike or otherwise), plan width, and depth below surface to the upper and lower limits of the Mineral Resource. 	Not Applicable
Estimation and modelling techniques	 The nature and appropriateness of the estimation technique(s) applied and key assumptions, including treatment of extreme grade values, domaining, interpolation parameters and maximum distance of extrapolation from data points. If a computer assisted estimation method was chosen include a description of computer software and parameters used. The availability of check estimates, previous estimates and/or mine production records and whether the Mineral Resource estimate takes appropriate account of such data. The assumptions made regarding recovery of by-products. Estimation of deleterious elements or other non-grade variables of economic significance (eg sulphur for acid mine drainage characterisation). In the case of block model interpolation, the block size in relation to the average sample spacing and the search employed. Any assumptions about correlation between variables. 	Not Applicable
	 Any assumptions about correlation between variables. Description of how the geological interpretation was used to control the 	

Criteria	JORC Code explanation	Commentary
Moisture	 resource estimates. Discussion of basis for using or not using grade cutting or capping. The process of validation, the checking process used, the comparison of model data to drill hole data, and use of reconciliation data if available. Whether the tonnages are estimated on a dry basis or with natural 	Not Applicable
	moisture, and the method of determination of the moisture content.	
Cut-off parameters	The basis of the adopted cut-off grade(s) or quality parameters applied.	Not Applicable
Mining factors or assumptions	 Assumptions made regarding possible mining methods, minimum mining dimensions and internal (or, if applicable, external) mining dilution. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential mining methods, but the assumptions made regarding mining methods and parameters when estimating Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the mining assumptions made. 	Not Applicable
Metallurgica I factors or assumptions	• The basis for assumptions or predictions regarding metallurgical amenability. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider potential metallurgical methods, but the assumptions regarding metallurgical treatment processes and parameters made when reporting Mineral Resources may not always be rigorous. Where this is the case, this should be reported with an explanation of the basis of the metallurgical assumptions made.	Not Applicable
Environmen- tal factors or assumptions	 Assumptions made regarding possible waste and process residue disposal options. It is always necessary as part of the process of determining reasonable prospects for eventual economic extraction to consider the potential environmental impacts of the mining and processing operation. While at this stage the determination of potential environmental impacts, particularly for a greenfields project, may not always be well advanced, the status of early consideration of these potential environmental impacts should be reported. Where these aspects have not been considered this should be reported with an explanation of the environmental assumptions made. 	Not Applicable
Bulk density	• Whether assumed or determined. If assumed, the basis for the assumptions.	Not Applicable

Criteria	JORC Code explanation	Commentary
	 If determined, the method used, whether wet or dry, the frequency of the measurements, the nature, size and representativeness of the samples. The bulk density for bulk material must have been measured by methods that adequately account for void spaces (vugs, porosity, etc), moisture and differences between rock and alteration zones within the deposit. Discuss assumptions for bulk density estimates used in the evaluation process of the different materials. 	
Classificatio n	 The basis for the classification of the Mineral Resources into varying confidence categories. Whether appropriate account has been taken of all relevant factors (ie relative confidence in tonnage/grade estimations, reliability of input data, confidence in continuity of geology and metal values, quality, quantity and distribution of the data). Whether the result appropriately reflects the Competent Person's view of the deposit. 	Not Applicable
Audits or reviews	The results of any audits or reviews of Mineral Resource estimates.	Not Applicable
Discussion of relative accuracy/ confidence	 Where appropriate a statement of the relative accuracy and confidence level in the Mineral Resource estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the resource within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors that could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	Not Applicable

Section 4 Estimation and Reporting of Ore Reserves

(Criteria listed in section 1, and where relevant in sections 2 and 3, also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral Resource estimate for conversion to Ore Reserves	 Description of the Mineral Resource estimate used as a basis for the conversion to an Ore Reserve. Clear statement as to whether the Mineral Resources are reported additional to, or inclusive of, the Ore Reserves. 	Not Applicable
Site visits	 Comment on any site visits undertaken by the Competent Person and the outcome of those visits. If no site visits have been undertaken indicate why this is the case. 	Not Applicable
Study status	 The type and level of study undertaken to enable Mineral Resources to be converted to Ore Reserves. The Code requires that a study to at least Pre-Feasibility Study level has been undertaken to convert Mineral Resources to Ore Reserves. Such studies will have been carried out and will have determined a mine plan that is technically achievable and economically viable, and that material Modifying Factors have been considered. 	Not Applicable
Cut-off parameters	The basis of the cut-off grade(s) or quality parameters applied.	Not Applicable
Mining factors or assumptions	 The method and assumptions used as reported in the Pre-Feasibility or Feasibility Study to convert the Mineral Resource to an Ore Reserve (i.e. either by application of appropriate factors by optimisation or by preliminary or detailed design). The choice, nature and appropriateness of the selected mining method(s) and other mining parameters including associated design issues such as prestrip, access, etc. The assumptions made regarding geotechnical parameters (eg pit slopes, stope sizes, etc), grade control and pre-production drilling. The major assumptions made and Mineral Resource model used for pit and stope optimisation (if appropriate). The mining dilution factors used. The mining recovery factors used. 	Not Applicable

Criteria	JORC Code explanation	Commentary
	 Any minimum mining widths used. The manner in which Inferred Mineral Resources are utilised in mining studies and the sensitivity of the outcome to their inclusion. The infrastructure requirements of the selected mining methods. 	
Metallurgica I factors or assumptions	 The metallurgical process proposed and the appropriateness of that process to the style of mineralisation. Whether the metallurgical process is well-tested technology or novel in nature. The nature, amount and representativeness of metallurgical test work undertaken, the nature of the metallurgical domaining applied and the corresponding metallurgical recovery factors applied. Any assumptions or allowances made for deleterious elements. The existence of any bulk sample or pilot scale test work and the degree to which such samples are considered representative of the orebody as a whole. For minerals that are defined by a specification, has the ore reserve estimation been based on the appropriate mineralogy to meet the specifications? 	Not Applicable
Environmen- tal	The status of studies of potential environmental impacts of the mining and processing operation. Details of waste rock characterisation and the consideration of potential sites, status of design options considered and, where applicable, the status of approvals for process residue storage and waste dumps should be reported.	Not Applicable
Infrastructur e	 The existence of appropriate infrastructure: availability of land for plant development, power, water, transportation (particularly for bulk commodities), labour, accommodation; or the ease with which the infrastructure can be provided, or accessed. 	Not Applicable
Costs	 The derivation of, or assumptions made, regarding projected capital costs in the study. The methodology used to estimate operating costs. Allowances made for the content of deleterious elements. The source of exchange rates used in the study. Derivation of transportation charges. The basis for forecasting or source of treatment and refining charges, penalties for failure to meet specification, etc. The allowances made for royalties payable, both Government and private. 	Not Applicable

Criteria	JORC Code explanation	Commentary
Revenue factors	 The derivation of, or assumptions made regarding revenue factors including head grade, metal or commodity price(s) exchange rates, transportation and treatment charges, penalties, net smelter returns, etc. The derivation of assumptions made of metal or commodity price(s), for the principal metals, minerals and co-products. 	Not Applicable
Market assessment	 The demand, supply and stock situation for the particular commodity, consumption trends and factors likely to affect supply and demand into the future. A customer and competitor analysis along with the identification of likely market windows for the product. Price and volume forecasts and the basis for these forecasts. For industrial minerals the customer specification, testing and acceptance requirements prior to a supply contract. 	Not Applicable
Economic	 The inputs to the economic analysis to produce the net present value (NPV) in the study, the source and confidence of these economic inputs including estimated inflation, discount rate, etc. NPV ranges and sensitivity to variations in the significant assumptions and inputs. 	Not Applicable
Social	The status of agreements with key stakeholders and matters leading to social licence to operate.	Not Applicable
Other	 To the extent relevant, the impact of the following on the project and/or on the estimation and classification of the Ore Reserves: Any identified material naturally occurring risks. The status of material legal agreements and marketing arrangements. The status of governmental agreements and approvals critical to the viability of the project, such as mineral tenement status, and government and statutory approvals. There must be reasonable grounds to expect that all necessary Government approvals will be received within the timeframes anticipated in the Pre-Feasibility or Feasibility study. Highlight and discuss the materiality of any unresolved matter that is dependent on a third party on which extraction of the reserve is contingent. 	Not Applicable
Classificatio n	 The basis for the classification of the Ore Reserves into varying confidence categories. Whether the result appropriately reflects the Competent Person's view of the deposit. The proportion of Probable Ore Reserves that have been derived from 	Not Applicable

Criteria	JORC Code explanation	Commentary
Audits or reviews	 Measured Mineral Resources (if any). The results of any audits or reviews of Ore Reserve estimates. 	Not Applicable
Discussion of relative accuracy/ confidence	 Where appropriate a statement of the relative accuracy and confidence level in the Ore Reserve estimate using an approach or procedure deemed appropriate by the Competent Person. For example, the application of statistical or geostatistical procedures to quantify the relative accuracy of the reserve within stated confidence limits, or, if such an approach is not deemed appropriate, a qualitative discussion of the factors which could affect the relative accuracy and confidence of the estimate. The statement should specify whether it relates to global or local estimates, and, if local, state the relevant tonnages, which should be relevant to technical and economic evaluation. Documentation should include assumptions made and the procedures used. Accuracy and confidence discussions should extend to specific discussions of any applied Modifying Factors that may have a material impact on Ore Reserve viability, or for which there are remaining areas of uncertainty at the current study stage. It is recognised that this may not be possible or appropriate in all circumstances. These statements of relative accuracy and confidence of the estimate should be compared with production data, where available. 	Not Applicable

Section 5 Estimation and Reporting of Diamonds and Other Gemstones

(Criteria listed in other relevant sections also apply to this section. Additional guidelines are available in the 'Guidelines for the Reporting of Diamond Exploration Results' issued by the Diamond Exploration Best Practices Committee established by the Canadian Institute of Mining, Metallurgy and Petroleum.)

Criteria	JORC Code explanation	Commentary
Indicator minerals	 Reports of indicator minerals, such as chemically/physically distinctive garnet, ilmenite, chrome spinel and chrome diopside, should be prepared by a suitably qualified laboratory. 	Not Applicable
Source of diamonds	 Details of the form, shape, size and colour of the diamonds and the nature of the source of diamonds (primary or secondary) including the rock type and geological environment. 	Not Applicable
Sample collection	 Type of sample, whether outcrop, boulders, drill core, reverse circulation drill cuttings, gravel, stream sediment or soil, and purpose (eg large diameter drilling to establish stones per unit of volume or bulk samples to establish stone size distribution). Sample size, distribution and representivity. 	Not Applicable
Sample treatment	 Type of facility, treatment rate, and accreditation. Sample size reduction. Bottom screen size, top screen size and re-crush. Processes (dense media separation, grease, X-ray, hand-sorting, etc). Process efficiency, tailings auditing and granulometry. Laboratory used, type of process for micro diamonds and accreditation. 	Not Applicable
Carat	• One fifth (0.2) of a gram (often defined as a metric carat or MC).	Not Applicable
Sample grade	 Sample grade in this section of Table 1 is used in the context of carats per units of mass, area or volume. The sample grade above the specified lower cut-off sieve size should be reported as carats per dry metric tonne and/or carats per 100 dry metric tonnes. For alluvial deposits, sample grades quoted in carats per square metre or carats per cubic metre are acceptable if accompanied by a volume to weight basis for calculation. In addition to general requirements to assess volume and density there is a need to relate stone frequency (stones per cubic metre or tonne) to stone size (carats per stone) to derive sample grade (carats per tonne). 	Not Applicable

Criteria	JORC Code explanation	Commentary
Reporting of Exploration Results	 Complete set of sieve data using a standard progression of sieve sizes per facies. Bulk sampling results, global sample grade per facies. Spatial structure analysis and grade distribution. Stone size and number distribution. Sample head feed and tailings particle granulometry. Sample density determination. Per cent concentrate and undersize per sample. Sample grade with change in bottom cut-off screen size. Adjustments made to size distribution for sample plant performance and performance on a commercial scale. If appropriate or employed, geostatistical techniques applied to model stone size, distribution or frequency from size distribution of exploration diamond samples. The weight of diamonds may only be omitted from the report when the diamonds are considered too small to be of commercial significance. This lower cut-off size should be stated. 	Not Applicable
Grade estimation for reporting Mineral Resources and Ore Reserves	 Description of the sample type and the spatial arrangement of drilling or sampling designed for grade estimation. The sample crush size and its relationship to that achievable in a commercial treatment plant. Total number of diamonds greater than the specified and reported lower cut-off sieve size. Total weight of diamonds greater than the specified and reported lower cut-off sieve size. The sample grade above the specified lower cut-off sieve size. 	Not Applicable
Value estimation	 Valuations should not be reported for samples of diamonds processed using total liberation method, which is commonly used for processing exploration samples. To the extent that such information is not deemed commercially sensitive, Public Reports should include: diamonds quantities by appropriate screen size per facies or depth. details of parcel valued. number of stones, carats, lower size cut-off per facies or depth. The average \$/carat and \$/tonne value at the selected bottom cut-off should be reported in US Dollars. The value per carat is of critical importance in demonstrating project value. The basis for the price (eg dealer buying price, dealer selling price, etc). 	Not Applicable

Criteria	JORC Code explanation	Commentary
	An assessment of diamond breakage.	
Security and integrity	 Accredited process audit. Whether samples were sealed after excavation. Valuer location, escort, delivery, cleaning losses, reconciliation with recorded sample carats and number of stones. Core samples washed prior to treatment for micro diamonds. Audit samples treated at alternative facility. Results of tailings checks. Recovery of tracer monitors used in sampling and treatment. Geophysical (logged) density and particle density. Cross validation of sample weights, wet and dry, with hole volume and density, moisture factor. 	Not Applicable
Classificatio n	 In addition to general requirements to assess volume and density there is a need to relate stone frequency (stones per cubic metre or tonne) to stone size (carats per stone) to derive grade (carats per tonne). The elements of uncertainty in these estimates should be considered, and classification developed accordingly. 	Not Applicable

HoleID	East Posgar94	North Posgar 94	Elevation	Total Depth	Azimuth	Dip
LORC-19-01	2466592	6705743	3238	78	177	49
LORC-19-02	2466759	6705543	3264	100	182	49
LORC-19-03	2466488	6705727	3261	90	181	50
LORC-19-04	2466440	6705723	3270	91	179	48
LORC-19-05	2466377	6705564	3344	90	112	49
LORC-19-06	2466266	6705652	3331	84	9	49
LORC-19-07	2466782	6705564	3262	114	353	49
LORC-19-08	2466705	6705556	3280	84	350	50