

NEW TARGETS IDENTIFIED AT ALAHINÉ GOLD PROJECT

KEY HIGHLIGHTS

- **Auger Results outline three (3) new mineralised trends within the Alahiné Gold Project.**
- **751 holes totalling 8,619m of shallow auger drilling completed at the Alahiné.**
- **Airborne magnetics survey scheduled to commence within the next 2 weeks to define additional targets at both Alahiné and Mansala Projects.**

Polymetals Resources Ltd (ASX: **POL**, “**Polymetals**” or the “**Company**”) is pleased to provide results of the auger drilling program recently completed at the Company’s Alahiné Gold Project (**Alahiné**) in Guinea, West Africa.

Polymetals Resources Lead Geologist, Nana Asante said,

“The auger results from Alahiné clearly reinforce the prospectivity of the project. Three new mineralised trends identified during the recent drilling provide Polymetals with several follow up targets in addition to the well-defined North-North-East trend confirmed during the Phase 2 Air Core Drilling Program.

We are excited about the imminent airborne geophysics survey and the upcoming Alahiné Phase 3 program testing the breadth of the prominent NNE trend and we look forward to providing further market updates as we progress.”

ALAHINÉ AUGER PROGRAM

Since the commencement of the Alahiné auger drilling on 22 November 2021¹, Polymetals has drilled a total of 8,619m comprising 751 holes. The Alahiné program was focussed on testing mineralised saprolite beneath areas that display >100ppb gold in soil anomalies.

Mineralisation is associated with steeply dipping quartz veins striking approximately 080°M. In this situation pattern drilling with vertical auger holes will understate the extent of the mineralisation. Follow-up work with angled AC holes should achieve more reliable results.

¹ Refer to ASX release dated 22 November 2021 “Auger Drilling Commences at Alahiné in Siguiri Basin, Guinea”

The three new NNE trends identified provide justification for further testing and will be prioritised alongside existing targets in the planning of the upcoming Phase 3 drilling program.

Polymetals' auger drilling program was carried out by Sahara Natural Resources with all assays completed by the SGS laboratory in Bamako, Mali.

Plan views of the reported holes are provided in Figures 1 and 2.

Details of all the holes including significant assay results are provided in Table 1, included within Appendix 1.




Figure 1: Alahiné auger program (Inset E is detailed in Figure 2)

Figure 2 below displays the results received within the period after the previous market update² and illustrates the interpreted mineralised trend.




Figure 2: Inset E – Auger program plan view showing interpreted trend.

² Refer to ASX release dated 11 February 2022 “Drilling Update – Alahiné Gold Project”

NEXT STEPS

The Company is accelerating the exploration within the Alahiné licence with a suite of geological testing over the coming months.

Airborne Magnetic Survey

An airborne magnetic survey is scheduled to commence late-March 2022 at both the Alahiné and Mansala Gold Projects. Results will be used to refine existing drill targets in addition to generating new drill targets.

Alahiné Phase 3 RC drill program

A Phase 3 RC drill program at the Alahiné Gold Project is currently under development by the exploration team. The program will focus on the numerous targets generated at depth during the 7,300m Phase 2 drilling program and the anomalous zones identified by the recent auger program.

The Phase 3 drilling program is scheduled to commence during May 2022.

COMPETENT PERSON STATEMENT

The information in this ASX Announcement that relates to Exploration Results is based on information compiled by Dr Christopher Johnston, a Competent Person who is a Member of the Australian Institute of Geoscientists. Dr Johnston is a Director of Polymetals Resources Ltd and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Dr Johnston consents to the inclusion in this ASX Announcement of the matters based on his information in the form and context in which it appears.

This announcement was authorised for release by the Board of Polymetals Resources Ltd.

Contact information:

Alex Hanly

Chief Executive Officer

alex.hanly@polymetals.com

+61 (0) 448 418 725

Victoria Humphries

Media & Investor Relations

victoria@nwrcommunications.com.au

+61 (0) 431 151 676

For more information, visit www.polymetals.com.

ABOUT POLYMETALS

Polymetals aims to become a gold production company, initially focusing on its two 100% owned exploration licences within Guinea's Siguiri Basin, totalling 112km².

The Siguiri Basin hosts several large active gold mining operations and is notable for its significant and widespread gold anomalism.

Polymetals' Exploration Licences, known as Alahiné (64.2km²) and Mansala (48.2km²), host extensive historic and current artisanal gold production which reinforces exploration potential of the area.




Figure 3: Proximal gold deposits relative to Polymetals Exploration Licences.

APPENDIX 1 - Detailed results of significant intercepts

Table 1: Alahiné Gold Project auger program significant mineralised intercepts.

Hole ID	From (m)	To (m)	Significant Gold Intersections (Interval (m) @ g/t gold)	Reporting Status
AH21AU005	0	2	2m @ 0.47 g/t Au	Previous release
AH21AU007	2	4	2m @ 4.33 g/t Au	Previous release
AH21AU028	4	8	4m @ 0.34 g/t Au	Previous release
AH21AU043	2	4	2m @ 0.47 g/t Au	Previous release
AH21AU057	0	2	2m @ 0.90 g/t Au	Previous release
AH21AU075	0	2	2m @ 1.02 g/t Au	Previous release
AH21AU097	0	2	2m @ 0.32 g/t Au	Previous release
AH21AU099	0	2	2m @ 0.45 g/t Au	Previous release
AH21AU101	12	18	6m @ 0.71 g/t Au	Previous release
AH21AU103	0	2	2m @ 10.95 g/t Au	Previous release
	16	20	4m @ 0.28 g/t Au	Previous release
AH21AU111	2	8	6m @ 0.36 g/t Au	Previous release
AH21AU120	0	2	2m @ 0.33 g/t Au	Previous release
AH21AU127	0	2	2m @ 2.66 g/t Au	Previous release
AH21AU132	0	2	2m @ 0.50 g/t Au	Previous release
AH21AU137	0	2	2m @ 0.55 g/t Au	Previous release
AH21AU145	0	2	2m @ 0.31 g/t Au	Previous release
AH21AU149	8	12	4m @ 0.36 g/t Au	Previous release
AH21AU171	4	8	4m @ 0.31 g/t Au	Previous release
AH21AU227	8	12	4m @ 0.93 g/t Au	Previous release
AH21AU258	0	2	2m @ 0.30 g/t Au	Previous release
AH21AU259	2	4	2m @ 14.10 g/t Au	Previous release
AH21AU302	4	8	4m @ 3.58 g/t Au	Previous release
AH21AU465	0	2	2m @ 0.45 g/t Au	Previous release
AH21AU559	8	12	4m @ 0.35 g/t Au	This release
AH21AU564	4	8	4m @ 0.64 g/t Au	This release
AH21AU624	3	6	3m @ 0.26 g/t Au	This release
AH21AU712	9	10	1m @ 0.32 g/t Au	This release

Notes:

- Intercept cut-off grade is 0.25 g/t gold.

Table 2: Alahiné Gold Project auger drilling program details

Hole ID	Method	Northing (UTM)	Easting (UTM)	RL (m)	Azimuth (degrees)	Dip (degrees)	Depth (m)	Assay Status
AH21AU001	Auger	1291541	506884	377.5	360	-90	9	Assays received
AH21AU002	Auger	1291518	506889	377	360	-90	13	Assays received
AH21AU003	Auger	1291498	506890	376	360	-90	9	Assays received
AH21AU004	Auger	1291480	506893	375.5	360	-90	7	Assays received
AH21AU005	Auger	1291501	506950	375	360	-90	5	Assays received
AH21AU006	Auger	1291481	506911	375	360	-90	1	Assays received
AH21AU007	Auger	1291481	506909	375	360	-90	7	Assays received

AH21AU008	Auger	1291500	506910	376	360	-90	13	Assays received
AH21AU009	Auger	1291500	506929	375.5	360	-90	5	Assays received
AH21AU010	Auger	1291523	506911	376.5	360	-90	7	Assays received
AH21AU011	Auger	1291541	506911	377.5	360	-90	12	Assays received
AH21AU012	Auger	1291544	506933	377.5	360	-90	9	Assays received
AH21AU013	Auger	1291558	506933	378	360	-90	12	Assays received
AH21AU014	Auger	1291561	506952	378	360	-90	12	Assays received
AH21AU015	Auger	1291543	506956	376.5	360	-90	9	Assays received
AH21AU016	Auger	1291522	506936	376	360	-90	7	Assays received
AH21AU017	Auger	1290700	506247	395.5	360	-90	5	Assays received
AH21AU018	Auger	1290701	506301	395	360	-90	12	Assays received
AH21AU019	Auger	1290698	506349	394	360	-90	8	Assays received
AH21AU020	Auger	1290699	506400	392.5	360	-90	10	Assays received
AH21AU021	Auger	1290697	506451	390.5	360	-90	11	Assays received
AH21AU022	Auger	1290697	506494	388.5	360	-90	12	Assays received
AH21AU023	Auger	1290697	506551	387.5	360	-90	13	Assays received
AH21AU024	Auger	1290798	506554	383.5	360	-90	10	Assays received
AH21AU025	Auger	1290800	506506	385	360	-90	10	Assays received
AH21AU026	Auger	1290801	506455	387	360	-90	8	Assays received
AH21AU027	Auger	1290799	506399	389	360	-90	7	Assays received
AH21AU028	Auger	1290798	506355	390	360	-90	8	Assays received
AH21AU029	Auger	1290800	506301	390.5	360	-90	6	Assays received
AH21AU030	Auger	1290801	506255	392	360	-90	6	Assays received
AH21AU031	Auger	1290898	506553	382.5	360	-90	9	Assays received
AH21AU032	Auger	1290897	506493	383.5	360	-90	9	Assays received
AH21AU033	Auger	1290901	506455	385	360	-90	9	Assays received
AH21AU034	Auger	1290896	506398	386	360	-90	12	Assays received
AH21AU035	Auger	1290901	506352	387.5	360	-90	12	Assays received
AH21AU036	Auger	1290904	506306	389	360	-90	12	Assays received
AH21AU037	Auger	1290901	506254	390.5	360	-90	12	Assays received

AH21AU038	Auger	1291199	506552	377.5	360	-90	9	Assays received
AH21AU039	Auger	1291197	506499	380.5	360	-90	11	Assays received
AH21AU040	Auger	1291195	506454	383.5	360	-90	12	Assays received
AH21AU041	Auger	1291199	506401	385.5	360	-90	15	Assays received
AH21AU042	Auger	1291201	506352	387.5	360	-90	15	Assays received
AH21AU043	Auger	1291199	506304	389.5	360	-90	16	Assays received
AH21AU044	Auger	1291200	506248	392	360	-90	16	Assays received
AH21AU045	Auger	1291104	506300	392.5	360	-90	16	Assays received
AH21AU046	Auger	1291100	506350	391	360	-90	16	Assays received
AH21AU047	Auger	1291103	506396	389	360	-90	10	Assays received
AH21AU048	Auger	1290999	506243	392	360	-90	8	Assays received
AH21AU049	Auger	1291001	506299	390	360	-90	8	Assays received
AH21AU050	Auger	1291005	506352	389.5	360	-90	8	Assays received
AH21AU051	Auger	1291101	506452	387.5	360	-90	12	Assays received
AH21AU052	Auger	1291097	506505	386	360	-90	5	Assays received
AH21AU053	Auger	1291096	506555	382.5	360	-90	12	Assays received
AH21AU054	Auger	1291001	506554	382	360	-90	12	Assays received
AH21AU055	Auger	1294076	507516	373	360	-90	19	Assays received
AH21AU056	Auger	1294074	507500	372	360	-90	4	Assays received
AH21AU057	Auger	1294055	507520	373	360	-90	21	Assays received
AH21AU058	Auger	1294053	507500	372	360	-90	15	Assays received
AH21AU059	Auger	1294052	507482	372.5	360	-90	15	Assays received
AH21AU060	Auger	1294038	507522	372	360	-90	21	Assays received
AH21AU061	Auger	1294033	507500	410	360	-90	23	Assays received
AH21AU062	Auger	1294029	507480	410	360	-90	21	Assays received
AH21AU063	Auger	1294077	507479	410	360	-90	15	Assays received
AH21AU064	Auger	1294075	507460	410	360	-90	21	Assays received
AH21AU065	Auger	1294055	507459	410	360	-90	6	Assays received
AH21AU066	Auger	1294075	507444	408	360	-90	7	Assays received
AH21AU067	Auger	1294053	507441	408	360	-90	16	Assays received

AH21AU068	Auger	1294034	507443	409	360	-90	25	Assays received
AH21AU069	Auger	1294032	507462	410	360	-90	5	Assays received
AH21AU070	Auger	1294015	507442	410	360	-90	15	Assays received
AH21AU071	Auger	1293996	507431	410	360	-90	4	Assays received
AH21AU072	Auger	1293957	507467	410	360	-90	15	Assays received
AH21AU073	Auger	1293955	507476	410	360	-90	21	Assays received
AH21AU074	Auger	1293959	507495	410	360	-90	21	Assays received
AH21AU075	Auger	1293956	507519	410	360	-90	23	Assays received
AH21AU076	Auger	1293955	507463	410	360	-90	14	Assays received
AH21AU077	Auger	1293954	507445	410	360	-90	15	Assays received
AH21AU078	Auger	1293976	507437	367	360	-90	5	Assays received
AH21AU079	Auger	1294008	507460	367	360	-90	20	Assays received
AH21AU080	Auger	1293996	507458	368	360	-90	17	Assays received
AH21AU081	Auger	1293994	507478	368.5	360	-90	21	Assays received
AH21AU082	Auger	1294008	507483	368.5	360	-90	22	Assays received
AH21AU083	Auger	1294008	507502	369	360	-90	22	Assays received
AH21AU084	Auger	1293995	507504	369	360	-90	16	Assays received
AH21AU085	Auger	1293995	507521	369.5	360	-90	21	Assays received
AH21AU086	Auger	1293976	507464	368	360	-90	21	Assays received
AH21AU087	Auger	1294016	507518	370.5	360	-90	21	Assays received
AH21AU088	Auger	1293975	507481	368.5	360	-90	17	Assays received
AH21AU089	Auger	1293974	507505	369	360	-90	21	Assays received
AH21AU090	Auger	1293973	507523	369.5	360	-90	21	Assays received
AH21AU091	Auger	1293935	507523	369.5	360	-90	25	Assays received
AH21AU092	Auger	1293937	507484	370	360	-90	23	Assays received
AH21AU093	Auger	1293933	507462	370	360	-90	15	Assays received
AH21AU094	Auger	1293919	507463	370	360	-90	15	Assays received
AH21AU095	Auger	1293917	507481	370	360	-90	19	Assays received
AH21AU096	Auger	1293935	507504	370	360	-90	19	Assays received
AH21AU097	Auger	1293917	507502	370	360	-90	25	Assays received

AH21AU098	Auger	1293917	507519	370	360	-90	20	Assays received
AH21AU099	Auger	1293899	507517	370	360	-90	20	Assays received
AH21AU100	Auger	1293895	507497	370	360	-90	20	Assays received
AH21AU101	Auger	1293892	507478	370	360	-90	18	Assays received
AH21AU102	Auger	1293877	507483	370	360	-90	20	Assays received
AH21AU103	Auger	1293874	507505	370	360	-90	20	Assays received
AH21AU104	Auger	1293876	507522	370	360	-90	17	Assays received
AH21AU105	Auger	1293857	507504	370	360	-90	19	Assays received
AH21AU106	Auger	1293856	507524	370	360	-90	17	Assays received
AH21AU107	Auger	1293835	507520	370	360	-90	19	Assays received
AH21AU108	Auger	1293834	507497	370	360	-90	15	Assays received
AH21AU109	Auger	1295569	508331	420	360	-90	15	Assays received
AH21AU110	Auger	1295570	508354	420	360	-90	20	Assays received
AH21AU111	Auger	1295571	508380	420	360	-90	20	Assays received
AH21AU112	Auger	1295571	508398	420	360	-90	20	Assays received
AH21AU113	Auger	1295569	508419	420	360	-90	20	Assays received
AH21AU114	Auger	1295552	508413	420	360	-90	12	Assays received
AH21AU115	Auger	1295551	508394	420	360	-90	12	Assays received
AH21AU116	Auger	1295551	508373	420	360	-90	12	Assays received
AH21AU117	Auger	1295552	508354	420	360	-90	12	Assays received
AH21AU118	Auger	1295546	508338	420	360	-90	12	Assays received
AH21AU119	Auger	1295531	508338	420	360	-90	12	Assays received
AH21AU120	Auger	1295523	508362	420	360	-90	12	Assays received
AH21AU121	Auger	1295524	508381	420	360	-90	12	Assays received
AH21AU122	Auger	1295528	508401	420	360	-90	12	Assays received
AH21AU123	Auger	1295530	508418	420	360	-90	12	Assays received
AH21AU124	Auger	1295511	508336	420	360	-90	12	Assays received
AH21AU125	Auger	1295510	508357	420	360	-90	12	Assays received
AH21AU126	Auger	1295512	508375	420	360	-90	12	Assays received
AH21AU127	Auger	1295510	508398	420	360	-90	12	Assays received

AH21AU128	Auger	1295512	508417	420	360	-90	15	Assays received
AH21AU129	Auger	1295493	508417	420	360	-90	12	Assays received
AH21AU130	Auger	1295491	508400	420	360	-90	12	Assays received
AH21AU131	Auger	1295491	508382	420	360	-90	12	Assays received
AH21AU132	Auger	1295492	508360	420	360	-90	12	Assays received
AH21AU133	Auger	1295492	508340	420	360	-90	12	Assays received
AH21AU134	Auger	1295473	508340	424	360	-90	12	Assays received
AH21AU135	Auger	1295475	508356	423	360	-90	12	Assays received
AH21AU136	Auger	1295474	508375	422.5	360	-90	12	Assays received
AH21AU137	Auger	1295473	508396	422	360	-90	12	Assays received
AH21AU138	Auger	1295451	508378	422.5	360	-90	12	Assays received
AH21AU139	Auger	1295450	508370	422	360	-90	12	Assays received
AH21AU140	Auger	1295472	508417	421	360	-90	12	Assays received
AH21AU141	Auger	1295453	508421	421	360	-90	12	Assays received
AH21AU142	Auger	1295452	508401	422	360	-90	12	Assays received
AH21AU143	Auger	1295450	508359	423	360	-90	12	Assays received
AH21AU144	Auger	1295450	508336	424	360	-90	12	Assays received
AH21AU145	Auger	1295431	508336	424	360	-90	12	Assays received
AH21AU146	Auger	1295428	508355	423	360	-90	12	Assays received
AH21AU147	Auger	1295432	508375	422.5	360	-90	12	Assays received
AH21AU148	Auger	1295410	508381	422.5	360	-90	12	Assays received
AH21AU149	Auger	1295431	508397	422	360	-90	12	Assays received
AH21AU150	Auger	1295429	508415	421	360	-90	12	Assays received
AH21AU151	Auger	1295411	508417	421	360	-90	12	Assays received
AH21AU152	Auger	1291897	508445	367	360	-90	11	Assays received
AH21AU153	Auger	1291900	508502	370	360	-90	12	Assays received
AH21AU154	Auger	1291898	508553	372	360	-90	12	Assays received
AH21AU155	Auger	1291898	508604	373	360	-90	12	Assays received
AH21AU156	Auger	1291898	508650	374	360	-90	12	Assays received
AH21AU157	Auger	1291802	508450	364.5	360	-90	15	Assays received

AH21AU158	Auger	1291801	508505	365	360	-90	12	Assays received
AH21AU159	Auger	1295371	508414	421	360	-90	8	Assays received
AH21AU160	Auger	1295372	508398	422	360	-90	8	Assays received
AH21AU161	Auger	1295388	508399	422	360	-90	10	Assays received
AH21AU162	Auger	1295390	508418	421	360	-90	12	Assays received
AH21AU163	Auger	1295346	508398	422.5	360	-90	8	Assays received
AH21AU164	Auger	1295353	508415	421	360	-90	8	Assays received
AH21AU165	Auger	1295331	508411	421	360	-90	8	Assays received
AH21AU166	Auger	1295331	508396	422.5	360	-90	8	Assays received
AH21AU167	Auger	1295330	508354	425	360	-90	8	Assays received
AH21AU168	Auger	1295328	508376	424	360	-90	12	Assays received
AH21AU169	Auger	1295346	508380	424	360	-90	8	Assays received
AH21AU170	Auger	1295346	508361	425	360	-90	8	Assays received
AH21AU171	Auger	1295328	508335	426	360	-90	12	Assays received
AH21AU172	Auger	1295347	508339	421	360	-90	8	Assays received
AH21AU173	Auger	1295368	508357	424.5	360	-90	12	Assays received
AH21AU174	Auger	1295387	508380	422.5	360	-90	12	Assays received
AH21AU175	Auger	1295389	508359	424	360	-90	12	Assays received
AH21AU176	Auger	1295408	508358	424	360	-90	12	Assays received
AH21AU177	Auger	1295371	508378	422.5	360	-90	12	Assays received
AH21AU178	Auger	1295369	508341	425.5	360	-90	14	Assays received
AH21AU179	Auger	1295408	508342	424.5	360	-90	12	Assays received
AH21AU180	Auger	1295385	508340	425	360	-90	12	Assays received
AH21AU181	Auger	1295410	508402	422	360	-90	12	Assays received
AH21AU182	Auger	1291797	508553	367	360	-90	12	Assays received
AH21AU183	Auger	1291802	508602	368	360	-90	11	Assays received
AH21AU184	Auger	1291800	508648	369.5	360	-90	9	Assays received
AH21AU185	Auger	1291999	508450	367	360	-90	11	Assays received
AH21AU186	Auger	1291997	508500	368	360	-90	12	Assays received
AH21AU187	Auger	1292003	508547	370	360	-90	12	Assays received

AH21AU188	Auger	1292002	508597	372	360	-90	12	Assays received
AH21AU189	Auger	1292102	508455	369	360	-90	12	Assays received
AH21AU190	Auger	1292104	508502	371	360	-90	12	Assays received
AH21AU191	Auger	1292201	508452	370	360	-90	12	Assays received
AH21AU192	Auger	1292205	508501	372	360	-90	12	Assays received
AH21AU193	Auger	1292202	508553	374	360	-90	12	Assays received
AH21AU194	Auger	1292202	508598	376	360	-90	12	Assays received
AH21AU195	Auger	1292300	508446	369	360	-90	12	Assays received
AH21AU196	Auger	1292300	508495	370.5	360	-90	12	Assays received
AH21AU197	Auger	1292294	508545	373	360	-90	12	Assays received
AH21AU198	Auger	1292299	508600	375	360	-90	12	Assays received
AH21AU199	Auger	1292299	508650	378	360	-90	12	Assays received
AH21AU200	Auger	1292302	508703	381	360	-90	12	Assays received
AH21AU201	Auger	1292297	508750	382.5	360	-90	12	Assays received
AH21AU202	Auger	1292300	508802	385	360	-90	12	Assays received
AH21AU203	Auger	1292102	508601	373	360	-90	12	Assays received
AH21AU204	Auger	1292100	508652	374.5	360	-90	12	Assays received
AH21AU205	Auger	1292098	508699	376	360	-90	12	Assays received
AH21AU206	Auger	1292199	508756	385	360	-90	12	Assays received
AH21AU207	Auger	1292204	508652	379	360	-90	12	Assays received
AH21AU208	Auger	1292203	508697	382.5	360	-90	12	Assays received
AH21AU209	Auger	1292204	508800	384	360	-90	12	Assays received
AH21AU210	Auger	1291901	508705	376	360	-90	12	Assays received
AH21AU211	Auger	1292003	508658	373	360	-90	12	Assays received
AH21AU212	Auger	1292001	508703	374	360	-90	12	Assays received
AH21AU213	Auger	1291997	508750	376	360	-90	12	Assays received
AH21AU214	Auger	1291896	508856	380	360	-90	12	Assays received
AH21AU215	Auger	1291800	508803	376	360	-90	12	Assays received
AH21AU216	Auger	1288953	507109	385	360	-90	12	Assays received
AH21AU217	Auger	1288950	507152	385	360	-90	12	Assays received

AH21AU218	Auger	1288952	507199	384	360	-90	12	Assays received
AH21AU219	Auger	1288950	507250	382.5	360	-90	12	Assays received
AH21AU220	Auger	1288950	507302	382	360	-90	12	Assays received
AH21AU221	Auger	1288949	507351	381	360	-90	11	Assays received
AH21AU222	Auger	1288953	507405	380	360	-90	9	Assays received
AH21AU223	Auger	1288952	507448	379	360	-90	10	Assays received
AH21AU224	Auger	1288950	507501	378	360	-90	6	Assays received
AH21AU225	Auger	1289049	507505	378	360	-90	12	Assays received
AH21AU226	Auger	1289048	507458	380	360	-90	12	Assays received
AH21AU227	Auger	1289253	507453	388	360	-90	12	Assays received
AH21AU228	Auger	1289253	507500	386	360	-90	12	Assays received
AH21AU229	Auger	1289053	507399	381	360	-90	14	Assays received
AH21AU230	Auger	1289052	507350	382.5	360	-90	12	Assays received
AH21AU231	Auger	1289051	507302	383	360	-90	12	Assays received
AH21AU232	Auger	1289047	507251	385	360	-90	12	Assays received
AH21AU233	Auger	1289048	507201	385	360	-90	12	Assays received
AH21AU234	Auger	1289050	507154	385	360	-90	12	Assays received
AH21AU235	Auger	1289049	507103	385	360	-90	12	Assays received
AH21AU236	Auger	1289146	507104	389	360	-90	12	Assays received
AH21AU237	Auger	1289150	507149	386	360	-90	12	Assays received
AH21AU238	Auger	1289150	507194	387.5	360	-90	12	Assays received
AH21AU239	Auger	1289153	507302	386	360	-90	12	Assays received
AH21AU240	Auger	1289150	507347	384	360	-90	12	Assays received
AH21AU241	Auger	1289150	507397	383	360	-90	12	Assays received
AH21AU242	Auger	1289146	507449	382	360	-90	12	Assays received
AH21AU243	Auger	1289148	507498	380	360	-90	12	Assays received
AH21AU244	Auger	1289247	507104	391	360	-90	12	Assays received
AH21AU245	Auger	1289248	507154	390	360	-90	12	Assays received
AH21AU246	Auger	1289245	507253	390	360	-90	12	Assays received
AH21AU247	Auger	1289249	507205	390	360	-90	12	Assays received

AH21AU248	Auger	1289351	507147	395	360	-90	12	Assays received
AH21AU249	Auger	1289449	507195	401	360	-90	12	Assays received
AH21AU250	Auger	1289449	507153	400	360	-90	12	Assays received
AH21AU251	Auger	1289444	507109	387	360	-90	12	Assays received
AH21AU252	Auger	1289145	507245	399	360	-90	12	Assays received
AH21AU253	Auger	1289453	507498	399	360	-90	12	Assays received
AH21AU254	Auger	1289447	507452	399	360	-90	12	Assays received
AH21AU255	Auger	1289450	507403	399	360	-90	12	Assays received
AH21AU256	Auger	1289450	507345	398	360	-90	12	Assays received
AH21AU257	Auger	1289451	507299	402.5	360	-90	12	Assays received
AH21AU258	Auger	1289640	507502	397	360	-90	5	Assays received
AH21AU259	Auger	1289738	507501	396	360	-90	12	Assays received
AH21AU260	Auger	1289732	507553	394	360	-90	12	Assays received
AH21AU261	Auger	1289732	507605	393	360	-90	12	Assays received
AH21AU262	Auger	1289834	507504	395	360	-90	12	Assays received
AH21AU263	Auger	1289836	507553	394	360	-90	12	Assays received
AH21AU264	Auger	1289838	507597	391	360	-90	12	Assays received
AH21AU265	Auger	1289836	507700	384	360	-90	12	Assays received
AH21AU266	Auger	1289932	507605	389	360	-90	5	Assays received
AH21AU267	Auger	1289934	507656	388	360	-90	5	Assays received
AH21AU268	Auger	1289935	507706	385.5	360	-90	8	Assays received
AH21AU269	Auger	1289933	507755	385	360	-90	12	Assays received
AH21AU270	Auger	1289734	507653	390	360	-90	12	Assays received
AH21AU271	Auger	1289734	507904	380	360	-90	12	Assays received
AH21AU272	Auger	1289630	507902	382.5	360	-90	12	Assays received
AH21AU273	Auger	1289630	507851	385	360	-90	12	Assays received
AH21AU274	Auger	1289632	507799	387.5	360	-90	12	Assays received
AH21AU275	Auger	1289628	507754	390	360	-90	12	Assays received
AH21AU276	Auger	1289638	507701	392	360	-90	12	Assays received
AH21AU277	Auger	1289637	507654	393	360	-90	12	Assays received

AH21AU278	Auger	1289735	507854	382.5	360	-90	12	Assays received
AH21AU279	Auger	1289734	507803	385	360	-90	12	Assays received
AH21AU280	Auger	1289834	507902	379	360	-90	12	Assays received
AH21AU281	Auger	1289837	507854	380	360	-90	12	Assays received
AH21AU282	Auger	1289835	507803	382	360	-90	12	Assays received
AH21AU283	Auger	1289836	507753	383	360	-90	14	Assays received
AH21AU284	Auger	1289934	507804	384	360	-90	11	Assays received
AH21AU285	Auger	1289932	507853	384	360	-90	12	Assays received
AH21AU286	Auger	1289930	507903	384	360	-90	12	Assays received
AH21AU287	Auger	1290035	507896	389	360	-90	9	Assays received
AH21AU288	Auger	1290035	507849	389	360	-90	18	Assays received
AH21AU289	Auger	1290035	507801	389	360	-90	19	Assays received
AH21AU290	Auger	1290037	507745	389	360	-90	17	Assays received
AH21AU291	Auger	1290035	507695	390	360	-90	17	Assays received
AH21AU292	Auger	1290035	507644	391	360	-90	15	Assays received
AH21AU293	Auger	1290038	507597	394	360	-90	12	Assays received
AH21AU294	Auger	1290033	507498	396	360	-90	12	Assays received
AH21AU295	Auger	1290033	507552	395	360	-90	12	Assays received
AH21AU296	Auger	1290132	507503	402	360	-90	12	Assays received
AH21AU297	Auger	1290135	507551	404	360	-90	12	Assays received
AH21AU298	Auger	1290137	507595	400	360	-90	12	Assays received
AH21AU299	Auger	1290136	507651	398	360	-90	12	Assays received
AH21AU300	Auger	1290134	507698	394.5	360	-90	12	Assays received
AH21AU301	Auger	1290135	507748	394	360	-90	12	Assays received
AH21AU302	Auger	1290136	507796	394.5	360	-90	12	Assays received
AH21AU303	Auger	1290133	507852	395	360	-90	12	Assays received
AH21AU304	Auger	1290131	507900	395	360	-90	12	Assays received
AH21AU305	Auger	1294549	504200	398	360	-90	12	Assays received
AH21AU306	Auger	1294550	504150	398	360	-90	12	Assays received
AH21AU307	Auger	1294548	504103	398	360	-90	12	Assays received

AH21AU308	Auger	1294547	504055	400	360	-90	12	Assays received
AH21AU309	Auger	1294550	504003	401	360	-90	12	Assays received
AH21AU310	Auger	1294547	503953	402.5	360	-90	12	Assays received
AH21AU311	Auger	1294551	503904	403	360	-90	12	Assays received
AH21AU312	Auger	1294648	503906	406	360	-90	12	Assays received
AH21AU313	Auger	1294646	503950	405	360	-90	12	Assays received
AH21AU314	Auger	1294650	504002	404	360	-90	12	Assays received
AH21AU315	Auger	1294650	504050	404	360	-90	12	Assays received
AH21AU316	Auger	1294651	504094	402.5	360	-90	12	Assays received
AH21AU317	Auger	1294650	504148	402	360	-90	12	Assays received
AH21AU318	Auger	1294651	504200	400	360	-90	12	Assays received
AH21AU319	Auger	1294746	504202	403	360	-90	12	Assays received
AH21AU320	Auger	1294751	504153	404	360	-90	12	Assays received
AH21AU321	Auger	1294750	504104	405	360	-90	12	Assays received
AH21AU322	Auger	1294752	504053	405	360	-90	12	Assays received
AH21AU323	Auger	1294753	504003	405	360	-90	12	Assays received
AH21AU324	Auger	1294749	503950	405	360	-90	12	Assays received
AH21AU325	Auger	1294757	503901	409	360	-90	12	Assays received
AH21AU326	Auger	1294849	503901	403	360	-90	12	Assays received
AH21AU327	Auger	1294846	503951	404	360	-90	12	Assays received
AH21AU328	Auger	1294847	503999	405	360	-90	12	Assays received
AH21AU329	Auger	1294853	504049	405	360	-90	12	Assays received
AH21AU330	Auger	1294848	504101	405	360	-90	12	Assays received
AH21AU331	Auger	1294849	504149	405	360	-90	12	Assays received
AH21AU332	Auger	1294849	504203	404	360	-90	12	Assays received
AH21AU333	Auger	1294945	504208	405	360	-90	12	Assays received
AH21AU334	Auger	1294948	504154	405	360	-90	12	Assays received
AH21AU335	Auger	1294948	504107	405	360	-90	12	Assays received
AH21AU336	Auger	1294949	504052	405	360	-90	12	Assays received
AH21AU337	Auger	1294950	504000	402	360	-90	12	Assays received

AH21AU338	Auger	1294948	503950	401	360	-90	12	Assays received
AH21AU339	Auger	1294949	503900	400	360	-90	12	Assays received
AH21AU340	Auger	1295050	503899	399	360	-90	12	Assays received
AH21AU341	Auger	1295049	503955	400	360	-90	12	Assays received
AH21AU342	Auger	1295054	504007	400	360	-90	12	Assays received
AH21AU343	Auger	1295045	504057	400	360	-90	12	Assays received
AH21AU344	Auger	1295048	504104	400	360	-90	12	Assays received
AH21AU345	Auger	1295052	504157	400	360	-90	12	Assays received
AH21AU346	Auger	1295050	504203	400	360	-90	12	Assays received
AH21AU347	Auger	1295371	504790	384	360	-90	12	Assays received
AH21AU348	Auger	1295374	504739	387	360	-90	16	Assays received
AH21AU349	Auger	1295371	504692	387	360	-90	12	Assays received
AH21AU350	Auger	1295366	504645	385	360	-90	12	Assays received
AH21AU351	Auger	1295367	504600	384	360	-90	12	Assays received
AH21AU352	Auger	1295271	504549	386	360	-90	6	Assays received
AH21AU353	Auger	1295271	504592	389	360	-90	12	Assays received
AH21AU354	Auger	1295270	504641	390	360	-90	12	Assays received
AH21AU355	Auger	1295266	504691	390	360	-90	12	Assays received
AH21AU356	Auger	1295270	504739	388	360	-90	12	Assays received
AH21AU357	Auger	1295275	504790	386	360	-90	12	Assays received
AH21AU358	Auger	1295369	504538	382	360	-90	10	Assays received
AH21AU359	Auger	1295274	504491	387.5	360	-90	6	Assays received
AH21AU360	Auger	1295372	504486	385	360	-90	9	Assays received
AH21AU361	Auger	1295470	504497	385	360	-90	12	Assays received
AH21AU362	Auger	1295467	504542	381	360	-90	12	Assays received
AH21AU363	Auger	1295473	504589	379	360	-90	10	Assays received
AH21AU364	Auger	1295570	504644	374	360	-90	10	Assays received
AH21AU365	Auger	1295568	504591	374	360	-90	11	Assays received
AH21AU366	Auger	1295671	504589	370	360	-90	12	Assays received
AH21AU367	Auger	1295565	504540	377.5	360	-90	12	Assays received

AH21AU368	Auger	1295562	504494	380	360	-90	12	Assays received
AH21AU369	Auger	1295668	504494	370	360	-90	12	Assays received
AH21AU370	Auger	1295671	504538	370	360	-90	12	Assays received
AH21AU371	Auger	1295665	504642	370	360	-90	12	Assays received
AH21AU372	Auger	1295667	504696	370	360	-90	12	Assays received
AH21AU373	Auger	1295567	504697	372.5	360	-90	12	Assays received
AH21AU374	Auger	1295772	504489	370	360	-90	9	Assays received
AH21AU375	Auger	1295767	504533	370	360	-90	6	Assays received
AH21AU376	Auger	1295775	504591	370	360	-90	8	Assays received
AH21AU377	Auger	1295770	504641	370	360	-90	12	Assays received
AH21AU378	Auger	1295771	504691	370	360	-90	20	Assays received
AH21AU379	Auger	1295671	504743	370	360	-90	16	Assays received
AH21AU380	Auger	1295668	504795	370	360	-90	16	Assays received
AH21AU381	Auger	1295570	504743	372.5	360	-90	5	Assays received
AH21AU382	Auger	1295474	504733	380	360	-90	14	Assays received
AH21AU383	Auger	1295471	504687	379	360	-90	12	Assays received
AH21AU384	Auger	1295466	504643	379	360	-90	12	Assays received
AH21AU385	Auger	1293699	502657	387.5	360	-90	13	Assays received
AH21AU386	Auger	1293702	502706	389	360	-90	12	Assays received
AH21AU387	Auger	1293700	502759	390	360	-90	15	Assays received
AH21AU388	Auger	1293697	502806	390.5	360	-90	9	Assays received
AH21AU389	Auger	1293701	502852	390	360	-90	12	Assays received
AH21AU390	Auger	1293704	502906	390	360	-90	12	Assays received
AH21AU391	Auger	1293704	502951	391	360	-90	12	Assays received
AH21AU392	Auger	1293800	502954	395	360	-90	12	Assays received
AH21AU393	Auger	1293799	502906	393	360	-90	12	Assays received
AH21AU394	Auger	1293802	502857	391	360	-90	14	Assays received
AH21AU395	Auger	1293789	502810	390	360	-90	12	Assays received
AH21AU396	Auger	1293798	502760	390	360	-90	12	Assays received
AH21AU397	Auger	1293800	502708	390	360	-90	12	Assays received

AH21AU398	Auger	1293798	502663	390	360	-90	12	Assays received
AH21AU399	Auger	1293900	502657	392.5	360	-90	12	Assays received
AH21AU400	Auger	1293903	502711	392.5	360	-90	12	Assays received
AH21AU401	Auger	1293903	502757	393	360	-90	12	Assays received
AH21AU402	Auger	1293904	502805	393	360	-90	12	Assays received
AH21AU403	Auger	1293901	502856	393	360	-90	12	Assays received
AH21AU404	Auger	1293899	502907	394	360	-90	12	Assays received
AH21AU405	Auger	1293904	502958	395	360	-90	12	Assays received
AH21AU406	Auger	1294000	502961	399	360	-90	12	Assays received
AH21AU407	Auger	1293999	502908	396	360	-90	12	Assays received
AH21AU408	Auger	1294001	502862	396	360	-90	12	Assays received
AH21AU409	Auger	1294001	502807	397	360	-90	12	Assays received
AH21AU410	Auger	1293998	502758	397	360	-90	12	Assays received
AH21AU411	Auger	1293865	507490	370	360	-90	12	Assays received
AH21AU412	Auger	1293866	507499	370	360	-90	14	Assays received
AH21AU413	Auger	1293870	507511	370	360	-90	12	Assays received
AH21AU414	Auger	1293875	507507	370	360	-90	12	Assays received
AH21AU415	Auger	1293876	507491	370	360	-90	14	Assays received
AH21AU416	Auger	1293889	507493	370	360	-90	14	Assays received
AH21AU417	Auger	1293887	507503	370	360	-90	8	Assays received
AH21AU418	Auger	1293886	507508	370	360	-90	10	Assays received
AH21AU419	Auger	1293943	507511	370	360	-90	12	Assays received
AH21AU420	Auger	1293945	507521	370	360	-90	12	Assays received
AH21AU421	Auger	1293947	507533	370	360	-90	12	Assays received
AH21AU422	Auger	1293956	507527	370	360	-90	12	Assays received
AH21AU423	Auger	1293957	507510	370	360	-90	14	Assays received
AH21AU424	Auger	1293966	507515	370	360	-90	14	Assays received
AH21AU425	Auger	1294102	502950	402.5	360	-90	12	Assays received
AH21AU426	Auger	1294103	502902	401	360	-90	12	Assays received
AH21AU427	Auger	1294100	502853	401	360	-90	12	Assays received

AH21AU428	Auger	1294099	502806	400.5	360	-90	12	Assays received
AH21AU429	Auger	1294099	502755	400	360	-90	12	Assays received
AH21AU430	Auger	1294099	502706	400	360	-90	12	Assays received
AH21AU431	Auger	1294102	502657	400	360	-90	12	Assays received
AH21AU432	Auger	1294001	502708	395	360	-90	12	Assays received
AH21AU433	Auger	1294002	502658	395	360	-90	12	Assays received
AH21AU434	Auger	1294203	502662	402	360	-90	12	Assays received
AH21AU435	Auger	1294200	502707	402.5	360	-90	12	Assays received
AH21AU436	Auger	1293965	507521	370	360	-90	12	Assays received
AH21AU437	Auger	1293966	507532	370	360	-90	12	Assays received
AH21AU438	Auger	1295510	508409	420	360	-90	12	Assays received
AH21AU439	Auger	1295517	508405	420	360	-90	12	Assays received
AH21AU440	Auger	1295518	508396	420	360	-90	12	Assays received
AH21AU441	Auger	1295520	508388	420	360	-90	12	Assays received
AH21AU442	Auger	1295506	508386	420	360	-90	12	Assays received
AH21AU443	Auger	1295500	508385	420	360	-90	12	Assays received
AH21AU444	Auger	1295500	508396	420	360	-90	12	Assays received
AH21AU445	Auger	1295500	508406	420	360	-90	12	Assays received
AH21AU446	Auger	1294201	502755	403	360	-90	12	Assays received
AH21AU447	Auger	1294205	502805	403.5	360	-90	12	Assays received
AH21AU448	Auger	1294203	502854	404	360	-90	12	Assays received
AH21AU449	Auger	1294201	502908	404.5	360	-90	12	Assays received
AH21AU450	Auger	1294198	502959	405	360	-90	12	Assays received
AH21AU451	Auger	1294296	506055	381	360	-90	12	Assays received
AH21AU452	Auger	1294296	506008	379	360	-90	12	Assays received
AH21AU453	Auger	1294294	505960	384	360	-90	12	Assays received
AH21AU454	Auger	1294301	505906	388	360	-90	12	Assays received
AH21AU455	Auger	1294301	505855	392	360	-90	12	Assays received
AH21AU456	Auger	1290125	507808	394.5	360	-90	12	Assays received
AH21AU457	Auger	1290124	507801	394.5	360	-90	12	Assays received

AH21AU458	Auger	1290125	507793	394.5	360	-90	12	Assays received
AH21AU459	Auger	1290137	507793	394.5	360	-90	12	Assays received
AH21AU460	Auger	1290148	507793	394.5	360	-90	12	Assays received
AH21AU461	Auger	1290146	507803	394.5	360	-90	12	Assays received
AH21AU462	Auger	1290143	507812	394.5	360	-90	12	Assays received
AH21AU463	Auger	1290135	507814	394.5	360	-90	12	Assays received
AH21AU464	Auger	1289727	507510	396	360	-90	12	Assays received
AH21AU465	Auger	1289738	507512	396	360	-90	12	Assays received
AH21AU466	Auger	1289747	507510	396	360	-90	12	Assays received
AH21AU467	Auger	1289747	507502	396	360	-90	12	Assays received
AH21AU468	Auger	1289745	507495	396	360	-90	12	Assays received
AH21AU469	Auger	1289736	507492	396	360	-90	12	Assays received
AH21AU470	Auger	1289727	507492	396	360	-90	12	Assays received
AH21AU471	Auger	1289730	507502	396	360	-90	12	Assays received
AH21AU472	Auger	1289355	507096	394	360	-90	12	Assays received
AH21AU473	Auger	1294300	505758	392.5	360	-90	12	Assays received
AH21AU474	Auger	1294303	505806	393	360	-90	12	Assays received
AH21AU475	Auger	1294401	505755	396	360	-90	12	Assays received
AH21AU476	Auger	1294397	505809	396	360	-90	12	Assays received
AH21AU477	Auger	1294400	505853	396	360	-90	12	Assays received
AH21AU478	Auger	1294402	505910	395	360	-90	12	Assays received
AH21AU479	Auger	1294399	505960	390	360	-90	12	Assays received
AH21AU480	Auger	1294404	506017	386	360	-90	12	Assays received
AH21AU481	Auger	1294397	506056	388	360	-90	12	Assays received
AH21AU482	Auger	1294501	505754	399	360	-90	12	Assays received
AH21AU483	Auger	1294500	505808	399	360	-90	12	Assays received
AH21AU484	Auger	1294501	505861	400	360	-90	12	Assays received
AH21AU485	Auger	1294500	505912	400	360	-90	12	Assays received
AH21AU486	Auger	1294499	505961	400	360	-90	12	Assays received
AH21AU487	Auger	1294496	506005	397	360	-90	12	Assays received

AH21AU488	Auger	1294495	506059	395	360	-90	14	Assays received
AH21AU489	Auger	1294602	506061	397.5	360	-90	12	Assays received
AH21AU490	Auger	1294601	506006	399	360	-90	12	Assays received
AH21AU491	Auger	1294600	505955	400	360	-90	12	Assays received
AH21AU492	Auger	1294597	505906	400	360	-90	12	Assays received
AH21AU493	Auger	1294598	505854	400	360	-90	12	Assays received
AH21AU494	Auger	1294599	505806	400	360	-90	12	Assays received
AH21AU495	Auger	1294597	505761	400	360	-90	12	Assays received
AH21AU496	Auger	1294699	505763	395	360	-90	12	Assays received
AH21AU497	Auger	1294698	505803	400	360	-90	12	Assays received
AH21AU498	Auger	1294703	505858	400	360	-90	12	Assays received
AH21AU499	Auger	1294704	505912	400	360	-90	14	Assays received
AH21AU500	Auger	1294703	505955	400	360	-90	14	Assays received
AH21AU501	Auger	1294703	506006	397.5	360	-90	11	Assays received
AH21AU502	Auger	1294702	506055	395	360	-90	14	Assays received
AH21AU503	Auger	1294798	506056	392	360	-90	12	Assays received
AH21AU504	Auger	1294798	506010	395	360	-90	12	Assays received
AH21AU505	Auger	1294795	505958	395	360	-90	12	Assays received
AH21AU506	Auger	1294797	505910	395	360	-90	12	Assays received
AH21AU507	Auger	1294798	505861	395	360	-90	12	Assays received
AH21AU508	Auger	1294799	505809	394	360	-90	12	Assays received
AH21AU509	Auger	1294804	505761	390	360	-90	14	Assays received
AH21AU510	Auger	1295903	507539	405	360	-90	14	Assays received
AH21AU511	Auger	1295901	507494	410	360	-90	14	Assays received
AH21AU512	Auger	1295897	507638	412	360	-90	12	Assays received
AH21AU513	Auger	1296003	507642	416	360	-90	14	Assays received
AH21AU514	Auger	1296001	507592	412.5	360	-90	16	Assays received
AH21AU515	Auger	1296000	507542	409	360	-90	16	Assays received
AH21AU516	Auger	1295999	507492	406.5	360	-90	16	Assays received
AH21AU517	Auger	1296001	507441	403	360	-90	16	Assays received

AH21AU518	Auger	1295999	507391	399	360	-90	16	Assays received
AH21AU519	Auger	1296104	507391	402.5	360	-90	16	Assays received
AH21AU520	Auger	1296103	507440	404	360	-90	16	Assays received
AH21AU521	Auger	1296104	507488	407.5	360	-90	16	Assays received
AH21AU522	Auger	1296102	507543	409.5	360	-90	16	Assays received
AH21AU523	Auger	1296099	507593	412.5	360	-90	16	Assays received
AH21AU524	Auger	1296101	507641	414.5	360	-90	16	Assays received
AH21AU525	Auger	1296197	507339	402	360	-90	16	Assays received
AH21AU526	Auger	1296203	507391	404	360	-90	16	Assays received
AH21AU527	Auger	1296202	507443	405	360	-90	16	Assays received
AH21AU528	Auger	1296202	507493	407	360	-90	12	Assays received
AH21AU529	Auger	1296201	507543	409	360	-90	16	Assays received
AH21AU530	Auger	1296199	507593	412.5	360	-90	16	Assays received
AH21AU531	Auger	1296201	507641	416	360	-90	16	Assays received
AH21AU532	Auger	1296296	507640	414	360	-90	16	Assays received
AH21AU533	Auger	1296302	507339	404	360	-90	16	Assays received
AH21AU534	Auger	1296302	507389	406	360	-90	16	Assays received
AH21AU535	Auger	1296297	507443	407	360	-90	16	Assays received
AH21AU536	Auger	1296296	507493	408	360	-90	12	Assays received
AH21AU537	Auger	1296296	507538	409	360	-90	16	Assays received
AH21AU538	Auger	1296303	507591	411	360	-90	4	Assays received
AH21AU539	Auger	1296396	507635	413	360	-90	12	Assays received
AH21AU540	Auger	1296401	507535	411.5	360	-90	12	Assays received
AH21AU541	Auger	1296394	507541	412	360	-90	12	Assays received
AH21AU542	Auger	1296396	507492	412.5	360	-90	12	Assays received
AH21AU543	Auger	1296398	507440	413	360	-90	12	Assays received
AH21AU544	Auger	1296396	507391	412	360	-90	12	Assays received
AH21AU545	Auger	1296400	507340	409	360	-90	12	Assays received
AH21AU546	Auger	1296158	505751	371	360	-90	12	Assays received
AH21AU547	Auger	1296159	505705	370	360	-90	12	Assays received

AH21AU548	Auger	1296160	505654	368	360	-90	12	Assays received
AH21AU549	Auger	1296185	505605	367	360	-90	10	Assays received
AH21AU550	Auger	1296161	505547	365	360	-90	9	Assays received
AH21AU551	Auger	1296259	505509	367	360	-90	5	Assays received
AH21AU552	Auger	1296260	505551	365	360	-90	9	Assays received
AH21AU553	Auger	1296260	505606	366	360	-90	12	Assays received
AH21AU554	Auger	1296263	505651	370	360	-90	12	Assays received
AH21AU555	Auger	1296260	505703	371	360	-90	12	Assays received
AH21AU556	Auger	1296263	505747	373	360	-90	12	Assays received
AH21AU557	Auger	1296359	505551	370	360	-90	12	Assays received
AH21AU558	Auger	1296360	505453	370	360	-90	11	Assays received
AH21AU559	Auger	1296361	505501	370	360	-90	12	Assays received
AH21AU560	Auger	1296360	505602	370	360	-90	12	Assays received
AH21AU561	Auger	1296360	505651	374	360	-90	12	Assays received
AH21AU562	Auger	1296356	505700	376	360	-90	12	Assays received
AH21AU563	Auger	1296363	505747	374	360	-90	12	Assays received
AH21AU564	Auger	1296487	505454	367.5	360	-90	12	Assays received
AH21AU565	Auger	1296459	505502	368	360	-90	12	Assays received
AH21AU566	Auger	1296459	505554	369	360	-90	12	Assays received
AH21AU567	Auger	1296460	505604	372.5	360	-90	12	Assays received
AH21AU568	Auger	1296455	505654	375	360	-90	7	Assays received
AH21AU569	Auger	1296456	505707	376	360	-90	7	Assays received
AH21AU570	Auger	1296458	505751	377	360	-90	8	Assays received
AH21AU571	Auger	1296559	505743	377.5	360	-90	7	Assays received
AH21AU572	Auger	1296562	505699	376	360	-90	6	Assays received
AH21AU573	Auger	1296560	505655	375.5	360	-90	7	Assays received
AH21AU574	Auger	1296562	505603	374.5	360	-90	7	Assays received
AH21AU575	Auger	1296558	505550	371	360	-90	7	Assays received
AH21AU576	Auger	1296562	505497	369	360	-90	6	Assays received
AH21AU577	Auger	1296563	505449	369	360	-90	8	Assays received

AH21AU578	Auger	1396660	505451	368	360	-90	10	Assays received
AH21AU579	Auger	1296661	505498	369	360	-90	7	Assays received
AH21AU580	Auger	1296659	505746	379	360	-90	6	Assays received
AH21AU581	Auger	1296662	505700	377	360	-90	6	Assays received
AH21AU582	Auger	1296660	505646	375	360	-90	7	Assays received
AH21AU583	Auger	1296662	505596	373	360	-90	6	Assays received
AH21AU584	Auger	1296659	505549	372	360	-90	7	Assays received
AH21AU585	Auger	1292102	508801	379	360	-90	9	Assays received
AH21AU586	Auger	1292102	508751	378	360	-90	8	Assays received
AH21AU587	Auger	1292003	508808	379	360	-90	9	Assays received
AH21AU588	Auger	1292002	508850	388	360	-90	11	Assays received
AH21AU589	Auger	1291801	508848	378	360	-90	11	Assays received
AH21AU590	Auger	1296204	505103	381	360	-90	10	Assays received
AH21AU591	Auger	1296199	505051	382	360	-90	11	Assays received
AH21AU592	Auger	1296201	505001	382	360	-90	10	Assays received
AH21AU593	Auger	1296201	504950	382	360	-90	11	Assays received
AH21AU594	Auger	1296200	504905	382	360	-90	10	Assays received
AH21AU595	Auger	1296199	504854	382	360	-90	10	Assays received
AH21AU596	Auger	1296203	504801	382	360	-90	7	Assays received
AH21AU597	Auger	1296203	504801	387	360	-90	10	Assays received
AH21AU598	Auger	1296302	504847	387	360	-90	10	Assays received
AH21AU599	Auger	1296301	504902	386	360	-90	12	Assays received
AH21AU600	Auger	1296303	504949	385.5	360	-90	9	Assays received
AH21AU601	Auger	1296299	505001	384	360	-90	11	Assays received
AH21AU602	Auger	1296298	505052	383	360	-90	10	Assays received
AH21AU603	Auger	1296302	505101	382	360	-90	12	Assays received
AH21AU604	Auger	1296402	505105	381	360	-90	12	Assays received
AH21AU605	Auger	1296402	505059	383	360	-90	11	Assays received
AH21AU606	Auger	1296394	505002	385	360	-90	11	Assays received
AH21AU607	Auger	1296398	504953	386	360	-90	13	Assays received

AH21AU608	Auger	1296398	504902	387.5	360	-90	13	Assays received
AH21AU609	Auger	1296398	504851	388	360	-90	11	Assays received
AH21AU610	Auger	1296399	504803	389	360	-90	10	Assays received
AH21AU611	Auger	1296504	504802	391	360	-90	3	Assays received
AH21AU612	Auger	1296497	504849	389	360	-90	10	Assays received
AH21AU613	Auger	1296496	504899	387.5	360	-90	11	Assays received
AH21AU614	Auger	1296500	504945	386	360	-90	12	Assays received
AH21AU615	Auger	1296496	504999	384	360	-90	13	Assays received
AH21AU616	Auger	1296498	505050	379	360	-90	11	Assays received
AH21AU617	Auger	1296499	505102	378	360	-90	9	Assays received
AH21AU618	Auger	1296597	505103	378	360	-90	10	Assays received
AH21AU619	Auger	1296599	505053	379	360	-90	10	Assays received
AH21AU620	Auger	1296598	505005	384	360	-90	9	Assays received
AH21AU621	Auger	1296597	504959	386	360	-90	9	Assays received
AH21AU622	Auger	1296599	504902	387.5	360	-90	10	Assays received
AH21AU623	Auger	1296600	504802	389	360	-90	10	Assays received
AH21AU624	Auger	1296600	504801	392	360	-90	11	Assays received
AH21AU625	Auger	1296693	504798	392	360	-90	10	Assays received
AH21AU626	Auger	1296696	504853	389	360	-90	11	Assays received
AH21AU627	Auger	1296702	504901	388	360	-90	10	Assays received
AH21AU628	Auger	1296705	504953	386	360	-90	11	Assays received
AH21AU629	Auger	1296700	504997	385	360	-90	9	Assays received
AH21AU630	Auger	1296698	505047	381	360	-90	10	Assays received
AH21AU631	Auger	1296703	505101	377	360	-90	9	Assays received
AH21AU632	Auger	1295593	501551	375	360	-90	10	Assays received
AH21AU633	Auger	1295590	501597	375	360	-90	10	Assays received
AH21AU634	Auger	1295590	501648	375	360	-90	13	Assays received
AH21AU635	Auger	1295697	501553	375	360	-90	11	Assays received
AH21AU636	Auger	1295690	501604	375	360	-90	11	Assays received
AH21AU637	Auger	1295687	501651	375	360	-90	7	Assays received

AH21AU638	Auger	1295687	501700	375	360	-90	9	Assays received
AH21AU639	Auger	1295688	501751	375	360	-90	7	Assays received
AH21AU640	Auger	1295685	501803	375	360	-90	7	Assays received
AH21AU641	Auger	1295696	501853	375	360	-90	5	Assays received
AH21AU642	Auger	1295794	501847	381	360	-90	7	Assays received
AH21AU643	Auger	1295792	501800	384	360	-90	9	Assays received
AH21AU644	Auger	1295791	501748	383	360	-90	7	Assays received
AH21AU645	Auger	1295792	501700	380	360	-90	7	Assays received
AH21AU646	Auger	1295789	501648	379	360	-90	6	Assays received
AH21AU647	Auger	1295792	501599	379	360	-90	6	Assays received
AH21AU648	Auger	1295793	501551	378	360	-90	7	Assays received
AH21AU649	Auger	1295884	501548	382.5	360	-90	7	Assays received
AH21AU650	Auger	1295889	501599	384	360	-90	5	Assays received
AH21AU651	Auger	1295891	501648	384.5	360	-90	5	Assays received
AH21AU652	Auger	1295886	501750	385	360	-90	7	Assays received
AH21AU653	Auger	1295900	501699	385	360	-90	7	Assays received
AH21AU654	Auger	1295892	501800	385	360	-90	7	Assays received
AH21AU655	Auger	1295889	501850	385	360	-90	7	Assays received
AH21AU656	Auger	1295989	501897	385	360	-90	7	Assays received
AH21AU657	Auger	1295991	501848	385	360	-90	7	Assays received
AH21AU658	Auger	1295988	501802	385	360	-90	7	Assays received
AH21AU659	Auger	1295989	501752	385	360	-90	6	Assays received
AH21AU660	Auger	1295990	501700	385	360	-90	5	Assays received
AH21AU661	Auger	1295988	501652	385	360	-90	3	Assays received
AH21AU662	Auger	1295987	501602	385	360	-90	5	Assays received
AH21AU663	Auger	1295986	501550	385	360	-90	5	Assays received
AH21AU664	Auger	1296096	501550	385	360	-90	5	Assays received
AH21AU665	Auger	1296090	501599	385	360	-90	5	Assays received
AH21AU666	Auger	1296088	501655	385	360	-90	5	Assays received
AH21AU667	Auger	1296094	501697	385	360	-90	5	Assays received

AH21AU668	Auger	1296089	501754	390	360	-90	7	Assays received
AH21AU669	Auger	1296092	501803	390	360	-90	7	Assays received
AH21AU670	Auger	1296091	501845	387.5	360	-90	7	Assays received
AH21AU671	Auger	1289078	502752	400	360	-90	9	Assays received
AH21AU672	Auger	1289078	502800	400	360	-90	9	Assays received
AH21AU673	Auger	1289080	502823	400	360	-90	9	Assays received
AH21AU674	Auger	1289080	502904	400	360	-90	9	Assays received
AH21AU675	Auger	1289074	502954	400	360	-90	9	Assays received
AH21AU676	Auger	1289076	502954	400	360	-90	10	Assays received
AH21AU677	Auger	1289078	503052	400	360	-90	7	Assays received
AH21AU678	Auger	1289183	503047	400	360	-90	7	Assays received
AH21AU679	Auger	1289184	503006	400	360	-90	9	Assays received
AH21AU680	Auger	1289177	502951	400	360	-90	9	Assays received
AH21AU681	Auger	1289181	502900	400	360	-90	9	Assays received
AH21AU682	Auger	1289182	502850	400	360	-90	7	Assays received
AH21AU683	Auger	1289183	502808	400	360	-90	9	Assays received
AH21AU684	Auger	1289179	502752	400	360	-90	10	Assays received
AH21AU685	Auger	1289283	503053	397	360	-90	7	Assays received
AH21AU686	Auger	1289287	503001	398	360	-90	7	Assays received
AH21AU687	Auger	1289283	502946	399	360	-90	7	Assays received
AH21AU688	Auger	1289279	502904	400	360	-90	9	Assays received
AH21AU689	Auger	1289282	502850	400	360	-90	5	Assays received
AH21AU690	Auger	1289380	502759	400	360	-90	9	Assays received
AH21AU691	Auger	1289377	502807	400	360	-90	7	Assays received
AH21AU692	Auger	1289380	502851	399.5	360	-90	9	Assays received
AH21AU693	Auger	1289381	502900	398	360	-90	7	Assays received
AH21AU694	Auger	1289380	502953	397	360	-90	7	Assays received
AH21AU695	Auger	1289361	503007	397.5	360	-90	9	Assays received
AH21AU696	Auger	1289379	503054	396	360	-90	7	Assays received
AH21AU697	Auger	1289471	503008	395.5	360	-90	9	Assays received

AH21AU698	Auger	1289482	503053	395	360	-90	7	Assays received
AH21AU699	Auger	1289482	502949	395.5	360	-90	9	Assays received
AH21AU700	Auger	1289484	502902	395.5	360	-90	7	Assays received
AH21AU701	Auger	1289480	502852	398	360	-90	7	Assays received
AH21AU702	Auger	1289481	502802	400	360	-90	7	Assays received
AH21AU703	Auger	1289480	502756	400	360	-90	9	Assays received
AH21AU704	Auger	1289581	502748	395	360	-90	9	Assays received
AH21AU705	Auger	1289575	502802	395	360	-90	9	Assays received
AH21AU706	Auger	1289580	502847	395	360	-90	9	Assays received
AH21AU707	Auger	1289576	502902	395	360	-90	7	Assays received
AH21AU708	Auger	1289579	502952	394.5	360	-90	7	Assays received
AH21AU709	Auger	1289582	503000	393	360	-90	7	Assays received
AH21AU710	Auger	1289580	503050	392	360	-90	7	Assays received
AH21AU711	Auger	1290101	503063	390	360	-90	7	Assays received
AH21AU712	Auger	1290099	503110	390	360	-90	13	Assays received
AH21AU713	Auger	1290102	503162	391	360	-90	7	Assays received
AH21AU714	Auger	1290100	503208	393	360	-90	7	Assays received
AH21AU715	Auger	1290103	503263	394	360	-90	7	Assays received
AH21AU716	Auger	1290101	503309	395	360	-90	9	Assays received
AH21AU717	Auger	1290099	503357	397.5	360	-90	10	Assays received
AH21AU718	Auger	1290187	503371	400	360	-90	9	Assays received
AH21AU719	Auger	1290201	503310	399	360	-90	11	Assays received
AH21AU720	Auger	1290200	503262	398	360	-90	11	Assays received
AH21AU721	Auger	1290202	503208	397	360	-90	9	Assays received
AH21AU722	Auger	1290201	503163	395.5	360	-90	7	Assays received
AH21AU723	Auger	1290201	503110	397	360	-90	5	Assays received
AH21AU724	Auger	1290198	503058	393	360	-90	7	Assays received
AH21AU725	Auger	1290295	503063	392	360	-90	8	Assays received
AH21AU726	Auger	1290297	503112	395	360	-90	9	Assays received
AH21AU727	Auger	1290289	503162	397	360	-90	9	Assays received

AH21AU728	Auger	1290299	503209	398	360	-90	11	Assays received
AH21AU729	Auger	1290295	503258	400	360	-90	11	Assays received
AH21AU730	Auger	1290305	503313	400	360	-90	7	Assays received
AH21AU731	Auger	1290297	503362	400	360	-90	7	Assays received
AH21AU732	Auger	1290392	503358	404	360	-90	10	Assays received
AH21AU733	Auger	1290402	503313	403	360	-90	10	Assays received
AH21AU734	Auger	1290414	503274	401	360	-90	11	Assays received
AH21AU735	Auger	1290404	503218	399	360	-90	9	Assays received
AH21AU736	Auger	1290497	503169	398	360	-90	9	Assays received
AH21AU737	Auger	1290400	503110	396	360	-90	9	Assays received
AH21AU738	Auger	1290404	503066	395	360	-90	9	Assays received
AH21AU739	Auger	1290499	503062	395.5	360	-90	11	Assays received
AH21AU740	Auger	1290499	503120	397.5	360	-90	10	Assays received
AH21AU741	Auger	1290501	503159	399	360	-90	9	Assays received
AH21AU742	Auger	1290500	503209	400	360	-90	9	Assays received
AH21AU743	Auger	1290501	503262	400	360	-90	9	Assays received
AH21AU744	Auger	1290502	503309	400	360	-90	6	Assays received
AH21AU745	Auger	1290502	503360	400	360	-90	8	Assays received
AH21AU746	Auger	1290599	503360	400	360	-90	7	Assays received
AH21AU747	Auger	1290600	503311	400	360	-90	6	Assays received
AH21AU748	Auger	1290599	503260	400	360	-90	7	Assays received
AH21AU749	Auger	1290599	503212	400	360	-90	7	Assays received
AH21AU750	Auger	1290604	503060	400	360	-90	11	Assays received
AH21AU751	Auger	1290597	503113	400	360	-90	9	Assays received
AH21AU752	Auger	1290602	503164	400	360	-90	6	Assays received

APPENDIX 2 – JORC Code (2012 Edition), Assessment and Reporting Criteria

Section 1: Sampling Techniques and Data

Criteria	Explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<p>The sampling described in this report refers to auger drill samples:</p> <ul style="list-style-type: none"> 198 auger holes were drilled on a nominal 20 x 20 m grid and 553 auger holes were drilled on a 50 x 100m grid for the purpose of obtaining gold quality samples from near surface mineralisation; 2kg samples were collected from composite samples across the lithology of the hole ending in a saprolite sample beneath lateritic surficial materials; the samples were submitted for fire assay gold analysis at the SGS laboratory in Bamako, Mali.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> drilling was carried out using a 4WD-mounted auger rig by Sahara Natural Resources; the auger holes were orientated and levelled to produce vertical (90 degrees) holes; The drill hole depths ranged from 2 – 25 meters, averaging approximately 12 m in depth.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<p>Sample recovery is not assessed for power auger drilling as it is a geochemical method.</p> <p>In general, however, recoveries are good because the hole has to be cleared by the screw-type rods in order for the drill rods to advance downwards.</p>
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<p>None of these samples will be used in a Mineral Resource estimation. Nonetheless, all auger holes will be geologically logged in a qualitative fashion.</p>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. 	<p>Each 1 m interval in the composite interval was subsampled using a scoop. The sample is considered sufficiently representative of the drilled material in a geochemical drilling program.</p>

Criteria	Explanation	Commentary
	<ul style="list-style-type: none"> Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<p>The analytical method used was an SGS fire assay method with a 0.01ppm Au detection limit and was subsequently changed in the latter part of the program to a more sensitive method with a detection limit of 5ppb. Both methods are appropriate for a geochemical drilling program.</p> <p>Standard reference materials and duplicates are included in the analytical stream by both the company and the laboratory.</p> <p>Comparison of the measured value of the standard and the accepted value provides a clear measure of laboratory performance.</p> <p>Analysis of duplicates provides a measure of repeatability, but this approach is less reliable when coarse gold is present in the samples.</p>
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	Hole twinning is not normally practiced with auger drilling.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<p>Drill collars are initially located on the ground using handheld GPS receivers. Accuracy expected is $\pm 3m$.</p> <p>Geological mapping of trenches, mine workings and other locations is also done at an accuracy of $\pm 3m$.</p> <p>In the current project, the relevant grid system is UTM WGS84 Zone 29 Northern Hemisphere.</p>
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<p>Auger holes were located on a 20m square grid surrounding previous near surface gold results.</p> <p>Auger holes throughout the undrilled areas of the licence will be located on a 50m by 100m grid adjacent to $>100pb$ Au in soils.</p> <p>This type of drilling is not appropriate for the calculation of any Mineral Resource estimate.</p>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	Orientation of drill traverses at this early stage of exploration is considered satisfactory. When the structural controls on mineralization becomes clear, hole orientations may be changed.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	Drill samples are returned to the Company compound in Alahiné every evening.

Criteria	Explanation	Commentary
		One security guard is on duty at the compound at all times.
Audits or reviews	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<p>There has been no external audit or review of the Company's techniques or data for Phase 2.</p> <p>Review of sampling techniques used in Phase1 drilling by the Company's independent Geologist found the sampling procedures to be satisfactory.</p>

Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<p>Exploration Licence No. 22123 (Alahiné Project), comprising a total land area of 64.21 km² located at Alahiné village in Siguiri prefecture, Guinea. The licence will expire on 10 April 2022.</p> <p>A renewal of the licence has been lodged and is well advanced.</p>
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<p>The details of previous exploration and results were summarised as Annexure B – Independent Geologist's Report, pages 106-293 – in the Polymetals Prospectus and can be found on the website; https://polymetals.com/wp-content/uploads/2021/11/Prospectus.pdf</p>
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<p>Primary target is Birimian/Siguiri-style regolith-hosted oxide gold and supergene mineralisation.</p>
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<p>Appropriate locality maps for the planned holes also accompanies this announcement.</p>
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation 	<p>No weighted average or truncation methods will be used for the auger results.</p>

Criteria	JORC Code explanation	Commentary
	<p><i>should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <ul style="list-style-type: none"> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i> 	True widths cannot be estimated for the auger drill results as the orientation of the underlying weathered rocks is not known.
Diagrams	<ul style="list-style-type: none"> <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	Appropriate maps are included within this report.
Balanced reporting	<ul style="list-style-type: none"> <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.</i> 	The accompanying document is considered to represent a balanced report.
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	There are no other exploration data which is considered material to the results reported in the announcement.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	Results of the auger program will be assessed and subsequent exploratory testing will be planned.