

Disclaimer



For Consideration

The information contained in this presentation has been provided by Ark Mines Ltd (Company) and other sources identified herein. The information contained in this presentation is for informational purposes only and is not a recommendation as to whether to invest in the Company's shares. The information contained in this presentation is not investment or financial product advice and is not intended to be used as the basis for making an investment decision.

The presentation has been prepared without taking into account the investment objectives, financial situation or particular needs of any particular person. Unless otherwise specified, data and tables set out in this presentation are based on the Company's management estimates. No representation or warranty, express or implied, is made as to the fairness, accuracy, completeness or correctness of the information, opinions and conclusions contained in this presentation.

To the maximum extent permitted by law, none of the Company or, its directors, or any of their employees or agents, nor any other person accepts any liability, including, without limitation, any liability arising out of fault of negligence, for any loss arising from the use of the information contained in this presentation. In particular, no representation or warranty, express or implied is given as to the accuracy, completeness or correctness, likelihood of achievement or reasonableness or any forecasts, projections, prospects or returns contained in this presentation nor is any obligation assumed to update such information.

Such forecasts, prospects or returns are by their nature subject to significant uncertainties and contingencies. Past performance is no guarantee of future performance.

This presentation includes "forward-looking statements" within the meaning of securities laws of applicable jurisdictions. Forward-looking statements can generally be identified by the use of forward-looking words such as "may", "will", "expect", "intend", "plan", "estimate", "anticipate", "believe", "continue", "objectives", "outlook", "guidance" or other similar words, and include statements regarding certain plans, strategies and objectives of management and expected financial performance.

These forward-looking statements involve known and unknown risks, uncertainties and other factors, many of which are outside the control of Ark Mines Ltd, and any of their officers, employees, agents or associates. Actual results, performance or achievements may vary materially from any projections and forward-looking statements and the assumptions on which those statements are based.

Readers are cautioned not to place undue reliance on forward-looking statements and the Company assumes no obligation to update such information.

Corporate Snapshot





AHK ASX Code



44,615,728Shares on Issue



~\$0.32Share Price



15,172,500Options on Issue



\$14.3M
Market Capitalisation



\$2.01MCash as at 21 Dec 2022



Roger Jackson - Executive Chairman

30+ years in exploration, development and mining operations



Benjamin Emery - Executive Director

30+ years in exploration, development and mining operations




Ian Mitchell - Non-Executive Director

30+ years in exploration, development and mining operations



Top 20 Shareholders







MULTI-COMMODITY NEAR-TERM PROJECT DEVELOPER FOCUSED ON AUSTRALIA

01. The Upside

Projects with low start-up capex and near-term development potential with exploration upside.

02. The Focus

Primary focus is on critical minerals – rare earths, nickel and copper.

03. Project Must-haves

Access to quality nearby infrastructure, favourable regulatory regime, safe jurisdiction, ease of permitting.

03. Experienced Team

Underpinned by a team with mine development, commodities trading, and exploration skills.

Project Summary

Quality projects in a Tier 1 mining jurisdiction





- → 147km2 EPM 28013 'Sandy Mitchell' an advanced Rare Earths Project in North Queensland + 138km2 of sub blocks under application
- Very high historical TREO grades including high grade pan concentrates of:
 - > 18.4% TREO, 17.4% TREO, 15.8% TREO, 15.3% TREO, 12.3% TREO, 9.4% TREO, 4.7% TREO and 3.3% TREO
 - > NdPr ratios up to 25%
- → Extensive historical work undertaken by Jogmec in 2010
- → Project contains all critical Light Rare Earths as well as Heavy Rare Earths including dysprosium (Dy), terbium (Tb), holmium (Ho), erbium (Er), thulium (Tm) ytterbium (Yb), yttrium (Y) and excluding only Lutetium
- → Rare Earths are amenable to panning a concentrate
- > Placer deposit (sand based): low-cost, fast start up, straightforward beneficiation by gravity processing



- → Borders Australian Mines Limited Sconi Cobalt-Nickel-Scandium project the most advanced Cobalt-Nickel-Scandium Project in Australia
- → Comprised of 11 sub-blocks covering 36km2
- → Maiden mineral resource estimate totalling 1.341 million tonnes at .53% Ni, 602,000 tonnes Cobalt at .066% and 191,500 tonnes of Copper at .054% at a .4% Ni cut off
- → Potential synergies with local processing facilities with export DSO Nickel/Cobalt partnership options



- → Project covers a tenure area of 12.4km2 located ~25km west of Mt Garnet
- → Centered on a copper rich magnetite skarn associated with porphyry style mineralization
- → Three exposed historic iron formations
- → Potential for near term production via toll treat and potential to direct ship



Australian Rare Earths







Strategic Acquisition

- Advanced REE Project in North Queensland (EPM 28013)
- Existing exploration area of 147km2, with additional 46 sub-blocks covering 138km2 of sub-blocks under application
- Attractive acquisition terms; project secured \$200,000 cash (vendor had limited interest in follow-up exploration)



High-grade Rare Earths

- → Historical works by JOGMEC¹ in 2010 includes particle mineral analysis and pan concentrates + other undertaking ~100 augur drill holes
- Project contains all 8 critical Light Rare Earths elements and 8 of the 9 Heavy Rare Earths (excluding only Lutetium)
- Pan concentrates are the best measure of Rare Earths elements in sands; amenable to rapid, low-cost beneficiation by gravity processing
- Initial extraction to focus on Light Rare Earths, which were well represented in historical sampling



Forward Works Program

- Extensive review of historical data and pan concentrates underway to define a Historic Mineral Resource Estimate (MRE) under the 2012 JORC code
- → 1.000 metre infill and extension drill program commenced 17 May, metallurgical test work and gravity separation
- Commence application for a Mining Licence

Historical Panned Concentrate sampling results

show excellent grades for TREO (Total Rare Earth Oxide) with high percentage NdPr ratios

Outstanding Historical Treo Grades

| SAMPLE | GRADE | NDPR RATIO AS % OF TREO |
|--------|-------|----------------------------|
| 451 | 18.4% | 24.6% |
| 450A | 17.4% | 24.5% |
| 452A | 15.8% | 24.2% |
| 430A | 15.3% | 25.0% |
| 452A2 | 12.3% | 23.7% |

MAY 2023 INVESTOR PRESENTATION | ¹Japan Organisation for Metals and Energy Security

Advanced in Comparison Sandy MITCHELL



→ Placer deposits have distinct advantages over hard rock add clay-base rare earth projects

| | Placer (Sandy Mitchell) |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAPEX | → Capex lite and utilizing low-cost skid-mounted gravity plant to deliver a concentrate. Mining cost and operating cost > negligible |
| SCALE | → Potential to be massive tonnage |
| EXPLORATION | → Resources can be defined inexpensively and rapidly given shallow drilling using aircore, auger, push-tube core |
| MINING | → Stripping and progressive rehabilitation. No Overburden Zero strip ratio. Mined with a wheeled loader only |
| PERMITTING | → Simple in situ gravity processing with the sand put back where it was moved from |
| PROCESSING | → Simple metallurgy; Gravity and magnetic in-situ processing, no water, continuous rehabilitation > Nature has already done our crushing and grinding > Mineral sands bi-product |

| Ionic Clays | Hard Rocks |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Reasonable | Capex Heavy, Overburden/strip development costs, Mining costs high |
| Typically, smaller tonnage | Typically require significant scale for economic viability |
| Resources can be defined inexpensively and rapidly given shallow drilling using aircore, auger, push-tube core | Similar to other hard rock base metals requiring substantial drilling, geochemistry, geophysics etc |
| Stripping and progressive rehabilitation. Many have overburden and some strip ratio | Drill and blast with significant mining fleet. Higher strip ratios or expensive underground mining and development |
| Due to water processing and chemicals Environmental challenges will need to be met | Significant environmental impact |
| Simple metallurgy; clay is washed with a desorption agent to recover REEs | Strong acids with high temperature +/- pressure. Radioactive tailings |

Nature Did The Work For Us


SANDY





JOGMEC¹ Mineral **Particle Analysis**

JOGMEC1 in 2010 undertook a comprehensive particle mineral analysis of the Sandy Mitchell Rare Earths and Heavy Minerals





Monazite Grains Are Almost Pure Their findings - Classification of the Monazite into categories based on the type and proportion of associated minerals is shown below. The results show that the majority of the monazite (about 90%) occurs as clean monazite containing less than 5% of included or attached impurities.

In Comparison;

The process to get a particle in hard rock rare earths


- → Overburden removal
- → Underground Development
- → Drill and Blasting
- → Haulage
- → Primary Crushing
- → Secondary Crushing
- → Grinding
- → Classification

| | MONAZITE ASSOCIATIONS (mass %) | | | | | | | | | | | | | | |
|--------|--------------------------------------|------------------------------------------------|-----------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------|---------------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|---------------------------------------------------------------|---------|--|--|--|--|--|
| Sample | Particles composed of > 99% monazite | Particles composed of 95% - 99% monozite | Particles with monazite > 80% and Zircon > 2% | Particles with monozite > 80% and Chlorite > 2% | Particles with monozite > 80% and Quartz > 2% | Particles with monozite > 80% and Clay > 2% | Other monozite bearing particles with Monazite > 90% | Other monozite bearing particles with Monazite > 80% | Other monozite bearing particles with Monazite < 80% | TOTAL | | | | | |
| 650 | 31.31% | 56.84% | 0.97% | 1.14% | 1.33% | 2.97% | 43.58% | 0.66% | 0.21% | 100.00% | | | | | |

Globally Competitive REE Grades








Pan Sampling Program

- Historical work program includes partial mineral analysis and pan concentrates, plus ~100 auger drill holes (refer previous page)
- From a total of 10 pan concentrate samples, five returned historical TREO grades of more than 100,000 ppm (refer below left)




Grid Drilling in Red Box – reconnaissance yellow stars


| Sample | E | N | Samp Type | TREO | LREO | HREO | CREO | Mag Reo | Sc ₂ O ₃ | La ₂ O ₃ | CeO ₂ | Pr ₆ O ₁₁ | Nd ₂ O ₃ | Sm ₂ O ₃ | Eu ₂ O ₃ | Y2O3 | Tb ₄ O ₇ | Dy ₂ O ₃ | Ho ₂ O ₃ | Er ₂ O ₃ | Tm ₂ O ₃ | Yb ₂ O ₃ |
|--------|----------|----------|-----------|---------|------|------|------|---------|--------------------------------|--------------------------------|------------------|---------------------------------|--------------------------------|--------------------------------|--------------------------------|-------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | MGA94254 | MGA94z54 | | ppm | 96 | 96 | 96 | 96 | ppm | 96 | 96 | ppm | 96 | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| 430A | 813624 | 8195067 | Pan Con | 153,969 | 95.4 | 4.6 | 23.7 | 25.9 | 225.5 | 3.26 | 7.10 | 8,288 | 2.9976 | 4,650 | 120.4 | 4,749 | 349.3 | 1,285 | 174.1 | 354.5 | 29.7 | 160.56 |
| 443A | 808124 | 8196989 | Pan Con | 94,180 | 95.5 | 4.5 | 23.1 | 25.3 | 220.9 | 2.05 | 4.34 | 5,014 | 1.7846 | 2,876 | 88.5 | 2,806 | 197.6 | 797 | 103.8 | 215.0 | 19.6 | 109.77 |
| 443B | 808125 | 8196989 | Pan Con | 17,554 | 91.1 | 8.9 | 25.5 | 24.3 | 309.8 | 0.35 | 0.76 | 887 | 0.3126 | 513 | 25.5 | 1,062 | 46.6 | 211 | 37.1 | 99.0 | 13.6 | 90.185 |
| 447A | 807601 | 8195835 | Pan Con | 47,376 | 95.0 | 5.0 | 23.7 | 25.6 | 123.0 | 1.02 | 2.15 | 2,525 | 0.904 | 1,450 | 56.0 | 1,549 | 120.0 | 457 | 58.2 | 114.4 | 9.7 | 50.786 |
| 450A | 812239 | 8195625 | Pan Con | 174,126 | 95.9 | 4.1 | 23.0 | 25.6 | 171.8 | 3.75 | 8.11 | 9,351 | 3.3359 | 5,369 | 135.5 | 4,661 | 407.0 | 1,400 | 173.0 | 335.0 | 25.9 | 133.23 |
| 450B | 812239 | 8195625 | Pan Con | 17,929 | 90.6 | 9.4 | 26.1 | 24.6 | 300.6 | 0.35 | 0.77 | 904 | 0.3231 | 525 | 24.0 | 1,156 | 47.0 | 220 | 39.7 | 109.0 | 15.0 | 100.21 |
| 451 | 812274 | 8195859 | Pan Con | 184,777 | 95.8 | 4.2 | 23.1 | 25.6 | 199.4 | 3.99 | 8.59 | 9,895 | 3.5459 | 5,624 | 162.1 | 5,029 | 441.1 | 1,515 | 184.4 | 355.6 | 28.1 | 144.61 |
| 452A | 810407 | 8190286 | Pan Con | 158,691 | 95.8 | 4.2 | 22.7 | 25.2 | 170.3 | 3.48 | 7.37 | 8,518 | 2.9743 | 4,859 | 143.6 | 4,407 | 381.1 | 1,308 | 162.7 | 313.3 | 24.3 | 125.26 |
| 452B | 810407 | 8190286 | Pan Con | 30,334 | 93.8 | 6.2 | 24.4 | 25.3 | 233.1 | 0.63 | 1.36 | 1,583 | 0.5715 | 914 | 36.6 | 1,261 | 74.9 | 304 | 45.0 | 107.0 | 12.6 | 79.14 |
| 452A2 | 810408 | 8190286 | Pan Con | 123,058 | 95.7 | 4.3 | 22.8 | 24.7 | 135.0 | 2.73 | 5.72 | 5,932 | 2.3211 | 3,792 | 118.1 | 3,467 | 297.6 | 1,002 | 131.7 | 268.7 | 19.8 | 112.73 |

Scale | SANDY MITCHELL






- → The size of the thorium anomaly correlating with REE enriched alluvial sands within the Project tenement is 10,067 ha.
 - → Sands with Heavy Minerals and Rare Earths are eroded from Sandstones to the North. These sandstones were paleao beach settings where the rare earths and Heavys were sorted through wave actions.
- → The tenement is 147km 2 and a further 138 km2 has been pegged to the North.
- → The anomalous rare earth historical augur drilling shows and anomalous area of 35km 2. (refer to the figure below)



Drilling is Underway SANDY MITCHELL








Air Core drilling has now commenced.
Ark aims to infill and expand the Rare
Earth historical Auger drilling. Refer to
the red box on the figure to the right.
Further to this a set of holes across the
wider lease will be drilled to determine
the scale of the rare Earth anomalism
and provide further drilling targets.



This initial drilling program will be used to provide a JORC-2012 compliant Mineral Resource Estimate. This will then be used to peg the ML at haste.








2023 Work Streams



& VALUE DRIVERS





Gunnawarra:

NICKEL-COBALT PROJECT

SIGNIFICANT DRILLHOLE INTERSECTIONS

- 3m @ 1.2% NiEq from 6m, plus 3m @ 1.2% NiEq from 6m, plus 1m
 @ 0.81% NiEq from 17m, plus 1m @ 1.14% NiEq from 32m
- 2m @ 0.96% NiEq from 4m, plus 1m @ 0.73% NiEq from 12m, plus
 1m @ 0.90% NiEq from 29m
- 3m @ 0.93% NiEq from 8m, including 1m @ 1.2% NiEq from 8m
- 9m @ 0.79% NiEq from 18m, including 2m @ 1.3% NiEq from 25m


MAIDEN MINERAL RESOURCE ESTIMATE

Initial 1.341 million tonnes at .53% Ni, 602,000 tonnes Cobalt at .066% and 191,500 tonnes of Copper at .054% at a .4% Ni cut off was completed by Hawker geological consultants.

PROMISING ASSAYS RETURNED

- Assays returned for the Phase 2 drill program comprising 844m of Reverse Circulation (RC) drilling, at Ark's 100% owned Gunnawarra Nickel Cobalt Project in North Queensland
- 28 holes drilled at an average depth of 30 metres with deepest hole drilled to 59 metres





PHASE 1 & 2 DRILL HOLE COLLARS



Mt.Jesse:

COPPER PROJECT



Exposed Iron Hill at Mt Jesse. Bottom: Copper oxide sample from surface







West of Mt Garnet

~25km west of Mt Garnet and ~176km from Cairns



Copper-Rich Magnetite Skarn

Centered on a copper rich magnetite skarn associated with porphyry style mineralization; historical rock chips up to ~21% Cu and drilling up to 2.11% Cu



Historic Iron Formations

Three exposed historic iron formations; massive and homogenous, composed of hematite and magnetite with strong magnetism



DSO Potential

DSO potential; 120km from Mourilyan Harbour (bulk shipping) south of Innisfail



Port Infrastructure Ready

Port infrastructure in place with a purpose-built ship loader conveyor system



Processing Opportunities

Nearby processing opportunities for copper; exploring tolling options in parallel with the exploration/development programs



Surface Mineralisation

Exposed at surface; geophysics strongly coincident with exposed mineralisation



Investment Highlights

Combined Company

ARK MINES





Immediate focus is 1,000m air core drill program at Sandy Mitchell, undertake further metallurgical test work and apply for ML



Advancing processing and off-take discussions – considerable interest in Sandy Mitchell from local processors and customers seeking concentrate




Pursuing near-term development opportunities at Gunnawarra Nickel Project – considerably advanced



Mt Jesse Copper project and Pluton Gold assets add further diversity/ asset hedge and future development potential

Contact Information











Executive Director



ben@frankiir exchange.com



Trent Primmer



Director of Trading



trent@barclaypearce.com.au

Roger Jackson



Executive Chairman



roger@rjgroup.com.au

Richard Warner



Global Partnerships



richard@barclaypearce.com.au