

Tesorito delivers more wide and high grade porphyry gold intercepts from surface

HIGHLIGHTS

- **Southern step-out drilling grows the scale of the Tesorito Gold Porphyry with extensive mineralisation intercepted over very broad widths, including (uncut):**
 - **440m @ 0.5g/t Au from surface in TS-DH41 including**
 - 20.4m @ 0.93g/t Au from surface and
 - 52m @ 1.15g/t Au from 132m
 - **186m @ 0.62g/t Au from 12m in TS-DH42**
 - **120m @ 0.83g/t Au from surface in TS-DH43 including**
 - 46m @ 1.3g/t Au from 42m including 14m @ 1.86g/t Au from 68m
 - **102.5m @ 0.92g/t Au from 8m in TS-DH45 including**
 - 58m @ 1.24g/t Au from 48m
 - **65.3m @ 1g/t Au from 2.3m in TS-DH46 including**
 - 20m @ 1.28g/t Au from 18m
 - **187m @ 0.86g/t Au from 5m in TS-DH51 including**
 - 12m @ 1.5g/t Au from 42m and 46m @ 1.3g/t Au from 80m
- **Mineralisation remains open to the north and south**
- **Tesorito maiden JORC mineral resource estimate H1 2022**
- **Five diamond drill rigs in operation at the Quinchia project**
- **Newest rig added to the fleet, capable of drilling >1,000m holes, has commenced drilling at the recently identified central geophysics target between Tesorito and Miraflores**

Los Cerros Limited (ASX: LCL) (Los Cerros or the Company) is pleased to update the market on recent drilling from the Tesorito Gold Porphyry¹, a near surface gold porphyry discovery, which is part of the Company's 100% owned Quinchia Gold Project in Risaralda - Colombia.

Drill core assays reported in this release (TS-DH40 - '46 and TS-DH51) have again demonstrated very broad widths of gold mineralisation, with a best intersection of 440 metres from surface in hole TS-DH41 and, most importantly, almost all reported holes are carrying what is considered to be high-grade gold (from surface) for a porphyry style deposit. The combination of high-grade starting from surface and very broad zones of mineralisation has potential to improve mining economics.

The southern step out drilling campaign continues to deliver extensive mineralisation with the most southern hole (TS-DH46) intercepting 65.3m @ 1g/t gold from 2.3m and thus extending surface high grade envelopes to the south (Figure 1). Likewise, TS-DH41 expanded low grade envelopes and surface ~1g/t gold mineralisation to the SW.

¹ As defined in the 10 November 2021 ASX release.

Intercepts (uncut) of note include:

- 440m @ 0.5g/t from surface in TS-DH41 including
 - 20.4m @ 0.93g/t Au from surface and
 - 52m @ 1.15g/t Au from 132m
- 186m @ 0.62g/t Au from 12m in TS-DH42 including
 - 16m @ 0.94g/t Au from 70m and
 - 18m @ 0.96g/t Au from 112m
- 120m @ 0.83g/t Au from surface in TS-DH43 including
 - 46m @ 1.3g/t Au from 42m including 14m @ 1.86g.t Au from 68m
- 102.5m @ 0.92g/t Au from 8m in TS-DH45 including
 - 58m @ 1.24g/t Au from 48m
- 65.3m @ 1g/t Au from 2.3m in TS-DH46 including 20m @ 1.28g/t Au from 18m
- 187m @ 0.86g/t Au from 5m in TS-DH51 including
 - 12m @ 1.5g/t Au from 42m and
 - 46m @ 1.3g/t Au from 80m

Tesorito mineralisation remains open in a southerly direction and additional southern step out drilling is currently underway.

Two drill holes (TS-DH40 and TS-DH44) were drilled from the same pad to test NW extensions and effectively defined limits of mineralisation in this region. Results (uncut) include:

- 20m @ 0.9g/t Au from 478m in TS-DH40
- 50.6m @ 0.41g/t Au from 124m in TS-DH44

Mineralisation remains open to the NNE conforming to the orientation of modelled gold envelopes and adjacent to the Marmato Fault. A recently identified chargeability/conductivity high (Figure 1) north of the northern most drill hole (TS-DH13) might represent a recurrence of high grade gold in this area and is scheduled for drill testing in early 2022².

The Company has five diamond drill rigs in operation at the Quinchia project including a recently arrived rig capable of drilling 1,000+m holes. The new rig is currently drilling the first hole into the central geophysical anomalies which are interpreted as a potential central intrusive source of both Tesorito and Miraflores deposits. The other four rigs are currently focussed on defining the boundaries of the Tesorito Gold Porphyry plus infill drilling ahead of a maiden JORC mineral resource estimate scheduled for the first half of 2022.

² See ASX announcement 10 November 2021 for further detail of the northern chargeability high.




Figure 1: Plan view of Tesorito showing drill traces over modelled gold envelopes and key structures. Recent drilling has expanded low grade envelopes southward and has confirmed significant potential for further extensions to the south. A recently defined IP anomaly to the north offers potential for further extensions.

Correction: The TS-DH37 assay table appended to the ASX release of 10 November 2021 contained incorrect gold values. A revised assay table has been included in this announcement. The Company confirms that TS-DH37 gold intercepts quoted in the text and figures of the 10 November 2021 announcement are correct.

For the purpose of ASX Listing Rule 15.5, the Board has authorised this announcement to be released.

For further enquiries contact:

Jason Stirbinskis

Managing Director - Los Cerros Limited
3/35 Outram Street
WEST PERTH WA 6005
jason@loscerros.com.au

FORWARD LOOKING STATEMENTS This document contains forward looking statements concerning Los Cerros. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes. Forward looking statements in this document are based on Los Cerros' beliefs, opinions and estimates of Los Cerros as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there can be no assurance that the forward-looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of gold, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. Readers should not place undue reliance on forward-looking information. The Company does not undertake to update any forward-looking information, except in accordance with applicable securities laws. No representation, warranty or undertaking, express or implied, is given or made by the Company that the occurrence of the events expressed or implied in any forward-looking statements in this presentation will actually occur.

JORC STATEMENTS - COMPETENT PERSONS STATEMENTS

The technical information related to Los Cerros assets contained in this report that relates to Exploration Results (excluding those pertaining to Mineral Resources and Reserves) is based on information compiled by Mr Cesar Garcia, who is a Member of the Australasian Institute of Mining and Metallurgy and who is a Geologist employed by Los Cerros on a full-time basis. Mr Garcia has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Garcia consents to the inclusion in the release of the matters based on the information he has compiled in the form and context in which it appears.

The information presented here that relates to Mineral Resources of the Dosquebradas Project, Quinchia District, Republic of Colombia is based on and fairly represents information and supporting documentation compiled by Mr. Scott E. Wilson of Resource Development Associates Inc, of Highlands Ranch Colorado, USA. Mr Wilson takes overall responsibility for the Resource Estimate. Mr. Wilson is Member of the American Institute of Professional Geologists, a "Recognised Professional Organisation" as defined by the Australasian Institute of Mining and Metallurgy (AusIMM). Mr Wilson is not an employee or related party of the Company. Mr. Wilson has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity he is undertaking to qualify as Competent Persons as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012)'. Mr. Wilson consents to the inclusion in the news release of the information in the form and context in which it appears

The Company is not aware of any new information or data that materially affects the information included in this release.

TABLE 2 - MIRAFLORES PROJECT RESOURCES AND RESERVES

The Miraflores Project Mineral Resource estimate has been estimated by Metal Mining Consultants in accordance with the JORC Code (2012 Edition) and first publicly reported on 14 March 2017. No material changes have occurred after the reporting of these resource estimates since their first reporting.

Miraflores Mineral Resource Estimate, as at 14 March 2017 (100% basis)

Resource Classification	Tonnes (000t)	Au (g/t)	Ag (g/t)	Contained Metal (Koz Au)	Contained Metal (Koz Ag)
Measured	2,958	2.98	2.49	283	237
Indicated	6,311	2.74	2.90	557	588
Measured & Indicated	9,269	2.82	2.77	840	826
Inferred	487	2.36	3.64	37	57

Notes:

i) Reported at a 1.2 g/t gold cut-off.

- ii) Mineral Resource estimated by Metal Mining Consultants Inc.
- iii) First publicly released on 14 March 2017. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Mineral Resource estimation.
- iv) These Mineral Resources are inclusive of the Mineral Reserves listed below.
- v) Rounding may result in minor discrepancies.

Miraflores Mineral Reserve Estimate, as at 27 November 2017 (100% basis)

The Miraflores Project Ore Reserve estimate has been estimated by Ausenco in accordance with the JORC Code (2012 Edition) and first publicly reported on 18 October 2017 and updated on 27 November 2017. No material changes have occurred after the reporting of these reserve estimates since their reporting in November 2017.

Reserve Classification	Tonnes (Mt)	Au (g/t)	Ag (g/t)	Contained Metal (Koz Au)	Contained Metal (Koz Ag)
Proved	1.70	2.75	2.20	150	120
Probable	2.62	3.64	3.13	307	264
Total	4.32	3.29	2.77	457	385

Notes:

- i) Rounding of numbers may result in minor computational errors, which are not deemed to be significant.
- ii) These Ore Reserves are included in the Mineral Resources listed in the Table above.
- iii) First publicly released on 27 November 2017. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Ore Reserve estimation.

Source: Ausenco, 2017

Dosquebradas Inferred Mineral Resource Estimate, as at 25 February 2020 (100% basis)

Cut-Off (g/t Au)	Tonnes ('000t)	Au (g/t)	Au (koz)	Ag (g/t)	Ag (koz)	Cu (%)	Cu (pounds)
0.3	57,794	0.50	920.8	0.6	1,036	0.04	56,767
0.4	34,593	0.60	664.1	0.6	683.8	0.05	38,428
0.5	20,206	0.71	459.1	0.7	431.7	0.06	24,867

Notes:

- i) No more than 6m internal waste is included in the weighted intervals
- ii) Inferred Mineral Resources shown using various cut offs.
- iii) Based on gold selling price of US\$1,470/oz.
- iv) Mineral Resource estimated by Resource Development Associates Inc.

First publicly released on 25 February 2020. No material change has occurred after that date that may affect the JORC Code (2012 Edition) Mineral Resource estimation.

Assay Results, Note: It is not anticipated that pending assays (blank cells) will alter the interpretation and commentary in this release

TS-DH40:

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1.30	0.29	0.235	272	5.51
1.30	2.50	0.21	0.207	196	6.09
2.50	4	0.43	0.358	236	8.89
4	6	0.47	0.545	241	10.9
6	8	0.14	0.42	194.5	5.11
8	10	0.31	0.633	294	5.76
10	12	0.78	0.697	423	4.06
12	14	0.31	0.565	318	5.18
14	16	0.22	0.826	154	15.5
16	18	0.2	0.764	160.5	10.1
18	19.10	0.22	0.738	187.5	10.7
19.10	20.50	0.42	5.08	478	28
20.50	22	0.39	2.6	826	20
22	23	0.32	2.36	1000	32.8
23	24.40	0.5	2.76	425	29.1
24.40	26	0.17	0.553	295	8.99
26	28	0.17	0.604	414	31.3
28	30	0.3	1.69	657	22.9
30	32	0.51	1.65	764	24.4
32	34	0.25	0.623	314	23
34	36	0.57	1.005	613	40.3
36	38	0.48	0.776	506	26.6
38	40	0.22	0.706	501	16.9
40	42	0.12	0.59	153	19.05
42	44	0.38	2.23	348	12.3
44	46	0.31	0.726	173	10.15
46	48	0.18	0.563	111.5	5.93
48	50	0.14	1.325	121	8.59
50	52	0.24	0.296	159.5	10.65
52	54	0.55	0.717	663	29.7
54	56	0.4	0.948	426	24.7
56	58	0.3	1.22	228	15.85
58	60	0.86	1.23	832	42.8
60	62	0.29	0.34	234	33.3
62	64	0.21	0.484	138.5	16.7
64	66	0.19	0.411	151.5	15.55
66	68	0.25	0.388	247	12.5
68	70	0.21	0.51	251	16.45
70	72	0.23	0.372	214	27.1
72	74	0.13	0.259	120.5	4.68
74	76	0.29	0.603	357	23

76	78	0.28	0.439	393	26.7
78	80	0.34	0.713	562	19.9
80	82	0.41	0.501	358	21.2
82	84	0.1	0.15	80.3	7.45
84	86	0.26	0.477	273	13.3
86	88	0.48	0.718	498	34.1
88	90	0.24	0.374	242	12.1
90	92	0.28	0.477	296	12.65
92	94	0.41	0.655	420	35.2
94	96	0.15	0.259	170.5	9.88
96	98	0.14	0.341	136.5	6.78
98	100	0.09	0.16	53.7	4.45
100	102	0.23	0.387	184	17.6
102	104	0.19	0.572	164.5	13.4
104	106	0.2	0.432	225	9.71
106	108	0.17	0.3	127	6.87
108	110	0.26	0.411	224	9.85
110	112	0.09	0.183	103.5	8.87
112	114	0.32	0.265	270	21.3
114	116	0.7	0.625	577	23.9
116	118	0.24	0.331	236	16.9
118	120	0.09	0.184	118	5.78
120	122	0.16	0.3	205	9.73
122	124	0.14	0.228	199	12.55
124	126	0.6	0.741	678	30.5
126	128	0.56	1.005	660	18.8
128	130	0.28	0.52	279	27.2
130	132	0.19	0.552	409	24.7
132	134	0.21	0.496	406	18.3
134	134.73	0.23	0.233	94.5	14.3
134.73	136	0.16	0.29	169.5	6.65
136	138	0.38	0.487	430	27.4
138	140	0.24	0.354	316	14.55
140	142	0.21	0.292	285	33.6
142	144	0.24	0.216	221	8.12
144	146	0.67	0.722	839	30.9
146	148	0.29	0.376	344	20.1
148	150	0.49	0.571	562	27.4
150	152	0.42	0.606	569	58
152	154	0.38	0.611	452	44.3
154	156	0.11	0.209	113	13.3
156	158	0.62	0.5	550	56.4
158	160	0.43	0.418	365	48.2
160	162	0.23	0.425	274	37.7
162	164	0.26	0.242	218	15.95
164	166	0.11	0.15	85.3	7.36
166	168	0.13	0.26	127.5	6.92
168	170	0.16	0.301	126	13

170	172	0.17	0.788	149.5	5.73
172	174	0.07	0.185	57.4	4.93
174	176	0.08	0.41	124.5	8.39
176	178	0.17	0.36	192.5	10.35
178	180	0.53	0.775	441	49.3
180	182	1.68	0.857	1130	124.5
182	184	0.46	0.344	427	31.8
184	186	0.33	0.266	279	22.8
186	188	0.14	0.194	99.5	4.78
188	190	0.1	0.155	77.4	6.22
190	192	0.39	0.258	289	25.4
192	194	0.25	0.143	150.5	6.61
194	196	1.73	1.225	2000	64.7
196	198	0.73	0.691	1035	18.4
198	200	0.36	0.337	439	19.05
200	202	0.1	0.136	121.5	5.03
202	204	0.6	0.737	940	40.3
204	206	0.22	0.378	306	25.3
206	208	0.48	0.475	539	19.6
208	210	0.56	0.937	837	40.7
210	212	0.7	0.492	690	34
212	213.65	0.61	0.416	581	31.4
213.65	214.6	0.4	0.668	188.5	17.1
214.6	216	0.14	0.166	90.3	5.72
216	218	0.18	0.134	94.9	3.75
218	220	0.26	0.236	125.5	7.43
220	222	0.17	0.162	87.4	7.83
222	224	0.18	0.14	106.5	13.1
224	226	0.59	0.355	197.5	18.6
226	227	0.33	0.206	144	10.4
227	228.15	0.24	0.145	100	12.3
228.15	229.8	0.22	0.326	151.5	12.7
229.8	231	0.46	0.161	148.5	10.2
231	232	0.33	0.246	181.5	14.55
232	234	0.32	0.491	250	11.15
234	235.2	0.26	0.414	123	19.25
235.2	236.5	0.23	0.883	90.5	19.75
236.5	238.3	0.34	0.606	125	21.7
238.3	240	0.31	0.293	140.5	19.7
240	242	0.65	0.321	177	15.2
242	244	1	0.555	334	14.95
244	245	0.3	0.262	122.5	13.15
245	246.6	0.22	0.271	119	12.7
246.6	248	0.46	2.94	208	18.15
248	250	0.42	2.26	114.5	11.6
250	252	0.22	0.873	123.5	13.9
252	254	0.29	2.72	152.5	15.35
254	255	0.35	0.571	123	5.53

255	256.4	0.32	0.652	113.5	8.41
256.4	258	0.34	0.588	118.5	8.82
258	260	0.43	0.532	126	9.48
260	262	0.19	0.387	63.8	5.9
262	264	0.18	0.729	79.6	6.06
264	266	0.05	0.135	37.2	1.52
266	268	0.05	0.114	51.9	3.02
268	270	0.06	0.104	43.9	1.37
270	272	0.07	0.171	34.2	3.8
272	274	0.8	0.829	403	25
274	276	0.7	0.625	239	14.6
276	278	0.36	0.883	119.5	8.01
278	280	0.21	0.391	81.8	8.16
280	282	0.21	0.434	120.5	12.35
282	284	0.17	0.277	101.5	10.15
284	286	0.11	0.191	55.9	4.59
286	287.8	0.11	0.209	73.8	12.6
287.8	289.8	0.2	0.346	92.9	10.5
289.8	291	0.11	0.421	116.5	13.5
291	292	0.11	0.184	76.1	12.2
292	294	0.15	0.256	95.3	6.99
294	296	0.15	0.365	75.3	15.65
296	297	0.13	0.269	62.5	22
297	298.6	0.15	0.248	95.3	16.8
298.6	299.8	0.18	0.515	151.5	21.5
299.8	300.95	0.12	0.434	60.7	5.21
300.95	302.1	0.03	0.188	29.8	1.08
302.1	304	0.09	0.321	49.6	2.39
304	305	0.07	0.335	65.8	2.14
305	306.65	0.09	0.421	50.6	1.47
306.65	307.5	0.06	0.364	5.23	0.33
307.5	309	0.04	0.179	4.31	0.23
309	310	0.01	0.105	4.38	0.34
310	311.9	0.02	0.263	1.84	0.66
311.9	313	0.02	0.498	3.83	0.58
313	314	0.03	0.327	1.74	1.12
314	316	0.02	0.219	1.72	0.53
316	318	0.02	0.444	2.08	0.42
318	320	0.02	0.428	1.7	0.39
320	322	0.02	0.215	2	0.38
322	324	0.02	0.288	2.1	0.49
324	326	0.01	0.102	2.78	0.48
326	328	0.01	0.065	3.73	0.19
328	330	0.01	0.114	1.91	0.47
330	332	0.01	0.11	1.51	1.03
332	334	0.01	0.121	4.18	0.41
334	336	0.01	0.133	5.15	0.25
336	338	0.01	0.146	5.64	0.46

338	340	0.03	0.259	3.9	0.51
340	342	0.02	0.169	5.13	0.79
342	344	0.01	0.108	4.36	0.48
344	346	0.04	0.081	4.65	0.45
346	347	0.03	0.093	2.41	0.17
347	348.74	0.06	0.236	2.31	0.79
348.74	350	0.05	0.146	6.65	1.33
350	352	0.06	0.191	6.75	4.57
352	354	0.04	0.107	2.76	5.97
354	355	0.03	0.12	2.35	3.64
355	356.9	0.06	0.1	2.74	3.79
356.9	358	0.11	0.116	27	1.26
358	360	0.13	0.11	56.4	0.63
360	362	0.1	0.096	47.7	0.92
362	363.7	0.06	0.193	64	1.33
363.7	365	0.05	0.081	10.95	0.46
365	366	0.07	0.069	12.55	0.34
366	368	0.05	0.202	9.66	0.69
368	369	0.06	0.18	19.7	1.54
369	370	0.06	0.07	12.95	1.43
370	372	0.15	0.146	63.3	1.76
372	374	0.03	0.066	6.74	0.33
374	376	0.03	0.088	5.65	0.29
376	378	0.08	0.119	40.2	2.43
378	379.3	0.13	0.129	88.5	4.08
379.3	381	0.09	0.499	60.7	23.3
381	382	0.14	0.165	94.5	58.2
382	384	0.34	0.168	127.5	12.5
384	386	0.19	0.828	227	5.82
386	387	0.29	6.18	31.3	3.88
387	388.8	0.19	0.598	174	7.62
388.8	390	0.17	0.377	140.5	3.3
390	392	0.28	0.262	126.5	2.37
392	394	0.13	0.251	100.5	1.57
394	396	0.09	0.089	15.9	0.67
396	398	0.08	0.167	20.8	1.03
398	400	0.05	0.107	15.7	0.42
400	402	0.03	0.094	4.93	0.45
402	404	0.03	0.132	22.7	0.37
404	406	0.02	0.074	17.25	0.61
406	408	0.12	0.272	113.5	1.74
408	410	0.06	0.17	64.8	5.3
410	412	0.07	0.215	101.5	3.45
412	414	0.03	0.067	22.7	0.45
414	416	0.03	0.125	15.75	0.4
416	418	0.08	0.229	75.3	3.89
418	420	0.25	0.274	88.6	179.5
420	422	0.26	0.336	195.5	27.9

422	424	0.16	0.166	83.1	4.51
424	426	0.16	0.257	111	6.33
426	428	0.08	0.138	57.7	4.95
428	430	0.04	0.094	19.35	0.45
430	432	0.07	0.208	82.7	33.5
432	434	0.07	0.209	74.6	2.96
434	436	0.06	0.191	72.4	4.25
436	438	0.13	0.352	94.8	5.62
438	440	0.2	0.834	265	22.9
440	442	0.3	0.994	358	33.6
442	443.4	0.33	0.537	241	25.5
443.4	445	0.24	0.528	211	32.2
445	446	0.16	0.481	204	14.1
446	448	0.23	0.394	133.5	22.3
448	450	0.31	0.431	114.5	14.75
450	452	0.36	0.362	170.5	29.8
452	454	0.45	0.345	238	18.3
454	456	0.25	0.386	139.5	18.7
456	458	0.31	0.55	203	18.55
458	460	0.28	0.976	261	17.35
460	462	0.32	1.825	307	19.7
462	464	0.31	0.708	316	14.35
464	466	0.15	0.38	211	3.52
466	468	0.13	0.339	181	5.32
468	470	0.08	0.304	148.5	4.81
470	472	0.09	0.283	153	7.21
472	474	0.22	0.281	165.5	3.28
474	476	0.37	0.497	275	20.1
476	478	0.3	0.463	290	29.4
478	480	1.74	2.36	1600	87.4
480	482	0.59	0.894	677	28
482	484	0.85	0.797	739	35
484	486	0.86	0.87	683	35.1
486	488	1.11	0.982	717	28.4
488	490	0.17	0.841	671	51.3
490	492	1.14	1.18	978	61.3
492	494	0.98	6.14	1445	169.5
494	496	0.46	0.719	463	28.3
496	498	1.09	1.33	896	59.6
498	500	0.14	0.401	135	46.3
500	502	0.17	0.395	124.5	7.73
502	504	0.11	0.199	99.1	3.64
504	506	0.06	0.127	32.5	0.73
506	508	0.1	0.088	51	2.71
508	510	0.05	0.181	116	12.9
510	512	0.11	0.134	78.4	3.54
512	514	0.08	0.126	86.8	18.55
514	516	0.08	0.186	56.1	5.95

516	518	0.13	0.241	109.5	17.05
518	520	0.08	0.057	18.7	1.44
520	522	0.06	0.161	33.9	0.39
522	524	0.07	0.125	35.9	4.99
524	526	0.06	0.253	8.61	17.45
526	528	0.05	0.101	4.42	6.05
528	530	0.06	0.102	33.2	0.25
530	532	0.06	0.077	21.7	1.69
532	534	0.07	0.104	42.2	5.87
534	536	0.1	0.09	39.9	0.29
536	538	0.09	0.155	43.6	0.49
538	540	0.05	0.073	14.15	3.79
540	542	0.06	0.054	4.85	0.64
542	544	0.06	0.072	5.17	1.5
544	546	0.01	0.112	37.1	0.5
546	548	0.46	0.15	57.1	1.12
548	550	0.15	0.074	38.3	0.34
550	552	0.27	0.136	70.8	0.84
552	554	0.17	0.08	20.5	1.11
554	556	0.09	0.082	11.05	0.99
556	558	0.17	0.165	25.4	0.7
558	560	0.21	0.109	30.8	0.18
560	562	0.19	0.137	25.9	0.42
562	564	0.09	0.108	16.75	0.21
564	566	0.1	0.154	24.5	0.17
566	568	0.14	0.179	21.3	0.57
568	570	0.1	0.185	39.8	0.3
570	572	0.09	0.14	29.4	0.23
572	574	0.05	0.105	10	0.32
574	576	0.06	0.191	18.75	0.38
576	578	0.03	0.103	8.25	1.23
578	580	0.03	0.102	10.25	0.48
580	582	0.05	0.19	24.5	0.43
582	584	0.07	0.225	20.4	0.64
584	586	0.05	0.196	9.06	1.02
586	588	0.04	0.261	13.15	0.38
588	590	0.04	0.083	21.1	0.49
590	592	0.03	0.109	13.5	0.89
592	594	0.03	0.067	9.89	0.38
594	596	0.03	0.085	10.55	0.44
596	598	0.05	0.107	15.7	0.76
598	600	0.03	0.601	13.2	1.86
600	602	0.02	0.075	4.33	0.19
602	604	0.04	0.154	16.7	0.33
604	606	0.03	0.075	13	0.12
606	607.9	0.03	0.067	15.05	0.2
	EOH				

TS-DH41

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.97	0.25	587	8.21
2	4	0.94	0.372	642	8.21
4	6	0.88	0.476	721	12.5
6	8	0.67	0.37	599	14.4
8	10	0.51	0.472	839	12.85
10	12	0.96	0.576	663	19.3
12	14	0.96	0.8	369	25.5
14	16	0.84	0.777	238	43.1
16	18	0.99	1.28	423	6.99
18	19	2.08	3.55	589	8.8
19	20.45	1.09	1.62	655	14.7
20.45	22	0.5	0.918	635	16.7
22	24	0.3	0.572	458	15
24	26	0.58	1.065	924	21.5
26	28	1.32	1.015	1100	47.9
28	30	0.66	0.646	569	52.9
30	32	0.28	0.297	275	39.7
32	34	0.43	0.508	469	23.5
34	36	0.47	0.607	530	51.2
36	38	0.6	0.561	647	38.4
38	40	0.38	0.491	482	23.1
40	42	0.44	0.526	545	23.7
42	44	0.52	0.966	715	95.6
44	46	0.4	0.839	515	43
46	48	0.45	1.01	507	37
48	50	0.64	1.145	633	41.6
50	52	0.79	1.25	913	68.3
52	54	0.23	0.342	252	18.7
54	56	0.47	0.542	501	35.5
56	58	0.28	0.467	220	15.35
58	60	0.48	0.501	579	39.8
60	62	0.7	0.649	752	50.2
62	64	0.46	0.506	528	27.4
64	66	1.04	1.045	990	75.5
66	68	0.41	0.562	526	21.1
68	70	0.81	1.275	965	56.6
70	72	0.82	0.945	915	24
72	74	0.43	0.544	428	21
74	76	2.05	1.725	2010	115.5
76	78	0.52	0.767	595	35.7
78	80	0.44	0.614	601	23.3
80	82	0.82	0.743	856	52.5
82	84	0.58	0.596	681	55
84	85	0.23	0.362	297	22.7
85	86.20	0.26	0.581	413	23

86.20	88	0.4	0.934	623	43
88	90	0.55	1.22	690	49.7
90	91.40	0.26	1.28	226	26.4
91.40	93	0.22	0.575	427	21.1
93	94	0.46	0.568	693	26.7
94	95.70	0.44	0.599	600	27.5
95.70	97	0.24	1.245	357	12.8
97	99	0.33	0.846	691	60.1
99	100	0.18	0.593	410	18.95
100	102	0.2	0.467	318	25.3
102	104	0.33	0.454	382	19.45
104	106	0.35	0.321	369	27.4
106	108	0.71	0.63	667	64.2
108	110	0.94	0.747	635	24.6
110	112	0.6	0.6	481	29
112	114	0.5	0.448	361	21
114	116	0.29	0.38	292	20.1
116	118	0.27	0.552	276	19.15
118	120	0.37	0.479	382	25.3
120	122	0.36	0.578	358	31.1
122	124	0.35	0.67	426	29.1
124	126	0.58	0.744	579	31
126	128	0.56	0.668	813	27.4
128	130	0.68	0.765	1140	55.1
130	132	0.75	0.903	958	80.6
132	134	1.18	1.05	1280	152
134	136	1.56	1.015	1370	133
136	138	1.68	1.015	1600	155
138	140	0.76	0.886	833	41.9
140	142	0.76	0.485	591	31.6
142	144	0.48	0.512	646	74.8
144	146	1.98	2.86	942	135
146	148	0.53	0.577	585	59.4
148	150	0.43	0.507	475	47.3
150	152	0.77	1.03	778	123
152	154	0.98	1.27	808	84.9
154	156	3.95	2.37	2240	181.5
156	158	1.11	0.891	801	61.7
158	160	3.11	1.625	1100	25.6
160	162	0.86	0.785	724	63.7
162	164	1.76	0.841	865	82.5
164	166	0.87	0.889	1030	185.5
166	168	0.4	0.629	505	62
168	170	0.84	0.808	609	36.1
170	172	0.76	0.72	616	66.7
172	174	0.46	0.58	458	48
174	176	0.82	0.492	594	42
176	178	0.6	0.565	720	38.1

178	180	1.34	1.155	1620	43.4
180	182	0.62	0.858	779	19.2
182	184	1.25	1.02	1320	50.2
184	186	0.62	0.948	1250	79.5
186	188	0.34	0.893	1300	59.2
188	190	0.71	1.26	1310	238
190	192	0.43	0.892	736	57
192	194	0.48	1.165	696	48.2
194	196	0.28	0.559	511	49.7
196	198	0.34	0.423	376	57.2
198	200	0.33	0.377	314	26.5
200	202	0.32	0.58	396	28.6
202	204	0.28	0.576	462	86.4
204	206	0.23	0.307	356	43.6
206	208	0.46	0.446	565	48
208	210	0.33	0.44	342	36
210	212	0.71	0.697	603	44.4
212	214	0.29	0.413	276	14.5
214	216	0.34	0.563	437	32.9
216	218	0.61	0.767	587	59.9
218	220	0.29	0.363	284	47.8
220	222	0.3	0.402	361	98.5
222	224	2.26	0.721	1410	48.8
224	226	0.99	0.686	983	122
226	228	0.43	0.681	614	80.1
228	230	0.47	0.658	685	66.6
230	232	0.56	0.623	739	41.9
232	234	0.76	0.825	1010	99.9
234	236	0.71	1.235	1020	98.3
236	238	0.56	0.691	724	53.8
238	240	0.36	0.538	505	47
240	242	0.54	0.572	676	55.2
242	244	0.59	0.559	885	51
244	246	0.44	0.331	542	47.8
246	248	0.57	0.58	697	98.8
248	250	0.25	0.245	349	26.1
250	252	0.28	0.28	414	41.7
252	254	0.42	0.572	627	43.3
254	256	0.4	0.326	571	128.5
256	258	0.69	0.47	841	42.8
258	260	0.41	0.335	528	49.7
260	262	0.4	0.413	453	51.2
262	264	0.41	0.273	426	41.9
264	266	0.53	0.413	578	49.3
266	268	0.4	0.331	455	97.8
268	270	0.24	0.203	231	40.6
270	272	0.37	0.345	384	45.3
272	274	0.4	0.397	419	42.1

274	275	0.63	0.655	570	50.8
275	276.50	0.51	0.483	508	73
276.50	278	0.37	0.467	36.9	1.68
278	280	0.28	0.442	34.4	1.27
280	282	0.22	0.35	25.3	1.01
282	284	0.26	0.411	33.5	1.27
284	286	0.22	0.435	168	3.6
286	288	0.29	0.486	241	10.75
288	289	1.34	1.41	1030	56.3
289	290.75	0.01	0.149	30.9	1.43
290.75	292	0.81	0.621	917	116.5
292	294	0.54	0.515	795	149
294	296	0.54	0.462	697	96.8
296	298	0.32	0.407	585	37.8
298	300	0.13	0.426	155	6.47
300	302	0.05	0.168	42	2.3
302	304	0.05	0.091	29.2	2.68
304	306	0.11	0.165	109	4.05
306	308	0.1	0.179	80.2	4.89
308	310	0.12	0.126	75.2	7.97
310	312	0.19	0.315	103	6.47
312	314	0.12	0.409	57	2.51
314	316	0.04	0.204	39.8	0.81
316	318	0.05	0.398	39.6	1.23
318	320	0.09	0.67	67.7	6.12
320	322	0.05	0.167	41.3	2.78
322	324	0.04	0.116	23	4.75
324	326	0.13	0.977	48.9	2.32
326	328	0.13	0.247	48.4	2.37
328	330	0.12	0.18	54.4	2.45
330	332	0.07	0.343	73.5	3.02
332	334	0.06	0.124	30.4	3.36
334	336	0.07	0.185	43.5	3.26
336	338	0.18	0.1	28.7	2.6
338	340	0.14	0.439	67.5	4.17
340	342	0.13	0.056	21.8	2.08
342	344	0.14	0.15	64.9	3.65
344	346	0.08	0.159	40.4	1.81
346	348	0.55	0.236	104	5.33
348	350	0.23	0.345	96.2	2.43
350	352	0.37	0.33	146	3.54
352	354	0.21	0.613	115	5.8
354	356	0.4	3.31	99.9	2.37
356	358	0.25	0.667	148	6.35
358	360	0.25	0.874	157	4.57
360	362	0.06	0.161	37	3.84
362	364	0.04	0.081	26.5	3.53
364	366	0.1	0.79	39	3.64

366	368	0.03	0.116	25	1.92
368	370	0.13	1.175	34.5	3.12
370	372	0.09	0.581	36.5	2.69
372	374	0.07	0.329	28.3	2.66
374	376	0.13	1.215	142	4.74
376	378	0.04	0.13	23	2
378	380	0.19	0.483	153	20.4
380	382	0.46	1.34	540	63.2
382	384	0.15	0.923	160	7.58
384	386	0.22	1.205	240	22.6
386	388	0.21	1.155	291	16
388	390	0.09	0.326	84.3	7.52
390	392	0.38	0.537	251	39.7
392	394	0.1	0.212	73.7	16.05
394	396	0.08	0.123	76	7.13
396	398	0.07	0.135	46.7	2.78
398	400	0.11	0.627	122	16.3
400	402	0.45	3.57	185	31.9
402	404	0.2	0.504	236	47.7
404	406	0.19	0.376	128	25.3
406	408	0.99	1.035	722	236
408	410	0.59	0.813	499	317
410	412	0.61	0.721	646	77.9
412	414	0.26	0.443	191	55.1
414	416	0.11	0.333	47.8	3.28
416	418	0.12	0.308	87	3.61
418	420	0.15	0.353	83.1	6.13
420	422	0.12	0.602	70.2	4.55
422	424	0.28	1.31	232	13.15
424	426	0.07	0.212	31.8	4.81
426	428	0.46	1.155	231	22.5
428	430	0.24	0.535	116	9.24
430	432	0.16	0.282	93.9	16.05
432	434	0.1	0.195	50.9	9.85
434	436	0.09	0.295	87.6	4.2
436	438	0.16	0.353	42	1.04
438	440	0.21	0.32	125	8.2
440	442	0.24	0.36	186	7.25
442	444	0.2	0.446	65.9	9.39
444	446	0.15	0.204	61.2	3.17
446	448	0.13	0.403	43.7	1.24
448	450	0.06	0.263	25.3	0.36
450	452	0.1	4.94	74.4	5.41
452	454	0.03	0.1	16.3	0.54
454	455.70	0.05	0.117	21	1.15

EOH

TS-DH42

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.19	8.45	121.5	6.25
2	4	0.07	0.759	179	4.81
4	6	0.02	0.12	159	1.67
6	7	0.3	0.45	333	4.21
7	8	0.35	0.224	472	16.35
8	10	0.39	0.47	424	12.9
10	12	0.53	0.386	663	8.53
12	14	0.82	0.351	748	6.85
14	14.50	0.87	0.363	710	6.41
14.50	16.25	0.33	0.451	836	8.3
16.25	18	0.66	0.308	633	7.45
18	19.29	0.7	0.539	492	32.2
19.29	21	0.37	0.358	312	99.4
21	22	0.29	0.35	347	81.3
22	24	0.59	0.453	389	88
24	26	0.83	0.413	390	82.6
26	28	0.5	0.411	413	34.9
28	30	0.98	0.85	752	74.3
30	32	0.7	0.419	376	57.3
32	34	0.48	0.407	381	40.2
34	36	0.71	0.618	667	57.7
36	38	0.34	0.335	349	23
38	40	0.45	0.405	297	22.5
40	41	0.34	0.262	270	28.3
41	42.1	0.47	0.244	158.5	34.6
42.1	44	0.42	0.412	261	26.9
44	45	0.8	0.774	727	54.1
45	46.3	0.84	0.553	485	54.9
46.3	48.00	0.94	0.732	1055	74
48.00	50	0.64	0.412	518	62.6
50	52	0.81	0.357	505	57.2
52	54	0.54	0.354	321	72.1
54	56	0.66	0.408	457	43.7
56	58	0.35	0.263	301	31
58	60	0.57	0.374	496	86.7
60	62	0.64	0.571	720	51.4
62	64	0.71	0.646	614	55.3
64	66	0.65	0.671	720	57.3
66	68	0.65	0.611	715	46.1
68	70	0.8	0.523	725	48.2
70	72	1.07	0.929	1250	78.7
72	74	1.01	1.08	1155	73.4
74	76	1.78	1.45	2110	165
76	78	0.94	0.668	932	72.2
78	80	0.25	0.288	391	41

80	81	0.41	0.499	666	78.5
81	82.70	0.66	0.594	842	71.5
82.70	83.70	0.81	0.931	896	118
83.7	85	0.78	0.615	513	33.2
85	86	1.54	1.58	1690	143.5
86	88	0.71	0.767	826	98.5
88	90	0.34	0.495	763	63.5
90	92	0.4	0.439	653	37.3
92	94	0.2	0.204	258	18.1
94	96	0.32	0.364	483	58.5
96	98	0.21	0.244	351	42.4
98	100	0.16	0.158	185	17.3
100	102	0.18	0.231	271	23.6
102	104	0.24	0.233	228	113
104	105	0.12	0.167	110	36.8
105	106.20	0.17	0.157	241	59.7
106.2	107.4	0.22	0.261	668	25.1
107.4	108.5	0.33	0.214	456	19.7
108.5	109.7	0.28	0.285	243	29.6
109.7	111	0.29	0.328	456	32.3
111	112	0.5	0.492	736	74.4
112	114	1.95	0.771	1320	878
114	116	0.52	0.666	657	74
116	117	0.48	0.543	805	61.7
117	118	1.54	1.42	4450	484
118	119.8	1.38	1.745	3480	211
119.8	121	0.32	0.455	743	129.5
121	122	0.49	0.69	1060	53.5
122	124	0.53	0.893	1290	75.2
124	126	0.72	0.76	916	90.8
126	128	0.96	0.854	1060	149.5
128	130	1.24	0.877	1080	62
130	132	0.94	0.916	1080	112
132	133	0.79	0.97	1230	161.5
133	134.5	0.42	0.698	539	51
134.5	135.4	0.9	1.025	925	110.5
135.4	137	0.06	0.213	52.2	2.18
137	138	0.12	0.295	58.3	4.08
138	140	0.13	0.327	36.3	1.68
140	142	0.05	0.216	37.1	1.03
142	143	0.04	0.225	31	1.18
143	144.9	0.09	0.414	47.9	1.18
144.9	145.6	0.26	0.827	81.9	1.33
145.6	147	0.2	0.687	79	1.16
147	148	0.16	0.368	51.5	6.06
148	149.4	0.18	0.205	92.3	16.05
149.4	151	0.62			
151	152	0.3			

152	154	0.43			
154	156	0.95			
156	158	0.64			
158	160	0.61			
160	162	0.46			
162	164	0.45			
164	166	0.39			
166	168	0.45			
168	170	0.65			
170	171.75	0.53			
171.75	172.6	1.65			
172.6	174	0.39			
174	176	0.26	0.388	423	15.2
176	178	0.89	0.987	987	186.5
178	180	0.61	0.886	888	42.5
180	182	0.62	0.841	908	50.5
182	184	1.39	1.56	1425	49.4
184	186	0.7	0.772	737	77.9
186	188	0.83	0.788	884	36.6
188	190	0.4	0.488	538	29.6
190	192	0.91	0.764	930	55.5
192	194	0.66	0.657	718	25.8
194	196	1.25	0.984	1110	25
196	198	0.75	1.19	1125	28.5
198	200	0.41	0.495	563	16.25
200	202	0.2	0.413	355	11.1
202	204	0.19	0.498	395	11.25
204	205.55	0.27	0.49	569	13.7
205.55	207.3	0.05	0.232	128.5	0.68
207.3	209	0.02	0.407	220	2.68
209	210	0.03	0.648	707	1.14
210	210.8	0.01	0.597	340	0.42
210.8	212	0.14	3.78	204	1.52
212	214	0.02	0.3	120.5	0.2
214	216	0.06	3.43	118.5	0.36
216	218	0.05	0.48	38.9	0.25
218	220	0.02	0.29	49.7	0.21
220	222	0.01	0.588	106.5	0.4
222	224	<0.01	0.177	120	0.21
224	226	0.02	0.295	92.6	0.16
226	228	<0.01	0.217	117.5	0.17
228	230	0.01	0.5	290	0.17
230	232	0.06	0.362	126	0.2
232	234	<0.01	3.92	69.1	0.29
234	236	<0.01	0.661	44.1	0.21
236	238	0.15	0.789	120	0.26
238	240	0.21	0.895	67.6	0.28
240	242	0.12	0.668	158	0.21

242	243.5	0.05	1.535	21.1	0.12
243.5	245.5	0.02	0.854	102	2.39
245.5	246.5	0.03	0.239	92.1	3.31
246.5	247.7	0.03	1.12	52.6	1.33
247.7	249	0.03	0.143	14.8	0.56
249	250	0.04	0.051	3.81	1.01
250	252	0.13	0.065	4.22	1.12
252	254	0.01	0.053	6.59	0.47
254	256	0.04	0.043	10.45	0.27
256	258	<0.01	0.044	36.2	0.44
258	260	<0.01	0.163	70.8	1.34
260	261.05	0.02	0.139	58.2	0.45
261.05	263	0.37	0.494	341	5.52
263	264	0.38	0.68	503	9.25
264	266	0.33	0.666	449	14.85
266	268	0.37	0.687	482	9.81
268	270	0.69	0.657	548	20
270	272	0.93	1.11	887	33.3
272	274	0.18	0.663	459	18.25
274	276	0.28	0.436	360	16.4
276	278	1.7	0.716	624	25
278	280	0.22	0.425	285	19.05
280	282	0.42	0.626	451	23.1
282	284	0.32	0.37	362	31.5
284	286	0.19	0.567	261	15.8
286	288	0.42	0.484	424	23.2
288	290	0.31	0.558	515	23.8
290	292	0.54	0.486	523	12.3
292	294	0.42	0.503	356	30.8
294	296	0.43	0.647	483	32.3
296	298	0.09	0.258	174.5	11.75
298	299.40	0.09	0.217	186	10.85
299.40	301	0.04	0.237	119	1.63
301	302	0.01	0.179	53.5	0.21
302	304	<0.01	0.204	47.9	0.16
304	306	<0.01	0.136	80.7	0.18
306	308	<0.01	0.159	112.5	0.15
308	310	0.01	0.107	80	0.18
310	312	0.01	0.225	133.5	0.18
312	314	0.01	0.204	157	0.21
314	316	0.01	0.357	90.9	0.31
316	318	0.01			
318	320	0.01			
320	322	0.01			
322	324	<0.01			
324	326	0.01			
326	328	0.01			
328	329.30	0.01			

329.30	330.50	0.01			
330.50	331.82	0.01			
331.82	333	0.01			
333	334	0.01			
334	336	0.01			
336	338	0.01			
338	340	0.01			
340	341.60	0.01			

EOH

TS-DH43

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.23	1.4	251	6.6
2	4	0.63	0.1	239	12
4	6	0.74	0.1	285	11
6	8	0.31	0.2	567	13
8	10	0.74	0.4	660	6.5
10	12	0.53	0.6	636	9.3
12	14	0.42	0.6	637	9.4
14	16	0.65	0.5	580	8.8
16	17.8	0.39	0.5	478	2.4
17.80	19	0.58	0.8	558	6.9
19	20	0.41	0.5	509	11
20	22	0.4	0.4	462	8.2
22	24	0.19	0.3	289	7
24	26	0.23	0.3	316	5.7
26	28	0.59	0.5	672	9.4
28	30	0.36	0.4	569	10
30	32	0.55	0.6	801	21
32	34	0.37	0.4	401	11
34	36	0.75	0.4	681	41
36	38	0.45	0.5	756	163
38	40	0.31	0.4	438	55
40	42	0.71	0.4	628	13
42	44	1.21	0.8	1585	52
44	45	1.4	1.3	2660	207
45	46.3	1.62	2	3420	61
46.30	48	0.7	0.7	948	35
48	50	0.57	0.4	644	19
50	52	0.69	0.4	694	16
52	53.8	0.68	0.8	618	78
53.80	55	0.82	0.6	868	34
55	57	0.82	0.6	779	23
57	58	0.9	0.8	846	24
58	60	1.11	0.6	835	15
60	62	1.73	0.9	1300	24

62	64	1.2	0.7	776	12
64	66	1.46	1.2	951	18
66	68	1.03	0.8	713	15
68	70	5.39	1	949	20
70	72	1	0.6	606	24
72	74	0.52	0.4	520	17
74	76	1	0.6	930	18
76	78	0.86	0.9	664	24
78	79.7	1.02	0.6	817	21
79.7	81	3.52	2.1	2910	609
81	82	2.13	1	1540	122
82	84	1.01	0.5	456	32
84	86	0.67	0.4	364	35
86	88	1.58	0.3	381	28
88	90	0.44	0.4	405	29
90	92	0.49	0.5	476	32
92	94	0.49	0.6	486	32
94	96	0.31	0.9	475	26
96	98	0.28	0.5	442	16
98	100	0.51	0.7	650	8.7
100	102	0.42	0.5	525	9.9
102	104	0.51	0.5	624	20
104	106	0.39	0.5	405	85
106	108	0.59	0.9	755	7.5
108	110	0.43	0.6	438	3.6
110	112	0.63	0.9	664	3.2
112	114	0.72	1	595	1.6
114	116	0.81	1.1	669	3.2
116	116.5	0.43	0.8	350	5.1
116.5	118	1.38	1.1	927	13
118	120	1.43	0.9	840	9
120	122	0.17	0.6	276	4.2
122	123.2	0.42	0.6	513	37
123.2	124.75	0.04	0.1	34.6	0.9
124.75	125.65	0.44	0.4	420	9.6
125.65	127	0.21	0.3	259	6.3
127	128.45	0.13	0.2	248	12
128.45	130	0.19	0.2	245	4.9
130	130.95	0.11	0.3	199	3.7
130.95	132	0.02	0.2	30.6	0.5
132	134	0.05	0.2	93.3	2
134	136	0.01	0.1	12.2	0.4
136	138	0.02	0.1	42.7	2
138	140	0.02	0.1	46.6	2.5
140	142	0.01	0.1	22.9	1.1
142	144	0.01	0.2	29	0.7
144	146	0.05	0.2	44.5	1
146	147	0.16	0.4	80.2	1.6

147	148.45	0.01	0.2	43.7	1.1
148.45	150	0.09	0.4	180	2.8
150	152	0.11	0.7	190	4.6
152	154	0.17	0.7	264	9.3
154	156	0.43	0.4	467	14
156	158	0.44	0.6	613	16
158	159.25	0.24	0.5	471	15
159.25	161	0.34	0.7	496	28
161	162	0.27	0.6	359	25
162	164	0.18	0.7	343	18
164	166	0.11	0.2	172	3.7
166	168	0.1	0.2	132	18
168	170	0.16	0.3	194	3.4
170	172	0.02	0.1	15.9	1.7
172	174	0.01	0.1	35.8	0.7
174	176	0.01	0	31.6	0.9
176	178	0.03	0.2	168	4.4
178	180	0.02	0.1	5.71	3.4
180	182	0.02	0.1	96.5	0.6
182	184	0.04	0.1	36	3.1
184	186	0.02	0.7	121	4.8
186	188	0.01	0	76.6	1.2
188	189	0.01	0.1	178	1.5
189	189.6	0.01	0.1	312	0.3

EOH

TS-DH44

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.39	0.241	239	5.92
1	2	0.54	0.166	231	13.9
2	4	0.21	0.267	187	9.3
4	6	0.4	0.117	238	16.2
6	8	0.17	0.211	321	4.1
8	10	0.51	0.367	312	1.3
10	12	0.96	0.367	386	1.76
12	14	0.44	0.5	470	4.47
14	16	0.45	3.88	302	12.9
16	18	0.82	0.769	217	13.15
18	19.2	0.18	0.47	202	7.13
19.2	21	0.15	0.347	195	12.35
21	22	0.22	0.725	415	18.8
22	24	0.41	1.21	579	50.7
24	26	0.27	0.644	451	19.5
26	28	0.22	0.397	246	16.05
28	30	0.24	0.473	300	17.25
30	32	0.2	0.999	360	28.6

32	34	0.32	0.422	271	13.15
34	36	0.61	0.731	664	50.6
36	38	0.32	0.516	370	22.8
38	40	0.21	0.478	234	9.91
40	42	0.3	1.02	375	17.05
42	43.3	0.39	3.19	745	26.2
43.30	45	0.52	1.36	666	21.9
45	47	0.52	0.929	506	53
47	49	0.68	1.065	707	49.3
49	50.80	0.52	0.711	558	54.6
50.80	52	0.19	0.246	134.5	13.95
52	54	0.38	0.701	430	38.1
54	56	0.33	0.69	336	22.3
56	58	0.29	0.38	186	20.5
58	60	0.31	0.367	177	14.15
60	62	0.36	0.44	194	23
62	64	0.1	0.232	108.5	7.66
64	66	0.18	0.316	161.5	8.65
66	68	0.53	0.628	327	13.5
68	70	0.14	0.199	89.8	9.4
70	72	0.21	0.25	169	10.3
72	74	0.23	0.29	242	8.73
74	76	0.48	0.457	406	31
76	78	0.11	0.161	90.4	6.03
78	80	0.49	0.556	385	22.2
80	82	0.63	0.836	611	38.3
82	84	0.31	0.541	377	39.3
84	86	0.28	0.551	320	24.6
86	88	0.25	0.293	203	15.6
88	90	0.27	0.272	191.5	15.3
90	92	0.33	0.588	246	21
92	94	0.44	0.37	292	16.9
94	96	0.76	0.621	533	75
96	98	0.21	0.16	100.5	9.8
98	100	0.12	0.223	126	15.3
100	102	0.4	0.225	124.5	7.25
102	104	0.25	0.28	188.5	39.5
104	106	0.45	0.587	494	38.3
106	108	0.22	0.284	217	17.4
108	110	0.15	0.258	141.5	16.7
110	112	0.14	0.318	180	8.39
112	114	0.48	0.761	428	40.5
114	116	0.36	0.596	394	18.95
116	118	0.12	0.314	135.5	16.05
118	120	0.21	1.275	250	27.5
120	122	0.2	0.479	183	25.5
122	124	0.18	0.572	246	24.2
124	126	0.45	0.8	506	69.8

126	128	0.41	0.736	480	34.9
128	129	0.21	0.443	286	15.5
129	131	0.38	0.896	393	37.9
131	132	0.52	1.18	561	18.05
132	134	0.36	0.747	387	19.8
134	136	0.34	1.03	446	42.3
136	138	0.58	1.435	613	41.8
138	140	0.32	2.26	330	20.8
140	142	0.31	0.526	297	8.95
142	144	0.49	0.588	453	22.7
144	146	0.53	1.08	590	74.8
146	148	0.53	0.921	508	42.6
148	150	0.32	0.876	284	17
150	152	0.39	0.878	415	30
152	154	0.3			
154	156	0.2			
156	158	0.25			
158	160	0.31			
160	162	0.66			
162	164	0.37			
164	166	0.44			
166	168	0.5			
168	170	0.38			
170	172	0.69			
172	173	0.52			
173	174.60	0.4			
174.60	176.60	0.19			
176.60	178	0.08			
178	180	0.07			
180	182	0.1			
182	184	0.04			
184	186	0.07			
186	188	0.04			
188	190	0.2			
190	192	0.12			
192	194	0.01			
194	196	0.03			
196	198	0.05			
198	200	0.01			
200	202	0.01			
202	204	0.02			
204	206	0.02			
206	208	0.01			
208	210	0.02			
210	212	<0.01			
212	214	0.02			
214	216	0.01			
216	218	0.01			

218	220	<0.01			
220	222	<0.01			
222	224	<0.01			
224	226	0.01			
226	228	0.01			
228	230	<0.01			
230	232	<0.01			
232	234	<0.01			
234	236	<0.01			
236	238	0.01			
238	240	0.01			
240	242	<0.01			
242	244	0.01			
244	246	0.01			
246	248	0.01			
248	250	0.01			
250	252	0.01			
252	254	0.01			
254	256	0.01			
256	258	<0.01			
258	260	0.01			
260	262	<0.01			
262	264	<0.01			
264	266	<0.01			
266	268	0.01			
268	270	<0.01			
270	271.60	<0.01			
271.60	272.60	<0.01			
272.60	273.60	<0.01			
273.60	274.70	0.05			
274.70	275.60	0.18			
275.60	277	0.02			
277	278	<0.01			
278	280	0.02			
280	282	0.01			
282	284	0.01			
284	286	0.01			
286	288	0.02			
288	290	0.01			
290	292	0.01			
292	294	<0.01			
294	296	<0.01			
296	298	<0.01			
298	300	0.02			
300	302	0.02			
302	304	0.02			
304	305.70	0.01			
305.70	307	0.03			

307	308.80	0.06			
308.80	310	0.01			
310	312	0.02			
312	314	0.09			
314	316	0.09			
316	317.50	0.11			
317.50	319	0.06			
319	320	0.03			
320	322	0.07			
322	324	0.03			
324	326	<0.01			
326	328	0.01			
328	330	0.02			
330	332	0.06			
332	334	0.02			
334	336	0.01			
336	338	0.02			
338	340	0.06			
340	342	0.02			
342	344	0.01			
344	346	0.03			
346	348	0.02			
348	350	<0.01			
350	352	<0.01			
352	354	0.01			
354	356	0.01			
356	358	<0.01			
358	360	0.04			
360	361.35	0.16			
361.35	362.90	0.18			
362.90	363.95	0.11			
363.95	365	0.08			
365	366	0.02			
366	368	0.02			
368	370	0.06			
370	372	0.01			
372	374	0.11			
374	376	0.12			
376	378	0.06			
378	380	0.04			
380	382	0.04			
382	384	0.03			
384	386	0.01			
386	388	<0.01			
388	390	<0.01			
390	392	0.01			
392	394	0.01			
394	396	0.01			

396	398	0.01			
398	400	0.01			
400	402	0.01			
402	404	<0.01			
404	406	<0.01			
406	408	<0.01			
408	410	0.01			
410	412	0.01			
412	414	<0.01			
414	416	<0.01			
416	418	<0.01			
418	420	<0.01			
420	422	<0.01			
422	424	<0.01			
424	426	<0.01			
426	428	<0.01			
428	430	<0.01			
430	432	<0.01			
432	434	<0.01			
434	436	0.01			
436	438	0.01			
438	440	0.01			
440	442	0.01			
442	443.45	0.06			
443.45	445	0.04			
445	446	0.01			
446	448	<0.01			
448	450	<0.01			
450	452	<0.01			
452	454	<0.01			
454	456	<0.01			
456	458	<0.01			
458	460	<0.01			
460	462	<0.01			
462	464	<0.01			
464	466	<0.01			
466	468	<0.01			
468	470	0.01			
470	472	<0.01			
472	474	<0.01			
474	476	0.01			
476	478	<0.01			
478	480	<0.01			
480	482	<0.01			
482	484	<0.01			
484	486	0.01			
486	488	<0.01			
488	490	<0.01			

490	492	0.01			
492	494	<0.01			
494	496	<0.01			
496	498	<0.01			
498	500	<0.01			
500	502	<0.01			
502	504	<0.01			
504	506	0.01			
506	508	<0.01			
508	510	<0.01			
510	512	<0.01			
512	514	<0.01			
514	516	<0.01			
516	518	<0.01			
518	520	<0.01			
520	522	<0.01			
522	524	<0.01			
524	525.90	<0.01			
525.90	527	0.02			
527	528	0.01			
528	530	<0.01			
530	532	<0.01			
532	534	<0.01			
534	536	<0.01			
536	538	0.01			
538	540	<0.01			
540	542	<0.01			
542	544	<0.01			
544	546	<0.01			
546	548	<0.01			
548	550	<0.01			
550	552	<0.01			
552	554	<0.01			
554	556	<0.01			
556	558	<0.01			
558	560	0.01			
560	562	0.01			
562	564	0.01			
564	566	0.01			
566	568	<0.01			
568	570	<0.01			
570	572	<0.01			
572	574	<0.01			
574	576	0.05			
576	578	<0.01			
578	580	<0.01			
580	582	<0.01			
582	584	<0.01			

584	586	<0.01			
586	588	<0.01			
588	590	<0.01			
590	592	<0.01			
592	594	<0.01			
594	596	<0.01			
596	598	<0.01			
598	600	<0.01			
600	602	0.01			
602	604	<0.01			
604	606	0.01			
606	608	<0.01			
608	610	<0.01			
610	612	<0.01			
612	614	0.01			
614	616	<0.01			
616	618	<0.01			
618	620	<0.01			
620	622	<0.01			
622	624	<0.01			
624	626	<0.01			
626	628	<0.01			
628	630	<0.01			
630	632	<0.01			
632	634	<0.01			
634	636	<0.01			
636	638	<0.01			
638	640	<0.01			
640	642	<0.01			
642	644	<0.01			
644	646	<0.01			
646	648	<0.01			
648	650	0.01			
650	652	0.01			
652	654	<0.01			
654	656	<0.01			
656	658	<0.01			
658	660	<0.01			
660	662	<0.01			
662	664	<0.01			
664	666	<0.01			
666	668	<0.01			
668	670	<0.01			
670	672	<0.01			
672	674	0.01			
674	676	<0.01			
676	678	0.01			
678	680	<0.01			

680	682	<0.01			
682	684	<0.01			
684	686	0.01			
686	688	<0.01			
688	690	<0.01			
690	692	0.01			
692	694	<0.01			
694	696	<0.01			
696	698	<0.01			
698	700	<0.01			
700	701	<0.01			

EOH

TS-DH45

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.22			
1	2.20	0.18			
2.20	4	0.3			
4	6	0.33			
6	8	0.47			
8	10	1.34			
10	12	1.81			
12	13	0.33			
13	14	0.4			
14	15.70	0.19			
15.70	17	0.16			
17	18	0.17			
18	20	0.25			
20	22	0.42			
22	24	0.35			
24	26	0.34			
26	28	0.34			
28	30	0.34			
30	32	0.41			
32	34	0.14			
34	36	0.1			
36	38	0.21			
38	40	0.31			
40	42	0.44			
42	44	0.68			
44	46	0.5			
46	48	0.68			
48	50	1.23			
50	52	1			
52	54	1.18			
54	56	0.73			

56	58	0.98			
58	60	1.45			
60	62	5.12			
62	64	1.24			
64	66	2.2			
66	68	0.61			
68	70	0.47			
70	72	0.62			
72	74	0.72			
74	75	0.65			
75	77	2.11			
77	78	0.75			
78	80	0.97			
80	82	1.05			
82	84	1.09			
84	85.70	1.04			
85.70	86.20	1.58			
86.20	88	1.77			
88	89	2.03			
89	90	1.4			
90	92	0.84			
92	94	0.82			
94	96	0.62			
96	98	0.59			
98	100	0.96			
100	101	1.38			
101	102.50	1.86			
102.50	103.30	0.85			
103.30	104	0.49			
104	106	1.47			
106	108	0.91			
108	109	0.38			
109	110.50	0.68			
110.50	112	0.42			
112	114	0.34			
114	116	0.37			
116	118	0.21			
118	120	0.23			
120	122	0.8			
122	123.90	0.26			
123.90	125	0.38			
125	126	0.3			
126	128	0.11			
128	130	0.11			
130	132	0.24			
132	134	0.21			
134	136	0.24			
136	138	0.34			

138	140	0.07			
140	142	0.04			
142	144	0.05			
144	146	0.06			
146	148	0.06			
148	150	0.02			
150	152	0.005			
152	154	0.01			
154	156	0.01			
156	158	0.02			
158	160	0.02			
160	162	0.02			
162	164	0.03			
164	166	0.03			
166	168	0.01			
168	170	0.01			
170	172	0.01			
172	174	0.1			
174	176	0.03			
176	178	0.03			
178	180	0.02			
180	182	0.01			
182	184	0.02			
184	186	0.01			
186	187.10	0.02			

EOH

TS-DH46

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.1			
1	2.3	0.1			
2.3	4	0.9			
4	6	1			
6	8	0.7			
8	10	1.6			
10	12	0.8			
12	13	0.3			
13	14.6	0.6			
14.6	16	1			
16	18	0.9			
18	20	2.2			
20	22	1.2			
22	24	0.6			
24	26	0.8			
26	28	1.1			
28	30	1.5	2	1720	113
30	32	1	1.4	884	93

32	34	1.9	1.1	1120	92
34	36	1	1	872	64
36	38	1.5	1.3	1390	94
38	40	0.7	0.8	878	45
40	42	0.9	0.9	907	37
42	44	0.7	0.9	941	33
44	46	0.6	0.7	892	28
46	48	1.2	1.3	1590	36
48	50	1.4	1	1130	32
50	52	0.7	0.8	683	41
52	54	0.5	0.9	615	25
54	56	0.4	0.7	578	29
56	58	0.5	0.6	580	36
58	60	0.7	1.3	794	36
60	62	0.6	1	762	34
62	64	0.8	1.4	1020	39
64	66	0.7	1.6	958	39
66	67.6	2.9	3	1180	82
67.60	69	0.1	0.4	94.9	6.1
69	70	0.1	0.3	62.4	3.3
70	72	0			
72	74	0.1	0.4	76	6.7
74	76	0	0.3	51.4	2.2
76	78	0	0.2	43.9	3.1
78	80	0			
80	82	0.1			
82	84	0.1			
84	86	0			
86	88	0			
88	89	0			
89	90.90	0.1	0.3	47.6	1.6
90.90	92	0.4	0.9	684	19
92	94	0.6	0.7	499	26
94	96	0.4	1.3	773	24
96	98	0.8	1	1125	45
98	100	0.4	0.6	511	36
100	102	0.4			
102	104	0.7			
104	106	0.5			
106	108	0.8			
108	110	1.2			
110	112	0.7			
112	114	0.7			
114	116	0.6			
116	118	0.5			
118	120	1.2			
120	122	1			
122	124	0.9			

124	126	1.2			
126	128	1			
128	130	0.6			
130	132	0.7			
132	134	0.9			
134	136	0.5			
136	138	0.9			
138	140	0.8			
140	142	0.3			
142	144	0.6			
144	146	0.2			
146	148	0.2			
148	149	0.2			
149	150.73	0.3			
150.73	151.35	0.3			
151.35	153	0.3			
153	154	1.8			
154	156	0.1			
156	158	0.3			
158	160	0			
160	162	0			
162	164	0			
164	165	0			
165	166.85	0			
166.85	168	0.6			
168	169.30	0.7			
169.30	171	1.3			
171	172	0.3			
172	174	0			
174	176	0			
176	178	0			
178	180	0.1			
180	182	0			
182	184	0			
184	186	0			
186	188	0			
188	190	0			
190	192	0			
192	194	0			
194	196	0			
196	198	0			
198	200	0			
200	202	0			
202	204	0			
204	206	0			
206	208	0			
208	210	0			
210	212	0			

212	214	0			
214	216	0			
216	218	0			
218	220	0			
220	222	0			
222	224	0			
224	226	0			
226	228	0			
228	230	0			
230	232	0			
232	234	0			
234	236	0			
236	238	0			
238	240	0			
240	242	0			
242	244	0			
244	246	0			
246	248	0.1			
248	249	0			
249	250.10	0.1			
250.10	252	0			
252	254	0			
254	256	0			
256	258	0			
258	259.50	0			

EOH

TS-DH51

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	2	0.04			
2	4	0.09			
4	5	0.49			
5	6	0.81			
6	8	0.74			
8	10	0.43			
10	12	0.43			
12	14	0.46			
14	16	0.46			
16	18	0.28			
18	20	0.22			
20	22	0.2			
22	23	0.49			
23	24.80	0.41			
24.80	26	0.62			
26	28	0.28			
28	30	0.44			

30	32	0.48			
32	34	0.42			
34	36	1.09			
36	38	0.94			
38	39	0.51			
39	40.20	0.64			
40.20	42	0.75			
42	44	2.25			
44	46	1.52			
46	47	0.49			
47	48.50	1			
48.50	50	0.65			
50	52	2.11			
52	54	1.65			
54	56	0.42			
56	58	0.32			
58	60	0.37			
60	62	0.29			
62	64	0.47			
64	66	1.17			
66	68	0.55			
68	70	0.52			
70	72	0.63			
72	74	0.59			
74	76	0.78			
76	78	0.56			
78	80	0.83			
80	82	1			
82	84	3.59			
84	86	0.86			
86	88	1.03			
88	90	0.88			
90	92	0.74			
92	93.75	1.13			
93.75	95	0.45			
95	96	1.21			
96	98	0.96			
98	99.90	1.31			
99.90	101	1			
101	102	1.36			
102	104	0.95			
104	106	1.08			
106	108	1.23			
108	110	1.69			
110	112	1.92			
112	114	1.62			
114	116	0.92			
116	118	1.43			

118	120	1.94			
120	122	1.49			
122	124	0.94			
124	126	1.23			
126	128	0.87			
128	130	0.79			
130	132	0.93			
132	134	0.69			
134	136	0.78			
136	138	0.59			
138	140	0.6			
140	142	1.27			
142	144	0.95			
144	146	0.49			
146	148	0.9			
148	149	1.7			
149	150.45	0.5			
150.45	152	0.16			
152	154	0.24			
154	156	0.34			
156	157.75	0.06			
157.75	158.75	0.48			
158.75	160	0.1			
160	162	0.14			
162	164	0.5			
164	165	0.24			
165	166.20	0.28			
166.20	168	1.6			
168	170	1.2			
170	172	1.3			
172	174	0.69			
174	176	1.03			
176	178	0.77			
178	180	0.71			
180	182	1.16			
182	184	0.88			
184	186	0.88			
186	187	0.85			
187	188.10	0.92			
188.10	190	0.79			
190	192	0.87			
192	194	0.47			
194	196	0.44			
196	198	0.54			
198	200	0.58			
200	202	0.51			
202	204	0.64			
204	206	0.62			

206	208	0.32			
208	209	0.38			
209	210.25	0.56			
210.25	212	0.31			
212	213.60	0.03			
213.60	215	0.03			
215	216	0.05			
216	217.90				
217.90	219	0.01			
219	220	0.01			
220	222	0.01			
222	224	0.01			
224	226	0.01			
226	228	0.01			
228	230	0.01			
230	232	0.01			
232	233	0.01			
233	234.3	0.01			

EOH

TS-DH37 (corrected values)

From (m)	To (m)	Au (g/t)	Ag (g/t)	Cu (ppm)	Mo (ppm)
0	1	0.2	0.161	226	3.96
1	2.5	0.4	0.239	431	11.3
2.5	4	0.3	0.234	501	8.59
4	6	0.7	0.402	700	5.6
6	8	0.7	0.403	729	5.33
8	10	0.7	0.34	607	11.25
10	12	0.9	0.57	443	20.5
12	14	0.4	0.384	321	2.74
14	16	0.6	0.455	414	1.37
16	18	0.4	0.473	371	4.95
18	20	0.7	0.853	556	14.45
20	22	0.2	0.41	270	2.87
22	24	0.4	0.404	344	13
24	26	0.5	0.441	419	73.3
26	28	0.6	0.647	543	27.7
28	30	5.4	0.505	334	28.2
30	32	0.6	0.48	420	14.2
32	34	0.4	0.565	358	30.5
34	36	0.3	0.377	294	10.3
36	38	0.4	0.487	277	12
38	40	0.3	0.769	441	16.05
40	41.6	0.2	0.584	270	7.57
41.6	43	0.5	0.579	432	7.47
43	44	0.2	0.391	245	11.8

44	46	0.2	0.461	263	4.37
46	48	0.2	0.358	267	10.55
48	50	0.3	0.416	424	12.9
50	51	0.4	0.596	498	18.3
51	52.8	0.2	0.397	264	14.3
52.8	54	0.3	0.253	125.5	13.55
54	55.6	0.3	0.304	233	43.3
55.6	57	0.3	0.445	341	18.6
57	58	0.2	0.349	256	15.65
58	60	0.2	0.47	324	14.2
60	62	0.2	0.387	170.5	5.74
62	64	0.1	0.416	108	6.37
64	66	0.1	0.39	135	8.4
66	68	0.1	0.545	263	19.2
68	70	0.3	0.789	263	13.35
70	72	0.1	0.256	105.5	21.1
72	74	0.1	0.267	151	36.6
74	76	0.3	0.651	255	25.2
76	78	0.2	0.355	251	16.1
78	80	0.3	0.457	380	133
80	82	0.3	0.425	261	24.7
82	84	0.2	0.435	287	33.7
84	85.20	0.3	0.558	345	16.65
85.20	85.95	0.3	0.455	289	181.5
85.95	88	0.4	0.493	384	55.3
88	90	0.2	0.557	290	16.25
90	92	0.2	0.455	224	14.1
92	94	0.3	6.35	328	21.1
94	96	0.2	0.417	231	7.49
96	97.60	0.3	0.398	307	9.85
97.60	99.25	0.2	0.472	251	18
99.25	100.40	0.3	0.56	404	15.8
100.40	102	0.3	0.58	504	24.4
102	104	0.4	0.397	516	23.9
104	106	0.3	0.566	484	21.5
106	108	0.2	0.368	208	11.45
108	110	0.4	0.721	496	100
110	112	0.6	1.065	833	126.5
112	114	0.9	0.929	1260	141.5
114	116	0.7	0.777	844	38
116	118	0.9	1.16	955	51.8
118	120	1.3	0.775	734	72.1
120	122	0.5	0.395	387	28.1
122	124	0.3	0.435	372	17.9
124	126	0.3	0.384	297	16.4
126	128	2.2	1.095	1380	114
128	130	0.9	0.382	464	15.7
130	132	0.3	0.348	313	15.7

132	134	0.4	0.393	420	31.4
134	136	0.7	0.799	839	108.5
136	138	0.5	0.446	526	42.5
138	140	0.5	0.499	474	33.2
140	142	0.4	0.529	340	112
142	144	0.6	0.708	561	75.8
144	146	0.5	0.601	413	53.2
146	147	0.6	0.688	353	92.7
147	148	1.2	0.813	1190	168
148	150	0.8	0.501	964	55.4
150	152	0.5	0.507	586	106
152	153	0.2	0.354	263	19.3
153	154.2	0.3	0.351	315	33.3
154.2	156	0.7	0.915	577	49.2
156	157.9	0.5	0.784	441	46.3
157.9	159	0.3	0.868	789	25.3
159	160	0.3	0.737	899	94.6
160	162	0.2	0.435	398	53.8
162	164	0.4	0.365	390	63.6
164	166	0.5	0.383	618	57.8
166	168	0.4	0.27	363	26.7
168	170	0.3	0.301	277	14.9
170	172	0.3	0.396	298	37.4
172	174	0.3	0.336	358	57.7
174	175.50	0.2	0.4	556	75.6
175.50	177	0.5	0.75	990	35.8
177	178.60	0.7	0.849	1180	120
178.60	180	1	1.055	1150	102
180	181.50	2.8	2.12	2540	528
181.50	182.83	2	1.715	2080	210
182.83	184	0.4	0.609	553	40.8
184	186	0.3	0.516	515	55.2
186	187.50	0.4	0.452	582	30.7
187.50	188.70	0.6	1.525	2590	244
188.70	190	1	1.64	1110	164
190	192	0.8	1.245	857	101
192	194	0.7	1.16	815	100.5
194	196	0.6	1.15	720	123.5
196	198	2.3	2.43	2470	399
198	199	0.6	0.881	788	109.5
199	200.70	0.8	1.1	1090	228
200.70	202	0.1	0.261	209	17.45
202	204	0	0.168	36.9	1.42
204	206	0.4	0.508	378	22.1
206	208	0.1	0.224	120.5	16.2
208	209.10	0	0.169	46	4.73
209.10	211	0.4	0.419	588	47.6
211	212	0.3	0.29	369	42.3

212	214	0.9	0.735	999	80.7
214	216	1	0.851	903	69.1
216	218	0.9	1.495	1080	172
218	220	0.4	0.636	536	66.9
220	222	0.4	0.401	471	38.6
222	224	0.5	0.596	612	66.9
224	226	0.7	0.668	720	55.8
226	228	0.6	0.702	625	96.8
228	230	0.8	0.733	877	35.6
230	232	0.6	0.471	663	40.1
232	234	0.5	0.59	816	28.1
234	236	0.8	0.655	1195	93
236	238	0.7	0.416	855	89.3
238	240	1	0.514	1225	46.3
240	242	0.5	0.524	1005	30.6
242	244	0.5	0.552	987	25.8
244	246	0.6	0.573	743	38.3
246	248	0.4	0.382	470	41.2
248	250	0.5	0.477	535	37.9
250	252	0.2	0.241	319	79.2
252	254	0.5	0.471	656	114.5
254	256	1.2	0.509	1290	98.5
256	258	0.9	0.459	982	82.4
258	260	0.5	0.497	603	47.2
260	262	0.6	0.387	720	53.7
262	264	0.8	0.499	1050	85.9
264	266	0.5	0.409	764	51.8
266	268	1.2	0.895	1330	82.9
268	270	1	0.327	913	71.8
270	272	0.9	0.494	836	42
272	274	0.7	0.427	822	49
274	276	0.9	0.465	1055	35.3
276	278	0.5	0.364	728	36.1
278	280	0.5	0.461	847	56.9
280	282	0.6	0.62	945	82
282	284	0.5	0.372	990	59.3
284	286	0.6	0.417	793	113.5
286	288	0.3	0.247	449	25.3
288	290	0.1	0.18	219	8.17
290	292	0.3	0.299	400	43.8
292	294	0.3	0.515	946	48.6
294	296	0.4	0.368	788	19.9
296	298	0.4	0.399	561	210
298	300	0.5	0.296	731	41.3
300	302	0.5	0.371	732	45.9
302	304	0.2	0.242	339	17.2
304	306	0.3	0.38	426	124
306	308	0.3	0.317	536	37.8

308	310	0.3	0.303	468	31.7
310	312	0.4	0.254	474	74.1
312	314	0.6	0.792	1360	272
314	316	0.3	0.483	552	43.5
316	318	0.5	0.655	751	69.5
318	319	0.3	0.352	442	134
319	320	0.5	0.516	876	125
320	322	0.5	0.646	733	120.5
322	323	0.2	0.414	253	30.7
323	324	0.1	0.11	70.4	10.4
324	325.50	0	0.079	37	2.68
325.50	326.50	0	0.126	19.7	0.98
326.50	327.60	0.1	0.149	124.5	6.37
327.60	329	0.8	0.682	769	59.3
329	330.15	0.8	0.5	884	120.5
330.15	332.15	0.6	0.466	554	57.8
332.15	334	0.6	1.235	457	36.3
334	336	0.5	0.782	527	70.5
336	337.50	0.2	0.42	96	13.8
337.50	338.71	4	2.99	539	79.7
338.71	339	0.1	0.293	17.75	1.42
339	340	0.1	0.147	29.3	2.03
340	341.40	0.1	0.41	195.5	1.6
341.40	343	0.2	0.295	305	26.7
343	344	0.4	0.318	490	92.7
344	346	0.6	0.63	549	116
346	348	0.4	0.354	293	27
348	350	0.5	0.756	584	58.7
350	352.15	0.5	0.44	521	50.8
352.15	354	0.4	0.167	318	156
354	356	0.1	0.137	54.6	2.32
356	358	0	0.069	11.5	0.83
358	359.50	0.1	0.139	42.9	2.55
359.50	360.90	0.1	0.196	69.3	1.19
360.90	362	0.2	0.149	62.3	1.16
362	363.50	0.1	0.172	10.75	1.21
363.50	365	0.1	0.064	51.8	1.13
365	366	0.1	0.078	11.2	2.48
366	368	0.1	0.155	82.3	1.59
368	370	0.2	0.192	41.1	0.47
370	372	0.1	0.186	42.8	0.51
372	374	0	0.095	30.1	0.59
374	376	0.2	0.159	81.7	7.84
376	378	0.1	0.134	43.9	0.79
378	380	0.1	0.15	38	0.59
380	382	0.1	0.232	53.5	1.24
382	384	0.1	0.143	49.4	0.78
384	386	0.1	0.102	38.5	0.7

386	387.50	0.2	0.123	73.9	2.21
387.50	388.65	0.1	0.115	67	2.02
388.65	390	0.1	0.073	35.2	1.15
390	392	0.1	0.102	17.4	1.92
392	394	0.1	0.179	41	3.95
394	395	0.2	0.214	52	8.54
395	396.40	0.1	0.143	26.2	4.03
396.40	398.40	0.2	0.257	27.3	0.67
398.40	400.18	0.3	0.255	16.8	0.47
400.18	401.50	0	0.071	9.93	0.59
401.50	402.50	0	0.208	19.9	0.61
402.50	404	0.3	0.525	15.5	0.7
404	406	0.2	0.206	18.25	0.44
406	408	0.2	0.315	21	1.37
408	410	0.3	0.343	24.9	0.55
410	412	0.4	1.4	30.9	1.45
412	414	0.3	0.333	23.5	0.98
414	416	0.3	0.312	32.9	0.28
416	418	0.2	0.232	31.7	2.5
418	420	0.3	0.316	30.3	6.03
420	422	0.2	0.256	28.5	1.71
422	424	0.2	0.176	16.35	0.69
424	426	0.3	0.21	35.4	3.48
426	428	0.2	0.222	24.6	1.1
428	429.10	0.2	0.141	10.6	0.86
429.10	431	0.3	0.432	45	18
431	432	0.1	0.274	29.3	13.65
432	434	0.1	0.389	72.7	13.05
434	436	0	0.064	22.7	2.36
436	438	0.1	0.112	24.3	4.01
438	440	0.1	0.078	24.6	6.13
440	442	0.1	0.176	30.4	7.68
442	444	0.1	0.168	31.7	3.01
444	446	0.1	0.232	19.95	2.73
446	448	0.1	0.166	53.3	17.35
448	450	0.3	0.236	120.5	21.6
450	452	0.3	0.305	237	10.05
452	454	0.2	0.421	250	10.3
454	456	0.1	0.179	93.6	4.13
456	458	0.2	0.395	250	15.8
458	460	0	0.073	13.05	1.53
460	462	0.2	0.245	80.3	9.91
462	464	0.1	0.221	103.5	7
464	466	0.1	0.408	23.5	3
466	468	0.1	0.387	72.2	3.09
468	469.55	0	0.128	24.2	0.75
469.55	471	0.2	0.319	205	25.3
471	472.40	0.3	0.478	292	50.8

472.40	474	0.4	0.464	183	212
474	476	0.4	0.403	206	119
476	478	0.2	0.2	61.3	4.13
478	480	0.2	0.152	40.3	2.24
480	482	0.1	0.325	63.6	1.4
482	484	0.1	0.086	40.9	0.92
484	486	0.3	0.301	108.5	3
486	488	0.2	0.14	63.8	2.71
488	490	0.2	0.195	81.3	1.69
490	492	0.2	0.309	72.8	2.89
492	494	0.1	0.217	45.7	2.27
494	496	0.1	0.067	48.8	0.72
496	498	0.2	0.127	70.7	0.97
498	500	0.3	0.121	86.6	4.06
500	502	0.3	0.19	89	1.21
502	504	0.2	0.233	48.6	1.04
504	506	0.3	0.33	119.5	3.66
506	508	0.2	0.26	82	1.23
508	510	0.2	0.188	56.1	0.82
510	512	0.1	0.121	39.6	0.62
512	513	0.5	0.197	87.3	1.35
513	514.55	0.2	0.131	36.5	0.47
514.55	516	0.1	0.103	35	0.53
516	518	0.2	0.107	44.6	0.45
518	520	0.2	0.11	46.8	0.42
520	522	0.1	0.105	34.6	0.58
522	524	0.3	0.216	146.5	43.2
524	526	0.5	0.307	241	28.2
526	528	0.2	0.188	93.9	3.14
528	530	0.2	0.17	78.7	1.79
530	532	0.2	0.128	45.5	12.3
532	534	0.2	0.203	112	2.45
534	536	0.1	0.161	71.3	13.1
536	538	0.4	0.403	255	15.75
538	540	0.2	0.314	178	2.91
540	542	0.4	0.425	233	4.16
542	544	0.1	0.172	76.5	7.94
544	546	0.1	0.122	43.2	0.92
546	548	0.1	0.096	49	0.96
548	550	0.1	0.075	17.6	1.11
550	552	0.1	0.094	29.6	1.03
552	554	0.1	0.116	53.1	3.66
554	556	0.2	0.169	121	3.44
556	557	0.1	0.316	101.5	7.19
557	558	0.2	0.183	220	4.1
558	560	0.1	0.165	180	1.46
560	562	0.1	0.665	69.1	2.5
562	564	0.2	0.655	131	10.65

564	566	0.2	1.465	194	4.02
566	568	0.3	0.461	180	6.76
568	570	0.2	0.291	95.4	52.6
570	572	0.3	1.01	131.5	32.4
572	574	0.2	0.728	77.5	4.09
574	576	0.2	0.318	72.6	1.16
576	577.60	0.4	0.386	157.5	37.2

EOH

JORC Code, 2012 Edition – Table 1 report template -Tesorito Drill Results

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Diamond drilling is carried out to produce HQ and NQ core. Following verification of the integrity of sealed core boxes and the core within them at the Company's core shed in Quinchia, the core is 'quick logged' by a Project Geologist and marked for sampling. Following the marking of the cutting line and allocation of sample numbers, allowing for insertion of QAQC samples, the core is cut by employees in the Company's facility within the core-shed. Nominally core is cut in half and sampled on 2m intervals, however the interval may be reduced by the Project Geologist based on the visual 'quick log'. Samples are bagged in numbered calico sacks and these placed in heavy duty plastic bags with the sample tag. Groups of 5 samples are bagged in a hessian sack, labelled and sealed, for transport. Sample preparation is carried out by ALS' Laboratory in Medellin where the whole sample is crushed to -2mm and then 1kg split for pulverising to -75micron. Splits are then generated for fire assay (Au-AA26) and analyses for an additional 48 elements using multi-acid (four acid) digest with ICP finish (MEMS61) at ALS' laboratory in Lima, Peru.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> The Tesorito drilling program is a diamond drilling program using HQ diameter core. In the case of operational necessity this will be reduced to NQ core. Where ground conditions permit, core orientation is conducted on a regular basis.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. 	<ul style="list-style-type: none"> The drillers are required to meet a minimum recovery rate of 95%. On site, a Company employee is responsible for labelling (wood spacer block) the beginning and end depth of each drill run plus actual and expected recovery in meters. This and other field processes are audited on a daily basis.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> On receipt the core is visually verified for inconsistencies including depth labels, degree of fracturing (core breakage versus natural), lithology progression etc. If the core meets the required conditions it is cleaned, core pieces are orientated and joined, lengths and labelling are verified, and geotechnical observations made. The core box is then photographed. Orientated sections of core are aligned, and a geology log prepared. Following logging, sample intervals are determined and marked up and the cutting line transferred to the core. Core quality is, in general, high and far exceeding minimum recovery conditions.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> Logging is carried out visually by the Project Geologists focusing on lithology, structure, alteration and mineralization characteristics. Initially a 'quick log' is carried out to guide sampling and this is then followed by detailed logging. The level of logging is appropriate for exploration and initial resource estimation evaluation. All core is photographed following the initial verification on receipt of the core boxes and then again after the 'quick log', cutting and sampling. ie half core. All core is logged and sampled, nominally on 2m intervals respectively but in areas of interest more dense logging and sampling may be undertaken. On receipt of the multi-element geochemical data this is interpreted for consistency with the geologic logging.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is 	<ul style="list-style-type: none"> After logging and definition of sample intervals by the geologist, the marked core is cut in half using a diamond saw in a specially designed facility on site. All core is cut and sampled. The standard sample interval is 2m but may be varied by the geologist to reflect lithology, alteration or mineralization variations. As appropriate, all half or quarter core generated for a specific sample interval is collected and bagged. The other half of the core remains in the core box as a physical archive. The large size (4-8kg) of individual samples and continuous sampling of the drill hole, provides representative samples for exploration activities.

Criteria	JORC Code explanation	Commentary
	<p><i>representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • Through the use of QAQC sample procedure in this phase of drilling, any special sample preparation requirements eg due to unexpectedly coarse gold, will be identified and addressed prior to the resource drilling phase.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • Gold assays will be obtained using a lead collection fire assay technique (AuAA26) and analyses for an additional 48 elements obtained using multi-acid (four acid) digest with ICP finish (ME-MS61) at ALS' laboratory in Lima, Peru. • Fire assay for gold is considered a "total" assay technique. • An acid (4 acid) digest is considered a total digestion technique. However, for some resistant minerals, not considered of economic value at this time, the digestion may be partial e.g. Zr, Ti etc. • No field non-assay analysis instruments were used in the analyses reported. • Los Cerros uses certified reference material and sample blanks and field duplicates inserted into the sample sequence. • Geochemistry results are reviewed by the Company for indications of any significant analytical bias or preparation errors in the reported analyses. • Internal laboratory QAQC checks are also reported by the laboratory and are reviewed as part of the Company's QAQC analysis. The geochemical data is only accepted where the analyses are performed within acceptable limits.
Verification of sampling and assaying	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • All digital data received is verified and validated by the Company's Competent Person before loading into the assay database. • Over limit gold or base metal samples are re-analysed using appropriate, alternative analytical techniques (Au-Grav22 50g and OG46). • Reported results are compiled by the Company's geologists and verified by the Company's database administrator and exploration manager. • No adjustments to assay data were made.
Location of data points	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> 	<ul style="list-style-type: none"> • The drill hole is located using a handheld GPS and LIDER DTM. This has an approximate accuracy of 3-5m considered sufficient at this stage of exploration. • On completion of the drilling program the collars of all holes will be surveyed

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> using high precision survey equipment. Downhole deviations of the drill hole are evaluated on a regular basis and recorded in a drill hole survey file to allow plotting in 3D. The grid system is WGS84 UTM Z18N.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> The interpretation of surface mapping and sampling relies on correlating isolated points of information that are influenced by factors such as weathering, accessibility and sample representivity. This impacts on the reliability of interpretations which are strongly influenced by the experience of the geologic team. Structures, lithologic and alteration boundaries based on surficial information are interpretations based on the available data and will be refined as more data becomes available during the exploration program. It is only with drilling, that provides information in the third dimension, that the geologic model can be refined.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drill hole is preferentially located in prospective area. All drillholes are planned to best test the lithologies and structures as known taking into account that steep topography limits alternatives for locating holes. Drill holes are oriented to determine underlying lithologies and porphyry vectors and to intercept the two principal sets of veining.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> All core boxes are nailed closed and sealed at the drill platform. On receipt at the Quinchia core shed the core boxes are examined for integrity. If there are no signs of damage or violation of the boxes, they are opened and the core is evaluated for consistency and integrity. Only then is receipt of the core formally signed off. The core shed and all core boxes, samples and pulps are secured in a closed Company facility at Quinchia secured by armed guard on a 24/7 basis. Each batch of samples are transferred in a locked vehicle and driven 165 km to ALS laboratories for sample preparation in Medellin. The transfer is accompanied by a Company employee.

Criteria	JORC Code explanation	Commentary
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> At this stage no audits have been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> The Exploration Titles were validly issued as Concession Agreements pursuant to the Mining Code. The Concession Agreement grants its holders the exclusive right to explore for and exploit all mineral substances on the parcel of land covered by such concession agreement. There are no outstanding encumbrances or charges registered against the Exploration Title at the National Registry.
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Artisanal gold production was most significant from the Miraflores mines during the 1950s. Interest was renewed in the area in the late 1970s. In the 1980s the artisanal mining cooperative "Asociación de Mineros de Miraflores" (AMM) was formed. In 2000, the Colombian government's geological division, INGEOMINAS, with the permission of the AMM, undertook a series of technical studies at Miraflores, which included geological mapping, geochemical and geophysical studies, and non-JORC compliant resource estimations. In 2005, Sociedad Kedahda S.A. (Kedahda), now called AngloGold Ashanti Colombia S.A., a subsidiary of AngloGold Ashanti Ltd., entered into an exploration agreement with the AMM, and carried out exploration including diamond drilling in 2005 to 2007 at Miraflores, completing 1,414.75m. In 2007 Kedahda optioned the project to B2Gold Corp. (B2Gold), which carried out exploration including additional diamond drilling from 2007 to 2009. B2Gold made a NI 43-101 technical study of the Miraflores Project in 2007. On 24 March 2009, B2Gold advised the AMM that it had decided to not make further option payments and the property reverted to AMM under the terms of the option agreement.

Criteria	JORC Code explanation	Commentary																					
		<ul style="list-style-type: none"> Seafield Resources Ltd. (Seafield) signed a sale-purchase contract with AMM to acquire a 100% interest in the Mining Contract on 16 April 2010. Seafield completed the payments to acquire 100% of rights and obligations on the Miraflores property in 30 November 2012. AMM stopped the artisanal exploitation activities in the La Cruzada tunnel on the same date, and transferred control of the mine to Seafield. Since June 2010, Seafield drilled 63 drillholes for a total of 22,259m on the Miraflores Project adjacent to Tesorito. The initial exploration undertaken by Seafield at Tesorito in 2012 and 2013 included systematic geological mapping, rock and soil sampling, followed by trenching within the area of anomalous Au and Cu in soils. Seafield commissioned an Induced Polarisation (IP) survey over the Tesorito Prospect in August 2012 and undertook a three-hole diamond drilling program for a total of 1,150.5m in 2013. 																					
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Tesorito area is underlain mainly by fine to coarse grained, intrusive porphyritic rocks of granodioritic to dioritic composition, which intrude an andesite porphyry body of the Miocene Combia formation, Tertiary sandstones and mudstones of the Amaga Formation, as well as basaltic rocks of the Barroso Formation of Cretaceous age. The intrusives suite show variable intensities of hydrothermal alteration, including potassic alteration overprinted by quartz-sericite and sericite-chlorite alteration. NNE to EW faulting controls the intrusive emplacement and mineralization, including faulting of contacts between the rock units. The depth of sulphide oxidation observed in the drill holes is approximately 20m. Gold, copper and molybdenite observed in the intrusive rocks is typical of Au-Cu-Mo rich porphyry deposit; mineralisation occurs as sulphides and magnetite in disseminations as well as in veinlets and stockworks of quartz. Pyrite, chalcopyrite and molybdenite have been recognised. 																					
Drill hole Information	<ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar</i> 	<table border="1"> <thead> <tr> <th>HOLE</th> <th>EASTING</th> <th>NORTHING</th> <th>RL (m)</th> <th>EOH (m)</th> <th>AZIMUTH</th> <th>DIP</th> </tr> </thead> <tbody> <tr> <td>TSDH40</td> <td>423771</td> <td>584689</td> <td>1260</td> <td>607.9</td> <td>245</td> <td>60</td> </tr> <tr> <td>TSDH41</td> <td>423713.699</td> <td>584461.46</td> <td>1247.78</td> <td>455.7</td> <td>245</td> <td>65</td> </tr> </tbody> </table>	HOLE	EASTING	NORTHING	RL (m)	EOH (m)	AZIMUTH	DIP	TSDH40	423771	584689	1260	607.9	245	60	TSDH41	423713.699	584461.46	1247.78	455.7	245	65
HOLE	EASTING	NORTHING	RL (m)	EOH (m)	AZIMUTH	DIP																	
TSDH40	423771	584689	1260	607.9	245	60																	
TSDH41	423713.699	584461.46	1247.78	455.7	245	65																	

Criteria	JORC Code explanation	Commentary							
	<ul style="list-style-type: none"> elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. 	TSDH42	423781	584390	1229	341.6	251.6	70	
		TSDH43	423865	584434	1180	189.6	240	70	
		TSDH44	423771	584689	1260	701	340	60	
		TSDH45	423865	584434	1222.22	187.1	35	70	
		TSDH46	423843	584368	1218	259.5	240	60	
		TSDH51	423843.623	584449.193	1226.91713	234.3	233.4	60	
	<ul style="list-style-type: none"> If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 								
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No metal equivalent values have been stated. Quoted intervals use a weighted average compositing method of all assays within the interval. Uncut intervals include values below 0.1 g/t Au. No cut of high grades has been done. All widths quoted are intercept widths, not true widths, as there is insufficient information at this stage of exploration to know the geometries within the system. 							
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> The results reported in this announcement are considered to be of an early stage in the exploration of the project. Mineralisation geometry is not accurately known as the exact number, orientation and extent of mineralised structures are not yet determined. 							
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate 	<ul style="list-style-type: none"> Geological maps showing the location of drill holes and exploration results including drilling over the Tesorito Prospect is shown in the body of the announcement. 							

Criteria	JORC Code explanation	Commentary
	<i>sectional views.</i>	
<i>Balanced reporting</i>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Reporting is considered balanced.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> A ground magnetic survey that covered the Chuscal and Tesorito Prospects was performed in 2019 and presented two magnetic high anomalies that are spatially related to the soil gold and molybdenum anomalies. The magnetic high anomalies appear associated with the presence of potassic alteration and quartz-magnetite veining and stockworks. An induced polarisation survey (IP) completed in 2021 has revealed a chargeability high discussed in this report.
<i>Further work</i>	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Additional drilling is required to systematically test the nature and extent of mineralisation. The objective of the Tesorito drill program is to test two anomalous zones, the southern and northern Tesorito targets.