



PATAGONIA LITHIUM MRE Insitu 717,000 t Li metal

= 3,816,000 tonnes LCE

ASX:PL3

Disclaimer



NATURE OF THIS DOCUMENT

This presentation has been prepared by Patagonia Lithium Limited (ACN 654 004 403) (Company). The information is based on publicly available information, internally developed data and other sources. By receiving this presentation, you acknowledge and represent to the Company that you have read, understood and accepted the terms of this disclaimer. It is the responsibility of all recipients of this presentation to obtain all necessary approvals to receive this presentation and receipt of this presentation will be taken by the Company to constitute a representation and warranty that all relevant approvals have been obtained. This presentation is a visual aid and is not intended to be read as a stand alone document. The material contains selected and abbreviated summary information about the Company and its subsidiaries and their activities current as at the date of this presentation. The material is of general background and does not purport to be complete. The Company is not responsible for providing updated information and assumes no responsibility to do so. The information in this presentation remains subject to change without notice.

NOT AN OFFER

This presentation is for information purposes only and does not purport to be all inclusive or to contain all information about the Company or any of the assets, current or future, of the Company. This presentation does not comprise a prospectus, product disclosure statement or other offering document under Australian law (and will not be lodged with ASIC) or any other law. This presentation also does not constitute or form part of any invitation, offer for sale or subscription or any solicitation for any offer to buy or subscribe for any securities in any jurisdiction nor shall they or any part of them form the basis of or be relied upon in connection therewith or act as any inducement to enter into any contract or commitment with respect to securities. This presentation does not constitute an offer to sell, or a solicitation of an offer to buy, any securities in the United States. This presentation and its contents must not be distributed, transmitted or viewed by any person in the United States or any jurisdiction where the distribution, transmission or viewing of this document would be unlawful under the securities or other laws of that or any other jurisdiction.

NOT INVESTMENT ADVICE

To the maximum extend permitted by law, the information contained in this presentation is given without any liability whatsoever being accepted by the Company or any of its related bodies corporate or their respective directors, officers, partners, employees, advisors and agents. This presentation is not investment or financial product advice (nor tax, accounting or legal advice) and its contents are not intended to be used for the basis of making an investment decision. No representation or warranty, express or implied, is made as to the accuracy, completeness or thoroughness of the information, whether as to the past or future. Recipients of this presentation should carefully consider whether the company is an appropriate investment for them in light of their personal circumstances, including their financial and taxation position. This presentation does not take into account the individual investment objectives, financial situation and particular needs of each recipient of this presentation. Therefore recipients of this presentation may wish to seek independent financial and taxation advice before making any decision in respect of this presentation. Neither the Company nor any of its related bodies corporate is licensed to provide financial product advice in respect of the Company's securities or any other financial products.

MONETARY VALUES

Unless otherwise stated, all dollar values are in Australian Dollars (A\$).

FORWARD LOOKING STATEMENTS

Statements and material contained in this presentation, particularly those regarding possible or assumed future performance, production levels or rates, commodity prices, resources or potential growth of the Company, industry growth or other trend projects are, or may be, forward looking statements. Such statements relate to future events and expectations and, as such, involve known and unknown risks and uncertainties and are based on the assumptions, estimates, analysis and opinions of management made in light of its experience and its perception of trends, current conditions and expected developments, as well as other factors that management of the Company believes to be relevant. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there can be no assurance that the forward-looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of commodities, the actual results of current exploration, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. Readers should not place undue reliance on forward-looking information. The Company does not undertake to update any forward-looking information, except in accordance with applicable securities laws.

DISCLAIMER

No representation or warranty, express or implied, is made by the Company that the material contained in this presentation will be achieved or prove to be correct. Except for statutory liability which cannot be excluded, each of the Company, its directors, officers, employees, advisers and agents expressly disclaims any responsibility for the accuracy, fairness, sufficiency or completeness of the material contained in this presentation, or any opinions or beliefs contained in this presentation, and excludes all liability whatsoever (including in negligence) for any loss or damage which may be suffered by any person as a consequence of any information in this presentation or any error or omission there from. To the maximum extent permitted by the law, the Company disclaims any obligation to update or keep current the information contained in this presentation or to correct any inaccuracy or omission which may become apparent, or to furnish any person with any further information. Any opinions expressed in the presentation are subject to change without notice.

JORC DISCLOSURE

The Company confirms it is not aware of any new information or data that materially affects the information in this announcement and material assumptions and technical parameters underpinning the Inferred Mineral Resource Estimate continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's finding are presented have not been materially modified from the original announcement.

The Mineral Resource Estimate was announced on 22 January 2025 as "Significant Maiden Lithium Mineral Resource". The reported Mineral Resource Estimate (MRE) of insitu 3,816,000 tonnes of Lithium Carbonate Equivalent (LCE) based on an insitu lithium metal resource of 717,000 tonnes defined at the Formentera Lithium Brine Project (lithium metal to lithium carbonate factor is x 5.323).

MINERAL RESOURCE ESTIMATE – 3.816mt LCE LITHIUM PROJECT - FORMENTERA



Formentera and Cilon concessions host a significant and world class resource of lithium

- JORC inferred Mineral Resource Estimate (MRE) of 3.816 million tonnes of lithium carbonate equivalent (LCE)
- Project has 200m deep **high porosity zone aquifer (15% specific yield!)** with high lithium concentrations (1,122ppm Li 2m below surface. 580ppm Li at 400m). Lithium concentration increases with depth to 580ppm Li.
- **21,460 tonnes (67% MRE)** of lithium metal equivalent (MRE is 32,000 tonnes) is only required to produce 10,000 tonnes of Li₂CO₃ for 10 years.
- MRE encompasses 4 holes of initial drilling program, with outstanding results for BMR surveys.
- MRE update with new porosity data by WSP due in June 25!

OUR VALUE PROPOSITION

- World class Project exploration has confirmed high lithium values, excellent porosity, great results from 72hour pump tests, pilot plant tests completed.
- Great infrastructure, very experienced management team, on ground geologists and management means we can build out the project locally.
- The mergers and acquisitions market may become more active as demand from energy storage systems increase targeting early production candidates with more than 3 million tonnes LCE. Rio Tinto has started this trend in Chile acquiring 49.9% Maricunga for \$350M.
- Offtakers are seeking supply for 2027-30, USA critical minerals and gigafactory/battery manufacturers are keen to buy from Australian suppliers under a Trump critical minerals emphasis administration.

LITHIUM PROJECT – FORMENTERA MILESTONES 2025



MILESTONES

- Complete Mineral Resource Estimate Update Q2 2025
- DLE Pilot Plant approval submission Q2 2025
- Drill 600m well at Cilon Q3 2025
- Potential for scoping study Formentera Q3 2025
- Production well planning subject to approval permit
- DLE process proposal being accepted by board and independent expert Q4 2025

WORLD CLASS LITHIUM PROJECT - FORMENTERA



HIGHLIGHTS

MINERAL RESOURCE ESTIMATE

- 3.8M TONNES LITHIUM CARBONATE EQUIVALENT INFERRED INSITU RESOURCE
- 173,000 TONNES LCE SPECIFIC YIELD
- 15% POROSITY (BMR well 3) IN HIGH POROUS ZONE the higher the porosity the more extractable lithium

GEOPHYSICS

- RESISTIVITY LESS THAN 0.60HM.M TO **1,000M DEPTH**
- BMR SURVEYS SHOWS HIGH FREEFLOW AND CAPILLARY POROSITY VALUES

INFRASTRUCTURE

- 1KM FROM MAIN SEALED HIGHWAY, 10KM FROM JAMA TOWNSHIP, EASILY ACCESSIBLE
- PROJECT COVERS 17,952Has (17.9 km²)

GREEN DLE PRODUCTION

- EKOSOLVE™ DLE **EXTRACTS 92%+ LITHIUM**, 72HR PUMPING TESTS STRONG RESULTS
- WASTE BRINES CAN BE SENT TO LAGOON, EVAPORATED OR REINJECTED
- LESS THAN 80,000L FRESH WATER REQUIRED IN LITHIUM CARBONATE PRODUCTION PROCESS ENVIRONMENTALLY FRIENDLY

MANAGEMENT TEAM – EXPERIENCED, PREVIOUSLY BUILT PLANTS

- ARGENTINE DIRECTOR, ENGAGED IN LITHIUM EXPLORATION
- CHAIRMAN BUILT RINCON PLANT IN 2008, EXPERIENCED BRINE GEOLOGIST FAUSIMM(CP Val), MAIG
- DIRECTOR KEY TEAM MEMBER AT OLAROZ, CAUCHARI OROCOBRE PLANT, LIVENT AND ARCADIUM



Formentera Inferred Resource statement by WSP



Domain	Sediment Volume (m³)	Specific Yield (%)	Brine Volume (L)	Li Grade (mg/L) ¹	Li Metal (kt) ²	Li Yield (kt)	LCE (kt) ³	Mg Grade (mg/L) ¹	Mg Metal (kt)	Mg Yield (kt)
Inferred Resources										
High Porosity Salar	90,262,500	13	11,734,125,000	461.6	42	5	29	945.7	85	11
Salar	3,059,125,000	4	122,365,000,000	220.7	675	27	144	854.5	2,614	105
Total Inferred Resources	3,149,387,500		134,099,125,000	234.7	717	32	173	857.4	2,699	116

Notes:

- 1. The average Specific gravity used was 1.10 gm/ml. Values as high as 1.19gm/ml were recorded, higher SG would increase the MRE
- 2. The porosity used outside of the high porosity zone is 4% which is a function of the density of sampling. Other nearby projects in production have porosity of 6%.
- 3. Grade values are the average estimated value for the domain in the Maptek Vulcan™ Block Model
- 4. Extractable lithium carbonate is 173,000 tonnes, and total in-situ metal is 717,000 tonnes.
- 5. Magnesium is of no interest as PL3 proposes to use Ekosolve DLE which isn't impacted by magnesium but the Mg:Li ratio is 2.04-3.88

Formentera lithium concentration




The high porosity zone lithium content is 469ppm Lithium

]	Domain 3												
)	3	11	346.00	503.00	445.18	465.00	0.13	56.75					
(Ca	11	386.00	959.00	581.91	499.00	0.35	202.66					
(Cl	11	85,332.00	146,136.00	120,955.00	129,388.00	0.18	21,261.60					
j	K	11	2,766.00	4,415.00	3,739.55	3,980.00	0.15	574.08					
]	Li	11	327.00	580.00	469.55	506.00	0.17	81.51					
I	Mg	11	873.00	1,012.00	954.00	969.00	0.04	42.16					

The thickness of the zone is approximately 200m but the MT geophysics shows it extends 500m


Analyte	Count	Minimum	Maximum	Mean	Median	cv	SD
All Samples	S						
В	34	3.00	503.00	345.18	369.50	0.40	138.00
Ca	34	24.00	1,082.00	640.74	660.50	0.40	256.19
Cl	34	46.00	146,136.00	74,115.00	72,700.00	0.57	42,219.08
K	34	7.00	4,415.00	2,478.35	2,788.50	0.53	1,302.94
Li	34	0.50	580.00	279.44	264.50	0.60	167.46
Mg	34	3.00	1,551.00	812.88	878.00	0.40	323.52

SD=standard deviation, CV=coefficient of variation)



Exceptional Porosity – Jam 24-02, JAM 24-03





What does the Resource mean?



Formentera project lithium carbonate projections:

Contained lithium is 717,000 tonnes **in-situ** = 3.816million tonnes of lithium carbonate equivalent Lithium Carbonate price at 99.5% grade is US\$8,756* (63,050CNY) per tonne (23 May 2025).

Assumption in the MRE were 12% porosity in high zone and 4% in low zone but now we have from NMR surveys 200m depth average of 15% in well 3, a substantial increase.

Extractable lithium using data from just 4 wells is 173,000 tonnes lithium carbonate.

Capital Structure




			Securities on Issue
Fully Paid ordinary shares	119,410,360	Quoted	
Ontions and rights		PL3: Fully paid ordinary shares	119,410,360
Options and rights		PL3O: Quoted Options (\$0.30 15 Dec-25)	14,641,250
(listed and unlisted)	29,811,154		
		Unquoted	
Market Capitalisation		PL3AJ: Unquoted Options (\$0.15 31 Aug-25)	3,669,904
at \$0.043 (23 May 25)	\$5,134,000	PL3AC: Unquoted Options (\$0.27 5 Oct-25)	1,500,000
at \$0.013 (23 May 23)	γ3,13 1,000	PL3AG: Unquoted Options (\$0.27 10 Oct-25)	3,000,000
		PL3AE: Unquoted Options (\$0.27 24 Mar-26)	2,000,000
		PL3AL: Unquoted Options (\$0.18 31 Aug-26)	3,000,000
		PL3AK: Unquoted Rights (\$0.18 31 Jul-28)	2,000,000

Assay Summary

Formentera/Cilon Project



Formentera		lithium cor		
	Drill Hole			
Depth	1	2	3	4
100-150	110	132	293	154
200-250	316	327	325	174
300-350	591	580	421	203
EOH metres	370	347	<i>37</i> 6	407






Summary of core test results from well two above

At left is NMR survey for well 3 showing total porosity in dark green, the grey line in the total porosity column is at 44%. Moveable water is very high (in aqua). Specific yield is the crimson line. The red arrows points to very high porosity and moveable brines and brines held in capillary voids at 260m depth.

Geophysics – outstanding low resistivity provides bullseye drill targets Extends to 1,000m+ depth below 3.0 ohm.m






The geophysics show two hot spot zones with a resistivity below 0.5 Ohm-m on each surveyed line where lithium brines are likely to concentrate.

Formentera/Cilon Projects – preferred production well locations



- The Cilon Project includes a permit to drill 8 wells near the location where the surface sample was 1,120ppm lithium
- The next well on cilon will be drilled to 600m (location is green dot on map).



The western lagoon is available to discharge brine from the DLE Plant. Proposed production well location in red.

Ekosolve Processing Results



Lithium Carbonate Production at Pilot Plant

Table 5 Compositions of white crystals from crystallization process from Patagonia brine strip liquor

Sample name	Number of	nber of Unit in mg/L							
Sample name	hot washing	[B]	[Ca]	[Fe]	[K]	[Li]	[Mg]	[Na]	
Patagonia strip liquor – 1W	1	0.0345	0.30	0.09	8.33	2035	0.07	3.13	
Patagonia strip liquor – 2W	2	0.0352	0.37	0.11	0.72	2090	0.09	0.26	
Patagonia strip liquor – 3W	3	0.0363	0.41	0.11	0.40	2136	0.08	0.20	

The purity of all cations is calculated in mg cation/g crystal based on mass and in % cation/total cations based on concentration. The results are presented in **Table 6**.

Table 6 The purity of all cations in white crystals from Patagonia brine strip liquor after 3 hot washings


Sample name	Based on mass, unit in mg cation/g crystal							Lithium	1 :4h:
	В	Ca	Fe	K	Li	Mg	Na	Grade	Lithium%
Patagonia strip liquor – 1W	0.003	0.028	0.009	0.769	187.8	0.007	0.289	99.890%	99.415%
Patagonia strip liquor – 2W	0.003	0.033	0.010	0.065	187.8	0.008	0.023	99.986%	99.925%
Patagonia strip liquor – 3W	0.003	0.036	0.009	0.036	187.8	0.007	0.018	99.989%	99.942%
*Lithium Grade = $\frac{(Mass_{Li2CO3} - Mass_{impurities})}{Mass_{Li2CO3}},$, Lithium%= $\frac{Mass_{Li}}{Mass_{Li+impurities}}$				


Lithium Extraction Efficiency

- Ekosolve[™] Direct Lithium Extraction (DLE) technology pilot plant test work at University of Melbourne achieves
 92.1% lithium extraction efficiency from brines with average lithium concentration of 267 ppm lithium.
- Lithium recovered from 267ppm Li in brine was 246 ppm Lithium.
- Ekosolve only needs 37,000T Li Eq) to produce 10,000 tonnes a year for 20 years.

MT Geophysics at Tomas III – low resistivity unit means conductor layer – lithium brines may be present in the aquifer – drilling is next step








The MT survey was able to penetrate down to 4000m And shows an anticline unit about 500m below the Surface, which has impacted the detrital layers above it.

This may be salt water aquifer unit containing lithium or other conductors



Vertical Exaggeration: 1


PATAGONIA LITHIUM TOMAS III PROJECT AREA MAGNETO-TELLURIC SURVEY LINE L652250

Logarithmic contours: 7 intervals
Instrumentattion: gDAS32 / ANT-4 / LEMI 152
Survey date: May 2023 | Survey Identifier: CHJ # 2306
SOUTHERNROCK GEOPHYSICS S.A.


Brazil Projects – Lithium, REE and Niobium



REE Ranking




- Concessions covering 19,515.86 Has have been granted for three years in the Minas Gerais state.
- The three key areas are a high priority target for rare earth elements (REE) in ionic clays or pegmatites (lithium).
- Rockchip, soils and stream sampling program has commenced.



Brazil Projects –REE and Niobium carbonatite deposit





The white areas on the figure on the right are the most probable to have been fenetized and concentrated rare earths

Board of Directors - Strong leadership, technical and commercial experience





Phil Thomas
Executive Chairman

- Phillip has more than 20 years' experience working in Argentina on lithium salars at Pocitos, Guayatayoc, Salinas Grandes, Pozuelos, Rincon, Incahuasi and now Formentera and Cilon salars.
- He is past Exploration Director of Recharge Resources, and past CEO of A.I.S. Resources Ltd, Lithea Ltd and chairman and CEO of Admiralty Resources NL (ASX:ADY) where he and his team explored and developed a pilot plant at the Rincon Salar in 2003-2008. He is both QP for NI43-101 and CP for JORC in lithium brines.
- Phillip is CEO of Gurtan Pty Ltd a geology exploration consultancy that specialises in valuations and appraisals of mining projects, and President of Ekosolve Inc a DLE Lithium processing company.
- He is FAusIMM (CP Val), MAIG.



Rick Athon
Non-Executive Director

• Rick Anthon is an independent Non-executive Director who joined the Board of Patagonia Lithium Limited from 19 February 2024. Rick has a BA LLB from Australian National University. He is a lawyer with over 30 years' experience in both corporate and commercial law practicing exclusively in the resource sector. Rick has worked both as a director and adviser to numerous resource companies and has extensive skills in project planning, acquisition and development, capital raising and corporate governance. Rick's most recent role was as head of Corporate Development for 8 years for Allkem Limited (formerly Orocobre Limited) where his responsibilities included capital raisings, the strategic partnership with Toyota Tsusho Corporation, Orocobre's 2021 merger with Galaxy Lithium and ultimately Allkem's recently completed \$10Billion merger with Livent Corporation to form Arcadium Lithium.



Pablo Tarantini
Non-Executive Director

- Pablo Tarantini was appointed 25 October 2024.
- Pablo has accumulated broad professional experience in the mining industry. For two years, he has served as Executive Director of the Argentinian Bureau of Investment and International Trade, coordinating investment initiatives, and contributing with his vast experience in several industries and countries.
- He has served as President and Executive Director of SAPISA and Minera Don Nicolás, an Argentinian private equity fund and one of its investments in the mining sector, respectively. Minera Don Nicolas is the first local mining project based on Argentinian capital. He has also served as M&A Director at General Electric and Advent International Corporation for Latin America, and as Manager at AT Kearney.

Formentera is a world class project being developed for production – key features



SUBSTANTIAL LITHIUM RESOURCE WITH EXCELLENT GEOHYDROLOGY

Lithium grades from 1,122ppm on surface to 580ppm at 376m with exceptional porosity derived from core and BMR surveys means high efficiency when extracting lithium.

FAST TRACK TO PRODUCTION

The framework for a 1,000 tonne Ekosolve™ demonstration plant has been developed including production rates, size of equipment and footprint, and information required to be included in our application.

LOCATED AT A TIER ONE ADDRESS

Excellent infrastructure, Jama salar 5km away hosts Austroid Corporation, previously Lake Resources, Lilac solutions JV, to the south Integra Lithium, and the town of Susques is 100km away.

EXPERIENCED BOARD & MANAGEMENT

Executive management team comprises Directors (ex Australia, Argentina, China) with extensive experience in Argentina, local geology, logistics, legal, accounting and audit and resource development experience with significant exposure to the development of junior lithium companies.

Cross referenced announcements



Sampling at Formentera and Cilon Assays 1,122ppm Lithium MT Geophysics Defines Significant Prospective Drill Targets Geophysics Generates Significant Prospective Drill Targets 92% Lithium Extraction from Formentera Brines 99.9% Lithium Carbonate Produced from Formentera Brines Completion of First Hole at Formentera Lithium Project Completion of First Hole at the Formentera Lithium Project Successful Pump Test at Maiden Formentera Project Well Outstanding Assay Results from First Drilling in Argentina Assay Results from Drilling in Argentina Second Well at Formentera Completed Exceptional Results Achieved from Well Two at Formentera Strong Brine Flow - Well Three Formentera Lithium Project Strong Results Achieved from Well Three at Formentera High Porosity Results Achieved from Well Two at Formentera Outstanding Result Achieved from Well Three Pump Test Well 3 Cores Sent for Porosity Testing Well Four Completed at Formentera Outstanding Results from Well 4 Pump Test Excellent Result achieved from Well Three Porosity Core Test Outstanding Borehole Porosity Test Results at Formentera Outstanding Porosity Result from Well 4 Pump Test Significant Maiden Lithium Mineral Resource Production Target Retraction Drill hole Porosity Environmental Testing Completed Borehole Porosity Tests to Upgrade Resource at Formentera Outstanding 40% Maximum NMR and Yield Results in Well Four Outstanding 44% NMR and Specific Yield Update in Well One Prospective 41% NMR and Specific Yield Results in Well Three



www.patagonialithium.com.au

For further information please contact the authorising officer:

Phillip Thomas

Executive Chairman

Patagonia Lithium Ltd

M: +61 433 747 380

E: phil@patagonialithium.com.au

Patagonia Lithium Ltd
ACN 654 004 403
Level 6, 505 Little Collins Street
Melbourne VIC 3000