

Level 3, 2 Elizabeth Plaza, NORTH SYDNEY NSW 2060  
PO Box 98, NORTH SYDNEY NSW 2059  
Phone: +61 2 9927 2000  
Fax: +61 2 9927 2050  
Website: www.kblmining.com.au

ACN 129 954 365

11 November 2014

Company Announcements Office  
Australian Securities Exchange  
Level 4, Exchange Centre  
20 Bridge Street  
Sydney NSW 2000

Dear Sir / Madam

**First Cross Cut into A Lode at Mineral Hill Exposes High Grade Lead Zinc Mineralisation:  
Estimated True Thickness Clarification**

The Company advises in relation to its announcement on the A Lode Cross Cut released 11 November 2014 that the significant intersection of 6m at 0.8% Cu, 16% Pb, 4.9% Zn, 89g/t Ag and 1.1g/t Au (SOZ1040\_290E\_S.WALL) has an estimated true thickness of 4.05m.

The correction is included in Table 1 below.

**Table 1. Significant results from the recent 40mRL cross cut through A Lode<sup>1</sup>.**

Wall Sample	Interval (m)	Cu %	Pb %	Zn %	Ag g/t	Au g/t	From (m)	Estimated True Thickness (m)
<b>SOZ1040_290E_S.WALL</b>	<b>17</b>	<b>0.4</b>	<b>7.4</b>	<b>3.5</b>	<b>56</b>	<b>0.6</b>	<b>5</b>	<b>11.5</b>
<i>including</i>	<i>6</i>	<i>0.8</i>	<i>16</i>	<i>4.9</i>	<i>89</i>	<i>1.1</i>	<i>5</i>	<i>4.05</i>
<b>SOZ1040_290E_N.WALL</b>	<b>20</b>	<b>0.3</b>	<b>5.2</b>	<b>3</b>	<b>44</b>	<b>0.5</b>	<b>1</b>	<b>13.5</b>
<i>including</i>	<i>5</i>	<i>0.4</i>	<i>11.3</i>	<i>4.4</i>	<i>78</i>	<i>1.2</i>	<i>9</i>	<i>3.4</i>

Yours faithfully



Ivo Polovineo  
Company Secretary

<sup>1</sup> As released 11 November 2014; The Company is not aware of any new information and or data that materially affects the results presented in this market announcement.