

ASX Release
29 October 2020

High Grade Extension Discovered at Sturec Gold Mine

Highlights

- UGA-03 intersected a thick continuous mineralized zone of 59m @ 2.3 g/t Au & 9.4 g/t Ag from 225m (0.3g/t Au cut-off, downhole thickness) including:
 - 31.61m @ 3.76 g/t Au & 11 g/t Ag from 248m (0.5g/t Au cut-off)
 - 24m @ 4.74 g/t Au & 13.4 g/t Ag from 252m (1g/t Au cut-off)
 - 15m @ 6.70 g/t Au & 15.3 g/t Au from 252m (2g/t Au cut-off)
 - 7m @ 11.65 g/t Au & 24.7 g/t Ag from 252m (5g/t Au cut-off)

Cautionary Note: This intersection is not a true thickness as the drill hole was drilled at an acute angle to the mineralised zone due to the location of the underground drill site relative to the target zone. Further drilling is necessary to better constrain the interpretation.

- UGA-03 was completed at 287.25m and the high grade intersection is believed to represent an extension of the Schramen Vein which was the main vein for historic production (~1.5Moz) and that which underpins the current 1,026,000 ounce JORC (2012) Mineral Resource at Sturec
- Mineralisation remains open down hole as the drill hole ended within the Schramen Vein and was only stopped due to drilling difficulties associated with intersecting an historic mining void
- UGA-03 intersected the mineralised zone approximately 40m down dip and 20m along strike from where STOR 3.11 intersected this mineralised structure
- The high grade results for UGA-03 potentially bode well for UGA-04 which was recently completed having reached its target depth of 140.90m and is due to be cut and sampled shortly – analysis of the drill core samples for UGA-04 are expected to be “rush processed” by the laboratory and the Company is hoping to provide shareholders with an update on UGA-04 in the next few days
- UGA-05 is currently underway and represents a step out from UGA-04

Commenting on the discovery, MetalsTech Chairman, Russell Moran stated:

“Completion of UGA-01 and UGA-02 assisted us in orienting the dip and plunge of the Schramen Vein allowing us to better control and predict this target zone. The UGA-03 intersected the targeted Schramen Vein as we hoped being an extension of the main high grade zone at Sturec. The targeted Schramen Vein was key to the 1.5 million ounces of historic gold production, as well as our current 1 million ounce existing mineral resource. We are excited to see what the UGA-04 delivers in the next few days, which is a planned step out of UGA-03. If we continue to hit grade as we move further along plunge in our step out and our geological thesis prevails, we may be looking at a potential resource upgrade sooner rather than later.”

Note: This announcement is authorised by the executive board on behalf of the Company.

MetalsTech Limited (ASX: MTC) (the Company or MTC) is pleased to provide shareholders with an update on its diamond drilling program at the Company's 100%-owned Sturec Gold Mine, located in Slovakia (Sturec). To date the Company's maiden drilling program has consisted of four diamond drill holes from within the Andrej Adit, which were planned to test for extensions to the high-grade plunging zone within the existing Sturec Mineral Resource. UGA-01 and UGA-02 were pilot holes that enabled the success of drill hole UGA-03, which has intersected high grade gold mineralisation approximately 20m along strike and 40m down dip of STOR3.11, the closest historic drill hole in this area. The drill hole collar details are set out in Table 1 below.

The Company is now able to target this high-grade mineralisation zone with more confidence as we continue to step out and potentially grow our resource at Sturec.

Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH Depth (m)
UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05
UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46
UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25
UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90

Table 1: Drill Collar details

Drilling Assay Results: UGA-03

UGA-03 was completed at a depth of 287.25m with excellent core recovery (average 95%). UGA-03 intersected moderate quartz stockworks and associated alteration at 225m through to 266m. Then from 266m to 287.25m (EOH), UGA-03 intersected the Schramen Vein zone, which was the main focus of historic mining. At 285.52m to 286.25m, a historic mining void with some backfill (small adit) was intersected. Then at 287.25m another mining void was intersected and the drillers were unable to continue the hole. The mineralisation intersected by UGA-03 remains open down hole. Examples of the quartz vein structures and style of alteration within the mineralised zone intersected in UGA-03 are shown in Figure 1.

Assay results from UGA-03 are interpreted to show a continuous mineralised zone from 225m to 287.25m (EOH). Over this interval, the drill hole intersected 59m @ 2.3g/t Au & 9.4g/t Ag from 225m using a 0.3g/t Au cut-off (downhole thickness); including 24m @ 4.74g/t Au & 13.4g/t Ag from 252m using a 0.5g/t Au cut-off (downhole thickness) or 15m @ 6.7g/t Au & 15.3g/t Au from 252m using a 2g/t Au cut-off (downhole thickness). A summary of the significant intersections from UGA-03 are shown in Table 2 below. The lower gold grade, larger intervals have been selected using a gold cut-off grade similar to the cut-off grade utilised for the Sturec Gold Project JORC 2012 Mineral Resource. While the higher gold grade, shorter intervals have been selected utilising incrementally increasing gold cut-off grades in order to demonstrate the mineralisation at a range of gold cut-off grades, which may be utilised in the future if the mineralisation needs to be high graded in order to support feasibility studies.

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
UGA-03	59.00	@	2.27	9.4	225.00	284.00	0.3g/t Au cut-off and max. 3m internal dilution including a 1.39m historic mining void
	including						
	31.61	@	3.76	11.0	248.00	279.61	0.5g/t Au cut-off and max. 2m internal dilution
	including						
	24.00	@	4.74	13.4	252.00	276.00	1g/t Au cut-off and max. 3m internal dilution
	including						
	15.00	@	6.70	15.3	252.00	267.00	2g/t Au cut-off and max. 3m internal dilution
	including						
	7.00	@	11.65	24.7	260.00	267.00	5g/t Au cut-off and max. 1m dilution

Table 2: Significant intersections in UGA - 03

Note: This announcement is authorised by the executive board on behalf of the Company.

UGA-03 intersected the Schramen Vein Zone approximately 40m down dip and 20m along strike from where STOR3.11 intersected this mineralised structure (Figure 2, 3, 4 and 5). However, the drill hole was planned at an acute angle to the mineralised zone due to location of the underground drill site relative to the target zone. This meant that UGA-03 was drilled almost perpendicular to STOR 3.11.

A long-sectional view of the drill holes close to UGA-03 is shown in Figure 4, which shows that nearest drill hole, STOR 3.11 is situated approximately 40m above where UGA-03 intersected the hanging wall contact of the mineralisation zone.

Figure 5 shows a plan view where UGA-03 intersected the hanging wall contact of the mineralisation zone approximately 20m along strike from STOR3.11 (and ~40m above). This information has been used to inform the current interpretation of the mineralised zone, which suggests the mineralised zone bends to the west and thickens.

UGA-03 passes close (within 5 metres) to the outside the mineral resource on its footwall margin at its southernmost extent (as shown in Figure 3). This is interpreted to indicate that the mineralisation bends to the west in this area. As UGA-03 is outside the current mineral resource there is a good potential that the mineral resource in this area will increase however, further drilling is necessary to confirm this potential.

Drill Core Photos: UGA-03



Note: This announcement is authorised by the executive board on behalf of the Company.



Figure 1: Drill core photos from UGA-03 showing an example of rocks within the Schramen Vein zone, which is a quartz filled vein/stockwork/breccia zone, variably rich in fine grained sulphides (mainly pyrite) and hosted within strongly leached and argillic altered andesite host rock

Note: This announcement is authorised by the executive board on behalf of the Company.




Figure 2: Drill hole trace of UGA-01, UGA-02, UGA-03 and UGA-04 shown relative to mineralisation within the existing Sturec Mineral Resource displayed as a point cloud (grade scale shown with psuedocolor spectrum) and the Schramen Vein (red surface) in 3D. This view is looking west.

Note: This announcement is authorised by the executive board on behalf of the Company.




Figure 3: Drill hole trace of UGA-01, UGA-02, UGA-03 and UGA-04 shown relative to mineralisation within the existing Sturec Mineral Resource displayed as a point cloud (grade scale shown with pseudocolor spectrum) and the Schramen Vein (green surface) in 3D. UGA-03 is situated just outside the margin of the Sturec Mineral Resource on the footwall side of the mineralisation at its southernmost extent. This view is looking north.

Note: This announcement is authorised by the executive board on behalf of the Company.




Figure 4: Long-sectional view of the drill holes closest to UGA-03. The nearest drill hole, STOR 3.11 is situated approximately 40m above where UGA-03 intersected the hanging wall contact of the mineralisation zone.

Note: This announcement is authorised by the executive board on behalf of the Company.




Figure 5: Plan view of drill hole UGA-03 intersecting the mineralised zone at level 470m RL, 190m below the Andrej Adit level.

Orientation Holes: UGA-01 and UGA-02

The first drill hole, UGA-01 was completed to a depth of 346.05m and the second hole, UGA-02 was completed at a depth of 293.46m, both with excellent core recovery (average > 95%).

Diamond drill holes UGA-01 and UGA-02 intersected multiple mineralised zones outside of the main Schramen Vein, however their purpose was primarily in orienting the Schramen Vein which was intersected in UGA-03 and is the target of future drill holes.

The best zones in UGA-01 included (downhole thicknesses): 10m @ 1.47g/t Au & 9.7g/t Ag from 234m (using 0.5g/t Au cut-off); and 16m @ 0.76g/t Au & 4.1g/t Ag from 206 (using 0.3g/t Au cut-off), including 6m @ 1.32g/t Au & 6.3g/t Ag from 216m (using 0.5g/t Au cut-off).

Note: This announcement is authorised by the executive board on behalf of the Company.

The best zones in UGA-02 include (downhole thicknesses): 26m @ 1.2g/t Au & 5.8g/t Ag from 111m (using 0.5g/t Au cut-off), including 7m @ 1.6g/t Au & 4.3g/t Ag from 111m and 6m @ 1.5g/t Au & 10.8g/t Ag from 124m (using 1g/t Au cut-off); and 15m @ 1.16g/t Au & 3.5g/t Ag from 168m (using 0.5g/t Au cut-off), including 5m @ 1.93g/t Au & 4.6g/t Ag from 171m (using 1g/t Au cut-off).

Drilling Update: UGA-04

Drilling of UGA-04 has recently been completed at 140.90m. Drill hole UGA-04 was planned to extend the mineralised zone from UGA-03 over 100m along strike to the south (Figure 2, 3 and 5).

The Company looks forward to providing an update on UGA-04 in the next few days as core is due to be cut and sampled shortly. Analysis of the drill core samples for UGA-04 are expected to be "rush processed" by the laboratory and the Company is hoping to provide shareholders with an update on UGA-04 in the next few days.

UGA-05 is already underway.

ENDS

For further information, contact:

Russell Moran
Chairman
M +61 415 493 993
russell@metalstech.net

Nathan Ryan
Investor Relations
M +61 420 582 887
nathan.ryan@nwrccommunications.com.au

Gino D'Anna
Director
M +61 400 408 878
gino@metalstech.net

Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning MetalsTech. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the company's beliefs, opinions and estimates of MetalsTech as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

Competent Persons Statement

The information in this announcement that relates to Exploration Results is based on information compiled by Dr Quinton Hills Ph.D., M.Sc., B.Sc. Dr Hills is the technical advisor of MetalsTech Limited and is a member of the Australasian Institute of Mining and Metallurgy (No. 991225). Dr Hills has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Hills consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Sturec Gold Deposit is based on information compiled by Mr Chris Grove, who is a Member of The Australasian Institute of Mining and Metallurgy (No. 310106). Mr Grove is a full-time employee of Measured Group Pty Ltd and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Grove consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Note: This announcement is authorised by the executive board on behalf of the Company.

Background: Sturec Gold Mine

The Sturec Gold Mine is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banská Bystrica, and 150km northeast of the capital, Bratislava.

Sturec is a low sulphidation epithermal system and contains a total Mineral Resource of 21.2Mt @ 1.50 g/t Au and 11.6 g/t Ag (1.59g/t AuEq) using a 0.4g/t Au cut-off and within an optimised open pit, containing 1,026,000 ounces of gold and 7,944,000 ounces of silver (1,086,000 ounces of gold equivalent) in accordance with JORC (2012). An additional 388,000 tonnes at 3.45 g/t Au and 21.6 g/t Ag (3.60g/t AuEq) outside the optimised open pit contains an additional 43,000 ounces of gold and 270,000 ounces of silver (45,000 ounces of gold equivalent), reported in accordance with JORC (2012).

Mineral Resource Estimate – Sturec Gold Mine

Sturec Mineral Resource Estimate								
Resource Estimate above 0.40 g/t Au cut-off and within an optimised open pit shell								
Resource Category	Tonnes (kt)	Density (t/m ³)	Au (g/t)	Ag (g/t)	AuEq ¹ (g/t)	Au (koz)	Ag (koz)	AuEq ¹ (koz)
Measured	3,000	2.17	1.69	13.5	1.79	161	1291	171
Indicated	11,200	2.24	1.79	14.9	1.90	643	5373	685
Measured + Indicated	14,200	2.23	1.77	14.6	1.87	804	6664	856
Inferred	7,000	2.33	0.97	5.6	1.01	222	1280	230
TOTAL	21,200	2.26	1.50	11.6	1.59	1026	7944	1086
Resource Estimate above 2.85 g/t Au cut-off: outside optimised open pit shell								
Resource Category	Tonnes (kt)	Density (t/m ³)	Au (g/t)	Ag (g/t)	AuEq ¹ (g/t)	Au (koz)	Ag (koz)	AuEq ¹ (koz)
Measured	-	-	-	-	-	-	-	-
Indicated	114	2.28	3.39	25.6	3.57	12	94	13
Measured + Indicated	114	2.28	3.39	25.6	3.57	12	94	13
Inferred	274	2.34	3.47	19.9	3.61	31	176	32
TOTAL	388	2.34	3.45	21.6	3.60	43	270	45

¹ AuEq g/t = ((Au g/t grade*Met. Rec.*Au price/g) + (Ag g/t grade*Met. Rec.*Ag price/g)) / (Met. Rec.*Au price/g)

Long term Forecast Gold and Silver Price USD/oz (source: World Bank, JP Morgan): \$1,500 and \$20 respectively.

Gold And silver recovery from the 2014 Thiosulphate metallurgical test work: 90.5% and 48.9% respectively.

It is the Company's opinion that both gold and silver have a reasonable potential to be recovered and sold from the Sturec ore using Thiosulphate Leaching/Electrowinning as per the recoveries indicated.

Note: This announcement is authorised by the executive board on behalf of the Company.

Appendix A: Mineralised Intersections (Orientation Holes): UGA-02 & UGA-01

Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
UGA-02	7.90	@ 0.58	9.2	0.10	7.80	0.3g/t Au cut-off and max. 3m internal dilution
	and					
	9.00	@ 0.94	6.5	17.00	26.00	0.3g/t Au cut-off and max. 2m internal dilution
	including					
	4.00	@ 1.52	10.2	17.00	21.00	0.5g/t Au cut-off and max. 1m internal dilution
	5.00	@ 0.91	13.7	46.00	51.00	0.5g/t Au cut-off and max. 2m internal dilution
	8.00	@ 0.92	5.0	92.00	97.00	0.5g/t Au cut-off and max. 2m internal dilution
	26.00	@ 1.20	5.8	111.00	137.00	0.5g/t Au cut-off and max. 2m internal dilution
	including					
	7.00	@ 1.60	4.3	111.00	118.00	1g/t Au cut-off and max. 2m internal dilution
	and					
	6.00	@ 1.50	10.8	124.00	130.00	1g/t Au cut-off and max. 1m internal dilution
	3.00	@ 0.82	4.1	152.00	155.00	0.3g/t Au cut-off
	15.00	@ 1.16	3.5	168.00	183.00	0.5g/t Au cut-off and max. 1m internal dilution
	including					
	5.00	@ 1.92	4.6	171.00	176.00	1g/t Au cut-off and max. 2m internal dilution

Hole	Width (m) (Down hole depth)	Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
UGA-01	2.00	@ 2.43	76.7	1.00	3.00	0.5g/t Au cut-off
	27.00	@ 0.64	13.9	1.00	28.00	0.3g/t Au cut-off and max. 4m internal dilution
	including					
	4.00	@ 1.19	20.8	17.00	21.00	0.5g/t Au cut-off and max. 1m internal dilution
	10.00	@ 0.54	3.4	48.00	58.00	0.3g/t Au cut-off and max. 2m internal dilution
	10.00	@ 0.76	6.4	135.00	145.00	0.3g/t Au cut-off and max. 2m internal dilution
	including					
	3.00	@ 1.15	9.1	135.00	138.00	0.5g/t Au cut-off
	and					
	3.00	@ 1.04	6.4	142.00	145.00	0.5g/t Au cut-off
	including					
	12.00	@ 0.76	5.3	183.00	195.00	0.3g/t Au cut-off and max. 2m internal dilution
	including					
	2.00	@ 2.00	6.2	192.00	194.00	0.5g/t Au cut-off
	16.00	@ 0.76	4.1	206.00	222.00	0.3g/t Au cut-off and max. 3m internal dilution
	including					
	6.00	@ 1.32	6.3	216.00	222.00	0.5g/t Au cut-off and max. 1m internal dilution
	10.00	@ 1.47	9.7	234.00	244.00	0.5g/t Au cut-off and max. 2m internal dilution

Note: This announcement is authorised by the executive board on behalf of the Company.

APPENDIX B: JORC CODE, 2012 EDITION – TABLE 1

Section 1 - Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation	Details
Sampling techniques	<ul style="list-style-type: none"> • Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. • Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. • Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> • Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are 1m half drill core; or quarter core for duplicates (routine ½ core sample sawn into two ¼ core samples). • Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES will be completed at the ALS laboratory in Ireland. • 90% of sample to be crushed to <2mm. Sample is then dried and riffle split to produce a 1kg split. 1kg split then pulverised to 85% passing <75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. • If coarse-grained gold is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to <2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculate and reported, using the individual assays and weight of the fractions.
Drilling techniques	<ul style="list-style-type: none"> • Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> • The current program is utilising diamond drilling from an underground location within the Andrej Adit. • None of the diamond core is being oriented. • UGA-01, was drilled with NQ (47.6mm core diameter) to 183.6m and then reduced to BQ due to drilling difficulties (36.5mm core diameter) till EOH (346.05m). • UGA-02 was drilled with NQ (47.6mm core diameter) to 201m and then reduced to BQ due to drilling difficulties (36.5mm core diameter) till EOH (293.46m). • UGA-03 was drilled with NQ (47.6mm core diameter) to 200.52m and then reduced to BQ due to drilling difficulties (36.5mm core diameter) till EOH (287.25m). • UGA-04 was drilled with NQ (47.6mm core diameter) to EOH (140.90m).
Drill sample recovery	<ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> • Core recovery is measured as the length of core recovered versus the depth of the drill hole. In detail, the length of each 'run' of core recovered (between 0-3m) is measured and its length compared to the length the drillers measured from the drill rod advance. • The core recovery for all drill holes so far is excellent, greater than 95%. • Historic drill records indicate that core recovery at the Sturec Project was consistently good, where historic mining voids have not been encountered.

Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> No relationship between sample recovery and grade has been interpreted as recovery is excellent.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> The core was geologically and geotechnically logged to a level to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Core is logged both qualitatively and quantitatively. All logging data is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package. Core photography is completed for all drill holes. The entire length of drill core is logged.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are sawn into 1m half drill core; or quarter core for duplicates. Same side of drill core sampled to ensure no selective sampling bias. The other half of the core was retained for geological reference and potential further sampling, such as metallurgical test work. Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland. 90% of sample crushed to <2mm. Sample then dried and riffle split. 1kg split then pulverised to 85% passing <75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. The remainder of the material is retained as a coarse split for metallurgical test work. Remaining pulps are retained for analyses such as second laboratory check assays. Duplicate samples (routine 1m ½ core sample sawn in half to produce two ¼ core samples) taken every 30 samples or at least one per hole if less than 30 samples taken. A Certified Reference Material (CRM or 'Standard') is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken. A blank (material with no concentrations of economic elements under consideration) is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken. Sample prep techniques utilised are industry standard for Carpathian epithermal-style gold mineralisation and are considered appropriate. Samples sizes are considered appropriate for the grain-size of the material being sampled.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. 	<ul style="list-style-type: none"> Analysis completed by using 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc. If coarse-grained gold is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to <2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then

Criteria	JORC Code Explanation	Details
	<ul style="list-style-type: none"> Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculate and reported, using the individual assays and weight of the fractions. Analysis techniques utilised are industry standard for Carpathian epithermal-style gold mineralisation and are considered appropriate. Laboratory Routine QC protocol for Au-AA26: 1 lab Blank, 2 lab CRM, 3 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). Laboratory Routine QC protocol for ME-ICP61: 1 lab Blank, 2 lab CRM, 2 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). Internal laboratory checks, as well as internal and external check assays such as repeats and check assays enable assessment of precision. Contamination between samples is checked for by the use of blank samples (laboratory and company inserted). Assessment of accuracy will be carried out by the analysis of the assay results of the CRMs. QAQC results are reviewed on a batch-by-batch basis. Any deviations from acceptable precision or indications of bias are acted upon prior to announcing any results with repeat and check assays.
Verification of sampling	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> On receipt of assay results from the laboratory, the results are verified by the Exploration Manager and by responsible geologists who compare the results with the geological logging and remaining drill core (or core photography if site access is not possible). No twins have been completed yet. All primary data (logging, sample intervals and assay results) is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package. Data is stored in secure company Dropbox that has a 180 day file recovery and version history function. No adjustments of the assay data have occurred.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> Locations of diamond drill hole collars, channel samples and mine workings are recorded using the Slovak National Datum: S-JTSK/Krovak Datum. As the location of the current drill hole is within the Andrej Adit, which has been surveyed, its location is very accurately known. High-resolution topography over the project was acquired using LiDAR.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Data spacing is highly variable across the prospect. UGA-03 is approximately 40m down dip and 20m along strike from where historic drill hole STOR3.11 intersected the mineralised structure. The area currently being drilled has not been previously targeted by drilling and therefore, it can not currently be determined if the data spacing and distribution will be sufficient to establish the degree of geological and grade continuity appropriate for Mienral Resource and Ore Reserve estimation. No samples have been composited.

Criteria	JORC Code Explanation	Details
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Due to only one site within the Andrej Adit being suitable for drilling, the drill holes completed so far have been drilled at an acute angle to the strike of the exploration target and the adjoining mineral resource. The true thickness of the mineralised zone intersected by UGA-03 is not possible to determine at this stage due to the limited drilling in this area and further drilling is necessary to better constrain the interpretation. The true thickness of the mineralised intervals intersected by UGA-01 and UGA-02 are interpreted to be within 80% of down hole interval due to the high angle of the observed mineralised veins compared to the core axis. However, due to the limited drilling in this area, further drilling with oriented core will be necessary to estimate the true thickness accurately and facilitate geological modelling.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Samples were securely stored in company facilities prior to being completely sealed and couriered to the ALS laboratory in Romaina.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No audits/reviews of the sampling techniques and assay data has been completed at this stage.

Section 2 - Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code Explanation	Details																
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Sturec Gold Project consists of the Kremnica Mining Territory (9.47 km²) owned by Slovakian limited liability company Ortac SK, which is a wholly-owned subsidiary of Ortac UK (a private limited company registered in England and Wales). Kremnica Mining Territory' and Mining Licence details: <p>'Kremnica Mining Territory'</p> <table border="1"> <tr> <td>Name:</td> <td>Mining Territory Kremnica Au-Ag</td> </tr> <tr> <td>Mining area No:</td> <td>MHD-D.P.- 12</td> </tr> <tr> <td>Date of Issuance:</td> <td>21 January 1961</td> </tr> <tr> <td>Metals</td> <td> <ul style="list-style-type: none"> Gold and Silver </td> </tr> <tr> <td>Duration:</td> <td>Indefinite</td> </tr> <tr> <td>Holder of the:</td> <td>Ortac, s.r.o</td> </tr> <tr> <td>Amendments:</td> <td> <ul style="list-style-type: none"> No. 1037-1639/2009 </td> </tr> </table> <p>ORTAC,s.r.o. Mining Licence details</p> <table border="1"> <tr> <td>Name:</td> <td>Ortac,s.r.o.</td> </tr> </table>	Name:	Mining Territory Kremnica Au-Ag	Mining area No:	MHD-D.P.- 12	Date of Issuance:	21 January 1961	Metals	<ul style="list-style-type: none"> Gold and Silver 	Duration:	Indefinite	Holder of the:	Ortac, s.r.o	Amendments:	<ul style="list-style-type: none"> No. 1037-1639/2009 	Name:	Ortac,s.r.o.
Name:	Mining Territory Kremnica Au-Ag																	
Mining area No:	MHD-D.P.- 12																	
Date of Issuance:	21 January 1961																	
Metals	<ul style="list-style-type: none"> Gold and Silver 																	
Duration:	Indefinite																	
Holder of the:	Ortac, s.r.o																	
Amendments:	<ul style="list-style-type: none"> No. 1037-1639/2009 																	
Name:	Ortac,s.r.o.																	

Criteria	JORC Code Explanation	Details					
		<table border="1"> <tr> <td data-bbox="765 187 1102 212">Mining License No:</td><td data-bbox="1102 187 1949 212">1830-3359/2008</td></tr> <tr> <td data-bbox="765 212 1102 238">Date of Issuance:</td><td data-bbox="1102 212 1949 238">13 November 2008</td></tr> </table>	Mining License No:	1830-3359/2008	Date of Issuance:	13 November 2008	
Mining License No:	1830-3359/2008						
Date of Issuance:	13 November 2008						
		<table border="1"> <tr> <td data-bbox="765 250 1102 466">Subject:</td><td data-bbox="1102 250 1949 466"> <ul style="list-style-type: none"> ● Opening, preparation and exploitation of reserved mineral resource ● Installation, conservation and decommissioning of mining work ● Processing and refinement of mineral resources ● Installation and operation of unloading areas and dumps ● Opening the mining works to the public for museum purposes and related safety maintenance works </td></tr> </table>	Subject:	<ul style="list-style-type: none"> ● Opening, preparation and exploitation of reserved mineral resource ● Installation, conservation and decommissioning of mining work ● Processing and refinement of mineral resources ● Installation and operation of unloading areas and dumps ● Opening the mining works to the public for museum purposes and related safety maintenance works 			
Subject:	<ul style="list-style-type: none"> ● Opening, preparation and exploitation of reserved mineral resource ● Installation, conservation and decommissioning of mining work ● Processing and refinement of mineral resources ● Installation and operation of unloading areas and dumps ● Opening the mining works to the public for museum purposes and related safety maintenance works 						
		<table border="1"> <tr> <td data-bbox="765 479 1102 504">Duration:</td><td data-bbox="1102 479 1949 504">Indefinite</td></tr> </table>	Duration:	Indefinite			
Duration:	Indefinite						
		<table border="1"> <tr> <td data-bbox="765 542 1102 561">Responsible Person:</td><td data-bbox="1102 542 1949 561">Ing. Peter Čorej</td></tr> </table>	Responsible Person:	Ing. Peter Čorej			
Responsible Person:	Ing. Peter Čorej						
		<table border="1"> <tr> <td data-bbox="765 568 1102 650">Amendments:</td><td data-bbox="1102 568 1949 650"> <ul style="list-style-type: none"> ● No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License ● No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body </td></tr> </table>	Amendments:	<ul style="list-style-type: none"> ● No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License ● No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body 			
Amendments:	<ul style="list-style-type: none"> ● No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License ● No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body 						
		<ul style="list-style-type: none"> ● The Kremnica Mining Licence is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banska Bystrica, and 150km northeast of the capital, Bratislava. ● Metals Tech owns 100% of the Sturec Gold Project by completing the acquisition of Ortac UK on 14 February 2020. ● As a part of the acquisition, MetalsTech Limited has granted Arc Minerals Limited a royalty equal to A\$2 per ounce of resource that is delineated at the project above an open cut JORC (2012) Indicated and Measured Resources that exceeds 1.5million ounces at a grade greater than 2.5g/t AuEq after 2 years from the date of execution of the Terms Sheet but before the date that is 5 years after the date of execution of the Terms Sheet capped at 7 million ounces. ● Also, subject to MTC shareholder approval, Courchevel 1850 Pty Ltd (a related party of MTC chairman Russell Moran) is to be assigned a 2% net smelter royalty on all production from the project. ● In 2013, Arc Minerals (named Ortac Resources Limited at this time) submitted a small-scale underground mining application, which was awarded by the Central Mining Bureau in 2014. Trial underground mining commenced in June 2014 and a 40t bulk sample was extracted from Sturec for metallurgical test work. ● In 2016, the Regional Court in Banská Bystrica ruled against the Central Mining Bureau concerning the underground mining permit issued to Arc Minerals Limited in 2014 and revoked the decision to issue the mining permit. ● In May 2017, the Central Mining Bureau issued Ortac SK with an amended underground mining permit that allowed for small-scale mining activities to recommence. ● In July 2017, Ortac SK (Arc Minerals Limited) re-commenced the trial underground mining activities at Sturec, fulfilling the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. 500t of ore was extracted and used for metallurgical test work relating to alternative processing technologies to the conventional cyanide leaching. ● Since 2017 (before selling the project to MetalsTech), Arc Minerals Limited has continued working with the local community and stakeholders to facilitate the development of the project. 					

Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> • In October 2019, the Central Mining Bureau issued Ortac SK with an underground mining permit that allowed for small-scale mining activities to recommence: Decision No. 827-2373 / 2019. This decision was appealed soon after being received. • In February 2020, the appeals against Decision No. 827-2373 / 2019 were rejected by the State Mining Administration and the underground mining authorisation was upheld. • In April 2020, MetalsTech Limited re-commenced the underground mining activities at Sturec, in order to fulfill the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. • Although Ortac SK is officially registered as the holder of the Kremnica Mining Territory, the validity of the allocation of the Kremnica Mining Territory has been repeatedly disputed. Arguments challenging the validity of the allocation of the Kremnica Mining Territory have been raised by third parties in licensing proceedings in respect of particular mining activities within the Kremnica Mining Territory. So far, the merits of such arguments have not been assessed by the court, as the respective court decisions were issued on procedural grounds in the past. Despite the existence of reasonable legal arguments defending the validity of the allocation of the Kremnica Mining Territory, it cannot be ruled out that the challenges to its validity will eventually prevail before the court. Even if the validity of the allocation of the Kremnica Mining Territory is successfully defended in principle, there is a risk that Ortac SK's entitlement to the Kremnica Mining Territory could be held to be limited to underground operations only. • There are no environmental protected areas in the vicinity of the project resource area, except a protected lime tree situated close to the Leopold Shaft, adjacent to the monument commemorating the visit by Emperor Joseph II to Kremnica. Permission can be obtained to fell the tree if necessary, from the Provincial Environmental Office in Banska Bystrica. • It appears that a significant part of the Kremnica Mining Licence is covered by a heritage conservation area. This is not surprising given the extensive mining history throughout this area. The previous owners Arc Minerals Ltd used this fact to their advantage by establishing the Andrej Kremnica Mining Museum, whose two main attractions are the Ludavika Shaft Building and the Andrej Adit, which was established in 1982 by the State to access the main quartz vein mineralisation. As a result, various requirements under the applicable regulations in the area of heritage protection must be complied with. Further investigation needs to be completed to understand the effect this Heritage Protection will have on any proposed mining activities. • There is one registered environmental burden located in the Kremnica Mining Territory with registration number SK/EZ/ZH/2129. This environmental burden relates to the processing facilities including the historic waste dumps that are situated immediately next to the Arc Minerals operation office/Andrej Kremnica Mining Museum. It is categorized "only" as a potential (probable) environmental burden as no significant contamination/acid rock drainage (ARD) effects have been reported concerning these historic mining remnants. • There is risk concerning the further development of the Sturec Gold Project due to the historic social and environmental opposition to the development of a mining operation in this area. The opposition is believed to be the result of two main factors: previous development plans utilised cyanide ore processing; and previous development plans involved digging a large open pit in relatively proximity to the township of Kremnica. <ul style="list-style-type: none"> ○ To minimise the first risk, MetalsTech is investigating alternative gold processing methods, especially Thiosulphate Leaching, which has previously been used quite successfully on Sturec ore samples during metallurgical test work in 2014. Also, in 2014 the CSIRO successfully collaborated with Barrick Gold Corp. to implement Thiosulphate ore processing technology on the Goldstrike Mine in Nevada, USA, which now produces approximately 350,000 ounces of gold per annum for Barrick and Newmont Goldcorp Corp; proving that this technology can be utilised economically and at significant scale. ○ To minimise the second risk, MetalsTech intends to put in place a comprehensive project stakeholder engagement programme to attempt to understand and mitigate their concerns about the development of a

Criteria	JORC Code Explanation	Details
		<p>mining operation on the Sturec Gold Project. Also, the full suite of benefits to the country and local communities that will arise from the Sturec Gold Project (such as job creation, training, capital investment, revenue generation, procurement of goods and services locally, and community development initiatives) need to be properly communicated to project stakeholders, so that they can use this to motivate/ justify the project in project-approval processes.</p>
Exploration done by other parties	<ul style="list-style-type: none"> • <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> • Many exploration companies have previously explored the Sturec Gold Project and the surrounding areas. The details of the exploration history are outlined below: <ul style="list-style-type: none"> ○ The Slovak Geological Survey carried out extensive exploration in the Sturec area from 1981 to 1987, including extensive adit and cross-cut development within the Sturec zone. ○ Rudne Bane operated the open-pit mine at Sturec from 1987 to 1992 and produced 50,028t of ore averaging 1.54g/t Au. During this time, Rudne Bane conducted underground sampling of the larger mineralised portions of the Sturec deposit (40 channels for 3,149 individual samples) and 12 underground fan drill holes (for 425.3m) into the northern-most known limits of the deposit. A total of 266 sample intervals were assayed for gold and silver. ○ Kremnica Banská Spoločnosť (KBS), an investment company composed of former mine managers, obtained the title to the Kremnica Mining Lease (MHD-D.P. 12) from the Slovak government on 1 April 1995. In 1995, Argosy Mining Corporation (Argosy) of Vancouver formed a 100% owned Slovak Subsidiary, Argosy Slovakia s.r.o., which entered into a joint venture with KBS on 6 October 1995. Argosy Slovakia purchased KBS's share of the joint venture on 24 April 1997 to control 100% of the mining licence through its subsidiary, Kremnica Gold a.s. Argosy completed a core drilling programme in 1996 and a combined core and reverse-circulation (RC) drilling programme in 1997. This core/RC program totalled 79 holes for 12,306m; 9,382.4m of which was into the Sturec Deposit area. ○ In July 2003, Tournigan Gold Corporation (Tournigan) acquired the rights to the Sturec Project by purchasing Kremnica Gold a.s. from Argosy. Tournigan then completed 104 diamond core and RC drill holes for ~14,000m over the period 2004 to 2008. The majority of these holes were into the Sturec Deposit, but adjacent areas were also explored. In the summer and autumn of 2005, Tournigan executed a 36-hole program of RC drilling as infill of Argosy's and Tournigan's earlier core drilling programs into the Sturec Deposit. Tournigan also drilled five additional holes as twins of Argosy's previous core holes. This drilling resulted in the deposit being drilled off on approximate 50-metre centres (earlier drilling had been on approximately 100 x 50 metre centres). The RC program results confirmed the geology and ore outlines that were previously established by core drilling (e.g., rock types and alteration, location of zones of oxidation, location of ore-bearing veins and stockworks, hanging walls, footwalls, thicknesses, strikes, dips, and grades). The holes and assay results were displayed on cross-sections and recorded on logs. Samples were collected at 1-meter intervals under the immediate supervision of a geologist, sealed in plastic bags, and submitted for analysis and check analyses according to the required formal protocols. The holes were logged on site by the drill geologists and again in the laboratory where qualitative samples were taken and inventoried as geological reference samples. The bulk rejects from these RC samples are stored at the operational offices at the Andrej Mining Museum. Tournigan also completed nine bench channel surveys incorporating a total of 317 sample intervals. In 2004, Tournigan also conducted an 11-hole diamond drilling programme north of Sturec at the Wolf prospect. ○ Ortac Resources (now Arc Mineral Limited) acquired the project in 2009. Since 2009 till MetalsTech acquired the project from them in February 2020, Ortac drilled 13 core holes for 2,771.7m within the Sturec Deposit area. They also completed 4 drill core holes at the Vratislav Prospect, immediately to the north of the Sturec Mineral Resource area and 3 drill core holes at the Wolf Prospect, immediately north of the Vratislav Prospect.

Criteria	JORC Code Explanation	Details																																								
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The Sturec Gold Project is located in the Central Slovakia Volcanic Area in the Kremnica Mountains of the Western Carpathians. The Central Slovakia Volcanic Field hosts several Ag-Au epithermal vein-type deposits including Banská Štiavnica, Kremnica, Hodruša-Hámre, and Nová Bana, which were important sources of precious and base metals in the past. The area is characterised by Tertiary pyroxene-amphibole andesite flows and tuffs of the Zlata Studna Formation. The andesites are underlain by Mesozoic limestone. Deep-seated structures and faults within the pre-Tertiary basement interpreted to be extensional Horst and Graben in style, focussed sub-volcanic intrusions of gabbro-diorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth and associated mesothermal mineralising events, which were then overprinted by the epithermal precious metal mineralisation. In the Kremnica area, the structure is controlled by a 6-7km long, N-S trending horst, known as the Kremnica Horst Structure, which is interpreted to be the result of the sub-volcanic intrusions of gabbro-diorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth causing this zone to be uplifted relative to the two graben structures to either side. The Sturec Gold Project mineralisation is classified as a low-sulphidation epithermal Ag-Au deposit type and is interpreted to have formed from low-salinity fluids composed of a mixture of meteoric and magmatic waters at temperatures mostly between ~270 to 190 °C. The mineralisation is hosted by quartz-dolomite veins also containing adularia, sericite, illite and chalcedony that cut through Neogene propyllitised (low pressure/low to medium temperature hydrothermal alteration) andesites of the Kremnica stratovolcano. The hydrothermal alteration from the veins outwards consists of silification and potassic-metasomatism (adularia), propylitization and argillisation. Vein styles include large banded to massive quartz veins, smaller quartz veins and sheeted veins, quartz stockwork veining and silicified hydrothermal breccias. 																																								
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Drill collar details: <table border="1"> <thead> <tr> <th>Drill hole name</th><th>Easting (m)</th><th>Northing (m)</th><th>RL (m)</th><th>Datum</th><th>Azi (°TN)</th><th>Dip (°)</th><th>EOH (m)</th></tr> </thead> <tbody> <tr> <td>UGA-01</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>017</td><td>-53</td><td>346.05</td></tr> <tr> <td>UGA-02</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>022</td><td>-46</td><td>293.46</td></tr> <tr> <td>UGA-03</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>007</td><td>-45</td><td>287.25</td></tr> <tr> <td>UGA-04</td><td>-435,852</td><td>-1,230,204</td><td>656</td><td>S-JTSK/ Krovak</td><td>297</td><td>-80</td><td>140.90</td></tr> </tbody> </table>	Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH (m)	UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05	UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46	UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25	UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90
Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH (m)																																			
UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05																																			
UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46																																			
UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25																																			
UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90																																			

Criteria	JORC Code Explanation	Details						
<ul style="list-style-type: none"> A summary table of significant drill hole intersections: 								
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)	
UGA-03	59.00	@	2.27	9.4	225.00	284.00	0.3g/t Au cut-off and max. 3m internal dilution, including a 1.39m historic mining void	
	including							
	31.61	@	3.76	11.0	248.00	279.61	0.5g/t Au cut-off and max. 2m internal dilution	
	including							
	24.00	@	4.74	13.4	252.00	276.00	1g/t Au cut-off and max. 3m internal dilution	
	including							
	15.00	@	6.70	15.3	252.00	267.00	2g/t Au cut-off and max. 3m internal dilution	
	including							
		7.00	@	11.65	24.7	260.00	267.00	5g/t Au cut-off and max. 1m dilution
UGA-02	7.90	@	0.58	9.2	0.10	7.80	0.3g/t Au cut-off and max. 3m internal dilution	
	and							
	9.00	@	0.94	6.5	17.00	26.00	0.3g/t Au cut-off and max. 2m internal dilution	
	including							
	4.00	@	1.52	10.2	17.00	21.00	0.5g/t Au cut-off and max. 1m internal dilution	
	5.00	@	0.91	13.7	46.00	51.00	0.5g/t Au cut-off and max. 2m internal dilution	
		8.00	@	0.92	5.0	92.00	97.00	0.5g/t Au cut-off and max. 2m internal dilution
		26.00	@	1.20	5.8	111.00	137.00	0.5g/t Au cut-off and max. 2m internal dilution
						including		

Criteria	JORC Code Explanation	Details						
		7.00	@	1.60	4.3	111.00	118.00	1g/t Au cut-off and max. 2m internal dilution
		and						
		6.00	@	1.50	10.8	124.00	130.00	1g/t Au cut-off and max. 1m internal dilution
		3.00	@	0.82	4.1	152.00	155.00	0.3g/t Au cut-off
		15.00	@	1.16	3.5	168.00	183.00	0.5g/t Au cut-off and max. 1m internal dilution
		including						
		5.00	@	1.92	4.6	171.00	176.00	1g/t Au cut-off and max. 2m internal dilution
UGA-01		2.00	@	2.43	76.7	1.00	3.00	0.5g/t Au cut-off
		27.00	@	0.64	13.9	1.00	28.00	0.3g/t Au cut-off and max. 4m internal dilution
		including						
		4.00	@	1.19	20.8	17.00	21.00	0.5g/t Au cut-off and max. 1m internal dilution
		10.00	@	0.54	3.4	48.00	58.00	0.3g/t Au cut-off and max. 2m internal dilution
		11.00	@	0.50	2.8	67.00	77.00	0.3g/t Au cut-off and max. 2m internal dilution
		10.00	@	0.76	6.4	135.00	145.00	0.3g/t Au cut-off and max. 2m internal dilution
		including						
		3.00	@	1.15	9.1	135.00	138.00	0.5g/t Au cut-off
		and						
		3.00	@	1.04	6.4	142.00	145.00	0.5g/t Au cut-off
		including						
		12.00	@	0.76	5.3	183.00	195.00	0.3g/t Au cut-off and max. 2m internal dilution

Criteria	JORC Code Explanation	Details																																																																								
		<table border="1"> <thead> <tr> <th colspan="6">including</th> <th></th> </tr> </thead> <tbody> <tr> <td>2.00</td><td>@</td><td>2.00</td><td>6.2</td><td>192.00</td><td>194.00</td><td>0.5g/t Au cut-off</td> </tr> <tr> <td colspan="6"></td><td></td> </tr> <tr> <td>16.00</td><td>@</td><td>0.76</td><td>4.1</td><td>206.00</td><td>222.00</td><td>0.3g/t Au cut-off and max. 3m internal dilution</td> </tr> <tr> <th colspan="6">including</th><th></th></tr> <tr> <td>6.00</td><td>@</td><td>1.32</td><td>6.3</td><td>216.00</td><td>222.00</td><td>0.5g/t Au cut-off and max. 1m internal dilution</td> </tr> <tr> <td colspan="6"></td><td></td> </tr> <tr> <td>10.00</td><td>@</td><td>1.47</td><td>9.7</td><td>234.00</td><td>244.00</td><td>0.5g/t Au cut-off and max. 2m internal dilution</td> </tr> </tbody> </table>	including							2.00	@	2.00	6.2	192.00	194.00	0.5g/t Au cut-off								16.00	@	0.76	4.1	206.00	222.00	0.3g/t Au cut-off and max. 3m internal dilution	including							6.00	@	1.32	6.3	216.00	222.00	0.5g/t Au cut-off and max. 1m internal dilution								10.00	@	1.47	9.7	234.00	244.00	0.5g/t Au cut-off and max. 2m internal dilution																
including																																																																										
2.00	@	2.00	6.2	192.00	194.00	0.5g/t Au cut-off																																																																				
16.00	@	0.76	4.1	206.00	222.00	0.3g/t Au cut-off and max. 3m internal dilution																																																																				
including																																																																										
6.00	@	1.32	6.3	216.00	222.00	0.5g/t Au cut-off and max. 1m internal dilution																																																																				
10.00	@	1.47	9.7	234.00	244.00	0.5g/t Au cut-off and max. 2m internal dilution																																																																				
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> All cut-off grades are reported. No top cut has been applied. The lower gold grade, larger intervals have been selected using a gold cut-off grade similar to the cut-off grade utilised for the Sturec Gold Project JORC 2012 Mineral Resource. While the higher gold grade, shorter intervals have been selected utilising incrementally increasing gold cut-off grades in order to visualise the mineralisation at a range of gold cut-off grades, which may be utilised in the future if the mineralisation needs to be high graded in order to support feasibility studies into the smaller, higher grade open pit mining or the possibility of being subjected to underground mining. Weighted means for each interval are calculated by: First multiply each of the widths of the individual sample intervals within the significant intersection by the assay result (Au g/t or Ag g/t) of each individual sample. Then sum all these values and divide by the overall width (m) of the significant intersection. Internal dilution was allowed as long as the aggregate weighted mean grade from the footwall or hangingwall side of the mineralised interval to the end of the dilution zone does not go below the cut-off grade. Example of weighted mean calculation and treatment of internal dilution. 																																																																								
		<table border="1"> <thead> <tr> <th>Hole</th><th>From (m)</th><th>To (m)</th><th>Interval (m)</th><th>Sample Nr</th><th>Au ppm (Au-AA26)</th><th>Au g/t* interval</th><th>Ag ppm (ME-ICP61)</th><th>Ag g/t* interval</th></tr> </thead> <tbody> <tr> <td>UGA-01</td><td>234</td><td>235</td><td>1</td><td>M294307</td><td>4.23</td><td>4.23</td><td>44</td><td>44</td></tr> <tr> <td>UGA-01</td><td>235</td><td>236</td><td>1</td><td>M294308</td><td>0.34</td><td>0.34</td><td>4.4</td><td>4.4</td></tr> <tr> <td>UGA-01</td><td>236</td><td>237</td><td>1</td><td>M294309</td><td>0.5</td><td>0.5</td><td>5</td><td>5</td></tr> <tr> <td>UGA-01</td><td>237</td><td>238</td><td>1</td><td>M294310</td><td>0.65</td><td>0.65</td><td>3.9</td><td>3.9</td></tr> <tr> <td>UGA-01</td><td>238</td><td>239</td><td>1</td><td>M294312</td><td>0.27</td><td>0.27</td><td>4.2</td><td>4.2</td></tr> <tr> <td>UGA-01</td><td>239</td><td>240</td><td>1</td><td>M294313</td><td>0.2</td><td>0.2</td><td>3.3</td><td>3.3</td></tr> <tr> <td>UGA-01</td><td>240</td><td>241</td><td>1</td><td>M294314</td><td>0.8</td><td>0.8</td><td>7</td><td>7</td></tr> </tbody> </table> <p style="text-align: right;">10 metres @ 1.47 g/t Au 9.68 g/t Ag from 234m using a 0.5g/t Au cut-off</p>	Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au ppm (Au-AA26)	Au g/t* interval	Ag ppm (ME-ICP61)	Ag g/t* interval	UGA-01	234	235	1	M294307	4.23	4.23	44	44	UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4	UGA-01	236	237	1	M294309	0.5	0.5	5	5	UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9	UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2	UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3	UGA-01	240	241	1	M294314	0.8	0.8	7	7
Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au ppm (Au-AA26)	Au g/t* interval	Ag ppm (ME-ICP61)	Ag g/t* interval																																																																		
UGA-01	234	235	1	M294307	4.23	4.23	44	44																																																																		
UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4																																																																		
UGA-01	236	237	1	M294309	0.5	0.5	5	5																																																																		
UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9																																																																		
UGA-01	238	239	1	M294312	0.27	0.27	4.2	4.2																																																																		
UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3																																																																		
UGA-01	240	241	1	M294314	0.8	0.8	7	7																																																																		

Criteria	JORC Code Explanation	Details
	<p><i>should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></p>	
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> • All exploration results have been reported.
Other substantive exploration data	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> • Several metallurgical test work programs have been completed at independent laboratories confirming that the Sturec ore is amenable to industry-standard cyanide leaching processing for gold and silver. However, the use of cyanide for ore processing was banned in Slovakia in 2014. • In response to the cyanide ban, several metallurgical test work programs assessing alternative processing methodologies have been completed on the ore from Sturec. The three most promising are: <ul style="list-style-type: none"> ○ Thiosulphate Leaching gold and silver extraction technology was investigated by the previous owners of the project (Arc Minerals Limited) between 2011-2014. The Thiosulphate Leaching test work results reported so far indicate that this alternate mineral processing methodology is generally applicable to the Sturec gold-silver ores. The most encouraging results came from the latest, Thiosulphate Leaching study completed in 2014 by CMC Chimie. In this study, Ammonium Thiosulphate leaching of the Sturec ore (10 batches of approximately 800kg each) produced a pregnant liquor that had a content of 3-8g/t Au and 10-25g/t Ag, which was then subjected to electrowinning and filtering/drying, producing a copper/gold/silver cement with an overall recovery of 90.5% for gold and 48.9% for silver. The resultant dry cement was approximately 1% gold-silver and about 50% copper. These results were used to justify the conclusion that Thiosulphate Leaching could be used as an alternative processing method to conventional cyanidation and that it was also more economically viable. These results are interpreted to indicate that a further, more detailed metallurgical test work investigation is warranted into this alternative processing method in order to underpin further economic analysis (scoping Study or PFS) of the Sturec Gold Project in light of Slovakia's ban on cyanidation mineral processing. ○ In 2016-2017, Arc Minerals also investigated the Cycladex Process as another alternative to cyanidation. In this process a bromide-based solubilizing agent (lixiviant) leaches the ore creating potassium gold bromide (tetrabromoaurate: KAuBr_4). Then cyclodextrin, a commercially available corn-starch derivative, is added to the resultant pregnant liquor, which results in the spontaneous precipitation of crystals containing the gold. The gold is then released from the crystalline precipitate at high temperature using a furnace to yield solid gold metal. The Cycladex Process test work results reported indicate that this alternate mineral processing methodology is also generally applicable to the Sturec gold-silver ores and potentially cheaper than conventional cyanidation. These results are interpreted to indicate that further investigation is warranted into this alternative processing method and that a PFS-level metallurgical test work-study needs to be completed to underpin a revaluation of the 2013 PFS completed by SRK in light of Slovakia's ban on cyanidation mineral processing. ○ As an alternative to onsite leaching, producing a gravity/floatation concentrate on site that could then be then further processed elsewhere (Austria/Belgium) has also been investigated. Gravity concentrate and floatation test work completed on 11 composite samples of Sturec ore found that gold recovery ranged from 64.1 to 93.9% and silver recovery ranged from 45.1 to 83.9%. This processing methodology is currently being used at Slovakia's only operating gold mine, which is of a very similar mineralisation style to Sturec; and so, there is a

Criteria	JORC Code Explanation	Details
		<p>reasonable possibility it could also be used at Sturec. The main deterrents to this option are the cost of transporting this concentrate (obviously depending on the distance of the further processing facility) and the lower recovery of gold and silver (especially in fine ores). Further work needs to be done to better constrain the metallurgical recovery of this processing methodology across the entire orebody, as well as understand the economic factors involved before an assessment of its suitability can be fully determined.</p> <ul style="list-style-type: none"> • Groundwater and geotechnical investigations were completed in 2013. The groundwater monitoring results and geotechnical data were found to be adequate to interpret reasonable open pit slope angles for the various host rock types for the purposes of an open pit optimisation that was used as justification for a 'reasonable prospects of economic extraction' interpretation. • Concerning the groundwater, it has been interpreted that the most likely current situation is that the water table around the open pit area was drawn down due to the dewatering through the 'Heritage Adits'; with the Main Heritage Adit being situated some 300m below and transporting the groundwater 15km away to where it eventually reaches the surface. It was interpreted that the dewatering had occurred to the level with or below the maximum depth of the proposed pit (~300m). However, the possibility that the dewatering was not as efficient as interpreted has also considered and it has been recommended that up to 6 permanent monitoring wells be installed on the western and eastern sides of the pit to the full depth of the proposed pit. The primary purpose of these wells is to determine if there is any spatial and temporal variation in groundwater levels around the pit. • Geotechnical investigations found that the stability of the open pit was significantly controlled by the degree of argillic alteration of the predominantly andesite rock mass found at Sturec (host rock of the quartz veining). The modelling suggested that the pit slope needed to be as low as 43° in the highly argillic altered/clay rock type but that a 50° pit slope was adequate in the other rock types. • The groundwater and geotechnical investigation results have been used to model a recommended open pit design that achieved an adequate Factor of Safety (FoS) of greater than 2.0.
Further work	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> • There is good potential for the delineation of further gold mineralisation within the Sturec Gold Project area through future exploration. • Prospects such as Wolf, Vratislav, Vollie Henne and South Ridge are interpreted to be extension areas to the Mineral Resource area at Sturec. Significant gold-silver bearing quartz vein mineralisation has been identified and variably explored/mined at each of these prospects. • The most exciting and potentially valuable exploration potential though appears to be down plunge. When the Mineral Resource model is investigated, it is apparent that the ore body has a high-grade core that appears to be plunging towards the south. The current exploration drilling has been designed to confirm whether or not this high-grade mineralisation continues down plunge to the south.

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	0.30	1.00	0.70	M293701	0.29	7.9	6.98	306	500	1.5	<2	0.28	<0.5	22	71	26	
UGA-01	1.00	2.00	1.00	M293702	1.12	80	6.17	174	490	1.1	<2	0.57	<0.5	17	65	49	
UGA-01	2.00	3.00	1.00	M293703	3.73	73.4	6.13	194	570	0.9	<2	0.45	<0.5	16	61	39	
UGA-01	3.00	4.00	1.00	M293704	0.15	3.5	6.23	211	530	0.9	<2	0.78	0.5	14	65	36	
UGA-01	4.00	5.00	1.00	M293705	0.2	4.7	5.55	127	420	0.9	<2	0.71	<0.5	12	59	28	
UGA-01	5.00	6.00	1.00	M293706	0.17	4.6	5.69	119	490	0.9	<2	0.79	<0.5	13	65	27	
UGA-01	6.00	7.00	1.00	M293707	0.19	4.1	5.66	122	420	0.9	<2	0.54	<0.5	16	58	28	
UGA-01	7.00	8.00	1.00	M293708	0.92	18	5.89	302	490	1	<2	0.28	0.5	17	62	38	
UGA-01	8.00	9.00	1.00	M293709	0.37	16.6	6.04	196	470	0.9	<2	2.14	<0.5	18	58	60	
UGA-01	9.00	10.00	1.00	M293710	0.4	2.8	6.17	169	520	1	<2	1.51	<0.5	16	59	35	
UGA-01	10.00	11.00	1.00	M293711	0.36	7.3	5.25	104	470	0.8	<2	2.69	<0.5	14	50	26	
UGA-01	11.00	12.00	1.00	M293712	0.26	3.7	5.81	181	510	0.9	<2	2.07	<0.5	16	58	25	
UGA-01	12.00	13.00	1.00	M293713	0.61	4.6	6.01	217	470	0.9	<2	0.54	<0.5	18	61	37	
UGA-01	13.00	14.00	1.00	M293714	0.16	2.1	5.78	77	450	0.9	<2	0.34	<0.5	16	59	31	
UGA-01	14.00	15.00	1.00	M293715	0.45	20.3	5.93	149	580	1	<2	0.41	<0.5	17	63	33	
UGA-01	15.00	16.00	1.00	M293716	0.55	4.2	6.08	183	490	0.9	<2	0.48	<0.5	17	60	35	
UGA-01	16.00	17.00	1.00	M293717	0.17	2.2	5.69	166	630	0.9	<2	0.46	<0.5	17	62	30	
UGA-01	17.00	18.00	1.00	M293718	0.66	58.6	5.83	195	530	0.9	<2	0.53	<0.5	18	63	42	
UGA-01	18.00	19.00	1.00	M293719	1.98	16.4	5.74	194	530	0.8	<2	1.31	<0.5	14	68	32	
UGA-01	19.00	20.00	1.00	M293720	0.31	3.5	5.61	109	410	0.8	<2	0.52	<0.5	16	63	27	
UGA-01	20.00	21.00	1.00	M293722	1.82	4.5	5.61	58	480	0.9	<2	2.17	<0.5	14	59	36	
UGA-01	21.00	22.00	1.00	M293723	0.11	2.7	6.76	110	350	1.1	<2	0.51	<0.5	17	74	35	
UGA-01	22.00	23.00	1.00	M293724	0.07	1.8	6.24	60	530	1	<2	0.82	<0.5	17	63	30	
UGA-01	23.00	24.00	1.00	M293725	0.1	1.7	5.68	97	560	0.9	<2	0.51	<0.5	18	62	29	
UGA-01	24.00	25.00	1.00	M293726	0.16	4.6	5.94	144	480	0.9	<2	0.53	<0.5	17	63	29	
UGA-01	25.00	26.00	1.00	M293727	1.11	17.7	5.38	424	410	0.9	<2	0.74	<0.5	15	62	34	
UGA-01	26.00	27.00	1.00	M293728	0.69	3.3	6.42	109	530	0.9	<2	0.73	<0.5	19	65	37	
UGA-01	27.00	28.00	1.00	M293729	0.52	7.7	6.99	97	470	1	<2	1.39	<0.5	18	67	35	
UGA-01	28.00	29.00	1.00	M293730	0.09	1.7	6.37	94	440	1.1	<2	0.89	<0.5	20	65	28	
UGA-01	29.00	30.00	1.00	M293731	0.18	2.5	6.46	119	400	1.1	<2	0.43	<0.5	20	66	29	
UGA-01	30.00	31.00	1.00	M293732	0.19	3.3	6.38	195	530	1.2	<2	0.36	<0.5	18	73	31	
UGA-01	31.00	32.00	1.00	M293733	0.18	3	6.44	156	230	1	<2	0.96	<0.5	19	79	31	
UGA-01	32.00	33.00	1.00	M293734	0.26	3	6.56	92	290	1	<2	0.75	<0.5	18	70	30	
UGA-01	33.00	34.00	1.00	M293735	0.4	2.6	6.13	149	490	1	<2	0.92	<0.5	18	57	29	
UGA-01	34.00	35.00	1.00	M293736	0.06	0.8	7.85	54	520	1.3	<2	0.44	<0.5	13	35	19	
UGA-01	35.00	36.00	1.00	M293737	0.05	1	7.76	63	720	1.4	<2	0.5	<0.5	14	34	22	
UGA-01	36.00	37.00	1.00	M293738	0.46	10.7	6.03	232	580	1	<2	0.49	<0.5	11	36	20	
UGA-01	37.00	38.00	1.00	M293739	0.18	2.9	6.16	121	610	1	<2	0.63	<0.5	12	31	19	
UGA-01	38.00	39.00	1.00	M293740	0.06	1.3	7.41	79	530	1.2	<2	0.38	<0.5	14	33	19	
UGA-01	39.00	40.00	1.00	M293742	0.54	2.5	7	101	640	1.1	<2	0.87	<0.5	13	31	25	
UGA-01	40.00	41.00	1.00	M294363	0.08	0.9	7.73	111	760	1.4	2	0.56	<0.5	15	32	25	
UGA-01	41.00	42.00	1.00	M294364	0.21	1.8	7.62	149	860	1.1	<2	0.62	<0.5	15	31	27	

					ME-ICP61													
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S		
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
UGA-01	0.30	1.00	0.70	M293701	8.61	10	5.17	30	0.68	1540	5	0.04	20	1110	14	2.64		
UGA-01	1.00	2.00	1.00	M293702	4.67	10	4.88	20	1.94	730	5	0.04	14	1140	15	1.97		
UGA-01	2.00	3.00	1.00	M293703	3.7	10	5.06	20	1.73	537	4	0.04	12	850	12	2.05		
UGA-01	3.00	4.00	1.00	M293704	3.82	10	6.21	20	2.11	643	2	0.04	14	890	12	2.44		
UGA-01	4.00	5.00	1.00	M293705	3.58	10	4.71	20	1.85	542	2	0.04	12	820	12	2.39		
UGA-01	5.00	6.00	1.00	M293706	3.87	10	4.94	20	0.92	359	3	0.04	14	970	12	3.7		
UGA-01	6.00	7.00	1.00	M293707	4.53	10	4.85	20	1.2	527	2	0.04	14	750	16	3.71		
UGA-01	7.00	8.00	1.00	M293708	4.84	10	4.63	20	1.26	583	4	0.04	15	900	21	3.64		
UGA-01	8.00	9.00	1.00	M293709	4.19	10	4.85	20	1.91	837	3	0.04	11	870	12	3.28		
UGA-01	9.00	10.00	1.00	M293710	3.99	10	4.9	20	1.61	511	2	0.04	11	900	9	3.2		
UGA-01	10.00	11.00	1.00	M293711	4.14	10	4.12	20	2.5	893	2	0.04	9	710	10	2.79		
UGA-01	11.00	12.00	1.00	M293712	3.89	10	4.58	20	2.16	764	2	0.04	10	810	12	2.61		
UGA-01	12.00	13.00	1.00	M293713	4.13	10	4.81	20	2.07	463	3	0.04	12	1230	12	2.3		
UGA-01	13.00	14.00	1.00	M293714	3.83	10	4.24	20	2.11	426	3	0.04	12	910	12	1.81		
UGA-01	14.00	15.00	1.00	M293715	3.94	10	4.2	20	2.08	442	3	0.04	12	950	12	1.82		
UGA-01	15.00	16.00	1.00	M293716	4.15	10	4.66	20	2.35	488	4	0.04	11	980	10	2.34		
UGA-01	16.00	17.00	1.00	M293717	3.87	10	4.44	20	1.57	391	6	0.04	11	990	13	2.52		
UGA-01	17.00	18.00	1.00	M293718	4.39	10	4.94	20	1.27	307	4	0.04	14	850	12	3.72		
UGA-01	18.00	19.00	1.00	M293719	4.52	10	5.28	20	1.06	335	7	0.04	12	1110	13	4.29		
UGA-01	19.00	20.00	1.00	M293720	3.96	10	4.71	20	1.42	340	12	0.04	12	860	11	3.27		
UGA-01	20.00	21.00	1.00	M293722	3.79	10	4.9	20	2.11	864	3	0.05	9	1110	12	2.87		
UGA-01	21.00	22.00	1.00	M293723	3.7	10	5.73	30	1.24	333	4	0.05	13	1360	11	2.99		
UGA-01	22.00	23.00	1.00	M293724	4.34	10	5.54	20	2.3	558	2	0.05	12	980	12	3.41		
UGA-01	23.00	24.00	1.00	M293725	4.53	10	5.07	20	1.21	260	4	0.04	15	940	13	4.16		
UGA-01	24.00	25.00	1.00	M293726	4.44	10	5	20	1.32	303	3	0.04	13	1120	16	3.9		
UGA-01	25.00	26.00	1.00	M293727	4.79	10	4.22	20	1.67	363	7	0.04	11	2130	16	3.72		
UGA-01	26.00	27.00	1.00	M293728	4.51	10	4.75	20	2.54	596	3	0.05	13	1220	13	2.3		
UGA-01	27.00	28.00	1.00	M293729	4.54	10	5.4	30	2.6	649	2	0.06	11	1760	15	2.29		
UGA-01	28.00	29.00	1.00	M293730	5.1	10	4.42	20	2.95	1070	2	0.04	12	1130	13	2.31		
UGA-01	29.00	30.00	1.00	M293731	4.15	10	5.03	30	1.21	589	2	0.05	14	1710	12	2.88		
UGA-01	30.00	31.00	1.00	M293732	4.13	10	4.84	30	1.16	703	4	0.05	15	1340	14	2.62		
UGA-01	31.00	32.00	1.00	M293733	4.58	10	4.37	30	2.07	832	3	0.04	15	1020	12	2.07		
UGA-01	32.00	33.00	1.00	M293734	4.26	10	4.8	20	1.7	577	3	0.05	12	1060	13	2.27		
UGA-01	33.00	34.00	1.00	M293735	4.54	10	4.19	20	2.24	606	4	0.04	10	1070	12	2.39		
UGA-01	34.00	35.00	1.00	M293736	3.28	10	5.59	40	1.25	414	3	0.05	7	1050	12	1.15		
UGA-01	35.00	36.00	1.00	M293737	3.89	10	5.81	40	1.48	445	3	0.06	8	1010	14	1.48		
UGA-01	36.00	37.00	1.00	M293738	4.03	10	5.08	30	1.21	353	5	0.05	7	960	15	2.6		
UGA-01	37.00	38.00	1.00	M293739	3.36	10	5.14	30	1.26	359	4	0.05	6	920	11	2.05		
UGA-01	38.00	39.00	1.00	M293740	3.83	10	6.16	30	1.49	430	3	0.06	7	990	14	1.68		
UGA-01	39.00	40.00	1.00	M293742	3.64	10	5.98	30	1.36	454	3	0.07	7	950	12	1.85		
UGA-01	40.00	41.00	1.00	M294363	4.18	20	4.44	30	1.6	555	3	0.1	9	1050	13	1.61		
UGA-01	41.00	42.00	1.00	M294364	4.12	10	4.36	30	1.42	523	3	0.1	10	1030	17	2.05		

					ME-ICP61											
				SAMPLE	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn		
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	0.30	1.00	0.70	M293701	60	22	109	<20	0.36	10	<10	152	10	133		
UGA-01	1.00	2.00	1.00	M293702	44	19	119	<20	0.32	10	<10	130	<10	73		
UGA-01	2.00	3.00	1.00	M293703	41	18	118	<20	0.32	10	<10	122	<10	66		
UGA-01	3.00	4.00	1.00	M293704	26	19	100	<20	0.33	10	<10	126	<10	87		
UGA-01	4.00	5.00	1.00	M293705	24	17	124	<20	0.3	<10	<10	112	<10	60		
UGA-01	5.00	6.00	1.00	M293706	21	17	127	<20	0.3	<10	<10	109	<10	61		
UGA-01	6.00	7.00	1.00	M293707	18	17	161	<20	0.3	<10	<10	104	<10	82		
UGA-01	7.00	8.00	1.00	M293708	41	18	117	<20	0.31	10	<10	118	<10	98		
UGA-01	8.00	9.00	1.00	M293709	26	17	169	<20	0.3	<10	<10	120	<10	66		
UGA-01	9.00	10.00	1.00	M293710	16	18	144	<20	0.31	<10	<10	132	<10	63		
UGA-01	10.00	11.00	1.00	M293711	17	15	176	<20	0.26	<10	<10	98	<10	52		
UGA-01	11.00	12.00	1.00	M293712	14	17	131	<20	0.3	10	<10	112	<10	50		
UGA-01	12.00	13.00	1.00	M293713	16	17	129	<20	0.31	<10	<10	126	<10	59		
UGA-01	13.00	14.00	1.00	M293714	16	17	135	<20	0.3	<10	<10	117	<10	57		
UGA-01	14.00	15.00	1.00	M293715	23	17	162	<20	0.31	<10	<10	123	<10	60		
UGA-01	15.00	16.00	1.00	M293716	17	18	152	<20	0.31	<10	<10	121	10	64		
UGA-01	16.00	17.00	1.00	M293717	21	17	135	<20	0.3	10	<10	119	10	44		
UGA-01	17.00	18.00	1.00	M293718	42	17	143	<20	0.3	10	<10	121	<10	57		
UGA-01	18.00	19.00	1.00	M293719	34	17	209	<20	0.29	10	<10	112	10	51		
UGA-01	19.00	20.00	1.00	M293720	18	16	137	<20	0.3	<10	<10	127	<10	51		
UGA-01	20.00	21.00	1.00	M293722	19	16	155	<20	0.28	<10	<10	106	<10	60		
UGA-01	21.00	22.00	1.00	M293723	19	19	134	<20	0.36	<10	<10	139	10	48		
UGA-01	22.00	23.00	1.00	M293724	13	18	208	<20	0.33	10	<10	127	10	68		
UGA-01	23.00	24.00	1.00	M293725	26	17	182	<20	0.3	10	<10	115	<10	49		
UGA-01	24.00	25.00	1.00	M293726	19	17	125	<20	0.31	<10	<10	120	10	51		
UGA-01	25.00	26.00	1.00	M293727	50	16	110	<20	0.27	10	<10	114	10	49		
UGA-01	26.00	27.00	1.00	M293728	18	19	142	<20	0.33	10	<10	128	20	60		
UGA-01	27.00	28.00	1.00	M293729	17	21	156	<20	0.36	10	<10	140	20	71		
UGA-01	28.00	29.00	1.00	M293730	15	19	186	<20	0.32	10	<10	125	10	73		
UGA-01	29.00	30.00	1.00	M293731	19	19	130	<20	0.34	10	<10	130	20	74		
UGA-01	30.00	31.00	1.00	M293732	25	19	126	<20	0.34	10	<10	139	10	73		
UGA-01	31.00	32.00	1.00	M293733	23	20	69	<20	0.35	<10	<10	135	10	68		
UGA-01	32.00	33.00	1.00	M293734	16	20	67	<20	0.35	10	<10	138	10	54		
UGA-01	33.00	34.00	1.00	M293735	17	18	112	<20	0.32	<10	<10	124	10	63		
UGA-01	34.00	35.00	1.00	M293736	12	17	111	<20	0.33	10	<10	126	10	57		
UGA-01	35.00	36.00	1.00	M293737	9	17	126	<20	0.33	10	<10	121	<10	58		
UGA-01	36.00	37.00	1.00	M293738	35	13	123	<20	0.27	10	<10	108	10	55		
UGA-01	37.00	38.00	1.00	M293739	17	13	150	<20	0.29	<10	<10	97	<10	61		
UGA-01	38.00	39.00	1.00	M293740	10	16	164	<20	0.33	10	<10	118	<10	63		
UGA-01	39.00	40.00	1.00	M293742	12	15	150	<20	0.31	10	<10	106	10	59		
UGA-01	40.00	41.00	1.00	M294363	10	16	154	<20	0.34	10	<10	120	<10	74		
UGA-01	41.00	42.00	1.00	M294364	10	16	176	<20	0.33	10	<10	111	<10	72		

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	42.00	43.00	1.00	M294365	0.18	1.9	7.21	154	700	1.2	2	0.52	<0.5	15	31	32	
UGA-01	43.00	44.00	1.00	M294366	0.2	1.4	7.34	90	700	1.3	<2	0.45	<0.5	15	31	33	
UGA-01	44.00	45.00	1.00	M294367	0.18	2.5	6.32	154	590	1.1	2	0.8	<0.5	14	26	23	
UGA-01	45.00	46.00	1.00	M294368	0.11	1.2	6.86	96	500	1.3	<2	0.39	<0.5	15	29	27	
UGA-01	46.00	47.00	1.00	M294369	0.17	1.5	6.76	127	440	1.1	3	0.38	<0.5	13	27	24	
UGA-01	47.00	48.00	1.00	M294370	0.28	4.3	6.42	167	480	1.1	<2	0.39	<0.5	13	27	29	
UGA-01	48.00	49.00	1.00	M294371	0.57	8.4	6.74	458	470	1.6	<2	0.3	<0.5	15	32	28	
UGA-01	49.00	50.00	1.00	M294372	0.66	2.2	6.27	224	460	1.4	<2	0.33	<0.5	13	27	30	
UGA-01	50.00	51.00	1.00	M294373	0.74	3	6.6	189	320	1.4	<2	0.32	<0.5	14	27	29	
UGA-01	51.00	52.00	1.00	M294374	0.46	7.1	6.34	572	230	1.4	<2	0.35	<0.5	17	33	28	
UGA-01	52.00	53.00	1.00	M294376	0.5	3.3	6.4	145	510	1.3	<2	0.33	<0.5	14	29	26	
UGA-01	53.00	54.00	1.00	M294377	0.42	2.2	6.44	176	680	1.2	2	0.47	<0.5	15	28	23	
UGA-01	54.00	55.00	1.00	M294378	0.12	1.5	6.85	114	670	1.4	<2	0.71	<0.5	14	30	29	
UGA-01	55.00	56.00	1.00	M294379	0.08	0.6	7.75	80	640	1.7	<2	1.34	<0.5	17	35	30	
UGA-01	56.00	57.00	1.00	M294380	1.51	3.9	7.27	97	720	1.4	<2	0.82	<0.5	14	34	27	
UGA-01	57.00	58.00	1.00	M294381	0.34	1.3	7.31	94	760	1.2	<2	0.92	<0.5	15	32	26	
UGA-01	58.00	59.00	1.00	M294382	0.28	1.5	6.7	103	670	1	<2	0.72	<0.5	14	31	24	
UGA-01	59.00	60.00	1.00	M294383	0.08	1.1	7.01	69	570	1	<2	0.5	<0.5	15	33	28	
UGA-01	60.00	61.00	1.00	M294384	0.07	0.9	7.23	60	590	1	2	0.61	<0.5	17	40	27	
UGA-01	61.00	62.00	1.00	M294385	0.07	1.7	7.33	55	640	1	2	0.98	<0.5	19	40	25	
UGA-01	62.00	63.00	1.00	M294386	0.05	1.8	7.04	36	550	0.9	<2	0.86	<0.5	19	39	26	
UGA-01	63.00	64.00	1.00	M293743	0.09	2	7.28	109	470	1.1	<2	0.84	<0.5	17	38	26	
UGA-01	64.00	65.00	1.00	M293744	0.07	1.7	6.67	98	510	1.2	<2	0.93	<0.5	13	37	29	
UGA-01	65.00	66.00	1.00	M293745	0.09	1.9	6.68	132	360	1.2	<2	0.43	<0.5	16	41	29	
UGA-01	66.00	67.00	1.00	M293746	0.12	3.1	6.12	191	450	1.2	<2	0.62	<0.5	15	37	28	
UGA-01	67.00	68.00	1.00	M293747	2.81	3.2	6.34	146	550	1	<2	0.89	<0.5	17	38	32	
UGA-01	68.00	69.00	1.00	M293748	0.06	1.4	6.5	61	500	1.1	<2	0.92	<0.5	16	35	32	
UGA-01	69.00	70.00	1.00	M293749	0.08	1.4	6.97	116	400	1.2	<2	0.86	<0.5	16	39	36	
UGA-01	70.00	71.00	1.00	M293750	0.09	2.9	6.77	201	270	1.3	<2	0.51	<0.5	16	37	30	
UGA-01	71.00	72.00	1.00	M294251	0.11	2	6.08	169	360	1.1	<2	0.41	<0.5	15	33	30	
UGA-01	72.00	73.00	1.00	M294252	0.16	3.1	6.61	138	500	1.2	<2	0.48	<0.5	15	37	32	
UGA-01	73.00	74.00	1.00	M294253	0.24	2.7	6.32	229	490	1	<2	0.53	<0.5	15	38	30	
UGA-01	74.00	75.00	1.00	M294254	0.2	4.6	6.76	259	550	1.1	<2	0.7	<0.5	16	37	30	
UGA-01	75.00	76.00	1.00	M294388	0.18	5.7	7.17	426	620	1	<2	0.64	<0.5	16	34	44	
UGA-01	76.00	77.00	1.00	M294389	0.11	1.8	7.38	139	520	1.1	<2	0.48	<0.5	18	37	30	
UGA-01	77.00	78.00	1.00	M294390	1.43	2.2	7.91	178	640	1.5	<2	0.77	<0.5	19	42	50	
UGA-01	82.00	83.00	1.00	M294391	0.39	1.8	8.37	365	840	1.3	<2	0.99	<0.5	19	44	60	
UGA-01	83.00	84.00	1.00	M294392	0.95	3	8.01	123	730	1.5	2	1.15	<0.5	20	44	70	
UGA-01	91.00	92.00	1.00	M294393	0.21	3.8	7.22	240	600	1.1	<2	0.47	<0.5	19	44	34	
UGA-01	92.00	93.00	1.00	M294394	0.27	1.9	7.45	152	530	1	3	0.54	<0.5	19	45	33	

					ME-ICP61													
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S		
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
UGA-01	42.00	43.00	1.00	M294365	4.6	20	4.91	30	1.33	521	4	0.08	10	1020	12	2.51		
UGA-01	43.00	44.00	1.00	M294366	4	20	3.7	30	1.32	520	3	0.08	8	1030	9	1.64		
UGA-01	44.00	45.00	1.00	M294367	4.04	10	4.83	30	1.24	468	4	0.06	9	960	11	2.77		
UGA-01	45.00	46.00	1.00	M294368	3.74	10	5.37	30	1.4	602	4	0.06	8	1040	9	1.68		
UGA-01	46.00	47.00	1.00	M294369	3.99	10	5.18	30	1.51	655	4	0.06	9	1010	10	1.75		
UGA-01	47.00	48.00	1.00	M294370	3.92	10	5.16	30	1.27	632	3	0.06	8	1020	17	2.01		
UGA-01	48.00	49.00	1.00	M294371	4.63	10	5.1	30	0.58	442	6	0.06	11	1130	15	3.42		
UGA-01	49.00	50.00	1.00	M294372	4.11	10	4.69	30	0.97	719	5	0.05	8	1080	10	2.21		
UGA-01	50.00	51.00	1.00	M294373	3.89	10	4.86	30	0.63	892	5	0.05	7	1180	8	2.34		
UGA-01	51.00	52.00	1.00	M294374	4.96	10	3.41	30	0.49	514	6	0.04	10	1410	15	4.18		
UGA-01	52.00	53.00	1.00	M294376	3.89	10	4.27	30	1.07	566	4	0.05	9	1100	10	2.18		
UGA-01	53.00	54.00	1.00	M294377	4.2	10	4.33	30	1.01	554	3	0.06	7	970	11	2.79		
UGA-01	54.00	55.00	1.00	M294378	4.17	10	3.84	30	1.1	888	3	0.07	8	1030	10	1.95		
UGA-01	55.00	56.00	1.00	M294379	4.48	20	4.65	30	1.24	1100	3	0.07	10	1140	9	1.75		
UGA-01	56.00	57.00	1.00	M294380	3.84	10	4.18	30	1.26	510	3	0.09	9	1020	12	2.22		
UGA-01	57.00	58.00	1.00	M294381	4.01	20	4.5	30	1.39	503	3	0.09	9	1040	12	2.32		
UGA-01	58.00	59.00	1.00	M294382	3.67	10	4.59	30	1.74	505	4	0.07	9	1040	8	1.85		
UGA-01	59.00	60.00	1.00	M294383	3.87	10	4.71	30	2.39	572	2	0.06	10	1050	8	1.33		
UGA-01	60.00	61.00	1.00	M294384	4.23	10	4.49	30	2.42	595	2	0.08	9	1120	6	1.25		
UGA-01	61.00	62.00	1.00	M294385	4.73	10	4.29	30	2.23	630	2	0.08	11	1050	10	3.16		
UGA-01	62.00	63.00	1.00	M294386	4.39	10	4.43	30	1.79	584	3	0.08	10	1050	11	3.07		
UGA-01	63.00	64.00	1.00	M293743	4.68	10	5.37	30	1.92	569	2	0.05	7	1250	14	2.82		
UGA-01	64.00	65.00	1.00	M293744	4.22	10	4.47	30	1.63	525	3	0.04	9	1070	9	2.52		
UGA-01	65.00	66.00	1.00	M293745	4.32	20	4.71	30	1.06	516	3	0.04	8	1310	9	2.95		
UGA-01	66.00	67.00	1.00	M293746	4.96	10	4.45	20	0.95	642	3	0.05	10	1150	11	3.45		
UGA-01	67.00	68.00	1.00	M293747	4.75	10	4.89	20	1.53	534	4	0.05	9	1150	10	3.16		
UGA-01	68.00	69.00	1.00	M293748	5.11	10	4.79	30	2.12	602	2	0.05	11	1000	11	2.87		
UGA-01	69.00	70.00	1.00	M293749	4.51	10	5.11	30	2.07	678	3	0.05	8	1220	12	2.17		
UGA-01	70.00	71.00	1.00	M293750	5.03	10	5.13	30	2.3	799	3	0.05	9	1300	13	2.11		
UGA-01	71.00	72.00	1.00	M294251	4.47	10	4.74	20	1.95	755	3	0.04	9	1070	13	2.19		
UGA-01	72.00	73.00	1.00	M294252	4.8	20	5.08	20	2.47	661	4	0.05	11	1100	9	1.77		
UGA-01	73.00	74.00	1.00	M294253	4.6	10	5.04	30	2.07	469	5	0.05	9	1090	9	2.35		
UGA-01	74.00	75.00	1.00	M294254	4.73	20	5.03	30	2.35	549	4	0.05	10	1110	9	2.31		
UGA-01	75.00	76.00	1.00	M294388	4.86	10	4.02	30	1.83	510	4	0.06	8	1400	11	3.17		
UGA-01	76.00	77.00	1.00	M294389	4.82	20	4.66	30	2.5	626	4	0.06	10	1240	9	1.79		
UGA-01	77.00	78.00	1.00	M294390	5.15	20	4.3	30	3.39	889	3	0.07	11	1240	7	0.88		
UGA-01	82.00	83.00	1.00	M294391	5.04	20	4.09	30	2.56	789	2	0.12	10	1210	9	1.76		
UGA-01	83.00	84.00	1.00	M294392	5.14	20	5	30	3.17	811	3	0.23	11	1250	11	1.37		
UGA-01	91.00	92.00	1.00	M294393	4.79	10	4.29	30	1.98	446	7	0.09	11	1460	9	3.12		
UGA-01	92.00	93.00	1.00	M294394	4.65	20	4.48	30	2.13	476	5	0.07	11	1360	8	2.71		

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	42.00	43.00	1.00	M294365	13	16	159	<20	0.33	10	<10	114	<10	67	
UGA-01	43.00	44.00	1.00	M294366	15	16	152	<20	0.33	<10	<10	114	10	66	
UGA-01	44.00	45.00	1.00	M294367	27	14	151	<20	0.28	10	<10	95	<10	63	
UGA-01	45.00	46.00	1.00	M294368	15	15	187	<20	0.31	10	<10	106	10	67	
UGA-01	46.00	47.00	1.00	M294369	16	15	164	<20	0.3	10	<10	104	10	63	
UGA-01	47.00	48.00	1.00	M294370	25	14	153	<20	0.29	10	<10	97	10	66	
UGA-01	48.00	49.00	1.00	M294371	58	15	123	<20	0.31	20	<10	106	<10	66	
UGA-01	49.00	50.00	1.00	M294372	29	14	102	<20	0.29	<10	<10	98	10	58	
UGA-01	50.00	51.00	1.00	M294373	27	15	95	<20	0.31	10	<10	107	<10	68	
UGA-01	51.00	52.00	1.00	M294374	72	16	70	<20	0.32	10	<10	120	<10	53	
UGA-01	52.00	53.00	1.00	M294376	23	14	124	<20	0.3	10	<10	105	<10	59	
UGA-01	53.00	54.00	1.00	M294377	16	14	137	<20	0.3	10	<10	96	<10	55	
UGA-01	54.00	55.00	1.00	M294378	16	15	168	<20	0.31	10	<10	108	10	71	
UGA-01	55.00	56.00	1.00	M294379	12	17	137	<20	0.35	<10	<10	124	<10	70	
UGA-01	56.00	57.00	1.00	M294380	13	16	124	<20	0.33	<10	<10	114	<10	70	
UGA-01	57.00	58.00	1.00	M294381	8	16	161	<20	0.33	<10	<10	118	10	67	
UGA-01	58.00	59.00	1.00	M294382	14	15	195	<20	0.32	<10	<10	109	10	66	
UGA-01	59.00	60.00	1.00	M294383	9	17	144	<20	0.35	<10	<10	122	10	65	
UGA-01	60.00	61.00	1.00	M294384	10	19	137	<20	0.38	10	<10	141	10	71	
UGA-01	61.00	62.00	1.00	M294385	6	20	143	<20	0.38	<10	<10	143	10	73	
UGA-01	62.00	63.00	1.00	M294386	5	19	133	<20	0.38	10	<10	140	10	76	
UGA-01	63.00	64.00	1.00	M293743	14	20	113	<20	0.37	<10	<10	148	<10	65	
UGA-01	64.00	65.00	1.00	M293744	18	19	107	<20	0.36	<10	<10	137	10	54	
UGA-01	65.00	66.00	1.00	M293745	19	19	84	<20	0.36	<10	<10	149	10	64	
UGA-01	66.00	67.00	1.00	M293746	27	18	90	<20	0.34	<10	<10	139	10	60	
UGA-01	67.00	68.00	1.00	M293747	19	18	100	<20	0.35	<10	<10	143	<10	61	
UGA-01	68.00	69.00	1.00	M293748	12	19	99	<20	0.35	<10	<10	138	10	61	
UGA-01	69.00	70.00	1.00	M293749	15	20	98	<20	0.37	<10	<10	146	10	64	
UGA-01	70.00	71.00	1.00	M293750	24	19	96	<20	0.36	<10	<10	144	10	71	
UGA-01	71.00	72.00	1.00	M294251	19	17	133	<20	0.33	10	<10	126	<10	59	
UGA-01	72.00	73.00	1.00	M294252	24	18	137	<20	0.37	<10	<10	144	<10	66	
UGA-01	73.00	74.00	1.00	M294253	30	17	131	<20	0.34	<10	<10	136	<10	61	
UGA-01	74.00	75.00	1.00	M294254	24	18	132	<20	0.35	<10	<10	137	<10	61	
UGA-01	75.00	76.00	1.00	M294388	45	20	134	<20	0.38	10	<10	140	10	65	
UGA-01	76.00	77.00	1.00	M294389	19	20	121	<20	0.37	10	<10	143	10	70	
UGA-01	77.00	78.00	1.00	M294390	14	21	140	<20	0.41	10	<10	158	<10	81	
UGA-01	82.00	83.00	1.00	M294391	13	22	153	<20	0.42	10	<10	162	<10	78	
UGA-01	83.00	84.00	1.00	M294392	14	21	135	<20	0.42	10	<10	166	<10	79	
UGA-01	91.00	92.00	1.00	M294393	27	20	111	<20	0.38	10	<10	145	<10	73	
UGA-01	92.00	93.00	1.00	M294394	20	20	112	<20	0.39	<10	<10	153	10	74	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	93.00	94.00	1.00	M294255	0.47	13.1	6.23	605	480	1	<2	0.62	<0.5	14	43	31	
UGA-01	94.00	95.00	1.00	M294256	0.35	9.4	6.27	510	600	1	<2	1.03	<0.5	15	37	28	
UGA-01	95.00	96.00	1.00	M294396	0.41	5.9	6.99	476	760	1.1	<2	0.54	<0.5	18	42	35	
UGA-01	96.00	97.00	1.00	M294397	0.19	5	8.86	341	420	1.2	<2	0.52	<0.5	22	50	39	
UGA-01	97.00	98.00	1.00	M294398	0.08	1.4	8.47	115	490	1.3	<2	0.61	<0.5	22	50	43	
UGA-01	98.00	99.00	1.00	M294399	0.19	2.3	6.98	213	600	1	<2	1.09	<0.5	17	47	34	
UGA-01	99.00	100.00	1.00	M294400	0.14	0.5	7.89	51	670	1.3	2	0.99	<0.5	20	47	43	
UGA-01	100.00	101.00	1.00	M294402	0.03	0.5	8.09	71	710	1.4	<2	0.78	<0.5	22	48	43	
UGA-01	101.00	102.00	1.00	M294403	0.02	<0.5	8.38	61	650	1.4	<2	3.71	<0.5	21	50	39	
UGA-01	102.00	103.00	1.00	M294404	0.05	<0.5	8.66	42	660	1.3	3	4.01	<0.5	22	51	39	
UGA-01	103.00	104.00	1.00	M294405	0.33	0.9	8.24	71	610	1.4	<2	1.97	<0.5	21	48	43	
UGA-01	104.00	105.00	1.00	M294406	0.17	2.4	7.69	377	250	1.4	<2	0.41	<0.5	25	47	40	
UGA-01	105.00	106.00	1.00	M294257	0.27	5.7	6.37	192	660	1.2	<2	0.77	<0.5	18	38	29	
UGA-01	106.00	107.00	1.00	M294258	0.25	2.5	6.22	181	710	1.1	<2	1.16	<0.5	16	36	22	
UGA-01	107.00	108.00	1.00	M294408	0.25	1.8	7.41	145	690	1.2	<2	0.3	<0.5	20	45	34	
UGA-01	108.00	109.00	1.00	M294409	0.17	3.5	7.49	129	550	1	<2	0.48	<0.5	19	46	30	
UGA-01	109.00	110.00	1.00	M294410	0.67	1.2	7.39	80	570	1	<2	0.43	<0.5	19	46	34	
UGA-01	110.00	111.00	1.00	M294411	0.17	1.7	7.42	122	540	0.9	2	0.45	<0.5	17	45	33	
UGA-01	111.00	112.00	1.00	M294412	0.62	3.8	7.01	133	730	0.9	<2	0.44	<0.5	18	44	38	
UGA-01	117.00	118.00	1.00	M294413	0.31	1.6	7.92	148	590	1.2	3	0.43	<0.5	20	46	74	
UGA-01	118.00	119.00	1.00	M294864	0.54	1.9	7.13	146	790	1.2	<2	0.45	<0.5	18	38	37	
UGA-01	119.00	120.00	1.00	M294415	0.34	3	6.81	167	750	1.1	<2	0.74	<0.5	19	38	30	
UGA-01	124.00	125.00	1.00	M294416	0.67	2.2	7.23	95	520	1.1	<2	0.79	<0.5	16	34	36	
UGA-01	125.00	126.00	1.00	M294417	0.42	3.3	7.39	103	670	1	<2	0.88	<0.5	18	33	37	
UGA-01	128.00	129.00	1.00	M294418	0.53	4.2	6.72	218	480	1.2	<2	1.16	<0.5	18	35	29	
UGA-01	132.00	133.00	1.00	M294419	0.12	1.4	7.36	91	760	1.1	3	0.54	<0.5	19	35	34	
UGA-01	133.00	134.00	1.00	M294420	0.26	2.4	7	256	860	1.2	<2	0.72	<0.5	17	32	27	
UGA-01	134.00	135.00	1.00	M294421	0.36	2.1	7.03	132	770	1.1	<2	0.6	<0.5	18	31	29	
UGA-01	135.00	136.00	1.00	M294259	1.65	8	6.3	409	720	1.1	<2	1.23	<0.5	14	29	31	
UGA-01	136.00	137.00	1.00	M294260	1.3	13	5.86	460	750	1	<2	1.71	<0.5	14	34	28	
UGA-01	137.00	138.00	1.00	M294262	0.51	6.3	6.56	449	630	1	<2	1.37	<0.5	17	33	21	
UGA-01	138.00	139.00	1.00	M294263	0.27	4.6	6.87	442	800	1.2	<2	0.62	<0.5	14	32	21	
UGA-01	139.00	140.00	1.00	M294264	0.38	8.4	7.07	377	740	1.2	<2	1.13	<0.5	16	31	21	
UGA-01	140.00	141.00	1.00	M294265	0.11	1.5	6.95	106	710	1.1	<2	1.03	<0.5	16	32	20	
UGA-01	141.00	142.00	1.00	M294266	0.22	2.7	6.27	202	590	1.1	<2	0.96	<0.5	14	34	22	
UGA-01	142.00	143.00	1.00	M294267	0.86	5.8	6.49	213	650	1.1	<2	0.74	<0.5	16	32	23	
UGA-01	143.00	144.00	1.00	M294268	0.56	6.8	6.26	450	510	1.1	<2	0.78	<0.5	13	33	20	
UGA-01	144.00	145.00	1.00	M294269	1.69	6.6	5.75	537	560	1.1	<2	0.71	<0.5	13	32	24	

					ME-ICP61												
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-01	93.00	94.00	1.00	M294255	5.47	10	5.21	20	1.36	322	6	0.05	9	1400	13	4.5	
UGA-01	94.00	95.00	1.00	M294256	5.26	10	5.3	30	1.83	373	5	0.05	8	1340	11	4.19	
UGA-01	95.00	96.00	1.00	M294396	4.82	10	4.44	20	2.12	347	5	0.08	12	1570	13	3.7	
UGA-01	96.00	97.00	1.00	M294397	5.77	20	4.3	30	3.29	589	3	0.07	13	1640	12	2	
UGA-01	97.00	98.00	1.00	M294398	5.04	20	4.34	30	2.63	645	3	0.08	14	1280	8	1.69	
UGA-01	98.00	99.00	1.00	M294399	4.29	10	4.44	30	1.27	452	6	0.07	10	1490	12	2.63	
UGA-01	99.00	100.00	1.00	M294400	4.93	20	4.02	30	2.61	762	2	0.1	12	1260	9	0.98	
UGA-01	100.00	101.00	1.00	M294402	5.1	20	4.11	30	2.84	930	2	0.12	14	1240	9	0.76	
UGA-01	101.00	102.00	1.00	M294403	5.05	20	3.64	30	2.4	950	2	1.02	11	1220	11	1.03	
UGA-01	102.00	103.00	1.00	M294404	5.23	20	3.25	30	2.67	1000	2	1.13	12	1290	11	0.31	
UGA-01	103.00	104.00	1.00	M294405	4.98	20	4.16	30	2.71	1020	3	0.36	13	1400	10	0.67	
UGA-01	104.00	105.00	1.00	M294406	7.38	20	3.1	30	0.44	431	4	0.04	14	1600	11	6.94	
UGA-01	105.00	106.00	1.00	M294257	4.93	10	4.93	30	1.35	799	3	0.05	12	1130	12	3.1	
UGA-01	106.00	107.00	1.00	M294258	5.35	10	5.32	30	2.05	556	4	0.06	9	1020	13	3.04	
UGA-01	107.00	108.00	1.00	M294408	3.88	20	4.04	30	1.37	301	4	0.08	12	1250	11	2.11	
UGA-01	108.00	109.00	1.00	M294409	5.04	20	4.95	30	2.45	464	4	0.07	11	1390	7	1.8	
UGA-01	109.00	110.00	1.00	M294410	4.54	10	4.66	30	1.97	383	3	0.08	12	1160	7	2	
UGA-01	110.00	111.00	1.00	M294411	4.8	20	4.27	30	2.05	512	3	0.08	10	1170	8	1.97	
UGA-01	111.00	112.00	1.00	M294412	4.39	10	4.07	30	2	450	4	0.08	11	1340	10	2.03	
UGA-01	117.00	118.00	1.00	M294413	4.71	20	5.04	20	2.88	512	3	0.07	12	1310	10	1.14	
UGA-01	118.00	119.00	1.00	M294864	4.56	10	5.01	30	2.24	422	5	0.07	12	1130	10	2.3	
UGA-01	119.00	120.00	1.00	M294415	4.2	10	4.81	30	2.16	384	6	0.07	10	1090	10	1.82	
UGA-01	124.00	125.00	1.00	M294416	4.21	10	4.84	30	2.07	458	5	0.07	8	1260	8	2.06	
UGA-01	125.00	126.00	1.00	M294417	4.62	10	4.82	30	2.17	530	5	0.08	12	1310	9	2.09	
UGA-01	128.00	129.00	1.00	M294418	4.1	10	4.46	30	1.51	406	8	0.07	10	1400	9	2.85	
UGA-01	132.00	133.00	1.00	M294419	4.64	20	4.39	30	2.23	458	3	0.09	11	1360	7	2.48	
UGA-01	133.00	134.00	1.00	M294420	4.34	10	5.07	30	2.37	430	3	0.09	10	1190	8	2.32	
UGA-01	134.00	135.00	1.00	M294421	4.48	10	4.62	30	2.38	491	3	0.09	10	1210	12	2.16	
UGA-01	135.00	136.00	1.00	M294259	4.75	10	5.12	30	2.15	425	7	0.07	8	1180	16	3.08	
UGA-01	136.00	137.00	1.00	M294260	4.48	10	4.39	30	1.6	502	7	0.05	7	1210	13	2.85	
UGA-01	137.00	138.00	1.00	M294262	5.54	10	4.82	30	1.73	475	10	0.06	10	1310	15	3.64	
UGA-01	138.00	139.00	1.00	M294263	4.98	20	5.18	30	2.25	385	5	0.07	9	1380	13	2.95	
UGA-01	139.00	140.00	1.00	M294264	5.22	20	5.16	30	2.29	515	5	0.08	9	1220	11	3.25	
UGA-01	140.00	141.00	1.00	M294265	4.79	10	5.05	30	2.34	551	2	0.06	9	1170	12	2.56	
UGA-01	141.00	142.00	1.00	M294266	4.58	10	4.52	30	2.12	436	5	0.05	8	1190	9	2.72	
UGA-01	142.00	143.00	1.00	M294267	4.83	10	5.16	30	1.89	401	4	0.07	10	1170	14	3.45	
UGA-01	143.00	144.00	1.00	M294268	4.92	10	5.01	30	1.83	326	9	0.07	8	1640	13	3.98	
UGA-01	144.00	145.00	1.00	M294269	5.08	10	4.33	30	2.18	480	6	0.07	8	1330	17	3.58	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	93.00	94.00	1.00	M294255	40	18	118	<20	0.34	10	<10	136	<10	58	
UGA-01	94.00	95.00	1.00	M294256	32	18	146	<20	0.33	<10	<10	130	<10	51	
UGA-01	95.00	96.00	1.00	M294396	27	19	186	<20	0.36	10	<10	140	10	64	
UGA-01	96.00	97.00	1.00	M294397	19	24	180	<20	0.44	10	<10	178	10	84	
UGA-01	97.00	98.00	1.00	M294398	16	23	162	<20	0.42	10	<10	169	10	80	
UGA-01	98.00	99.00	1.00	M294399	29	19	186	<20	0.35	10	<10	135	10	63	
UGA-01	99.00	100.00	1.00	M294400	10	21	154	<20	0.4	10	<10	163	10	77	
UGA-01	100.00	101.00	1.00	M294402	8	22	154	<20	0.42	10	<10	162	<10	83	
UGA-01	101.00	102.00	1.00	M294403	6	23	377	<20	0.43	10	<10	167	<10	82	
UGA-01	102.00	103.00	1.00	M294404	<5	24	411	<20	0.45	<10	<10	175	<10	86	
UGA-01	103.00	104.00	1.00	M294405	16	22	219	<20	0.41	<10	<10	163	<10	81	
UGA-01	104.00	105.00	1.00	M294406	42	20	77	<20	0.4	20	<10	155	10	74	
UGA-01	105.00	106.00	1.00	M294257	25	19	115	<20	0.34	<10	<10	131	<10	74	
UGA-01	106.00	107.00	1.00	M294258	19	18	121	<20	0.33	<10	<10	128	<10	73	
UGA-01	107.00	108.00	1.00	M294408	17	20	111	<20	0.39	<10	<10	149	20	68	
UGA-01	108.00	109.00	1.00	M294409	22	21	88	<20	0.39	10	<10	158	10	80	
UGA-01	109.00	110.00	1.00	M294410	13	21	99	<20	0.39	10	<10	148	10	68	
UGA-01	110.00	111.00	1.00	M294411	11	21	121	<20	0.38	10	<10	152	10	74	
UGA-01	111.00	112.00	1.00	M294412	18	20	110	<20	0.37	10	<10	143	10	68	
UGA-01	117.00	118.00	1.00	M294413	17	21	125	<20	0.42	10	<10	167	<10	90	
UGA-01	118.00	119.00	1.00	M294864	16	20	109	<20	0.37	10	<10	146	<10	72	
UGA-01	119.00	120.00	1.00	M294415	15	19	125	<20	0.35	10	<10	133	<10	65	
UGA-01	124.00	125.00	1.00	M294416	16	19	103	<20	0.36	10	<10	139	10	74	
UGA-01	125.00	126.00	1.00	M294417	15	20	119	<20	0.38	10	<10	146	10	75	
UGA-01	128.00	129.00	1.00	M294418	22	18	108	<20	0.36	<10	<10	137	10	70	
UGA-01	132.00	133.00	1.00	M294419	7	20	127	<20	0.4	10	<10	154	10	80	
UGA-01	133.00	134.00	1.00	M294420	15	19	121	<20	0.37	<10	<10	138	<10	69	
UGA-01	134.00	135.00	1.00	M294421	8	18	129	<20	0.37	<10	<10	139	10	80	
UGA-01	135.00	136.00	1.00	M294259	32	17	143	<20	0.33	10	<10	124	<10	54	
UGA-01	136.00	137.00	1.00	M294260	42	16	114	<20	0.33	<10	<10	118	<10	59	
UGA-01	137.00	138.00	1.00	M294262	26	18	116	<20	0.36	<10	<10	137	<10	59	
UGA-01	138.00	139.00	1.00	M294263	22	18	108	<20	0.37	10	<10	143	<10	64	
UGA-01	139.00	140.00	1.00	M294264	31	19	117	<20	0.38	10	<10	141	<10	64	
UGA-01	140.00	141.00	1.00	M294265	12	19	121	<20	0.37	10	<10	139	<10	62	
UGA-01	141.00	142.00	1.00	M294266	22	17	113	<20	0.34	10	<10	130	<10	56	
UGA-01	142.00	143.00	1.00	M294267	23	18	116	<20	0.37	10	<10	137	<10	63	
UGA-01	143.00	144.00	1.00	M294268	36	17	132	<20	0.35	10	<10	130	10	58	
UGA-01	144.00	145.00	1.00	M294269	39	16	98	<20	0.31	10	<10	118	<10	52	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	145.00	146.00	1.00	M294423	0.25	1.8	7.01	182	840	1.2	<2	0.49	<0.5	17	31	20	
UGA-01	146.00	147.00	1.00	M294424	0.36	1.6	7.59	104	730	1.1	<2	0.4	<0.5	17	33	31	
UGA-01	147.00	148.00	1.00	M294425	0.09	1.5	7.21	91	830	1.1	<2	0.75	<0.5	18	32	27	
UGA-01	148.00	149.00	1.00	M294426	0.12	1.1	7.48	138	740	1.1	<2	0.51	<0.5	19	35	30	
UGA-01	175.00	176.00	1.00	M294428	0.17	2.1	6.88	151	440	1	<2	0.65	<0.5	18	38	30	
UGA-01	176.00	177.00	1.00	M294429	0.09	1.4	7.17	92	760	1	2	1.72	<0.5	15	39	31	
UGA-01	177.00	178.00	1.00	M294430	0.18	3	6.51	215	380	1	<2	0.61	<0.5	17	42	25	
UGA-01	178.00	179.00	1.00	M294431	0.21	3	6.16	161	310	1	<2	1.86	<0.5	18	43	24	
UGA-01	179.00	180.00	1.00	M294432	0.27	2.4	6.49	201	300	1.1	2	1.22	<0.5	18	46	28	
UGA-01	180.00	181.00	1.00	M294270	0.37	3.8	6.74	208	660	1.3	<2	0.68	<0.5	17	51	33	
UGA-01	181.00	182.00	1.00	M294271	0.19	2.6	6.87	241	780	1.4	<2	1.35	<0.5	17	50	35	
UGA-01	182.00	183.00	1.00	M294272	0.21	2.1	6.99	137	820	1.2	<2	0.81	<0.5	19	54	35	
UGA-01	183.00	184.00	1.00	M294273	1.36	20.8	5	268	150	1.1	<2	0.31	<0.5	13	58	62	
UGA-01	184.00	185.00	1.00	M294274	0.69	11.8	5.75	656	710	1.1	<2	1.14	<0.5	17	52	69	
UGA-01	185.00	186.00	1.00	M294275	0.2	3.7	6.35	150	720	1.3	<2	0.9	<0.5	16	48	53	
UGA-01	186.00	187.00	1.00	M294433	0.94	2.2	6.76	169	480	1.2	<2	1.13	<0.5	18	46	30	
UGA-01	187.00	188.00	1.00	M294434	0.22	3.5	6.45	171	760	1.1	<2	0.57	<0.5	16	45	32	
UGA-01	188.00	189.00	1.00	M294435	0.7	2.1	7.5	298	790	1.3	<2	0.82	<0.5	19	55	38	
UGA-01	189.00	190.00	1.00	M294436	0.05	0.8	8.13	109	660	1.5	<2	0.58	<0.5	22	59	39	
UGA-01	190.00	191.00	1.00	M294437	0.25	0.8	8.18	160	730	1.3	2	1.25	<0.5	21	59	42	
UGA-01	191.00	192.00	1.00	M294438	0.33	2.4	7.72	274	750	1.4	<2	1.13	<0.5	21	57	42	
UGA-01	192.00	193.00	1.00	M294276	3.13	7.7	7.35	335	810	1.5	<2	1.2	<0.5	18	53	98	
UGA-01	193.00	194.00	1.00	M294277	0.87	4.6	6.22	372	620	1.3	<2	1.09	<0.5	16	46	35	
UGA-01	194.00	195.00	1.00	M294278	0.35	2.6	6.46	233	890	1.2	<2	0.58	<0.5	18	59	50	
UGA-01	195.00	196.00	1.00	M294279	0.09	1.3	6.87	87	740	1	<2	1.59	<0.5	17	56	41	
UGA-01	196.00	197.00	1.00	M294280	0.13	1.7	6.82	160	810	1.2	<2	0.94	<0.5	18	58	26	
UGA-01	197.00	198.00	1.00	M294281	0.3	3.1	5.8	191	590	1.1	<2	0.63	<0.5	15	48	28	
UGA-01	198.00	199.00	1.00	M294282	0.16	1.4	7.01	163	550	1.2	<2	0.62	<0.5	17	60	38	
UGA-01	199.00	200.00	1.00	M294440	0.16	1.2	7.48	232	720	1.2	<2	0.72	<0.5	26	69	42	
UGA-01	200.00	201.00	1.00	M294441	0.08	1.1	7.74	132	730	1.2	<2	0.54	<0.5	20	68	33	
UGA-01	203.00	204.00	1.00	M294283	0.1	1.3	6.33	147	600	1.1	<2	0.82	<0.5	19	57	33	
UGA-01	206.00	207.00	1.00	M294442	2.19	1.4	7.5	279	720	1.5	<2	0.87	<0.5	21	76	67	
UGA-01	207.00	208.00	1.00	M294443	0.12	1.2	6.78	79	720	1	<2	0.44	<0.5	19	65	39	
UGA-01	208.00	209.00	1.00	M294284	0.63	6.6	5.56	124	620	0.8	<2	0.6	<0.5	13	50	37	
UGA-01	209.00	210.00	1.00	M294444	0.04	1.6	7.14	79	490	1.1	<2	1.03	<0.5	19	51	23	
UGA-01	210.00	211.00	1.00	M294445	0.04	1.4	6.92	49	380	1.2	<2	0.62	<0.5	17	53	16	
UGA-01	211.00	212.00	1.00	M294446	0.06	1.5	6.4	65	130	1.4	2	0.34	<0.5	16	50	19	
UGA-01	212.00	213.00	1.00	M294285	0.46	3	6.13	79	150	1.4	<2	0.43	<0.5	16	51	22	
UGA-01	213.00	214.00	1.00	M294286	0.29	4.4	7.36	106	480	1.3	<2	0.33	<0.5	21	53	56	

					ME-ICP61												
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-01	145.00	146.00	1.00	M294423	4.46	10	4.05	30	2.11	421	4	0.1	9	1280	10	2.92	
UGA-01	146.00	147.00	1.00	M294424	4.38	20	4.1	30	2.19	420	3	0.09	10	1280	11	2.48	
UGA-01	147.00	148.00	1.00	M294425	4.49	10	4.16	30	2.38	470	4	0.08	10	1220	8	2.69	
UGA-01	148.00	149.00	1.00	M294426	4.63	20	4.56	30	2.25	384	5	0.08	13	1400	10	3.04	
UGA-01	175.00	176.00	1.00	M294428	4.39	10	4.74	20	1.98	311	3	0.06	12	1050	18	2.9	
UGA-01	176.00	177.00	1.00	M294429	3.95	10	4.06	30	1.78	515	2	0.06	10	1060	9	2.43	
UGA-01	177.00	178.00	1.00	M294430	3.82	10	4.16	20	0.64	290	3	0.05	11	980	11	3.44	
UGA-01	178.00	179.00	1.00	M294431	4.08	10	4.32	20	1.37	296	4	0.04	13	970	11	3.26	
UGA-01	179.00	180.00	1.00	M294432	4.3	10	4.04	20	1.22	317	3	0.04	15	980	12	3.42	
UGA-01	180.00	181.00	1.00	M294270	3.76	10	4.1	30	0.97	295	3	0.03	14	1040	11	2.85	
UGA-01	181.00	182.00	1.00	M294271	4.68	20	4.67	30	1.64	351	3	0.04	15	1050	11	3.13	
UGA-01	182.00	183.00	1.00	M294272	4.19	20	4.98	30	1.6	421	2	0.04	14	1140	10	1.87	
UGA-01	183.00	184.00	1.00	M294273	3.84	10	1.69	20	0.53	608	7	0.02	15	1040	21	2.12	
UGA-01	184.00	185.00	1.00	M294274	4.48	10	4.67	20	1.84	484	3	0.04	13	1080	10	2.37	
UGA-01	185.00	186.00	1.00	M294275	4.43	10	4.17	20	2.6	336	2	0.03	15	1030	14	2.41	
UGA-01	186.00	187.00	1.00	M294433	4.48	10	4.21	30	2.4	325	4	0.05	13	1090	12	3	
UGA-01	187.00	188.00	1.00	M294434	3.85	10	4.32	20	2.35	262	5	0.05	13	1060	9	2.62	
UGA-01	188.00	189.00	1.00	M294435	4.37	20	4.67	30	2.89	353	3	0.06	16	1150	11	2.27	
UGA-01	189.00	190.00	1.00	M294436	4.86	20	4.92	30	3.17	454	3	0.06	17	1260	21	1.08	
UGA-01	190.00	191.00	1.00	M294437	5	20	4.33	30	3.55	696	2	0.16	18	1210	10	0.87	
UGA-01	191.00	192.00	1.00	M294438	5.05	20	4.44	30	3.44	767	4	0.07	18	1220	18	1.37	
UGA-01	192.00	193.00	1.00	M294276	4.55	20	4.59	30	3.21	784	2	0.04	16	1140	16	1.58	
UGA-01	193.00	194.00	1.00	M294277	4.31	10	3.36	30	3.22	571	4	0.03	12	990	9	1.8	
UGA-01	194.00	195.00	1.00	M294278	4.55	10	4.44	30	2.72	364	2	0.05	15	980	12	2.63	
UGA-01	195.00	196.00	1.00	M294279	4.31	10	4.64	30	2.47	553	2	0.05	12	970	12	2.76	
UGA-01	196.00	197.00	1.00	M294280	4.41	10	4.34	30	2.34	407	3	0.04	14	1010	11	2.75	
UGA-01	197.00	198.00	1.00	M294281	3.99	10	4.39	20	1.57	251	4	0.04	11	980	14	3.18	
UGA-01	198.00	199.00	1.00	M294282	4.09	10	4.19	30	2.39	363	3	0.04	11	1010	14	2.3	
UGA-01	199.00	200.00	1.00	M294440	4.68	20	4.77	20	2.63	449	3	0.06	19	1160	10	2.05	
UGA-01	200.00	201.00	1.00	M294441	4.28	20	4.9	30	2.7	393	2	0.06	17	1180	7	1.42	
UGA-01	203.00	204.00	1.00	M294283	4.4	10	3.94	20	2.28	413	3	0.04	12	970	13	2.32	
UGA-01	206.00	207.00	1.00	M294442	4.71	10	4.33	30	2.99	687	2	0.06	18	1150	10	1.45	
UGA-01	207.00	208.00	1.00	M294443	4.23	10	4.27	30	2.27	357	2	0.06	16	1080	10	2	
UGA-01	208.00	209.00	1.00	M294284	3.84	10	3.92	20	1.71	318	17	0.04	10	1320	16	2.59	
UGA-01	209.00	210.00	1.00	M294444	4.38	10	4.12	30	2.09	513	4	0.04	13	1020	11	3.21	
UGA-01	210.00	211.00	1.00	M294445	3.92	10	3.75	30	1.85	413	5	0.04	12	1150	8	3.04	
UGA-01	211.00	212.00	1.00	M294446	3.93	10	2.85	20	1.75	440	6	0.03	11	1030	11	2.8	
UGA-01	212.00	213.00	1.00	M294285	3.54	10	2.64	20	2.23	273	21	0.03	11	1610	13	1.94	
UGA-01	213.00	214.00	1.00	M294286	4.7	10	3.7	30	3.21	415	6	0.04	13	1230	16	1.61	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	145.00	146.00	1.00	M294423	14	19	114	<20	0.37	10	<10	140	10	64	
UGA-01	146.00	147.00	1.00	M294424	16	20	116	<20	0.4	10	<10	152	<10	76	
UGA-01	147.00	148.00	1.00	M294425	10	19	114	<20	0.38	<10	<10	142	10	70	
UGA-01	148.00	149.00	1.00	M294426	12	20	100	<20	0.39	10	<10	150	10	80	
UGA-01	175.00	176.00	1.00	M294428	21	18	93	<20	0.35	<10	<10	123	10	84	
UGA-01	176.00	177.00	1.00	M294429	33	19	122	<20	0.37	10	<10	134	10	70	
UGA-01	177.00	178.00	1.00	M294430	52	17	75	<20	0.33	10	<10	129	10	56	
UGA-01	178.00	179.00	1.00	M294431	36	17	95	<20	0.31	<10	<10	120	<10	54	
UGA-01	179.00	180.00	1.00	M294432	38	19	87	<20	0.33	<10	<10	132	10	59	
UGA-01	180.00	181.00	1.00	M294270	60	19	77	<20	0.37	10	<10	145	10	58	
UGA-01	181.00	182.00	1.00	M294271	44	20	98	<20	0.36	10	<10	145	<10	50	
UGA-01	182.00	183.00	1.00	M294272	45	20	95	<20	0.4	<10	<10	152	<10	57	
UGA-01	183.00	184.00	1.00	M294273	91	15	36	<20	0.26	<10	<10	106	10	103	
UGA-01	184.00	185.00	1.00	M294274	58	16	87	<20	0.37	<10	<10	146	<10	95	
UGA-01	185.00	186.00	1.00	M294275	20	18	74	<20	0.36	<10	<10	140	<10	62	
UGA-01	186.00	187.00	1.00	M294433	17	19	86	<20	0.35	10	<10	134	<10	59	
UGA-01	187.00	188.00	1.00	M294434	25	18	64	<20	0.33	<10	<10	126	10	58	
UGA-01	188.00	189.00	1.00	M294435	14	21	76	<20	0.39	<10	<10	161	10	75	
UGA-01	189.00	190.00	1.00	M294436	12	23	75	<20	0.42	10	<10	173	<10	81	
UGA-01	190.00	191.00	1.00	M294437	8	23	124	<20	0.41	10	<10	162	<10	82	
UGA-01	191.00	192.00	1.00	M294438	15	22	95	<20	0.4	10	<10	158	<10	83	
UGA-01	192.00	193.00	1.00	M294276	18	21	93	<20	0.39	<10	<10	148	<10	69	
UGA-01	193.00	194.00	1.00	M294277	41	18	62	<20	0.33	10	<10	129	<10	58	
UGA-01	194.00	195.00	1.00	M294278	12	20	67	<20	0.35	<10	<10	143	<10	57	
UGA-01	195.00	196.00	1.00	M294279	5	20	88	<20	0.35	<10	<10	136	<10	54	
UGA-01	196.00	197.00	1.00	M294280	7	20	71	<20	0.35	<10	<10	136	<10	52	
UGA-01	197.00	198.00	1.00	M294281	19	16	57	<20	0.29	<10	<10	109	<10	44	
UGA-01	198.00	199.00	1.00	M294282	15	19	65	<20	0.36	<10	<10	138	<10	61	
UGA-01	199.00	200.00	1.00	M294440	11	21	95	<20	0.4	10	<10	157	10	71	
UGA-01	200.00	201.00	1.00	M294441	12	21	93	<20	0.41	10	<10	161	10	73	
UGA-01	203.00	204.00	1.00	M294283	9	18	63	<20	0.33	<10	<10	134	<10	46	
UGA-01	206.00	207.00	1.00	M294442	15	23	90	<20	0.39	10	<10	155	<10	68	
UGA-01	207.00	208.00	1.00	M294443	15	20	61	<20	0.35	10	<10	136	<10	58	
UGA-01	208.00	209.00	1.00	M294284	39	15	51	<20	0.28	<10	<10	110	<10	41	
UGA-01	209.00	210.00	1.00	M294444	16	20	57	<20	0.36	10	<10	142	10	51	
UGA-01	210.00	211.00	1.00	M294445	19	19	48	<20	0.36	<10	<10	135	10	46	
UGA-01	211.00	212.00	1.00	M294446	22	18	28	<20	0.34	<10	<10	129	<10	57	
UGA-01	212.00	213.00	1.00	M294285	35	17	28	<20	0.35	<10	<10	121	<10	49	
UGA-01	213.00	214.00	1.00	M294286	26	20	45	<20	0.39	10	<10	151	<10	65	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	214.00	215.00	1.00	M294287	0.17	3	6.87	93	760	1.1	<2	0.44	<0.5	28	52	42	
UGA-01	215.00	216.00	1.00	M294288	0.17	3.1	7.31	141	730	1.2	<2	0.62	<0.5	22	55	52	
UGA-01	216.00	217.00	1.00	M294289	1.48	3.3	6.19	226	680	1	<2	0.47	<0.5	19	51	48	
UGA-01	217.00	218.00	1.00	M294291	0.36	1.7	7.74	290	800	1.3	<2	0.33	<0.5	22	59	41	
UGA-01	218.00	219.00	1.00	M294292	0.91	5.4	5.92	326	540	1.1	<2	1.71	<0.5	17	48	48	
UGA-01	219.00	220.00	1.00	M294293	1.6	21.8	5.75	1010	310	1	<2	0.88	<0.5	15	48	47	
UGA-01	220.00	221.00	1.00	M294294	2.82	3	6.3	153	600	0.9	<2	0.45	<0.5	13	50	57	
UGA-01	221.00	222.00	1.00	M294295	0.74	2.8	6.13	222	790	1	<2	0.7	<0.5	9	57	34	
UGA-01	222.00	223.00	1.00	M294296	0.1	2	6.48	338	880	0.9	<2	1.13	<0.5	15	56	23	
UGA-01	223.00	224.00	1.00	M294297	0.27	1.5	6.63	303	820	1.2	<2	1.21	<0.5	15	57	27	
UGA-01	224.00	225.00	1.00	M294349	0.36	2.6	6.27	408	300	1.5	<2	1.14	<0.5	18	56	22	
UGA-01	225.00	226.00	1.00	M294298	0.19	1.9	7.05	343	170	1.6	<2	1.05	<0.5	22	59	37	
UGA-01	226.00	227.00	1.00	M294299	0.11	2.1	6.74	268	90	1.7	<2	0.92	<0.5	17	55	30	
UGA-01	227.00	228.00	1.00	M294300	0.03	2	7.16	64	90	1.7	<2	2.53	<0.5	14	53	40	
UGA-01	228.00	229.00	1.00	M294301	0.04	2.9	7.62	48	190	1.9	<2	1.26	<0.5	14	59	43	
UGA-01	229.00	230.00	1.00	M294302	0.08	2.3	7.22	93	100	2	<2	0.68	<0.5	14	61	35	
UGA-01	230.00	231.00	1.00	M294303	0.12	2.4	7.72	89	70	2.1	<2	0.48	<0.5	17	63	33	
UGA-01	231.00	232.00	1.00	M294304	0.03	2.2	6.13	37	70	1.6	<2	0.81	<0.5	11	61	21	
UGA-01	232.00	233.00	1.00	M294305	0.06	3	6.81	35	70	1.7	<2	0.7	<0.5	10	68	24	
UGA-01	233.00	234.00	1.00	M294306	0.03	2.7	6.39	59	80	1.6	<2	0.87	<0.5	12	66	27	
UGA-01	234.00	235.00	1.00	M294307	4.23	44	5.09	1380	50	1.3	<2	1.25	<0.5	10	55	53	
UGA-01	235.00	236.00	1.00	M294308	0.34	4.4	6.97	135	130	1.7	<2	1.24	<0.5	20	58	36	
UGA-01	236.00	237.00	1.00	M294309	0.5	5	6.35	161	280	1.5	<2	0.77	<0.5	17	59	20	
UGA-01	237.00	238.00	1.00	M294310	0.65	3.9	6.46	157	490	1.5	<2	0.98	<0.5	18	58	31	
UGA-01	238.00	239.00	1.00	M294312	0.27	4.2	7.17	191	90	2	<2	0.86	<0.5	20	61	24	
UGA-01	239.00	240.00	1.00	M294313	0.2	3.3	6.96	337	80	1.7	<2	0.99	<0.5	22	54	125	
UGA-01	240.00	241.00	1.00	M294314	0.8	7	6.22	474	130	1.5	<2	0.76	<0.5	22	55	43	
UGA-01	241.00	242.00	1.00	M294315	0.44	2.6	6.08	364	100	1.4	<2	0.63	<0.5	17	53	44	
UGA-01	242.00	243.00	1.00	M294316	0.5	1.9	5.43	283	80	1.3	<2	0.74	<0.5	13	50	28	
UGA-01	243.00	244.00	1.00	M294317	6.76	20.5	5.15	1180	100	1.2	<2	1.2	<0.5	14	48	58	
UGA-01	244.00	245.00	1.00	M294318	0.13	2.2	6.37	241	80	1.5	<2	0.82	<0.5	18	55	17	
UGA-01	245.00	246.00	1.00	M294319	0.02	1.6	7.49	35	120	1.7	<2	0.87	<0.5	13	62	38	
UGA-01	246.00	247.00	1.00	M294320	0.02	1.2	7.43	36	90	1.9	<2	0.77	<0.5	13	63	10	
UGA-01	247.00	248.00	1.00	M294321	0.2	2.3	5.76	84	160	1.4	<2	1.03	<0.5	13	50	13	
UGA-01	248.00	249.00	1.00	M294322	0.31	2.1	6.22	127	250	1.4	<2	0.67	<0.5	19	53	30	
UGA-01	249.00	250.00	1.00	M294323	0.18	1.5	6.97	190	450	1.4	<2	0.63	<0.5	20	55	43	
UGA-01	250.00	251.00	1.00	M294324	1.17	5.1	6.83	176	430	1.3	<2	0.5	<0.5	16	55	36	
UGA-01	251.00	252.00	1.00	M294325	0.63	3.2	6.81	262	590	1.3	<2	0.64	<0.5	19	61	39	
UGA-01	252.00	253.00	1.00	M294326	0.14	1.9	6.9	183	540	1.3	<2	0.78	<0.5	20	69	47	
UGA-01	253.00	254.00	1.00	M294327	0.04	0.8	7.89	179	520	1.5	<2	0.79	<0.5	22	76	45	
UGA-01	254.00	255.00	1.00	M294328	0.19	3.5	7.35	233	310	1.4	<2	0.68	<0.5	22	71	125	
UGA-01	255.00	256.00	1.00	M294329	0.15	2.5	7.54	183	110	1.4	<2	0.84	<0.5	23	73	39	

					SAMPLE	ME-ICP61													
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S			
UGA-01	214.00	215.00	1.00	M294287	4.42	10	4.21	30	2.65	505	4	0.04	16	1060	14	1.6			
UGA-01	215.00	216.00	1.00	M294288	4.64	10	4.33	30	2.6	514	7	0.04	13	1160	16	1.97			
UGA-01	216.00	217.00	1.00	M294289	4.85	10	3.72	20	2.41	470	7	0.05	14	1170	13	1.83			
UGA-01	217.00	218.00	1.00	M294291	4.63	20	4.87	30	2.37	431	5	0.06	15	1150	16	1.52			
UGA-01	218.00	219.00	1.00	M294292	4.11	10	3.6	20	1.96	529	9	0.04	10	1300	12	2.23			
UGA-01	219.00	220.00	1.00	M294293	6.51	10	3.5	20	1.5	396	22	0.04	9	2570	22	5.14			
UGA-01	220.00	221.00	1.00	M294294	4.09	10	3.65	20	2.29	412	4	0.04	12	1030	11	1.33			
UGA-01	221.00	222.00	1.00	M294295	3.37	10	3.91	20	2.01	349	4	0.04	6	1210	8	1.46			
UGA-01	222.00	223.00	1.00	M294296	4.56	10	4.74	20	2	446	3	0.05	10	1020	15	2.43			
UGA-01	223.00	224.00	1.00	M294297	4.5	10	4.21	20	2.14	417	4	0.04	10	1520	9	2.53			
UGA-01	224.00	225.00	1.00	M294349	3.88	10	2.41	20	2.6	419	3	0.02	12	1020	16	2.29			
UGA-01	225.00	226.00	1.00	M294298	3.97	10	2.81	30	2.66	436	3	0.02	13	1130	14	2.09			
UGA-01	226.00	227.00	1.00	M294299	3.57	10	3.07	30	1.65	313	4	0.02	11	1290	15	2.96			
UGA-01	227.00	228.00	1.00	M294300	3.99	10	3.22	30	2.31	700	5	0.02	10	1070	15	3.35			
UGA-01	228.00	229.00	1.00	M294301	3.33	20	3.57	30	1.86	376	3	0.02	10	1190	8	2.93			
UGA-01	229.00	230.00	1.00	M294302	3.57	10	3.25	30	1.55	249	5	0.02	10	1130	13	3.07			
UGA-01	230.00	231.00	1.00	M294303	3.26	20	3.77	30	1.34	143	5	0.02	11	1200	13	3.05			
UGA-01	231.00	232.00	1.00	M294304	3.49	10	2.91	30	1.1	168	4	0.02	8	1020	13	3.26			
UGA-01	232.00	233.00	1.00	M294305	3.03	20	3.29	30	1.18	165	4	0.02	6	1100	14	2.87			
UGA-01	233.00	234.00	1.00	M294306	3.24	20	2.97	30	1.19	193	4	0.02	7	1160	12	2.89			
UGA-01	234.00	235.00	1.00	M294307	6.95	10	2.25	20	1.04	179	24	0.02	6	3200	21	6.87			
UGA-01	235.00	236.00	1.00	M294308	3.74	10	2.92	20	1.93	318	4	0.02	15	1110	14	2.93			
UGA-01	236.00	237.00	1.00	M294309	4.75	10	3.19	20	1.36	220	5	0.03	13	1240	16	4.48			
UGA-01	237.00	238.00	1.00	M294310	4.46	10	3.07	20	2.09	316	4	0.03	12	1130	14	3.37			
UGA-01	238.00	239.00	1.00	M294312	4.14	10	3.2	20	1.69	244	6	0.02	12	1340	14	3.42			
UGA-01	239.00	240.00	1.00	M294313	5.56	10	2.58	20	2.82	479	5	0.02	18	1040	13	3.61			
UGA-01	240.00	241.00	1.00	M294314	5.39	10	2.5	20	1.68	281	5	0.02	15	1160	15	4.56			
UGA-01	241.00	242.00	1.00	M294315	3.96	10	2.41	20	1.74	292	3	0.02	12	960	11	2.68			
UGA-01	242.00	243.00	1.00	M294316	3.52	10	2.14	20	1.64	302	3	0.02	8	1030	11	2.32			
UGA-01	243.00	244.00	1.00	M294317	5.38	10	1.69	20	2.25	350	9	0.01	12	1370	19	3.6			
UGA-01	244.00	245.00	1.00	M294318	4.58	10	2.78	20	1.55	253	4	0.02	12	1010	14	4.1			
UGA-01	245.00	246.00	1.00	M294319	3.49	10	3.4	40	1.46	262	3	0.02	9	1140	11	3.29			
UGA-01	246.00	247.00	1.00	M294320	3.52	10	3.61	30	1.6	220	3	0.02	10	1170	13	3.46			
UGA-01	247.00	248.00	1.00	M294321	3.73	10	2.52	20	1.5	268	7	0.02	8	1000	13	3.38			
UGA-01	248.00	249.00	1.00	M294322	3.96	10	2.38	20	2.28	329	3	0.02	12	1030	10	2.72			
UGA-01	249.00	250.00	1.00	M294323	4.44	10	2.68	30	2.95	340	3	0.02	16	1110	12	2.2			
UGA-01	250.00	251.00	1.00	M294324	4.57	10	2.8	30	2.75	317	4	0.03	15	1150	11	2.45			
UGA-01	251.00	252.00	1.00	M294325	5.07	10	3.43	30	1.92	283	5	0.03	13	1230	14	3.82			
UGA-01	252.00	253.00	1.00	M294326	4.89	10	3.58	20	3.39	615	3	0.04	16	1170	13	1.22			
UGA-01	253.00	254.00	1.00	M294327	5.25	20	3.64	30	4.02	731	2	0.03	16	1240	14	0.63			
UGA-01	254.00	255.00	1.00	M294328	5.61	10	2.59	30	3.26	503	4	0.02	15	1170	15	2.06			
UGA-01	255.00	256.00	1.00	M294329	5.04	10	2.41	30	3.32	603	4	0.02	15	1470	10	2.05			

					ME-ICP61											
				SAMPLE	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn		
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	214.00	215.00	1.00	M294287	22	19	58	<20	0.36	10	<10	161	<10	54		
UGA-01	215.00	216.00	1.00	M294288	21	21	61	<20	0.36	10	<10	151	<10	51		
UGA-01	216.00	217.00	1.00	M294289	24	18	58	<20	0.31	<10	<10	132	<10	45		
UGA-01	217.00	218.00	1.00	M294291	14	21	73	<20	0.39	10	<10	149	<10	65		
UGA-01	218.00	219.00	1.00	M294292	38	17	72	<20	0.3	10	<10	121	<10	65		
UGA-01	219.00	220.00	1.00	M294293	84	17	57	<20	0.28	20	<10	113	<10	41		
UGA-01	220.00	221.00	1.00	M294294	21	18	65	<20	0.32	<10	<10	112	<10	38		
UGA-01	221.00	222.00	1.00	M294295	19	18	63	<20	0.33	<10	<10	115	<10	24		
UGA-01	222.00	223.00	1.00	M294296	13	20	94	<20	0.34	<10	<10	102	<10	20		
UGA-01	223.00	224.00	1.00	M294297	13	20	68	<20	0.35	<10	<10	118	<10	24		
UGA-01	224.00	225.00	1.00	M294349	16	20	40	<20	0.34	<10	<10	147	10	46		
UGA-01	225.00	226.00	1.00	M294298	7	21	34	<20	0.38	<10	<10	176	<10	37		
UGA-01	226.00	227.00	1.00	M294299	14	20	28	<20	0.37	<10	<10	165	<10	27		
UGA-01	227.00	228.00	1.00	M294300	8	20	52	<20	0.37	10	<10	149	10	26		
UGA-01	228.00	229.00	1.00	M294301	16	21	33	<20	0.4	<10	<10	164	10	35		
UGA-01	229.00	230.00	1.00	M294302	9	20	25	<20	0.37	<10	<10	164	10	31		
UGA-01	230.00	231.00	1.00	M294303	8	20	19	<20	0.41	<10	<10	174	10	28		
UGA-01	231.00	232.00	1.00	M294304	11	17	26	<20	0.37	10	<10	134	10	15		
UGA-01	232.00	233.00	1.00	M294305	13	20	24	<20	0.41	<10	<10	163	10	18		
UGA-01	233.00	234.00	1.00	M294306	7	20	29	<20	0.39	<10	<10	148	10	16		
UGA-01	234.00	235.00	1.00	M294307	162	15	25	<20	0.24	20	<10	111	<10	23		
UGA-01	235.00	236.00	1.00	M294308	18	20	33	<20	0.35	<10	<10	147	<10	46		
UGA-01	236.00	237.00	1.00	M294309	19	19	34	<20	0.33	10	<10	134	<10	42		
UGA-01	237.00	238.00	1.00	M294310	12	19	43	<20	0.33	<10	<10	141	<10	49		
UGA-01	238.00	239.00	1.00	M294312	17	21	26	<20	0.33	<10	<10	143	10	29		
UGA-01	239.00	240.00	1.00	M294313	11	23	25	<20	0.36	<10	<10	140	10	44		
UGA-01	240.00	241.00	1.00	M294314	39	18	24	<20	0.33	<10	<10	127	<10	43		
UGA-01	241.00	242.00	1.00	M294315	14	17	24	<20	0.32	<10	<10	125	<10	38		
UGA-01	242.00	243.00	1.00	M294316	18	16	23	<20	0.28	<10	<10	111	<10	34		
UGA-01	243.00	244.00	1.00	M294317	132	15	37	<20	0.26	20	<10	103	<10	42		
UGA-01	244.00	245.00	1.00	M294318	11	19	25	<20	0.34	<10	<10	136	<10	34		
UGA-01	245.00	246.00	1.00	M294319	<5	21	25	<20	0.38	<10	<10	157	10	27		
UGA-01	246.00	247.00	1.00	M294320	<5	21	21	<20	0.42	<10	<10	157	10	39		
UGA-01	247.00	248.00	1.00	M294321	14	17	27	<20	0.3	<10	<10	124	10	31		
UGA-01	248.00	249.00	1.00	M294322	12	18	25	<20	0.32	<10	<10	143	<10	41		
UGA-01	249.00	250.00	1.00	M294323	11	20	31	<20	0.35	<10	<10	147	<10	47		
UGA-01	250.00	251.00	1.00	M294324	15	20	32	<20	0.35	<10	<10	144	<10	50		
UGA-01	251.00	252.00	1.00	M294325	17	20	42	<20	0.35	<10	<10	141	<10	54		
UGA-01	252.00	253.00	1.00	M294326	18	20	57	<20	0.39	10	<10	158	<10	75		
UGA-01	253.00	254.00	1.00	M294327	14	23	55	<20	0.44	<10	<10	172	<10	84		
UGA-01	254.00	255.00	1.00	M294328	16	22	32	<20	0.39	<10	<10	157	<10	63		
UGA-01	255.00	256.00	1.00	M294329	11	23	27	<20	0.4	<10	<10	162	<10	57		

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	256.00	257.00	1.00	M294330	0.1	0.8	7.39	163	140	1.3	<2	0.99	<0.5	22	74	46	
UGA-01	257.00	258.00	1.00	M294331	0.15	1.5	7.09	183	80	1.4	<2	0.97	<0.5	16	72	74	
UGA-01	258.00	259.00	1.00	M294332	0.06	0.7	7.16	165	80	1.4	<2	3.1	<0.5	22	73	42	
UGA-01	259.00	260.00	1.00	M294333	0.09	1	6.97	191	70	1.6	<2	0.55	<0.5	14	63	28	
UGA-01	260.00	261.00	1.00	M294334	0.12	3.2	6.33	101	80	1.4	<2	0.49	<0.5	12	62	32	
UGA-01	261.00	262.00	1.00	M294335	0.23	4.4	7.18	118	110	1.5	<2	0.5	<0.5	19	66	39	
UGA-01	262.00	263.00	1.00	M294448	0.21	1.8	7.38	83	420	1.4	<2	0.89	<0.5	25	73	40	
UGA-01	263.00	264.00	1.00	M294449	0.07	0.7	7.3	147	670	1.4	2	0.56	<0.5	24	76	42	
UGA-01	264.00	265.00	1.00	M294450	0.13	0.8	7.7	138	590	1.5	2	2.88	<0.5	24	78	47	
UGA-01	265.00	266.00	1.00	M294451	0.68	7	7.31	612	630	1.3	2	0.94	<0.5	23	83	193	
UGA-01	266.00	267.00	1.00	M294452	0.22	1.6	7.3	423	770	1.3	2	0.75	<0.5	27	77	88	
UGA-01	267.00	268.00	1.00	M294453	0.01	<0.5	7.73	31	580	1.3	<2	3.9	<0.5	25	80	42	
UGA-01	268.00	269.00	1.00	M294454	0.03	<0.5	7.29	82	580	1.3	3	3.37	0.5	24	83	45	
UGA-01	269.00	270.00	1.00	M294455	0.02	<0.5	7.99	70	600	1.4	3	4.72	0.5	26	81	47	
UGA-01	270.00	271.00	1.00	M294457	0.15	0.7	7.46	198	720	1.3	<2	0.81	0.5	24	80	46	
UGA-01	271.00	272.40	1.40	M294458	0.21	1.2	6.61	281	350	1.2	<2	0.59	<0.5	26	79	61	
UGA-01	272.40	273.00	0.60	M294337	1.56	33.1	5.64	987	380	1.1	<2	0.93	<0.5	20	76	120	
UGA-01	273.00	274.00	1.00	M294338	1.09	1.1	7.24	183	230	1.3	<2	0.59	<0.5	22	85	51	
UGA-01	274.00	275.00	1.00	M294339	0.42	1	6.67	168	330	1.2	<2	0.57	<0.5	21	84	36	
UGA-01	275.00	276.00	1.00	M294340	0.36	1	7.28	145	90	1.3	<2	0.51	<0.5	22	88	42	
UGA-01	276.00	277.00	1.00	M294341	0.12	3	7.09	190	340	1.4	<2	0.71	<0.5	20	93	42	
UGA-01	277.00	278.00	1.00	M294342	0.03	0.6	6.7	51	180	1.3	<2	2.21	<0.5	18	81	24	
UGA-01	278.00	279.00	1.00	M294343	0.04	0.6	6.65	43	100	1.3	<2	2.71	<0.5	17	72	32	
UGA-01	279.00	280.00	1.00	M294344	0.08	1.7	6.27	49	420	1.3	<2	1.6	<0.5	17	85	35	
UGA-01	280.00	281.00	1.00	M294345	0.05	0.8	6.3	47	470	1.2	2	2.11	<0.5	18	94	32	
UGA-01	281.00	282.00	1.00	M294346	0.03	<0.5	7.12	48	230	1.4	2	3.04	<0.5	17	87	48	
UGA-01	282.00	283.00	1.00	M294347	0.03	0.5	6.87	58	180	1.3	<2	3.14	<0.5	20	88	38	
UGA-01	283.00	284.00	1.00	M294348	0.05	1.2	5.74	45	310	1.1	<2	0.91	<0.5	18	79	29	
UGA-01	284.00	285.00	1.00	M294361	1.55	9.9	6.44	325	320	1.2	<2	0.76	<0.5	19	118	45	
UGA-01	285.00	286.00	1.00	M294460	0.01	<0.5	7.46	105	630	1.3	<2	4.11	0.5	29	151	54	
UGA-01	286.00	287.00	1.00	M294461	<0.01	<0.5	7.66	15	780	1.1	3	5.52	<0.5	26	156	61	
UGA-01	308.00	309.00	1.00	M294350	0.07	1.8	6.26	95	120	1.2	<2	0.67	<0.5	16	40	22	
UGA-01	309.00	310.00	1.00	M294351	0.08	1.6	5.82	67	120	1.2	<2	0.71	<0.5	14	43	21	
UGA-01	310.00	311.00	1.00	M294352	0.07	1.9	6.44	74	120	1.3	<2	0.69	<0.5	14	42	22	
UGA-01	311.00	312.00	1.00	M294353	0.08	1.3	5.34	74	160	1.1	<2	0.88	<0.5	11	43	16	
UGA-01	325.00	326.00	1.00	M294462	0.05	1.3	7.4	66	460	1.4	<2	0.54	1.4	22	58	50	
UGA-01	326.00	327.00	1.00	M294463	0.15	1.2	6.89	185	720	1.3	<2	0.84	0.8	19	52	30	
UGA-01	327.00	328.00	1.00	M294464	0.09	0.9	7.39	191	760	1.4	2	0.59	0.6	20	57	33	
UGA-01	332.00	333.00	1.00	M294465	0.32	2.9	7.18	733	810	1.4	2	1.24	<0.5	18	41	40	
UGA-01	333.00	334.00	1.00	M294466	0.26	3.4	7.27	960	730	1.4	<2	1.77	<0.5	19	43	40	

					ME-ICP61												
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-01	256.00	257.00	1.00	M294330	5.05	10	2.31	30	3.41	696	3	0.02	19	1100	11	1.81	
UGA-01	257.00	258.00	1.00	M294331	4.6	10	2.43	30	3.12	635	4	0.02	13	1240	10	2.03	
UGA-01	258.00	259.00	1.00	M294332	4.61	10	2.84	20	3.06	1000	3	0.02	13	1180	9	2.4	
UGA-01	259.00	260.00	1.00	M294333	4.07	10	2.77	30	2.11	345	5	0.02	9	1340	15	2.55	
UGA-01	260.00	261.00	1.00	M294334	4.02	10	2.72	30	1.42	218	5	0.02	9	1120	13	3.19	
UGA-01	261.00	262.00	1.00	M294335	4.76	20	2.82	30	2.18	293	3	0.02	13	1250	15	3.33	
UGA-01	262.00	263.00	1.00	M294448	4.79	20	2.83	30	3.16	545	3	0.07	19	1210	7	1.18	
UGA-01	263.00	264.00	1.00	M294449	4.76	20	3.49	30	2.93	428	2	0.1	17	1170	12	1.07	
UGA-01	264.00	265.00	1.00	M294450	4.84	20	3.23	30	3.04	802	2	0.41	20	1190	12	0.89	
UGA-01	265.00	266.00	1.00	M294451	5.07	10	3.73	30	3.41	583	2	0.11	18	1160	11	1.72	
UGA-01	266.00	267.00	1.00	M294452	4.97	20	3.81	30	3.38	577	2	0.12	20	1140	11	1.48	
UGA-01	267.00	268.00	1.00	M294453	4.86	20	2.54	30	3.17	782	2	0.79	20	1220	12	0.43	
UGA-01	268.00	269.00	1.00	M294454	4.99	20	2.81	30	3.03	873	2	0.64	20	1190	11	0.69	
UGA-01	269.00	270.00	1.00	M294455	5.03	20	2.23	30	2.91	794	2	1.15	20	1260	14	0.35	
UGA-01	270.00	271.00	1.00	M294457	4.84	20	3.57	30	3.01	468	1	0.12	19	1150	9	1.02	
UGA-01	271.00	272.40	1.40	M294458	4.89	20	2.56	20	3.71	506	2	0.06	24	1200	7	1.25	
UGA-01	272.40	273.00	0.60	M294337	5.85	10	2.18	30	2.52	404	13	0.02	19	2600	21	3.8	
UGA-01	273.00	274.00	1.00	M294338	4.92	10	2.45	30	3.08	415	3	0.02	23	1130	13	2.15	
UGA-01	274.00	275.00	1.00	M294339	5	10	2.61	20	2.33	328	4	0.02	20	1100	11	3.25	
UGA-01	275.00	276.00	1.00	M294340	4.9	10	2.27	30	3.44	438	2	0.02	21	1120	9	1.74	
UGA-01	276.00	277.00	1.00	M294341	5.41	10	2.43	30	3.65	488	3	0.02	20	1110	14	2.97	
UGA-01	277.00	278.00	1.00	M294342	5.34	10	2.72	30	2.76	700	2	0.02	17	1060	11	4.75	
UGA-01	278.00	279.00	1.00	M294343	4.66	10	2.75	30	2.7	785	3	0.02	14	1020	11	4.12	
UGA-01	279.00	280.00	1.00	M294344	4.43	10	2.82	20	2.62	570	3	0.02	15	1040	9	3.69	
UGA-01	280.00	281.00	1.00	M294345	4.58	10	3.24	20	2.35	595	3	0.03	16	1040	8	4.11	
UGA-01	281.00	282.00	1.00	M294346	4.39	10	3.06	30	3.1	910	2	0.02	17	1120	10	3.85	
UGA-01	282.00	283.00	1.00	M294347	4.35	10	2.71	20	3.61	977	2	0.02	20	1040	10	3.54	
UGA-01	283.00	284.00	1.00	M294348	4.97	10	2.73	20	2.21	381	3	0.02	18	980	12	4.87	
UGA-01	284.00	285.00	1.00	M294361	5.04	10	3.17	20	2.9	379	7	0.03	23	2110	14	3.37	
UGA-01	285.00	286.00	1.00	M294460	5.17	20	2.43	30	3.98	1020	1	0.61	34	1240	7	0.77	
UGA-01	286.00	287.00	1.00	M294461	5.1	20	1.31	30	3.76	926	2	1.18	37	1270	10	0.21	
UGA-01	308.00	309.00	1.00	M294350	4.87	10	2.74	30	0.97	223	5	0.02	11	1070	16	4.92	
UGA-01	309.00	310.00	1.00	M294351	4.42	10	2.34	20	1.34	296	5	0.02	11	1050	18	3.77	
UGA-01	310.00	311.00	1.00	M294352	4.25	10	2.72	30	1.19	217	7	0.02	10	1290	15	3.95	
UGA-01	311.00	312.00	1.00	M294353	3.94	10	2.12	20	1.22	290	5	0.02	9	1260	15	3.26	
UGA-01	325.00	326.00	1.00	M294462	4.95	20	4.44	30	2.46	440	4	0.11	12	1180	23	3.75	
UGA-01	326.00	327.00	1.00	M294463	4.43	10	3.88	30	2.6	519	4	0.12	10	1210	16	2.86	
UGA-01	327.00	328.00	1.00	M294464	5.01	20	3.97	30	2.87	483	3	0.14	14	1150	20	2.8	
UGA-01	332.00	333.00	1.00	M294465	5.07	20	3.75	30	2.55	559	8	0.19	11	1730	13	2.56	
UGA-01	333.00	334.00	1.00	M294466	5.08	20	3.68	30	2.6	559	6	0.26	10	1680	15	2.57	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	256.00	257.00	1.00	M294330	8	22	31	<20	0.38	<10	<10	148	<10	52	
UGA-01	257.00	258.00	1.00	M294331	8	21	26	<20	0.37	<10	<10	140	<10	45	
UGA-01	258.00	259.00	1.00	M294332	5	21	50	<20	0.39	<10	<10	144	<10	39	
UGA-01	259.00	260.00	1.00	M294333	5	19	19	<20	0.36	<10	<10	137	<10	31	
UGA-01	260.00	261.00	1.00	M294334	9	16	20	<20	0.33	<10	<10	126	<10	22	
UGA-01	261.00	262.00	1.00	M294335	11	22	21	<20	0.35	<10	<10	156	<10	47	
UGA-01	262.00	263.00	1.00	M294448	10	22	37	<20	0.39	<10	<10	159	<10	70	
UGA-01	263.00	264.00	1.00	M294449	7	21	51	<20	0.39	<10	<10	156	<10	70	
UGA-01	264.00	265.00	1.00	M294450	7	23	174	<20	0.41	<10	<10	163	<10	73	
UGA-01	265.00	266.00	1.00	M294451	12	22	70	<20	0.4	<10	<10	157	<10	65	
UGA-01	266.00	267.00	1.00	M294452	13	22	66	<20	0.39	<10	<10	151	<10	59	
UGA-01	267.00	268.00	1.00	M294453	<5	22	284	<20	0.42	<10	<10	161	<10	70	
UGA-01	268.00	269.00	1.00	M294454	<5	21	248	<20	0.41	<10	10	163	<10	73	
UGA-01	269.00	270.00	1.00	M294455	<5	23	379	<20	0.43	<10	<10	169	<10	79	
UGA-01	270.00	271.00	1.00	M294457	12	23	63	<20	0.4	<10	<10	148	<10	52	
UGA-01	271.00	272.40	1.40	M294458	10	20	35	<20	0.38	<10	<10	136	10	47	
UGA-01	272.40	273.00	0.60	M294337	83	17	32	<20	0.29	10	<10	112	<10	26	
UGA-01	273.00	274.00	1.00	M294338	13	22	26	<20	0.38	<10	<10	143	<10	33	
UGA-01	274.00	275.00	1.00	M294339	20	20	28	<20	0.34	<10	<10	135	<10	29	
UGA-01	275.00	276.00	1.00	M294340	12	21	24	<20	0.38	<10	<10	146	<10	51	
UGA-01	276.00	277.00	1.00	M294341	7	22	30	<20	0.37	<10	<10	148	10	34	
UGA-01	277.00	278.00	1.00	M294342	<5	21	41	<20	0.34	<10	<10	133	<10	12	
UGA-01	278.00	279.00	1.00	M294343	<5	20	44	<20	0.33	10	<10	136	<10	18	
UGA-01	279.00	280.00	1.00	M294344	9	20	41	<20	0.34	<10	<10	138	<10	26	
UGA-01	280.00	281.00	1.00	M294345	7	20	54	<20	0.32	<10	<10	134	<10	17	
UGA-01	281.00	282.00	1.00	M294346	<5	21	51	<20	0.38	<10	<10	153	<10	27	
UGA-01	282.00	283.00	1.00	M294347	6	21	51	<20	0.36	<10	<10	143	<10	25	
UGA-01	283.00	284.00	1.00	M294348	7	18	32	<20	0.32	<10	<10	116	<10	18	
UGA-01	284.00	285.00	1.00	M294361	34	21	44	<20	0.34	10	<10	143	<10	36	
UGA-01	285.00	286.00	1.00	M294460	<5	26	256	<20	0.41	<10	10	168	<10	71	
UGA-01	286.00	287.00	1.00	M294461	<5	26	441	<20	0.42	<10	10	171	<10	78	
UGA-01	308.00	309.00	1.00	M294350	12	16	22	<20	0.32	<10	<10	125	<10	31	
UGA-01	309.00	310.00	1.00	M294351	16	16	24	<20	0.3	10	<10	118	<10	38	
UGA-01	310.00	311.00	1.00	M294352	18	16	24	<20	0.32	10	<10	124	<10	30	
UGA-01	311.00	312.00	1.00	M294353	23	14	27	<20	0.26	10	<10	104	<10	47	
UGA-01	325.00	326.00	1.00	M294462	9	20	61	<20	0.39	<10	<10	144	<10	759	
UGA-01	326.00	327.00	1.00	M294463	11	18	60	<20	0.36	<10	<10	131	<10	314	
UGA-01	327.00	328.00	1.00	M294464	12	20	52	<20	0.39	<10	<10	147	<10	229	
UGA-01	332.00	333.00	1.00	M294465	18	18	75	<20	0.38	<10	<10	135	10	74	
UGA-01	333.00	334.00	1.00	M294466	17	19	101	<20	0.38	<10	<10	138	<10	69	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-01	334.00	335.00	1.00	M294467	0.15	2.3	7.77	557	1140	1.4	<2	3.17	<0.5	19	47	79	
UGA-01	339.00	340.00	1.00	M294354	0.12	1.3	6.45	190	520	1.2	<2	0.82	<0.5	15	45	14	
UGA-01	340.00	341.00	1.00	M294355	0.16	1.9	6.73	207	580	1.3	<2	1.13	<0.5	14	40	15	
UGA-01	341.00	342.00	1.00	M294356	0.07	0.9	6.71	183	310	1.4	<2	2.72	<0.5	14	37	20	
UGA-01	342.00	343.00	1.00	M294357	0.03	1.2	6.08	31	220	1.3	<2	0.54	<0.5	16	49	18	
UGA-01	343.00	344.00	1.00	M294358	0.03	0.9	6.04	34	280	1.3	<2	3.4	<0.5	15	46	17	
UGA-01	344.00	345.00	1.00	M294359	0.02	0.7	5.54	29	330	1.2	<2	2.92	<0.5	12	37	16	
UGA-01	345.00	346.05	1.05	M294360	0.1	0.8	6.24	146	150	1.3	<2	3.93	<0.5	16	50	23	
UGA-02	0.10	1.00	0.90	M294468	1.83	48.9	6.45	244	560	1.1	<2	0.41	<0.5	20	75	38	
UGA-02	1.00	2.00	1.00	M294469	0.23	1.9	5.97	154	530	1.1	<2	0.49	<0.5	18	62	27	
UGA-02	2.00	3.00	1.00	M294470	0.87	7.4	6.08	227	510	1	<2	0.5	<0.5	17	67	31	
UGA-02	3.00	4.00	1.00	M294472	0.22	3.4	6.24	135	480	1	3	1.99	<0.5	17	65	35	
UGA-02	4.00	5.00	1.00	M294473	0.16	2.2	5.33	199	410	1	<2	1.01	<0.5	17	60	24	
UGA-02	5.00	6.00	1.00	M294474	0.16	5.4	6.08	114	460	1.1	<2	1.01	<0.5	17	67	41	
UGA-02	6.00	7.00	1.00	M294475	0.36	4.6	5.57	191	430	1.1	2	0.76	<0.5	18	62	29	
UGA-02	7.00	8.00	1.00	M294476	0.93	3.8	7.1	139	480	1.2	<2	0.43	<0.5	22	73	69	
UGA-02	8.00	9.00	1.00	M294477	0.16	5.7	6.44	139	520	1	2	0.81	<0.5	21	65	61	
UGA-02	9.00	10.00	1.00	M294478	0.26	5.8	5.59	129	430	1	<2	0.66	<0.5	18	67	35	
UGA-02	16.00	17.00	1.00	M294480	0.24	2.2	6.12	228	640	0.9	2	0.48	<0.5	18	67	31	
UGA-02	17.00	18.00	1.00	M294481	0.62	20.2	5.87	194	700	1	<2	0.61	<0.5	18	65	35	
UGA-02	18.00	19.00	1.00	M294482	4.3	13.1	5.82	109	390	0.9	<2	0.71	<0.5	18	67	38	
UGA-02	19.00	20.00	1.00	M294483	0.41	2.9	5.38	96	540	0.8	<2	0.48	<0.5	19	65	28	
UGA-02	20.00	21.00	1.00	M294484	0.73	4.4	5.86	131	500	0.9	<2	1.53	<0.5	18	63	32	
UGA-02	21.00	22.00	1.00	M294485	0.06	1.6	6.19	68	360	1	<2	0.93	<0.5	19	73	36	
UGA-02	22.00	23.00	1.00	M294486	0.1	2	5.8	110	480	0.9	2	2.02	<0.5	18	65	32	
UGA-02	23.00	24.00	1.00	M294487	1.14	4.3	5.92	141	470	1	<2	0.88	<0.5	18	70	31	
UGA-02	24.00	25.00	1.00	M294488	0.3	2.1	6.42	94	540	1.1	2	2.29	<0.5	20	65	35	
UGA-02	25.00	26.00	1.00	M294490	0.79	7.5	5.55	233	510	1	<2	1.21	<0.5	18	64	37	
UGA-02	26.00	27.00	1.00	M294491	0.09	2	6.55	85	450	1.1	<2	0.62	<0.5	21	74	31	
UGA-02	27.00	28.00	1.00	M294492	0.06	1	6.32	83	330	1.1	2	0.71	<0.5	18	73	34	
UGA-02	28.00	29.00	1.00	M294493	0.1	1.2	6.73	105	610	1	<2	0.64	<0.5	23	72	34	
UGA-02	44.00	45.00	1.00	M294494	0.08	1.4	6.5	89	590	1.1	<2	0.85	<0.5	15	32	18	
UGA-02	45.00	46.00	1.00	M294495	0.09	1.5	6.71	112	560	1.2	3	0.6	<0.5	16	31	23	
UGA-02	46.00	47.00	1.00	M294496	2.52	27.8	6.33	540	550	1.2	<2	1	<0.5	14	31	42	
UGA-02	47.00	48.00	1.00	M294497	0.04	1	6.62	69	630	1.1	<2	0.7	<0.5	14	32	23	
UGA-02	48.00	49.00	1.00	M294498	0.31	8.4	6.57	317	540	1.2	2	0.84	<0.5	14	34	32	
UGA-02	49.00	50.00	1.00	M294499	1.11	27.6	5.87	864	510	1	<2	0.34	<0.5	13	37	33	
UGA-02	50.00	51.00	1.00	M294751	0.59	3.9	6.61	218	650	1.1	2	0.32	<0.5	14	33	25	

					ME-ICP61												
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-01	334.00	335.00	1.00	M294467	5.11	20	3.26	30	2.37	596	3	0.96	12	1220	13	1.63	
UGA-01	339.00	340.00	1.00	M294354	4.27	10	3.05	20	2.31	493	4	0.03	10	1160	19	2.33	
UGA-01	340.00	341.00	1.00	M294355	4.11	10	2.63	30	2.5	500	3	0.02	10	980	16	1.93	
UGA-01	341.00	342.00	1.00	M294356	3.96	10	2.46	30	2.39	701	2	0.02	8	900	14	2.67	
UGA-01	342.00	343.00	1.00	M294357	3.86	10	2.71	30	0.66	90	2	0.02	12	910	17	4.25	
UGA-01	343.00	344.00	1.00	M294358	3.68	10	2.62	20	1.83	597	2	0.02	10	870	18	3.67	
UGA-01	344.00	345.00	1.00	M294359	3.25	10	2.44	20	1.6	495	2	0.02	7	730	16	3.2	
UGA-01	345.00	346.05	1.05	M294360	4.09	10	2.66	30	1.89	702	2	0.02	10	920	17	3.82	
UGA-02	0.10	1.00	0.90	M294468	5.02	20	4.91	30	1.29	927	6	0.1	12	1090	13	2.35	
UGA-02	1.00	2.00	1.00	M294469	3.96	10	4.2	20	2.52	596	4	0.09	12	880	10	1.75	
UGA-02	2.00	3.00	1.00	M294470	4.21	10	4.55	20	2.09	615	3	0.09	12	870	13	2.3	
UGA-02	3.00	4.00	1.00	M294472	3.63	10	5.14	20	2.41	841	2	0.09	11	900	9	2.17	
UGA-02	4.00	5.00	1.00	M294473	4.77	10	4.53	20	1.51	454	2	0.08	11	900	10	4.36	
UGA-02	5.00	6.00	1.00	M294474	3.81	10	4.36	20	2.26	706	1	0.09	11	860	8	2.25	
UGA-02	6.00	7.00	1.00	M294475	4.23	10	3.94	20	2.24	770	2	0.08	12	790	9	2.1	
UGA-02	7.00	8.00	1.00	M294476	4.33	10	4.48	20	2.39	578	2	0.1	18	1050	10	2.39	
UGA-02	8.00	9.00	1.00	M294477	4.25	10	4.42	20	2.11	602	2	0.1	13	960	11	2.93	
UGA-02	9.00	10.00	1.00	M294478	3.78	10	4.49	20	1.61	454	2	0.08	12	980	10	2.58	
UGA-02	16.00	17.00	1.00	M294480	4.22	10	3.61	20	1.97	450	2	0.11	12	920	10	3.13	
UGA-02	17.00	18.00	1.00	M294481	3.73	10	4.15	20	1.72	408	5	0.11	12	880	12	2.71	
UGA-02	18.00	19.00	1.00	M294482	3.86	10	3.44	20	1.08	339	3	0.09	11	900	13	3.62	
UGA-02	19.00	20.00	1.00	M294483	4.58	10	4.23	20	0.88	248	2	0.1	14	900	12	4.46	
UGA-02	20.00	21.00	1.00	M294484	3.97	10	4.34	20	1.58	592	3	0.1	13	1030	11	3.5	
UGA-02	21.00	22.00	1.00	M294485	3.35	10	3.7	20	1.34	382	3	0.08	13	1150	8	2.79	
UGA-02	22.00	23.00	1.00	M294486	3.99	10	3.78	20	2.04	646	3	0.09	14	920	10	3.11	
UGA-02	23.00	24.00	1.00	M294487	4.44	10	4.28	20	1.48	368	3	0.09	13	990	14	3.9	
UGA-02	24.00	25.00	1.00	M294488	4.76	10	4.53	30	2.71	698	2	0.09	14	1030	14	3.78	
UGA-02	25.00	26.00	1.00	M294490	4.37	10	3.89	20	1.59	400	4	0.09	11	1390	13	3.73	
UGA-02	26.00	27.00	1.00	M294491	4.16	10	3.44	20	1.73	430	2	0.1	13	1030	13	3.02	
UGA-02	27.00	28.00	1.00	M294492	4.47	10	4.31	20	2.46	633	2	0.08	15	1100	9	2.36	
UGA-02	28.00	29.00	1.00	M294493	4.55	10	3.99	30	2.59	620	1	0.11	15	1160	13	2.6	
UGA-02	44.00	45.00	1.00	M294494	3.94	10	3.67	30	1.57	457	3	0.11	6	930	14	2.65	
UGA-02	45.00	46.00	1.00	M294495	4.28	10	3.88	30	1.67	515	3	0.11	7	1010	12	2.19	
UGA-02	46.00	47.00	1.00	M294496	5.54	10	4.13	30	1.16	559	4	0.11	5	1680	14	3.87	
UGA-02	47.00	48.00	1.00	M294497	3.98	10	4.12	30	1.5	552	3	0.11	7	960	12	2.33	
UGA-02	48.00	49.00	1.00	M294498	5.13	10	4.72	30	0.91	356	4	0.11	8	1150	14	3.81	
UGA-02	49.00	50.00	1.00	M294499	5.2	10	4.05	30	0.59	345	5	0.11	8	910	19	4.15	
UGA-02	50.00	51.00	1.00	M294751	3.66	10	3.54	30	0.4	344	4	0.12	8	1100	13	3.21	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-01	334.00	335.00	1.00	M294467	10	20	326	<20	0.4	<10	<10	145	<10	73	
UGA-01	339.00	340.00	1.00	M294354	15	16	56	<20	0.32	10	<10	124	<10	82	
UGA-01	340.00	341.00	1.00	M294355	14	16	45	<20	0.32	<10	<10	125	<10	125	
UGA-01	341.00	342.00	1.00	M294356	9	17	58	<20	0.33	<10	<10	125	<10	91	
UGA-01	342.00	343.00	1.00	M294357	5	17	25	<20	0.32	10	<10	134	<10	51	
UGA-01	343.00	344.00	1.00	M294358	<5	17	59	<20	0.31	<10	<10	130	<10	54	
UGA-01	344.00	345.00	1.00	M294359	<5	14	53	<20	0.26	<10	<10	115	<10	46	
UGA-01	345.00	346.05	1.05	M294360	7	17	59	<20	0.32	<10	<10	123	<10	73	
UGA-02	0.10	1.00	0.90	M294468	46	20	106	<20	0.34	10	<10	137	<10	88	
UGA-02	1.00	2.00	1.00	M294469	22	18	101	<20	0.32	<10	<10	118	<10	64	
UGA-02	2.00	3.00	1.00	M294470	23	18	106	<20	0.32	<10	<10	120	<10	63	
UGA-02	3.00	4.00	1.00	M294472	16	18	153	<20	0.33	<10	<10	129	10	60	
UGA-02	4.00	5.00	1.00	M294473	21	16	120	<20	0.29	10	<10	107	<10	56	
UGA-02	5.00	6.00	1.00	M294474	23	18	114	<20	0.33	10	<10	124	10	63	
UGA-02	6.00	7.00	1.00	M294475	23	17	130	<20	0.3	10	<10	116	10	65	
UGA-02	7.00	8.00	1.00	M294476	35	21	114	<20	0.38	10	<10	148	<10	73	
UGA-02	8.00	9.00	1.00	M294477	18	19	125	<20	0.34	10	<10	132	<10	77	
UGA-02	9.00	10.00	1.00	M294478	33	17	107	<20	0.3	10	<10	115	10	63	
UGA-02	16.00	17.00	1.00	M294480	12	19	181	<20	0.33	10	<10	128	10	63	
UGA-02	17.00	18.00	1.00	M294481	24	18	265	<20	0.31	<10	<10	122	10	58	
UGA-02	18.00	19.00	1.00	M294482	22	17	176	<20	0.31	10	<10	111	<10	62	
UGA-02	19.00	20.00	1.00	M294483	23	16	156	<20	0.29	10	<10	105	10	53	
UGA-02	20.00	21.00	1.00	M294484	25	18	152	<20	0.31	10	<10	115	10	56	
UGA-02	21.00	22.00	1.00	M294485	14	18	119	<20	0.35	10	<10	139	10	64	
UGA-02	22.00	23.00	1.00	M294486	13	18	155	<20	0.31	<10	<10	121	10	68	
UGA-02	23.00	24.00	1.00	M294487	24	18	131	<20	0.32	10	<10	134	10	58	
UGA-02	24.00	25.00	1.00	M294488	12	19	293	<20	0.34	<10	<10	132	10	68	
UGA-02	25.00	26.00	1.00	M294490	55	17	204	<20	0.29	10	<10	118	10	57	
UGA-02	26.00	27.00	1.00	M294491	13	20	149	<20	0.36	10	<10	140	10	62	
UGA-02	27.00	28.00	1.00	M294492	14	19	107	<20	0.33	10	<10	130	10	63	
UGA-02	28.00	29.00	1.00	M294493	8	21	138	<20	0.36	10	<10	124	10	68	
UGA-02	44.00	45.00	1.00	M294494	11	14	131	<20	0.32	<10	<10	104	<10	58	
UGA-02	45.00	46.00	1.00	M294495	11	15	142	<20	0.32	<10	<10	108	<10	67	
UGA-02	46.00	47.00	1.00	M294496	61	14	138	<20	0.29	<10	<10	96	<10	60	
UGA-02	47.00	48.00	1.00	M294497	14	15	139	<20	0.33	<10	<10	101	<10	65	
UGA-02	48.00	49.00	1.00	M294498	34	15	156	<20	0.33	10	<10	119	10	69	
UGA-02	49.00	50.00	1.00	M294499	107	13	124	<20	0.27	20	<10	103	<10	50	
UGA-02	50.00	51.00	1.00	M294751	30	14	135	<20	0.31	10	<10	98	<10	60	

					Au-AA26	ME-ICP61													
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu			
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
UGA-02	51.00	52.00	1.00	M294752	0.18	1.2	6.69	158	470	1.4	<2	0.83	<0.5	16	32	28			
UGA-02	52.00	53.00	1.00	M294753	0.2	1.7	6.31	180	340	1.4	2	1.27	<0.5	15	32	24			
UGA-02	53.00	54.00	1.00	M294754	0.39	3.8	6.03	202	420	1.2	<2	0.66	<0.5	12	33	23			
UGA-02	54.00	55.00	1.00	M294756	0.2	2.4	6.71	239	540	1.4	<2	0.88	<0.5	15	31	24			
UGA-02	61.00	62.00	1.00	M294757	0.06	1.2	6.69	85	520	1.1	3	1.45	<0.5	15	31	25			
UGA-02	62.00	63.00	1.00	M294758	0.11	1.3	6.12	118	330	1	<2	1.19	<0.5	14	30	26			
UGA-02	63.00	64.00	1.00	M294759	0.25	1.2	6.5	90	490	1.2	<2	1	<0.5	15	32	40			
UGA-02	64.00	65.00	1.00	M294760	0.3	1.5	6.77	86	560	1.1	<2	0.8	<0.5	18	41	48			
UGA-02	65.00	66.00	1.00	M294761	0.26	2.8	6.56	224	640	1.1	2	0.58	<0.5	18	41	36			
UGA-02	66.00	67.00	1.00	M294762	0.26	2.6	6.59	219	790	1.1	<2	0.8	<0.5	19	40	28			
UGA-02	67.00	68.00	1.00	M294763	0.22	2.9	6.67	188	550	1.1	<2	0.92	<0.5	19	40	27			
UGA-02	68.00	69.00	1.00	M294764	0.09	1.6	6.4	121	400	1.1	<2	0.8	<0.5	18	41	26			
UGA-02	78.00	79.00	1.00	M294765	0.19	2.4	6.85	89	610	1.1	<2	0.52	<0.5	18	38	30			
UGA-02	79.00	80.00	1.00	M294767	0.29	1	8.08	49	410	1.3	2	0.59	<0.5	20	46	37			
UGA-02	80.00	81.00	1.00	M294768	0.23	5.3	6.54	272	410	1.1	<2	0.48	<0.5	17	37	35			
UGA-02	81.00	82.00	1.00	M294769	0.86	2	6.96	137	400	1	<2	0.42	<0.5	19	36	31			
UGA-02	82.00	83.00	1.00	M294770	0.29	2	5.51	161	360	0.9	3	0.88	<0.5	16	36	22			
UGA-02	83.00	84.00	1.00	M294771	0.28	1.2	7.16	147	430	1.2	<2	0.5	<0.5	19	41	30			
UGA-02	84.00	85.00	1.00	M294772	0.14	0.5	7.99	68	470	1.4	<2	0.61	<0.5	21	40	37			
UGA-02	90.00	91.00	1.00	M294773	0.08	1.3	7.29	205	550	1.2	4	2.59	<0.5	24	40	34			
UGA-02	91.00	92.00	1.00	M294774	0.06	0.6	7.46	83	630	1.3	<2	2.75	<0.5	22	42	35			
UGA-02	92.00	93.00	1.00	M294775	1.57	7	7.34	118	500	1.4	<2	2.99	<0.5	21	41	47			
UGA-02	93.00	94.00	1.00	M294776	1.38	9.3	7.12	137	570	1.1	<2	0.68	<0.5	19	41	29			
UGA-02	94.00	95.00	1.00	M294777	0.45	2.5	6.68	138	550	1.1	2	1.22	<0.5	19	42	29			
UGA-02	95.00	96.00	1.00	M294778	0.08	1.9	7.12	74	540	1.1	2	1.05	<0.5	19	44	36			
UGA-02	96.00	97.00	1.00	M294779	1.19	9	6.76	128	660	1.1	<2	0.83	<0.5	19	45	35			
UGA-02	97.00	98.00	1.00	M294780	0.34	1.9	6.68	167	540	1.2	<2	0.84	<0.5	18	42	26			
UGA-02	98.00	99.00	1.00	M294781	0.69	4.9	7.19	161	660	1.1	2	1.42	<0.5	21	45	46			
UGA-02	99.00	100.00	1.00	M294782	1.65	3.4	7.69	136	510	1.3	<2	1.79	<0.5	20	52	104			
UGA-02	100.00	101.00	1.00	M294783	0.21	1.3	7.4	256	420	1.1	2	1.45	<0.5	23	45	41			
UGA-02	101.00	102.00	1.00	M294785	0.17	2.9	6.01	190	590	0.8	<2	0.81	<0.5	18	40	29			
UGA-02	104.00	105.00	1.00	M294786	0.9	9.4	7.29	279	750	1.6	2	0.4	<0.5	22	46	38			
UGA-02	110.00	111.00	1.00	M294787	0.16	0.8	6.96	150	620	1.2	<2	0.67	<0.5	18	44	26			
UGA-02	111.00	112.00	1.00	M294788	3.42	3	6.76	271	570	1.2	<2	0.75	<0.5	19	49	34			
UGA-02	112.00	113.00	1.00	M294789	0.1	0.8	7	100	710	1	<2	0.83	<0.5	21	42	28			
UGA-02	113.00	114.00	1.00	M294790	1.28	15.5	6.92	163	680	1	2	0.82	<0.5	18	45	26			
UGA-02	114.00	115.00	1.00	M294791	0.11	1.3	7.07	116	670	1.2	<2	0.44	<0.5	19	47	30			
UGA-02	115.00	116.00	1.00	M294793	0.4	1.8	6.83	242	590	1.1	2	0.56	<0.5	19	43	31			
UGA-02	116.00	117.00	1.00	M294795	4.48	4.4	6.06	218	550	0.9	<2	0.75	<0.5	17	46	28			

				SAMPLE	ME-ICP61												
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-02	51.00	52.00	1.00	M294752	4.14	10	3.93	30	1.13	935	3	0.09	7	1060	13	2.11	
UGA-02	52.00	53.00	1.00	M294753	4.45	10	3.78	30	1.44	1150	3	0.07	6	1160	13	2.17	
UGA-02	53.00	54.00	1.00	M294754	3.8	10	4.73	30	0.9	543	4	0.09	5	940	12	2.37	
UGA-02	54.00	55.00	1.00	M294756	4.3	10	4.1	30	1.08	562	4	0.1	6	1030	14	2.74	
UGA-02	61.00	62.00	1.00	M294757	4.48	10	4.8	30	2.54	886	3	0.1	7	990	12	2.06	
UGA-02	62.00	63.00	1.00	M294758	3.86	10	4.11	30	2.38	669	4	0.07	7	1000	12	1.98	
UGA-02	63.00	64.00	1.00	M294759	4.38	10	4.76	30	2.59	749	3	0.1	8	1080	11	1.58	
UGA-02	64.00	65.00	1.00	M294760	4.13	10	3.85	30	2.02	644	3	0.12	8	1120	12	1.74	
UGA-02	65.00	66.00	1.00	M294761	4.34	10	4.04	30	1.5	483	6	0.12	10	1190	13	3.06	
UGA-02	66.00	67.00	1.00	M294762	4.73	10	4.17	30	1.89	494	3	0.14	8	1870	11	3.09	
UGA-02	67.00	68.00	1.00	M294763	4.84	10	4.3	30	2.14	607	4	0.1	8	1160	11	2.59	
UGA-02	68.00	69.00	1.00	M294764	4.48	10	4.2	30	2.09	637	3	0.09	7	1090	8	2.13	
UGA-02	78.00	79.00	1.00	M294765	4.45	20	4.14	30	2.8	672	3	0.11	8	1160	11	1.86	
UGA-02	79.00	80.00	1.00	M294767	5.13	20	4.12	30	3.37	752	3	0.09	11	1330	11	0.83	
UGA-02	80.00	81.00	1.00	M294768	5.15	10	5.12	20	2.37	490	3	0.09	10	1470	14	2.76	
UGA-02	81.00	82.00	1.00	M294769	4.85	10	4.13	30	2.76	603	3	0.09	7	1190	13	1.98	
UGA-02	82.00	83.00	1.00	M294770	4.2	10	4.14	20	2.23	500	3	0.08	6	1440	12	2.07	
UGA-02	83.00	84.00	1.00	M294771	5.31	10	5.31	30	2.78	632	4	0.09	7	1240	12	1.8	
UGA-02	84.00	85.00	1.00	M294772	5.75	20	5.49	30	3.25	849	1	0.1	10	1220	12	1.3	
UGA-02	90.00	91.00	1.00	M294773	5.23	20	3.36	30	2.49	693	1	0.78	9	1090	16	1.46	
UGA-02	91.00	92.00	1.00	M294774	5.01	20	4.25	30	1.88	708	2	0.7	10	1120	12	1.81	
UGA-02	92.00	93.00	1.00	M294775	5.23	20	3.84	30	2.31	786	3	0.71	10	1190	12	1.03	
UGA-02	93.00	94.00	1.00	M294776	4.83	20	4.9	30	2.12	512	6	0.12	10	1160	10	2.36	
UGA-02	94.00	95.00	1.00	M294777	4.6	20	4.24	30	2.08	594	2	0.12	11	1010	12	2.78	
UGA-02	95.00	96.00	1.00	M294778	4.62	10	5.02	30	2	540	2	0.11	10	1070	9	2.32	
UGA-02	96.00	97.00	1.00	M294779	4.48	10	4.69	30	1.92	446	4	0.13	8	1010	13	2.44	
UGA-02	97.00	98.00	1.00	M294780	4.74	10	4.34	30	2.35	404	5	0.11	8	1040	10	2.53	
UGA-02	98.00	99.00	1.00	M294781	4.44	20	4.98	30	2.18	675	3	0.11	9	1100	11	1.78	
UGA-02	99.00	100.00	1.00	M294782	4.51	20	5.2	30	2.83	677	3	0.11	8	1140	8	1.14	
UGA-02	100.00	101.00	1.00	M294783	4.86	20	4.42	30	2.74	592	3	0.1	10	1110	13	2.38	
UGA-02	101.00	102.00	1.00	M294785	4.67	10	4.94	20	1.77	441	3	0.12	7	900	15	2.94	
UGA-02	104.00	105.00	1.00	M294786	4.66	10	4.86	30	1.78	382	4	0.15	11	1100	14	2.29	
UGA-02	110.00	111.00	1.00	M294787	4.84	20	4.93	30	1.83	440	4	0.13	8	1040	9	2.08	
UGA-02	111.00	112.00	1.00	M294788	4.47	10	4.71	30	1.56	430	9	0.11	9	1010	11	2.33	
UGA-02	112.00	113.00	1.00	M294789	4.76	20	4.86	30	1.7	499	3	0.14	11	1090	12	2.56	
UGA-02	113.00	114.00	1.00	M294790	4.31	10	4.34	30	1.48	393	5	0.13	9	1060	11	2.73	
UGA-02	114.00	115.00	1.00	M294791	4.56	10	4.21	20	2.25	411	4	0.15	9	1130	8	2.41	
UGA-02	115.00	116.00	1.00	M294793	4.9	10	5.15	30	1.62	366	5	0.12	10	1050	13	3.31	
UGA-02	116.00	117.00	1.00	M294795	4.25	10	5.19	30	1.37	316	8	0.11	8	930	11	2.92	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-02	51.00	52.00	1.00	M294752	16	15	110	<20	0.32	<10	<10	104	<10	78	
UGA-02	52.00	53.00	1.00	M294753	23	15	111	<20	0.31	10	<10	101	<10	63	
UGA-02	53.00	54.00	1.00	M294754	26	13	130	<20	0.29	10	<10	94	<10	60	
UGA-02	54.00	55.00	1.00	M294756	21	15	135	<20	0.32	10	<10	104	<10	63	
UGA-02	61.00	62.00	1.00	M294757	9	15	144	<20	0.32	<10	<10	101	10	60	
UGA-02	62.00	63.00	1.00	M294758	12	14	102	<20	0.3	<10	<10	99	10	60	
UGA-02	63.00	64.00	1.00	M294759	12	17	108	<20	0.34	10	<10	124	10	70	
UGA-02	64.00	65.00	1.00	M294760	13	18	110	<20	0.37	10	<10	153	10	66	
UGA-02	65.00	66.00	1.00	M294761	17	18	141	<20	0.36	<10	<10	142	10	58	
UGA-02	66.00	67.00	1.00	M294762	16	19	162	<20	0.35	<10	<10	136	10	72	
UGA-02	67.00	68.00	1.00	M294763	19	19	123	<20	0.36	<10	<10	139	10	71	
UGA-02	68.00	69.00	1.00	M294764	15	18	110	<20	0.34	<10	10	132	10	61	
UGA-02	78.00	79.00	1.00	M294765	10	19	132	<20	0.36	<10	<10	137	<10	70	
UGA-02	79.00	80.00	1.00	M294767	10	22	113	<20	0.41	10	<10	158	10	84	
UGA-02	80.00	81.00	1.00	M294768	21	18	117	<20	0.35	<10	<10	138	10	64	
UGA-02	81.00	82.00	1.00	M294769	13	19	133	<20	0.36	<10	<10	140	10	63	
UGA-02	82.00	83.00	1.00	M294770	20	15	116	<20	0.29	<10	<10	110	10	49	
UGA-02	83.00	84.00	1.00	M294771	13	20	117	<20	0.37	10	<10	144	10	65	
UGA-02	84.00	85.00	1.00	M294772	10	22	108	<20	0.41	10	<10	158	10	70	
UGA-02	90.00	91.00	1.00	M294773	15	20	260	<20	0.38	<10	<10	142	<10	63	
UGA-02	91.00	92.00	1.00	M294774	11	20	233	<20	0.41	10	<10	157	<10	74	
UGA-02	92.00	93.00	1.00	M294775	18	19	271	<20	0.41	<10	<10	157	<10	81	
UGA-02	93.00	94.00	1.00	M294776	20	20	141	<20	0.37	10	<10	137	10	69	
UGA-02	94.00	95.00	1.00	M294777	11	19	136	<20	0.36	10	<10	134	10	62	
UGA-02	95.00	96.00	1.00	M294778	17	21	123	<20	0.38	<10	<10	143	10	75	
UGA-02	96.00	97.00	1.00	M294779	18	19	130	<20	0.36	10	<10	138	10	73	
UGA-02	97.00	98.00	1.00	M294780	15	19	140	<20	0.35	<10	<10	138	10	66	
UGA-02	98.00	99.00	1.00	M294781	23	20	143	<20	0.37	<10	<10	147	10	74	
UGA-02	99.00	100.00	1.00	M294782	22	22	164	<20	0.4	10	<10	154	10	69	
UGA-02	100.00	101.00	1.00	M294783	11	20	167	<20	0.4	<10	<10	159	10	71	
UGA-02	101.00	102.00	1.00	M294785	15	17	163	<20	0.32	<10	<10	112	10	53	
UGA-02	104.00	105.00	1.00	M294786	28	20	111	<20	0.39	10	<10	147	<10	76	
UGA-02	110.00	111.00	1.00	M294787	15	20	117	<20	0.37	10	<10	138	10	68	
UGA-02	111.00	112.00	1.00	M294788	19	19	112	<20	0.36	10	<10	143	10	62	
UGA-02	112.00	113.00	1.00	M294789	15	21	129	<20	0.38	<10	<10	147	10	67	
UGA-02	113.00	114.00	1.00	M294790	16	20	138	<20	0.37	10	<10	137	10	63	
UGA-02	114.00	115.00	1.00	M294791	13	20	117	<20	0.39	10	<10	158	10	72	
UGA-02	115.00	116.00	1.00	M294793	18	19	121	<20	0.36	10	<10	138	10	59	
UGA-02	116.00	117.00	1.00	M294795	28	17	125	<20	0.33	10	<10	122	10	52	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-02	117.00	118.00	1.00	M294796	1.41	3.3	6.33	262	600	0.9	<2	1.48	<0.5	20	41	32	
UGA-02	118.00	119.00	1.00	M294797	0.81	3.2	6.51	209	700	1	<2	0.98	<0.5	20	42	34	
UGA-02	119.00	120.00	1.00	M294798	0.56	2.5	6.58	234	470	1	<2	0.58	<0.5	18	45	28	
UGA-02	120.00	121.00	1.00	M294799	0.76	2.5	5.34	214	540	1	<2	0.48	<0.5	14	44	24	
UGA-02	121.00	122.00	1.00	M294800	0.85	3.1	5.63	215	490	1.1	<2	0.59	<0.5	16	41	32	
UGA-02	122.00	123.00	1.00	M294801	0.37	2	6.38	92	630	1.1	<2	1.32	<0.5	19	41	39	
UGA-02	123.00	124.00	1.00	M294802	0.35	2	7.02	360	620	1.2	<2	0.46	<0.5	18	41	35	
UGA-02	124.00	125.00	1.00	M294803	2.76	25.7	5.35	1340	140	1	<2	1.14	0.5	14	38	38	
UGA-02	125.00	126.00	1.00	M294805	1.45	4.2	6.5	329	660	1.1	2	0.4	<0.5	18	40	30	
UGA-02	126.00	127.00	1.00	M294806	1.15	8.8	6.69	976	490	1.2	2	0.35	<0.5	18	39	31	
UGA-02	127.00	128.00	1.00	M294807	1.18	9	6.31	796	400	1	<2	0.46	<0.5	18	46	23	
UGA-02	128.00	129.00	1.00	M294808	0.45	4.2	6.21	715	620	1.1	<2	0.95	<0.5	18	42	26	
UGA-02	129.00	130.00	1.00	M294809	1.97	12.8	5.96	642	370	1	3	1.11	<0.5	17	40	26	
UGA-02	130.00	131.00	1.00	M294811	0.71	3.5	6.97	208	750	1.1	<2	1.06	<0.5	20	43	27	
UGA-02	131.00	132.00	1.00	M294812	0.31	1.8	6.93	216	760	1	2	0.63	<0.5	17	36	29	
UGA-02	132.00	133.00	1.00	M294813	0.3	2.7	6.54	316	620	1	3	1.55	<0.5	20	34	21	
UGA-02	133.00	134.00	1.00	M294814	1.5	3.9	6.71	183	880	1.1	2	1.38	<0.5	17	34	29	
UGA-02	134.00	135.00	1.00	M294815	0.78	3.3	7.07	131	470	1.1	<2	1.72	<0.5	21	36	27	
UGA-02	135.00	136.00	1.00	M294816	2.07	21.5	6.14	223	630	1	4	1.71	<0.5	18	37	39	
UGA-02	136.00	137.00	1.00	M294817	0.73	3.6	7.36	252	500	1.1	<2	2.29	<0.5	20	39	31	
UGA-02	141.00	142.00	1.00	M294819	0.24	2	7.15	120	720	1.1	2	1.88	<0.5	21	35	30	
UGA-02	142.00	143.00	1.00	M294820	0.43	1.1	7.15	281	800	1.1	<2	1.61	<0.5	20	35	26	
UGA-02	143.00	144.00	1.00	M294821	0.45	3.1	7.18	274	860	1.1	<2	0.83	<0.5	19	34	28	
UGA-02	144.00	145.00	1.00	M294822	0.1	0.9	7.1	129	660	1.1	<2	2	<0.5	19	34	36	
UGA-02	152.00	153.00	1.00	M294823	0.36	1.7	7.15	140	510	1	<2	2.9	<0.5	17	37	27	
UGA-02	153.00	154.00	1.00	M294824	1.06	6	6.9	167	590	1	3	1.4	<0.5	18	33	26	
UGA-02	154.00	155.00	1.00	M294825	1.05	4.5	7.25	199	320	1.1	<2	0.69	<0.5	19	35	29	
UGA-02	155.00	156.00	1.00	M294826	0.22	1.3	6.9	91	680	0.9	<2	2.48	<0.5	19	36	29	
UGA-02	160.00	161.00	1.00	M294827	0.13	2.1	6.85	115	530	1	<2	1.22	<0.5	19	40	22	
UGA-02	161.00	162.00	1.00	M294828	0.38	2.5	6.09	138	610	0.9	3	1.2	<0.5	17	44	24	
UGA-02	162.00	163.00	1.00	M294830	0.48	5.2	6.93	248	630	1.1	<2	0.56	<0.5	20	41	28	
UGA-02	168.00	169.00	1.00	M294831	1.02	4.8	7.7	672	980	1.2	<2	0.73	0.5	19	37	43	
UGA-02	169.00	170.00	1.00	M294832	0.81	2	6.68	260	800	1.1	<2	1.79	<0.5	16	36	26	
UGA-02	170.00	171.00	1.00	M294833	0.52	2.3	7.19	431	750	1.3	3	0.9	<0.5	18	37	29	
UGA-02	171.00	172.00	1.00	M294835	3.44	14.4	5.58	371	380	1	<2	0.77	<0.5	15	39	36	
UGA-02	172.00	173.00	1.00	M294836	0.26	2	6.84	393	790	1.3	2	1.04	<0.5	17	36	28	
UGA-02	173.00	174.00	1.00	M294837	0.39	1.8	6.54	242	880	1.2	2	0.85	<0.5	17	37	25	
UGA-02	174.00	175.00	1.00	M294838	3.78	1.5	7.22	122	740	1.3	5	0.49	<0.5	15	36	24	

				SAMPLE	ME-ICP61												
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	Pb	S
UGA-02	117.00	118.00	1.00	M294796	4.5	10	4.52	30	1.27	415	7	0.11	8	970	12	3.02	
UGA-02	118.00	119.00	1.00	M294797	4.66	10	4.97	30	1.84	486	9	0.14	9	1010	14	2.65	
UGA-02	119.00	120.00	1.00	M294798	4.25	10	4.66	30	1.56	345	6	0.1	8	1030	13	2.49	
UGA-02	120.00	121.00	1.00	M294799	3.85	10	4.29	20	1.42	329	10	0.11	7	820	11	2.38	
UGA-02	121.00	122.00	1.00	M294800	4.17	10	4.46	20	1.31	271	9	0.1	7	870	10	2.88	
UGA-02	122.00	123.00	1.00	M294801	4.36	10	4.93	30	2.15	521	7	0.13	7	960	12	2.51	
UGA-02	123.00	124.00	1.00	M294802	4.92	10	4.5	30	1.93	388	4	0.12	9	1080	9	3.1	
UGA-02	124.00	125.00	1.00	M294803	8.15	10	3.8	20	1.95	364	23	0.06	5	1000	9	7.12	
UGA-02	125.00	126.00	1.00	M294805	4.59	10	3.65	30	1.64	328	11	0.13	9	1160	13	3.02	
UGA-02	126.00	127.00	1.00	M294806	6.89	10	4.5	30	1.74	367	20	0.13	8	1140	17	5.33	
UGA-02	127.00	128.00	1.00	M294807	6.04	10	3.92	30	1.69	324	18	0.1	6	1300	13	4.62	
UGA-02	128.00	129.00	1.00	M294808	5.79	10	3.73	30	1.79	411	10	0.12	9	1150	12	3.93	
UGA-02	129.00	130.00	1.00	M294809	5.76	10	4.76	30	1.42	338	16	0.11	8	1190	8	4.55	
UGA-02	130.00	131.00	1.00	M294811	4.91	20	3.79	30	1.71	597	3	0.15	9	1120	11	2.64	
UGA-02	131.00	132.00	1.00	M294812	3.93	10	3.89	30	1.13	354	4	0.14	6	1140	9	2.39	
UGA-02	132.00	133.00	1.00	M294813	5.08	10	3.79	30	1.5	454	5	0.12	11	1060	11	3.4	
UGA-02	133.00	134.00	1.00	M294814	4.23	10	4.4	30	1.03	408	4	0.16	8	1100	11	2.9	
UGA-02	134.00	135.00	1.00	M294815	4.42	10	4	30	0.89	521	2	0.13	10	1170	12	3.79	
UGA-02	135.00	136.00	1.00	M294816	4.27	10	4.67	30	0.97	629	6	0.13	7	1020	11	3.23	
UGA-02	136.00	137.00	1.00	M294817	4.36	20	3.44	40	1.25	952	6	0.08	9	1240	13	2.79	
UGA-02	141.00	142.00	1.00	M294819	4.64	10	4.08	30	1.21	760	3	0.12	10	1210	13	2.5	
UGA-02	142.00	143.00	1.00	M294820	4.76	20	5.11	30	1.1	459	5	0.15	8	1220	10	2.94	
UGA-02	143.00	144.00	1.00	M294821	4.26	20	4.41	30	0.85	243	12	0.17	7	1340	12	3.25	
UGA-02	144.00	145.00	1.00	M294822	4.63	20	3.99	30	1.74	530	2	0.12	8	1210	9	2.39	
UGA-02	152.00	153.00	1.00	M294823	4.18	20	3.74	30	1.59	881	5	0.09	8	1210	10	2.57	
UGA-02	153.00	154.00	1.00	M294824	4.56	20	3.93	30	0.9	648	6	0.11	9	1420	12	2.91	
UGA-02	154.00	155.00	1.00	M294825	4.97	20	3.24	30	0.63	886	6	0.06	9	1280	11	3.41	
UGA-02	155.00	156.00	1.00	M294826	4.43	20	3.97	30	1.34	806	3	0.11	7	1190	10	2.89	
UGA-02	160.00	161.00	1.00	M294827	4.63	10	4.15	30	2.07	413	3	0.11	8	1150	10	3.12	
UGA-02	161.00	162.00	1.00	M294828	4.09	10	4.21	20	2.3	496	4	0.12	8	990	11	2.33	
UGA-02	162.00	163.00	1.00	M294830	4.49	10	3.75	30	2.03	312	4	0.12	8	1110	12	3.06	
UGA-02	168.00	169.00	1.00	M294831	4.8	10	4.23	30	2.14	373	4	0.16	9	1210	14	3.04	
UGA-02	169.00	170.00	1.00	M294832	4.29	20	4.46	30	1.78	639	5	0.12	6	1070	11	2.18	
UGA-02	170.00	171.00	1.00	M294833	4.45	10	4.49	30	2.12	344	4	0.13	8	1130	11	2.63	
UGA-02	171.00	172.00	1.00	M294835	4.22	10	4.35	20	0.84	306	9	0.09	5	1100	18	3.42	
UGA-02	172.00	173.00	1.00	M294836	4.06	10	4.2	30	1.56	314	5	0.12	9	1160	12	2.69	
UGA-02	173.00	174.00	1.00	M294837	4.28	10	4.06	30	1.48	321	3	0.15	9	1020	9	2.89	
UGA-02	174.00	175.00	1.00	M294838	4.59	20	5.23	30	2.3	397	4	0.05	9	1060	7	1.97	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-02	117.00	118.00	1.00	M294796	21	18	147	<20	0.34	10	<10	126	10	63	
UGA-02	118.00	119.00	1.00	M294797	21	19	168	<20	0.35	<10	<10	134	10	59	
UGA-02	119.00	120.00	1.00	M294798	20	18	157	<20	0.34	<10	<10	132	10	59	
UGA-02	120.00	121.00	1.00	M294799	29	15	118	<20	0.28	<10	<10	106	10	49	
UGA-02	121.00	122.00	1.00	M294800	28	15	134	<20	0.29	<10	<10	109	<10	51	
UGA-02	122.00	123.00	1.00	M294801	16	17	179	<20	0.34	10	<10	127	<10	61	
UGA-02	123.00	124.00	1.00	M294802	21	19	173	<20	0.36	<10	<10	141	10	61	
UGA-02	124.00	125.00	1.00	M294803	79	15	134	<20	0.28	20	<10	118	<10	59	
UGA-02	125.00	126.00	1.00	M294805	23	18	142	<20	0.35	10	<10	132	10	65	
UGA-02	126.00	127.00	1.00	M294806	46	18	124	<20	0.35	10	<10	137	<10	56	
UGA-02	127.00	128.00	1.00	M294807	36	18	129	<20	0.35	<10	<10	132	10	58	
UGA-02	128.00	129.00	1.00	M294808	29	18	127	<20	0.33	10	<10	133	<10	59	
UGA-02	129.00	130.00	1.00	M294809	39	17	134	<20	0.32	10	<10	128	<10	73	
UGA-02	130.00	131.00	1.00	M294811	15	20	143	<20	0.37	10	<10	147	10	65	
UGA-02	131.00	132.00	1.00	M294812	15	18	153	<20	0.37	<10	<10	137	10	60	
UGA-02	132.00	133.00	1.00	M294813	12	17	152	<20	0.34	10	<10	132	10	59	
UGA-02	133.00	134.00	1.00	M294814	17	18	140	<20	0.35	10	<10	127	<10	61	
UGA-02	134.00	135.00	1.00	M294815	17	19	131	<20	0.38	<10	<10	136	10	66	
UGA-02	135.00	136.00	1.00	M294816	29	17	117	<20	0.33	<10	10	118	10	63	
UGA-02	136.00	137.00	1.00	M294817	31	20	81	<20	0.39	10	10	146	10	75	
UGA-02	141.00	142.00	1.00	M294819	13	19	104	<20	0.38	<10	<10	138	<10	62	
UGA-02	142.00	143.00	1.00	M294820	14	20	131	<20	0.39	<10	<10	146	10	72	
UGA-02	143.00	144.00	1.00	M294821	20	19	127	<20	0.38	<10	<10	141	10	67	
UGA-02	144.00	145.00	1.00	M294822	10	19	114	<20	0.38	<10	<10	147	<10	66	
UGA-02	152.00	153.00	1.00	M294823	46	19	86	<20	0.38	<10	10	140	10	72	
UGA-02	153.00	154.00	1.00	M294824	35	19	88	<20	0.38	<10	<10	139	10	74	
UGA-02	154.00	155.00	1.00	M294825	44	19	60	<20	0.39	<10	<10	141	<10	79	
UGA-02	155.00	156.00	1.00	M294826	29	19	97	<20	0.38	<10	<10	138	10	68	
UGA-02	160.00	161.00	1.00	M294827	11	20	111	<20	0.38	10	<10	145	10	58	
UGA-02	161.00	162.00	1.00	M294828	26	18	117	<20	0.34	<10	<10	129	<10	47	
UGA-02	162.00	163.00	1.00	M294830	17	20	93	<20	0.37	10	<10	137	10	45	
UGA-02	168.00	169.00	1.00	M294831	21	20	139	<20	0.41	<10	<10	151	<10	79	
UGA-02	169.00	170.00	1.00	M294832	37	18	116	<20	0.35	<10	<10	135	10	64	
UGA-02	170.00	171.00	1.00	M294833	21	18	126	<20	0.38	<10	<10	141	<10	59	
UGA-02	171.00	172.00	1.00	M294835	66	14	90	<20	0.29	10	<10	105	<10	67	
UGA-02	172.00	173.00	1.00	M294836	25	18	113	<20	0.36	<10	<10	136	<10	45	
UGA-02	173.00	174.00	1.00	M294837	22	17	119	<20	0.34	<10	10	123	<10	49	
UGA-02	174.00	175.00	1.00	M294838	16	19	101	<20	0.39	10	<10	143	<10	57	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-02	175.00	176.00	1.00	M294839	1.72	3.4	6.7	238	590	1.4	<2	0.49	<0.5	15	37	30	
UGA-02	176.00	177.00	1.00	M294840	0.67	1.9	7.12	471	720	1.2	<2	0.65	<0.5	16	36	28	
UGA-02	177.00	178.00	1.00	M294841	0.57	1.8	7.43	473	700	1.2	3	2.11	0.5	15	40	32	
UGA-02	178.00	179.00	1.00	M294842	0.53	2.9	7.4	180	470	1.2	<2	0.91	<0.5	15	37	26	
UGA-02	179.00	180.00	1.00	M294843	0.34	2.3	7.34	166	530	1.4	2	0.53	<0.5	18	38	27	
UGA-02	180.00	181.00	1.00	M294844	0.46	5.1	7.2	137	50	1.5	3	0.46	<0.5	15	43	31	
UGA-02	181.00	182.00	1.00	M294845	0.35	2.6	7.63	135	220	1.5	<2	0.38	<0.5	18	40	25	
UGA-02	182.00	183.00	1.00	M294846	2.56	4.3	5.94	159	240	1.4	<2	0.82	<0.5	13	47	33	
UGA-02	183.00	184.00	1.00	M294847	0.27	1.4	6.75	179	900	1.2	<2	1.75	<0.5	15	45	26	
UGA-02	184.00	185.00	1.00	M294848	0.04	0.7	6.74	36	480	1.1	2	3.02	0.6	14	42	28	
UGA-02	193.00	194.00	1.00	M294850	0.15	2.2	6.43	78	560	0.9	<2	1.77	<0.5	12	53	42	
UGA-02	194.00	195.00	1.00	M294851	0.29	1.4	6.6	186	450	1.1	<2	1.04	<0.5	19	49	32	
UGA-02	238.00	239.00	1.00	M294852	0.21	1	7.98	49	170	1.7	<2	2.6	<0.5	15	68	33	
UGA-02	239.00	240.00	1.00	M294853	1.54	31.7	7.21	209	130	1.7	<2	0.75	<0.5	16	61	23	
UGA-02	240.00	241.00	1.00	M294854	0.04	0.8	7.33	200	110	1.6	3	2.18	<0.5	17	51	13	
UGA-02	244.00	245.00	1.00	M294855	0.04	<0.5	6.8	181	130	1.3	5	3.72	0.7	19	52	28	
UGA-02	245.00	246.00	1.00	M294856	0.06	1.7	7.26	183	220	1.3	<2	2.76	0.6	25	61	46	
UGA-02	246.00	247.00	1.00	M294857	0.1	2.7	5.5	152	140	0.9	<2	0.59	<0.5	14	52	27	
UGA-02	272.00	273.00	1.00	M294859	0.88	16.3	6.17	326	60	1.4	4	1.06	<0.5	12	66	38	
UGA-02	289.00	290.00	1.00	M294860	0.06	1.1	7.44	121	150	1.4	3	0.57	<0.5	22	92	25	
UGA-02	290.00	291.00	1.00	M294861	0.07	1.7	7.45	190	180	1.3	2	0.65	0.5	23	90	24	
UGA-02	291.00	292.00	1.00	M294862	0.05	1.4	7.25	202	180	1.3	4	0.5	<0.5	21	94	28	
UGA-02	292.00	293.00	1.00	M294863	0.34	2.2	6.92	129	280	1.2	2	1.16	<0.5	18	87	30	
UGA-03	223.00	224.00	1.00	M294865	0.17	4.5	6.8	153	120	2	4	0.35	<0.5	25	58	42	
UGA-03	224.00	225.00	1.00	M294866	0.18	3	5.49	79	60	2	2	0.27	<0.5	12	42	13	
UGA-03	225.00	226.00	1.00	M294867	2.73	23.6	3.54	439	30	1.3	<2	0.34	<0.5	7	41	22	
UGA-03	226.00	227.00	1.00	M294869	0.16	6.2	4.49	125	80	1.6	<2	0.24	<0.5	12	48	12	
UGA-03	227.00	228.00	1.00	M294870	0.4	10.6	5.93	432	60	1.8	2	0.29	<0.5	16	50	39	
UGA-03	228.00	229.00	1.00	M294871	0.45	8.5	7.51	962	150	2	3	0.34	<0.5	24	61	70	
UGA-03	229.00	230.00	1.00	M294872	1.15	20.5	6.22	718	640	1.6	3	0.32	<0.5	19	55	67	
UGA-03	230.00	231.00	1.00	M294873	0.52	10.5	6.06	622	600	1.6	<2	0.32	<0.5	17	49	61	
UGA-03	231.00	232.00	1.00	M294874	0.53	15.9	7.02	1035	820	1.8	2	0.36	<0.5	22	58	137	
UGA-03	232.00	233.00	1.00	M294875	1.33	9	6.38	600	700	1.7	2	0.33	<0.5	21	55	73	
UGA-03	233.00	234.00	1.00	M294876	0.35	5.8	5.89	537	410	1.5	<2	0.3	<0.5	21	54	55	
UGA-03	234.00	235.00	1.00	M294877	0.66	12.7	6.48	611	640	1.6	2	0.36	<0.5	19	57	46	
UGA-03	235.00	236.00	1.00	M294878	0.83	14	7.36	737	610	1.7	<2	0.43	<0.5	23	59	79	
UGA-03	236.00	237.00	1.00	M294879	0.76	11.2	6.91	380	690	1.6	<2	0.39	<0.5	20	57	61	

				SAMPLE	ME-ICP61												
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	Pb	S
UGA-02	175.00	176.00	1.00	M294839	4.37	20	4.53	20	2.21	404	6	0.06	8	1040	9	1.71	
UGA-02	176.00	177.00	1.00	M294840	4.25	20	5.61	20	1.06	302	2	0.06	7	1090	10	3.33	
UGA-02	177.00	178.00	1.00	M294841	4.29	20	4.82	30	1.43	445	5	0.05	8	1290	9	2.73	
UGA-02	178.00	179.00	1.00	M294842	4.12	20	5.1	30	1.25	452	9	0.05	9	1190	8	1.86	
UGA-02	179.00	180.00	1.00	M294843	4.86	20	3.36	30	0.63	1350	12	0.03	9	1460	10	2.23	
UGA-02	180.00	181.00	1.00	M294844	4.96	20	1.83	30	0.5	1725	9	0.02	7	1430	12	2.39	
UGA-02	181.00	182.00	1.00	M294845	3.92	20	2.1	30	0.45	807	6	0.02	12	1240	10	2.42	
UGA-02	182.00	183.00	1.00	M294846	3.8	10	2.32	20	0.73	963	5	0.02	7	1010	7	1.89	
UGA-02	183.00	184.00	1.00	M294847	4.44	20	3.71	30	1.29	508	7	0.04	10	1090	10	2.5	
UGA-02	184.00	185.00	1.00	M294848	4.63	20	3.85	30	1.94	461	1	0.04	8	990	8	2.25	
UGA-02	193.00	194.00	1.00	M294850	3.54	10	3.81	20	1.1	593	1	0.04	9	940	10	3.46	
UGA-02	194.00	195.00	1.00	M294851	4.07	10	3.25	20	0.91	655	3	0.04	16	970	14	2.82	
UGA-02	238.00	239.00	1.00	M294852	4.44	20	3.03	20	2.99	787	3	0.03	9	1130	8	1.51	
UGA-02	239.00	240.00	1.00	M294853	4.28	20	3.04	30	1.88	371	10	0.03	10	1540	14	2.68	
UGA-02	240.00	241.00	1.00	M294854	4.77	20	3.08	30	2.03	601	3	0.02	9	1020	12	3.25	
UGA-02	244.00	245.00	1.00	M294855	5.22	20	2.47	30	3.03	1135	2	0.02	13	980	8	3.08	
UGA-02	245.00	246.00	1.00	M294856	4.68	20	2.74	30	2.57	841	2	0.02	12	1120	10	2.75	
UGA-02	246.00	247.00	1.00	M294857	3.51	10	2.44	20	1.46	269	1	0.02	11	820	9	2.16	
UGA-02	272.00	273.00	1.00	M294859	4.67	10	2.52	30	1.89	330	12	0.02	9	1110	11	3.13	
UGA-02	289.00	290.00	1.00	M294860	5.11	20	2.63	30	2.45	310	2	0.03	21	1220	5	2.56	
UGA-02	290.00	291.00	1.00	M294861	5.01	20	3.06	30	1.45	175	3	0.03	21	1230	6	4.18	
UGA-02	291.00	292.00	1.00	M294862	4.92	20	2.95	30	1.6	185	2	0.03	21	1270	7	3.87	
UGA-02	292.00	293.00	1.00	M294863	4.83	20	2.37	20	2.33	340	3	0.02	17	1120	7	2.81	
UGA-03	223.00	224.00	1.00	M294865	4.6	20	2.8	20	0.67	454	4	0.02	17	1170	14	4.57	
UGA-03	224.00	225.00	1.00	M294866	3.31	10	2.46	20	0.6	264	5	0.02	9	900	11	3.3	
UGA-03	225.00	226.00	1.00	M294867	3.22	10	1.33	20	0.35	234	25	0.02	7	1240	12	3.02	
UGA-03	226.00	227.00	1.00	M294869	4.15	10	1.77	20	0.45	335	4	0.02	12	780	10	4.18	
UGA-03	227.00	228.00	1.00	M294870	3.39	20	1.88	20	0.52	814	3	0.02	13	980	9	2.58	
UGA-03	228.00	229.00	1.00	M294871	3.56	20	2.33	30	0.46	580	4	0.02	17	1270	14	3.06	
UGA-03	229.00	230.00	1.00	M294872	4.08	10	3.52	20	0.45	661	5	0.04	13	1140	13	3.34	
UGA-03	230.00	231.00	1.00	M294873	3.29	10	3.17	20	0.45	516	4	0.04	13	1120	9	2.51	
UGA-03	231.00	232.00	1.00	M294874	4.52	20	4.08	30	0.65	878	3	0.05	19	1150	13	2.83	
UGA-03	232.00	233.00	1.00	M294875	3.25	10	3.44	30	0.53	762	3	0.04	15	1030	10	1.75	
UGA-03	233.00	234.00	1.00	M294876	4.79	10	3.57	20	0.45	628	3	0.04	14	920	10	3.97	
UGA-03	234.00	235.00	1.00	M294877	4.6	10	3.94	20	0.44	492	3	0.05	16	1220	13	4.26	
UGA-03	235.00	236.00	1.00	M294878	5.71	20	4.55	30	1	987	7	0.06	18	1510	13	4.19	
UGA-03	236.00	237.00	1.00	M294879	4.58	20	4.24	20	1.54	436	5	0.05	15	1460	9	3.8	

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-02	175.00	176.00	1.00	M294839	24	17	97	<20	0.38	<10	<10	140	<10	58	
UGA-02	176.00	177.00	1.00	M294840	28	18	112	<20	0.41	<10	<10	145	<10	60	
UGA-02	177.00	178.00	1.00	M294841	45	19	117	<20	0.4	10	<10	148	10	67	
UGA-02	178.00	179.00	1.00	M294842	29	19	104	<20	0.4	10	<10	146	10	67	
UGA-02	179.00	180.00	1.00	M294843	37	19	56	<20	0.39	<10	<10	151	<10	64	
UGA-02	180.00	181.00	1.00	M294844	42	19	21	<20	0.4	<10	<10	154	10	50	
UGA-02	181.00	182.00	1.00	M294845	43	19	27	<20	0.41	<10	<10	155	<10	78	
UGA-02	182.00	183.00	1.00	M294846	60	16	35	<20	0.31	<10	<10	116	<10	72	
UGA-02	183.00	184.00	1.00	M294847	25	19	67	<20	0.36	<10	<10	132	<10	51	
UGA-02	184.00	185.00	1.00	M294848	16	18	83	<20	0.34	<10	<10	132	<10	53	
UGA-02	193.00	194.00	1.00	M294850	>10000	19	70	<20	0.34	<10	<10	116	<10	74	
UGA-02	194.00	195.00	1.00	M294851	62	19	49	<20	0.34	<10	<10	130	<10	66	
UGA-02	238.00	239.00	1.00	M294852	11	24	49	<20	0.44	<10	<10	171	10	41	
UGA-02	239.00	240.00	1.00	M294853	35	21	25	<20	0.39	<10	<10	167	<10	45	
UGA-02	240.00	241.00	1.00	M294854	10	20	37	<20	0.39	<10	<10	162	<10	40	
UGA-02	244.00	245.00	1.00	M294855	6	20	55	<20	0.36	<10	<10	145	<10	84	
UGA-02	245.00	246.00	1.00	M294856	9	22	50	<20	0.39	<10	<10	155	<10	68	
UGA-02	246.00	247.00	1.00	M294857	21	16	35	<20	0.29	<10	<10	119	<10	64	
UGA-02	272.00	273.00	1.00	M294859	25	18	29	<20	0.34	<10	<10	125	<10	35	
UGA-02	289.00	290.00	1.00	M294860	14	22	20	<20	0.41	<10	<10	154	<10	26	
UGA-02	290.00	291.00	1.00	M294861	23	23	22	<20	0.41	<10	<10	158	<10	21	
UGA-02	291.00	292.00	1.00	M294862	24	22	20	<20	0.42	<10	<10	163	<10	30	
UGA-02	292.00	293.00	1.00	M294863	21	22	35	<20	0.38	<10	<10	152	<10	35	
UGA-03	223.00	224.00	1.00	M294865	46	20	15	<20	0.37	<10	<10	171	10	54	
UGA-03	224.00	225.00	1.00	M294866	45	15	15	<20	0.31	<10	<10	117	10	37	
UGA-03	225.00	226.00	1.00	M294867	107	10	15	<20	0.18	10	<10	82	<10	36	
UGA-03	226.00	227.00	1.00	M294869	49	13	15	<20	0.23	<10	<10	97	<10	97	
UGA-03	227.00	228.00	1.00	M294870	114	16	17	<20	0.32	10	<10	126	<10	67	
UGA-03	228.00	229.00	1.00	M294871	101	20	20	<20	0.41	10	<10	155	10	97	
UGA-03	229.00	230.00	1.00	M294872	534	18	39	<20	0.35	10	<10	129	<10	58	
UGA-03	230.00	231.00	1.00	M294873	55	17	37	<20	0.33	10	<10	123	<10	58	
UGA-03	231.00	232.00	1.00	M294874	133	21	47	<20	0.38	10	<10	149	<10	76	
UGA-03	232.00	233.00	1.00	M294875	278	19	48	<20	0.33	10	<10	133	<10	86	
UGA-03	233.00	234.00	1.00	M294876	121	18	44	<20	0.31	10	<10	124	<10	69	
UGA-03	234.00	235.00	1.00	M294877	56	20	46	<20	0.35	10	<10	142	<10	64	
UGA-03	235.00	236.00	1.00	M294878	62	22	64	<20	0.39	10	<10	157	<10	84	
UGA-03	236.00	237.00	1.00	M294879	45	20	55	<20	0.37	10	<10	146	<10	66	

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-03	237.00	238.00	1.00	M294881	0.08	2.2	7.81	328	900	1.3	5	0.91	<0.5	23	61	45	
UGA-03	238.00	239.00	1.00	M294882	0.53	10.6	7.59	776	940	1.4	3	0.78	<0.5	23	59	69	
UGA-03	239.00	240.00	1.00	M294883	0.18	3	7.22	203	710	1.5	2	0.78	<0.5	23	58	49	
UGA-03	240.00	241.00	1.00	M294884	0.42	3.2	6.17	159	380	1.5	<2	1.06	<0.5	23	50	36	
UGA-03	241.00	242.00	1.00	M294885	0.1	2.3	6.07	127	70	1.6	<2	1.58	<0.5	12	47	23	
UGA-03	242.00	243.00	1.00	M294886	0.06	2	6.96	156	80	2.1	<2	0.91	<0.5	15	54	17	
UGA-03	243.00	244.00	1.00	M294887	0.05	3.1	7.18	266	100	1.9	5	0.3	<0.5	18	62	24	
UGA-03	244.00	245.00	1.00	M294888	0.32	6.2	6	189	80	1.5	4	0.22	<0.5	18	51	15	
UGA-03	245.00	246.00	1.00	M294889	0.27	5	7.18	304	80	2.6	2	0.43	<0.5	20	57	16	
UGA-03	246.00	247.00	1.00	M294891	0.11	3.6	6.93	180	80	2.2	<2	0.42	<0.5	15	55	16	
UGA-03	247.00	248.00	1.00	M294892	0.12	3.5	6.22	110	80	1.6	2	0.23	<0.5	15	60	16	
UGA-03	248.00	249.00	1.00	M294893	1.72	2.3	4.64	84	80	1.5	2	0.26	<0.5	8	43	17	
UGA-03	249.00	250.00	1.00	M294894	0.12	3	6.7	142	110	2.2	<2	0.38	<0.5	21	50	13	
UGA-03	250.00	251.00	1.00	M294895	0.29	6.7	6.08	187	200	1.6	<2	0.31	<0.5	17	48	26	
UGA-03	251.00	252.00	1.00	M294896	0.59	4.2	6.75	351	680	1.7	3	0.32	<0.5	24	53	53	
UGA-03	252.00	253.00	1.00	M294897	9.4	28.5	4.34	578	210	1.2	3	0.23	<0.5	12	41	103	
UGA-03	253.00	254.00	1.00	M294898	0.2	3.6	7.24	234	280	2.3	<2	0.33	<0.5	18	60	26	
UGA-03	254.00	255.00	1.00	M294899	0.33	3.5	6.63	236	90	1.7	2	0.39	<0.5	38	75	118	
UGA-03	255.00	256.00	1.00	M294900	3.48	5.9	5.43	211	50	1.5	<2	0.37	<0.5	33	62	136	
UGA-03	256.00	257.00	1.00	M294901	3.03	5	5.57	177	140	1.4	<2	0.35	<0.5	27	68	127	
UGA-03	257.00	258.00	1.00	M294902	0.54	2.8	5.89	151	490	1.7	<2	0.59	<0.5	13	52	28	
UGA-03	258.00	259.00	1.00	M294903	0.29	2.1	6.58	259	370	1.4	<2	0.87	<0.5	22	59	40	
UGA-03	259.00	260.00	1.00	M294904	1.64	4.5	6.16	230	630	1.3	<2	0.45	<0.5	22	57	43	
UGA-03	260.00	261.00	1.00	M294906	46.1	21.8	5.95	375	720	1.2	<2	0.62	<0.5	19	54	78	
UGA-03	261.00	262.00	1.00	M294907	1.29	9	6.29	117	680	1.4	<2	0.49	<0.5	20	56	53	
UGA-03	262.00	263.00	1.00	M294908	4.77	15.9	7.3	637	360	2.1	2	0.42	<0.5	20	63	110	
UGA-03	263.00	264.00	1.00	M294909	2.57	18.6	6.05	537	560	1.4	<2	0.57	<0.5	19	55	38	
UGA-03	264.00	265.00	1.00	M294910	9.48	19.4	5.93	314	330	1.3	3	0.32	<0.5	20	67	33	
UGA-03	265.00	266.00	1.00	M294911	1.09	13.5	6.15	154	630	1.2	<2	0.32	<0.5	20	66	38	
UGA-03	266.00	267.00	1.00	M294912	16.25	74.7	3.15	1540	110	0.8	<2	0.28	0.6	10	49	95	
UGA-03	267.00	268.00	1.00	M294914	0.28	2.7	2.96	20	210	0.8	<2	0.35	<0.5	10	42	13	
UGA-03	268.00	269.00	1.00	M294916	1.65	12.6	2.9	218	110	0.7	<2	1.6	<0.5	9	42	14	
UGA-03	269.00	270.00	1.00	M294917	1.37	5.1	3.04	85	50	0.8	<2	0.17	<0.5	9	72	16	
UGA-03	270.00	271.00	1.00	M294918	0.25	3.8	4.14	69	460	0.9	2	0.48	<0.5	13	75	13	
UGA-03	271.00	272.00	1.00	M294919	0.77	7.4	3.16	160	470	0.7	<2	0.99	<0.5	10	53	12	
UGA-03	272.00	273.00	1.00	M294920	0.82	3.6	2.41	52	390	0.6	<2	0.61	<0.5	7	45	7	
UGA-03	273.00	274.00	1.00	M294921	5.86	35.9	2.11	18	380	0.6	<2	0.32	<0.5	6	51	13	
UGA-03	274.00	275.00	1.00	M294922	0.75	2.6	2.73	82	140	0.9	<2	0.29	<0.5	9	53	15	
UGA-03	275.00	276.00	1.00	M294923	1.65	18.7	1.89	412	120	0.6	<2	0.23	<0.5	5	57	24	
UGA-03	276.00	277.00	1.00	M294924	0.82	4	1.31	84	20	0.5	<2	0.19	<0.5	3	61	10	
UGA-03	277.00	278.00	1.00	M294925	0.31	2.2	1.96	57	30	0.6	2	0.22	<0.5	5	48	9	
UGA-03	278.00	279.00	1.00	M294927	0.67	2.4	1.14	73	20	0.5	<2	0.16	<0.5	3	42	6	

					ME-ICP61												
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
UGA-03	237.00	238.00	1.00	M294881	4.65	20	4.71	30	2.07	575	2	0.07	16	1190	10	2.69	
UGA-03	238.00	239.00	1.00	M294882	4.54	20	4.63	30	2.35	559	2	0.06	18	1100	13	2.14	
UGA-03	239.00	240.00	1.00	M294883	4.88	20	3.74	30	2.4	578	2	0.04	17	1020	9	2.54	
UGA-03	240.00	241.00	1.00	M294884	5.64	10	3.17	20	1.05	271	3	0.03	17	930	12	5.68	
UGA-03	241.00	242.00	1.00	M294885	4.03	10	2.65	20	1.16	407	4	0.02	10	1290	9	3.63	
UGA-03	242.00	243.00	1.00	M294886	5.2	10	3.04	30	1.03	1635	3	0.02	12	810	12	3.48	
UGA-03	243.00	244.00	1.00	M294887	4.45	20	3.07	30	0.73	564	5	0.02	15	870	11	3.98	
UGA-03	244.00	245.00	1.00	M294888	3.92	10	2.6	20	0.55	225	4	0.02	15	870	11	4.03	
UGA-03	245.00	246.00	1.00	M294889	4.38	20	3.08	30	0.7	768	12	0.02	16	1670	14	3.72	
UGA-03	246.00	247.00	1.00	M294891	4.1	20	3.31	30	0.78	384	8	0.02	12	1620	13	3.98	
UGA-03	247.00	248.00	1.00	M294892	3.13	20	2.94	30	0.67	128	5	0.02	14	1190	16	3.13	
UGA-03	248.00	249.00	1.00	M294893	2.84	10	2.19	30	0.52	304	4	0.02	7	980	14	2.65	
UGA-03	249.00	250.00	1.00	M294894	6.02	20	3.02	30	0.85	2640	5	0.02	15	1000	9	2.73	
UGA-03	250.00	251.00	1.00	M294895	3.99	10	2.75	20	0.78	503	8	0.02	13	1220	11	3.58	
UGA-03	251.00	252.00	1.00	M294896	4.97	20	3.27	20	1.77	926	3	0.04	16	1050	10	2.55	
UGA-03	252.00	253.00	1.00	M294897	4.01	10	1.94	10	0.39	482	15	0.02	9	760	13	3.67	
UGA-03	253.00	254.00	1.00	M294898	3.8	20	3.37	20	0.77	763	5	0.02	13	1230	12	3.11	
UGA-03	254.00	255.00	1.00	M294899	2.65	10	1.91	30	0.43	608	5	0.02	21	1950	8	1.96	
UGA-03	255.00	256.00	1.00	M294900	3.74	10	1.65	20	0.38	838	4	0.02	12	1530	9	3.2	
UGA-03	256.00	257.00	1.00	M294901	3.27	10	2.08	20	0.44	707	3	0.02	13	1240	6	2.74	
UGA-03	257.00	258.00	1.00	M294902	4.67	10	3.01	20	0.76	1400	4	0.03	9	1070	9	3.09	
UGA-03	258.00	259.00	1.00	M294903	4.36	10	2.8	20	2.22	572	2	0.04	17	1090	5	1.66	
UGA-03	259.00	260.00	1.00	M294904	4.18	10	3.1	20	2.16	285	4	0.05	17	1100	6	1.54	
UGA-03	260.00	261.00	1.00	M294906	4.38	10	3.19	20	2.19	377	3	0.05	15	1010	10	2.36	
UGA-03	261.00	262.00	1.00	M294907	4.3	10	3.19	30	2.09	529	3	0.05	15	1060	8	2.34	
UGA-03	262.00	263.00	1.00	M294908	4.91	20	2.79	30	0.72	1575	9	0.04	16	1340	10	2.41	
UGA-03	263.00	264.00	1.00	M294909	5.51	10	3.09	20	1.81	729	11	0.05	17	1090	10	3.54	
UGA-03	264.00	265.00	1.00	M294910	4.91	10	3.36	20	1.91	378	10	0.05	18	1120	13	3.97	
UGA-03	265.00	266.00	1.00	M294911	3.68	10	3.64	20	0.88	331	6	0.05	17	1230	20	3.5	
UGA-03	266.00	267.00	1.00	M294912	7.65	10	2.12	10	0.41	123	24	0.03	10	1110	36	7.86	
UGA-03	267.00	268.00	1.00	M294914	3.2	<10	1.05	10	0.31	1250	2	0.03	8	610	6	2.22	
UGA-03	268.00	269.00	1.00	M294916	3.85	<10	0.86	10	0.84	1650	6	0.02	9	1100	6	2.72	
UGA-03	269.00	270.00	1.00	M294917	2.55	<10	1	10	0.25	244	4	0.02	12	620	6	2.42	
UGA-03	270.00	271.00	1.00	M294918	3.28	10	1.9	10	0.44	478	3	0.03	13	850	8	3.14	
UGA-03	271.00	272.00	1.00	M294919	2.65	<10	1.83	10	0.77	233	2	0.04	7	770	4	2.39	
UGA-03	272.00	273.00	1.00	M294920	2.46	<10	1.49	10	0.79	447	3	0.03	6	730	4	1.87	
UGA-03	273.00	274.00	1.00	M294921	1.84	<10	1.29	10	0.39	248	3	0.03	5	390	6	1.35	
UGA-03	274.00	275.00	1.00	M294922	2.96	<10	0.88	10	0.21	691	3	0.02	10	1060	5	2.17	
UGA-03	275.00	276.00	1.00	M294923	1.93	<10	0.66	10	0.13	139	5	0.02	5	880	6	1.55	
UGA-03	276.00	277.00	1.00	M294924	1.64	<10	0.25	<10	0.11	161	4	0.01	4	510	2	1.08	
UGA-03	277.00	278.00	1.00	M294925	1.8	<10	0.44	10	0.15	245	4	0.01	4	780	4	1.41	
UGA-03	278.00	279.00	1.00	M294927	1.34	<10	0.28	<10	0.11	346	3	0.02	1	310	2	0.77	

					ME-ICP61											
				SAMPLE	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn		
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
UGA-03	237.00	238.00	1.00	M294881	26	23	83	<20	0.41	10	<10	164	<10	61		
UGA-03	238.00	239.00	1.00	M294882	24	23	81	<20	0.4	10	<10	156	<10	65		
UGA-03	239.00	240.00	1.00	M294883	20	22	54	<20	0.38	10	<10	150	<10	59		
UGA-03	240.00	241.00	1.00	M294884	21	19	37	<20	0.33	<10	<10	128	<10	43		
UGA-03	241.00	242.00	1.00	M294885	23	17	30	<20	0.32	10	<10	126	10	36		
UGA-03	242.00	243.00	1.00	M294886	20	21	20	<20	0.37	<10	<10	143	10	48		
UGA-03	243.00	244.00	1.00	M294887	29	21	16	<20	0.39	10	<10	147	10	50		
UGA-03	244.00	245.00	1.00	M294888	40	17	12	<20	0.32	10	<10	126	10	52		
UGA-03	245.00	246.00	1.00	M294889	47	19	14	<20	0.38	20	<10	160	<10	67		
UGA-03	246.00	247.00	1.00	M294891	30	16	14	<20	0.38	10	<10	159	<10	36		
UGA-03	247.00	248.00	1.00	M294892	42	17	15	<20	0.44	<10	<10	146	10	43		
UGA-03	248.00	249.00	1.00	M294893	16	12	17	<20	0.35	10	<10	102	10	28		
UGA-03	249.00	250.00	1.00	M294894	18	20	15	<20	0.33	<10	<10	156	<10	64		
UGA-03	250.00	251.00	1.00	M294895	40	18	19	<20	0.32	10	<10	128	<10	61		
UGA-03	251.00	252.00	1.00	M294896	22	19	37	<20	0.36	10	<10	142	<10	80		
UGA-03	252.00	253.00	1.00	M294897	88	12	22	<20	0.21	10	<10	86	<10	53		
UGA-03	253.00	254.00	1.00	M294898	28	18	19	<20	0.36	10	<10	148	<10	46		
UGA-03	254.00	255.00	1.00	M294899	36	20	15	<20	0.37	<10	<10	143	10	48		
UGA-03	255.00	256.00	1.00	M294900	33	17	13	<20	0.3	10	<10	119	<10	57		
UGA-03	256.00	257.00	1.00	M294901	25	16	16	<20	0.32	<10	<10	130	<10	56		
UGA-03	257.00	258.00	1.00	M294902	20	17	32	<20	0.33	10	<10	117	<10	56		
UGA-03	258.00	259.00	1.00	M294903	15	19	36	<20	0.34	<10	<10	129	<10	57		
UGA-03	259.00	260.00	1.00	M294904	16	18	40	<20	0.35	10	<10	135	<10	67		
UGA-03	260.00	261.00	1.00	M294906	30	17	52	<20	0.3	10	<10	118	<10	60		
UGA-03	261.00	262.00	1.00	M294907	22	17	43	<20	0.31	<10	<10	123	<10	61		
UGA-03	262.00	263.00	1.00	M294908	57	20	34	<20	0.38	10	<10	145	<10	92		
UGA-03	263.00	264.00	1.00	M294909	70	17	43	<20	0.32	10	<10	120	<10	70		
UGA-03	264.00	265.00	1.00	M294910	51	17	45	<20	0.32	10	<10	124	<10	49		
UGA-03	265.00	266.00	1.00	M294911	41	18	48	<20	0.34	10	<10	125	<10	56		
UGA-03	266.00	267.00	1.00	M294912	213	8	32	<20	0.15	30	<10	57	<10	50		
UGA-03	267.00	268.00	1.00	M294914	39	9	34	<20	0.15	<10	<10	43	<10	52		
UGA-03	268.00	269.00	1.00	M294916	57	8	51	<20	0.14	<10	<10	40	<10	59		
UGA-03	269.00	270.00	1.00	M294917	59	9	16	<20	0.15	<10	<10	55	<10	34		
UGA-03	270.00	271.00	1.00	M294918	39	12	37	<20	0.21	<10	<10	71	<10	60		
UGA-03	271.00	272.00	1.00	M294919	60	8	73	<20	0.16	<10	<10	49	<10	38		
UGA-03	272.00	273.00	1.00	M294920	62	6	57	<20	0.11	<10	<10	35	<10	28		
UGA-03	273.00	274.00	1.00	M294921	87	5	58	<20	0.09	<10	<10	28	<10	17		
UGA-03	274.00	275.00	1.00	M294922	70	8	26	<20	0.13	<10	<10	48	<10	46		
UGA-03	275.00	276.00	1.00	M294923	141	5	21	<20	0.08	<10	<10	32	<10	25		
UGA-03	276.00	277.00	1.00	M294924	99	3	25	<20	0.05	<10	<10	17	<10	22		
UGA-03	277.00	278.00	1.00	M294925	75	5	19	<20	0.09	<10	<10	30	<10	36		
UGA-03	278.00	279.00	1.00	M294927	98	2	19	<20	0.04	<10	<10	15	<10	22		

					Au-AA26	ME-ICP61											
				SAMPLE	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
UGA-03	279.00	279.61	0.61	M294928	0.58	5	1.43	90	60	0.5	<2	0.14	<0.5	10	43	13	
UGA-03	281.00	282.00	1.00	M294929	1.36	3.5	3.51	97	250	1	2	0.28	<0.5	11	49	25	
UGA-03	282.00	283.00	1.00	M294930	0.62	2.6	2.74	52	50	0.8	<2	0.26	<0.5	9	27	11	
UGA-03	283.00	284.00	1.00	M294931	1.09	8.2	1.44	215	20	0.6	<2	0.42	<0.5	5	28	18	
UGA-03	284.00	285.00	1.00	M294932	0.17	1.4	2.73	78	40	0.8	<2	0.13	<0.5	7	22	9	
UGA-03	285.00	285.52	0.52	M294933	0.21	0.9	2.27	75	40	0.7	2	0.11	<0.5	6	25	6	
UGA-03	285.52	287.25	1.73	M294934	0.41	17.7	3.71	123	80	1	<2	0.23	<0.5	9	38	57	

					ME-ICP61													
				SAMPLE	Fe	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S		
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	%	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-03	279.00	279.61	0.61	M294928	1.83	<10	0.44	<10	0.14	324	5	0.02	3	380	4	0.91		
UGA-03	281.00	282.00	1.00	M294929	3.04	10	1.77	10	0.59	240	4	0.03	9	1280	7	2.92		
UGA-03	282.00	283.00	1.00	M294930	1.96	10	1.17	10	0.35	159	5	0.02	5	1180	8	1.85		
UGA-03	283.00	284.00	1.00	M294931	1.7	<10	0.52	10	0.14	125	10	0.01	2	1900	4	1.41		
UGA-03	284.00	285.00	1.00	M294932	1.61	10	1.19	10	0.24	122	8	0.02	3	570	4	1.47		
UGA-03	285.00	285.52	0.52	M294933	1.52	<10	0.96	10	0.19	134	7	0.02	3	450	4	1.27		
UGA-03	285.52	287.25	1.73	M294934	2.61	10	1.43	20	0.49	212	25	0.02	10	1040	8	1.92		

				SAMPLE	ME-ICP61										
Hole ID	From (m)	To (m)	Interval (m)	DESCRIPTION	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	
					ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-03	279.00	279.61	0.61	M294928	86	3	17	<20	0.06	<10	<10	21	<10	23	
UGA-03	281.00	282.00	1.00	M294929	46	10	26	<20	0.19	<10	<10	69	<10	46	
UGA-03	282.00	283.00	1.00	M294930	35	7	15	<20	0.13	<10	<10	50	<10	43	
UGA-03	283.00	284.00	1.00	M294931	77	4	16	<20	0.07	10	<10	27	<10	29	
UGA-03	284.00	285.00	1.00	M294932	31	6	15	<20	0.12	<10	<10	49	<10	32	
UGA-03	285.00	285.52	0.52	M294933	33	5	16	<20	0.1	<10	<10	38	<10	23	
UGA-03	285.52	287.25	1.73	M294934	37	10	18	<20	0.19	<10	<10	75	60	37	