

## More standout high-grade gold intercepts confirm robustness of Melville Gold Deposit, Yalgoo Project

**Outstanding new intercepts of 22m @ 5.36g/t including 5m @ 17.50g/t and 1m @ 73.30g/t plus visible gold in panning with the next phase of drilling already underway**


### Key Points:

- Further strong results received from the remaining drill-holes completed as part of the second phase of drilling at the Yalgoo Gold Project in WA, confirming the consistency, high-grade potential and shallow nature of the mineralisation within the Melville Gold Deposit.
- Significant new assay results include:
  - 50m @ 1.40g/t including 4m @ 5.20g/t and 5m @ 4.04g/t (FMRC0018);
  - 30m @ 1.23g/t including 6m @ 7.48g/t (FMRC0021);
  - 22m @ 5.36g/t incl. 5m @ 17.50g/t incl. 1m @ 73.30g/t (FMRC0031);
  - 17m @ 2.75g/t including 3m @ 7.48g/t (FMRC0033); and
  - 3m @ 5.89g/t including 1m @ 17.00g/t (FMRC0013).
- Substantial widths of gold mineralisation encountered in the latest drilling with intervals containing visible gold in panning up to 50m thick and the zones remaining open at depth and along-strike.
- Next phase of drilling already underway targeting an area up to 500m to the north along the main Melville trend to evaluate potential extensions to the historical (JORC 2004) mineral resource estimate.
- The next phase of resource extension drilling has the potential to significantly add to the upcoming Melville resource update due 1<sup>st</sup> quarter CY2021.

Firefly Resources Ltd (**ASX: FFR; Firefly or the Company**) is pleased to report outstanding new results from the second batch of assays received as part of the recently completed second phase of the planned 10,000m maiden drill program at its 100%-owned Yalgoo Gold Project in Western Australia (see Figure 1).

This announcement details results from the remaining 17 holes of the recently completed 24-hole Phase 2 Reverse Circulation (RC) drill program, with the results continuing to confirm the continuity and robustness of the gold mineralisation within the shallow Melville Gold Deposit, as well as the potential of the deposit to host significant high-grade zones.

A new program of RC drilling, representing the third phase of the planned 10,000m program, is already underway at Melville, targeting an area that extends to the north around 500m from the current mineralised position. This drilling has the potential to significantly add to the planned maiden JORC 2012 Mineral Resource Estimate (MRE) for the Melville Deposit resource update scheduled for Q1 CY2021.



**Figure 1.** Firefly's Yalgoo Gold Project illustrating the Company's regional-scale tenure and new applications across the under-explored Yalgoo-Singleton greenstone belt as well as proximity to multiple gold-specific and gold-capable process plants.

The 17 RC drill-holes detailed in this announcement were all drilled in and around the historical (JORC 2004) Melville Gold Deposit resource outline (Figure 2), further reinforcing the shallow high-grade gold mineralisation seen in previous holes as well as increasing the Company's knowledge and understanding of the deposit geology and structural architecture.





Figure 2. Plan view of the Melville Gold Deposit with historical drilling, recent Firefly RC drill-hole locations and highlighting the potential northern extensional area. Note that section "CC" is shown in Figure 3.



**Figure 3.** Cross-section "CC" through the Melville Gold Deposit illustrating the consistent geological units and thick shallow gold intercepts.

## Management Comment

Firefly Managing Director, Simon Lawson, said: "We have completed systematic drill test of areas that we believed were more "at-risk" in the historical Melville resource estimate when we acquired the project. While producing some spectacular gold results along the way, this drilling within the main resource area has strongly validated the historical data used in the previous estimate, giving us a high level of confidence in the previous estimate.

"The next phase of drilling, currently underway, is designed to significantly increase the footprint of mineralisation by targeting an area up to 500m to the north and along-strike from Melville. We have established an excellent foundation at Melville in our previous two phases of drilling, and it's now time to step out and see how big we can grow our key gold asset at Yalgoo"

"Our small team is out there consistently generating results and testing the value proposition represented by Melville right now. We are really excited about what we are seeing in these latest drill-holes and have a schedule of targets along-strike from Melville as well as across the multiple proven mineralised trends in the wider Yalgoo Gold Project. Our shareholders are in for a great ride!"



**Authorised by Simon Lawson, Managing Director – Firefly Resources Ltd**

**Investor Inquiries**

Firefly Resources Limited

08 9322 2338

[info@fireflyresources.com.au](mailto:info@fireflyresources.com.au)

**Media Inquiries**

Read Corporate

Nicholas Read

08 9388 1474

[nicholas@readcorporate.com.au](mailto:nicholas@readcorporate.com.au)

**Competent Persons Statement**

The information in this announcement that relates to Exploration Targets, Exploration Results, Mineral Resources or Ore Reserves is based on information reviewed, collated and compiled by Mr Simon Lawson, a full-time employee and the Managing Director of Firefly Resources Ltd. Mr Lawson is a professional geoscientist and Member of The Australian Institute of Mining and Metallurgy and has sufficient experience relevant to the style of mineralisation and type of deposit under consideration, and to the activity which has been undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources, and Ore Reserves. Mr Lawson consents to the inclusion in this announcement of the matters based on this information in the form and context in which it appears.



## Annexure A

### Collar Table

Drill Hole ID	Drill Type	Prospect	Easting (m)	Northing (m)	Azimuth (deg)	Dip (deg)	RL (m)	Total Depth (m)	Assays
FMRC0012	RC	Melville	476105.47	6881873.82	95	-60	381.87	150	Assays Received
FMRC0013	RC	Melville	476078.59	6881872.32	94	-60	382.679	146	Assays Received
FMRC0014	RC	Melville	476069.58	6881872.75	88	-60	382.738	150	Assays Received
FMRC0015	RC	Melville	476060.21	6881872.74	91	-60	382.975	150	Assays Received
FMRC0016	RC	Melville	476114.29	6882040.35	90	-60	379.226	151	Assays Received
FMRC0017	RC	Melville	476092.75	6882041.92	92	-60	379.475	150	Assays Received
FMRC0018	RC	Melville	476073.73	6882043.12	87	-60	379.567	149	Assays Received
FMRC0019	RC	Melville	476107.96	6881835.06	93	-60	382.515	150	Assays Received
FMRC0020	RC	Melville	476060.25	6881836.38	91	-60	383.534	157	Assays Received
FMRC0021	RC	Melville	476023.34	6881839.46	90	-60	384.736	170	Assays Received
FMRC0027	RC	Melville	476071.63	6881898.35	92	-60	382.192	150	Assays Received
FMRC0028	RC	Melville	476051.23	6882016.38	90	-60	379.952	150	Assays Received
FMRC0029	RC	Melville	476093.70	6882017.21	91	-60	379.774	120	Assays Received
FMRC0030	RC	Melville	476112.63	6882017.23	91	-60	379.503	105	Assays Received
FMRC0031	RC	Melville	476080.29	6881850.25	90	-60	383.027	150	Assays Received
FMRC0032	RC	Melville	476070.68	6881850.64	91	-60	383.136	165	Assays Received
FMRC0033	RC	Melville	476060.56	6881850.72	90	-60	383.351	175	Assays Received
PRC068	RC	Melville	476079	6882031	90	-60	379.655	90	Historical

## Annexure B

### Assay Table

Hole ID	From	To	Interval	Au (g/t)
FMRC0012	0	1	1	0.22
FMRC0012	1	2	1	0.22
FMRC0012	2	3	1	0.27
FMRC0012	3	4	1	0.12
FMRC0012	4	5	1	0.36
FMRC0012	5	6	1	2.14
FMRC0012	6	7	1	0.93
FMRC0012	7	8	1	0.83
FMRC0012	8	9	1	0.61
FMRC0012	9	10	1	0.2
FMRC0012	10	11	1	0.2
FMRC0012	11	12	1	0.12
FMRC0012	12	13	1	0.16
FMRC0012	13	14	1	0.14
FMRC0012	14	15	1	0.17
FMRC0012	15	16	1	0.24
FMRC0012	16	17	1	0.11
FMRC0012	17	18	1	0.49
FMRC0012	18	19	1	0.11
FMRC0012	19	20	1	0.24
FMRC0012	20	21	1	0.13
FMRC0012	21	22	1	1.17
FMRC0012	22	23	1	1.1
FMRC0012	23	24	1	8.48
FMRC0012	24	25	1	1.36
FMRC0012	25	26	1	0.56
FMRC0012	26	27	1	0.37
FMRC0012	27	28	1	0.32
FMRC0012	28	29	1	0.18
FMRC0012	29	30	1	1.66
FMRC0012	30	31	1	0.23
FMRC0012	31	32	1	0.22
FMRC0012	32	33	1	0.24
FMRC0012	33	34	1	0.08
FMRC0012	34	35	1	0.32
FMRC0012	35	36	1	0.01
FMRC0012	36	37	1	0.07
FMRC0012	37	38	1	0.03
FMRC0012	38	39	1	<0.01
FMRC0012	39	40	1	0.18
FMRC0012	40	41	1	0.26

Hole ID	From	To	Interval	Au (g/t)
FMRC0012	41	42	1	0.24
FMRC0012	42	43	1	0.08
FMRC0012	43	44	1	0.07
FMRC0012	44	45	1	<0.01
FMRC0012	45	46	1	0.08
FMRC0012	46	47	1	0.07
FMRC0012	47	48	1	0.15
FMRC0012	48	49	1	0.05
FMRC0012	49	50	1	0.44
FMRC0012	50	51	1	0.02
FMRC0012	51	52	1	0.03
FMRC0012	52	53	1	0.11
FMRC0012	53	54	1	0.1
FMRC0012	54	55	1	0.03
FMRC0012	55	56	1	0.03
FMRC0012	56	57	1	0.01
FMRC0012	57	58	1	<0.01
FMRC0012	58	59	1	<0.01
FMRC0012	59	60	1	0.27
FMRC0012	60	61	1	0.33
FMRC0012	61	62	1	0.04
FMRC0012	62	63	1	0.02
FMRC0012	63	64	1	0.03
FMRC0012	64	65	1	0.03
FMRC0012	65	66	1	0.02
FMRC0012	66	67	1	0.12
FMRC0012	67	68	1	0.06
FMRC0012	68	69	1	0.02
FMRC0012	69	70	1	0.07
FMRC0012	70	71	1	0.03
FMRC0012	71	72	1	0.04
FMRC0012	72	73	1	0.01
FMRC0012	73	74	1	0.05
FMRC0012	74	75	1	0.02
FMRC0012	75	76	1	0.02
FMRC0012	76	77	1	<0.01
FMRC0012	77	78	1	0.06
FMRC0012	78	79	1	0.08
FMRC0012	79	80	1	0.05
FMRC0012	80	81	1	0.02
FMRC0012	81	82	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0012	82	83	1	0.02
FMRC0012	83	84	1	0.03
FMRC0012	84	85	1	<0.01
FMRC0012	85	86	1	0.02
FMRC0012	86	87	1	0.06
FMRC0012	87	88	1	0.01
FMRC0012	88	89	1	0.03
FMRC0012	89	90	1	0.01
FMRC0012	90	91	1	<0.01
FMRC0012	91	92	1	0.04
FMRC0012	92	93	1	0.03
FMRC0012	93	94	1	<0.01
FMRC0012	94	95	1	0.02
FMRC0012	95	96	1	0.13
FMRC0012	96	97	1	0.18
FMRC0012	97	98	1	0.02
FMRC0012	98	99	1	0.16
FMRC0012	99	100	1	0.11
FMRC0012	100	101	1	0.11
FMRC0012	101	102	1	0.03
FMRC0012	102	103	1	0.01
FMRC0012	103	104	1	0.02
FMRC0012	104	105	1	<0.01
FMRC0012	105	106	1	0.05
FMRC0012	106	107	1	0.03
FMRC0012	107	108	1	0.01
FMRC0012	108	109	1	0.04
FMRC0012	109	110	1	0.01
FMRC0012	110	111	1	0.03
FMRC0012	111	112	1	0.01
FMRC0012	112	113	1	<0.01
FMRC0012	113	114	1	<0.01
FMRC0012	114	115	1	0.16
FMRC0012	115	116	1	0.01
FMRC0012	116	117	1	0.02
FMRC0012	117	118	1	<0.01
FMRC0012	118	119	1	0.04
FMRC0012	119	120	1	0.01
FMRC0012	120	121	1	0.02
FMRC0012	121	122	1	0.07
FMRC0012	122	123	1	0.02
FMRC0012	123	124	1	0.01
FMRC0012	124	125	1	0.02
FMRC0012	125	126	1	0.34
FMRC0012	126	127	1	0.1

Hole ID	From	To	Interval	Au (g/t)
FMRC0012	127	128	1	0.13
FMRC0012	128	129	1	0.04
FMRC0012	129	130	1	0.03
FMRC0012	130	131	1	0.01
FMRC0012	131	132	1	<0.01
FMRC0012	132	133	1	0.02
FMRC0012	133	134	1	0.04
FMRC0012	134	135	1	0.03
FMRC0012	135	136	1	0.05
FMRC0012	136	137	1	0.04
FMRC0012	137	138	1	0.02
FMRC0012	138	139	1	0.06
FMRC0012	139	140	1	0.06
FMRC0012	140	141	1	0.07
FMRC0012	141	142	1	0.07
FMRC0012	142	143	1	0.09
FMRC0012	143	144	1	0.05
FMRC0012	144	145	1	0.11
FMRC0012	145	146	1	0.08
FMRC0012	146	147	1	0.07
FMRC0012	147	148	1	0.08
FMRC0012	148	149	1	0.26
FMRC0012	149	150	1	0.02
FMRC0013	0	1	1	0.12
FMRC0013	1	2	1	0.12
FMRC0013	2	3	1	0.27
FMRC0013	3	4	1	0.41
FMRC0013	4	5	1	0.89
FMRC0013	5	6	1	1.18
FMRC0013	6	7	1	0.57
FMRC0013	7	8	1	0.25
FMRC0013	8	9	1	0.09
FMRC0013	9	10	1	0.04
FMRC0013	10	11	1	0.08
FMRC0013	11	12	1	0.15
FMRC0013	12	13	1	0.03
FMRC0013	13	14	1	0.04
FMRC0013	14	15	1	0.02
FMRC0013	15	16	1	0.03
FMRC0013	16	17	1	0.15
FMRC0013	17	18	1	0.06
FMRC0013	18	19	1	0.09
FMRC0013	19	20	1	0.07
FMRC0013	20	21	1	0.06
FMRC0013	21	22	1	0.03



Hole ID	From	To	Interval	Au (g/t)
FMRC0013	22	23	1	0.07
FMRC0013	23	24	1	0.06
FMRC0013	24	25	1	0.04
FMRC0013	25	26	1	0.07
FMRC0013	26	27	1	0.06
FMRC0013	27	28	1	0.14
FMRC0013	28	29	1	0.08
FMRC0013	29	30	1	<0.01
FMRC0013	30	31	1	0.07
FMRC0013	31	32	1	0.07
FMRC0013	32	33	1	0.03
FMRC0013	33	34	1	0.03
FMRC0013	34	35	1	0.01
FMRC0013	35	36	1	<0.01
FMRC0013	36	37	1	0.01
FMRC0013	37	38	1	<0.01
FMRC0013	38	39	1	<0.01
FMRC0013	39	40	1	<0.01
FMRC0013	40	41	1	<0.01
FMRC0013	41	42	1	<0.01
FMRC0013	42	43	1	<0.01
FMRC0013	43	44	1	<0.01
FMRC0013	44	45	1	<0.01
FMRC0013	45	46	1	0.45
FMRC0013	46	47	1	1.93
FMRC0013	47	48	1	<0.01
FMRC0013	48	49	1	0.16
FMRC0013	49	50	1	0.06
FMRC0013	50	51	1	<0.01
FMRC0013	51	52	1	0.09
FMRC0013	52	53	1	0.18
FMRC0013	53	54	1	0.03
FMRC0013	54	55	1	0.1
FMRC0013	55	56	1	0.03
FMRC0013	56	57	1	1.04
FMRC0013	57	58	1	0.1
FMRC0013	58	59	1	0.02
FMRC0013	59	60	1	<0.01
FMRC0013	60	61	1	<0.01
FMRC0013	61	62	1	<0.01
FMRC0013	62	63	1	<0.01
FMRC0013	63	64	1	<0.01
FMRC0013	64	65	1	<0.01
FMRC0013	65	66	1	<0.01
FMRC0013	66	67	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0013	67	68	1	<0.01
FMRC0013	68	69	1	0.01
FMRC0013	69	70	1	0.21
FMRC0013	70	71	1	0.22
FMRC0013	71	72	1	0.04
FMRC0013	72	73	1	0.04
FMRC0013	73	74	1	0.01
FMRC0013	74	75	1	0.07
FMRC0013	75	76	1	0.02
FMRC0013	76	77	1	<0.01
FMRC0013	77	78	1	0.22
FMRC0013	78	79	1	17
FMRC0013	79	80	1	0.45
FMRC0013	80	81	1	0.15
FMRC0013	82	83	1	0.11
FMRC0013	83	84	1	0.26
FMRC0013	84	85	1	0.07
FMRC0013	85	86	1	0.09
FMRC0013	86	87	1	<0.01
FMRC0013	87	88	1	<0.01
FMRC0013	88	89	1	0.29
FMRC0013	89	90	1	<0.01
FMRC0013	90	91	1	0.04
FMRC0013	91	92	1	0.05
FMRC0013	92	93	1	0.11
FMRC0013	93	94	1	0.04
FMRC0013	94	95	1	0.08
FMRC0013	95	96	1	0.05
FMRC0013	96	97	1	<0.01
FMRC0013	97	98	1	0.12
FMRC0013	98	99	1	0.2
FMRC0013	99	100	1	0.21
FMRC0013	100	101	1	0.36
FMRC0013	101	102	1	0.23
FMRC0013	102	103	1	0.08
FMRC0013	103	104	1	0.2
FMRC0013	104	105	1	0.22
FMRC0013	105	106	1	0.15
FMRC0013	106	107	1	0.06
FMRC0013	107	108	1	0.16
FMRC0013	108	109	1	0.26
FMRC0013	109	110	1	0.16
FMRC0013	110	111	1	1.53
FMRC0013	111	112	1	0.5
FMRC0013	112	113	1	0.16

Hole ID	From	To	Interval	Au (g/t)
FMRC0013	113	114	1	0.06
FMRC0013	114	115	1	0.02
FMRC0013	115	116	1	0.03
FMRC0013	116	117	1	0.08
FMRC0013	117	118	1	0.07
FMRC0013	118	119	1	0.09
FMRC0013	119	120	1	0.05
FMRC0013	120	121	1	0.07
FMRC0013	121	122	1	0.12
FMRC0013	122	123	1	0.03
FMRC0013	123	124	1	0.01
FMRC0013	124	125	1	0.1
FMRC0013	125	126	1	0.18
FMRC0013	126	127	1	0.16
FMRC0013	127	128	1	0.17
FMRC0013	128	129	1	0.16
FMRC0013	129	130	1	0.1
FMRC0013	130	131	1	0.11
FMRC0013	131	132	1	0.01
FMRC0013	132	133	1	0.04
FMRC0013	133	134	1	0.04
FMRC0013	134	135	1	0.04
FMRC0013	135	136	1	0.17
FMRC0013	136	137	1	0.07
FMRC0013	137	138	1	0.04
FMRC0013	138	139	1	0.03
FMRC0013	139	140	1	0.02
FMRC0013	140	141	1	0.09
FMRC0013	141	142	1	0.02
FMRC0013	142	143	1	<0.01
FMRC0013	143	144	1	0.02
FMRC0013	144	145	1	0.03
FMRC0013	145	146	1	0.06
FMRC0014	0	1	1	0.13
FMRC0014	1	2	1	0.25
FMRC0014	2	3	1	1.07
FMRC0014	3	4	1	1
FMRC0014	4	5	1	1.74
FMRC0014	5	6	1	0.44
FMRC0014	6	7	1	0.21
FMRC0014	7	8	1	0.12
FMRC0014	8	9	1	0.09
FMRC0014	9	10	1	0.07
FMRC0014	10	11	1	0.11
FMRC0014	11	12	1	0.05

Hole ID	From	To	Interval	Au (g/t)
FMRC0014	12	13	1	0.22
FMRC0014	13	14	1	0.16
FMRC0014	14	15	1	0.07
FMRC0014	15	16	1	0.09
FMRC0014	16	17	1	0.05
FMRC0014	17	18	1	0.02
FMRC0014	18	19	1	0.05
FMRC0014	19	20	1	0.04
FMRC0014	20	21	1	0.09
FMRC0014	21	22	1	0.08
FMRC0014	22	23	1	0.02
FMRC0014	23	24	1	0.02
FMRC0014	24	25	1	0.04
FMRC0014	25	26	1	0.01
FMRC0014	26	27	1	0.06
FMRC0014	27	28	1	<0.01
FMRC0014	28	29	1	0.03
FMRC0014	29	30	1	0.06
FMRC0014	30	31	1	0.05
FMRC0014	31	32	1	<0.01
FMRC0014	32	33	1	<0.01
FMRC0014	33	34	1	0.01
FMRC0014	34	35	1	<0.01
FMRC0014	35	36	1	0.06
FMRC0014	36	37	1	0.05
FMRC0014	37	38	1	<0.01
FMRC0014	38	39	1	0.05
FMRC0014	39	40	1	<0.01
FMRC0014	40	41	1	0.01
FMRC0014	41	42	1	<0.01
FMRC0014	42	43	1	<0.01
FMRC0014	43	44	1	0.08
FMRC0014	44	45	1	<0.01
FMRC0014	45	46	1	<0.01
FMRC0014	46	47	1	<0.01
FMRC0014	47	48	1	0.02
FMRC0014	48	49	1	0.02
FMRC0014	49	50	1	0.03
FMRC0014	50	51	1	<0.01
FMRC0014	51	52	1	<0.01
FMRC0014	52	53	1	<0.01
FMRC0014	53	54	1	0.14
FMRC0014	54	55	1	0.02
FMRC0014	55	56	1	0.04
FMRC0014	56	57	1	0

Hole ID	From	To	Interval	Au (g/t)
FMRC0014	57	58	1	0.07
FMRC0014	58	59	1	0.01
FMRC0014	59	60	1	5.12
FMRC0014	60	61	1	0.53
FMRC0014	61	62	1	2.12
FMRC0014	62	63	1	1.39
FMRC0014	63	64	1	0.72
FMRC0014	64	65	1	0.55
FMRC0014	65	66	1	0.03
FMRC0014	66	67	1	0.42
FMRC0014	67	68	1	0.02
FMRC0014	68	69	1	0.07
FMRC0014	69	70	1	0.08
FMRC0014	70	71	1	0.09
FMRC0014	71	72	1	<0.01
FMRC0014	72	73	1	0.01
FMRC0014	73	74	1	0.03
FMRC0014	74	75	1	0.05
FMRC0014	75	76	1	0.07
FMRC0014	76	77	1	0.04
FMRC0014	77	78	1	0.07
FMRC0014	78	79	1	0.38
FMRC0014	79	80	1	0.07
FMRC0014	80	81	1	0.02
FMRC0014	81	82	1	1.98
FMRC0014	82	83	1	0.19
FMRC0014	83	84	1	0.03
FMRC0014	84	85	1	0.05
FMRC0014	85	86	1	<0.01
FMRC0014	86	87	1	0.13
FMRC0014	87	88	1	0.09
FMRC0014	88	89	1	0.08
FMRC0014	89	90	1	0.28
FMRC0014	90	91	1	0.1
FMRC0014	91	92	1	0.05
FMRC0014	92	93	1	0.06
FMRC0014	93	94	1	0.06
FMRC0014	94	95	1	0.15
FMRC0014	95	96	1	<0.01
FMRC0014	96	97	1	0.01
FMRC0014	97	98	1	<0.01
FMRC0014	98	99	1	<0.01
FMRC0014	99	100	1	0.04
FMRC0014	100	101	1	0.06
FMRC0014	101	102	1	0.09

Hole ID	From	To	Interval	Au (g/t)
FMRC0014	102	103	1	0.03
FMRC0014	103	104	1	<0.01
FMRC0014	104	105	1	<0.01
FMRC0014	105	106	1	0.04
FMRC0014	106	107	1	0.04
FMRC0014	107	108	1	<0.01
FMRC0014	108	109	1	0.03
FMRC0014	109	110	1	0.02
FMRC0014	110	111	1	<0.01
FMRC0014	111	112	1	<0.01
FMRC0014	112	113	1	0.03
FMRC0014	113	114	1	0.02
FMRC0014	114	115	1	<0.01
FMRC0014	115	116	1	<0.01
FMRC0014	116	117	1	<0.01
FMRC0014	117	118	1	0.02
FMRC0014	118	119	1	0.05
FMRC0014	119	120	1	<0.01
FMRC0014	120	121	1	0.04
FMRC0014	121	122	1	<0.01
FMRC0014	122	123	1	0.03
FMRC0014	123	124	1	<0.01
FMRC0014	124	125	1	0.02
FMRC0014	125	126	1	0.16
FMRC0014	126	127	1	0.32
FMRC0014	127	128	1	0.3
FMRC0014	128	129	1	0.24
FMRC0014	129	130	1	0.03
FMRC0014	130	131	1	0.11
FMRC0014	131	132	1	0.01
FMRC0014	132	133	1	<0.01
FMRC0014	133	134	1	<0.01
FMRC0014	134	135	1	0.07
FMRC0014	135	136	1	0.12
FMRC0014	136	137	1	0.14
FMRC0014	137	138	1	0.02
FMRC0014	138	139	1	0.05
FMRC0014	139	140	1	0.1
FMRC0014	140	141	1	0.02
FMRC0014	141	142	1	<0.01
FMRC0014	142	143	1	0.6
FMRC0014	143	144	1	0.05
FMRC0014	144	145	1	0.03
FMRC0014	145	146	1	0.05
FMRC0014	146	147	1	0.06

Hole ID	From	To	Interval	Au (g/t)
FMRC0014	147	148	1	<0.01
FMRC0014	148	149	1	<0.01
FMRC0014	149	150	1	0.03
FMRC0015	0	1	1	0.08
FMRC0015	1	2	1	0.2
FMRC0015	2	3	1	0.55
FMRC0015	3	4	1	0.55
FMRC0015	4	5	1	1.43
FMRC0015	5	6	1	0.7
FMRC0015	6	7	1	0.18
FMRC0015	7	8	1	0.23
FMRC0015	8	9	1	0.26
FMRC0015	9	10	1	0.38
FMRC0015	10	11	1	0.42
FMRC0015	11	12	1	0.12
FMRC0015	12	13	1	0.11
FMRC0015	13	14	1	0.12
FMRC0015	14	15	1	0.01
FMRC0015	15	16	1	0.04
FMRC0015	16	17	1	<0.01
FMRC0015	17	18	1	<0.01
FMRC0015	18	19	1	0.09
FMRC0015	19	20	1	0.06
FMRC0015	20	21	1	0.09
FMRC0015	21	22	1	0.07
FMRC0015	22	23	1	0.07
FMRC0015	23	24	1	0.04
FMRC0015	24	25	1	0.01
FMRC0015	25	26	1	0.08
FMRC0015	26	27	1	0.03
FMRC0015	27	28	1	0.07
FMRC0015	28	29	1	0.07
FMRC0015	29	30	1	0.06
FMRC0015	30	31	1	0.13
FMRC0015	31	32	1	0.03
FMRC0015	32	33	1	0.03
FMRC0015	33	34	1	0.02
FMRC0015	34	35	1	<0.01
FMRC0015	35	36	1	<0.01
FMRC0015	36	37	1	0.07
FMRC0015	37	38	1	0.03
FMRC0015	38	39	1	0.28
FMRC0015	39	40	1	0.03
FMRC0015	40	41	1	0.01
FMRC0015	41	42	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0015	42	43	1	<0.01
FMRC0015	43	44	1	<0.01
FMRC0015	44	45	1	<0.01
FMRC0015	45	46	1	<0.01
FMRC0015	46	47	1	<0.01
FMRC0015	47	48	1	<0.01
FMRC0015	48	49	1	0.05
FMRC0015	49	50	1	0.5
FMRC0015	50	51	1	0.39
FMRC0015	51	52	1	0.09
FMRC0015	52	53	1	0.23
FMRC0015	53	54	1	<0.01
FMRC0015	54	55	1	<0.01
FMRC0015	55	56	1	<0.01
FMRC0015	56	57	1	<0.01
FMRC0015	57	58	1	<0.01
FMRC0015	58	59	1	0.02
FMRC0015	59	60	1	<0.01
FMRC0015	60	61	1	<0.01
FMRC0015	61	62	1	<0.01
FMRC0015	62	63	1	0.04
FMRC0015	63	64	1	0.05
FMRC0015	64	65	1	1.37
FMRC0015	65	66	1	1.05
FMRC0015	66	67	1	0.23
FMRC0015	67	68	1	0.25
FMRC0015	67	68	1	0.25
FMRC0015	68	69	1	0.09
FMRC0015	69	70	1	<0.01
FMRC0015	70	71	1	0.02
FMRC0015	71	72	1	0.02
FMRC0015	72	73	1	0.42
FMRC0015	73	74	1	<0.01
FMRC0015	74	75	1	0.22
FMRC0015	75	76	1	0.1
FMRC0015	76	77	1	0.08
FMRC0015	77	78	1	0.03
FMRC0015	78	79	1	3.29
FMRC0015	79	80	1	0.7
FMRC0015	80	81	1	<0.01
FMRC0015	81	82	1	0.01
FMRC0015	82	83	1	<0.01
FMRC0015	83	84	1	<0.01
FMRC0015	84	85	1	0.03
FMRC0015	85	86	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0015	86	87	1	<0.01
FMRC0015	87	88	1	0.4
FMRC0015	88	89	1	0.16
FMRC0015	89	90	1	0.01
FMRC0015	90	91	1	0.05
FMRC0015	91	92	1	0.02
FMRC0015	92	93	1	0.21
FMRC0015	93	94	1	0.09
FMRC0015	94	95	1	0.17
FMRC0015	95	96	1	0.14
FMRC0015	96	97	1	0.03
FMRC0015	97	98	1	0.04
FMRC0015	98	99	1	<0.01
FMRC0015	99	100	1	0.07
FMRC0015	100	101	1	<0.01
FMRC0015	101	102	1	<0.01
FMRC0015	102	103	1	<0.01
FMRC0015	103	104	1	0.04
FMRC0015	104	105	1	<0.01
FMRC0015	105	106	1	<0.01
FMRC0015	106	107	1	<0.01
FMRC0015	107	108	1	<0.01
FMRC0015	108	109	1	0.01
FMRC0015	109	110	1	0.03
FMRC0015	110	111	1	0.1
FMRC0015	111	112	1	<0.01
FMRC0015	112	113	1	0.02
FMRC0015	113	114	1	<0.01
FMRC0015	114	115	1	0.01
FMRC0015	115	116	1	0.06
FMRC0015	116	117	1	<0.01
FMRC0015	117	118	1	<0.01
FMRC0015	118	119	1	0.06
FMRC0015	119	120	1	<0.01
FMRC0015	120	121	1	<0.01
FMRC0015	121	122	1	<0.01
FMRC0015	122	123	1	<0.01
FMRC0015	123	124	1	<0.01
FMRC0015	124	125	1	<0.01
FMRC0015	125	126	1	<0.01
FMRC0015	126	127	1	<0.01
FMRC0015	127	128	1	<0.01
FMRC0015	128	129	1	<0.01
FMRC0015	129	130	1	<0.01
FMRC0015	130	131	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0015	131	132	1	<0.01
FMRC0015	132	133	1	<0.01
FMRC0015	133	134	1	<0.01
FMRC0015	134	135	1	<0.01
FMRC0015	135	136	1	<0.01
FMRC0015	136	137	1	0.11
FMRC0015	137	138	1	0.04
FMRC0015	138	139	1	0.01
FMRC0015	139	140	1	<0.01
FMRC0015	140	141	1	<0.01
FMRC0015	141	142	1	<0.01
FMRC0015	142	143	1	<0.01
FMRC0015	143	144	1	<0.01
FMRC0015	144	145	1	<0.01
FMRC0015	145	146	1	0.18
FMRC0015	146	147	1	0.07
FMRC0015	147	148	1	<0.01
FMRC0015	148	149	1	<0.01
FMRC0015	149	150	1	0.13
FMRC0016	0	1	1	0.29
FMRC0016	1	2	1	0.06
FMRC0016	2	3	1	0.06
FMRC0016	3	4	1	0.14
FMRC0016	4	5	1	0.25
FMRC0016	5	6	1	0.12
FMRC0016	6	7	1	0
FMRC0016	7	8	1	0.08
FMRC0016	8	9	1	0.03
FMRC0016	9	10	1	0
FMRC0016	10	11	1	0.05
FMRC0016	11	12	1	0
FMRC0016	12	13	1	0.11
FMRC0016	13	14	1	0
FMRC0016	14	15	1	0.03
FMRC0016	15	16	1	0
FMRC0016	16	17	1	0
FMRC0016	17	18	1	0
FMRC0016	18	19	1	0
FMRC0016	19	20	1	0
FMRC0016	20	21	1	0
FMRC0016	21	22	1	0.13
FMRC0016	22	23	1	0.15
FMRC0016	23	24	1	0
FMRC0016	24	25	1	0.17
FMRC0016	25	26	1	0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0016	26	27	1	0.05
FMRC0016	27	28	1	0.24
FMRC0016	28	29	1	0.17
FMRC0016	29	30	1	0.16
FMRC0016	30	31	1	0.29
FMRC0016	31	32	1	0.07
FMRC0016	32	33	1	0.25
FMRC0016	33	34	1	0.37
FMRC0016	34	35	1	0.22
FMRC0016	35	36	1	0.06
FMRC0016	36	37	1	0.1
FMRC0016	37	38	1	0.09
FMRC0016	38	39	1	0.07
FMRC0016	39	40	1	0.02
FMRC0016	40	41	1	0.06
FMRC0016	41	42	1	0.06
FMRC0016	42	43	1	0.05
FMRC0016	43	44	1	0.17
FMRC0016	44	45	1	0.09
FMRC0016	45	46	1	0.02
FMRC0016	46	47	1	0.02
FMRC0016	47	48	1	0.15
FMRC0016	48	49	1	0
FMRC0016	49	50	1	0
FMRC0016	50	51	1	0.03
FMRC0016	51	52	1	0
FMRC0016	52	53	1	0.02
FMRC0016	53	54	1	0
FMRC0016	54	55	1	0
FMRC0016	55	56	1	0
FMRC0016	56	57	1	0
FMRC0016	57	58	1	0.05
FMRC0016	58	59	1	0
FMRC0016	59	60	1	0
FMRC0016	60	61	1	0.01
FMRC0016	61	62	1	0
FMRC0016	62	63	1	0.04
FMRC0016	63	64	1	0.08
FMRC0016	64	65	1	0.01
FMRC0016	65	66	1	0
FMRC0016	66	67	1	0.06
FMRC0016	67	68	1	0.12
FMRC0016	68	69	1	0.16
FMRC0016	69	70	1	0.27
FMRC0016	70	71	1	0.28

Hole ID	From	To	Interval	Au (g/t)
FMRC0016	71	72	1	0.13
FMRC0016	72	73	1	0.11
FMRC0016	73	74	1	0.09
FMRC0016	74	75	1	0.09
FMRC0016	75	76	1	0.09
FMRC0016	76	77	1	0.54
FMRC0016	77	78	1	0.03
FMRC0016	78	79	1	0
FMRC0016	79	80	1	0.01
FMRC0016	80	81	1	0
FMRC0016	81	82	1	0
FMRC0016	82	83	1	0
FMRC0016	83	84	1	0
FMRC0016	84	85	1	0
FMRC0016	85	86	1	0
FMRC0016	86	87	1	0
FMRC0016	87	88	1	0
FMRC0016	88	89	1	0
FMRC0016	89	90	1	0
FMRC0016	90	91	1	0
FMRC0016	91	92	1	0.02
FMRC0016	92	93	1	0.06
FMRC0016	93	94	1	0
FMRC0016	94	95	1	0.16
FMRC0016	95	96	1	0.07
FMRC0016	96	97	1	0.02
FMRC0016	97	98	1	0
FMRC0016	98	99	1	0.02
FMRC0016	99	100	1	0.05
FMRC0016	100	101	1	0.02
FMRC0016	101	102	1	0.06
FMRC0016	102	103	1	0.07
FMRC0016	103	104	1	0.04
FMRC0016	104	105	1	0.03
FMRC0016	105	106	1	0.03
FMRC0016	106	107	1	0.07
FMRC0016	107	108	1	0.08
FMRC0016	108	109	1	0.04
FMRC0016	109	110	1	0.01
FMRC0016	110	111	1	0
FMRC0016	111	112	1	0.03
FMRC0016	112	113	1	0
FMRC0016	113	114	1	0.02
FMRC0016	114	115	1	0.01
FMRC0016	115	116	1	0.08

Hole ID	From	To	Interval	Au (g/t)
FMRC0016	116	117	1	0.02
FMRC0016	117	118	1	0
FMRC0016	118	119	1	0.03
FMRC0016	119	120	1	0.04
FMRC0016	120	121	1	0.06
FMRC0016	121	122	1	0.07
FMRC0016	122	123	1	0.01
FMRC0016	123	124	1	0.01
FMRC0016	124	125	1	0.04
FMRC0016	125	126	1	0
FMRC0016	126	127	1	0
FMRC0016	127	128	1	0
FMRC0016	128	129	1	0
FMRC0016	129	130	1	0
FMRC0016	130	131	1	0
FMRC0016	131	132	1	0
FMRC0016	132	133	1	0
FMRC0016	133	134	1	0
FMRC0016	134	135	1	0
FMRC0016	135	136	1	0
FMRC0016	136	137	1	0
FMRC0016	137	138	1	0
FMRC0016	138	139	1	0
FMRC0016	139	140	1	0
FMRC0016	140	141	1	0.01
FMRC0016	141	142	1	0
FMRC0016	142	143	1	0
FMRC0016	143	144	1	0
FMRC0016	144	145	1	0.02
FMRC0016	145	146	1	0.02
FMRC0016	146	147	1	0.02
FMRC0016	147	148	1	0
FMRC0016	148	149	1	0
FMRC0016	149	150	1	0.04
FMRC0016	150	151	1	0
FMRC0017	0	1	1	0.98
FMRC0017	1	2	1	0.3
FMRC0017	2	3	1	0.15
FMRC0017	3	4	1	0.12
FMRC0017	4	5	1	0.04
FMRC0017	5	6	1	0.17
FMRC0017	6	7	1	0.46
FMRC0017	7	8	1	0.44
FMRC0017	8	9	1	0.33
FMRC0017	9	10	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0017	10	11	1	0.05
FMRC0017	11	12	1	0.01
FMRC0017	12	13	1	0.04
FMRC0017	13	14	1	<0.01
FMRC0017	14	15	1	0.04
FMRC0017	15	16	1	<0.01
FMRC0017	16	17	1	<0.01
FMRC0017	17	18	1	<0.01
FMRC0017	18	19	1	0.12
FMRC0017	19	20	1	0.01
FMRC0017	20	21	1	0.23
FMRC0017	21	22	1	0.62
FMRC0017	22	23	1	0.4
FMRC0017	23	24	1	0.6
FMRC0017	24	25	1	0.23
FMRC0017	25	26	1	2.11
FMRC0017	26	27	1	0.79
FMRC0017	27	28	1	0.48
FMRC0017	28	29	1	0.45
FMRC0017	29	30	1	1.38
FMRC0017	30	31	1	0.12
FMRC0017	31	32	1	0.36
FMRC0017	32	33	1	0.51
FMRC0017	33	34	1	0.4
FMRC0017	34	35	1	0.62
FMRC0017	35	36	1	0.42
FMRC0017	36	37	1	1.16
FMRC0017	37	38	1	0.77
FMRC0017	38	39	1	0.34
FMRC0017	39	40	1	0.43
FMRC0017	40	41	1	1.83
FMRC0017	41	42	1	1.43
FMRC0017	42	43	1	2.16
FMRC0017	43	44	1	0.64
FMRC0017	44	45	1	0.43
FMRC0017	45	46	1	1.38
FMRC0017	46	47	1	1.08
FMRC0017	47	48	1	0.29
FMRC0017	48	49	1	0.08
FMRC0017	49	50	1	0.15
FMRC0017	50	51	1	0.17
FMRC0017	51	52	1	0.09
FMRC0017	52	53	1	0.28
FMRC0017	53	54	1	<0.01
FMRC0017	54	55	1	0.11

Hole ID	From	To	Interval	Au (g/t)
FMRC0017	55	56	1	0.14
FMRC0017	56	57	1	0.2
FMRC0017	57	58	1	0.1
FMRC0017	58	59	1	0.02
FMRC0017	59	60	1	0.01
FMRC0017	60	61	1	<0.01
FMRC0017	61	62	1	<0.01
FMRC0017	62	63	1	0.02
FMRC0017	63	64	1	<0.01
FMRC0017	64	65	1	<0.01
FMRC0017	65	66	1	<0.01
FMRC0017	66	67	1	<0.01
FMRC0017	67	68	1	0.04
FMRC0017	68	69	1	0.01
FMRC0017	69	70	1	0.01
FMRC0017	70	71	1	0.48
FMRC0017	71	72	1	0.11
FMRC0017	72	73	1	0.09
FMRC0017	73	74	1	0.1
FMRC0017	74	75	1	0.04
FMRC0017	75	76	1	0.02
FMRC0017	76	77	1	0.07
FMRC0017	77	78	1	<0.01
FMRC0017	78	79	1	0.01
FMRC0017	79	80	1	<0.01
FMRC0017	80	81	1	<0.01
FMRC0017	81	82	1	<0.01
FMRC0017	82	83	1	0.02
FMRC0017	83	84	1	<0.01
FMRC0017	84	85	1	0.11
FMRC0017	85	86	1	0.03
FMRC0017	86	87	1	0.04
FMRC0017	87	88	1	0.04
FMRC0017	88	89	1	0.4
FMRC0017	89	90	1	0.02
FMRC0017	90	91	1	<0.01
FMRC0017	91	92	1	<0.01
FMRC0017	92	93	1	<0.01
FMRC0017	93	94	1	<0.01
FMRC0017	94	95	1	0.01
FMRC0017	95	96	1	0.04
FMRC0017	96	97	1	0.06
FMRC0017	97	98	1	0.08
FMRC0017	98	99	1	0.04
FMRC0017	99	100	1	0.03

Hole ID	From	To	Interval	Au (g/t)
FMRC0017	100	101	1	0.06
FMRC0017	101	102	1	0.08
FMRC0017	102	103	1	0.05
FMRC0017	103	104	1	0.18
FMRC0017	104	105	1	0.05
FMRC0017	105	106	1	0.06
FMRC0017	106	107	1	0.01
FMRC0017	107	108	1	<0.01
FMRC0017	108	109	1	<0.01
FMRC0017	109	110	1	0.01
FMRC0017	110	111	1	0.01
FMRC0017	111	112	1	<0.01
FMRC0017	112	113	1	<0.01
FMRC0017	113	114	1	<0.01
FMRC0017	114	115	1	<0.01
FMRC0017	115	116	1	<0.01
FMRC0017	116	117	1	<0.01
FMRC0017	117	118	1	<0.01
FMRC0017	118	119	1	0.01
FMRC0017	119	120	1	<0.01
FMRC0017	120	121	1	<0.01
FMRC0017	121	122	1	<0.01
FMRC0017	122	123	1	0.03
FMRC0017	123	124	1	0.02
FMRC0017	124	125	1	<0.01
FMRC0017	125	126	1	<0.01
FMRC0017	126	127	1	<0.01
FMRC0017	127	128	1	<0.01
FMRC0017	128	129	1	<0.01
FMRC0017	129	130	1	<0.01
FMRC0017	130	131	1	<0.01
FMRC0017	131	132	1	<0.01
FMRC0017	132	133	1	<0.01
FMRC0017	133	134	1	<0.01
FMRC0017	134	135	1	0.01
FMRC0017	135	136	1	0.02
FMRC0017	136	137	1	<0.01
FMRC0017	137	138	1	<0.01
FMRC0017	138	139	1	<0.01
FMRC0017	139	140	1	<0.01
FMRC0017	140	141	1	0.04
FMRC0017	141	142	1	0.02
FMRC0017	142	143	1	0.01
FMRC0017	143	144	1	0.01
FMRC0017	144	145	1	0.03



Hole ID	From	To	Interval	Au (g/t)
FMRC0017	145	146	1	0.03
FMRC0017	146	147	1	0.37
FMRC0017	147	148	1	0.1
FMRC0017	148	149	1	0.02
FMRC0017	149	150	1	<0.01
FMRC0018	0	1	1	2.05
FMRC0018	1	2	1	0.33
FMRC0018	2	3	1	0.47
FMRC0018	3	4	1	0.08
FMRC0018	4	5	1	0.14
FMRC0018	5	6	1	0.44
FMRC0018	6	7	1	0.12
FMRC0018	7	8	1	0.3
FMRC0018	8	9	1	0.15
FMRC0018	9	10	1	0.03
FMRC0018	10	11	1	0.59
FMRC0018	11	12	1	0.38
FMRC0018	12	13	1	0.04
FMRC0018	13	14	1	0.02
FMRC0018	14	15	1	0.03
FMRC0018	15	16	1	0.01
FMRC0018	16	17	1	<0.01
FMRC0018	17	18	1	0.05
FMRC0018	18	19	1	<0.01
FMRC0018	19	20	1	0.05
FMRC0018	20	21	1	<0.01
FMRC0018	21	22	1	0.01
FMRC0018	22	23	1	0.07
FMRC0018	23	24	1	0.01
FMRC0018	24	25	1	0.16
FMRC0018	25	26	1	0.12
FMRC0018	26	27	1	1.11
FMRC0018	27	28	1	0.34
FMRC0018	28	29	1	0.9
FMRC0018	29	30	1	0.28
FMRC0018	30	31	1	0.27
FMRC0018	31	32	1	0.49
FMRC0018	32	33	1	1.09
FMRC0018	33	34	1	0.58
FMRC0018	34	35	1	0.64
FMRC0018	35	36	1	0.16
FMRC0018	36	37	1	0.11
FMRC0018	37	38	1	5.04
FMRC0018	38	39	1	5.86
FMRC0018	39	40	1	2.87

Hole ID	From	To	Interval	Au (g/t)
FMRC0018	40	41	1	7.03
FMRC0018	41	42	1	1.27
FMRC0018	42	43	1	0.58
FMRC0018	43	44	1	1.1
FMRC0018	44	45	1	1
FMRC0018	45	46	1	0.8
FMRC0018	46	47	1	0.97
FMRC0018	47	48	1	0.43
FMRC0018	48	49	1	0.71
FMRC0018	49	50	1	0.59
FMRC0018	50	51	1	0.33
FMRC0018	51	52	1	0.96
FMRC0018	52	53	1	1.32
FMRC0018	53	54	1	10.6
FMRC0018	54	55	1	3.62
FMRC0018	55	56	1	1.57
FMRC0018	56	57	1	2.84
FMRC0018	57	58	1	1.57
FMRC0018	58	59	1	0.9
FMRC0018	59	60	1	0.29
FMRC0018	60	61	1	0.21
FMRC0018	61	62	1	0.51
FMRC0018	62	63	1	1.12
FMRC0018	63	64	1	0.21
FMRC0018	64	65	1	0.34
FMRC0018	65	66	1	0.36
FMRC0018	66	67	1	0.5
FMRC0018	67	68	1	0.56
FMRC0018	68	69	1	0.25
FMRC0018	69	70	1	0.79
FMRC0018	70	71	1	0.06
FMRC0018	71	72	1	0.07
FMRC0018	72	73	1	0.07
FMRC0018	73	74	1	0.13
FMRC0018	74	75	1	3.59
FMRC0018	75	76	1	2.88
FMRC0018	76	77	1	0.14
FMRC0018	77	78	1	0.41
FMRC0018	78	79	1	0.4
FMRC0018	79	80	1	0.16
FMRC0018	80	81	1	<0.01
FMRC0018	81	82	1	0.02
FMRC0018	82	83	1	0.05
FMRC0018	83	84	1	0.04
FMRC0018	84	85	1	0.09

Hole ID	From	To	Interval	Au (g/t)
FMRC0018	85	86	1	<0.01
FMRC0018	86	87	1	0.04
FMRC0018	87	88	1	0.03
FMRC0018	88	89	1	<0.01
FMRC0018	89	90	1	<0.01
FMRC0018	90	91	1	0.03
FMRC0018	91	92	1	0.02
FMRC0018	92	93	1	0.06
FMRC0018	93	94	1	0.02
FMRC0018	94	95	1	0.04
FMRC0018	95	96	1	0.32
FMRC0018	96	97	1	0.1
FMRC0018	97	98	1	0.02
FMRC0018	98	99	1	0.06
FMRC0018	99	100	1	0.03
FMRC0018	100	101	1	0.06
FMRC0018	101	102	1	0.02
FMRC0018	102	103	1	0.02
FMRC0018	103	104	1	0.19
FMRC0018	104	105	1	0.1
FMRC0018	105	106	1	0.01
FMRC0018	106	107	1	0.12
FMRC0018	107	108	1	0.05
FMRC0018	108	109	1	0.03
FMRC0018	109	110	1	0.06
FMRC0018	110	111	1	0.03
FMRC0018	111	112	1	0.07
FMRC0018	112	113	1	0.08
FMRC0018	113	114	1	0.01
FMRC0018	114	115	1	0.07
FMRC0018	115	116	1	0.14
FMRC0018	116	117	1	0.09
FMRC0018	117	118	1	0.08
FMRC0018	118	119	1	0.04
FMRC0018	119	120	1	0.09
FMRC0018	120	121	1	0.06
FMRC0018	121	122	1	0.2
FMRC0018	122	123	1	0.11
FMRC0018	123	124	1	0.14
FMRC0018	124	125	1	0.18
FMRC0018	125	126	1	0.05
FMRC0018	126	127	1	0.08
FMRC0018	127	128	1	0.07
FMRC0018	128	129	1	0.32
FMRC0018	129	130	1	0.08

Hole ID	From	To	Interval	Au (g/t)
FMRC0018	130	131	1	0.02
FMRC0018	131	132	1	0.07
FMRC0018	132	133	1	0.05
FMRC0018	133	134	1	<0.01
FMRC0018	134	135	1	<0.01
FMRC0018	135	136	1	<0.01
FMRC0018	136	137	1	<0.01
FMRC0018	137	138	1	0.02
FMRC0018	138	139	1	<0.01
FMRC0018	139	140	1	<0.01
FMRC0018	140	141	1	0.05
FMRC0018	141	142	1	<0.01
FMRC0018	142	143	1	0.01
FMRC0018	143	144	1	<0.01
FMRC0018	144	145	1	<0.01
FMRC0018	145	146	1	0.02
FMRC0018	146	147	1	0.01
FMRC0018	147	148	1	0.02
FMRC0018	148	149	1	<0.01
FMRC0019	0	1	1	0.25
FMRC0019	1	2	1	0.34
FMRC0019	2	3	1	0.37
FMRC0019	3	4	1	0.45
FMRC0019	4	5	1	0.31
FMRC0019	5	6	1	0.19
FMRC0019	6	7	1	0.17
FMRC0019	7	8	1	0.06
FMRC0019	8	9	1	0.05
FMRC0019	9	10	1	0.05
FMRC0019	10	11	1	0.07
FMRC0019	11	12	1	0.21
FMRC0019	12	13	1	0.09
FMRC0019	13	14	1	0.18
FMRC0019	14	15	1	0.05
FMRC0019	15	16	1	0.01
FMRC0019	16	17	1	0.03
FMRC0019	17	18	1	0
FMRC0019	18	19	1	0
FMRC0019	19	20	1	0.07
FMRC0019	20	21	1	0.07
FMRC0019	21	22	1	0.14
FMRC0019	22	23	1	0.03
FMRC0019	23	24	1	0
FMRC0019	24	25	1	0.01
FMRC0019	25	26	1	0

Hole ID	From	To	Interval	Au (g/t)
FMRC0019	26	27	1	0
FMRC0019	27	28	1	0
FMRC0019	28	29	1	0.06
FMRC0019	29	30	1	0.09
FMRC0019	30	31	1	0.02
FMRC0019	31	32	1	0.08
FMRC0019	32	33	1	0.28
FMRC0019	33	34	1	0.34
FMRC0019	34	35	1	0.4
FMRC0019	35	36	1	2.56
FMRC0019	36	37	1	3.24
FMRC0019	37	38	1	1.93
FMRC0019	38	39	1	3.19
FMRC0019	39	40	1	1.13
FMRC0019	40	41	1	0.33
FMRC0019	41	42	1	0.48
FMRC0019	42	43	1	0.45
FMRC0019	43	44	1	0.66
FMRC0019	44	45	1	0.17
FMRC0019	45	46	1	0.06
FMRC0019	46	47	1	0
FMRC0019	47	48	1	0.16
FMRC0019	48	49	1	0.09
FMRC0019	49	50	1	0.06
FMRC0019	50	51	1	0
FMRC0019	51	52	1	0
FMRC0019	52	53	1	0.02
FMRC0019	53	54	1	0.13
FMRC0019	54	55	1	0.15
FMRC0019	55	56	1	0.06
FMRC0019	56	57	1	0.05
FMRC0019	57	58	1	0.04
FMRC0019	58	59	1	0.04
FMRC0019	59	60	1	0
FMRC0019	60	61	1	0.04
FMRC0019	61	62	1	0.07
FMRC0019	62	63	1	0.24
FMRC0019	63	64	1	0.45
FMRC0019	64	65	1	0.02
FMRC0019	65	66	1	0
FMRC0019	66	67	1	0
FMRC0019	67	68	1	0
FMRC0019	68	69	1	0
FMRC0019	69	70	1	0
FMRC0019	70	71	1	0

Hole ID	From	To	Interval	Au (g/t)
FMRC0019	71	72	1	0.05
FMRC0019	72	73	1	0
FMRC0019	73	74	1	0.02
FMRC0019	74	75	1	0
FMRC0019	75	76	1	0.06
FMRC0019	76	77	1	0.06
FMRC0019	77	78	1	0.1
FMRC0019	78	79	1	0.49
FMRC0019	79	80	1	0.21
FMRC0019	80	81	1	0.07
FMRC0019	81	82	1	0.29
FMRC0019	82	83	1	0.08
FMRC0019	83	84	1	0
FMRC0019	84	85	1	0.04
FMRC0019	85	86	1	0.58
FMRC0019	86	87	1	0.65
FMRC0019	87	88	1	0.21
FMRC0019	88	89	1	0.02
FMRC0019	89	90	1	0.09
FMRC0019	90	91	1	0.02
FMRC0019	91	92	1	0.02
FMRC0019	92	93	1	0.13
FMRC0019	93	94	1	0.15
FMRC0019	94	95	1	0.13
FMRC0019	95	96	1	0.04
FMRC0019	96	97	1	0.09
FMRC0019	97	98	1	0.02
FMRC0019	98	99	1	0.01
FMRC0019	99	100	1	0
FMRC0019	100	101	1	0
FMRC0019	101	102	1	0
FMRC0019	102	103	1	0.03
FMRC0019	103	104	1	0
FMRC0019	104	105	1	0
FMRC0019	105	106	1	0.03
FMRC0019	106	107	1	0.04
FMRC0019	107	108	1	0.05
FMRC0019	108	109	1	0.05
FMRC0019	109	110	1	0.04
FMRC0019	110	111	1	0
FMRC0019	111	112	1	0
FMRC0019	112	113	1	0.06
FMRC0019	113	114	1	0
FMRC0019	114	115	1	0.04
FMRC0019	115	116	1	0

Hole ID	From	To	Interval	Au (g/t)
FMRC0019	116	117	1	0.08
FMRC0019	117	118	1	0.07
FMRC0019	118	119	1	0.04
FMRC0019	119	120	1	0
FMRC0019	120	121	1	0
FMRC0019	121	122	1	0.17
FMRC0019	122	123	1	0.03
FMRC0019	123	124	1	0.11
FMRC0019	124	125	1	0.02
FMRC0019	125	126	1	0.13
FMRC0019	126	127	1	0.1
FMRC0019	127	128	1	0.26
FMRC0019	128	129	1	0.12
FMRC0019	129	130	1	0.04
FMRC0019	130	131	1	0.09
FMRC0019	131	132	1	0.04
FMRC0019	132	133	1	0.06
FMRC0019	133	134	1	0
FMRC0019	134	135	1	0.03
FMRC0019	135	136	1	0.11
FMRC0019	136	137	1	0.09
FMRC0019	137	138	1	0
FMRC0019	138	139	1	0.02
FMRC0019	139	140	1	0
FMRC0019	140	141	1	0.1
FMRC0019	141	142	1	0.02
FMRC0019	142	143	1	0.02
FMRC0019	143	144	1	0.76
FMRC0019	144	145	1	0.06
FMRC0019	145	146	1	0
FMRC0019	146	147	1	0
FMRC0019	147	148	1	0.07
FMRC0019	148	149	1	0.17
FMRC0019	149	150	1	0.1
FMRC0020	0	1	1	0.11
FMRC0020	1	2	1	0.18
FMRC0020	2	3	1	0.16
FMRC0020	3	4	1	0.68
FMRC0020	4	5	1	1.29
FMRC0020	5	6	1	0.64
FMRC0020	6	7	1	0.61
FMRC0020	7	8	1	0.55
FMRC0020	8	9	1	0.36
FMRC0020	9	10	1	0.21
FMRC0020	10	11	1	0.06

Hole ID	From	To	Interval	Au (g/t)
FMRC0020	11	12	1	0.1
FMRC0020	12	13	1	0.13
FMRC0020	13	14	1	0.07
FMRC0020	14	15	1	0.03
FMRC0020	15	16	1	0.04
FMRC0020	16	17	1	0.09
FMRC0020	17	18	1	0.07
FMRC0020	18	19	1	0.1
FMRC0020	19	20	1	0.07
FMRC0020	20	21	1	0.08
FMRC0020	21	22	1	0.09
FMRC0020	22	23	1	0.06
FMRC0020	23	24	1	0.08
FMRC0020	24	25	1	0.55
FMRC0020	25	26	1	0.29
FMRC0020	26	27	1	0.35
FMRC0020	27	28	1	0.58
FMRC0020	28	29	1	1.43
FMRC0020	29	30	1	0.44
FMRC0020	30	31	1	0.28
FMRC0020	31	32	1	0.24
FMRC0020	32	33	1	0.02
FMRC0020	33	34	1	0
FMRC0020	34	35	1	0.01
FMRC0020	35	36	1	0.01
FMRC0020	36	37	1	0.03
FMRC0020	37	38	1	0.03
FMRC0020	38	39	1	0.31
FMRC0020	39	40	1	1.37
FMRC0020	40	41	1	1.23
FMRC0020	41	42	1	0.21
FMRC0020	42	43	1	0.24
FMRC0020	43	44	1	0.02
FMRC0020	44	45	1	0.04
FMRC0020	45	46	1	0.09
FMRC0020	46	47	1	0.08
FMRC0020	47	48	1	0.08
FMRC0020	48	49	1	0.02
FMRC0020	49	50	1	0
FMRC0020	50	51	1	0.06
FMRC0020	51	52	1	0.08
FMRC0020	52	53	1	0.02
FMRC0020	53	54	1	0
FMRC0020	54	55	1	0.05
FMRC0020	55	56	1	0.06

Hole ID	From	To	Interval	Au (g/t)
FMRC0020	56	57	1	0.03
FMRC0020	57	58	1	0.01
FMRC0020	58	59	1	0.01
FMRC0020	59	60	1	0
FMRC0020	60	61	1	0.04
FMRC0020	61	62	1	0
FMRC0020	62	63	1	0
FMRC0020	63	64	1	0.03
FMRC0020	64	65	1	0
FMRC0020	65	66	1	0.17
FMRC0020	66	67	1	0.34
FMRC0020	67	68	1	0.02
FMRC0020	68	69	1	0.25
FMRC0020	69	70	1	0.03
FMRC0020	70	71	1	0.02
FMRC0020	71	72	1	0.05
FMRC0020	72	73	1	0.02
FMRC0020	73	74	1	0.08
FMRC0020	74	75	1	0.31
FMRC0020	75	76	1	0.08
FMRC0020	76	77	1	0.05
FMRC0020	77	78	1	0.04
FMRC0020	78	79	1	0.04
FMRC0020	79	80	1	0.03
FMRC0020	80	81	1	0.03
FMRC0020	81	82	1	0.02
FMRC0020	82	83	1	0
FMRC0020	83	84	1	0.01
FMRC0020	84	85	1	0.02
FMRC0020	85	86	1	0.02
FMRC0020	86	87	1	0.05
FMRC0020	87	88	1	0.05
FMRC0020	88	89	1	0
FMRC0020	89	90	1	0.07
FMRC0020	90	91	1	0.05
FMRC0020	91	92	1	0.04
FMRC0020	92	93	1	0.04
FMRC0020	93	94	1	0.03
FMRC0020	94	95	1	0.07
FMRC0020	95	96	1	0.04
FMRC0020	96	97	1	0.05
FMRC0020	97	98	1	0.01
FMRC0020	98	99	1	0.11
FMRC0020	99	100	1	0.08
FMRC0020	100	101	1	0.08

Hole ID	From	To	Interval	Au (g/t)
FMRC0020	101	102	1	0.06
FMRC0020	102	103	1	0.18
FMRC0020	103	104	1	0.97
FMRC0020	104	105	1	0.23
FMRC0020	105	106	1	0.2
FMRC0020	106	107	1	0.32
FMRC0020	107	108	1	0.92
FMRC0020	108	109	1	0.38
FMRC0020	109	110	1	0.19
FMRC0020	110	111	1	2.23
FMRC0020	111	112	1	0.89
FMRC0020	112	113	1	0.24
FMRC0020	113	114	1	0.16
FMRC0020	114	115	1	0.12
FMRC0020	115	116	1	0.17
FMRC0020	116	117	1	0.1
FMRC0020	117	118	1	0.18
FMRC0020	118	119	1	0.3
FMRC0020	119	120	1	0.48
FMRC0020	120	121	1	0.74
FMRC0020	121	122	1	0.23
FMRC0020	122	123	1	0.2
FMRC0020	123	124	1	0.7
FMRC0020	124	125	1	0.05
FMRC0020	125	126	1	0.04
FMRC0020	126	127	1	0.02
FMRC0020	127	128	1	0.06
FMRC0020	128	129	1	0.05
FMRC0020	129	130	1	0.04
FMRC0020	130	131	1	0.08
FMRC0020	131	132	1	0.06
FMRC0020	132	133	1	0.11
FMRC0020	133	134	1	0.06
FMRC0020	134	135	1	0.58
FMRC0020	135	136	1	0.13
FMRC0020	136	137	1	0.14
FMRC0020	137	138	1	0.04
FMRC0020	138	139	1	0.07
FMRC0020	139	140	1	0.08
FMRC0020	140	141	1	0.01
FMRC0020	141	142	1	0.03
FMRC0020	142	143	1	0.1
FMRC0020	143	144	1	0.07
FMRC0020	144	145	1	0.08
FMRC0020	145	146	1	0.08

Hole ID	From	To	Interval	Au (g/t)
FMRC0020	146	147	1	0.04
FMRC0020	147	148	1	0.01
FMRC0020	148	149	1	0.05
FMRC0020	149	150	1	0.04
FMRC0020	150	151	1	0.08
FMRC0020	151	152	1	0.04
FMRC0020	152	153	1	0.07
FMRC0020	153	154	1	0.07
FMRC0020	154	155	1	0.05
FMRC0020	155	156	1	0.06
FMRC0020	156	157	1	0.02
FMRC0021	2	3	1	0.44
FMRC0021	3	4	1	1.46
FMRC0021	4	5	1	0.78
FMRC0021	5	6	1	0.55
FMRC0021	6	7	1	0.4
FMRC0021	7	8	1	0.22
FMRC0021	8	9	1	0.07
FMRC0021	9	10	1	0.03
FMRC0021	10	11	1	0.03
FMRC0021	11	12	1	0.05
FMRC0021	12	13	1	0.01
FMRC0021	13	14	1	0
FMRC0021	14	15	1	0.05
FMRC0021	15	16	1	0
FMRC0021	16	17	1	0
FMRC0021	17	18	1	0.03
FMRC0021	18	19	1	0.01
FMRC0021	19	20	1	0
FMRC0021	20	21	1	0.03
FMRC0021	21	22	1	0.07
FMRC0021	22	23	1	0.48
FMRC0021	23	24	1	0.1
FMRC0021	24	25	1	0.65
FMRC0021	25	26	1	0.76
FMRC0021	26	27	1	1.56
FMRC0021	27	28	1	1.7
FMRC0021	28	29	1	2.4
FMRC0021	29	30	1	9.96
FMRC0021	30	31	1	2.69
FMRC0021	31	32	1	1.59
FMRC0021	32	33	1	0.68
FMRC0021	33	34	1	0.85
FMRC0021	34	35	1	0.76
FMRC0021	35	36	1	0.21

Hole ID	From	To	Interval	Au (g/t)
FMRC0021	36	37	1	0.36
FMRC0021	37	38	1	0.55
FMRC0021	38	39	1	0.94
FMRC0021	39	40	1	0.17
FMRC0021	40	41	1	0.37
FMRC0021	41	42	1	0.83
FMRC0021	42	43	1	0.75
FMRC0021	43	44	1	0.84
FMRC0021	44	45	1	1.07
FMRC0021	45	46	1	1.64
FMRC0021	46	47	1	0.22
FMRC0021	47	48	1	0.49
FMRC0021	48	49	1	0.14
FMRC0021	49	50	1	0.12
FMRC0021	50	51	1	1.03
FMRC0021	51	52	1	2.12
FMRC0021	52	53	1	0.73
FMRC0021	53	54	1	0.58
FMRC0021	54	55	1	0.1
FMRC0021	55	56	1	0.34
FMRC0021	56	57	1	0.14
FMRC0021	57	58	1	0.08
FMRC0021	58	59	1	0.13
FMRC0021	59	60	1	0.07
FMRC0021	60	61	1	0.03
FMRC0021	61	62	1	0.01
FMRC0021	62	63	1	0.06
FMRC0021	63	64	1	0.03
FMRC0021	64	65	1	0
FMRC0021	65	66	1	0.06
FMRC0021	66	67	1	0.12
FMRC0021	67	68	1	0.07
FMRC0021	68	69	1	0.07
FMRC0021	69	70	1	0.04
FMRC0021	70	71	1	0.09
FMRC0021	71	72	1	0.06
FMRC0021	72	73	1	0.03
FMRC0021	73	74	1	0.03
FMRC0021	74	75	1	0.06
FMRC0021	75	76	1	0
FMRC0021	76	77	1	0.02
FMRC0021	77	78	1	0.11
FMRC0021	78	79	1	0
FMRC0021	79	80	1	0.23
FMRC0021	80	81	1	0

Hole ID	From	To	Interval	Au (g/t)
FMRC0021	81	82	1	0.06
FMRC0021	82	83	1	0.03
FMRC0021	83	84	1	0
FMRC0021	84	85	1	0
FMRC0021	85	86	1	0
FMRC0021	86	87	1	0
FMRC0021	87	88	1	0.01
FMRC0021	88	89	1	0.01
FMRC0021	89	90	1	0
FMRC0021	90	91	1	0
FMRC0021	91	92	1	0.03
FMRC0021	92	93	1	0.03
FMRC0021	93	94	1	8.17
FMRC0021	94	95	1	0.15
FMRC0021	95	96	1	0.06
FMRC0021	96	97	1	0.03
FMRC0021	97	98	1	0
FMRC0021	98	99	1	0.03
FMRC0021	99	100	1	0.03
FMRC0021	100	101	1	0
FMRC0021	101	102	1	0
FMRC0021	102	103	1	0
FMRC0021	103	104	1	0
FMRC0021	104	105	1	0.03
FMRC0021	105	106	1	0.02
FMRC0021	106	107	1	0
FMRC0021	107	108	1	0
FMRC0021	108	109	1	0.02
FMRC0021	109	110	1	0.02
FMRC0021	110	111	1	0
FMRC0021	111	112	1	0
FMRC0021	112	113	1	0.07
FMRC0021	113	114	1	0.05
FMRC0021	114	115	1	0.17
FMRC0021	115	116	1	0.26
FMRC0021	116	117	1	0.1
FMRC0021	117	118	1	0
FMRC0021	118	119	1	0.03
FMRC0021	119	120	1	0
FMRC0021	120	121	1	0
FMRC0021	121	122	1	0.02
FMRC0021	122	123	1	0.03
FMRC0021	123	124	1	0
FMRC0021	124	125	1	0.13
FMRC0021	125	126	1	0.04

Hole ID	From	To	Interval	Au (g/t)
FMRC0021	126	127	1	0.06
FMRC0021	127	128	1	0.1
FMRC0021	128	129	1	0.06
FMRC0021	129	130	1	0.12
FMRC0021	130	131	1	0.09
FMRC0021	131	132	1	0.28
FMRC0021	132	133	1	0.22
FMRC0021	133	134	1	1
FMRC0021	134	135	1	0.41
FMRC0021	135	136	1	0.28
FMRC0021	136	137	1	0.16
FMRC0021	137	138	1	0.09
FMRC0021	138	139	1	0.14
FMRC0021	139	140	1	0.14
FMRC0021	140	141	1	0.17
FMRC0021	141	142	1	0.02
FMRC0021	142	143	1	0.08
FMRC0021	143	144	1	0.19
FMRC0021	144	145	1	0.33
FMRC0021	145	146	1	0.37
FMRC0021	146	147	1	0.29
FMRC0021	147	148	1	0.37
FMRC0021	148	149	1	0.13
FMRC0021	149	150	1	0.45
FMRC0021	150	151	1	0.43
FMRC0021	151	152	1	0.13
FMRC0021	152	153	1	0.05
FMRC0021	153	154	1	0.15
FMRC0021	154	155	1	0.05
FMRC0021	155	156	1	0.03
FMRC0021	156	157	1	0.05
FMRC0021	157	158	1	0.13
FMRC0021	158	159	1	0.11
FMRC0021	159	160	1	0.1
FMRC0021	160	161	1	0.05
FMRC0021	161	162	1	0.1
FMRC0021	162	163	1	0.15
FMRC0021	163	164	1	0
FMRC0021	164	165	1	0.07
FMRC0021	165	166	1	0
FMRC0021	166	167	1	0
FMRC0021	167	168	1	0.02
FMRC0021	168	169	1	0.03
FMRC0021	169	170	1	0
FMRC0021	0	1	1	0.35

Hole ID	From	To	Interval	Au (g/t)
FMRC0021	1	2	1	0.35
FMRC0027	0	1	1	0
FMRC0027	1	2	1	0.25
FMRC0027	2	3	1	0.02
FMRC0027	3	4	1	0.18
FMRC0027	4	5	1	0.57
FMRC0027	5	6	1	0.22
FMRC0027	6	7	1	0
FMRC0027	7	8	1	0.1
FMRC0027	8	9	1	0.12
FMRC0027	9	10	1	0
FMRC0027	10	11	1	0
FMRC0027	11	12	1	0
FMRC0027	12	13	1	0.01
FMRC0027	13	14	1	0.1
FMRC0027	14	15	1	0.27
FMRC0027	15	16	1	0
FMRC0027	16	17	1	0
FMRC0027	17	18	1	0.25
FMRC0027	18	19	1	0.63
FMRC0027	19	20	1	0.35
FMRC0027	20	21	1	0.85
FMRC0027	21	22	1	0.47
FMRC0027	22	23	1	0.29
FMRC0027	23	24	1	0.34
FMRC0027	24	25	1	0.38
FMRC0027	25	26	1	0.1
FMRC0027	26	27	1	0.16
FMRC0027	27	28	1	0.16
FMRC0027	28	29	1	0.13
FMRC0027	29	30	1	0.31
FMRC0027	30	31	1	0.21
FMRC0027	31	32	1	0.2
FMRC0027	32	33	1	0.23
FMRC0027	33	34	1	0.27
FMRC0027	34	35	1	<0.01
FMRC0027	35	36	1	0.03
FMRC0027	36	37	1	0.02
FMRC0027	37	38	1	0.11
FMRC0027	38	39	1	0.02
FMRC0027	39	40	1	0.11
FMRC0027	40	41	1	0.08
FMRC0027	41	42	1	0.21
FMRC0027	42	43	1	3.75
FMRC0027	43	44	1	0.13

Hole ID	From	To	Interval	Au (g/t)
FMRC0027	44	45	1	0.23
FMRC0027	45	46	1	0.02
FMRC0027	46	47	1	0.11
FMRC0027	47	48	1	0.04
FMRC0027	48	49	1	0.09
FMRC0027	49	50	1	<0.01
FMRC0027	50	51	1	0.07
FMRC0027	51	52	1	0.2
FMRC0027	52	53	1	0.43
FMRC0027	53	54	1	0.25
FMRC0027	54	55	1	0.34
FMRC0027	55	56	1	0.39
FMRC0027	56	57	1	0.91
FMRC0027	57	58	1	0.56
FMRC0027	58	59	1	1.85
FMRC0027	59	60	1	0.52
FMRC0027	60	61	1	0.04
FMRC0027	61	62	1	<0.01
FMRC0027	62	63	1	<0.01
FMRC0027	63	64	1	<0.01
FMRC0027	64	65	1	<0.01
FMRC0027	65	66	1	<0.01
FMRC0027	66	67	1	<0.01
FMRC0027	67	68	1	0.1
FMRC0027	68	69	1	0.06
FMRC0027	69	70	1	0.03
FMRC0027	70	71	1	0.03
FMRC0027	71	72	1	0.07
FMRC0027	72	73	1	<0.01
FMRC0027	73	74	1	0.09
FMRC0027	74	75	1	0.25
FMRC0027	75	76	1	0.2
FMRC0027	76	77	1	0.03
FMRC0027	77	78	1	0.07
FMRC0027	78	79	1	0.06
FMRC0027	79	80	1	<0.01
FMRC0027	80	81	1	<0.01
FMRC0027	81	82	1	0.02
FMRC0027	82	83	1	0.05
FMRC0027	83	84	1	0.05
FMRC0027	84	85	1	0.14
FMRC0027	85	86	1	0.06
FMRC0027	86	87	1	0.08
FMRC0027	87	88	1	0.05
FMRC0027	88	89	1	0.19



Hole ID	From	To	Interval	Au (g/t)
FMRC0027	89	90	1	<0.01
FMRC0027	90	91	1	0.02
FMRC0027	91	92	1	0.06
FMRC0027	92	93	1	0.12
FMRC0027	93	94	1	0.06
FMRC0027	94	95	1	0.04
FMRC0027	95	96	1	0.08
FMRC0027	96	97	1	0.08
FMRC0027	97	98	1	0.01
FMRC0027	98	99	1	0.07
FMRC0027	99	100	1	0.04
FMRC0027	100	101	1	<0.01
FMRC0027	101	102	1	0.09
FMRC0027	102	103	1	0.05
FMRC0027	103	104	1	<0.01
FMRC0027	104	105	1	0.03
FMRC0027	105	106	1	0.01
FMRC0027	106	107	1	<0.01
FMRC0027	107	108	1	0.13
FMRC0027	108	109	1	0.2
FMRC0027	109	110	1	0.18
FMRC0027	110	111	1	0.24
FMRC0027	111	112	1	0.04
FMRC0027	112	113	1	0.16
FMRC0027	113	114	1	0.02
FMRC0027	114	115	1	0.1
FMRC0027	115	116	1	0.04
FMRC0027	116	117	1	0.03
FMRC0027	117	118	1	0.06
FMRC0027	118	119	1	<0.01
FMRC0027	119	120	1	0.06
FMRC0027	120	121	1	0.04
FMRC0027	121	122	1	0.08
FMRC0027	122	123	1	0.02
FMRC0027	123	124	1	<0.01
FMRC0027	124	125	1	0.04
FMRC0027	125	126	1	<0.01
FMRC0027	126	127	1	0.02
FMRC0027	127	128	1	0.05
FMRC0027	128	129	1	<0.01
FMRC0027	129	130	1	0.03
FMRC0027	130	131	1	0.03
FMRC0027	131	132	1	0.04
FMRC0027	132	133	1	0.04
FMRC0027	133	134	1	0.23

Hole ID	From	To	Interval	Au (g/t)
FMRC0027	134	135	1	0.13
FMRC0027	135	136	1	0.21
FMRC0027	136	137	1	0.2
FMRC0027	137	138	1	<0.01
FMRC0027	138	139	1	0.08
FMRC0027	139	140	1	0.09
FMRC0027	140	141	1	0.13
FMRC0027	141	142	1	0.03
FMRC0027	142	143	1	<0.01
FMRC0027	143	144	1	0.03
FMRC0027	144	145	1	<0.01
FMRC0027	145	146	1	<0.01
FMRC0027	146	147	1	<0.01
FMRC0027	147	148	1	0.02
FMRC0027	148	149	1	<0.01
FMRC0027	149	150	1	0.12
FMRC0028	0	1	1	2.72
FMRC0028	1	2	1	1.52
FMRC0028	2	3	1	0.43
FMRC0028	3	4	1	0.22
FMRC0028	4	5	1	1.32
FMRC0028	5	6	1	0.75
FMRC0028	6	7	1	<0.01
FMRC0028	7	8	1	0.09
FMRC0028	8	9	1	0.12
FMRC0028	9	10	1	<0.01
FMRC0028	10	11	1	0.02
FMRC0028	11	12	1	0.06
FMRC0028	12	13	1	<0.01
FMRC0028	13	14	1	<0.01
FMRC0028	14	15	1	<0.01
FMRC0028	15	16	1	<0.01
FMRC0028	16	17	1	<0.01
FMRC0028	17	18	1	<0.01
FMRC0028	18	19	1	0.14
FMRC0028	19	20	1	0.04
FMRC0028	20	21	1	0.11
FMRC0028	21	22	1	0.14
FMRC0028	22	23	1	0.16
FMRC0028	23	24	1	0.3
FMRC0028	24	25	1	0.1
FMRC0028	25	26	1	0.26
FMRC0028	26	27	1	0.14
FMRC0028	27	28	1	0.14
FMRC0028	28	29	1	0.08

Hole ID	From	To	Interval	Au (g/t)
FMRC0028	29	30	1	0.01
FMRC0028	30	31	1	0.2
FMRC0028	31	32	1	0.56
FMRC0028	32	33	1	0.42
FMRC0028	33	34	1	0.3
FMRC0028	34	35	1	<0.01
FMRC0028	35	36	1	0.05
FMRC0028	36	37	1	0.09
FMRC0028	37	38	1	0.07
FMRC0028	38	39	1	<0.01
FMRC0028	39	40	1	0.07
FMRC0028	40	41	1	0.08
FMRC0028	41	42	1	0.09
FMRC0028	42	43	1	0.09
FMRC0028	43	44	1	0.16
FMRC0028	44	45	1	0.08
FMRC0028	45	46	1	0.04
FMRC0028	46	47	1	0.08
FMRC0028	47	48	1	0.24
FMRC0028	48	49	1	0.22
FMRC0028	49	50	1	0.07
FMRC0028	50	51	1	0.1
FMRC0028	51	52	1	0.01
FMRC0028	52	53	1	<0.01
FMRC0028	53	54	1	<0.01
FMRC0028	54	55	1	<0.01
FMRC0028	55	56	1	<0.01
FMRC0028	56	57	1	0.01
FMRC0028	57	58	1	<0.01
FMRC0028	58	59	1	<0.01
FMRC0028	59	60	1	<0.01
FMRC0028	60	61	1	<0.01
FMRC0028	61	62	1	<0.01
FMRC0028	62	63	1	<0.01
FMRC0028	63	64	1	<0.01
FMRC0028	64	65	1	<0.01
FMRC0028	65	66	1	0.44
FMRC0028	66	67	1	0.76
FMRC0028	67	68	1	2.65
FMRC0028	68	69	1	1.46
FMRC0028	69	70	1	0.77
FMRC0028	70	71	1	0.39
FMRC0028	71	72	1	0.31
FMRC0028	72	73	1	0.93
FMRC0028	73	74	1	0.17

Hole ID	From	To	Interval	Au (g/t)
FMRC0028	74	75	1	0.08
FMRC0028	75	76	1	0.09
FMRC0028	76	77	1	0.08
FMRC0028	77	78	1	0.04
FMRC0028	78	79	1	0.2
FMRC0028	79	80	1	0.41
FMRC0028	80	81	1	0.09
FMRC0028	81	82	1	0.04
FMRC0028	82	83	1	0.02
FMRC0028	83	84	1	<0.01
FMRC0028	84	85	1	<0.01
FMRC0028	85	86	1	0.03
FMRC0028	86	87	1	<0.01
FMRC0028	87	88	1	<0.01
FMRC0028	88	89	1	<0.01
FMRC0028	89	90	1	<0.01
FMRC0028	90	91	1	0.17
FMRC0028	91	92	1	0.03
FMRC0028	92	93	1	<0.01
FMRC0028	93	94	1	0.03
FMRC0028	94	95	1	0.02
FMRC0028	95	96	1	<0.01
FMRC0028	96	97	1	0.01
FMRC0028	97	98	1	0.01
FMRC0028	98	99	1	<0.01
FMRC0028	99	100	1	<0.01
FMRC0028	100	101	1	0.11
FMRC0028	101	102	1	1.3
FMRC0028	102	103	1	0.3
FMRC0028	103	104	1	0.18
FMRC0028	104	105	1	0.04
FMRC0028	105	106	1	0.01
FMRC0028	106	107	1	0.01
FMRC0028	107	108	1	0.09
FMRC0028	108	109	1	0.17
FMRC0028	109	110	1	0.08
FMRC0028	110	111	1	0.11
FMRC0028	111	112	1	0.09
FMRC0028	112	113	1	0.31
FMRC0028	113	114	1	0.13
FMRC0028	114	115	1	0.03
FMRC0028	115	116	1	0.14
FMRC0028	116	117	1	0.03
FMRC0028	117	118	1	0.02
FMRC0028	118	119	1	0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0028	119	120	1	0.12
FMRC0028	120	121	1	0.12
FMRC0028	121	122	1	0.21
FMRC0028	122	123	1	0.14
FMRC0028	123	124	1	0.09
FMRC0028	124	125	1	0.03
FMRC0028	125	126	1	0.13
FMRC0028	126	127	1	0.1
FMRC0028	127	128	1	0.23
FMRC0028	128	129	1	0.07
FMRC0028	129	130	1	0.07
FMRC0028	130	131	1	0.05
FMRC0028	131	132	1	0.04
FMRC0028	132	133	1	0.08
FMRC0028	133	134	1	0.15
FMRC0028	134	135	1	0.07
FMRC0028	135	136	1	0.09
FMRC0028	136	137	1	0.28
FMRC0028	137	138	1	0.48
FMRC0028	138	139	1	0.18
FMRC0028	139	140	1	0.1
FMRC0028	140	141	1	0.09
FMRC0028	141	142	1	0.09
FMRC0028	142	143	1	0.05
FMRC0028	143	144	1	0.01
FMRC0028	144	145	1	0.04
FMRC0028	145	146	1	<0.01
FMRC0028	146	147	1	0.01
FMRC0028	147	148	1	0.02
FMRC0028	148	149	1	0.04
FMRC0028	149	150	1	<0.01
FMRC0029	0	1	1	0.28
FMRC0029	1	2	1	0.17
FMRC0029	2	3	1	0.17
FMRC0029	3	4	1	0.13
FMRC0029	4	5	1	0.05
FMRC0029	5	6	1	0.16
FMRC0029	6	7	1	0.04
FMRC0029	7	8	1	0.12
FMRC0029	8	9	1	0.02
FMRC0029	9	10	1	0.26
FMRC0029	10	11	1	0.25
FMRC0029	11	12	1	0.09
FMRC0029	12	13	1	0.47
FMRC0029	13	14	1	0.29

Hole ID	From	To	Interval	Au (g/t)
FMRC0029	14	15	1	0.14
FMRC0029	15	16	1	0.36
FMRC0029	16	17	1	0.61
FMRC0029	17	18	1	0.34
FMRC0029	18	19	1	1.18
FMRC0029	19	20	1	0.56
FMRC0029	20	21	1	0.5
FMRC0029	21	22	1	0.2
FMRC0029	22	23	1	0.48
FMRC0029	23	24	1	0.37
FMRC0029	24	25	1	0.29
FMRC0029	25	26	1	0.21
FMRC0029	26	27	1	0.38
FMRC0029	27	28	1	0.13
FMRC0029	28	29	1	0.29
FMRC0029	29	30	1	0.1
FMRC0029	30	31	1	0.19
FMRC0029	31	32	1	<0.01
FMRC0029	32	33	1	<0.01
FMRC0029	33	34	1	0.1
FMRC0029	34	35	1	0.29
FMRC0029	35	36	1	0.43
FMRC0029	36	37	1	0.04
FMRC0029	37	38	1	0.2
FMRC0029	38	39	1	0.24
FMRC0029	39	40	1	0.15
FMRC0029	40	41	1	1.07
FMRC0029	41	42	1	0.95
FMRC0029	42	43	1	<0.01
FMRC0029	43	44	1	0.02
FMRC0029	44	45	1	<0.01
FMRC0029	45	46	1	0.22
FMRC0029	46	47	1	0.36
FMRC0029	47	48	1	0.35
FMRC0029	48	49	1	0.27
FMRC0029	49	50	1	0.14
FMRC0029	50	51	1	0.13
FMRC0029	51	52	1	0.01
FMRC0029	52	53	1	<0.01
FMRC0029	53	54	1	<0.01
FMRC0029	54	55	1	<0.01
FMRC0029	55	56	1	<0.01
FMRC0029	56	57	1	<0.01
FMRC0029	57	58	1	<0.01
FMRC0029	58	59	1	0.04

Hole ID	From	To	Interval	Au (g/t)
FMRC0029	59	60	1	0.01
FMRC0029	60	61	1	<0.01
FMRC0029	61	62	1	0.03
FMRC0029	62	63	1	<0.01
FMRC0029	63	64	1	<0.01
FMRC0029	64	65	1	<0.01
FMRC0029	65	66	1	0.01
FMRC0029	66	67	1	<0.01
FMRC0029	67	68	1	<0.01
FMRC0029	68	69	1	0.1
FMRC0029	69	70	1	0.23
FMRC0029	70	71	1	<0.01
FMRC0029	71	72	1	0.02
FMRC0029	72	73	1	0.08
FMRC0029	73	74	1	0.02
FMRC0029	74	75	1	0.02
FMRC0029	75	76	1	0.01
FMRC0029	76	77	1	0.01
FMRC0029	77	78	1	0.02
FMRC0029	78	79	1	0.01
FMRC0029	79	80	1	0.03
FMRC0029	80	81	1	0.05
FMRC0029	81	82	1	0.03
FMRC0029	82	83	1	0.02
FMRC0029	83	84	1	<0.01
FMRC0029	84	85	1	<0.01
FMRC0029	85	86	1	<0.01
FMRC0029	86	87	1	<0.01
FMRC0029	87	88	1	<0.01
FMRC0029	88	89	1	<0.01
FMRC0029	89	90	1	<0.01
FMRC0029	90	91	1	0.03
FMRC0029	91	92	1	0.01
FMRC0029	92	93	1	<0.01
FMRC0029	93	94	1	0.02
FMRC0029	94	95	1	<0.01
FMRC0029	95	96	1	<0.01
FMRC0029	96	97	1	0.03
FMRC0029	97	98	1	<0.01
FMRC0029	98	99	1	<0.01
FMRC0029	99	100	1	<0.01
FMRC0029	100	101	1	0.05
FMRC0029	101	102	1	<0.01
FMRC0029	102	103	1	<0.01
FMRC0029	103	104	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0029	104	105	1	0.11
FMRC0029	105	106	1	0.03
FMRC0029	106	107	1	0.01
FMRC0029	107	108	1	0.04
FMRC0029	108	109	1	0.04
FMRC0029	109	110	1	0.1
FMRC0029	110	111	1	0.02
FMRC0029	111	112	1	<0.01
FMRC0029	112	113	1	0.03
FMRC0029	113	114	1	0.07
FMRC0029	114	115	1	0.05
FMRC0029	115	116	1	0.03
FMRC0029	116	117	1	0.01
FMRC0029	117	118	1	<0.01
FMRC0029	118	119	1	<0.01
FMRC0029	119	120	1	<0.01
FMRC0030	0	1	1	0.3
FMRC0030	1	2	1	0.33
FMRC0030	2	3	1	0.13
FMRC0030	3	4	1	0.08
FMRC0030	4	5	1	0.23
FMRC0030	5	6	1	0.15
FMRC0030	6	7	1	0.06
FMRC0030	7	8	1	0.04
FMRC0030	8	9	1	0.06
FMRC0030	9	10	1	0.06
FMRC0030	10	11	1	0.03
FMRC0030	11	12	1	0.04
FMRC0030	12	13	1	0.1
FMRC0030	13	14	1	0.13
FMRC0030	14	15	1	0.02
FMRC0030	15	16	1	<0.01
FMRC0030	16	17	1	0.03
FMRC0030	17	18	1	0.04
FMRC0030	18	19	1	0.06
FMRC0030	19	20	1	0.04
FMRC0030	20	21	1	0.02
FMRC0030	21	22	1	<0.01
FMRC0030	22	23	1	0.02
FMRC0030	23	24	1	0.16
FMRC0030	24	25	1	0.01
FMRC0030	25	26	1	0.27
FMRC0030	26	27	1	0.07
FMRC0030	27	28	1	0.22
FMRC0030	28	29	1	0.02

Hole ID	From	To	Interval	Au (g/t)
FMRC0030	29	30	1	0.02
FMRC0030	30	31	1	0.09
FMRC0030	31	32	1	0.07
FMRC0030	32	33	1	0.03
FMRC0030	33	34	1	<0.01
FMRC0030	34	35	1	0.03
FMRC0030	35	36	1	<0.01
FMRC0030	36	37	1	<0.01
FMRC0030	37	38	1	<0.01
FMRC0030	38	39	1	0.07
FMRC0030	39	40	1	0.03
FMRC0030	40	41	1	0.02
FMRC0030	41	42	1	0.07
FMRC0030	42	43	1	<0.01
FMRC0030	43	44	1	<0.01
FMRC0030	44	45	1	0.09
FMRC0030	45	46	1	0.01
FMRC0030	46	47	1	<0.01
FMRC0030	47	48	1	<0.01
FMRC0030	48	49	1	<0.01
FMRC0030	49	50	1	0.01
FMRC0030	50	51	1	0.01
FMRC0030	51	52	1	<0.01
FMRC0030	52	53	1	<0.01
FMRC0030	53	54	1	<0.01
FMRC0030	54	55	1	<0.01
FMRC0030	55	56	1	<0.01
FMRC0030	56	57	1	<0.01
FMRC0030	57	58	1	<0.01
FMRC0030	58	59	1	<0.01
FMRC0030	59	60	1	0.03
FMRC0030	60	61	1	<0.01
FMRC0030	61	62	1	<0.01
FMRC0030	62	63	1	<0.01
FMRC0030	63	64	1	0.02
FMRC0030	64	65	1	0.08
FMRC0030	65	66	1	0.04
FMRC0030	66	67	1	0.02
FMRC0030	67	68	1	<0.01
FMRC0030	68	69	1	0.03
FMRC0030	69	70	1	0.06
FMRC0030	70	71	1	<0.01
FMRC0030	71	72	1	<0.01
FMRC0030	72	73	1	<0.01
FMRC0030	73	74	1	0.04

Hole ID	From	To	Interval	Au (g/t)
FMRC0030	74	75	1	0.05
FMRC0030	75	76	1	<0.01
FMRC0030	76	77	1	0.07
FMRC0030	77	78	1	0.06
FMRC0030	78	79	1	0.09
FMRC0030	79	80	1	<0.01
FMRC0030	80	81	1	0.04
FMRC0030	81	82	1	0.02
FMRC0030	82	83	1	<0.01
FMRC0030	83	84	1	<0.01
FMRC0030	84	85	1	0.03
FMRC0030	85	86	1	0.06
FMRC0030	86	87	1	0.05
FMRC0030	87	88	1	<0.01
FMRC0030	88	89	1	0.06
FMRC0030	89	90	1	0.01
FMRC0030	89	90	1	0.01
FMRC0030	90	91	1	<0.01
FMRC0030	91	92	1	0.07
FMRC0030	92	93	1	0.05
FMRC0030	93	94	1	<0.01
FMRC0030	94	95	1	0.04
FMRC0030	95	96	1	<0.01
FMRC0030	96	97	1	0.03
FMRC0030	97	98	1	<0.01
FMRC0030	98	99	1	<0.01
FMRC0030	99	100	1	<0.01
FMRC0030	100	101	1	<0.01
FMRC0030	101	102	1	<0.01
FMRC0030	102	103	1	0.01
FMRC0030	103	104	1	0.01
FMRC0030	104	105	1	<0.01
FMRC0031	0	1	1	0.26
FMRC0031	1	2	1	0.33
FMRC0031	2	3	1	0.31
FMRC0031	3	4	1	0.29
FMRC0031	4	5	1	0.88
FMRC0031	5	6	1	0.77
FMRC0031	6	7	1	1.03
FMRC0031	7	8	1	0.29
FMRC0031	8	9	1	0.2
FMRC0031	9	10	1	0.08
FMRC0031	10	11	1	0.15
FMRC0031	11	12	1	0.06
FMRC0031	12	13	1	0.03

Hole ID	From	To	Interval	Au (g/t)
FMRC0031	13	14	1	0.06
FMRC0031	14	15	1	0.06
FMRC0031	15	16	1	<0.01
FMRC0031	16	17	1	0.02
FMRC0031	17	18	1	0.03
FMRC0031	18	19	1	0.02
FMRC0031	19	20	1	0.06
FMRC0031	20	21	1	0.02
FMRC0031	21	22	1	0.12
FMRC0031	22	23	1	0.03
FMRC0031	23	24	1	0.17
FMRC0031	24	25	1	0.05
FMRC0031	25	26	1	0.07
FMRC0031	26	27	1	0.05
FMRC0031	27	28	1	<0.01
FMRC0031	28	29	1	0.09
FMRC0031	29	30	1	0.09
FMRC0031	30	31	1	0.21
FMRC0031	31	32	1	0.04
FMRC0031	32	33	1	0.01
FMRC0031	33	34	1	0.11
FMRC0031	34	35	1	0.05
FMRC0031	35	36	1	<0.01
FMRC0031	36	37	1	0.05
FMRC0031	37	38	1	0.07
FMRC0031	38	39	1	0.1
FMRC0031	39	40	1	0.06
FMRC0031	40	41	1	0.05
FMRC0031	41	42	1	<0.01
FMRC0031	42	43	1	0.09
FMRC0031	43	44	1	<0.01
FMRC0031	44	45	1	<0.01
FMRC0031	45	46	1	<0.01
FMRC0031	46	47	1	0.03
FMRC0031	47	48	1	0.05
FMRC0031	48	49	1	0.02
FMRC0031	49	50	1	0.07
FMRC0031	50	51	1	0.15
FMRC0031	51	52	1	0.62
FMRC0031	52	53	1	0.09
FMRC0031	53	54	1	0.1
FMRC0031	54	55	1	0.1
FMRC0031	55	56	1	0.1
FMRC0031	56	57	1	0.19
FMRC0031	57	58	1	0.12

Hole ID	From	To	Interval	Au (g/t)
FMRC0031	58	59	1	0.27
FMRC0031	59	60	1	0.4
FMRC0031	60	61	1	5.12
FMRC0031	61	62	1	3.48
FMRC0031	62	63	1	1.88
FMRC0031	63	64	1	1.5
FMRC0031	64	65	1	0.51
FMRC0031	65	66	1	0.35
FMRC0031	66	67	1	0.28
FMRC0031	67	68	1	3.44
FMRC0031	68	69	1	73.3
FMRC0031	69	70	1	2.33
FMRC0031	70	71	1	1.21
FMRC0031	71	72	1	2.74
FMRC0031	72	73	1	8.05
FMRC0031	73	74	1	1.67
FMRC0031	74	75	1	0.82
FMRC0031	75	76	1	0.34
FMRC0031	76	77	1	0.54
FMRC0031	77	78	1	0.84
FMRC0031	78	79	1	0.31
FMRC0031	79	80	1	8.35
FMRC0031	80	81	1	0.47
FMRC0031	81	82	1	0
FMRC0031	82	83	1	0.77
FMRC0031	83	84	1	0.44
FMRC0031	84	85	1	0.36
FMRC0031	85	86	1	0.11
FMRC0031	86	87	1	0.02
FMRC0031	87	88	1	1.2
FMRC0031	88	89	1	0.2
FMRC0031	89	90	1	0.07
FMRC0031	90	91	1	0.05
FMRC0031	91	92	1	0.23
FMRC0031	92	93	1	0.13
FMRC0031	93	94	1	0.08
FMRC0031	94	95	1	0.05
FMRC0031	95	96	1	0.07
FMRC0031	96	97	1	0.08
FMRC0031	97	98	1	0.06
FMRC0031	98	99	1	0.03
FMRC0031	99	100	1	0.26
FMRC0031	100	101	1	0.18
FMRC0031	101	102	1	0.04
FMRC0031	102	103	1	0.05

Hole ID	From	To	Interval	Au (g/t)
FMRC0031	103	104	1	0.02
FMRC0031	104	105	1	0.02
FMRC0031	105	106	1	0.07
FMRC0031	106	107	1	0.06
FMRC0031	107	108	1	<0.01
FMRC0031	108	109	1	0.01
FMRC0031	109	110	1	0.05
FMRC0031	110	111	1	0.18
FMRC0031	111	112	1	0.12
FMRC0031	112	113	1	0.14
FMRC0031	113	114	1	0.06
FMRC0031	114	115	1	0.14
FMRC0031	115	116	1	0.08
FMRC0031	116	117	1	0.06
FMRC0031	117	118	1	0.03
FMRC0031	118	119	1	0.04
FMRC0031	119	120	1	<0.01
FMRC0031	120	121	1	0.1
FMRC0031	121	122	1	0.04
FMRC0031	122	123	1	<0.01
FMRC0031	123	124	1	0.06
FMRC0031	124	125	1	0.01
FMRC0031	125	126	1	0.05
FMRC0031	126	127	1	<0.01
FMRC0031	127	128	1	0.08
FMRC0031	128	129	1	<0.01
FMRC0031	129	130	1	0.09
FMRC0031	130	131	1	0.05
FMRC0031	131	132	1	0.09
FMRC0031	132	133	1	0.03
FMRC0031	133	134	1	0.03
FMRC0031	134	135	1	0.08
FMRC0031	135	136	1	0.07
FMRC0031	136	137	1	0.04
FMRC0031	137	138	1	0.01
FMRC0031	138	139	1	0.03
FMRC0031	139	140	1	<0.01
FMRC0031	140	141	1	0.02
FMRC0031	141	142	1	<0.01
FMRC0031	142	143	1	0.01
FMRC0031	143	144	1	0.03
FMRC0031	144	145	1	0.01
FMRC0031	145	146	1	0.02
FMRC0031	146	147	1	0.02
FMRC0031	147	148	1	0.04

Hole ID	From	To	Interval	Au (g/t)
FMRC0031	148	149	1	0.08
FMRC0031	149	150	1	<0.01
FMRC0032	0	1	1	0.34
FMRC0032	1	2	1	0.41
FMRC0032	2	3	1	0.53
FMRC0032	3	4	1	1.35
FMRC0032	4	5	1	1.41
FMRC0032	5	6	1	1.55
FMRC0032	6	7	1	1.14
FMRC0032	7	8	1	0.52
FMRC0032	8	9	1	0.24
FMRC0032	9	10	1	0.13
FMRC0032	10	11	1	0.12
FMRC0032	11	12	1	0.17
FMRC0032	12	13	1	0.02
FMRC0032	13	14	1	0.08
FMRC0032	14	15	1	0.11
FMRC0032	15	16	1	0.01
FMRC0032	16	17	1	0.41
FMRC0032	17	18	1	0.03
FMRC0032	18	19	1	0.03
FMRC0032	19	20	1	0.05
FMRC0032	20	21	1	0.01
FMRC0032	21	22	1	0.01
FMRC0032	22	23	1	0.09
FMRC0032	23	24	1	<0.01
FMRC0032	24	25	1	0.07
FMRC0032	25	26	1	0.01
FMRC0032	26	27	1	0.01
FMRC0032	27	28	1	0.23
FMRC0032	28	29	1	0.15
FMRC0032	29	30	1	0.04
FMRC0032	30	31	1	0.13
FMRC0032	31	32	1	0.05
FMRC0032	32	33	1	0.07
FMRC0032	33	34	1	0.1
FMRC0032	34	35	1	0.13
FMRC0032	35	36	1	0.07
FMRC0032	36	37	1	0.07
FMRC0032	37	38	1	0.28
FMRC0032	38	39	1	1.08
FMRC0032	39	40	1	0.53
FMRC0032	40	41	1	0.1
FMRC0032	41	42	1	0.11
FMRC0032	42	43	1	0.18

Hole ID	From	To	Interval	Au (g/t)
FMRC0032	43	44	1	0.07
FMRC0032	44	45	1	0.1
FMRC0032	45	46	1	0.1
FMRC0032	46	47	1	0.08
FMRC0032	47	48	1	0.07
FMRC0032	48	49	1	0.09
FMRC0032	49	50	1	0.07
FMRC0032	50	51	1	0.03
FMRC0032	51	52	1	0.07
FMRC0032	52	53	1	0.05
FMRC0032	53	54	1	0.21
FMRC0032	54	55	1	0.08
FMRC0032	55	56	1	0.18
FMRC0032	56	57	1	0.14
FMRC0032	57	58	1	0.1
FMRC0032	58	59	1	0.01
FMRC0032	59	60	1	0.07
FMRC0032	60	61	1	0.08
FMRC0032	61	62	1	0.1
FMRC0032	62	63	1	0.05
FMRC0032	63	64	1	0.05
FMRC0032	64	65	1	<0.01
FMRC0032	65	66	1	0.07
FMRC0032	66	67	1	0.04
FMRC0032	67	68	1	0.09
FMRC0032	68	69	1	1
FMRC0032	69	70	1	0.33
FMRC0032	70	71	1	0.38
FMRC0032	71	72	1	0.79
FMRC0032	72	73	1	2.81
FMRC0032	73	74	1	0.29
FMRC0032	74	75	1	0.05
FMRC0032	75	76	1	<0.01
FMRC0032	76	77	1	0.04
FMRC0032	77	78	1	0.01
FMRC0032	78	79	1	0.47
FMRC0032	79	80	1	2.06
FMRC0032	80	81	1	0.43
FMRC0032	81	82	1	1.37
FMRC0032	82	83	1	0.51
FMRC0032	83	84	1	0.51
FMRC0032	84	85	1	0.42
FMRC0032	85	86	1	1.47
FMRC0032	86	87	1	0.7
FMRC0032	87	88	1	0.27

Hole ID	From	To	Interval	Au (g/t)
FMRC0032	88	89	1	0.17
FMRC0032	89	90	1	0.21
FMRC0032	90	91	1	0.29
FMRC0032	91	92	1	1.68
FMRC0032	92	93	1	0.89
FMRC0032	93	94	1	0.62
FMRC0032	94	95	1	0.43
FMRC0032	95	96	1	0.21
FMRC0032	96	97	1	0.13
FMRC0032	97	98	1	0.13
FMRC0032	98	99	1	0.06
FMRC0032	99	100	1	0.05
FMRC0032	100	101	1	0.03
FMRC0032	101	102	1	<0.01
FMRC0032	102	103	1	0.06
FMRC0032	103	104	1	0.24
FMRC0032	104	105	1	0.13
FMRC0032	105	106	1	0.2
FMRC0032	106	107	1	0.07
FMRC0032	107	108	1	0.01
FMRC0032	108	109	1	0.01
FMRC0032	109	110	1	0.13
FMRC0032	110	111	1	0.05
FMRC0032	111	112	1	0.05
FMRC0032	112	113	1	0.06
FMRC0032	113	114	1	<0.01
FMRC0032	114	115	1	<0.01
FMRC0032	115	116	1	0.02
FMRC0032	116	117	1	0.07
FMRC0032	117	118	1	0.1
FMRC0032	118	119	1	<0.01
FMRC0032	119	120	1	0.01
FMRC0032	120	121	1	0.02
FMRC0032	121	122	1	<0.01
FMRC0032	122	123	1	0.04
FMRC0032	123	124	1	0.03
FMRC0032	124	125	1	0.05
FMRC0032	125	126	1	0.43
FMRC0032	126	127	1	<0.01
FMRC0032	127	128	1	<0.01
FMRC0032	128	129	1	<0.01
FMRC0032	129	130	1	<0.01
FMRC0032	130	131	1	0.07
FMRC0032	131	132	1	0.06
FMRC0032	132	133	1	0.02



Hole ID	From	To	Interval	Au (g/t)
FMRC0032	133	134	1	0.05
FMRC0032	134	135	1	<0.01
FMRC0032	135	136	1	0.01
FMRC0032	136	137	1	<0.01
FMRC0032	137	138	1	0.03
FMRC0032	138	139	1	0.05
FMRC0032	139	140	1	<0.01
FMRC0032	140	141	1	<0.01
FMRC0032	141	142	1	<0.01
FMRC0032	142	143	1	<0.01
FMRC0032	143	144	1	0.02
FMRC0032	144	145	1	0.03
FMRC0032	145	146	1	<0.01
FMRC0032	146	147	1	<0.01
FMRC0032	147	148	1	<0.01
FMRC0032	148	149	1	<0.01
FMRC0032	149	150	1	0.09
FMRC0032	150	151	1	0.02
FMRC0032	151	152	1	<0.01
FMRC0032	152	153	1	<0.01
FMRC0032	153	154	1	<0.01
FMRC0032	154	155	1	0.03
FMRC0032	155	156	1	<0.01
FMRC0032	156	157	1	0.09
FMRC0032	157	158	1	0.12
FMRC0032	158	159	1	0.13
FMRC0032	159	160	1	0.06
FMRC0033	0	1	1	0.38
FMRC0033	1	2	1	0.18
FMRC0033	2	3	1	0.24
FMRC0033	3	4	1	3
FMRC0033	4	5	1	4.2
FMRC0033	5	6	1	1.47
FMRC0033	6	7	1	0.73
FMRC0033	7	8	1	0.48
FMRC0033	8	9	1	0.27
FMRC0033	9	10	1	0.15
FMRC0033	10	11	1	0.04
FMRC0033	11	12	1	0.1
FMRC0033	12	13	1	0.09
FMRC0033	13	14	1	0.15
FMRC0033	14	15	1	0.04
FMRC0033	15	16	1	<0.01
FMRC0033	16	17	1	0.01
FMRC0033	17	18	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0033	18	19	1	0.02
FMRC0033	19	20	1	0.01
FMRC0033	20	21	1	0.01
FMRC0033	21	22	1	<0.01
FMRC0033	22	23	1	0.01
FMRC0033	23	24	1	0.05
FMRC0033	24	25	1	<0.01
FMRC0033	25	26	1	0.03
FMRC0033	26	27	1	0.06
FMRC0033	27	28	1	<0.01
FMRC0033	28	29	1	<0.01
FMRC0033	29	30	1	0.04
FMRC0033	30	31	1	0.02
FMRC0033	31	32	1	<0.01
FMRC0033	32	33	1	<0.01
FMRC0033	33	34	1	0.07
FMRC0033	34	35	1	0.01
FMRC0033	35	36	1	0.12
FMRC0033	36	37	1	0.09
FMRC0033	37	38	1	0.06
FMRC0033	38	39	1	0.09
FMRC0033	39	40	1	0.08
FMRC0033	40	41	1	0.03
FMRC0033	41	42	1	0.03
FMRC0033	42	43	1	<0.01
FMRC0033	43	44	1	<0.01
FMRC0033	44	45	1	0.03
FMRC0033	45	46	1	0.03
FMRC0033	46	47	1	<0.01
FMRC0033	47	48	1	0.08
FMRC0033	48	49	1	0.51
FMRC0033	49	50	1	0.15
FMRC0033	50	51	1	0.32
FMRC0033	51	52	1	0.95
FMRC0033	52	53	1	3.36
FMRC0033	53	54	1	0.64
FMRC0033	54	55	1	3.9
FMRC0033	55	56	1	0.84
FMRC0033	56	57	1	0.68
FMRC0033	57	58	1	1.91
FMRC0033	58	59	1	1.41
FMRC0033	59	60	1	9.24
FMRC0033	60	61	1	4.59
FMRC0033	61	62	1	8.56
FMRC0033	62	63	1	1.3

Hole ID	From	To	Interval	Au (g/t)
FMRC0033	63	64	1	0.76
FMRC0033	64	65	1	0.39
FMRC0033	65	66	1	0.21
FMRC0033	66	67	1	0.12
FMRC0033	67	68	1	0.04
FMRC0033	68	69	1	<0.01
FMRC0033	69	70	1	<0.01
FMRC0033	70	71	1	<0.01
FMRC0033	71	72	1	<0.01
FMRC0033	72	73	1	<0.01
FMRC0033	73	74	1	<0.01
FMRC0033	74	75	1	<0.01
FMRC0033	75	76	1	<0.01
FMRC0033	76	77	1	0.2
FMRC0033	77	78	1	<0.01
FMRC0033	78	79	1	<0.01
FMRC0033	79	80	1	<0.01
FMRC0033	80	81	1	<0.01
FMRC0033	81	82	1	<0.01
FMRC0033	82	83	1	0.06
FMRC0033	83	84	1	0.52
FMRC0033	84	85	1	0.14
FMRC0033	85	86	1	<0.01
FMRC0033	86	87	1	0.01
FMRC0033	87	88	1	<0.01
FMRC0033	88	89	1	0.03
FMRC0033	89	90	1	0.03
FMRC0033	90	91	1	0.44
FMRC0033	91	92	1	0.67
FMRC0033	92	93	1	8.31
FMRC0033	93	94	1	1.61
FMRC0033	94	95	1	1.76
FMRC0033	95	96	1	4.12
FMRC0033	96	97	1	2.2
FMRC0033	97	98	1	0.22
FMRC0033	98	99	1	0.07
FMRC0033	99	100	1	0.14
FMRC0033	100	101	1	0.05
FMRC0033	101	102	1	0.16
FMRC0033	102	103	1	0.13
FMRC0033	103	104	1	0.1
FMRC0033	104	105	1	0.7
FMRC0033	105	106	1	0.65
FMRC0033	106	107	1	0.68
FMRC0033	107	108	1	0.25

Hole ID	From	To	Interval	Au (g/t)
FMRC0033	108	109	1	0.27
FMRC0033	109	110	1	0.2
FMRC0033	110	111	1	<0.01
FMRC0033	111	112	1	<0.01
FMRC0033	112	113	1	0.04
FMRC0033	113	114	1	0.08
FMRC0033	114	115	1	0.15
FMRC0033	115	116	1	0.04
FMRC0033	116	117	1	0.05
FMRC0033	117	118	1	0.02
FMRC0033	118	119	1	0.37
FMRC0033	119	120	1	0.15
FMRC0033	120	121	1	0.11
FMRC0033	121	122	1	0.01
FMRC0033	122	123	1	<0.01
FMRC0033	123	124	1	<0.01
FMRC0033	124	125	1	0.01
FMRC0033	125	126	1	<0.01
FMRC0033	126	127	1	<0.01
FMRC0033	127	128	1	0.09
FMRC0033	128	129	1	0.13
FMRC0033	129	130	1	0.04
FMRC0033	130	131	1	0.05
FMRC0033	131	132	1	0.04
FMRC0033	132	133	1	0.17
FMRC0033	133	134	1	0.04
FMRC0033	134	135	1	0.13
FMRC0033	135	136	1	0.26
FMRC0033	136	137	1	0.03
FMRC0033	137	138	1	0.01
FMRC0033	138	139	1	0.05
FMRC0033	139	140	1	1.77
FMRC0033	140	141	1	0.14
FMRC0033	141	142	1	0.02
FMRC0033	142	143	1	0.07
FMRC0033	143	144	1	0.03
FMRC0033	144	145	1	0.08
FMRC0033	145	146	1	0.03
FMRC0033	146	147	1	<0.01
FMRC0033	147	148	1	0.06
FMRC0033	148	149	1	0.01
FMRC0033	149	150	1	0.01
FMRC0033	150	151	1	0.01
FMRC0033	151	152	1	<0.01
FMRC0033	152	153	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0033	153	154	1	<0.01
FMRC0033	154	155	1	0.01
FMRC0033	155	156	1	0.06
FMRC0033	156	157	1	<0.01
FMRC0033	157	158	1	<0.01
FMRC0033	158	159	1	0.02
FMRC0033	159	160	1	<0.01
FMRC0033	160	161	1	0.01
FMRC0033	161	162	1	0.03
FMRC0033	162	163	1	<0.01
FMRC0033	163	164	1	<0.01
FMRC0033	164	165	1	0.15
FMRC0033	165	166	1	0.37
FMRC0033	166	167	1	0.07
FMRC0033	167	168	1	0.05
FMRC0033	168	169	1	0.1
FMRC0033	169	170	1	0.08
FMRC0033	170	171	1	0.21
FMRC0033	171	172	1	0.09
FMRC0033	172	173	1	0.09
FMRC0033	173	174	1	0.05
FMRC0033	174	175	1	0.12
PRC068	0	1	1	0.9
PRC068	1	2	1	1.15
PRC068	2	3	1	0.25
PRC068	3	4	1	0.37
PRC068	4	5	1	0.18
PRC068	5	6	1	0.13
PRC068	6	7	1	0.05
PRC068	7	8	1	0.02
PRC068	8	9	1	0.09
PRC068	9	10	1	0.13
PRC068	10	11	1	0.85
PRC068	11	12	1	0.04
PRC068	12	13	1	0.02
PRC068	13	14	1	0.03
PRC068	14	15	1	0.09
PRC068	15	16	1	0.15
PRC068	16	17	1	0.17
PRC068	17	18	1	0.22
PRC068	18	19	1	0.03
PRC068	19	20	1	0.18
PRC068	20	21	1	0.29
PRC068	21	22	1	0.14
PRC068	22	23	1	0.07

Hole ID	From	To	Interval	Au (g/t)
PRC068	23	24	1	0.11
PRC068	24	25	1	0.07
PRC068	25	26	1	0.13
PRC068	26	27	1	0.06
PRC068	27	28	1	0.11
PRC068	28	29	1	3.95
PRC068	29	30	1	0.48
PRC068	30	31	1	1.6
PRC068	31	32	1	1.46
PRC068	32	33	1	0.64
PRC068	33	34	1	1.37
PRC068	34	35	1	0.64
PRC068	35	36	1	1.66
PRC068	36	37	1	1.15
PRC068	37	38	1	0.38
PRC068	38	39	1	0.15
PRC068	39	40	1	0.81
PRC068	40	41	1	0.92
PRC068	41	42	1	1.97
PRC068	42	43	1	1.25
PRC068	43	44	1	0.44
PRC068	44	45	1	0.75
PRC068	45	46	1	1.66
PRC068	46	47	1	0.93
PRC068	47	48	1	0.58
PRC068	48	49	1	1.31
PRC068	49	50	1	0.67
PRC068	50	51	1	0.36
PRC068	51	52	1	0.46
PRC068	52	53	1	0.37
PRC068	53	54	1	1.47
PRC068	54	55	1	9.44
PRC068	55	56	1	2.84
PRC068	56	57	1	1.06
PRC068	57	58	1	0.74
PRC068	58	59	1	0.51
PRC068	59	60	1	1.8
PRC068	60	61	1	0.26
PRC068	61	62	1	0.14
PRC068	62	63	1	0.06
PRC068	63	64	1	0.09
PRC068	64	65	1	0.06
PRC068	65	66	1	0.07
PRC068	66	67	1	0.06
PRC068	67	68	1	0.05

Hole ID	From	To	Interval	Au (g/t)
PRC068	68	69	1	0.22
PRC068	69	70	1	0.32
PRC068	70	71	1	0.33
PRC068	71	72	1	0.14
PRC068	72	73	1	0.17
PRC068	73	74	1	0.15
PRC068	74	75	1	0.04
PRC068	75	76	1	0.02
PRC068	76	77	1	0.06
PRC068	77	78	1	0.05
PRC068	78	79	1	0.34
PRC068	79	80	1	0.16
PRC068	80	81	1	1.25
PRC068	81	82	1	0.19
PRC068	82	83	1	0.19
PRC068	83	84	1	0.09
PRC068	84	85	1	0.06
PRC068	85	86	1	0.05
PRC068	86	87	1	0.08
PRC068	87	88	1	0.03
PRC068	88	89	1	0.06
PRC068	89	90	1	0.01
FMRC0033	104	105	1	0.7
FMRC0033	105	106	1	0.65
FMRC0033	106	107	1	0.68
FMRC0033	107	108	1	0.25
FMRC0033	108	109	1	0.27
FMRC0033	109	110	1	0.2
FMRC0033	110	111	1	<0.01
FMRC0033	111	112	1	<0.01
FMRC0033	112	113	1	0.04
FMRC0033	113	114	1	0.08
FMRC0033	114	115	1	0.15
FMRC0033	115	116	1	0.04
FMRC0033	116	117	1	0.05
FMRC0033	117	118	1	0.02
FMRC0033	118	119	1	0.37
FMRC0033	119	120	1	0.15
FMRC0033	120	121	1	0.11
FMRC0033	121	122	1	0.01
FMRC0033	122	123	1	<0.01
FMRC0033	123	124	1	<0.01
FMRC0033	124	125	1	0.01
FMRC0033	125	126	1	<0.01
FMRC0033	126	127	1	<0.01

Hole ID	From	To	Interval	Au (g/t)
FMRC0033	127	128	1	0.09
FMRC0033	128	129	1	0.13
FMRC0033	129	130	1	0.04
FMRC0033	130	131	1	0.05
FMRC0033	131	132	1	0.04
FMRC0033	132	133	1	0.17
FMRC0033	133	134	1	0.04
FMRC0033	134	135	1	0.13
FMRC0033	135	136	1	0.26
FMRC0033	136	137	1	0.03
FMRC0033	137	138	1	0.01
FMRC0033	138	139	1	0.05
FMRC0033	139	140	1	1.77
FMRC0033	140	141	1	0.14
FMRC0033	141	142	1	0.02
FMRC0033	142	143	1	0.07
FMRC0033	143	144	1	0.03
FMRC0033	144	145	1	0.08
FMRC0033	145	146	1	0.03
FMRC0033	146	147	1	<0.01
FMRC0033	147	148	1	0.06
FMRC0033	148	149	1	0.01
FMRC0033	149	150	1	0.01
FMRC0033	150	151	1	0.01
FMRC0033	151	152	1	<0.01
FMRC0033	152	153	1	<0.01
FMRC0033	153	154	1	<0.01
FMRC0033	154	155	1	0.01
FMRC0033	155	156	1	0.06
FMRC0033	156	157	1	<0.01
FMRC0033	157	158	1	<0.01
FMRC0033	158	159	1	0.02
FMRC0033	159	160	1	<0.01
FMRC0033	160	161	1	0.01
FMRC0033	161	162	1	0.03
FMRC0033	162	163	1	<0.01
FMRC0033	163	164	1	<0.01
FMRC0033	164	165	1	0.15
FMRC0033	165	166	1	0.37
FMRC0033	166	167	1	0.07
FMRC0033	167	168	1	0.05
FMRC0033	168	169	1	0.1
FMRC0033	169	170	1	0.08
FMRC0033	170	171	1	0.21
FMRC0033	171	172	1	0.09

Hole ID	From	To	Interval	Au (g/t)
FMRC0033	172	173	1	0.09
FMRC0033	173	174	1	0.05
FMRC0033	174	175	1	0.12
PRC068	0	1	1	0.9
PRC068	1	2	1	1.15
PRC068	2	3	1	0.25
PRC068	3	4	1	0.37
PRC068	4	5	1	0.18
PRC068	5	6	1	0.13
PRC068	6	7	1	0.05
PRC068	7	8	1	0.02
PRC068	8	9	1	0.09
PRC068	9	10	1	0.13
PRC068	10	11	1	0.85
PRC068	11	12	1	0.04
PRC068	12	13	1	0.02
PRC068	13	14	1	0.03
PRC068	14	15	1	0.09
PRC068	15	16	1	0.15
PRC068	16	17	1	0.17
PRC068	17	18	1	0.22
PRC068	18	19	1	0.03
PRC068	19	20	1	0.18
PRC068	20	21	1	0.29
PRC068	21	22	1	0.14
PRC068	22	23	1	0.07
PRC068	23	24	1	0.11
PRC068	24	25	1	0.07
PRC068	25	26	1	0.13
PRC068	26	27	1	0.06
PRC068	27	28	1	0.11
PRC068	28	29	1	3.95
PRC068	29	30	1	0.48
PRC068	30	31	1	1.6
PRC068	31	32	1	1.46
PRC068	32	33	1	0.64
PRC068	33	34	1	1.37
PRC068	34	35	1	0.64
PRC068	35	36	1	1.66
PRC068	36	37	1	1.15
PRC068	37	38	1	0.38
PRC068	38	39	1	0.15
PRC068	39	40	1	0.81
PRC068	40	41	1	0.92
PRC068	41	42	1	1.97

Hole ID	From	To	Interval	Au (g/t)
PRC068	42	43	1	1.25
PRC068	43	44	1	0.44
PRC068	44	45	1	0.75
PRC068	45	46	1	1.66
PRC068	46	47	1	0.93
PRC068	47	48	1	0.58
PRC068	48	49	1	1.31
PRC068	49	50	1	0.67
PRC068	50	51	1	0.36
PRC068	51	52	1	0.46
PRC068	52	53	1	0.37
PRC068	53	54	1	1.47
PRC068	54	55	1	9.44
PRC068	55	56	1	2.84
PRC068	56	57	1	1.06
PRC068	57	58	1	0.74
PRC068	58	59	1	0.51
PRC068	59	60	1	1.8
PRC068	60	61	1	0.26
PRC068	61	62	1	0.14
PRC068	62	63	1	0.06
PRC068	63	64	1	0.09
PRC068	64	65	1	0.06
PRC068	65	66	1	0.07
PRC068	66	67	1	0.06
PRC068	67	68	1	0.05
PRC068	68	69	1	0.22
PRC068	69	70	1	0.32
PRC068	70	71	1	0.33
PRC068	71	72	1	0.14
PRC068	72	73	1	0.17
PRC068	73	74	1	0.15
PRC068	74	75	1	0.04
PRC068	75	76	1	0.02
PRC068	76	77	1	0.06
PRC068	77	78	1	0.05
PRC068	78	79	1	0.34
PRC068	79	80	1	0.16
PRC068	80	81	1	1.25
PRC068	81	82	1	0.19
PRC068	82	83	1	0.19
PRC068	83	84	1	0.09
PRC068	84	85	1	0.06
PRC068	85	86	1	0.05
PRC068	86	87	1	0.08

Hole ID	From	To	Interval	Au (g/t)
PRC068	87	88	1	0.03
PRC068	88	89	1	0.06

Hole ID	From	To	Interval	Au (g/t)
PRC068	89	90	1	0.01

Annexure C

**JORC TABLE 1**  
**Section 1 Sampling Techniques and Data**

<b>Criteria</b>	<b>JORC Code Explanation</b>	<b>Commentary</b>
Sampling techniques	<i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down-hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i>	<p><u>Current RC drill program</u></p> <p>All Reverse Circulation ('RC') samples consist of 1m primary sample calico bags taken directly off the cyclone splitter. Due to the nature of the Melville mineralisation being comprised of shallow oxide, transition, and fresh primary mineralisation it was decided that this sampling methodology was an efficient and low risk approach.</p> <p>Historical sampling criteria is unclear for pre 2008 drilling.</p> <p>FFR sampling is undertaken using standard industry practices including the use of duplicates, standards and blanks at regular intervals. All RC samples are split to 1-3kg in weight through the cyclone splitter on the drill rig for 1m drill intervals. A Thermo Scientific Niton GoldD XL3+ 950 Analyser is available on site to aid geological interpretation. No pXRF results are reported.</p>
	<i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>	All co-ordinates are in UTM grid (GDA Zone 50). All drill hole collars are to be surveyed professionally on a campaign basis to an accuracy of 0.5 m. Initially all holes are picked up by the geologist with an accuracy of $\pm 2m$ .
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine</i>	<p><u>Current RC drill program</u></p> <p>No compositing was conducted. The ~2-3kg primary samples were pulverised to produce a 500g charge for ore grade Au by accelerated cyanide leach using Assay Tabs/LeachWELL™ 60x reagent and AAS for a total of 4-hour leach (Au-AA15). All results equal to or greater than 0.5g/t are determined by AAS from a 50g fire assay performed on a cyanide leach residue (Au-AA26R) These protocols were used to deliver a preliminary understanding of total gold content and potential CIL plant recovery. Screen fire assay (Au-SCR22AA)</p>

	<i>nodules) may warrant disclosure of detailed information.</i>	<p>and gravimetric (Au-GRA22) protocols are undertaken on select high grade gold samples.</p> <p>All 1m samples are split to 1-3kg in weight through a cyclone splitter which is air blasted clean at the end of each rod. Individual samples weigh less than 3kg to ensure total preparation at the laboratory pulverisation stage. The sample size is deemed appropriate for the grain size of the material being sampled. Samples are sent to ALS Laboratories in Wangara where they are prepared and analysed using Au-AA15 (Lower limit of 0.01g/t Au and upper limit of 300g/t Au). Where high grade gold is noted, a blank quartz wash is inserted between and after bottle rolls to prevent contamination.</p>
<i>Drilling techniques</i>	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	<p>RC drilling was used in this FFR program. Strike Drilling Pty Ltd utilised a slimline RC Truck Mounted Rig with a SAT04 Auxiliary and Booster and a 5.5" face sampling hammer.</p> <p>Down hole surveys were undertaken at a maximum of 30m intervals using a north seeking gyroscopic tool not subject to magnetic interference.</p> <p>A total of 34 RC holes has now been drilled by FFR at Melville.</p> <p>Historical RAB, AC, RC and DD drilling has been undertaken by several companies over a period of 30 years.</p>
<i>Drill sample recovery</i>	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>	<p><u>Current RC drill program</u></p> <p>RC 1m primary samples are collected and assayed. Any high grade or bonanza grades are isolated, and duplicate sampled for reliability. Sample weights, dryness and recoveries are observed and noted in a field Toughbook computer by FFR field staff.</p>
	<i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>	<p>FFR contracted drillers use industry appropriate methods to maximise sample recovery and minimise downhole contamination including using compressed air to maintain a dry sample in RC drilling. A cyclone splitter was utilised to split 1-3kg of sample by weight. The splitter was air blasted clean at the end of each rod.</p> <p>Historical sampling recovery is unclear for pre 2008 drilling.</p>



	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	No significant sample loss or bias has been noted in current drilling or has been found in historical exploration reports.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	All geological, structural and alteration related observations are stored in the database.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>	Lithology, structure, alteration, mineralisation, weathering, colour, and any other important features of RC drill chips have been logged on a 1 m basis or in specific composite intervals.
	<i>The total length and percentage of the relevant intersections logged.</i>	All drill holes were logged in full on completion.
Subsampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>	Not applicable to this announcement.
	<i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>	Every 1 m RC interval was sampled dry as a bulk calico primary bag taken off the cyclone.
	<i>For all sample types, the nature, quality, and appropriateness of the sample preparation technique.</i>	Drill sample preparation and precious metal analysis if undertaken by a registered laboratory (ALS). Sample preparation is by dry pulverisation to 85% passing 75 micron.
	<i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>	FFR field QAQC procedures involve the use of certified standards (1:40), blanks (1:40) and duplicates at appropriate intervals for early stage exploration programs. High, medium and low gold standards are used. Historical QAQC procedures are unclear for pre 2008 drilling.
	<i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i>	Sampling is carried out using standard protocols and QAQC procedures as per industry practice.  Duplicate samples are taken (~1:40) and more frequently when in prospective zones of mineralisation. They are routinely checked against the originals at the end of each program.
<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	Sample sizes are considered appropriate for grain size of sample material to give an accurate indication of gold mineralisation.	

Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i>	On 1m cyclone split samples, analysis is undertaken by ALS laboratories (a registered laboratory), with Assay Tabs/LeachWELL™ 60x reagent and AAS for a total of 4-hour leach (Au-AA15). A screen fire assay is undertaken on select high-grade gold samples.  Internal certified laboratory QAQC is undertaken including check samples, blanks and internal standards. This methodology is considered appropriate for gold mineralisation at the exploration stage.
	<i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i>	No geophysical tools were used to estimate mineral or element percentages. Firefly uses a Thermo Scientific Niton GoldD XL3+ 950 Analyser to aid geological interpretation.
	<i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i>	FFR field QAQC procedures involve the use of certified reference standards (1:40), duplicates (~1:30) and blanks (1:40) at appropriate intervals for early stage exploration programs. Historical QA/QC procedures are unclear for pre 2008 drilling.
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i>	FFR samples are verified by the geologist before importing into the main FFR database (Microsoft Access). High-grade coarse gold related samples were managed and validated by laboratory staff in conjunction with company personnel.
	<i>The use of twinned holes.</i>	No twin holes were drilled during this program.
	<i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i>	Primary data is collected using a standard set of templates. Geological sample logging is undertaken on one metre intervals for all RC drilling with colour, structure, alteration, and lithology recorded for each interval. Data is verified before loading to the database. Geological logging of all samples is undertaken.
	<i>Discuss any adjustment to assay data.</i>	For 3D modelling purposes any intersects reported by the lab as <0.01 g/t Au are normalised to 0.00 g/t Au.
Location of data points	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	All maps and location data are in UTM grid (GDA 94 Zone 50) and historical drill hole collars have been surveyed or measured by hand-held GPS with an accuracy of ± 2m. Down hole surveys are

		undertaken using the axis digital clinometer and gyroscope down hole tool at regular 30m intervals.
	<i>Specification of the grid system used.</i>	All historical drill hole and sample co-ordinates have been normalised in the database to UTM grid (GDA94 Zone 50). Transformations were conducted from local grids where necessary for historical data sets.
	<i>Quality and adequacy of topographic control.</i>	All current and historical drill hole collars and RL's are surveyed by qualified surveyors in most instances in the resource areas post drilling. Drill hole collars are planned and set up using standard GPS with an accuracy of $\pm 2\text{m}$ .
<i>Data spacing and distribution</i>	<i>Data spacing for reporting of Exploration Results.</i>	Variable drill hole spacings are used to adequately test targets and are determined from geochemical, geophysical and geological data together with historical drilling information. At the centre of the Melville ore body, a general grid of 20m drill spacings on 10-25m spaced lines was completed over multiple drill campaigns. Current drilling is planned at variable spacing to both infill (20m spacing) and extend the current resource (50-75 m spaced fence lines at 100-150 m depths).
	<i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	There is a JORC 1999 Mineral Resource at Melville defined by Prosperity Resources and reported to the ASX in 2004 above a cut-off grade of 1.0g/t Au. The indicated category contains 1,251,400 tonnes at a grade of 1.83g/t for a total of 75,377 oz Au. The inferred category contains 692,900 tonnes at a grade of 1.87g/t for a total of 41,740 oz Au. The relevant document is publicly available via the WAMEX database as report A74013. For further details refer to FFR ASX announcement 24 <sup>th</sup> June 2020, "Transformational Acquisition of Yalgoo Gold Project, WA".
	<i>Whether sample compositing has been applied.</i>	All current exploration drilling at Melville is being conducted on a 100% non-composite basis to facilitate assay data efficiency (eliminate field re-sampling), reliable mineralisation control interpretations and high confidence in resource estimations.

Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	Most historical drill holes at the Melville deposit were drilled at a dip of -60 degrees and an azimuth of 090. The mineralisation is interpreted to dip between 45-60 degrees and striking NNE. The true width of historical intercepts is interpreted to be >75% of the drill intersection width. All current drilling is being undertaken at the same orientation for consistency and validation purposes.
	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	No orientation-based sampling bias is known at this time.
Sample security	The measures taken to ensure sample security.	Chain of custody is managed by FFR internal staff. Drill samples are stored on site and transported by a licenced reputable transport company to a registered laboratory in Perth (ALS Laboratories in Wangara). When at the laboratory samples are stored in a locked yard before being processed and tracked through preparation and analysis (Webtrieve system).
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	The JORC 1999 Melville resource has been externally reviewed by Entech Mining Consultants as a part of the Firefly Resources acquisition due diligence. Entech outlined that independent validation of the block model and review of volume delineation and grade estimation identified no fatal flaws with respect to the Mineral Resource Estimate ('MRE') at the Melville Deposit.

## JORC TABLE 1

### Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<p>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</p> <p>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</p>	<p>The Melville gold deposit is located on E59/2077.</p> <p>The Yalgoo project tenements consist of 16 licences. The tenements are partially subject to standard Native Title heritage agreements and state royalties. Third party royalties are present on some individual tenements.</p> <p>The Lady Lydia/Brilliant, Don Bradman and Prince George prospects are located on tenements E59/2077 and E59/2140. The Enchanted prospect is located on E59/2230.</p> <p>The Holland acquisition includes several gold prospects that cover P59/2134 (Continental), P59/2087, M59/0384, P59/2086 and M59/0358 (St Michaels, Xmas Box and Grey Cat). The tenements are in good standing and no known impediments exist.</p>
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Historical drilling, surface sampling, soil sampling and geophysical surveys have been undertaken in different areas within the tenements intermittently by multiple third parties over a period of ~30 years.
Geology	Deposit type, geological setting, and style of mineralisation.	Geology comprises typical Archaean greenstone belt lithologies and granitic intrusions. The main style of mineralisation present is Yilgarn Archaean lode gold. Currently identified rock type hosts include: Channel Iron Deposit/Clay, Banded Iron Formation, Quartz Feldspar Porphyry, Amphibolite/Basalt & Mafic Schist.
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole or down hole length and interception depth hole length.	RC drill hole collars with assays received and collated for the current drill program at Melville are reported in this announcement. All relevant historical drill hole information has previously been reported by Chevron Exploration, Johnson's Well Mining NL, Roebuck Resources NL, Acacia Resources, Prosperity Resources, and various other companies over the years. It is publicly available in the Department of Mines and Petroleum's WAMEX open file database.

<i>Data aggregation methods</i>	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i>	Significant assay intervals are generally recorded above 0.3/t Au. No cut-off has been applied to any sampling.
	<i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i>	No cut-off has been applied to any sampling. Reported intervals are generally aggregated using individual assays above 0.3g/t Au with no more than 2m of internal dilution <0.1g/t Au for any interval.
	<i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	Not applicable to this announcement.
<i>Relationship between mineralisation widths and intercept lengths</i>	<i>These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill-hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i>	True widths are not confirmed however drilling is planned perpendicular to interpreted targets.
<i>Diagrams</i>	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Drill collar locations are in Annexure A of this release and a relevant geological section with grade to represent the Melville high-grade parallel lode discovery has been provided in this announcement.
<i>Balanced reporting</i>	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	A complete down hole assay suite of the drill holes referenced in this announcement has been included, see Annexure B. All down hole grades have been shown.

<p><i>Other substantive exploration data</i></p>	<p><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></p>	<p>All material results from geochemical and geophysical surveys and drilling, related to these prospects has been reported or disclosed previously.</p>
<p><i>Further work</i></p>	<p><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step out drilling).</i></p> <p><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></p>	<p>Further exploration is being planned by Firefly Resources using the acquisition database. The priority is to convert the Melville gold deposit into a maiden JORC 2012 compliant resource and to further grow the resource base across the entire Yalgoo project.</p> <p>Refer to figures in the body of this announcement.</p>