

10 December 2020

AIR CORE DRILLING COMPLETED AT FEATHER CAP PROJECT

Highlights:

- 63 Air Core drill holes for 6,572 metres completed at the Feather Cap Project (100% AUR) to evaluate two priority regional gold targets Feather Cap and Durack East
- Drilling at Durack East designed to test for strike extensions to high grade gold mineralisation reported by Sandfire Resources Limited (ASX: SFR) at the Morck Well JV including 5m @ 4.76g/t Au from 70m
- Prospective jasperoidal cherts, quartz veining and lithological contacts intersected within completed drilling
- Initial results from drilling expected late December/early January
- Feather Cap Project is prospective for both orogenic gold and Horseshoe Lights style Cu-Au VHMS mineralisation
- Gold potential of the area is further highlighted by the 112,000 oz Durack Gold Resource, located along over 3km strike to the west of Feather Cap*
- Simultaneous exploration programs advancing across both Bryah Basin portfolio in WA and Sams Creek Gold Project in New Zealand

Gold and Base Metals explorer **Auris Minerals Limited** ("**Auris**" or "**the Company**") (**ASX: AUR**) is pleased to announce that Air Core drilling has been completed at the Feather Cap Project, located 95 kilometres north of Meekatharra, in the Bryah Basin, Western Australia.

A total of 63 Air Core drill holes were completed for 6,572m at the Feather Cap Project, (Appendix 1), with the program designed to further evaluate two priority regional gold targets - Feather Cap and Durack East.

Twenty-seven (27) Air Core holes for 3,133 were completed at the Durack East prospect to test for strike extensions to high grade gold mineralisation identified by Sandfire Resources Limited (ASX: SFR) ("Sandfire") within recent Air Core drilling in the Morck Well JV Project. Results from drilling completed by Sandfire within the Morck Well JV include a maximum result of **5m @ 4.76g/t Au from 70m** (MWAC2682, Refer ASX announcement 17 July 2020).

The gold prospectivity of the area is further highlighted by the Durack Gold Resource, located along over 3km strike to the west of the completed drilling and outside of Auris tenure. Historical RAB drilling by Plutonic Resources and Geopeko in the 1990's, located approximately 1.7km to the west along strike from the proposed drilling has intersected high grade gold results including 35m @ 1.8g/t Au from 32m including 8m @ 5.19g/t Au from 32m (JRB43) and 20m @ 3.01g/t Au from 40m including 4m @ 10.7g/t Au from 40m, (Refer ASX announcement 28 October 2020).

^{*} Refer WGX announcement dated 4 September 2017

The completed drilling was undertaken over a single line with drill holes initially spaced every 100m. Infill drilling to 50m spacings was completed in two locations along the drill line due to the intersection of prospective chert horizons and Narracoota/Ravelstone Formations contacts resulting in the completion of an addition 4 drill holes.




Figure 1 – Durack East Prospect / Morck Well JV Drill Plan

Notes - Durack Gold Resource – Refer WGX announcement dated 4 September 2017

- ^ Refer ASX announcement 17 July 2020
- * Refer ASX announcement 23 October 2020

All other results - Refer ASX announcement 28 October 2020

A further 27 Air Core holes for 2,628 metres were completed to infill existing drilling at the Feather Cap prospect to a 50/100 x 200m drill spacing in order to better evaluate identified anomalous gold mineralisation within previous drilling, (including a maximum result of 11m @ 0.82g/t Au from 33m including 1m @ 4.76g/t Au from 35m, FCAC039) which extends over an interpreted strike extent of approximately 1.8km and remains open to the north and south, (Figure 2, refer ASX announcement 10 October 2018).

Of particular interest with the completed Air Core drilling, a total of 15m of 10-90% ferruginous quartz veining was intersected within drill hole FCAC081 and a total of 8m of pyritic, jasperoidal chert was intersected within drill hole FCAC093.

The remaining 9 holes for 811m were completed within tenements E52/3275, E52/3350 and E52/3351, to further evaluate lower priority gold targets.

All samples have been dispatched for analysis with initial results expected late December/early January. A revised geological interpretation is in progress which will be further revised on receipt of the multi element geochemistry from the drill samples.

Management Commentary:

Auris Managing Director, Mike Hendriks, commented: "We are pleased to have completed this latest round of drilling at Feather Cap and some of the initial geological indications – such as the locations of the intersections and prospective contacts at Durack East appear very encouraging.

"Durack East is of particular interest given it is approximately 3km along strike from the previous high grade gold results reported by Sandfire at Morck Well. The two holes at Feather Cap Prospect that intersected chert and quartz veining also look very promising, so we eagerly await assay results which we will update the market once received."




Figure 2 - Feather Cap Prospect Drill Plan

-ENDS-

For and on behalf of the Board.

Mike Hendriks
Managing Director

For Further information please contact: Mike Hendriks Managing Director Ph: 08 6109 4333

Appendix 1
Drill Hole Collars Details

	Dilli nole Collais Details							
Hole ID	Hole Type	Total Depth	Easting (MGA94_Z51)	Northing (MGA94 Z51)	RL (m)	Dip	Azimuth	Tenement
DEAC0001	Air Core	125	675000	7147200	500	-60	180	E52/1910
DEAC0002	Air Core	84	675000	7147300	500	-60	180	E52/1910
DEAC0003	Air Core	96	675000	7147400	500	-60	180	E52/1910
DEAC0004	Air Core	107	675000	7147500	500	-60	180	E52/1910
DEAC0005	Air Core	117	675000	7147600	500	-60	180	E52/1910
DEAC0006	Air Core	97	675000	7147700	500	-60	180	E52/1910
DEAC0007	Air Core	144	675000	7147800	500	-60	180	E52/1910
DEAC0008	Air Core	145	675000	7147900	500	-60	180	E52/1910
DEAC0009	Air Core	153	675000	7148000	500	-60	180	E52/1910
DEAC0010	Air Core	94	675000	7148100	500	-60	180	E52/1910
DEAC0010	Air Core	110	675000	7148200	500	-60	180	E52/1910
DEAC0011	Air Core	131	675000	7148300	500	-60	180	E52/1910
DEAC0012	Air Core	124	675000	7148400	500	-60	180	<u> </u>
 								E52/1910
DEACOO15	Air Core	138	675000	7148500	500	-60	180	E52/1910
DEAC0015	Air Core	96	675000	7148600	500	-60	180	E52/1910
DEACOO16	Air Core	112	675000	7148700	500	-60	180	E52/1910
DEAC0017	Air Core	99	675000	7148800	500	-60	180	E52/1910
DEACOO18	Air Core	141	675000	7148900	500	-60	180	E52/1910
DEACO019	Air Core	111	675000	7149000	500	-60	180	E52/1910
DEAC0020	Air Core	162	675000	7149100	500	-60	180	E52/1910
DEAC0021	Air Core	127	675000	7149055	500	-60	180	E52/1910
DEAC0022	Air Core	91	675000	7149200	500	-60	180	E52/1910
DEAC0023	Air Core	75	675000	7149300	500	-60	180	E52/1910
DEAC0024	Air Core	59	675000	7149400	500	-60	180	E52/1910
DEAC0025	Air Core	117	675000	7149150	500	-60	180	E52/1910
DEAC0026	Air Core	147	675000	7148050	500	-60	180	E52/1910
DEAC0027	Air Core	131	675000	7148150	500	-60	180	E52/1910
DNAC0001	Air Core	162	673400	7152250	500	-60	360	E52/3351
DNAC0002	Air Core	120	673400	7152150	500	-60	360	E52/3351
DNAC0003	Air Core	120	673400	7152050	500	-60	360	E52/3351
DWAC0001	Air Core	93	664470	7151510	500	-60	45	E52/3350
DWAC0002	Air Core	100	664435	7151475	500	-60	45	E52/3350
DWAC0003	Air Core	90	664364	7151404	500	-60	45	E52/3350
DWAC0004	Air Core	50	663402	7150602	500	-60	45	E52/3350
DWAC0005	Air Core	21	663472	7150672	500	-60	45	E52/3350
DWAC0006	Air Core	55	663543	7150743	500	-60	45	E52/3350
FCAC080	Air Core	66	656500	7152150	500	-60	270	E52/1910
FCAC081	Air Core	98	656600	7152150	500	-60	270	E52/1910
FCAC082	Air Core	91	656700	7152150	500	-60	270	E52/1910
FCAC083	Air Core	111	656800	7152150	500	-60	270	E52/1910
FCAC084	Air Core	47	656900	7152150	500	-60	270	E52/1910
FCAC085	Air Core	88	657000	7152150	500	-60	270	E52/1910
FCAC086	Air Core	102	656350	7152350	500	-60	270	E52/1910
FCAC087	Air Core	57	656400	7152350	500	-60	270	E52/1910
FCAC088	Air Core	105	656500	7152350	500	-60	270	E52/1910
FCAC089	Air Core	78	656600	7152350	500	-60	270	E52/1910
FCAC090	Air Core	96	656050	7152550	500	-60	270	E52/1910
FCAC091	Air Core	115	656150	7152550	500	-60	270	E52/1910
FCAC092	Air Core	126	656250	7152550	500	-60	270	E52/1910
FCAC093	Air Core	84	656350	7152550	500	-60	270	E52/1910
	·		I.	I.	L		·	

Hole ID	Hole Type	Total Depth	Easting (MGA94_Z51)	Northing (MGA94_Z51)	RL (m)	Dip	Azimuth	Tenement
FCAC094	Air Core	117	656450	7152550	500	-60	270	E52/1910
FCAC095	Air Core	96	656550	7152550	500	-60	270	E52/1910
FCAC096	Air Core	131	655950	7152750	500	-60	270	E52/1910
FCAC097	Air Core	93	656050	7152750	500	-60	270	E52/1910
FCAC098	Air Core	124	656250	7152750	500	-60	270	E52/1910
FCAC099	Air Core	96	656350	7152750	500	-60	270	E52/1910
FCAC100	Air Core	123	655800	7152950	500	-60	270	E52/1910
FCAC101	Air Core	123	655900	7152950	500	-60	270	E52/1910
FCAC102	Air Core	94	656000	7152950	500	-60	270	E52/1910
FCAC103	Air Core	96	656100	7152950	500	-60	270	E52/1910
FCAC104	Air Core	96	656200	7152950	500	-60	270	E52/1910
FCAC105	Air Core	81	656300	7152950	500	-60	270	E52/1910
FCAC106	Air Core	94	656400	7152950	500	-60	270	E52/1910

ABOUT AURIS MINERALS LIMITED

Auris is exploring for base metals and gold in the Bryah Basin of Western Australia. Auris has consolidated a tenement portfolio of 1,410km², which is divided into eight well-defined project areas: Forrest, Cashman, Cheroona, Doolgunna, Morck Well, Feather Cap, Milgun and Horseshoe Well, (Figure 3).

In February 2018, Auris entered a Farm-in Agreement with Sandfire in relation to the Morck Well and Doolgunna Projects which covers ~430km² (the Morck Well JV). During September 2019, Auris entered into a Farm-in with Sandfire in relation to the Cashman Project tenements, E51/1053 and E51/1120, (the Cashman JV). On 4 February 2020 Auris and Northern Star Resources Limited (NST) entered into a Farm-in with Sandfire in relation to the Cheroona Project tenements, E51/1391, E51/1837 and E51/1838, (the Cheroona JV). Sandfire has the right to earn a 70% interest in each of above projects upon completion of a Feasibility Study on a discovery of not less than 50,000t contained copper (or metal equivalent) on the project. Auris manages exploration on all other tenements, including those that are subject to arrangements with third parties.

In September 2020, Auris entered a binding agreement to acquire Sandfire's interest in the Sams Creek Gold Project in New Zealand, (Figure 4) held through its wholly owned subsidiary Sams Creek Gold Limited (SCGL). The Sams Creek Gold Project is located in the northwest of the South Island of New Zealand and comprises two exploration permits, EP 40 338 (currently held joint venture with OceanaGold Corporation (ASX: OGC) (20%) and SCGL (80%)) and EP 54 454 (SCGL 100%), (refer ASX Announcement dated 30 September 2020).




Figure 3: Auris' copper-gold exploration tenement portfolio, with Sandfire (SFR), Northern Star (NST), Westgold (WGX), Fe Ltd and Gateway JV areas indicated

Notes:

2.

3.

4.

- 1. The Forrest Project tenements E52/1659 and E52/1671 have the following outside interests:
 - Auris 80%; Westgold Resources Ltd 20% (ASX:WGX). Westgold Resources Ltd interest is free carried until a Decision to Mine
 - Westgold Resources Ltd own the gold rights over the Auris interest.
 - The Forrest Project tenement P52/1493 have the following outside interests:

 Westgold Resources Ltd own the gold rights over the Auris interest.
 - The Forrest Project tenements P52/1494-1496 have the following outside interests:
 - Auris 80%; Fe Ltd 20% (ASX:FEL). Fe Ltd interest is free carried until a Decision to Mine
 - The Cheroona Project tenements E51/1391, E51/1837-38 have the following outside interests:
 - Auris 70%; Northern Star Resources Ltd 30% (ASX:NST)
- 5. The Horseshoe Well Project tenement E52/3291 has the following outside interests:
 - Auris 85%; Gateway Projects WA Pty Ltd (formerly OMNI Projects Pty Ltd) 15% (Gateway Projects free carried until a Decision to Mine)
- 6. The Milgun Project tenement E52/3248 has the following outside interests:
 - Auris 85%; Gateway Projects WA Pty Ltd (formerly OMNI Projects Pty Ltd) 15% (Gateway Projects free carried until a Decision to Mine)
- 7. The Morck Well Project tenements E51/1033, E52/1613 and E52/1672 have the following outside interests:
 - Auris 80%; Fe Ltd 20% (ASX:FEL). Fe Ltd interest is free carried until a Decision to Mine




Figure 4: Sams Creek Gold Project exploration permit portfolio

Competent Person's Statement

Information in this announcement that relates to exploration results is based on and fairly represents information and supporting documentation prepared and compiled by Mr Matthew Svensson, who is a Member of the Australian Institute of Geoscientists. Mr Svensson is Exploration Manager for Auris Minerals Limited. Mr Svensson has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking to qualify as a Competent Person, as defined in the 2012 Edition of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves. Mr Svensson consents to the inclusion in the announcement of the matters based on this information in the form and context in which it appears.

No New Information

Except where explicitly stated, this announcement contains references to prior exploration results and Mineral Resource estimates, all of which have been cross-referenced to previous market announcements made by the Company. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources that all material assumptions and technical parameters underpinning the results and/or estimates in the relevant market announcement continue to apply and have not materially changed.

Forward Looking Statements

This announcement has been prepared by Auris Minerals Limited. This document contains background information about Auris Minerals Limited and its related entities current at the date of this announcement. This is in summary form and does not purport to be all inclusive or complete. Recipients should conduct their own investigations and perform their own analysis in order to satisfy themselves as to the accuracy and completeness of the information, statements and opinions contained in this announcement. This announcement is for information purposes only. Neither this document nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of shares in any jurisdiction.

This announcement may not be distributed in any jurisdiction except in accordance with the legal requirements applicable in such jurisdiction. Recipients should inform themselves of the restrictions that apply in their own jurisdiction. A failure to do so may result in a violation of securities laws in such jurisdiction. This document does not constitute investment advice and has been prepared without taking into account the recipient's investment objectives, financial circumstances or particular needs and the opinions and recommendations in this representation are not intended to represent recommendations of particular investments to particular investments to particular persons. Recipients should seek professional advice when deciding if an investment is appropriate. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments.

No responsibility for any errors or omissions from this document arising out of negligence or otherwise is accepted. This document does include forward-looking statements. Forward-looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of Auris Minerals Limited. Actual values, results, outcomes or events may be materially different to those expressed or implied in this announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward-looking statements.

Any forward-looking statements in this announcement speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law and ASX Listing Rules, Auris Minerals Limited does not undertake any obligation to update or revise any information or any of the forward-looking statements in this document or any changes in events, conditions or circumstances on which any such forward-looking statement is based.

JORC Code, 2012 Edition, Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation C	Commentary
Sampling	Nature and quality of sampling (eg cut •	No assays reported
techniques	channels, random chips, or specific specialised	
	industry standard measurement tools	
	appropriate to the minerals under	
	investigation, such as down hole gamma sondes, or handheld XRF instruments, etc).	
	These examples should not be taken as limiting	
	the broad meaning of sampling.	
	Include reference to measures taken to ensure	
	sample representivity and the appropriate	
	calibration of any measurement tools or	
	systems used.	
	Aspects of the determination of mineralisation	
	that are Material to the Public Report. In cases	
	where 'industry standard' work has been done	
	this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m	
	samples from which 3 kg was pulverised to	
	produce a 30 g charge for fire assay'). In other	
	cases more explanation may be required, such	
	as where there is coarse gold that has inherent	
	sampling problems. Unusual commodities or	
	mineralisation types (eg submarine nodules)	
	may warrant disclosure of detailed	
Drilling	 information. Drill type (eg core, reverse circulation, open- 	All holes drill via Air Core Blade (Diameter
techniques	hole hammer, rotary air blast, auger, Bangka,	85-87mm) to refusal. Air Core hammer
q	sonic, etc) and details (eg core diameter, triple	utilized to get through hard bands in
	or standard tube, depth of diamond tails, face-	weathering profile or to extent holes pass
	sampling bit or other type, whether core is	blade refusal.
	oriented and if so, by what method, etc).	
Drill sample	Method of recording and assessing core and	Any drill sample loss is recorded in sample
recovery .	chip sample recoveries and results assessed.	table.
	Measures taken to maximise sample recovery	No assays reported
	and ensure representative nature of the	
	samples.	
	Whether a relationship exists between sample	
	recovery and grade and whether sample bias may have occurred due to preferential	
	loss/gain of fine/coarse material.	
Logging	Whether core and chip samples have been	All holes have been logged for lithology,
33 3	geologically and geotechnically logged to a	weathering, alteration, mineralisation and
	level of detail to support appropriate Mineral	colour using a standard set of in-house
	Resource estimation, mining studies and	logging codes. The logging method is
	metallurgical studies.	quantitative.
	Whether logging is qualitative or quantitative in patture Core (or postern physical acts)	Holes not able to be used with a mineral
	in nature. Core (or costean, channel, etc)	resource estimate due to sample type.
	photography.The total length and percentage of the	
	relevant intersections logged.	
Sub-sampling	If core, whether cut or sawn and whether	No assays reported
techniques	quarter, half or all core taken.	•
and sample	If non-core, whether riffled, tube sampled,	
preparation	rotary split, etc and whether sampled wet or	
	dry.	
	For all sample types, the nature, quality and	
	appropriateness of the sample preparation	
	technique.	
	Quality control procedures adopted for all sub-	

Criteria	JORC Code explanation	Commentary
	sampling stages to maximise representivity of	,
	samples.	
	Measures taken to ensure that the sampling is	
	representative of the in situ material collected,	
	including for instance results for field	
	duplicate/second-half sampling.	
	Whether sample sizes are appropriate to the	
	grain size of the material being sampled.	
Quality of	The nature, quality and appropriateness of the	No assays reported
assay data	assaying and laboratory procedures used and	
and	whether the technique is considered partial or	
laboratory	total.	
tests	For geophysical tools, spectrometers,	
	handheld XRF instruments, etc, the	
	parameters used in determining the analysis	
	including instrument make and model, reading times, calibrations factors applied and their	
	derivation, etc.	
	 Nature of quality control procedures adopted 	
	(eg standards, blanks, duplicates, external	
	laboratory checks) and whether acceptable	
	levels of accuracy (ie lack of bias) and precision	
	have been established.	
Verification of	The verification of significant intersections by	No assays reported
sampling and	either independent or alternative company	, , , , , , , , , , , , , , , , , , , ,
assaying	personnel.	
	The use of twinned holes.	
	Documentation of primary data, data entry	
	procedures, data verification, data storage	
	(physical and electronic) protocols.	
	 Discuss any adjustment to assay data. 	
Location of	Accuracy and quality of surveys used to locate	All holes located prior to drilling via GPS with
data points	drill holes (collar and down-hole surveys),	an estimated accuracy of ±. 5 metres.
	trenches, mine workings and other locations	Grid is Map Grid of Australia Zone 50.
	used in Mineral Resource estimation.	Nominal value attributed to RL. DTM will be
	Specification of the grid system used.	used to determine more accurate RL prior to
	Quality and adequacy of topographic control.	loading data into database.
Data spacing	Data spacing for reporting of Exploration	No assays reported
and	Results.	
distribution	Whether the data spacing and distribution is	
	sufficient to establish the degree of geological	
	and grade continuity appropriate for the	
	Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	
	, , , , , , , , , , , , , , , , , , , ,	
	Whether sample compositing has been applied.	
Orientation of	 Whether the orientation of sampling achieves 	No assays reported
data in	unbiased sampling of possible structures and	- 140 assays reported
relation to	the extent to which this is known, considering	
geological	the deposit type.	
structure	If the relationship between the drilling	
	orientation and the orientation of key	
	mineralised structures is considered to have	
	introduced a sampling bias, this should be	
	assessed and reported if material.	
Sample	The measures taken to ensure sample security.	No assays reported
security	The measures taken to ensure sample security.	No assays reported
Audits or	The results of any audits or reviews of	No assays reported
reviews	sampling techniques and data.	- 110 assays reported
	Sampling teeriniques and data.	

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral	Type, reference name/number, location and	The Feather Cap Project is located 95
tenement and	ownership including agreements or material	kilometres north of Meekatharra in WA.
land tenure	issues with third parties such as joint ventures,	The Feather Cap Project includes tenements
status	partnerships, overriding royalties, native title	E52/1910, E52/3350, E52/3351 and
	interests, historical sites, wilderness or	E52/3275.
	national park and environmental settings.	Auris has a 100% interest in all tenements which make up the Feather Cap Project.
	The security of the tenure held at the time of	There are no issues are present relating to
	reporting along with any known impediments	the security of the above tenements.
	to obtaining a license to operate in the area.	·
Exploration	Acknowledgment and appraisal of exploration	No assays reported
done by other	by other parties.	No assays reported
parties	by other purties.	
<u> </u>	Devent two and state of	The Marek Well Draight line within the
Geology	Deposit type, geological setting and style of	The Morck Well Project lies within the Proterozoic-aged Bryah rift basin enclosed
	mineralisation.	between the Archaean Marymia Inlier to the
		north and the Proterozoic Yerrida basin to
		the south.
		The exploration targets in the Feather Cap
		Project are Volcanogenic Massive Sulphide
		(VMS) deposits and orogenic gold deposits.
Drill hole	A summany of all information materials of	
information	A summary of all information material to the under standing of the evaluation results.	 All Collar coordinates for the completed drilling are included in text of
mjormation	under-standing of the exploration results	announcement
	including a tabulation of the following	
	information for all Material drill holes:	
	easting and northing of the drill hole collar	
	elevation or RL (Reduced Level – elevation	
	above sea level in metres) of the drill hole	
	collar	
	 dip and azimuth of the hole 	
	 down hole length and interception depth 	
	hole length	
	If the exclusion of this information is justified on	
	the basis that the information is not Material	
	and this exclusion does not detract from the	
	understanding of the report, the Competent	
	Person should clearly explain why this is the	
	case.	
Data	In reporting Exploration Results, weighting	No assays reported
aggregation	averaging techniques, maximum and/or	
methods	minimum grade truncations (e.g. cutting of	
	high grades) and cut-off grades are usually	
	Material and should be stated.	
	Where aggregate intercepts incorporate short	
	lengths of high grade results and longer	
	lengths of low grade results, the procedure	
	used for such aggregation should be stated	
	and some typical examples of such	
	aggregations should be shown in detail.	
	The assumptions used for any reporting of	
	metal equivalent values should be clearly	
	stated.	
Relationship	These relationships are particularly important	No assays reported
between	in the reporting of Exploration Results.	- 140 dasays reported
mineralisation	1	
iiiiieiuiisuuon	If the geometry of the mineralisation with	

Criteria	JORC Code explanation	Commentary
widths and intercept lengths	respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	 Relevant diagrams have been included within the main body of the announcement.
Balanced Reporting	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	No down hole surveying of the drilling was undertaken.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No other exploration data reported.
Further work	 The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large- scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	Further work in the area will be based on results returned from the completed Air Core drilling.