

ASX Announcement

27 January 2021
ASX: WMX



DRILLING RESULTS - PROGRESS REPORT

HIGHLIGHTS

- Multiple shallow high-grade results from resource development drilling at Wiluna Mining Centre:

West Lode Zone

- WURC0939:** Broad high-grade zone of **34.00m @ 4.88g/t**, including **14.00m @ 8.32 g/t** and **5.00m @ 7.40g/t** and **4.00m @ 5.18g/t**

Essex Zone

- WURD0112:** **4.05m @ 9.20g/t** including **0.45m @ 57.30g/t (visible gold logged)**
- WUDD0064:** **20.00m @ 3.30g/t** including **2.00m @ 5.67g/t** and **2.00m @ 6.17g/t**

Bulletin Zone

- WURD0100:** **7.90m @ 6.21g/t**, within broad mineralised halo of **16.70m @ 3.84g/t**
 - BUDD0164A:** **3.64m @ 9.93g/t**
 - BUUD0138:** **13.37m @ 7.03g/t**
 - BUUD0108:** **6.73m @ 5.56g/t**
 - BUUD0112:** **11.00m @ 4.04g/t** including **6.00m @ 5.80g/t**
 - BUUD0109:** **10.44m @ 3.29g/t** including **4.00m @ 5.74g/t**
 - WURCD0915:** **5.45m @ 4.76g/t** including **3.91m @ 5.48g/t**
- High-grades up to 15.1g/t assayed in previously un-sampled historical core.
 - Seven drill rigs recommenced drilling in January targeting new sulphide ore shoots, and infill drilling to grow the Sulphide Development Resources and Reserves.
 - Seismic survey has commenced to map extensions of known gold structures and define new drill targets.

About Wiluna Mining

Wiluna Mining Corporation (ASX: WMX) is a Perth based, ASX listed gold mining company that controls over 1,600 square kilometres of the Yilgarn Region in the Northern Goldfields of Western Australia.

The Yilgarn Region has a historic and current gold endowment of over 380 million ounces, making it one of most prolific gold regions in the world. The Company owns 100% of the Wiluna Gold Operation which is the 7th largest gold district in Australia under single ownership based on overall JORC Mineral Resource.



BOARD OF DIRECTORS

Milan Jerkovic – *Executive Chair*
Neil Meadows – *Operations Director*
Sara Kelly – *Non-Executive Director*
Greg Fitzgerald – *Non-Executive Director*
Tony James – *Non-Executive Director*

CORPORATE INFORMATION

118.6 M Ordinary Shares
2.7M Unquoted Options/ZEPO's

Level 3, 1 Altona Street, West Perth, WA 6005
PO Box 1412 West Perth WA 6872

T +61 8 9322 6418

F +61 8 9322 6429

info@wilunamining.com.au
wilunamining.com.au

Wiluna Mining Corporation Limited (ASX: WMX) (Wiluna Mining, WMC or the Company) is pleased to provide a progress update on:


- Further high-grade results from an additional 32 holes and 8,127m of resource development and discovery drilling at the Wiluna Mining Centre.
- Multiple significant intercepts from 56 holes and 7,525m of previously un-sampled mineralisation identified in the large historical core library at the Wiluna mine site.

Wiluna Mining Centre

Resource and reserve development programs at the Wiluna Mining Centre are designed to follow-up positive drilling results reported through the past 12 months. The drilling program focuses on highest-value deposits scheduled for mining in the next 4 years to further strengthen the sulphide mine plan, with results reported here from Essex, Bulletin and West Lode South zones. The Company has currently deployed 7 rigs at the Wiluna operation with drilling accelerating in January 2021.

Wiluna Mining's drilling strategy in the past 12 months has successfully defined thick high-grade intervals at shallow levels, close to multiple previously mined zones with available access for rapid low-cost development (Figure 1). These results demonstrate that the Wiluna orebody is a very large scale and high-grade gold system.

Further updates to our Mineral Resource and Ore Reserve will be released in the first quarter of 2021, building on the recently updated Resource Estimate (see ASX release 5 November 2020). The Company has chosen to delay its publication of an updated Ore Reserve (originally slated for January 2021) to include excellent drill results from the Bulletin South zone (see ASX releases 27 October 2020 and 17 November 2020) that are expected to make a material and valuable contribution to the life-of-mine plan and Ore Reserves.



**Figure 1: Wiluna Mining Centre shallow targets for resource growth leveraging existing mine infrastructure.
Multiple high-grade intercepts reported from all drill target locations since 1 July 2020.**

DRILLING HIGHLIGHTS

Bulletin Zone

Drilling has recently focused on the Bulletin zone in the Wiluna North Mine area. The ongoing program at Bulletin is designed to infill areas of Inferred resource within preliminary stope designs, with the aim to upgrade geological confidence to Indicated resource category, and to extend potential stoping areas along strike, up-dip and down-dip. Excellent results were achieved from this program (Figures 2 & 3):

BUUD0108:	6.73m @ 5.56g/t from 50.27m
BUUD0109:	10.44m @ 3.29g/t from 54.90m including 4.00m @ 5.74g/t from 54.90m
BUUD0112:	11.00m @ 4.04g/t from 46.00m including 6.00m @ 5.80g/t from 48.00m
BUUD0138:	13.37m @ 7.03g/t from 68.00m
BUUD0164A:	3.64m @ 9.93g/t from 42.36m
WURCD0915:	5.45m @ 4.76g/t from 309.00m including 3.91m @ 5.48g/t from 310.54m
WURD0099:	5.00m @ 3.99g/t from 357.00m
WURD0100:	7.90m @ 6.21g/t from 349.10m, within broad mineralised halo of 16.70m @ 3.84g/t




Figure 2: Bulletin long section showing high-grade results and drilling aimed at converting the southern Inferred Resource area to Indicated category. Note multiple lodes were intersected in some holes.




Figure 3: Bulletin cross section showing high-grade results infilling and extending the planned stope areas.

Essex Zone

The ongoing program at Essex, which is a high-grade, high-priority mining zone in the Wiluna Central Mine area, continues to generate excellent results. Drilling is designed extend potential stoping areas both up-dip and down-dip (Figures 4 & 5).

WURD0112 intersected visible gold mineralisation, which is reflected in the ultra-high-grade assay of **0.45m @ 57.30g/t**, within a broader zone of **4.05m @ 9.20g/t** located down-dip from the preliminary stope designs).

WURD0112 is highly significant because the occurrence of very high-grade sulphides with visible gold is 50m below Wiluna Mining's previous deepest high-grade drillholes (**8.00m @ 5.31g/t** & **8.00m @ 15.20g/t**, see Figure 4).

WURD0112 demonstrates the down-plunge continuation of the high-grade shoot and additional assays are pending, while further drilling is also planned.

WUDD0064 intersected multiple high-grade zones up-dip of preliminary planned stopes, immediately below the Essex pit floor.

WURD0112: 4.05m @ 9.20g/t from 384.35m including **0.45m @ 57.30g/t** (with visible gold)

WUDD0064: 20.00m @ 3.30g/t from 121.00m including **2.00m @ 6.17g/t** and **2.00m @ 5.67g/t**

2.00m @ 4.47g/t from 154.00m

6.90m @ 2.77g/t from 163.10m




Figure 4: Essex long section showing high-grade results and drilling aimed at converting the Inferred Resource area to Indicated category.




Figure 5: Essex cross section showing high-grade results infilling and extending the planned stope areas.

West Lode South Zone

The program at West Lode South, which is a high-priority target in the Wiluna South Mine Area, continues to generate excellent results. West Lode South is targeted owing to its location adjacent to the East Lode South resource area and existing decline access, with potential to add to mine life and improve the head grade based on the thick high-grade mineralisation intersected in the current program and Wiluna Mining's previous holes (Figures 6 & 7, and ASX release 22 May 2017).

West Lode was historically mined via underground between 1932 and 1946 and produced 691,000oz @ 8.6g/t, which demonstrates the scale and high-grade nature of this target zone. West Lode remains open and sparsely drilled to the south, with potential to delineate resource extensions and to make a new shoot discovery.

WURC0939 intersected very broad mineralisation of **78.00m @ 2.59g/t** (estimated true width 52m) that may be amenable to open pit or bulk underground mining methods. Within this broad zone, high-grade intercepts include:

WURC0939: **14.00m @ 8.32g/t** from 183.00m, **5.00m @ 7.40g/t** from 210.00m & **4.00m @ 5.18g/t** from 237.00m

Within broad mineralised zone of **78.00m @ 2.59g/t** from 183.00m or **34.00m @ 4.88g/t** from 183.00m




Figure 6: West Lode long section showing high-grade results and drilling aimed at converting the Inferred resource area to Indicated category.




Figure 7: West Lode cross section showing high-grade results, with drilling aimed at converting the Inferred Resource area to Indicated category.

HISTORIC DRILL CORE ASSAYS DEMONSTRATE HIGH GRADES ADJACENT TO MINED ZONES

The Wiluna Mining Centre has been mined for over 120 years and the Company's approach is to leverage the large amount of historically sunk capital, including over 100km of existing mine development and over 800km of diamond core previously drilled at the project that was only selectively sampled by previous operators.

New intersections from 56 holes for 7,525m of historical core include assays up to 15.1g/t, 17 assays above 5g/t and 129 assays above 1g/t. Over 30,000m of historic core has been identified for relogging in the current campaign, to assess broad halo mineralisation and previously un-sampled high-grade zones that will be incorporated into future resource model updates.

Numerous exceptional broad intersections have been returned, such as **139.45m @ 1.70g/t** and **64.50m @ 2.17g/t** that may be amenable to bulk mining methods. New assay intervals combined with the historic assays have been used to generate new combined significant intervals (see Table 3 for further details):

CADH00281:	63.80m @ 2.32g/t
CADH00492:	15.00m @ 2.78g/t
CADH00699:	13.30m @ 10.79g/t
CADH00754:	12.46m @ 2.12g/t
CADH00900:	19.25m @ 4.03g/t
CADH00929:	10.90m @ 4.10g/t
CADH01027:	30.60m @ 6.85g/t
CADH01217A:	6.40m @ 6.34g/t and 23.00m @ 1.54g/t
CADH01342:	21.50m @ 5.80g/t
HNDH0040:	26.10m @ 2.08g/t
WDH00460:	14.70m @ 5.29g/t
WDH00678:	28.90m @ 4.39g/t
WDH00715:	139.45m @ 1.70g/t including 18.00m @ 4.06g/t
WDH00898:	64.50m @ 2.17g/t

WILUNA MINING CENTRE- RESOURCE AND RESERVE DRILLING PROGRAM

Following the 90,000m of resource and reserve development drilling completed in 2020, the Wiluna Mining Centre Mineral Resource Estimate has increased to **60.2Mt @ 2.99g/t for 5.78Moz** (above 1.0g/t cut-off), including a **high-grade component of 26.9Mt @ 4.89g/t for 4.24Moz** above 2.5g/t cut-off (see ASX release dated 5 November 2020). Approximately 50% of the Mineral Resource is in the Measured and Indicated categories and 50% in the Inferred category. The 2021 drilling program is of similar scale and aims to grow reserves through targeting new high-grade shoots and progressive infill to convert the current Inferred Resource of 2.10Moz @ 4.57g/t (above 2.5g/t cut-off) to Indicated category. The Company will publish initial Sulphide Ore Reserves in the first quarter of 2021.

Including historical production of over 4Moz, Wiluna's total endowment is over 11Moz which ranks Wiluna alongside an exclusive peer group of large-scale, long-life mining centres in the Western Australian gold fields. Most historical production and existing resources occur in the upper 600m at Wiluna, with limited drilling during the past 15 years at depth on Wiluna Mining's high-grade shoot targets (Figure 1), which Wiluna Mining will systematically drill out to complete the resource and reserve development program in the medium term.

At Wiluna, the bulk of the ounces are hosted within high-grade shoots within steeply dipping gold shear zones, with the two most prominent shears being the East and West structures and a third sub-parallel structure called Adelaide-Moonlight, with a combined strike length of over 10km. In addition, numerous linking structures and splays are also mineralised, and free-milling high-grade quartz reefs continue to be drilled at the Golden Age mine area. Prior to Wiluna

Mining’s ownership, historical intercepts drilled over 1,000m below surface confirmed that high-grade extensions continue below the deepest mine workings.

The lodes that comprise the two main structures within the Wiluna deposit have very limited drilling below the deepest levels of production (600m to 1,000m below surface), but the drilling that has been completed shows the same mineralisation style at similar grade and width as observed within the past production envelopes. This gives confidence that mineralisation extends well beneath the currently known extents of each lode.

The Company is targeting high-grade zones to bring into the front of the mine plan, because every increase in head grade of 1g/t equates to approximately 25kozpa additional ounces during Stage 1 production and 50kozpa during Stage 2 of the sulphide development plan.

SULPHIDE DEVELOPMENT PLAN

Williamson open pit mine will continue to provide the bulk of free-milling feed through to sulphides production. Underground mining at Golden Age and Lennon are also contributing valuable high-grade, free-milling feed to the process plant, while rehabilitation and mine development are well underway to access stoping blocks for initial sulphide mining.

Stage 1 of the sulphide development plan will see the Company transition from its current production profile of 62koz in FY 2021 using the current 2.1 Mtpa free-milling processing facility, to initially producing on completion and fully ramped up approximately 120kozpa of gold and gold in concentrate. This will be implemented using the current crushing and milling circuit and a new 750ktpa concentrator by October 2021.

The feasibility study into Stage 2 sulphide development has commenced and is targeted for completion before the end of 2021. Wiluna Mining’s resource and reserve development drilling and mine planning work to date provide confidence in the scale and grade of the mineralisation to support an expansion in production through a Stage 2 plant upgrade to a nominal 1.5 Mtpa treatment rate to produce over 250kozpa in gold doré and gold concentrate. Very few gold projects at one location, under the control of one company, have the potential for this scale of production in a Tier 1 location.




Figure 8: Staged Sulphide Development timeline.

This announcement has been approved for release by the Executive Chair of Wiluna Mining Corporation Limited.

For further information on Wiluna Mining please contact:

Milan Jerkovic
Executive Chair
+61 8 9322 6418

Jim Malone
General Manager Investor Relations
+61 419 537 714

Dannika Warburton
Media & Communications
+61 401 094 261

Wiluna at 1.0g/t

Wiluna Mining Corporation Mineral Resource Summary												
Mining Centre	TOTAL MINERAL RESOURCES											
	Measured			Indicated			Inferred			Total 100%		
	Mt	g/t Au	Koz Au	Mt	g/t Au	Koz Au	Mt	g/t Au	Koz Au	Mt	g/t Au	Koz Au
Wiluna	0.14	5.2	24	22.69	3.59	2,618	37.34	2.62	3,141	60.17	2.99	5,782
Matilda	-	-	-	3.51	1.51	170	1.41	2.43	110	4.93	1.77	281
Lake Way	1.93	1.28	80	0.94	1.61	48	3.53	1.19	135	6.40	1.28	263
Galaxy	-	-	-	0.13	3.08	12	0.16	2.98	15	0.28	3.02	28
SUB TOTAL	2.08	1.55	103	27.27	3.25	2,849	42.44	2.49	3,401	71.78	2.75	6,354
TAILINGS AND STOCKPILES												
Tailings	-	-	-	33.16	0.57	611	-	-	-	33.16	0.57	611
Stockpiles	0.51	0.9	15	2.16	0.51	35	-	-	-	2.67	0.58	50
SUB TOTAL	0.51	0.89	15	35.32	0.57	646	-	-	-	35.83	0.57	661
GLOBAL TOTAL	2.59	1.42	118	62.59	1.74	3,495	42.44	2.49	3,401	107.61	2.03	7,015

Wiluna Mining Corporation Mineral Resource Summary												
Reporting Cut-Off	TOTAL MINERAL RESOURCES (WILUNA DEPOSITS ONLY)											
	Measured			Indicated			Inferred			Total 100%		
	Mt	g/t Au	Koz Au	Mt	g/t Au	Koz Au	Mt	g/t Au	Koz Au	Mt	g/t Au	Koz Au
0.4	0.3	3.0	27	39.01	2.37	2,970	66.77	1.77	3,808	106.06	2.00	6,805
1.0	0.1	5.2	24	22.69	3.59	2,618	37.34	2.62	3,141	60.17	2.99	5,782
2.5	0.1	6.5	22	12.53	5.25	2,114	14.29	4.57	2,100	26.93	4.89	4,237

Table 1: Mineral Resources -October 2020, Wiluna > 1.0 g/t cut-off.

Notes Table 1:

1. See ASX releases dated 30 September and 5 November for further details.
2. Mineral Resources are reported inclusive of Ore Reserves.
3. Tonnes are reported as million tonnes (Mt) and rounded to the nearest 10,000; gold (Au) ounces are reported as thousands rounded to the nearest 1,000.
4. Data is rounded to reflect appropriate precision in the estimate which may result in apparent summation differences between tonnes, grade, and contained metal content.

5. Wiluna Mineral Resource includes deposits within the Wiluna Mining Centre and the Regent deposit and are reported at a 1.0g/t Au cut-off.
6. Matilda Mineral Resource is a summation of 8 separate Matilda deposits each reported at 0.4g/t Au cut-off within an A\$2,900/oz shell and at 2.5g/t below the pit shell, and the shallow Coles Find deposit which has been reported at a 0.4g/t Au cut-off.
7. Lake Way Mineral Resource includes the Carrol, Prior, Williamson South deposits, and the operating Williamson deposit. Each deposit has been reported at 0.4g/t Au cut-off within an A\$2,900/oz shell and at 2.5g/t below the pit shell.
8. Tailings Mineral Resource includes material in Dam C, Dam H, and backfilled pits at Adelaide, Golden Age, Moonlight, and Squib.
9. Competent Persons: Graham de la Mare, Marcus Osiejak (refer to Competent Persons statement).

Table 2. Significant intercepts Wiluna Mining Centre. NSI = No significant intercept. Results >5g/t highlighted red. Rows highlighted in blue show bulked intersection with greater than 2m internal dilution.

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Bulletin	BUUD0107	225827	7053599	873	83.7	47.8	314.4	53.00	58.22	5.22	3.87	3.48
Bulletin	BUUD0107						Incl.	55.90	56.75	0.85	15.95	0.57
Bulletin	BUUD0108	225827	7053599	270	84	-29.4	311.2	50.27	57.00	6.73	5.56	4.49
Bulletin	BUUD0108							69.40	74.00	4.60	1.48	3.07
Bulletin	BUUD0108						Incl.	69.40	69.80	0.40	5.85	0.27
Bulletin	BUUD0109	225827	7053599	269	96	-51	310.3	54.90	65.34	10.44	3.29	6.96
Bulletin	BUUD0109						Incl.	54.90	58.90	4.00	5.74	2.67
Bulletin	BUUD0109						and	64.73	65.34	0.61	9.93	0.41
Bulletin	BUUD0109							69.00	71.54	2.54	1.67	1.69
Bulletin	BUUD0111	225807	7053588	265	90	-45.66	304	NSI				
Bulletin	BUUD0112	225807	7053588	265	66	-66.4	302	46.00	57.00	11.00	4.04	7.33
Bulletin	BUUD0112						Incl.	48.00	54.00	6.00	5.80	4.00
Bulletin	BUUD0114	225807	7053587	265	110.62	-57.9	272	39.10	39.95	0.85	17.97	0.57
Bulletin	BUUD0114							96.00	97.00	1.00	2.63	0.67
Bulletin	BUUD0115	225788	7053575	267	53.88	41.2	303	26.70	28.50	1.80	1.64	1.20
Bulletin	BUUD0116	225788	7053575	262.6	63.1	-4.8	300.8	10.06	17.00	6.94	1.63	4.63
Bulletin	BUUD0116						Incl.	12.95	13.25	0.30	9.18	0.20
Bulletin	BUUD0116							48.90	51.50	2.60	4.18	1.73
Bulletin	BUUD0116							48.90	50.00	1.10	8.26	0.73
Bulletin	BUUD0118	225787	7053575	262	86.3	-49.6	275	14.43	18.00	3.57	5.83	2.38
Bulletin	BUUD0136	225752	7053532	195	120.00	48.7	267	49.70	50.00	0.30	8.70	0.20
Bulletin	BUUD0137	225750	7053529	193	80.90	25.1	264	38.18	40.82	2.64	1.90	1.76
Bulletin	BUUD0138	225751	7053529	196	179.11	32.5	241	68.00	81.37	13.37	7.03	8.91
Bulletin	BUUD0164A	225802	7053582	269.8	160.7	56.0	284.9	42.36	46.00	3.64	9.93	2.43
Bulletin	BUUD0164A						Incl.	42.36	44.89	2.53	13.39	1.69
Bulletin	BUUD0164A							51.35	53.10	1.75	1.81	1.17
Bulletin	BUUD0164A							118.00	124.00	6.00	1.28	4.00

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Bulletin	BUUD0167	225788	7053572	263.9	51.0	-14.8	233.3	NSI				
Bulletin	BUUD0168	225795	7053572	263.7	72.2	-46.5	239.6	NSI				
Bulletin	BUUD0169	225795	7053572	263.7	66.3	17.4	231.7	NSI				
Bulletin	BUUD0170	225787	7053573	264.9	70.1	31.9	238.3	59.50	60.57	1.07	3.16	0.71
Bulletin	BUUD0170A	225788	7053572	265.6	114.0	15.3	253.9	84.38	87.00	2.62	4.13	1.75
Bulletin	BUUD0170A						Incl.	84.38	85.00	0.62	15.95	0.41
Bulletin	BUUD0171	225795	7053572	263.7	95.8	-11.0	225.4	NSI				
Bulletin	BUUD0172	225788	7053572	263.9	92.7	-35.3	218.9	NSI				
Bulletin	BUUD0173	225795	7053572	263.7	141.0	-7.3	220.3	77.00	80.00	3.00	1.41	2.00
Bulletin	BUUD0174	225795	7053572	263.7	119.8	-21.0	219.6	NSI				
Essex	BUUD0176	225526	7052281	111	415.90	12.1	254	134.00	135.00	1.00	3.35	0.67
Essex	BUUD0176							214.00	215.00	1.00	3.07	0.67
Essex	BUUD0176							282.00	284.00	2.00	22.43	1.33
East - West	BUUD0177a	225526	7052281	111	500.09	-4.5	273	116.96	118.10	1.14	8.08	0.76
East - West	BUUD0177a							124.00	125.00	1.00	2.86	0.67
East - West	BUUD0177a							139.83	140.30	0.47	6.75	0.31
East - West	BUUD0177a							144.34	148.00	3.66	8.24	2.44
East - West	BUUD0177a							413.00	414.00	1.00	2.12	0.67
East-West	BUUD0178	225526	7052281	111	579.02	-22.8	253	99.04	101.25	2.21	6.38	1.47
East-West	BUUD0178							110.89	111.19	0.30	15.15	0.20
East-West	BUUD0178							163.81	167.50	3.69	2.15	2.46
East-West	BUUD0178							325.00	326.00	1.00	6.15	0.67
Bulletin	BUUD0179	225527	7052358	120	285.20	16.3	261	154.00	155.90	1.90	10.22	1.27
Essex	BUUD0194	225526	7052281	110.9	241.6	24.0	238.5	73.00	74.00	1.00	5.46	0.67
Essex	BUUD0194							90.28	90.58	0.30	7.51	0.20
Essex	BUUD0195	225526	7052281	110.9	211.2	-5.1	238.7	83.36	85.31	1.95	1.38	1.30
Essex	BUUD0195							106.00	108.60	2.60	1.14	1.73
Essex	BUUD0195						Incl.	106.00	106.30	0.30	6.61	0.20
East-West	BUUD0197A	225527	7052358	120	257.7	45.1	261	141.00	145.00	4.00	3.05	2.67
East-West	BUUD0197A						Incl.	141.53	142.20	0.67	12.91	0.45
East-West	BUUD0197A							213.00	214.00	1.00	3.52	0.67
East-West	BUUD0197A							230.00	232.30	2.30	5.87	1.53

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
East-West	BUUD0197A						Incl.	230.50	231.30	0.80	12.96	0.53
Essex	WUDD0064	225538	7052377	505	199.80	-41.4	316	121.00	170.00	49.00	2.00	32.67
Essex	WUDD0064							121.00	141.00	20.00	3.30	13.33
Essex	WUDD0064						Incl.	130.85	132.85	2.00	5.67	1.33
Essex	WUDD0064						and	138.00	140.00	2.00	6.17	1.33
Essex	WUDD0064							154.00	156.00	2.00	4.47	1.33
Essex	WUDD0064						Incl.	154.00	155.00	1.00	6.25	0.67
Essex	WUDD0064							163.10	170.00	6.90	2.77	4.60
Essex	WUDD0064						Incl.	164.20	165.35	1.15	8.04	0.77
East Lode South	WUDD0065	225379	7050638	497	552.75	-56	268	212.35	213.80	1.45	4.00	0.97
East Lode South	WUDD0065						Incl.	212.65	213.35	0.70	5.17	0.47
East Lode South	WUDD0066	225186	7050583	505.801	204.11	-36	270	NSI				
West Lode South	WURC0931	225117	7051290	446	290	-56	202	NSI				
West Lode South	WURC0932	225117	7051284	446	260	-50	203	140.00	142.00	2.00	5.79	1.33
West Lode South	WURC0933	225117	7051290	446	83	-67	205	NSI				
West Lode South	WURC0935	225115	7051287	445.81	268	-62.1	207.3	123.00	125.00	2.00	3.40	1.33
West Lode South	WURC0935							224.00	226.00	2.00	7.28	1.33
West Lode South	WURC0935							255.00	257.00	2.00	3.75	1.33
West Lode South	WURC0936	225113	7051288	445.819	293	-74	207.1	94.00	101.00	7.00	1.52	4.67
West Lode South	WURC0936						Incl.	97.00	98.00	1.00	5.51	0.67
West Lode South	WURC0936							130.00	131.00	1.00	4.63	0.67
West Lode South	WURC0937	225117	7051290	446	11	-70	212.1	NSI				
West Lode South	WURC0938	225117	7051290	446	209	-69.9	211.7	121.00	123.00	2.00	4.37	1.33
West Lode South	WURC0939	225117	7051290	446	268	-61.5	218	109.00	111.00	2.00	2.21	1.33
West Lode South	WURC0939						218.0	183.00	261.00	78.00	2.59	52.00

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
West Lode South	WURC0939						Incl.	183.00	217.00	34.00	4.88	22.67
West Lode South	WURC0939						Incl.	183.00	197.00	14.00	8.32	9.33
West Lode South	WURC0939						and	210.00	215.00	5.00	7.40	3.33
West Lode South	WURC0939							237.00	241.00	4.00	5.18	2.67
West Lode South	WURC0939							259.00	261.00	2.00	1.49	1.33
Essex	WURCD0907	225494	7052323	504	387.6	-68.5	312.5	285.85	288.80	2.95	3.84	1.97
Bulletin	WURCD0915	225820	7053278	510	400.13	-55	314	281.80	284.05	2.25	7.19	1.50
Bulletin	WURCD0915							309.00	314.45	5.45	4.76	3.63
Bulletin	WURCD0915						Incl.	309.80	310.21	0.41	6.13	0.27
Bulletin	WURCD0915						and	310.54	314.45	3.91	5.48	2.61
Bulletin	WURCD0922	225714	7053090	512	414.6	-55	313	12.00	16.00	4.00	1.67	2.67
Bulletin	WURCD0922							112.00	116.00	4.00	1.08	2.67
Bulletin	WURCD0922							266.00	268.00	2.00	4.62	1.33
Bulletin	WURCD0922						Incl.	267.00	268.00	1.00	8.47	0.67
Bulletin	WURCD0922							285.00	287.00	2.00	1.69	1.33
Bulletin	WURCD0922							290.00	291.00	1.00	2.18	0.67
Bulletin	WURCD0922							302.00	305.00	3.00	1.06	2.00
Bulletin	WURCD0922							311.00	314.00	3.00	1.26	2.00
Bulletin	WURCD0922							328.00	332.00	4.00	1.45	2.67
Bulletin	WURCD0922							374.65	375.20	0.55	27.30	0.37
Bulletin	WURD0086	225611	7053157	509	320	-59	315	94.50	95.53	1.03	4.27	0.69
Bulletin	WURD0086							132.05	133.15	1.10	4.98	0.73
Bulletin	WURD0086						Incl.	132.05	132.47	0.42	9.43	0.28
Bulletin	WURD0086							167.60	172.00	4.40	3.93	2.93
Bulletin	WURD0086						Incl.	167.60	169.29	1.69	6.92	1.13
Bulletin	WURD0086							201.10	201.73	0.63	9.67	0.42
Bulletin	WURD0086							208.68	209.63	0.95	2.21	0.63
Bulletin	WURD0086							278.00	279.81	1.81	4.76	1.21
Bulletin	WURD0086						Incl.	278.00	279.00	1.00	7.01	0.67
Bulletin	WURD0087	225648	7053124	510	280	-66	318	231.00	231.70	0.70	3.21	0.47
Bulletin	WURD0087							264.20	265.50	1.30	6.01	0.87
Bulletin	WURD0087							275.80	276.73	0.93	10.83	0.62
Bulletin	WURD0090	225592	7053137	509	279.8	-58	314	86.20	101.85	15.65	1.95	10.43

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Bulletin	WURD0090							92.00	96.30	4.30	4.84	2.87
Bulletin	WURD0090						Incl.	94.40	95.90	1.50	12.70	1.00
Bulletin	WURD0090							98.75	101.85	3.10	2.10	2.07
Bulletin	WURD0090						Incl.	99.80	100.50	0.70	5.75	0.47
Bulletin	WURD0090							137.65	154.80	17.15	2.13	11.43
Bulletin	WURD0090						Incl.	138.10	140.25	2.15	5.88	1.43
Bulletin	WURD0090						and	150.70	151.50	0.80	5.60	0.53
Bulletin	WURD0090							246.30	247.15	0.85	6.40	0.57
Bulletin	WURD0090							263.20	265.30	2.10	2.43	1.40
Bulletin	WURD0092	225612	7053612	510	220	-55	135	NSI				
Bulletin	WURD0093	225643	7053093	510	240.2	-60	315	11.00	18.00	7.00	1.44	4.67
Bulletin	WURD0099	225577	7053645	518	370	-55	132	357.00	362.00	5.00	3.99	3.33
Bulletin	WURD0099						Incl.	357.00	359.00	2.00	6.42	1.33
Bulletin	WURD0100	225534	7053530	511	399.9	-57	134	19.00	20.00	1.00	2.88	0.67
Bulletin	WURD0100							244.46	246.00	1.54	8.39	1.03
Bulletin	WURD0100							252.70	256.60	3.90	4.39	2.60
Bulletin	WURD0100						Incl.	254.53	256.60	2.07	6.05	1.38
Bulletin	WURD0100							328.32	329.20	0.88	3.93	0.59
Bulletin	WURD0100							349.10	365.80	16.70	3.84	11.13
Bulletin	WURD0100						Incl.	349.10	357.00	7.90	6.21	5.27
Bulletin	WURD0100						and	359.14	360.94	1.80	5.22	1.20
Bulletin	WURD0100						and	365.00	365.80	0.80	5.03	0.53
Bulletin	WURD0100							387.29	388.30	1.01	21.51	0.67
Bulletin	WURD0104	225413	7053214	506	340.6	-52	135	271.75	292.65	20.90	1.74	13.93
Bulletin	WURD0104							274.90	281.05	6.15	2.09	4.10
Bulletin	WURD0104							283.20	292.65	9.45	2.17	6.30
Bulletin	WURD0104							309.75	311.25	1.50	6.06	1.00
Bulletin	WURD0104							328.30	331.10	2.80	1.40	1.87
West Lode South	WURD0105	224791.198	7051122.071	495	480.48	-50.2	89.3	409.65	416.76	7.11	2.13	4.74
East Lode South	WURD0106	225226.852	7050625.092	505.452	222.7	-59.2	273.7	209.90	218.00	8.10	2.43	5.40
East Lode South	WURD0106						Incl.	210.50	210.80	0.30	7.97	0.20
East Lode South	WURD0106						and	216.20	218.00	1.80	7.40	1.20
West Lode South	WURD0107	225111.781	7051291.584	446.332	179	-77.1	214.5	132.00	133.00	1.00	4.43	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Bulletin	WURD0112^	225552	7052230	523	434.90	-69.2	314.8	384.35	388.40	4.05	9.20	2.70
Bulletin	WURD0112^						Incl	384.65	385.10	0.45	57.30	0.30
Bulletin	WURD0112^							422.00	422.50	0.50	6.25	0.33

*Grid MGA94_Zone51S with RL in Australian Height Datum (surface level is approx. 500m AHD; "Mine RL" is AHD + 1,000m). Minimum significant intercept is 2m @ 1.0g/t or 2.0gm (gram x metres), maximum 2m contiguous internal dilution. ^ Indicates the drill hole has not yet been drilled to full depth.

Table 3. Significant Intercepts from Assaying Historical Core. New assays > 1.00g/t Au.

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azimuth	From	To	Width (m)	Au g/t	True Width (m)
New Assay	AWD0114	225463	7052325	289	113.5	8.4	254.56	78.60	79.00	0.40	1.44	0.27
New Assay	AWD0114							80.00	80.50	0.50	1.10	0.33
New Assay	AWD0114							92.00	92.70	0.70	1.14	0.47
New Assay	AWD0114							93.90	94.20	0.30	1.10	0.20
New Assay	AWD0114							95.15	95.80	0.65	5.87	0.43
New Assay	AWD0114							95.80	96.10	0.30	2.82	0.20
New Assay	CADH00015	225527	7052532	89	263.55	55	251.26	229.30	230.00	0.70	1.70	0.47
New Assay	CADH00079	225584	7052420	119	505	3.68	207.17	299.00	299.50	0.50	3.66	0.33
New Assay	CADH00079							365.50	366.00	0.50	4.01	0.33
New Assay	CADH00079							366.00	366.50	0.50	1.85	0.33
New Assay	CADH00079							366.50	367.00	0.50	3.47	0.33
New Assay	CADH00079							367.00	367.50	0.50	1.29	0.33
New Assay	CADH00079							367.50	368.00	0.50	1.74	0.33
New Assay	CADH00079							368.00	368.50	0.50	1.58	0.33
New Assay	CADH00079							368.50	369.00	0.50	1.71	0.33
New Assay	CADH00079							369.00	369.70	0.70	2.92	0.47
New Assay	CADH00194	225541	7052263	112	500	20.2	200.26	486.50	486.90	0.40	2.12	0.27
New Assay	CADH00281	225460	7052462	242	148.4	7.5	342.26	21.90	22.55	0.65	5.69	0.43
New Assay	CADH00281							124.00	124.50	0.50	2.74	0.33
New Assay	CADH00281							125.70	126.30	0.60	1.20	0.40
New Assay	CADH00281							127.00	128.00	1.00	8.96	0.67
New Assay	CADH00492	225498	7052489	315	166.5	56.5	309.76	73.00	73.75	0.75	1.48	0.50
New Assay	CADH00492							73.75	74.48	0.73	1.39	0.49
New Assay	CADH00492							76.50	77.00	0.50	1.01	0.33
New Assay	CADH00699	225603	7052714	425	449.5	64.9	14.66	146.66	147.00	0.34	3.23	0.23
New Assay	CADH00725	225551	7052524	109	310	0.1	341.66	182.00	182.30	0.30	12.60	0.20
New Assay	CADH00725							232.00	233.00	1.00	3.24	0.67
New Assay	CADH00740	225576	7052788	75	473.6	81.3	355.16	395.00	396.00	1.00	1.50	0.67
New Assay	CADH00754	225498	7052490	313	422.5	1.3	313.36	330.00	331.00	1.00	1.83	0.67
New Assay	CADH00754							395.00	395.80	0.80	15.10	0.53
New Assay	CADH00754							395.80	396.40	0.60	4.95	0.40
New Assay	CADH00754							396.40	397.00	0.60	2.77	0.40
New Assay	CADH00754							401.45	401.80	0.35	1.88	0.23
New Assay	CADH00754							405.00	405.50	0.50	1.08	0.33
New Assay	CADH00754							405.50	405.82	0.32	1.13	0.21
New Assay	CADH00754							405.82	406.46	0.64	5.96	0.43

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azimuth	From	To	Width (m)	Au g/t	True Width (m)
New Assay	CADH00755	225498	7052491	314	434.5	14	314.16	342.70	343.05	0.35	1.45	0.23
New Assay	CADH00755							420.00	421.00	1.00	3.00	0.67
New Assay	CADH00755							421.00	422.00	1.00	1.43	0.67
New Assay	CADH00758	225498	7052491	314	449.5	8.8	322.16	319.00	319.50	0.50	4.22	0.33
New Assay	CADH00758							323.10	324.00	0.90	2.65	0.60
New Assay	CADH00758							324.00	325.00	1.00	1.44	0.67
New Assay	CADH00758							326.00	326.50	0.50	1.00	0.33
New Assay	CADH00758							326.50	327.22	0.72	2.62	0.48
New Assay	CADH00758							327.22	327.83	0.61	3.29	0.41
New Assay	CADH00758							327.83	328.50	0.67	2.77	0.45
New Assay	CADH00758							330.00	331.00	1.00	1.04	0.67
New Assay	CADH00760	225500	7052491	314	500.5	23.3	320.16	387.00	387.50	0.50	1.30	0.33
New Assay	CADH00801	225576	7052562	408	215.5	44.3	254.96	160.00	160.50	0.50	1.47	0.33
New Assay	CADH00849	225464	7052323	290	338.65	35.8	211.06	32.50	33.00	0.50	2.95	0.33
New Assay	CADH00849							322.20	323.00	0.80	1.57	0.53
New Assay	CADH00900	225526	7052279	113	362.1	33.2	220.36	164.70	165.00	0.30	2.75	0.20
New Assay	CADH00929	225469	7052326	340	302.3	68.3	246.56	287.80	288.49	0.69	2.43	0.46
New Assay	CADH00929							288.49	289.00	0.51	1.03	0.34
New Assay	CADH01026A	225464	7052323	290	150	13.2	229.56	23.00	23.55	0.55	1.00	0.37
New Assay	CADH01026A							23.55	23.85	0.30	1.15	0.20
New Assay	CADH01027	225464	7052323	289	133.8	14	235.76	121.00	122.00	1.00	1.40	0.67
New Assay	CADH01171	225479	7052704	28	344.8	42.9	279.86	211.55	212.00	0.45	1.32	0.30
New Assay	CADH01171							212.00	212.60	0.60	1.85	0.40
New Assay	CADH01213	225580	7052571	408	408	77.8	5.86	274.30	274.80	0.50	3.14	0.33
New Assay	CADH01213							301.00	302.10	1.10	1.23	0.73
New Assay	CADH01215A	225580	7052571	408	389.6	81.3	339.96	254.40	254.80	0.40	2.71	0.27
New Assay	CADH01215A							261.00	262.00	1.00	1.29	0.67
New Assay	CADH01215A							300.40	300.85	0.45	3.72	0.30
New Assay	CADH01215A							313.85	314.17	0.32	10.25	0.21
New Assay	CADH01217A	225580	7052572	408	324	58.4	4.46	227.00	228.00	1.00	3.49	0.67
New Assay	CADH01217A							286.00	287.00	1.00	1.32	0.67
New Assay	CADH01342	225582	7052573	407	285	62.1	359.06	262.00	263.00	1.00	2.57	0.67
New Assay	CADH01342							263.00	264.00	1.00	5.35	0.67
New Assay	CADH01342							264.00	265.00	1.00	1.23	0.67
New Assay	CADH01342							265.00	266.00	1.00	1.61	0.67
New Assay	CADH01342							266.00	267.00	1.00	1.00	0.67
New Assay	CADH01342							267.00	268.00	1.00	4.49	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azimuth	From	To	Width (m)	Au g/t	True Width (m)
New Assay	CADH01342							268.00	268.30	0.30	6.14	0.20
New Assay	CADH01342							277.00	278.00	1.00	1.20	0.67
New Assay	CADH01342							278.00	279.00	1.00	1.81	0.67
New Assay	ELN0019	225403	7051636	500	247.2	65.34	271.56	179.40	179.80	0.40	1.49	0.27
New Assay	ELN0062	225364	7051638	500	192.7	53.88	300.3	122.50	122.95	0.45	1.59	0.30
New Assay	ELN0062							178.00	178.60	0.60	1.25	0.40
New Assay	ELN0076	225375	7051480	498	298	67	296.76	167.00	168.00	1.00	1.35	0.67
New Assay	ELN0080	225388	7051671	499	214	56.3	243.36	167.65	168.10	0.45	1.00	0.30
New Assay	HNDH00035	225267	7053016	421	131.42	29	129.76	11.00	11.60	0.60	1.21	0.40
New Assay	HNDH00040	225225	7052942	407	95.9	29	128.76	67.30	67.80	0.50	1.06	0.33
New Assay	HNDH00040							73.50	74.00	0.50	3.59	0.33
New Assay	WDH00460	225471	7053304	121	342	41	66.76	252.83	253.13	0.30	1.54	0.20
New Assay	WDH00460							255.40	255.80	0.40	2.99	0.27
New Assay	WDH00460							272.00	272.60	0.60	7.03	0.40
New Assay	WDH00460							280.60	280.90	0.30	1.59	0.20
New Assay	WDH00460							281.20	282.00	0.80	1.36	0.53
New Assay	WDH00460							284.83	285.15	0.32	5.96	0.21
New Assay	WDH00460							285.15	285.70	0.55	1.02	0.37
New Assay	WDH00678	225586	7053342	232	49.1	47	302.76	0.00	1.00	1.00	1.22	0.67
New Assay	WDH00678							1.00	2.00	1.00	1.72	0.67
New Assay	WDH00678							2.00	3.00	1.00	1.13	0.67
New Assay	WDH00678							11.00	12.00	1.00	1.95	0.67
New Assay	WDH00715	225501	7053387	220	350.3	24.2	79.36	135.75	136.40	0.65	1.13	0.43
New Assay	WDH00715							168.79	169.39	0.60	1.42	0.40
New Assay	WDH00715							171.20	172.30	1.10	2.12	0.73
New Assay	WDH00715							173.40	174.50	1.10	1.63	0.73
New Assay	WDH00715							183.50	184.40	0.90	2.66	0.60
New Assay	WDH00715							212.85	213.70	0.85	4.66	0.57
New Assay	WDH00715							242.20	243.30	1.10	1.92	0.73
New Assay	WDH00715							243.30	244.20	0.90	1.67	0.60
New Assay	WDH00715							244.20	245.15	0.95	2.21	0.63
New Assay	WDH00715							305.00	305.85	0.85	4.49	0.57
New Assay	WDH00715							308.00	308.41	0.41	9.82	0.27
New Assay	WDH00715							308.41	308.73	0.32	5.07	0.21
New Assay	WDH00715							309.84	310.14	0.30	5.77	0.20
New Assay	WDH00763	225501	7053386	220	248.2	6.5	89.36	144.00	144.80	0.80	2.83	0.53
New Assay	WDH00898	225636	7053477	297	239.7	70.2	147.76	136.00	136.30	0.30	2.22	0.20

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azimuth	From	To	Width (m)	Au g/t	True Width (m)
New Assay	WDH00898							139.00	140.00	1.00	1.54	0.67
New Assay	WDH00898							140.00	141.00	1.00	1.58	0.67
New Assay	WDH00898							141.00	142.00	1.00	1.12	0.67
New Assay	WDH00898							149.00	150.00	1.00	2.11	0.67
New Assay	WDH00898							154.70	155.23	0.53	13.25	0.35
New Assay	WDH00898							156.30	157.00	0.70	4.62	0.47
New Assay	WDH00898							158.75	159.08	0.33	1.20	0.22
New Assay	WDH00898							160.75	161.10	0.35	8.85	0.23
New Assay	WDH00898							161.10	161.75	0.65	2.24	0.43
New Assay	WDH00898							161.75	162.50	0.75	5.89	0.50
New Assay	WDH01198	225403	7053201	189	290.9	14.2	137.76	96.00	97.00	1.00	3.92	0.67
New Assay	WDH01207	225404	7053201	189	269.5	16.1	133.06	108.00	108.36	0.36	4.71	0.24
New Assay	WDH01207							112.30	112.90	0.60	1.06	0.40
New Assay	WDH01207							112.90	113.30	0.40	4.27	0.27
New Assay	WDH01207							192.00	192.60	0.60	1.52	0.40
New Assay	WDH01207							192.95	193.50	0.55	4.74	0.37
New Assay	WDH01207							198.30	198.60	0.30	1.74	0.20
New Assay	WDH01211	225404	7053202	189	254.5	17.3	103.86	99.07	99.55	0.48	1.32	0.32
New Assay	WDH01211							220.00	221.00	1.00	1.00	0.67
New Assay	AWD0171	225353	7051709	499	220.0	-71.0	248.6	154.00	154.30	0.30	1.03	0.20
New Assay	CADH00013	225634	7052503	-90	407.2	-26.5	229.3	224.70	225.65	0.95	1.21	0.63
New Assay	CADH00013							226.73	227.33	0.60	2.68	0.40
New Assay	CADH00039	225634	7052503	-90	605.8	-36.5	216.3	90.00	91.00	1.00	4.90	0.67
New Assay	CADH00074	225636	7052506	-91	479.6	-65.0	290.8	462.00	462.70	0.70	2.23	0.47
New Assay	CADH00109	225478	7052478	-107	182.5	-22.5	321.8	14.80	15.80	1.00	1.14	0.67
New Assay	CADH00109							34.55	35.40	0.85	3.64	0.57
New Assay	CADH00109							131.27	132.00	0.73	10.05	0.49
New Assay	CADH00109							176.00	176.30	0.30	2.00	0.20
New Assay	CADH00109							176.30	177.00	0.70	1.08	0.47
New Assay	CADH00693	225601	7052714	-425	251.6	-77.0	346.9	165.05	165.60	0.55	2.31	0.37
New Assay	CADH00693							168.40	169.00	0.60	1.74	0.40
New Assay	CADH00783	225598	7052714	-425	266.3	-60.6	340.3	129.00	129.40	0.40	5.37	0.27
New Assay	CADH00800A	225576	7052560	-408	272.4	-42.4	254.6	110.10	111.00	0.90	2.46	0.60
New Assay	CADH00800A							111.00	112.00	1.00	3.39	0.67
New Assay	CADH00800A							112.00	113.00	1.00	2.43	0.67
New Assay	CADH00800A							121.00	122.00	1.00	1.52	0.67
New Assay	CADH00800A							176.70	177.00	0.30	3.78	0.20

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azimuth	From	To	Width (m)	Au g/t	True Width (m)
New Assay	CADH00800A							249.00	250.00	1.00	2.29	0.67
New Assay	CADH00800A							254.00	255.00	1.00	1.67	0.67
New Assay	CADH00848	225464	7052323	-290	275.5	-38.2	218.9	34.80	35.40	0.60	1.17	0.40
New Assay	CADH00875	225576	7052789	75	443.3	-61.1	2.5	410.00	411.00	1.00	1.86	0.67
New Assay	CADH00875							414.60	415.00	0.40	1.48	0.27
New Assay	CADH00905	225526	7052279	-113	368.2	-39.2	223.4	325.00	326.00	1.00	2.32	0.67
New Assay	CADH00905							329.00	330.00	1.00	1.84	0.67
New Assay	CADH00969	225530	7052533	-403	116.2	-21.5	291.9	86.30	86.70	0.40	1.37	0.27
New Assay	CADH00969							86.70	87.00	0.30	1.44	0.20
New Assay	ELDH00122	225228	7051022	338	90.2	-10.0	38.8	87.00	88.00	1.00	2.04	0.67
New Assay	WDH00561	225477	7053308	-171	356.7	-16.0	65.8	136.73	137.50	0.77	1.12	0.51
New Assay	WDH00561							177.30	177.70	0.40	1.06	0.27
New Assay	WDH00561							185.05	186.00	0.95	1.89	0.63
New Assay	WDH00561							196.30	197.00	0.70	1.12	0.47
New Assay	WDH00561							197.00	198.00	1.00	1.25	0.67
New Assay	WDH00730	225501	7053387	-220	377.6	-36.6	71.1	215.85	216.30	0.45	1.26	0.30
New Assay	WDH00730							217.00	218.00	1.00	1.79	0.67
New Assay	WDH00730							219.75	220.20	0.45	2.66	0.30

*Grid MGA94_Zone51S with RL in Australian Height Datum (surface level is approx. 500m AHD; "Mine RL" is AHD + 1,000m). Results >5g/t highlighted red.

Table 4. Historical core- new assays and historical intervals shown to derive new total intercepts. Results >5g/t highlighted red. Rows highlighted in green show revised intersection using the historic assays and the current New Assays. Rows highlighted in blue show bulked intersection with greater than 2m internal dilution.

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Intercept	CADH00015	225527	7052532	88	263.55	55	251.26	229.30	234.00	4.70	1.83	3.13
New Assays	CADH00015							229.30	230.00	0.70	1.70	0.47
Historical Assays	CADH00015							230.00	230.50	0.50	0.36	0.33
Historical Assays	CADH00015							230.50	231.00	0.50	0.01	0.33
Historical Assays	CADH00015							231.00	231.70	0.70	0.16	0.47
Historical Assays	CADH00015							231.70	232.50	0.80	0.52	0.53
Historical Assays	CADH00015							232.50	233.50	1.00	5.73	0.67
Historical Assays	CADH00015							233.50	234.00	0.50	1.98	0.33
New Intercept	CADH00281	225459	7052462	242	148.4	7.5	342.26	63.00	128.00	65.00	2.32	43.33
Historical Assays	CADH00281							63.00	64.00	1.00	1.33	0.67
Historical Assays	CADH00281							64.00	65.00	1.00	0.01	0.67
Historical Assays	CADH00281							65.00	66.00	1.00	0.01	0.67
Historical Assays	CADH00281							66.00	67.00	1.00	0.01	0.67
Historical Assays	CADH00281							67.00	68.20	1.20	0.13	0.80
Historical Assays	CADH00281							68.20	69.00	0.80	1.47	0.53
Historical Assays	CADH00281							69.00	70.00	1.00	5.45	0.67
Historical Assays	CADH00281							70.00	71.00	1.00	5.61	0.67
Historical Assays	CADH00281							71.00	72.00	1.00	0.26	0.67
Historical Assays	CADH00281							72.00	73.00	1.00	7.45	0.67
Historical Assays	CADH00281							73.00	74.00	1.00	17.40	0.67
Historical Assays	CADH00281							74.00	75.00	1.00	3.30	0.67
Historical Assays	CADH00281							75.00	76.00	1.00	0.16	0.67
Historical Assays	CADH00281							76.00	77.00	1.00	3.92	0.67
Historical Assays	CADH00281							77.00	78.00	1.00	3.50	0.67
Historical Assays	CADH00281							78.00	79.00	1.00	0.01	0.67
Historical Assays	CADH00281							79.00	80.00	1.00	0.77	0.67
Historical Assays	CADH00281							80.00	81.00	1.00	1.29	0.67
Historical Assays	CADH00281							81.00	82.00	1.00	4.37	0.67
Historical Assays	CADH00281							82.00	83.00	1.00	7.74	0.67
Historical Assays	CADH00281							83.00	84.00	1.00	4.28	0.67
Historical Assays	CADH00281							84.00	84.80	0.80	4.71	0.53
Historical Assays	CADH00281							84.80	85.30	0.50	4.38	0.33
Historical Assays	CADH00281							85.30	86.00	0.70	9.17	0.47

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	CADH00281							86.00	87.00	1.00	5.71	0.67
Historical Assays	CADH00281							87.00	88.00	1.00	7.69	0.67
Historical Assays	CADH00281							88.00	89.00	1.00	1.22	0.67
Historical Assays	CADH00281							89.00	90.00	1.00	1.23	0.67
Historical Assays	CADH00281							90.00	91.00	1.00	2.41	0.67
Historical Assays	CADH00281							91.00	92.00	1.00	2.66	0.67
Historical Assays	CADH00281							92.00	92.50	0.50	9.23	0.33
Historical Assays	CADH00281							92.50	93.50	1.00	2.37	0.67
Historical Assays	CADH00281							93.50	94.50	1.00	2.60	0.67
Historical Assays	CADH00281							94.50	95.50	1.00	1.79	0.67
Historical Assays	CADH00281							95.50	96.50	1.00	0.93	0.67
Historical Assays	CADH00281							96.50	97.50	1.00	0.65	0.67
Historical Assays	CADH00281							97.50	98.50	1.00	0.95	0.67
Historical Assays	CADH00281							98.50	99.00	0.50	0.93	0.33
Historical Assays	CADH00281							99.00	100.00	1.00	1.35	0.67
Historical Assays	CADH00281							100.00	101.00	1.00	4.63	0.67
Historical Assays	CADH00281							101.00	102.00	1.00	6.32	0.67
Historical Assays	CADH00281							102.00	103.00	1.00	3.08	0.67
Historical Assays	CADH00281							103.00	104.00	1.00	0.01	0.67
Historical Assays	CADH00281							104.00	105.00	1.00	0.01	0.67
Historical Assays	CADH00281							105.00	106.00	1.00	0.01	0.67
Historical Assays	CADH00281							106.00	107.00	1.00	0.01	0.67
Historical Assays	CADH00281							107.00	108.00	1.00	0.01	0.67
Historical Assays	CADH00281							108.00	109.00	1.00	0.01	0.67
Historical Assays	CADH00281							109.00	110.00	1.00	0.01	0.67
Historical Assays	CADH00281							110.00	111.00	1.00	1.38	0.67
Historical Assays	CADH00281							111.00	112.00	1.00	2.78	0.67
Historical Assays	CADH00281							112.00	113.00	1.00	0.01	0.67
Historical Assays	CADH00281							113.00	114.00	1.00	0.01	0.67
Historical Assays	CADH00281							114.00	115.00	1.00	0.87	0.67
Historical Assays	CADH00281							115.00	116.00	1.00	0.01	0.67
Historical Assays	CADH00281							116.00	117.00	1.00	0.01	0.67
Historical Assays	CADH00281							117.00	118.00	1.00	0.01	0.67
Historical Assays	CADH00281							118.00	119.00	1.00	0.01	0.67
Historical Assays	CADH00281							119.00	120.00	1.00	0.01	0.67
Historical Assays	CADH00281							120.00	121.00	1.00	0.01	0.67
Historical Assays	CADH00281							121.00	122.00	1.00	0.01	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	CADH00281							122.00	123.00	1.00	0.40	0.67
New Assays	CADH00281							123.00	124.00	1.00	0.23	0.67
New Assays	CADH00281							124.00	124.50	0.50	2.74	0.33
New Assays	CADH00281							125.70	126.30	0.60	1.20	0.40
New Assays	CADH00281							126.30	127.00	0.70	0.05	0.47
New Assays	CADH00281							127.00	128.00	1.00	8.96	0.67
New Intercept	CADH00492	225498	7052489	314	166.5	56.5	309.76	62.00	77.00	15.00	2.78	10.00
Historical Assays	CADH00492							62.00	63.00	1.00	3.62	0.67
Historical Assays	CADH00492							63.00	64.00	1.00	12.75	0.67
Historical Assays	CADH00492							64.00	65.00	1.00	3.38	0.67
Historical Assays	CADH00492							65.00	66.00	1.00	0.60	0.67
Historical Assays	CADH00492							66.00	67.00	1.00	0.48	0.67
Historical Assays	CADH00492							67.00	68.00	1.00	1.20	0.67
Historical Assays	CADH00492							68.00	69.00	1.00	2.45	0.67
Historical Assays	CADH00492							69.00	70.00	1.00	3.13	0.67
Historical Assays	CADH00492							70.00	71.00	1.00	9.48	0.67
Historical Assays	CADH00492							71.00	71.60	0.60	0.99	0.40
Historical Assays	CADH00492							71.60	72.50	0.90	0.53	0.60
New Assays	CADH00492							72.50	73.00	0.50	0.25	0.33
New Assays	CADH00492							73.00	73.75	0.75	1.48	0.50
New Assays	CADH00492							73.75	74.48	0.73	1.39	0.49
New Assays	CADH00492							74.48	75.00	0.52	0.37	0.35
New Assays	CADH00492							75.00	75.50	0.50	0.38	0.33
New Assays	CADH00492							75.50	76.00	0.50	0.75	0.33
New Assays	CADH00492							76.00	76.50	0.50	0.11	0.33
New Assays	CADH00492							76.50	77.00	0.50	1.01	0.33
New Intercept	CADH00699	225602	7052714	424	449.5	64.9	14.66	133.70	147.00	13.30	10.79	8.87
Historical Assays	CADH00699							133.70	134.10	0.40	1.00	0.27
Historical Assays	CADH00699							134.10	135.00	0.90	6.83	0.60
Historical Assays	CADH00699							135.00	136.00	1.00	16.24	0.67
Historical Assays	CADH00699							136.00	137.00	1.00	20.06	0.67
Historical Assays	CADH00699							137.00	138.00	1.00	24.62	0.67
Historical Assays	CADH00699							138.00	139.00	1.00	25.18	0.67
Historical Assays	CADH00699							139.00	140.00	1.00	12.75	0.67
Historical Assays	CADH00699							140.00	140.90	0.90	31.19	0.60
Historical Assays	CADH00699							140.90	141.50	0.60	6.14	0.40
Historical Assays	CADH00699							141.50	142.00	0.50	0.87	0.33

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	CADH00699							142.00	143.00	1.00	0.45	0.67
Historical Assays	CADH00699							143.00	144.00	1.00	0.06	0.67
Historical Assays	CADH00699							144.00	145.00	1.00	0.05	0.67
Historical Assays	CADH00699							145.00	146.00	1.00	4.29	0.67
New Assays	CADH00699							146.00	146.66	0.66	0.03	0.44
New Assays	CADH00699							146.66	147.00	0.34	3.23	0.23
New Intercept	CADH00754	225498	7052490	313	422.5	1.3	313.36	325.70	332.00	6.30	1.74	4.20
Historical Assays	CADH00754							325.70	326.05	0.35	4.67	0.23
Historical Assays	CADH00754							326.05	326.70	0.65	3.63	0.43
Historical Assays	CADH00754							326.70	327.20	0.50	4.63	0.33
Historical Assays	CADH00754							327.20	328.00	0.80	1.15	0.53
Historical Assays	CADH00754							328.00	329.00	1.00	1.06	0.67
New Assays	CADH00754							329.00	330.00	1.00	0.01	0.67
New Assays	CADH00754							330.00	331.00	1.00	1.83	0.67
New Assays	CADH00754							331.00	332.00	1.00	0.93	0.67
New Intercept	CADH00754							394.00	406.46	12.46	2.12	8.31
Historical Assays	CADH00754							394.00	395.00	1.00	4.40	0.67
New Assays	CADH00754							395.00	395.80	0.80	15.10	0.53
New Assays	CADH00754							395.80	396.40	0.60	4.95	0.40
New Assays	CADH00754							396.40	397.00	0.60	2.77	0.40
New Assays	CADH00754							397.00	398.00	1.00	0.12	0.67
New Assays	CADH00754							398.00	399.00	1.00	0.09	0.67
New Assays	CADH00754							399.00	400.00	1.00	0.12	0.67
New Assays	CADH00754							400.00	401.00	1.00	0.20	0.67
New Assays	CADH00754							401.00	401.45	0.45	0.66	0.30
New Assays	CADH00754							401.45	401.80	0.35	1.88	0.23
New Assays	CADH00754							401.80	402.12	0.32	0.06	0.21
New Assays	CADH00754							402.12	403.00	0.88	0.02	0.59
New Assays	CADH00754							403.00	404.00	1.00	0.03	0.67
New Assays	CADH00754							404.00	405.00	1.00	0.02	0.67
New Assays	CADH00754							405.00	405.50	0.50	1.08	0.33
New Assays	CADH00754							405.50	405.82	0.32	1.13	0.21
New Assays	CADH00754							405.82	406.46	0.64	5.96	0.43
New Intercept	CADH00758	225498	7052491	313	449.5	8.8	322.16	321.30	328.50	7.20	1.56	4.80
Historical Assays	CADH00758							321.30	321.70	0.40	2.30	0.27
Historical Assays	CADH00758							321.70	322.70	1.00	0.28	0.67
New Assays	CADH00758							322.70	323.10	0.40	0.76	0.27

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	CADH00758							323.10	324.00	0.90	2.65	0.60
New Assays	CADH00758							324.00	325.00	1.00	1.44	0.67
New Assays	CADH00758							325.00	326.00	1.00	0.08	0.67
New Assays	CADH00758							326.00	326.50	0.50	1.00	0.33
New Assays	CADH00758							326.50	327.22	0.72	2.62	0.48
New Assays	CADH00758							327.22	327.83	0.61	3.29	0.41
New Assays	CADH00758							327.83	328.50	0.67	2.77	0.45
New Intercept	CADH00801	225575	7052562	407	215.5	44.3	254.96	160.00	162.90	2.90	4.30	1.93
New Assays	CADH00801							160.00	160.50	0.50	1.47	0.33
Historical Assays	CADH00801							160.80	161.70	0.90	4.03	0.60
Historical Assays	CADH00801							161.70	162.30	0.60	8.50	0.40
Historical Assays	CADH00801							162.30	162.90	0.60	2.83	0.40
New Intercept	CADH00900	225526	7052279	113	362.1	33.2	220.36	146.45	165.70	19.25	4.03	12.83
Historical Assays	CADH00900							146.45	147.20	0.75	48.40	0.50
Historical Assays	CADH00900							147.20	147.70	0.50	21.10	0.33
Historical Assays	CADH00900							147.70	148.30	0.60	13.20	0.40
Historical Assays	CADH00900							148.30	149.30	1.00	0.24	0.67
Historical Assays	CADH00900							149.30	150.30	1.00	0.23	0.67
Historical Assays	CADH00900							150.30	151.30	1.00	0.05	0.67
Historical Assays	CADH00900							151.30	152.00	0.70	0.13	0.47
Historical Assays	CADH00900							152.00	152.50	0.50	5.82	0.33
Historical Assays	CADH00900							152.50	153.00	0.50	10.50	0.33
Historical Assays	CADH00900							153.00	153.50	0.50	1.71	0.33
Historical Assays	CADH00900							153.50	154.00	0.50	0.01	0.33
Historical Assays	CADH00900							154.00	155.00	1.00	0.03	0.67
Historical Assays	CADH00900							155.00	156.00	1.00	3.09	0.67
Historical Assays	CADH00900							156.00	156.60	0.60	10.60	0.40
Historical Assays	CADH00900							156.60	157.40	0.80	0.78	0.53
Historical Assays	CADH00900							157.40	157.90	0.50	3.00	0.33
Historical Assays	CADH00900							157.90	158.90	1.00	0.03	0.67
Historical Assays	CADH00900							158.90	159.90	1.00	0.04	0.67
Historical Assays	CADH00900							159.90	160.90	1.00	0.01	0.67
Historical Assays	CADH00900							160.90	161.90	1.00	0.01	0.67
New Assays	CADH00900							161.90	163.00	1.10	0.01	0.73
New Assays	CADH00900							163.00	164.00	1.00	0.01	0.67
New Assays	CADH00900							164.00	164.70	0.70	0.05	0.47
New Assays	CADH00900							164.70	165.00	0.30	2.75	0.20

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	CADH00900							165.00	165.70	0.70	0.92	0.47
New Intercept	CADH00929	225469	7052326	340	302.3	68.3	246.56	278.10	289.00	10.90	4.10	7.27
Historical Assays	CADH00929							278.10	279.10	1.00	5.16	0.67
Historical Assays	CADH00929							279.10	280.10	1.00	12.19	0.67
Historical Assays	CADH00929							280.10	280.80	0.70	8.97	0.47
Historical Assays	CADH00929							280.80	281.60	0.80	7.85	0.53
Historical Assays	CADH00929							281.60	282.40	0.80	6.83	0.53
Historical Assays	CADH00929							282.40	283.00	0.60	1.44	0.40
Historical Assays	CADH00929							283.00	284.00	1.00	1.64	0.67
Historical Assays	CADH00929							284.00	285.00	1.00	2.69	0.67
Historical Assays	CADH00929							285.00	286.00	1.00	0.08	0.67
Historical Assays	CADH00929							286.00	287.00	1.00	1.65	0.67
Historical Assays	CADH00929							287.00	287.80	0.80	0.43	0.53
New Assays	CADH00929							287.80	288.49	0.69	2.43	0.46
New Assays	CADH00929							288.49	289.00	0.51	1.03	0.34
New Intercept	CADH01027	225463	7052323	289	133.8	14	235.76	91.40	122.00	30.60	6.85	20.40
Historical Assays	CADH01027							91.40	92.00	0.60	15.90	0.40
Historical Assays	CADH01027							92.00	92.60	0.60	4.94	0.40
Historical Assays	CADH01027							92.60	93.10	0.50	16.15	0.33
Historical Assays	CADH01027							93.10	93.80	0.70	7.11	0.47
Historical Assays	CADH01027							93.80	94.50	0.70	2.47	0.47
Historical Assays	CADH01027							94.50	95.00	0.50	2.35	0.33
Historical Assays	CADH01027							95.00	96.00	1.00	0.12	0.67
Historical Assays	CADH01027							96.00	97.00	1.00	0.07	0.67
Historical Assays	CADH01027							97.00	98.00	1.00	0.05	0.67
Historical Assays	CADH01027							98.00	99.00	1.00	0.05	0.67
Historical Assays	CADH01027							99.00	99.60	0.60	6.66	0.40
Historical Assays	CADH01027							99.60	100.50	0.90	3.37	0.60
Historical Assays	CADH01027							100.50	101.00	0.50	8.81	0.33
Historical Assays	CADH01027							101.00	102.00	1.00	4.87	0.67
Historical Assays	CADH01027							102.00	103.00	1.00	4.14	0.67
Historical Assays	CADH01027							103.00	104.00	1.00	4.86	0.67
Historical Assays	CADH01027							104.00	105.00	1.00	8.20	0.67
Historical Assays	CADH01027							105.00	106.00	1.00	2.57	0.67
Historical Assays	CADH01027							106.00	106.70	0.70	1.02	0.47
Historical Assays	CADH01027							106.70	107.30	0.60	17.40	0.40
Historical Assays	CADH01027							107.30	108.00	0.70	5.32	0.47

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	CADH01027							108.00	109.00	1.00	10.30	0.67
Historical Assays	CADH01027							109.00	110.00	1.00	23.00	0.67
Historical Assays	CADH01027							110.00	111.00	1.00	28.80	0.67
Historical Assays	CADH01027							111.00	112.00	1.00	16.85	0.67
Historical Assays	CADH01027							112.00	113.00	1.00	20.20	0.67
Historical Assays	CADH01027							113.00	114.00	1.00	9.91	0.67
Historical Assays	CADH01027							114.00	115.00	1.00	10.15	0.67
Historical Assays	CADH01027							115.00	115.70	0.70	10.80	0.47
Historical Assays	CADH01027							115.70	116.50	0.80	1.28	0.53
New Assays	CADH01027							116.50	117.00	0.50	0.35	0.33
New Assays	CADH01027							117.00	118.00	1.00	0.47	0.67
New Assays	CADH01027							118.00	119.00	1.00	0.01	0.67
New Assays	CADH01027							119.00	120.00	1.00	0.03	0.67
New Assays	CADH01027							120.00	121.00	1.00	0.07	0.67
New Assays	CADH01027							121.00	122.00	1.00	1.40	0.67
New Intercept	CADH01213	225579	7052571	407	408	77.8	5.86	274.30	278.65	4.35	1.74	2.90
New Assays	CADH01213							274.30	274.80	0.50	3.14	0.33
Historical Assays	CADH01213							274.80	275.80	1.00	3.05	0.67
Historical Assays	CADH01213							275.80	276.80	1.00	0.57	0.67
Historical Assays	CADH01213							276.80	277.65	0.85	1.69	0.57
Historical Assays	CADH01213							277.65	278.65	1.00	0.99	0.67
New Intercept	CADH01217A	225579	7052572	407	324	58.4	4.46	227.00	233.40	6.40	6.34	4.27
New Assays	CADH01217A							227.00	228.00	1.00	3.49	0.67
Historical Assays	CADH01217A							228.00	229.00	1.00	3.37	0.67
Historical Assays	CADH01217A							229.00	230.00	1.00	6.88	0.67
Historical Assays	CADH01217A							230.00	230.80	0.80	22.93	0.53
Historical Assays	CADH01217A							230.80	231.50	0.70	1.25	0.47
Historical Assays	CADH01217A							231.50	232.50	1.00	4.36	0.67
Historical Assays	CADH01217A							232.50	233.40	0.90	3.59	0.60
New Intercept	CADH01217A							264.00	287.00	23.00	1.54	15.33
Historical Assays	CADH01217A							264.00	265.00	1.00	4.39	0.67
Historical Assays	CADH01217A							265.00	265.60	0.60	5.39	0.40
Historical Assays	CADH01217A							265.60	266.50	0.90	1.43	0.60
Historical Assays	CADH01217A							266.50	267.00	0.50	0.95	0.33
Historical Assays	CADH01217A							267.00	267.50	0.50	4.43	0.33
Historical Assays	CADH01217A							267.50	268.20	0.70	12.49	0.47
Historical Assays	CADH01217A							268.20	269.00	0.80	2.78	0.53

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	CADH01217A							269.00	270.00	1.00	0.75	0.67
Historical Assays	CADH01217A							270.00	271.00	1.00	0.05	0.67
Historical Assays	CADH01217A							271.00	272.00	1.00	0.03	0.67
Historical Assays	CADH01217A							272.00	273.00	1.00	0.04	0.67
Historical Assays	CADH01217A							273.00	274.00	1.00	0.65	0.67
New Assays	CADH01217A							274.00	275.00	1.00	0.97	0.67
New Assays	CADH01217A							275.00	276.00	1.00	0.35	0.67
New Assays	CADH01217A							276.00	276.95	0.95	0.42	0.63
New Assays	CADH01217A							276.95	278.06	1.11	0.17	0.74
New Assays	CADH01217A							278.06	279.00	0.94	0.07	0.63
New Assays	CADH01217A							279.00	280.00	1.00	0.06	0.67
Historical Assays	CADH01217A							280.00	280.40	0.40	4.39	0.27
Historical Assays	CADH01217A							280.40	281.20	0.80	2.49	0.53
Historical Assays	CADH01217A							281.20	281.70	0.50	8.02	0.33
Historical Assays	CADH01217A							281.70	282.70	1.00	0.19	0.67
New Assays	CADH01217A							282.70	283.50	0.80	0.02	0.53
New Assays	CADH01217A							283.50	284.00	0.50	0.01	0.33
New Assays	CADH01217A							284.00	285.00	1.00	0.01	0.67
New Assays	CADH01217A							285.00	286.00	1.00	0.09	0.67
New Assays	CADH01217A							286.00	287.00	1.00	1.32	0.67
New Intercept	CADH01342	225582	7052573	406	285	62.1	359.06	257.50	279.00	21.50	5.80	14.33
Historical Assays	CADH01342							257.50	258.50	1.00	1.86	0.67
Historical Assays	CADH01342							258.50	259.00	0.50	43.73	0.33
Historical Assays	CADH01342							259.00	260.00	1.00	14.57	0.67
Historical Assays	CADH01342							260.00	261.00	1.00	0.23	0.67
New Assays	CADH01342							261.00	262.00	1.00	0.21	0.67
New Assays	CADH01342							262.00	263.00	1.00	2.57	0.67
New Assays	CADH01342							263.00	264.00	1.00	5.35	0.67
New Assays	CADH01342							264.00	265.00	1.00	1.23	0.67
New Assays	CADH01342							265.00	266.00	1.00	1.61	0.67
New Assays	CADH01342							266.00	267.00	1.00	1.00	0.67
New Assays	CADH01342							267.00	268.00	1.00	4.49	0.67
New Assays	CADH01342							268.00	268.30	0.30	6.14	0.20
Historical Assays	CADH01342							268.30	269.30	1.00	1.14	0.67
Historical Assays	CADH01342							269.30	270.30	1.00	3.86	0.67
Historical Assays	CADH01342							270.30	271.30	1.00	14.86	0.67
Historical Assays	CADH01342							271.30	272.30	1.00	30.33	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	CADH01342							272.30	273.30	1.00	6.23	0.67
Historical Assays	CADH01342							273.30	274.30	1.00	4.24	0.67
Historical Assays	CADH01342							274.30	275.00	0.70	2.06	0.47
Historical Assays	CADH01342							275.00	276.00	1.00	2.02	0.67
Historical Assays	CADH01342							276.00	277.00	1.00	0.88	0.67
New Assays	CADH01342							277.00	278.00	1.00	1.20	0.67
New Assays	CADH01342							278.00	279.00	1.00	1.81	0.67
New Intercept	HNDH00040	225224	7052942	407	95.9	29	128.76	42.00	68.10	26.10	2.08	17.40
Historical Assays	HNDH00040							42.00	43.00	1.00	1.55	0.67
Historical Assays	HNDH00040							43.00	44.00	1.00	5.87	0.67
Historical Assays	HNDH00040							44.00	45.00	1.00	6.44	0.67
Historical Assays	HNDH00040							45.00	46.00	1.00	6.52	0.67
Historical Assays	HNDH00040							46.00	47.00	1.00	0.06	0.67
Historical Assays	HNDH00040							47.00	47.90	0.90	0.28	0.60
Historical Assays	HNDH00040							47.90	48.60	0.70	9.67	0.47
Historical Assays	HNDH00040							48.60	50.00	1.40	1.29	0.93
Historical Assays	HNDH00040							50.00	51.00	1.00	0.36	0.67
Historical Assays	HNDH00040							51.00	52.00	1.00	0.02	0.67
Historical Assays	HNDH00040							52.00	53.00	1.00	1.26	0.67
Historical Assays	HNDH00040							53.00	54.00	1.00	0.05	0.67
Historical Assays	HNDH00040							54.00	54.70	0.70	1.26	0.47
Historical Assays	HNDH00040							54.70	55.60	0.90	19.00	0.60
Historical Assays	HNDH00040							55.60	56.60	1.00	1.82	0.67
Historical Assays	HNDH00040							56.60	58.00	1.40	0.07	0.93
Historical Assays	HNDH00040							58.00	59.00	1.00	0.02	0.67
Historical Assays	HNDH00040							59.00	60.00	1.00	0.03	0.67
Historical Assays	HNDH00040							60.00	61.00	1.00	0.04	0.67
Historical Assays	HNDH00040							61.00	62.00	1.00	0.99	0.67
Historical Assays	HNDH00040							62.00	63.00	1.00	0.07	0.67
Historical Assays	HNDH00040							63.00	64.00	1.00	0.11	0.67
Historical Assays	HNDH00040							64.00	65.00	1.00	0.80	0.67
Historical Assays	HNDH00040							65.00	66.00	1.00	0.29	0.67
New Assays	HNDH00040							66.00	66.35	0.35	0.34	0.23
New Assays	HNDH00040							66.35	66.95	0.60	0.16	0.40
New Assays	HNDH00040							66.95	67.30	0.35	0.45	0.23
New Assays	HNDH00040							67.30	67.80	0.50	1.06	0.33
New Assays	HNDH00040							67.80	68.10	0.30	0.94	0.20

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Intercept	WDH00460	225471	7053304	120	342	41	66.76	262.30	277.00	14.70	5.29	9.80
Historical Assays	WDH00460							262.30	262.90	0.60	5.06	0.40
Historical Assays	WDH00460							262.90	263.40	0.50	2.19	0.33
Historical Assays	WDH00460							263.40	264.00	0.60	10.70	0.40
Historical Assays	WDH00460							264.00	265.30	1.30	17.50	0.87
Historical Assays	WDH00460							265.30	265.90	0.60	0.48	0.40
Historical Assays	WDH00460							265.90	266.25	0.35	6.39	0.23
Historical Assays	WDH00460							266.25	266.70	0.45	11.50	0.30
Historical Assays	WDH00460							266.70	268.00	1.30	4.74	0.87
Historical Assays	WDH00460							268.00	269.00	1.00	3.38	0.67
Historical Assays	WDH00460							269.00	270.00	1.00	1.78	0.67
Historical Assays	WDH00460							270.00	270.90	0.90	4.22	0.60
Historical Assays	WDH00460							270.90	271.30	0.40	12.40	0.27
Historical Assays	WDH00460							271.30	272.00	0.70	2.80	0.47
New Assays	WDH00460							272.00	272.60	0.60	7.03	0.40
Historical Assays	WDH00460							272.60	273.00	0.40	0.07	0.27
Historical Assays	WDH00460							273.00	274.00	1.00	3.74	0.67
Historical Assays	WDH00460							274.00	275.00	1.00	3.45	0.67
Historical Assays	WDH00460							275.00	276.00	1.00	0.68	0.67
Historical Assays	WDH00460							276.00	277.00	1.00	2.63	0.67
New Intercept	WDH00460							284.83	286.00	1.17	2.47	0.78
New Assays	WDH00460							284.83	285.15	0.32	5.96	0.21
New Assays	WDH00460							285.15	285.70	0.55	1.02	0.37
Historical Assays	WDH00460							285.70	286.00	0.30	1.53	0.20
New Intercept	WDH00678	225586	7053342	232	49.1	47	302.76	11.00	39.90	28.90	4.39	19.27
New Assays	WDH00678							11.00	12.00	1.00	1.95	0.67
Historical Assays	WDH00678							12.00	13.00	1.00	0.77	0.67
Historical Assays	WDH00678							13.00	14.00	1.00	0.45	0.67
Historical Assays	WDH00678							14.00	14.55	0.55	0.70	0.37
Historical Assays	WDH00678							14.55	14.80	0.25	0.29	0.17
Historical Assays	WDH00678							14.80	15.00	0.20	19.40	0.13
Historical Assays	WDH00678							15.00	16.05	1.05	4.40	0.70
Historical Assays	WDH00678							16.05	16.50	0.45	7.03	0.30
Historical Assays	WDH00678							16.50	17.00	0.50	6.54	0.33
Historical Assays	WDH00678							17.00	17.60	0.60	8.96	0.40
Historical Assays	WDH00678							17.60	18.60	1.00	5.61	0.67
Historical Assays	WDH00678							18.60	19.60	1.00	7.44	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	WDH00678							19.60	20.60	1.00	3.91	0.67
Historical Assays	WDH00678							20.60	21.60	1.00	5.68	0.67
Historical Assays	WDH00678							21.60	22.60	1.00	3.01	0.67
Historical Assays	WDH00678							22.60	23.60	1.00	10.20	0.67
Historical Assays	WDH00678							23.60	24.60	1.00	6.82	0.67
Historical Assays	WDH00678							24.60	25.75	1.15	4.54	0.77
Historical Assays	WDH00678							25.75	26.75	1.00	2.60	0.67
Historical Assays	WDH00678							26.75	27.75	1.00	4.13	0.67
Historical Assays	WDH00678							27.75	28.75	1.00	3.93	0.67
Historical Assays	WDH00678							28.75	29.75	1.00	1.71	0.67
Historical Assays	WDH00678							29.75	30.75	1.00	3.43	0.67
Historical Assays	WDH00678							30.75	31.75	1.00	2.44	0.67
Historical Assays	WDH00678							31.75	32.75	1.00	2.08	0.67
Historical Assays	WDH00678							32.75	33.75	1.00	13.50	0.67
Historical Assays	WDH00678							33.75	34.75	1.00	4.00	0.67
Historical Assays	WDH00678							34.75	35.75	1.00	0.69	0.67
Historical Assays	WDH00678							35.75	36.75	1.00	3.98	0.67
Historical Assays	WDH00678							36.75	37.30	0.55	3.40	0.37
Historical Assays	WDH00678							37.30	38.05	0.75	6.60	0.50
Historical Assays	WDH00678							38.05	38.70	0.65	0.41	0.43
Historical Assays	WDH00678							38.70	39.20	0.50	1.91	0.33
Historical Assays	WDH00678							39.20	39.90	0.70	6.65	0.47
New Intercept	WDH00715	225500	7053387	220	350.3	24.2	79.36	183.50	323.00	139.45	1.70	92.97
New Assays	WDH00715							183.50	184.40	0.90	2.66	0.60
Historical Assays	WDH00715							184.40	185.25	0.85	0.84	0.57
Historical Assays	WDH00715							185.25	186.30	1.05	8.26	0.70
Historical Assays	WDH00715							186.30	187.30	1.00	0.14	0.67
Historical Assays	WDH00715							187.30	188.30	1.00	0.19	0.67
Historical Assays	WDH00715							188.30	189.30	1.00	0.07	0.67
Historical Assays	WDH00715							189.30	190.30	1.00	1.02	0.67
Historical Assays	WDH00715							190.30	191.30	1.00	2.17	0.67
Historical Assays	WDH00715							191.30	192.30	1.00	0.11	0.67
Historical Assays	WDH00715							192.30	193.00	0.70	3.81	0.47
Historical Assays	WDH00715							193.00	194.00	1.00	2.78	0.67
Historical Assays	WDH00715							194.00	195.00	1.00	6.29	0.67
Historical Assays	WDH00715							195.00	196.00	1.00	1.87	0.67
Historical Assays	WDH00715							196.00	197.00	1.00	7.16	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	WDH00715							197.00	198.00	1.00	5.68	0.67
Historical Assays	WDH00715							198.00	199.00	1.00	5.96	0.67
Historical Assays	WDH00715							199.00	200.00	1.00	3.70	0.67
Historical Assays	WDH00715							200.00	201.00	1.00	3.03	0.67
Historical Assays	WDH00715							201.00	202.00	1.00	0.69	0.67
Historical Assays	WDH00715							202.00	203.00	1.00	0.27	0.67
New Assays	WDH00715							203.00	204.05	1.05	0.07	0.70
New Assays	WDH00715							204.05	204.35	0.30	0.17	0.20
New Assays	WDH00715							204.35	205.45	1.10	0.01	0.73
New Assays	WDH00715							205.45	206.55	1.10	0.01	0.73
New Assays	WDH00715							206.55	207.65	1.10	0.14	0.73
New Assays	WDH00715							207.65	208.75	1.10	0.04	0.73
New Assays	WDH00715							208.75	209.85	1.10	0.39	0.73
New Assays	WDH00715							209.85	210.80	0.95	0.33	0.63
New Assays	WDH00715							210.80	211.75	0.95	0.27	0.63
New Assays	WDH00715							211.75	212.85	1.10	0.05	0.73
New Assays	WDH00715							212.85	213.70	0.85	4.66	0.57
New Assays	WDH00715							213.70	214.50	0.80	0.09	0.53
New Assays	WDH00715							214.50	215.00	0.50	0.01	0.33
Historical Assays	WDH00715							215.00	216.00	1.00	0.26	0.67
Historical Assays	WDH00715							216.00	217.00	1.00	0.18	0.67
Historical Assays	WDH00715							217.00	218.00	1.00	0.03	0.67
Historical Assays	WDH00715							218.00	218.85	0.85	0.02	0.57
Historical Assays	WDH00715							218.85	220.00	1.15	1.02	0.77
Historical Assays	WDH00715							220.00	221.00	1.00	0.25	0.67
Historical Assays	WDH00715							221.00	222.00	1.00	1.10	0.67
Historical Assays	WDH00715							222.00	223.00	1.00	1.71	0.67
Historical Assays	WDH00715							223.00	223.80	0.80	1.29	0.53
Historical Assays	WDH00715							223.80	224.40	0.60	1.64	0.40
Historical Assays	WDH00715							224.40	225.65	1.25	0.32	0.83
Historical Assays	WDH00715							225.65	226.65	1.00	0.57	0.67
Historical Assays	WDH00715							226.65	227.55	0.90	0.66	0.60
Historical Assays	WDH00715							227.55	228.90	1.35	6.14	0.90
Historical Assays	WDH00715							228.90	229.90	1.00	0.17	0.67
Historical Assays	WDH00715							229.90	230.85	0.95	0.16	0.63
Historical Assays	WDH00715							230.85	231.30	0.45	1.02	0.30
Historical Assays	WDH00715							231.30	232.30	1.00	1.50	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	WDH00715							232.30	233.30	1.00	1.28	0.67
Historical Assays	WDH00715							233.30	234.30	1.00	7.15	0.67
Historical Assays	WDH00715							234.30	235.30	1.00	1.99	0.67
Historical Assays	WDH00715							235.30	236.40	1.10	1.11	0.73
Historical Assays	WDH00715							236.40	237.65	1.25	10.10	0.83
Historical Assays	WDH00715							237.65	238.65	1.00	2.24	0.67
Historical Assays	WDH00715							238.65	239.65	1.00	1.07	0.67
New Assays	WDH00715							239.65	240.00	0.35	0.02	0.23
New Assays	WDH00715							240.00	241.10	1.10	0.81	0.73
New Assays	WDH00715							241.10	242.20	1.10	0.10	0.73
New Assays	WDH00715							242.20	243.30	1.10	1.92	0.73
New Assays	WDH00715							243.30	244.20	0.90	1.67	0.60
New Assays	WDH00715							244.20	245.15	0.95	2.21	0.63
Historical Assays	WDH00715							245.15	246.05	0.90	0.47	0.60
Historical Assays	WDH00715							246.05	247.05	1.00	0.61	0.67
Historical Assays	WDH00715							247.05	247.80	0.75	9.39	0.50
Historical Assays	WDH00715							247.80	248.90	1.10	2.94	0.73
Historical Assays	WDH00715							248.90	249.30	0.40	12.50	0.27
Historical Assays	WDH00715							249.30	250.10	0.80	2.50	0.53
Historical Assays	WDH00715							250.10	250.60	0.50	8.33	0.33
Historical Assays	WDH00715							250.60	251.50	0.90	0.60	0.60
Historical Assays	WDH00715							251.50	252.50	1.00	2.50	0.67
Historical Assays	WDH00715							252.50	253.45	0.95	1.89	0.63
Historical Assays	WDH00715							253.45	254.35	0.90	0.24	0.60
Historical Assays	WDH00715							254.40	255.00	0.60	0.14	0.40
Historical Assays	WDH00715							255.00	256.00	1.00	0.02	0.67
Historical Assays	WDH00715							256.00	257.00	1.00	0.01	0.67
Historical Assays	WDH00715							257.00	258.00	1.00	0.01	0.67
Historical Assays	WDH00715							258.00	259.00	1.00	0.01	0.67
Historical Assays	WDH00715							259.00	260.00	1.00	0.16	0.67
Historical Assays	WDH00715							260.00	261.00	1.00	0.09	0.67
Historical Assays	WDH00715							261.00	262.00	1.00	0.07	0.67
Historical Assays	WDH00715							262.00	263.00	1.00	0.05	0.67
Historical Assays	WDH00715							263.00	264.00	1.00	0.05	0.67
Historical Assays	WDH00715							264.00	265.00	1.00	0.14	0.67
Historical Assays	WDH00715							265.00	266.00	1.00	0.05	0.67
Historical Assays	WDH00715							266.00	267.00	1.00	0.31	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	WDH00715							267.00	268.00	1.00	0.45	0.67
Historical Assays	WDH00715							268.00	269.00	1.00	0.93	0.67
Historical Assays	WDH00715							269.00	270.05	1.05	1.07	0.70
Historical Assays	WDH00715							270.05	270.60	0.55	6.29	0.37
Historical Assays	WDH00715							270.60	271.60	1.00	1.23	0.67
Historical Assays	WDH00715							271.60	272.00	0.40	0.03	0.27
Historical Assays	WDH00715							272.00	273.00	1.00	0.05	0.67
Historical Assays	WDH00715							273.00	274.00	1.00	0.67	0.67
Historical Assays	WDH00715							274.00	275.00	1.00	0.22	0.67
Historical Assays	WDH00715							275.00	276.00	1.00	0.28	0.67
Historical Assays	WDH00715							276.00	277.00	1.00	0.29	0.67
Historical Assays	WDH00715							277.00	278.00	1.00	0.77	0.67
Historical Assays	WDH00715							278.00	278.60	0.60	0.05	0.40
Historical Assays	WDH00715							278.60	279.60	1.00	0.59	0.67
Historical Assays	WDH00715							279.60	280.60	1.00	0.79	0.67
Historical Assays	WDH00715							280.60	281.50	0.90	2.27	0.60
Historical Assays	WDH00715							281.50	282.40	0.90	0.24	0.60
Historical Assays	WDH00715							282.40	283.15	0.75	1.53	0.50
Historical Assays	WDH00715							283.15	284.10	0.95	3.05	0.63
Historical Assays	WDH00715							284.10	285.05	0.95	2.88	0.63
New Assays	WDH00715							285.05	286.00	0.95	0.09	0.63
New Assays	WDH00715							286.00	287.00	1.00	0.05	0.67
New Assays	WDH00715							287.00	288.00	1.00	0.02	0.67
New Assays	WDH00715							288.00	289.15	1.15	0.08	0.77
New Assays	WDH00715							289.15	289.78	0.63	0.67	0.42
New Assays	WDH00715							289.78	290.90	1.12	0.15	0.75
New Assays	WDH00715							290.90	292.00	1.10	0.01	0.73
New Assays	WDH00715							292.00	293.10	1.10	0.03	0.73
New Assays	WDH00715							293.10	294.20	1.10	0.01	0.73
New Assays	WDH00715							294.20	295.30	1.10	0.32	0.73
New Assays	WDH00715							295.30	296.40	1.10	0.03	0.73
New Assays	WDH00715							296.40	297.50	1.10	0.02	0.73
New Assays	WDH00715							297.50	298.60	1.10	0.01	0.73
New Assays	WDH00715							298.60	299.70	1.10	0.07	0.73
New Assays	WDH00715							299.70	300.35	0.65	0.01	0.43
New Assays	WDH00715							300.35	301.35	1.00	0.01	0.67
New Assays	WDH00715							301.35	302.32	0.97	0.01	0.65

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	WDH00715							302.32	303.00	0.68	0.02	0.45
New Assays	WDH00715							303.00	304.02	1.02	0.16	0.68
New Assays	WDH00715							304.02	305.00	0.98	0.53	0.65
New Assays	WDH00715							305.00	305.85	0.85	4.49	0.57
New Assays	WDH00715							305.85	307.00	1.15	0.30	0.77
New Assays	WDH00715							307.00	308.00	1.00	0.01	0.67
New Assays	WDH00715							308.00	308.41	0.41	9.82	0.27
New Assays	WDH00715							308.41	308.73	0.32	5.07	0.21
New Assays	WDH00715							308.73	309.84	1.11	0.17	0.74
New Assays	WDH00715							309.84	310.14	0.30	5.77	0.20
New Assays	WDH00715							310.14	311.00	0.86	0.44	0.57
New Assays	WDH00715							311.00	312.00	1.00	0.51	0.67
Historical Assays	WDH00715							312.00	313.00	1.00	2.05	0.67
Historical Assays	WDH00715							313.00	314.00	1.00	1.62	0.67
Historical Assays	WDH00715							314.00	314.70	0.70	8.97	0.47
Historical Assays	WDH00715							314.70	315.70	1.00	5.35	0.67
Historical Assays	WDH00715							315.70	316.70	1.00	6.02	0.67
Historical Assays	WDH00715							316.70	317.50	0.80	5.96	0.53
Historical Assays	WDH00715							317.50	317.90	0.40	11.60	0.27
Historical Assays	WDH00715							317.90	318.60	0.70	8.12	0.47
Historical Assays	WDH00715							318.60	319.10	0.50	17.80	0.33
Historical Assays	WDH00715							319.10	320.00	0.90	8.26	0.60
Historical Assays	WDH00715							320.00	321.00	1.00	4.33	0.67
Historical Assays	WDH00715							321.00	322.00	1.00	1.02	0.67
Historical Assays	WDH00715							322.00	323.00	1.00	2.48	0.67
New Intercept	WDH00898	225636	7053477	297	239.7	70.2	147.76	98.00	162.50	64.50	2.17	43.00
Historical Assays	WDH00898							98.00	99.00	1.00	17.70	0.67
Historical Assays	WDH00898							99.00	100.00	1.00	10.20	0.67
Historical Assays	WDH00898							100.00	101.00	1.00	1.23	0.67
Historical Assays	WDH00898							101.00	102.00	1.00	2.67	0.67
Historical Assays	WDH00898							102.00	102.50	0.50	7.46	0.33
Historical Assays	WDH00898							102.50	103.00	0.50	4.96	0.33
Historical Assays	WDH00898							103.00	104.00	1.00	4.68	0.67
Historical Assays	WDH00898							104.00	105.00	1.00	2.96	0.67
Historical Assays	WDH00898							105.00	106.00	1.00	1.33	0.67
Historical Assays	WDH00898							106.00	107.00	1.00	1.71	0.67
Historical Assays	WDH00898							107.00	107.60	0.60	1.88	0.40

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	WDH00898							107.60	108.40	0.80	2.00	0.53
Historical Assays	WDH00898							108.40	109.00	0.60	2.29	0.40
Historical Assays	WDH00898							109.00	110.00	1.00	3.16	0.67
Historical Assays	WDH00898							110.00	111.00	1.00	2.88	0.67
Historical Assays	WDH00898							111.00	112.00	1.00	3.24	0.67
Historical Assays	WDH00898							112.00	112.60	0.60	2.74	0.40
Historical Assays	WDH00898							112.60	113.30	0.70	2.92	0.47
Historical Assays	WDH00898							113.30	113.65	0.35	0.16	0.23
Historical Assays	WDH00898							113.65	114.20	0.55	0.88	0.37
Historical Assays	WDH00898							114.20	115.00	0.80	0.32	0.53
Historical Assays	WDH00898							115.00	116.00	1.00	0.08	0.67
Historical Assays	WDH00898							116.00	117.00	1.00	0.09	0.67
Historical Assays	WDH00898							117.00	117.50	0.50	0.05	0.33
Historical Assays	WDH00898							117.50	117.70	0.20	3.16	0.13
Historical Assays	WDH00898							117.70	118.60	0.90	0.07	0.60
Historical Assays	WDH00898							118.60	118.85	0.25	4.06	0.17
Historical Assays	WDH00898							118.85	119.60	0.75	0.84	0.50
Historical Assays	WDH00898							119.60	119.70	0.10	0.80	0.07
Historical Assays	WDH00898							119.70	120.10	0.40	0.22	0.27
Historical Assays	WDH00898							120.10	120.35	0.25	3.07	0.17
Historical Assays	WDH00898							120.35	121.00	0.65	0.17	0.43
Historical Assays	WDH00898							121.00	121.75	0.75	1.66	0.50
Historical Assays	WDH00898							121.75	122.50	0.75	5.90	0.50
Historical Assays	WDH00898							122.50	123.40	0.90	2.23	0.60
Historical Assays	WDH00898							123.40	124.00	0.60	2.41	0.40
Historical Assays	WDH00898							124.00	125.00	1.00	0.33	0.67
Historical Assays	WDH00898							125.00	126.00	1.00	0.23	0.67
Historical Assays	WDH00898							126.00	127.00	1.00	0.99	0.67
Historical Assays	WDH00898							127.00	128.00	1.00	1.36	0.67
Historical Assays	WDH00898							128.00	129.00	1.00	2.83	0.67
Historical Assays	WDH00898							129.00	130.00	1.00	1.12	0.67
Historical Assays	WDH00898							130.00	131.00	1.00	2.19	0.67
Historical Assays	WDH00898							131.00	132.00	1.00	4.12	0.67
Historical Assays	WDH00898							132.00	132.90	0.90	0.08	0.60
Historical Assays	WDH00898							132.90	133.25	0.35	4.13	0.23
Historical Assays	WDH00898							133.25	134.00	0.75	0.75	0.50
New Assays	WDH00898							134.00	134.70	0.70	0.21	0.47

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	WDH00898							134.70	135.06	0.36	0.52	0.24
New Assays	WDH00898							135.06	136.00	0.94	0.42	0.63
New Assays	WDH00898							136.00	136.30	0.30	2.22	0.20
New Assays	WDH00898							136.30	137.00	0.70	0.24	0.47
New Assays	WDH00898							137.00	138.00	1.00	0.14	0.67
New Assays	WDH00898							138.00	139.00	1.00	0.45	0.67
New Assays	WDH00898							139.00	140.00	1.00	1.54	0.67
New Assays	WDH00898							140.00	141.00	1.00	1.58	0.67
New Assays	WDH00898							141.00	142.00	1.00	1.12	0.67
New Assays	WDH00898							142.00	142.50	0.50	0.07	0.33
New Assays	WDH00898							142.50	143.00	0.50	0.04	0.33
Historical Assays	WDH00898							143.00	143.50	0.50	4.46	0.33
Historical Assays	WDH00898							143.50	143.70	0.20	9.71	0.13
Historical Assays	WDH00898							143.70	144.50	0.80	0.24	0.53
New Assays	WDH00898							144.50	145.21	0.71	0.22	0.47
New Assays	WDH00898							145.21	146.00	0.79	0.97	0.53
New Assays	WDH00898							146.00	146.60	0.60	0.03	0.40
New Assays	WDH00898							146.60	147.00	0.40	0.06	0.27
Historical Assays	WDH00898							147.00	147.90	0.90	0.03	0.60
Historical Assays	WDH00898							147.90	148.60	0.70	15.00	0.47
Historical Assays	WDH00898							148.60	149.00	0.40	2.77	0.27
New Assays	WDH00898							149.00	150.00	1.00	2.11	0.67
New Assays	WDH00898							150.00	151.00	1.00	0.01	0.67
New Assays	WDH00898							151.00	151.50	0.50	0.01	0.33
New Assays	WDH00898							151.50	152.00	0.50	0.01	0.33
New Assays	WDH00898							152.00	153.00	1.00	0.03	0.67
New Assays	WDH00898							153.00	154.00	1.00	0.01	0.67
New Assays	WDH00898							154.00	154.70	0.70	0.01	0.47
New Assays	WDH00898							154.70	155.23	0.53	13.25	0.35
New Assays	WDH00898							155.23	156.30	1.07	0.27	0.71
New Assays	WDH00898							156.30	157.00	0.70	4.62	0.47
New Assays	WDH00898							157.00	158.00	1.00	0.01	0.67
New Assays	WDH00898							158.00	158.40	0.40	0.01	0.27
New Assays	WDH00898							158.40	158.75	0.35	0.13	0.23
New Assays	WDH00898							158.75	159.08	0.33	1.20	0.22
New Assays	WDH00898							159.08	160.00	0.92	0.10	0.61
New Assays	WDH00898							160.00	160.75	0.75	0.18	0.50

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	WDH00898							160.75	161.10	0.35	8.85	0.23
New Assays	WDH00898							161.10	161.75	0.65	2.24	0.43
New Assays	WDH00898							161.75	162.50	0.75	5.89	0.50
New Intercept	WDH01198	225402	7053201	189	290.9	14.2	137.76	96.00	100.00	4.00	7.42	2.67
New Assays	WDH01198							96.00	97.00	1.00	3.92	0.67
Historical Assays	WDH01198							97.00	97.40	0.40	5.41	0.27
Historical Assays	WDH01198							97.40	98.10	0.70	9.85	0.47
Historical Assays	WDH01198							98.10	99.00	0.90	10.96	0.60
Historical Assays	WDH01198							99.00	100.00	1.00	6.84	0.67
New Intercept	WDH01207	225404	7053201	189	269.5	16.1	133.06	112.30	116.80	4.50	1.08	3.00
New Assays	WDH01207							112.30	112.90	0.60	1.06	0.40
New Assays	WDH01207							112.90	113.30	0.40	4.27	0.27
New Assays	WDH01207							113.30	114.00	0.70	0.07	0.47
Historical Assays	WDH01207							114.00	114.55	0.55	0.06	0.37
Historical Assays	WDH01207							114.55	115.30	0.75	1.47	0.50
Historical Assays	WDH01207							115.30	116.00	0.70	0.47	0.47
Historical Assays	WDH01207							116.00	116.40	0.40	1.00	0.27
Historical Assays	WDH01207							116.40	116.80	0.40	1.71	0.27
New Intercept	CADH00800A	225576	7052560	-408	272.4	-42.4	254.56	103.40	104.30	0.90	0.11	0.60
Historical Assays	CADH00800A							104.30	104.90	0.60	1.35	0.40
Historical Assays	CADH00800A							104.90	105.90	1.00	1.90	0.67
Historical Assays	CADH00800A							105.90	106.90	1.00	1.69	0.67
Historical Assays	CADH00800A							106.90	107.90	1.00	1.79	0.67
Historical Assays	CADH00800A							107.90	108.70	0.80	0.62	0.53
Historical Assays	CADH00800A							108.70	109.40	0.70	3.12	0.47
Historical Assays	CADH00800A							109.40	110.10	0.70	1.36	0.47
New Assays	CADH00800A							110.10	111.00	0.90	2.46	0.60
New Assays	CADH00800A							111.00	112.00	1.00	3.39	0.67
New Assays	CADH00800A							112.00	113.00	1.00	2.43	0.67
New Assays	CADH00800A							113.00	114.00	1.00	0.37	0.67
New Intercept	CADH00969	225530	7052533	-403	116.2	-21.5	291.86	68.00	69.00	1.00	0.57	0.67
Historical Assays	CADH00969							69.00	70.00	1.00	1.11	0.67
Historical Assays	CADH00969							70.00	71.00	1.00	1.16	0.67
Historical Assays	CADH00969							71.00	72.00	1.00	0.82	0.67
Historical Assays	CADH00969							72.00	73.00	1.00	3.14	0.67
Historical Assays	CADH00969							73.00	74.00	1.00	4.68	0.67
Historical Assays	CADH00969							74.00	75.00	1.00	2.12	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	CADH00969							75.00	76.00	1.00	1.45	0.67
Historical Assays	CADH00969							76.00	77.00	1.00	3.83	0.67
Historical Assays	CADH00969							77.00	78.00	1.00	1.56	0.67
Historical Assays	CADH00969							78.00	79.00	1.00	0.51	0.67
Historical Assays	CADH00969							79.00	80.00	1.00	0.96	0.67
Historical Assays	CADH00969							80.00	81.00	1.00	1.72	0.67
Historical Assays	CADH00969							81.00	82.00	1.00	1.24	0.67
Historical Assays	CADH00969							82.00	83.00	1.00	2.08	0.67
Historical Assays	CADH00969							83.00	83.95	0.95	2.78	0.63
Historical Assays	CADH00969							83.95	84.30	0.35	0.73	0.23
Historical Assays	CADH00969							84.30	85.30	1.00	1.06	0.67
Historical Assays	CADH00969							85.30	86.30	1.00	0.43	0.67
New Assays	CADH00969							86.30	86.70	0.40	1.37	0.27
New Assays	CADH00969							86.70	87.00	0.30	1.44	0.20
New Assays	CADH00969							87.00	87.60	0.60	0.87	0.40
New Intercept	ELDH00122	225228	7051022	338	90.2	-10	38.76	75.55	76.30	0.75	0.01	0.50
Historical Assays	ELDH00122							76.30	76.95	0.65	4.69	0.43
Historical Assays	ELDH00122							76.95	78.00	1.05	7.42	0.70
Historical Assays	ELDH00122							78.00	79.00	1.00	0.65	0.67
Historical Assays	ELDH00122							79.00	80.00	1.00	5.45	0.67
Historical Assays	ELDH00122							80.00	81.00	1.00	3.01	0.67
Historical Assays	ELDH00122							81.00	82.00	1.00	2.78	0.67
Historical Assays	ELDH00122							82.00	83.00	1.00	2.32	0.67
Historical Assays	ELDH00122							83.00	83.40	0.40	1.72	0.27
New Assays	ELDH00122							83.97	84.20	0.23	0.03	0.15
New Assays	ELDH00122							85.00	86.00	1.00	0.78	0.67
New Assays	ELDH00122							86.00	87.00	1.00	0.02	0.67
New Assays	ELDH00122							87.00	88.00	1.00	2.04	0.67
New Assays	ELDH00122							88.00	89.00	1.00	0.44	0.67
New Intercept	WDH00561	225477	7053308	-171	356.7	-16	65.76	171.50	172.25	0.75	0.17	0.50
Historical Assays	WDH00561							172.25	172.90	0.65	23.00	0.43
Historical Assays	WDH00561							172.90	173.60	0.70	0.01	0.47
Historical Assays	WDH00561							173.60	174.30	0.70	0.95	0.47
Historical Assays	WDH00561							174.30	175.00	0.70	6.73	0.47
Historical Assays	WDH00561							175.00	176.00	1.00	0.75	0.67
Historical Assays	WDH00561							176.00	177.00	1.00	0.01	0.67
New Assays	WDH00561							177.00	177.30	0.30	0.67	0.20

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
New Assays	WDH00561							177.30	177.70	0.40	1.06	0.27
New Assays	WDH00561							177.70	178.40	0.70	0.11	0.47
New Assays	WDH00561							178.40	179.46	1.06	0.06	0.71
New Assays	WDH00561							179.46	180.00	0.54	0.38	0.36
New Assays	WDH00561							180.00	181.00	1.00	0.03	0.67
Historical Assays	WDH00561							181.00	182.00	1.00	0.01	0.67
Historical Assays	WDH00561							182.00	182.50	0.50	0.28	0.33
Historical Assays	WDH00561							182.50	183.50	1.00	3.80	0.67
Historical Assays	WDH00561							183.50	184.00	0.50	0.19	0.33
Historical Assays	WDH00561							184.00	184.50	0.50	0.78	0.33
New Assays	WDH00561							184.50	185.05	0.55	0.51	0.37
New Assays	WDH00561							185.05	186.00	0.95	1.89	0.63
Historical Assays	WDH00561							186.00	187.00	1.00	1.69	0.67
Historical Assays	WDH00561							187.00	187.50	0.50	7.09	0.33
Historical Assays	WDH00561							187.50	188.00	0.50	7.18	0.33
Historical Assays	WDH00561							188.00	189.00	1.00	1.22	0.67
Historical Assays	WDH00561							189.00	190.00	1.00	0.02	0.67
Historical Assays	WDH00561							190.00	191.00	1.00	3.26	0.67
Historical Assays	WDH00561							191.00	192.00	1.00	5.72	0.67
Historical Assays	WDH00561							192.00	193.00	1.00	1.89	0.67
Historical Assays	WDH00561							193.00	193.70	0.70	4.45	0.47
Historical Assays	WDH00561							193.70	194.75	1.05	5.85	0.70
Historical Assays	WDH00561							194.75	195.50	0.75	0.39	0.50
Historical Assays	WDH00561							195.50	196.00	0.50	0.13	0.33
New Assays	WDH00561							196.00	196.30	0.30	0.15	0.20
New Assays	WDH00561							196.30	197.00	0.70	1.12	0.47
New Assays	WDH00561							197.00	198.00	1.00	1.25	0.67
New Assays	WDH00561							198.00	199.00	1.00	0.12	0.67
New Intercept	WDH00730	225501	7053387	-220	377.6	-36.6	71.06	199.45	200.00	0.55	0.10	0.37
Historical Assays	WDH00730							200.00	201.00	1.00	9.41	0.67
Historical Assays	WDH00730							201.00	202.00	1.00	8.07	0.67
Historical Assays	WDH00730							202.00	202.45	0.45	7.46	0.30
Historical Assays	WDH00730							202.45	203.15	0.70	6.01	0.47
Historical Assays	WDH00730							203.15	204.00	0.85	1.12	0.57
Historical Assays	WDH00730							204.00	205.00	1.00	1.47	0.67
Historical Assays	WDH00730							205.00	206.00	1.00	0.14	0.67
Historical Assays	WDH00730							206.00	207.00	1.00	0.03	0.67

Zone	Hole ID	East	North	RL	EOH (m)	Dip	Azi	From	To	Width (m)	Au g/t	True Width (m)
Historical Assays	WDH00730							207.00	207.50	0.50	0.58	0.33
Historical Assays	WDH00730							207.50	208.00	0.50	0.49	0.33
Historical Assays	WDH00730							208.00	209.00	1.00	0.20	0.67
Historical Assays	WDH00730							209.00	210.00	1.00	3.10	0.67
Historical Assays	WDH00730							210.00	211.00	1.00	5.31	0.67
Historical Assays	WDH00730							211.00	212.00	1.00	2.95	0.67
Historical Assays	WDH00730							212.00	213.00	1.00	0.87	0.67
Historical Assays	WDH00730							213.00	214.00	1.00	21.70	0.67
Historical Assays	WDH00730							214.00	215.00	1.00	0.31	0.67
New Assays	WDH00730							215.00	215.85	0.85	0.78	0.57
New Assays	WDH00730							215.85	216.30	0.45	1.26	0.30
New Assays	WDH00730							216.30	217.00	0.70	0.05	0.47
New Assays	WDH00730							217.00	218.00	1.00	1.79	0.67
New Assays	WDH00730							218.00	219.00	1.00	0.81	0.67
New Assays	WDH00730							219.00	219.75	0.75	0.13	0.50
New Assays	WDH00730							219.75	220.20	0.45	2.66	0.30
New Assays	WDH00730							220.20	221.00	0.80	0.24	0.53
New Assays	WDH00730							255.05	256.20	1.15	1.40	0.77
Historical Assays	WDH00730							256.20	257.40	1.20	0.66	0.80
Historical Assays	WDH00730							257.40	258.00	0.60	11.20	0.40
Historical Assays	WDH00730							258.00	259.00	1.00	13.60	0.67
Historical Assays	WDH00730							259.00	260.00	1.00	14.50	0.67
Historical Assays	WDH00730							260.00	261.00	1.00	3.26	0.67
New Assays	WDH00730							261.00	261.80	0.80	2.66	0.53

*Grid MGA94_Zone51S with RL in Australian Height Datum (surface level is approx. 500m AHD; "Mine RL" is AHD + 1,000m). Results >5g/t highlighted red. Rows highlighted in blue show bulked intersection with greater than 2m internal dilution. Rows highlighted in green show revised intersection using the historic assays and the current New Assays.

Forward Looking Statements

This announcement includes certain statements that may be deemed 'forward looking statements'. All statements that refer to any future production, resources or reserves, exploration results and events or production that Wiluna Mining Corporation Ltd expects to occur are forward looking statements. Although the Company believes that the expectations in those forward looking statements are based upon reasonable assumptions, such statements are not a guarantee of future performance and actual results or developments may differ materially from the outcomes. This may be due to several factors, including market prices, exploration and exploitation success, and the continued availability of capital and financing, plus general economic, market or business conditions. Investors are cautioned that any such statements are not guarantees of future performance, and actual results or performance may differ materially from those projected in the forward looking statements. The Company does not assume any obligation to update or revise its forward looking statements, whether as a result of new information, future events or otherwise.

Competent Persons Statement

The information contained in the report that relates to Exploration Targets and Exploration Results at the Matilda Wiluna Gold Operation ("Operation") is based on information compiled or reviewed by Mr Cain Fogarty, who is a fulltime employee of the Company. Mr Fogarty is a Member of the Australian Institute of Geoscientists and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which is being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Fogarty has given consent to the inclusion in the report of the matters based on this information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Wiluna, Lake Way and Regent Mining Centres is based on information compiled or reviewed by Mr Graham de la Mare, a Competent Person who is a Fellow of the Australian Institute of Geoscientists. Graham de la Mare is a fulltime employee of Wiluna Mining Corporation and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Results, Mineral Resources and Ore Reserves'. Graham de la Mare consents to the inclusion in this announcement of statements based on this information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Matilda, Galaxy and WilTails Mining Centres is based on information compiled or reviewed by Mr Marcus Osiejak, a Competent Person who is a Member of the Australian Institute of Mining and Metallurgy. Marcus Osiejak is a fulltime employee of Wiluna Mining Corporation and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Results, Mineral Resources and Ore Reserves'. Marcus Osiejak consents to the inclusion in this announcement of statements based on this information in the form and context in which it appears.

The Company confirms that it is not aware of any new information or data that materially affects the information in the relevant ASX releases and the form and context of the announcement has not materially changed. The Company confirms that the form and context in which the Competent Persons findings are presented have not been materially modified from the original market announcements.

Table 1 JORC Code, 2012 Edition.**Section 1 Sampling Techniques and Data***(Criteria in this section apply to all succeeding sections.)*

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	- Wiluna Mining has used i) reverse circulation drilling to obtain 1m samples from which ~3kg samples were collected using a cone splitter connected to the rig, ii) HQ, NQ2 or LTK60 with ½ core sampling, or iii) LTK60 with full core sampling. - Full analysis and discussion of the entire historical drilling database of over 80,000 holes is not feasible nor considered material to the understanding of the current results. Historical core in this report is either NQ2 or LTK60, predominantly drilled in the mid to late 2000's by Agincourt Resources and Apex Minerals. Apex Minerals alone drilled 1,024 diamond holes for 222,170m with selective sampling. - Wiluna Mining's sampling procedures are in line with standard industry practice to ensure sample representivity. Core samples are routinely taken using an automatic core saw from the righthand side of the cut line. For Wiluna Mining's RC drilling, the drill rig (and cone splitter) is always jacked up so that it is level with the earth to ensure even splitting of the sample. Face samples are taken across the face, with sample intervals matched to varying intensity of mineralisation as indicated by shearing and sulphides. - Historically (pre-Wiluna Mining), drill samples were taken at predominantly 1m intervals in RC holes, or as 2m or 4m composites in AC holes. Historical core sampling is at various intervals and it appears that sampling was based on geological observations at intervals determined by the logging geologist. - At the laboratory, samples >3kg were 50:50 riffle split to become <3kg. The <3kg splits were crushed to <2mm in a Boyd crusher and pulverized via LM5 to 85% passing 75µm to produce a 50g charge for fire assay. Historical assays were obtained using either aqua regia digest or fire assay, with AAS readings. - Wiluna Mining analysed RC and DD samples using ALS laboratories in Perth. Analytical method was Fire Assay with a 50g charge and AAS finish. Golden Age and Lennon holes were also analysed at the Wiluna Mine site laboratory for preliminary results (not reported here), pulverized in an LM5 bowl to produce a 30g charge for assay by Fire Assay with AAS finish. - Historical core samples were assayed at independent external laboratories Genalysis and ALS in Perth, using the same preparation method described above with either 30g or 50g charge. Analytical procedures associated with data generated by Apex and Agincourt are consistent with current industry practise

		and are considered acceptable for the style of mineralisation identified at Wiluna.
Drilling techniques	• Drill type (eg core, reverse circulation, open hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face sampling bit or other type, whether core is oriented and if so, by what method, etc).	• Wiluna Mining data reported herein is RC 5.5" diameter holes. Diamond drilling is oriented HQ, NQ2 or LTK60 core. • Historical drilling data contained in this report includes RC, AC, RAB and DD core samples. RC sampling utilized face sampling hammer of 4.5" to 5.5" diameter, AC and RAB sampling utilized open hole blade or hammer sampling, and DD sampling utilized NQ2 and LTK60 half core samples. It is unknown if all historical core was orientated, though it is not material to this report. All Wiluna Mining RC drilling used a face-sampling bit.
Drill sample recovery	• Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	• For Wiluna Mining RC drilling, chip sample recovery is visually estimated by volume for each 1m bulk sample bag and recorded digitally in the sample database. For DD drilling, recovery is measured by the drillers and Wiluna Mining geotechnicians and recorded into the digital database. Recoveries were typically 100% except for the non-mineralised upper 3 or 4m in RC holes, and the weathered upper 50 to 80m of DD holes that is generally more broken and fractured. For historical drilling, most core is in fresh competent rock and recoveries appear to be generally excellent. Database compilation is ongoing. For DD drilling, sample recovery is maximised in weathered and broken zones by the use of short drill runs (typically 1.5m). • For Wiluna Mining RC drilling sample recovery is maximized by pulling back the drill hammer and blowing the entire sample through the rod string at the end of each metre. Where composite samples are taken, the sample spear is inserted diagonally through the sample bag from top to bottom to ensure a full cross section of the sample is collected. To minimize contamination and ensure an even split, the cone splitter is cleaned with compressed air at the end of each rod, and the cyclone is cleaned every 50m and at the end of hole, and more often when wet samples are encountered. For historical drilling with dry samples it is unknown what methods were used to ensure sample recovery, though it is assumed that industry standard protocols were used to maximize the representative nature of the samples, including dust suppression and rod pullback after each drilled interval. For wet samples, it is noted these were collected in polyweave bags to allow excess water to escape; this is standard practice though can lead to biased loss of sample material into the suspended fine sample fraction. • For Wiluna Mining drilling, no such relationship was evaluated as sample recoveries were generally excellent.
Logging	• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource	• Drill samples have been logged for geology, alteration, mineralisation, weathering, geotechnical properties and other

	<i>estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i>	features to a level of detail considered appropriate for geological and resource modelling. - Logging of geology and colour for example are interpretative and qualitative, whereas logging of mineral percentages is quantitative. - All holes were logged in full. Check-logging was completed on historical intervals retrieved, with only minor edits required to historical logs. - Core photography was taken for WMC diamond drilling.
Subsampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If noncore, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all subsampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	- For core samples, Wiluna Mining uses half core cut with an automatic core saw. Samples have a minimum sample length of 0.1m and maximum of 1.2m, though typically 1m intervals were selected. A cut line is routinely drawn at an angle 10 degrees to the right of the orientation line. Where no orientation line can be drawn, where possible samples are cut down the axis of planar features such as veins, such that the two halves of core are mirror images. - Historical core has been selectively sampled, with a minimum sample width of 0.1m and maximum of 1.1m, though typically 1m intervals were selected. - RC sampling with cone splitting with 1m samples collected, or in the hangingwall 4m scoop composites compiled from individual 1m samples. RC sampling with riffle or cone splitting and spear compositing is considered standard industry practice. - For historical samples the method of splitting the RC samples is not known. However, there is no evidence of bias in the results. - Wiluna Mining drilling, 1m RC samples were split using a cone splitter. Most samples were dry; the moisture content data was logged and digitally captured. Where it proved impossible to maintain dry samples, at most three consecutive wet samples were obtained before drilling was abandoned, as per procedure. AC samples were 4m composites. - Boyd <2mm crushing and splitting is considered to be standard industry practice; each sample particle has an equal chance of entering the split chute. At the laboratory, >3kg samples are split so they can fit into a LM5 pulveriser bowl. At the laboratory, >3kg samples are split 50:50 using a riffle splitter so they can fit into a LM5 pulveriser bowl. - Field duplicates were collected approximately every 20m down hole for Wiluna Mining holes. With a minimum of one duplicate sample per hole. Analysis of results indicated good correlation between primary and duplicate samples. RC duplicates are taken using the secondary sample chute on the cone splitter. AC

		duplicates were scooped in the field. It is not clear how the historical field duplicates were taken for RC drilling. - Riffle splitting and half-core splitting are industry standard techniques and considered to be appropriate. Where sampling occurred through backfilled 'stope' intervals, these samples don't represent the pre-mined grade in localized areas. - Sample sizes are considered appropriate for these rock types and style of mineralisation and are in line with standard industry practice.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	- Fire assay is a total digestion method. The lower detection limits of 0.01ppm is considered fit for purpose. For Wiluna Mining Exploration drilling, ALS completed the analyses using industry best practice protocols described above. ALS is globally recognized and highly regarded in the industry. Historical assaying was undertaken at Genalysis, Amdel, SGS, and KalAssay laboratories, and by the onsite. The predominant assay method was by Fire Assay with AAS finish. The lower detection limit of 0.01ppm Au used is considered fit for purpose. Samples analysed at ALS and with Au > 0.3g/t are also assayed for As, S and Sb using ICPAES analysis ("MEICP41"). - No geophysical tools were required as the assays directly measure gold mineralisation. For Wiluna Mining drilling, downhole survey tools were checked for calibration at the start of the drilling program and every two weeks. - For Wiluna Mining drilling certified reference material, blanks and field duplicates were submitted at 1:20 ratios. Check samples are routinely submitted to an umpire lab at 1:20 ratio. Analysis of results confirms the accuracy and precision of the assay data. Blanks and quartz flushes are inserted after logged high grade core samples to minimise and check for smearing, analyses of these results typically shows no smearing has occurred. Results for WMC and historical QAQC show good correlation between original and repeat analyses with very few samples plotting outside acceptable ranges. - For historical drilling, field duplicates, blank samples, umpire lab samples, and certified reference standards were collected and inserted from at least the early 2000's. Investigation of results revealed sufficient quality control performance for lab duplicates, field duplicates and external laboratory checks.
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative Company personnel.</i> <i>The use of twinned holes.</i> <i>Documentation of primary data, data entry procedures, data</i>	- Wiluna Mining's significant intercepts have been verified by several Company personnel, including the database manager and geologists. - Twinned holes were not drilled in this program, however, correlation between intercepts was generally poor when intercepts were greater than 20m apart reflecting the shortrange variability expected in gold deposits of this style.

	<i>verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i>	• Wiluna data represents a portion of a large drilling database compiled since the 1930's by various project owners. • Data is stored in Datashed SQL database. Internal Datashed validations and validations upon importing into Micromine were completed, as were checks on data location, logging and assay data completeness and downhole survey information. QAQC and data validation protocols are contained within Wiluna Mining's manual "Wiluna Mining Geology Manual 2020". Historical procedures are not documented. • There has been no adjustment to lab assay data.
Location of data points	• <i>Accuracy and quality of surveys used to locate drill holes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i>	• All historical holes appear to have been accurately surveyed to centimetre accuracy. Wiluna Mining's drill collars are routinely surveyed using a DGPS with centimetre accuracy, though coordinates reported herein are GPS surveyed to metre-scale accuracy. • Grid systems used in this report are GDA 94 Zone 51 S. Drilling collars were originally surveyed in either MGA grid or Mine Grid Wiluna 10 and converted in Datashed to MGA grid. • An accurate topographical model covering the mine site has been obtained, drill collar surveys are closely aligned with this. Away from the mine infrastructure, drill hole collar surveys provide adequate topographical control. • WMC drillholes are routinely surveyed using continuous north-seeking gyro at the end of hole, with 'sighter' surveys conducted while drilling. Historical diamond drill holes were surveyed downhole at close regular spacing using a Reflex or Eastman camera attached to a 6m aluminium extension to minimise magnetic interference, at 15m, 50m and every 50m thereafter. A selection of holes were subsequently gyro surveyed to confirm the single shot method has not been significantly affected by magnetic rocks. • Survey tools are calibrated weekly.
Data spacing and distribution	• <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i>	• Wiluna Mining's exploration holes are generally drilled 25m or 50m apart on sections spaced 25m apart along strike. • Historical drill hole spacing is typically 25 x 25m in Indicated resource areas and 50 x 50m in Inferred areas. • The mineralisation lodes show sufficient continuity of both geology and grade between holes to support the estimation of resources which comply with the 2012 JORC guidelines • Samples have been composited only where mineralisation was not anticipated. Where composite samples returned significant gold

		values, the 1m samples were submitted for analysis and these results were prioritized over the 4m composite values.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- Orientation of drilling to mineralisation ranges from 45 to 90 degrees to the strike of the lodes and 20 to 90 degrees to the dip of the lodes. - RC drill holes were generally orientated perpendicular to targets to intersect predominantly steeply-dipping north-south or northeast-southwest striking mineralisation, though underground DD holes were in places drilled obliquely; true widths are shown in the significant intercepts table. - The perpendicular orientation of the drill holes to the structures minimises the potential for sample bias.
Sample security	The measures taken to ensure sample security.	It is not known what measures were taken historically. For Wiluna Mining drilling, samples are stored in a gated yard until transported by truck to the laboratory in Perth. In Perth the samples are likewise held in a secure compound.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Wiluna Mining and historical drilling data has been validated in Datashed. Monthly validation checks are performed and minor adjustments made as required. QAQC results been evaluated and found to be satisfactory.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.	- The drilling is located wholly within M53/6, M53/30, M53/40, M53/44, M53/95, M53/69, M53/468, M53/200 and M53/32. The tenements are owned 100% by Wiluna Operations Pty Ltd., a wholly owned subsidiary of Wiluna Mining Corporation Ltd, except for M53/30 which is owned 94/96 by Wiluna Operations Pty Ltd and 2/96 by James Murray Jackson. - The tenements are in good standing and no impediments exist. - Franco Nevada have royalty rights over the Wiluna leases of 3.6% of net gold revenue.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Modern exploration has been conducted on the tenement intermittently since the mid1980's by various parties as tenure changed hands many times. This work has included mapping and rock chip sampling, geophysical surveys and extensive RAB, RC and core drilling for exploration, resource definition and grade

		control purposes. This exploration is considered to have been successful as it led to the eventual economic exploitation of several open pits during the late 1980's / early 1990's, and underground mining to the present day. The deposits remain 'open' in various locations and opportunities remain to find extensions to the known potentially economic mineralisation.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	The gold deposits are categorized as orogenic gold deposits, with similarities to most other gold deposits in the Yilgarn region. The deposits are hosted within the Wiluna Domain of the Wiluna greenstone belt.
Drill hole Information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <i>easting and northing of the drill hole collar</i> <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> <i>dip and azimuth of the hole</i> <i>down hole length and interception depth</i> <i>hole length.</i> <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	See data table Appendix to this report.
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cutoff grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure</i>	- Significant intercepts are reported as length-weighted averages. For Wiluna: above a 1.0g/t cutoff and > 2.0 gram x metre cut off (to include narrow higher-grade zones) using a maximum 2m contiguous internal dilution. - In places, broad widths of lower grade mineralisation are identified where the mineralised shear zone is wider and comprises multiple higher-grade zones within a broadly mineralised envelope, which may ultimately upon the completion of relevant mining studies (in progress) be amenable to bulk open pit or underground mining methods with lower cost and lower economic cutoff grades. Where this style of mineralisation exists,

	<i>used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	broad 'bulk' or 'halo' intercepts are calculated by allowing no limit to internal dilution and no internal lower cutoff grade. E.g. BUUD0102 = 62.54m @ 1.76g/t from 0m (broad intercept), comprising 7.11m @ 4.57g/t from 0m, 0.3m @ 6.32g/t from 10.28m, 14.05m @ 4.09g/t, and 6.81m @ 2.34g/t. - High-grade internal zones are reported above a 5g/t envelope, e.g. BUUD0102 contains 7.11m @ 4.57g/t from 0m including 1.25m @ 15.08g/t and 0.68m @ 6.44g/t. Ultrahigh grades zones of >30g/t are additionally reported. - No metal equivalent grades are reported because only Au is of economic interest.
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	Lode geometries at Wiluna are generally steeply east or steeply west dipping. Generally the lodes strike north-northeast to northwest-southeast. Historical drilling was oriented vertically or at 60° west, the latter being close to optimal for the predominant steeply east dipping orientation. At Golden Age, the lode strikes NWSE, with drilling from underground oriented at various angles depending on available drill sites. Drill holes reported herein have been drilled as close to perpendicular to mineralisation as possible. In some cases due to the difficulty in positioning the rig close to remnant mineralisation around open pits this is not possible. True widths are always included in the significant intercepts table when results are reported for the first time.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	See diagrams in the body of this report.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	For Wiluna Mining drilling, either all significant assay results are reported or the hole is listed as 'no significant intercepts'. Full reporting of the historical drill hole database of over 80,000 holes is not feasible.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of</i>	Other exploration tests are not the subject of this report.

	<i>treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	
Further work	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or largescale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	- Follow-up resource definition drilling is likely, as mineralisation is interpreted to remain open in various directions. - Refer to diagrams and discussion in the body of this report.