

BASTION INTRUSION HOSTED GOLD ANOMALY EXTENDED TO 1.4 km STRIKE LENGTH

Carnaby Resources Limited (ASX: CNB) (**Carnaby** or the **Company**) is pleased to provide an exploration update for the 100% owned Strelley gold project in the Mallina Basin, Pilbara, WA.

Highlights - Strelley Project, Pilbara, Western Australia

- The recently discovered Bastion Intrusion hosted gold anomaly, potentially "Hemi style" gold mineralisation, has been extended to over 1.4 km strike length by shallow wide spaced aircore drilling.
- Aircore drilling has intersected the Bastion intrusion 1km to the NE of the discovery hole PLDD0005, where aircore drill hole PLAC0702 has tagged the intrusion in the last metre of the hole recording 1m
 @ 0.14 g/t from 26m bottom of hole (BOH) (see Figure 4, 5 & 6).
- The identification of intrusion hosted gold mineralisation at Bastion (see ASX release 5 May 2021) has resulted in the identification of several new lookalike intrusions within the Strelley Project and has greatly increased the potential of the area.
- Preliminary composite aircore drill results have been received for 80% of the recently completed aircore drilling. Significant results include;
 - PLAC0541 5m @ 0.42 g/t gold from 15m
 - PLAC0499 5m @ 0.39 g/t gold from 5m
 - PLAC0438 3m @ 0.37 g/t gold from 20m
- At the Stockade Prospect diamond drill hole PLDD0029 has intersected multiple zones of gold mineralisation which are open;
 - 1m @ 0.8 g/t gold from 22 m and
 - 4.6m @ 0.5 g/t gold from 44m and
 - o 2m @ 0.5 g/t gold from 61m

The Company's Managing Director, Rob Watkins commented:

"The discovery of intrusion hosted gold mineralisation up to 3.2 g/t gold at the Bastion Prospect and now tagging the mineralised intrusion again 1 km to the northeast as well as the numerous new intrusions identified, reveals the scale of the targets and potential at Strelley. We are now looking forward to the commencement of the RC drilling program next..."

ASX Announcement 28 May 2021

Fast Facts Shares on Issue 117.9M Market Cap (@ 46 cents) \$54.2M Cash \$8.0M¹ '*As of 31 March 2021*

Board and Management Peter Bowler, Non-Exec Chairman Rob Watkins, Managing Director Greg Barrett, Non-Exec Director & Company Secretary

Paul Payne, Non-Exec Directo

Company Highlights

- Proven and highly credentialed management team
- Tight capital structure and strong cash position
- Projects near to De Grey's Hemi gold discovery on 442 km² of highly prospective tenure
- Greater Duchess Copper Gold Project, numerous camp scale IOCG deposits over 323 km² of tenure
- 100% ownership of the Tick Hill Gold Project (granted ML's) in Qld, historically one of Australia highest grade and most profitable gold mines
- Past production of 511 koz at 22 g/t gold
- Indicated and Inferred Mineral Resource of 845,000 t @ 2.47 g/t gold for 67,100 ounces²
- Proven and Probable Ore Reserves of 459,900 t @ 1.89 g/t gold for 28,000 ounces²

² Refer ASX release 5 June 2020, to be adjusted following Tailings Sale & NSR Royalty Agreement, refer ASX release 3 August 2020

Registered Office

78 Churchill Avenue Subiaco Western Australia 6008

T: +61 8 9320 2320

www.carnabyresources.com.au





Figure 1. Bastion Prospect drill core photo from PLDD0005, 174.4m depth, 1.1 g/t gold hosted by disseminated sulphides in an intrusion.



Figure 2. Carnaby Mallina Basin tenements showing location of the Strelley project.



Figure 3. Strelley project location map showing location of gold mineralised corridors, intrusion style magnetic targets and recently identified intrusions.

STRELLEY PROJECT (Carnaby 100%)

Bastion Prospect

The recent discovery of intrusion hosted gold mineralisation up to **3.2 g/t gold** at the Bastion Prospect in diamond drill hole tail PLDD0005 (see ASX release 5 May 2021) has opened up a completely new target horizon along a northeast striking corridor (Figure 4, 5 & 6). Two traverses of wide spaced and shallow aircore drilling were completed 360m and 1,000m NE of PLDD0005. Both aircore lines intersected anomalous gold and arsenic within an intrusion in bottom of hole results. PLAC0702 tagged the Bastion intrusion in the last meter of the hole with a result of 1m @ 0.14 g/t gold from 26m to BOH. The Bastion intrusion trend is completely open for another 1 km NE of PLAC0702 to where the projected trend intersects the Gibraltar Prospect.

The Bastion intrusion sits under approximately 7-10m of cover sequence sands masking the underlying geology / mineralisation and combined with a generally stripped weathering profile in the bedrock, results in the aircore drilling only being able to effectively tag the target horizon at wide spaced intervals (Figure 5).

Carnaby is currently sourcing and negotiating a contract for an RC drill rig to start as soon as possible to commence a minimum 3,000m RC drilling program.





Figure 4. Bastion Prospect map showing location of intrusion on aeromagnetics.

An additional new NE striking shear target horizon is emerging from the new aircore results approximately 300m southeast of and parallel to the Bastion intrusion and located northwest of the Stockade Prospect (Figure 4, 5 & 6). Anomalous gold and arsenic results from this new sparsely drilled corridor include;

| PLAC0541 | 5m @ 0.42 g/t gold from 15m |
|----------|---------------------------------------------------|
| PLAC0696 | 1m @ 0.66% arsenic, 0.05 g/t gold from 30m to BOH |
| PLAC0694 | 5m @ 0.11 g/t gold from 30m |



Figure 5. Bastion Prospect aircore drill section located 1 km northeast of PLDD005.







This new corridor has a target horizon strike length of 1.5 km strike between the above aircore results and is completely undrilled for over 1 km to the north east of PLAC0694 and PLAC0696.

Stockade Prospect

The Stockade Prospect forms a > 1 km long gold and arsenic anomaly associated with a metachert and felsic schist horizon within the mafic to ultramafic dominant host rocks.

Additional aircore and diamond drilling was completed at the Stockade Prospect to better define the geometry and limits of the gold mineralisation and the optimal drill orientation prior to commencing a significant RC drilling program.

Diamond hole PLDD0029 was drilled under a previous wide spaced aircore drill result of 2m @ 2.2 g/t gold from 6m in PLAC0032. The diamond hole intersected several mineralised and altered shears hosted by finely disseminated sulphides. Results recorded from PLDD0029 were 1m @ 0.8 g/t gold from 22 m and **4.6m @ 0.5 g/t gold** from 44m and **2m @ 0.5 g/t gold** from 61m (Figure 4).

Shallow aircore drilling results of up to **5m @ 0.4 g/t gold** from 5m in PLAC0499, 3m @ 0.1 g/t gold from 5m in PLAC0534 and 1m @ 0.1g/t from 16m to BOH have further delineated the gold mineralised corridor at Stockade.

The Stockade Prospect is a greater than 1 km long gold mineralised trend that has been the subject of predominantly shallow aircore drilling and remains an exciting target which is now ready for systematic RC drilling beneath the shallow and wide spaced aircore drill results.

Alcazar Prospect

The newly named Alcazar Prospect is located 2 km southwest of the Stockade Prospect along the same sheared mafic greenstone corridor (Figure 4). Two aircore drill traverses on 320m line spacing and 40m hole spacing have intersected anomalous gold and arsenic in the shallow aircore drilling including a new intrusion across both lines of drilling.

Shallow cover and a stripped regolith profile resulted in drilling only penetrating to shallow depths averaging 22m across both lines.

Results from the aircore drilling include **3m @ 0.4 g/t gold** from 20m in PLAC438 and 1m @ 0.2 g/t gold from 10m in PLAC0435.

Follow up drilling is being planned.

Gibraltar Prospect

The Gibraltar prospect is located on the eastern edge of the Tabba Tabba Greenstone and is hosted in sheared mafic rocks where historical RC drill results up to **10m @ 1.6 g/t gold** including **2 m @ 5.7 g/t gold** has been intersected.

A single diamond core tail hole PLDD0002 did not intersect any significant gold mineralisation. Detailed structural analysis is being completed on the core to better understand the orientation of the structure and lithology prior to considering further drilling.



Palisade and Conwy Prospects

To the northeast of the Strelley project several new intrusions have been identified from the recent aircore drilling including a large intrusion in the NE corner of the tenement (Figure 3). Results from a further 56 aircore holes drilled in this area are awaited.

The Palisade and Conwy Prospects occur at the confluence of two major fault structures being the Tabba Tabba and Berghaus Shear Zones. Both exhibit extensive gold anomalism and remain a high priority for ongoing exploration at Strelley.

Further information regarding the Company can be found on the Company's website

www.carnabyresources.com.au

For further information please contact: Robert Watkins, Managing Director +61 8 9320 2320

Competent Person Statement

The information in this document that relates to exploration results is based upon information compiled by Mr Robert Watkins. Mr Watkins is a Director of the Company and a Member of the AUSIMM. Mr Watkins consents to the inclusion in the report of the matters based upon the information in the form and context in which it appears. Mr Watkins has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which is undertaken to qualify as a Competent Person as defined in the December 2012 edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves" (JORC Code).

Disclaimer

References may have been made in this announcement to certain ASX announcements, including references regarding exploration results, mineral resources and ore reserves. For full details, refer to said announcement on said date. The Company is not aware of any new information or data that materially affects this information. Other than as specified in this announcement and the mentioned announcements, the Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements and, in the case of estimates of Mineral Resources, Exploration Target(s) or Ore Reserves that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

Previously released ASX Material References that relates to announcement include:

Intrusion Hosted Gold up to 3.2 g/t Intersected at Strelley, 5 May 2021

8,000m Drilling Program Commenced at Strelley, 4 March 2021

Compelling Strelley and Tick Hill Drill Results, 27 January 2021

Key Land Access Agreement Signed at Strelley, 23 December 2020

First Aircore Results Define Anomaly, 14 December 2020

Outstanding Historical Gold Drill Results at Strelley, 22 July 2020



Table 1. Strelley Diamond Drill Results

| Location | Hole ID | Easting | Northing | Azimuth | Dip | Depth From | Interval | Au (g/t) |
|-----------|---------|---------|----------|---------|--------|---------------|----------|-------------|
| GIBRALTAR | PLDD002 | 714213 | 7740708 | 327.94 | -58.53 | | | NSI |
| CONWY | PLDD028 | 719002 | 7745213 | 149.78 | -56.02 | | | NSI |
| | | | | | | 17 Inc 22 | 7 | 0.24 |
| STOCKADE | PLDD029 | 713038 | 7738213 | 340.8 | -70.7 | 44 | 4.6 | 0.5 |
| | | | | | | 61 | 2 | 0.5 |

Strelley diamond mineralised envelope calculated using a lower cutoff of 0.1 g/t and includes Internal dilution.

Table 1 Strelley Aircore Drill Results

| Prospect | Hole ID | Easting | Northing | Azimuth | Dip | Depth From | Interval | Au (g/t) | Comments |
|----------|----------|---------|----------|---------|-----|---------------|----------|-------------|-----------|
| Alcazar | PLAC0410 | 712140 | 7735575 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0411 | 712100 | 7735600 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0412 | 712067 | 7735619 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0413 | 712033 | 7735641 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0414 | 711995 | 7735662 | 120 | -60 | 13 | 5 | 0.037 | |
| Alcazar | PLAC0415 | 711966 | 7735679 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0416 | 711930 | 7735701 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0417 | 711893 | 7735720 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0418 | 711859 | 7735736 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0419 | 711824 | 7735761 | 120 | -60 | 7 | 2 | 0.026 | |
| Alcazar | PLAC0420 | 711789 | 7735783 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0421 | 711753 | 7735801 | 120 | -60 | 20 | 1 | 0.035 | BOH |
| Alcazar | PLAC0422 | 711719 | 7735823 | 120 | -60 | 10 | 3 | 0.039 | Composite |
| Alcazar | PLAC0423 | 711688 | 7735840 | 120 | -60 | 22 | 2 | 0.05 | Composite |
| Alcazar | PLAC0424 | 711651 | 7735859 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0425 | 711620 | 7735873 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0426 | 711583 | 7735896 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0427 | 711549 | 7735915 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0428 | 711512 | 7735934 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0429 | 711477 | 7735958 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0430 | 711442 | 7735979 | 120 | -60 | 19 | 1 | 0.023 | |
| Alcazar | PLAC0431 | 711409 | 7735993 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0432 | 711392 | 7736008 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0433 | 712294 | 7735852 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0434 | 712260 | 7735872 | 120 | -60 | 8 | 5 | 0.02 | Composite |
| Alcazar | PLAC0435 | 712221 | 7735892 | 120 | -60 | 10 | 1 | 0.153 | |
| Alcazar | PLAC0436 | 712191 | 7735912 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0437 | 712161 | 7735934 | 120 | -60 | 21 | 1 | 0.068 | BOH |



| Prospect | Hole ID | Easting | Northing | Azimuth | Dip | Depth From | Interval | Au (g/t) | Comments |
|----------|----------|---------|----------|---------|-----|---------------|----------|----------------|-----------|
| Alcazar | PLAC0438 | 712119 | 7735955 | 120 | -60 | 20 | 3 | 0.372 | Composite |
| Alcazar | PLAC0439 | 712087 | 7735972 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0440 | 712051 | 7735990 | 120 | -60 | 13 20 | 1 5 | 0.048 0.032 | Composite |
| Alcazar | PLAC0441 | 712014 | 7736016 | 120 | -60 | 9 | 1 | 0.02 | |
| Alcazar | PLAC0442 | 711980 | 7736035 | 120 | -60 | 0 | 6 | 0.089 | Composite |
| Alcazar | PLAC0443 | 711943 | 7736054 | 120 | -60 | 15 | 1 | 0.07 | |
| Alcazar | PLAC0444 | 711911 | 7736075 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0445 | 711879 | 7736099 | 120 | -60 | 10 | 5 | 0.028 | Composite |
| Alcazar | PLAC0446 | 711847 | 7736111 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0447 | 711807 | 7736133 | 120 | -60 | | | | NSI |
| Alcazar | PLAC0448 | 711775 | 7736152 | 120 | -60 | | | | NSI |
| Bastion | PLAC0449 | 711697 | 7736942 | 120 | -60 | | | | NSI |
| Bastion | PLAC0450 | 711668 | 7736959 | 120 | -60 | | | | NSI |
| Bastion | PLAC0451 | 711632 | 7736986 | 300 | -60 | | | | NSI |
| Bastion | PLAC0452 | 711593 | 7737004 | 300 | -60 | | | | NSI |
| Bastion | PLAC0453 | 711559 | 7737022 | 300 | -60 | | | | NSI |
| Bastion | PLAC0454 | 711528 | 7737043 | 300 | -60 | | | | NSI |
| Bastion | PLAC0455 | 711491 | 7737063 | 300 | -60 | | | | NSI |
| Bastion | PLAC0456 | 711458 | 7737081 | 300 | -60 | 15 | 5 | 0.023 | Composite |
| Stockade | PLAC0457 | 712577 | 7736710 | 120 | -60 | | | | NSI |
| Stockade | PLAC0458 | 712546 | 7736726 | 120 | -60 | 15 | 5 | 0.034 | Composite |
| Stockade | PLAC0459 | 712511 | 7736749 | 120 | -60 | | | | NSI |
| Stockade | PLAC0460 | 712492 | 7736759 | 120 | -60 | | | | NSI |
| Stockade | PLAC0461 | 712479 | 7736769 | 120 | -60 | | | | NSI |
| Stockade | PLAC0462 | 712444 | 7736788 | 120 | -60 | 20 | 1 | 0.085 | BOH |
| Stockade | PLAC0463 | 712409 | 7736804 | 120 | -60 | 15 | 1 | 0.035 | |
| Rumeli | PLAC0464 | 710525 | 7737204 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0465 | 710495 | 7737221 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0466 | 710461 | 7737237 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0467 | 710432 | 7737253 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0468 | 710387 | 7737278 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0469 | 710353 | 7737302 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0470 | 710319 | 7737322 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0471 | 710281 | 7737344 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0472 | 710849 | 7737755 | 120 | -60 | 6 | 4 | 0.093 | Composite |
| Rumeli | PLAC0473 | 710810 | 7737782 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0474 | 710783 | 7737794 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0475 | 710742 | 7737818 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0476 | 710712 | 7737836 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0477 | 710679 | 7737857 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0478 | 710644 | 7737874 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0479 | 710609 | 7737893 | 120 | -60 | | | | NSI |



| Prospect | Hole ID | Easting | Northing | Azimuth | Dip | Depth From | Interval | Au (g/t) | Comments |
|----------|----------|---------|----------|---------|-----|---------------|----------|-------------|-----------|
| Rumeli | PLAC0480 | 710575 | 7737919 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0481 | 711104 | 7738206 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0482 | 711068 | 7738228 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0483 | 711032 | 7738247 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0484 | 711005 | 7738259 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0485 | 710971 | 7738282 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0486 | 710929 | 7738314 | 300 | -60 | | | | NSI |
| Rumeli | PLAC0487 | 710899 | 7738325 | 300 | -60 | | | | NSI |
| Rumeli | PLAC0488 | 710865 | 7738346 | 300 | -60 | | | | NSI |
| Rumeli | PLAC0489 | 710832 | 7738363 | 300 | -60 | | | | NSI |
| Rumeli | PLAC0490 | 710797 | 7738388 | 300 | -60 | | | | NSI |
| Rumeli | PLAC0491 | 710762 | 7738407 | 300 | -60 | | | | NSI |
| Bastion | PLAC0492 | 712263 | 7738044 | 120 | -60 | | | | NSI |
| Bastion | PLAC0493 | 712196 | 7738083 | 120 | -60 | | | | NSI |
| Bastion | PLAC0494 | 712127 | 7738123 | 120 | -60 | | | | NSI |
| Stockade | PLAC0499 | 712903 | 7737671 | 120 | -60 | 5 | 5 | 0.385 | Composite |
| Stockade | PLAC0500 | 712870 | 7737692 | 120 | -60 | | | | NSI |
| Stockade | PLAC0501 | 712833 | 7737711 | 120 | -60 | | | | NSI |
| Stockade | PLAC0502 | 712818 | 7737721 | 120 | -60 | | | | NSI |
| Stockade | PLAC0503 | 712799 | 7737733 | 120 | -60 | | | | NSI |
| Stockade | PLAC0504 | 712782 | 7737741 | 120 | -60 | | | | NSI |
| Stockade | PLAC0505 | 712765 | 7737752 | 120 | -60 | 10 | 5 | 0.03 | |
| Stockade | PLAC0506 | 712748 | 7737761 | 120 | -60 | | | | NSI |
| Stockade | PLAC0507 | 712731 | 7737772 | 120 | -60 | | | | NSI |
| Stockade | PLAC0508 | 712699 | 7737790 | 120 | -60 | 30 | 1 | 0.026 | |
| Stockade | PLAC0509 | 712664 | 7737811 | 120 | -60 | | | | NSI |
| Stockade | PLAC0510 | 712628 | 7737828 | 120 | -60 | 29 | 5 | 0.029 | BOH |
| Stockade | PLAC0511 | 712596 | 7737855 | 120 | -60 | 9 | 1 | 0.042 | |
| Stockade | PLAC0512 | 713110 | 7738059 | 120 | -60 | 16 | 1 | 0.104 | BOH |
| Stockade | PLAC0514 | 713058 | 7738091 | 120 | -60 | 23 | 2 | 0.088 | BOH |
| Stockade | PLAC0515 | 713042 | 7738103 | 120 | -60 | | | | NSI |
| Stockade | PLAC0516 | 713021 | 7738114 | 120 | -60 | | | | NSI |
| Stockade | PLAC0517 | 713005 | 7738123 | 120 | -60 | | | | NSI |
| Stockade | PLAC0518 | 712987 | 7738133 | 120 | -60 | | | | NSI |
| Stockade | PLAC0519 | 712971 | 7738141 | 120 | -60 | | | | NSI |
| Stockade | PLAC0520 | 712954 | 7738152 | 120 | -60 | | | | NSI |
| Stockade | PLAC0522 | 712920 | 7738172 | 120 | -60 | | | | NSI |
| Stockade | PLAC0523 | 712903 | 7738183 | 120 | -60 | | | | NSI |
| Stockade | PLAC0524 | 712888 | 7738192 | 120 | -60 | 7 | 1 | 0.096 | BOH |
| Stockade | PLAC0525 | 712871 | 7738205 | 120 | -60 | | | | NSI |
| Stockade | PLAC0526 | 712848 | 7738216 | 120 | -60 | 6 | 1 | 0.036 | BOH |
| Stockade | PLAC0527 | 712834 | 7738224 | 120 | -60 | 8 | 1 | 0.044 | BOH |



| From From (g/t) | Comments |
|---------------------------------------------------------------------------------------------------------------------|-----------|
| Stockade PLAC0528 712817 7738241 120 -60 | NSI |
| Stockade PLAC0529 712779 7738259 120 -60 | NSI |
| Stockade PLAC0530 712746 7738280 120 -60 | NSI |
| Stockade PLAC0531 712712 7738299 120 -60 | NSI |
| Stockade PLAC0532 712678 7738317 120 -60 15 5 0.416 | Composite |
| Stockade PLAC0533 713172 7738208 120 -60 22 1 0.025 | BOH |
| Stockade PLAC0534 713152 7738219 120 -60 4 5 0.106 | |
| Stockade PLAC0535 713138 7738228 120 -60 | NSI |
| Stockade PLAC0536 713122 7738238 120 -60 0 4 0.093 | SOH |
| Stockade PLAC0537 713105 7738246 120 -60 7 2 0.043 | Composite |
| Stockade PLAC0538 713084 7738257 120 -60 | NSI |
| Stockade PLAC0539 713064 7738271 120 -60 | NSI |
| Stockade PLAC0540 712930 7738353 120 -60 | NSI |
| Stockade PLAC0541 712894 7738375 120 -60 4 1 0.127 | |
| Stockade PLAC0543 712879 7738384 120 -60 10 1 0.036 | |
| Stockade PLAC0544 712859 7738395 120 -60 | NSI |
| Stockade PLAC0545 712842 7738405 120 -60 | NSI |
| Stockade PLAC0546 713284 7738327 120 -60 | NSI |
| Stockade PLAC0547 713263 7738338 120 -60 | NSI |
| Stockade PLAC0548 713246 7738351 120 -60 | NSI |
| Stockade PLAC0549 713234 7738357 120 -60 4 1 0.061 | |
| Stockade PLAC0550 713217 7738369 120 -60 | NSI |
| Stockade PLAC0551 713195 7738379 120 -60 | NSI |
| Stockade PLAC0552 713180 7738391 120 -60 | NSI |
| Stockade PLAC0553 713166 7738402 120 -60 | NSI |
| Stockade PLAC0554 713360 7738658 120 -60 | NSI |
| Stockade PLAC0555 713341 7738668 120 -60 | NSI |
| Stockade PLAC0556 713322 7738680 120 -60 | NSI |
| Stockade PLAC0557 713306 7738691 120 -60 | NSI |
| Stockade PLAC0558 713289 7738699 120 -60 | NSI |
| Stockade PLAC0559 713273 7738705 120 -60 | NSI |
| Stockade PLAC0560 713238 7738723 120 -60 | NSI |
| Stockade PLAC0561 713201 7738746 120 -60 12 1 0.061 | BOH |
| Stockade PLAC0562 713170 7738770 120 -60 | NSI |
| Stockade PLAC0563 713133 7738788 120 -60 6 1 0.029 | BOH |
| Stockade PLAC0564 713099 7738809 120 -60 | NSI |
| Bastion PLAC0565 712937 7739046 120 -60 15 2 0.021 | Composite |
| Bastion PLAC0566 712900 7739067 120 -60 | NSI |
| Bastion PLAC0567 712866 7739086 120 -60 23 1 0.048 | POL |
| Bastion PLAC0568 712831 7739106 120 -60 | NISI |
| Bastion PLAC0569 712801 7739124 120 -60 | NSI |
| Gibraltar PLAC0570 715732 7742232 150 -60 | NSI |



| Prospect | Hole ID | Easting | Northing | Azimuth | Dip | Depth From | Interval | Au (g/t) | Comments |
|-----------|----------|---------|----------|---------|-----|---------------|----------|-------------|-----------|
| Gibraltar | PLAC0571 | 715707 | 7742269 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0572 | 715690 | 7742294 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0573 | 715669 | 7742329 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0574 | 715652 | 7742367 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0575 | 715631 | 7742398 | 150 | -60 | 34 | 2 | 0.045 | |
| Gibraltar | PLAC0576 | 715612 | 7742434 | 150 | -60 | 20 | 5 | 0.022 | Composite |
| Palisade | PLAC0577 | 716578 | 7743646 | 150 | -60 | | | | NSI |
| Palisade | PLAC0579 | 716541 | 7743714 | 150 | -60 | | | | NSI |
| Palisade | PLAC0581 | 716499 | 7743786 | 150 | -60 | | | | NSI |
| Palisade | PLAC0583 | 716461 | 7743856 | 150 | -60 | | | | NSI |
| Palisade | PLAC0585 | 716424 | 7743919 | 150 | -60 | | | | NSI |
| Palisade | PLAC0587 | 716377 | 7743990 | 150 | -60 | | | | NSI |
| Palisade | PLAC0588 | 716344 | 7744061 | 150 | -60 | 12 | 4 | 0.033 | Composite |
| Palisade | PLAC0589 | 716305 | 7744134 | 150 | -60 | | | | NSI |
| Palisade | PLAC0590 | 716262 | 7744199 | 150 | -60 | | | | NSI |
| Conwy | PLAC0591 | 718842 | 7744854 | 150 | -60 | | | | NSI |
| Conwy | PLAC0592 | 718819 | 7744889 | 150 | -60 | | | | NSI |
| Conwy | PLAC0593 | 718804 | 7744924 | 150 | -60 | | | | NSI |
| Conwy | PLAC0594 | 718780 | 7744953 | 150 | -60 | | | | NSI |
| Conwy | PLAC0595 | 718761 | 7744987 | 150 | -60 | 42 | 1 | 0.026 | |
| Conwy | PLAC0596 | 718740 | 7745033 | 150 | -60 | | | | NSI |
| Conwy | PLAC0597 | 718719 | 7745065 | 150 | -60 | 42 | 2 | 0.026 | |
| Conwy | PLAC0598 | 719437 | 7745106 | 150 | -60 | | | | NSI |
| Conwy | PLAC0599 | 719416 | 7745140 | 150 | -60 | | | | NSI |
| Conwy | PLAC0600 | 719392 | 7745178 | 150 | -60 | | | | NSI |
| Palisade | PLAC0643 | 715720 | 7742992 | 90 | -60 | | | | NSI |
| Palisade | PLAC0644 | 715639 | 7742991 | 90 | -60 | 12 | 3 | 0.038 | Composite |
| Palisade | PLAC0645 | 715555 | 7742994 | 90 | -60 | 15 | 5 | 0.05 | Composite |
| Palisade | PLAC0646 | 715483 | 7742991 | 90 | -60 | 13 | 1 | 0.024 | |
| Palisade | PLAC0647 | 715401 | 7742993 | 90 | -60 | | | | NSI |
| Palisade | PLAC0648 | 715318 | 7742993 | 90 | -60 | 14 | 2 | 0.032 | |
| Palisade | PLAC0649 | 715733 | 7743207 | 150 | -60 | | | | NSI |
| Palisade | PLAC0650 | 715695 | 7743264 | 150 | -60 | 14 | 1 | 0.095 | |
| Palisade | PLAC0651 | 715655 | 7743342 | 150 | -60 | 14 | 6 | 0.176 | |
| Palisade | PLAC0652 | 715617 | 7743406 | 150 | -60 | | | | NSI |
| Palisade | PLAC0653 | 715939 | 7743499 | 150 | -60 | 29 | 1 | 0.027 | |
| Palisade | PLAC0654 | 715891 | 7743571 | 150 | -60 | 10 | 8 | 0.033 | Composite |
| Palisade | PLAC0655 | 715855 | 7743636 | 150 | -60 | 17 | 1 | 0.037 | |
| Palisade | PLAC0656 | 715808 | 7743712 | 150 | -60 | | | | NSI |
| Palisade | PLAC0657 | 715773 | 7743776 | 150 | -60 | 17 | 1 | 0.064 | |
| Palisade | PLAC0658 | 716166 | 7743729 | 150 | -60 | 14 | 2 | 0.081 | |
| Palisade | PLAC0659 | 716124 | 7743797 | 150 | -60 | | | | NSI |



| Prospect | Hole ID | Easting | Northing | Azimuth | Dip | Depth From | Interval | Au (g/t) | Comments |
|-----------|----------|---------|----------|---------|-----|---------------|---------------|----------------------|-----------------------------|
| Palisade | PLAC0660 | 716845 | 7743842 | 150 | -60 | | | | NSI |
| Palisade | PLAC0661 | 716803 | 7743911 | 150 | -60 | 10 | 7 | 0.027 | Composite |
| Conwy | PLAC0666 | 719058 | 7745122 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0672 | 715679 | 7742018 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0673 | 715660 | 7742049 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0674 | 715621 | 7742115 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0675 | 715576 | 7742187 | 150 | -60 | | | | NSI |
| Gibraltar | PLAC0676 | 715534 | 7742257 | 150 | -60 | 20 | 5 | 0.023 | |
| Rumeli | PLAC0677 | 710594 | 7737162 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0678 | 710570 | 7737182 | 120 | -60 | | | | NSI |
| Rumeli | PLAC0679 | 710886 | 7737733 | 120 | -60 | | | | NSI |
| Bastion | PLAC0680 | 712060 | 7738161 | 120 | -60 | | | | NSI |
| Bastion | PLAC0681 | 711993 | 7738201 | 120 | -60 | | | | NSI |
| Bastion | PLAC0682 | 711920 | 7738244 | 120 | -60 | | | | NSI |
| Bastion | PLAC0683 | 711855 | 7738281 | 120 | -60 | 11 | 1 | 0.022 | |
| Stockade | PLAC0685 | 713780 | 7739297 | 120 | -60 | | | | NSI |
| Stockade | PLAC0686 | 713746 | 7739314 | 120 | -60 | | | | NSI |
| Stockade | PLAC0687 | 713708 | 7739340 | 120 | -60 | 23 | 1 | 0.023 | |
| Stockade | PLAC0688 | 713675 | 7739354 | 120 | -60 | | | | NSI |
| Stockade | PLAC0689 | 713637 | 7739377 | 120 | -60 | | | | NSI |
| Stockade | PLAC0690 | 713606 | 7739396 | 120 | -60 | | | | NSI |
| Stockade | PLAC0691 | 713572 | 7739418 | 120 | -60 | | | | NSI |
| Bastion | PLAC0692 | 713534 | 7739437 | 120 | -60 | | | | NSI |
| Bastion | PLAC0693 | 713494 | 7739458 | 120 | -60 | | | | NSI |
| Bastion | PLAC0694 | 713466 | 7739479 | 120 | -60 | 30 | 5 | 0.102 | Composite |
| Bastion | PLAC0695 | 713433 | 7739501 | 120 | -60 | | | | NSI |
| Bastion | PLAC0696 | 713401 | 7739515 | 120 | -60 | 30 | 1 | 0.054 | 6,560ppm As , BOH |
| Bastion | PLAC0697 | 713361 | 7739534 | 120 | -60 | | | | NSI |
| Bastion | PLAC0698 | 713325 | 7739556 | 120 | -60 | | | | NSI |
| Bastion | PLAC0699 | 713291 | 7739578 | 120 | -60 | | | | NSI |
| Bastion | PLAC0700 | 713258 | 7739601 | 120 | -60 | | | | NSI |
| Bastion | PLAC0701 | 713222 | 7739616 | 120 | -60 | | | | NSI |
| Bastion | PLAC0702 | 713188 | 7739637 | 120 | -60 | 26 | 1 | 0.135 | BOH |
| Bastion | PLAC0703 | 713148 | 7739657 | 120 | -60 | | | | NSI |
| Bastion | PLAC0704 | 713117 | 7739676 | 120 | -60 | | | | NSI |
| Conwy | PLAC0711 | 719027 | 7745180 | 150 | -60 | 42 57 | 1 4 | 0.146 0.04 | Composite |



Section 1. Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

| Criteria | JORC Code explanation | Commentary |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sampling techniques | Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. | Strelley Aircore samples were collected using a cyclone with a 1-2kg scoop sub-sample taken from either individual metre intervals or over composite intervals of 2-10m. Where the composite result exceeded 50ppb, the individual 1m samples composing the composite were scoop sampled and submitted for analysis. Strelley RC samples were collected via an adjustable cone splitter mounted below the cyclone. A 2-3kg sample was collected from each 1m interval. The remainder of the sample for each 1m interval was collected in a green plastic bag. Composite samples were collected from the green bags using a spear tube over a 5m interval. Where the composite result exceeded 50ppb, the 1m cone split samples comprising the interval were collected for analysis. Strelley Diamond samples were collected from half cut core with the left side of the orientation line sampled. 1m sample intervals were taken with smaller intervals also taken within the mineralised zones. Samples from aircore and RC were pulverised to obtain a 25g charge for aqua regia digest and ICP-MS analysis of Gold at trace level. The end of hole sample of every air core hole at Strelley was analysed for full-suite multi-elements using aqua regia digest and a ICP-MS finish at trace level in addition to gold. All 1m resampling of composite intervals at Strelley were pulverised to obtain a 30g charge and analysed using fire assay with an AAS finish to a detection limit of 0.01ppm Au. |
| Drilling techniques | Drill type (e.g. core, reverse circulation, openhole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). | Aircore drilling was undertaken by Bostech Drilling using a 3.5" aircore blade bit. A hammer bit was used in selected bottom of holes and to penetrate occasional resistive units in the weathered horizon. RC drilling was undertaken by Ranger drilling using a 5.5" face sampling bit. Diamond Drilling was undertaken by Seismic Drilling Services. Coring from surface was conducted using a HQ bit in the weathered zone before reducing to NQ2 size in fresh rock. Two holes were completed as NQ2 diamond tails from the bottom of existing RC holes. |
| Drill sample recovery | Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | For the diamond drilling both drilled and recovered metres were recorded for each drill run. Core recoveries of around 97% were recorded. RC samples were dry and with high recoveries. The cone splitter was set to achieve an approximate 2-3 kg of sub sample for every metre drilled. Aircore samples were recovered dry and with consistent high sample recovery observed in the field. |
| Logging | Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. | Historical logging was completed by geologists and is at a level sufficient to generate maps, plans and sections found in company reports. |



| Criteria | JORC Code explanation | Commentary |
|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. | All recent core and chips were logged with Maxgeo Logchief software and uploaded to the company hosted Maxgeo database. Logging recorded lithology, structure, veining, alteration, mineralisation and weathering. All core was orientated and structural measurements recorded. Core is photographed after mark up and prior to cutting. |
| Sub-sampling techniques and sample preparation | If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. | HQ & NQ2 drill core was half cut with core from the non-marked side of the orientation line taken for analysis. The majority of intervals of half cut core were 1m. For RC samples, all individual samples were collected using a cone splitter mounted beneath the cyclone to collect a 2-3kg sample. RC composite samples >1m were sampled using a 50mm spear/tube from inside the bulk green bag sample. The sample collect was dry. Aircore samples are scoop sampled from the ground shortly after leaving the cyclone. Samples collected are in the 1-2kg range. The sample size collected is considered appropriate to the grain size of the material being sampled. |
| Quality of assay data and laboratory tests | The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. | Air core and RC samples from Strelley were analysed at ALS in Perth using a 25g aqua regia digest and an ICP-MS finish for trace level gold. Carnaby selected standards of various levels were inserted at approximately every 50th sample. 1m resamples of composite samples exceeding 50ppb will be sent to ALS Perth for analysis using a 50g charge and fire assay with an AAS finish at ore grade detection levels. Carnaby selected standards were inserted at ever 20th sample. Diamond samples from Strelley were analysed at ALS in Perth using a 30g fire assay with an AAS finish to a detection limit of 0.01ppm Au. Carnaby selected standards were inserted at every 50th sample. Acceptable levels of accuracy and precision have been established. |
| Verification of sampling and assaying | The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. | • At the prospect scale the quality of the Strelley data is currently considered acceptable for exploration purposes. Further investigation and validation will be undertaken as work programs progress. |
| Location of data points | Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. | • Grid systems used for Strelley was MGA94/50. |
| Data spacing and distribution | Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied | • Reconnaissance aircore and RAB drilling was completed at 640m x 80m spacing, closed up to 320m x 40 m. Minimum infill aircore hole spacing on some lines is 20m. |



| Criteria | JORC Code explanation | Commentary |
|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | Whether sample compositing has been applied. | |
| Orientation of data in relation to geological structure | Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | The southern half of the project containing the Tabba Tabba Shear strikes approximately NNE and is considered to be well tested with EW drill and soil sample lines. In the northern half of the project where the Tabba Tabba Shear bends to a NE orientation coincident with a NE fault, the orientation of the historical soil sampling and drill traverses is considered to be at a non optimal orientation. New aircore drill lines at Strelley have been orientated perpendicular to the interpreted strike of the major shear zones to reduce any potential sampling bias of the zones being reported. Measurements of orientated core at Strelley has determined the key structural orientations which will assist with future planning of drill holes. |
| Sample security | • The measures taken to ensure sample security. | • Drill samples for Strelley were dispatched by Carnaby staff directly to the transport company depot in Port Hedland for transport to ALS labs in Perth. |
| Audits or reviews | The results of any audits or reviews of sampling techniques and data. | No external audits or reviews have been undertaken of the recent sampling techniques and data. |



Section 2. Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section).

| Criteria | Explanation | Commentary |
|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mineral tenement and land tenure status Acknowledgment and appraisal of exploration by other parties. | Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. Acknowledgment and appraisal of exploration by other parties. | ELA45/5614 is an exploration licence application owned 100% by Carnaby Resources Ltd. E45/4638 is a granted exploration license which is being transferred from Lithium Power WA Holdings Pty Ltd (LPWA) to Carnaby Resources Ltd as part of an agreement whereby LPWA's parent, Lithium Power International Ltd retains certain mineral rights relating to Lithium minerals. Carnaby own 100% of the gold rights on the tenement. Heritage survey and plan of works have been completed on the tenement. Shaw River Manganese Limited completed the original gold exploration on the tenement delineating several gold anomalies in soils and drilling. |
| Geology | • Deposit type, geological setting and style of mineralisation. | The Strelley project is located in the northern part of the Archean Pilbara Craton. The tenement is located within the Mallina basin group greenstone and intrusives on the district scale Tabba Tabba Shear zone which hosts significant gold mineralisation to the SW within De Greys Mining Ltd's tenure. The recent discovery of the intrusion related Hemi gold discovery by De Grey Mining Ltd has generated significant new interest in the Mallina Basin. Within the Strelley project late intrusive rocks equivalent in age to the Hemi gold discovery are present. Gold mineralisation intersected in the Strelley project to date is associated with silicification and quartz veining. |
| Drill hole Information | A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. | • Included in report. Refer to the report and Table 1. |
| Data aggregation methods | In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. | Strelley aircore intercepts were calculated using a lower cutoff of 0.05g/t and no internal dilution. Strelley RC significant intercepts were calculated using a lower cutoff of 0.10g/t and a maximum of 3m of internal dilution. Diamond core significant mineralised envelopes were calculated using a 0.1g/t lower cutoff and included internal dilution. |



| Criteria | Explanation | Commentary |
|------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Relationship between mineralisation widths and intercept lengths | These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). | All drill intercepts have been reported as downhole lengths and not enough information is present to know the true widths of these intersections. |
| Diagrams | Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. | See the body of the announcement. |
| Balanced reporting | Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | • The exploration results should be considered indicative of mineralisation styles in the region. |
| Other substantive exploration data | Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | • As discussed in the announcement |
| Further work | The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | • Planned exploration works are in the process of being prepared. |