

3 June 2021



Corporate Details

Zenith Minerals Limited (ASX:ZNC)
ABN: 96 119 397 938

Issued Shares	294.4M
Unlisted options	16.55M
Mkt. Cap. (\$0.255)	A\$75M
Cash (31-Mar-21)	A\$3.1M
Debt	Nil

Directors

Peter Bird	Exec Chair
Michael Clifford	Director-CEO
Stan Macdonald	Non-Exec Director
Julian Goldsworthy	Non-Exec Director
Graham Riley	Non-Exec Director
Nicholas Ong	CFO & Co Sec

Major Shareholders

Directors	~7%
HSBC Custody. Nom.	10.4%
BNP Paribas. Nom.	5.0%
Granich	4.6%
Citicorp Nom	4.3%

Our Vision

Zenith has a vision to build a gold and base metals business with a team of proven project finders.

Focus is on 100% owned Zenith projects, whilst partners progress multiple additional opportunities using partner funds.

Contact Us

Level 2, 33 Ord Street
WEST PERTH WA 6005
PO Box 1426
WEST PERTH WA 6872
Telephone: (08) 9226 1110
Email: info@zenithminerals.com.au
Web: www.zenithminerals.com.au

EXTENSIVE POSITIVE RESULTS REPORTED FOR EARAHEEDY ZINC DISCOVERY

➤ Assay results from the remaining 24 drill holes from the Chinook prospect, confirm the Earahedy zinc discovery in Western Australia.

➤ The Earahedy zinc project is a Joint Venture between Zenith Minerals Limited (ASX:ZNC) and Rumble Resources Limited (ASX:RTR) whereby ZNC's 25% interest is free carried to the completion of a Bankable Feasibility Study.

➤ These new results show widespread zinc and lead mineralisation and are an outstanding success (refer to the images within the RTR announcement appended to this release for details). Results which span a surface area of 2km x 1.2km include:

➤ EHRC061 – 23m @ 4.1% Zn + Pb from 103m (0.5% Zn + Pb cut-off)
▪ including –17m @ 5.21% Zn + Pb, 6.2 g/t Ag from 103m (2% Zn + Pb Cut-off)

➤ EHRC059 – 18m @ 3.06% Zn + Pb from 56m (0.5% Zn + Pb Cut-off)
▪ including - 9m @ 5.3% Zn + Pb, 6.6 g/t Ag from 64m (2% Zn + Pb Cut-off)

➤ EHRC055 – 11m @ 3.98% Zn + Pb from 68m (0.5% Zn + Pb Cut-off)
▪ including - 6m @ 6.57% Zn + Pb, 16 g/t Ag from 69m (2% Zn + Pb Cut-off)

➤ EHRC051 – 38m @ 1.12% Zn + Pb from 38m (0.5% Zn + Pb Cut-off)
▪ including - 7m @ 4.05% Zn + Pb, 5.3 g/t Ag from 48m (2% Zn + Pb Cut-off)

➤ EHRC060 – 52m @ 1.65% Zn + Pb from 50m to EOH (0.5% Zn + Pb Cut-off)
▪ including - 16m @ 3.32% Zn + Pb, 2.7 g/t Ag from 75m (2% Zn + Pb Cut-off)
▪ Mineralisation remains open along strike and down dip

➤ The new drilling results have allowed the RTR team to formulate an initial interpretation of a new sedimentary exhalative (SEDEX) variant geological model for the Earahedy project. SEDEX deposits are host to some of the largest zinc accumulations worldwide. The revised model will greatly assist in the exploration and deposit delineation process moving forward.

➤ A major (30,000m) multi-rig (DD & RC) follow-up drill campaign is ramping up on site with the key aims of:

- Twin the significant mineralization in EHRC044 and EHRC050, to facilitate RC assay reconciliation; and Preliminary metallurgical test-work.
- Scope on 500m line spacings over 12km of strike for further extensions and discoveries between the Chinook and Magazine Prospects.
- Test the potential higher-grade Zn-Pb corridors associated with inferred extension faults (feeder structures).

***The Company is scheduling a conference call and presentation
4pm AWST / 6pm AEST / 9am London-UK. Please use the***

following link <https://us02web.zoom.us/join/tZAlcO6vqzksGtdjxOWNJJJaJQrPkFWmRKYab>

Commenting on the Earraheedy discovery Chairman Peter Bird said: *"We are very pleased with the results that Rumble have announced for the Earraheedy Joint Venture today (ZNC 25%). These results compliment and build on the early success achieved with the first phase drilling. This discovery remains unconstrained both along strike and down dip. The accelerated 30,000m diamond and RC percussion drill program that is fully funded by our JV partner is now underway has the ability to define more mineralisation on the Joint Venture property and hence add significant value to our existing business."*

For further information please refer to the Company's website or contact the Company directly.

Authorised for release by the Zenith Minerals Limited Board of Directors – 2nd June 2021

For further information contact Zenith Minerals Limited:

Directors Michael Clifford or Peter Bird

E: mick@zenithminerals.com.au / peter@zenithminerals.com.au

Phone +61 8 9226 1110

Competent Persons Statement

The information in this report that relates to Exploration Results is based on information compiled by Mr Michael Clifford, who is a Member of the Australian Institute of Geoscientists and an employee of Zenith Minerals Limited. Mr Clifford has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Clifford consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Material ASX Releases Previously Released

The Company has released all material information that relates to Exploration Results, Mineral Resources and Reserves, Economic Studies and Production for the Company's Projects on a continuous basis to the ASX and in compliance with JORC 2012. The Company confirms that it is not aware of any new information that materially affects the content of this ASX release and that the material assumptions and technical parameters remain unchanged.

About Zenith

Zenith has a vision to build a gold and base metals business with a team of proven project finders. Focus is on 100% owned Zenith projects, whilst partners progress multiple additional opportunities using third party funds.

Zenith is continuing to focus on its core Australian gold and copper projects including:

- 👉 **Red Mountain Gold Project** in Queensland (100% owned) where ongoing drilling is following-up the high-grade near surface gold and silver intersected in the maiden & subsequent drill programs (ASX Releases 3-Aug-20 & 13-Oct-20, 9-Nov-20, 21-Jan-21), including:
 - 13m @ 8.0 g/t Au & 3.2 g/t Ag from surface
 - 15m @ 3.5 g/t Au, incl. 2m @ 22.4 g/t Au
 - 5m @ 10.4 g/t Au, and
 - 12m @ 4.9 g/t Au

- 👉 **Split Rocks Gold Project** in Western Australia (100% owned), where recent drilling returned, high-grade near surface gold mineralisation at multiple targets (ASX Release 5-Aug-20, 2-Sep-20, 19-Oct-20, 28-Oct-20, 15-Jan-21, 11-Mar-21, 21-Apr-21), including:

- Dulcie North: 32m @ 9.4 g/t Au, incl 9m @ 31.4 g/t Au.
- Dulcie Laterite Pit:
 - 2m @ 14.5 g/t Au, incl. 1m @ 20.8 g/t Au,
 - 18m @ 2.0 g/t Au (EOH) incl. 1m @ 23.7 g/t Au &
 - 14m @ 3.5 g/t Au
- Estrela Prospect: 2m @ 9.8 g/t Au (open to north & south)
- Dulcie Far North: 5m @ 5.6 g/t Au incl. 4m @ 6.8 g/t Au
- Water Bore: 3m @ 6.6 g/t Au

🚩 **Develin Creek Copper-Zinc Project** in Queensland (100% owned) – maiden drill test of the new Snook copper target located 30km south of Zenith's JORC resources discovers massive copper-zinc sulphides (ASX Release 17-Dec-20).

🚩 **Jackadgery Gold Project** in New South Wales (option to earn initial 90%), historic trenching returned 160m @ 1.2 g/t Au. No drilling to date. Zenith planning maiden drill test (ASX Release 10-Sep-20).

🚩 **Earaheedy Zinc Project** in Western Australia (25% free carry to end BFS). New major zinc discovery to be fast tracked with extensive accelerated exploration program underpinned by a recent \$40M capital raising by partner Rumble Resources Limited (ASX:RTR) (ASX Release 28-Apr-21).

2 June 2021

ASX ANNOUNCEMENT

Large Scale Zinc-Lead-Silver SEDEX Style System Emerging at Earraheedy

Exciting new RC drill results received include:

Chinook Prospect

- EHRC061 – **23m @ 4.1% Zn + Pb** from 103m (0.5% Zn + Pb cut-off)
 - including – **17m @ 5.21% Zn + Pb, 6.2 g/t Ag** from 103m (2% Zn + Pb Cut-off)
- EHRC059 – **18m @ 3.06% Zn + Pb** from 56m (0.5% Zn + Pb Cut-off)
 - including – **9m @ 5.3% Zn + Pb, 6.6 g/t Ag** from 64m (2% Zn + Pb Cut-off)
- EHRC055 – **11m @ 3.98% Zn + Pb** from 68m (0.5% Zn + Pb Cut-off)
 - including – **6m @ 6.57% Zn + Pb, 16 g/t Ag** from 69m (2% Zn + Pb Cut-off)
- EHRC051 – **38m @ 1.12% Zn + Pb** from 38m (0.5% Zn + Pb Cut-off)
 - including – **7m @ 4.05% Zn + Pb, 5.3 g/t Ag from 48m (2% Zn + Pb Cut-off)**
- EHRC060 – **52m @ 1.65% Zn + Pb** from 50m to EOH (0.5% Zn + Pb Cut-off)
 - including – **16m @ 3.32% Zn + Pb, 2.7 g/t Ag** from 75m (2% Zn + Pb Cut-off)

Magazine Prospect

- EHRC072 – **20m @ 1.58% Zn + Pb** from 140m to EOH
 - Including **10m @ 2.52% Zn + Pb, 2.5 g/t Ag** from 143m

*All intersections are true width

Large Scale Zn-Pb-Ag 'Tier 1' SEDEX Style Potential at Chinook

Initial interpretation indicates the potential style is a mixed clastic/carbonate sediment hosted Zn-Pb deposit type with mineralisation characteristic of SEDEX (variant) deposits. SEDEX style deposits have many variants, account for 25% of Zn-Pb production and 50% of Zn & Pb reserves globally¹ and form giant and super giant Tier 1 deposits². Six (6) of the ten (10) largest active zinc mines globally are SEDEX style deposits³.

- **Structural and Geological Setting:**
 - Inferred extension faults (potential feeder structures) underlie a mixed package of siltstone, shale, sandstone, marl/micrite and evaporite that sits above the unconformity between the underlying Yelma Formation and overlying Frere iron Formation. The extension faults occur in "swarms" and parallel the large-scale regional Lockeridge Fault.
- **Mineralisation (completely open) has characteristics typical of SEDEX styles:**
 - Associated higher grade Manganese (**up to 26.6%**) and Silver (**up to 46.9 g/t**) with main Zinc-Lead mineralisation
 - Distal Barium anomalism (up to 2.45%)
 - Low Cadmium with Zinc (60 to 100ppm) & high Zinc: Cadmium ratios (300 to 500)
 - Significant increase in Copper anomalism proximal to feeder zones
 - Massive Pyrite Zones – peripheral to base metal sulphides
 - Significant Sulphur after sulphate (anhydrite?)
 - Pervasive widespread low temperature silica alteration

Next Steps

- Rumble has commenced a major 30,000m diamond and RC drilling program designed to scope the recent Earraheedy discovery over a strike >12km and open in all directions
- Drilling to also test potential higher-grade Zn-Pb corridors associated with inferred extension faults (feeder structures)



Rumble Resources Ltd

Suite 9, 36 Ord Street,
West Perth, WA 6005

T +61 8 6555 3980

F +61 8 6555 3981

rumbleresources.com.au

ASX RTR

Executives & Management

Mr Shane Sikora
Managing Director

Mr Brett Keillor
Technical Director

Mr Matthew Banks
Non-executive Director

Mr Michael Smith
Non-executive Director

Mr Steven Wood
Company Secretary

Mr Mark Carder
Exploration Manager



Current Stage RC Results Chinook Prospect (image 1 and 2)

All drill-holes intersected the Zn-Pb mineralization hosted within the basal unit of the Frere Iron Formation above the unconformity (contact between Frere Iron Formation and Yelma Formation). Intersections include:

- EHRC061 – **23m @ 4.1% Zn + Pb** from 103m (0.5% Zn + Pb cut-off)
including – **17m @ 5.21% Zn + Pb, 6.2 g/t Ag from 103m (2% Zn + Pb Cut-off) - Sulphide**
- EHRC059 – **18m @ 3.06% Zn + Pb** from 56m (0.5% Zn + Pb Cut-off)
including - **9m @ 5.3% Zn + Pb, 6.6 g/t Ag from 64m (2% Zn + Pb Cut-off) - Sulphide**
- EHRC055 – **11m @ 3.98% Zn + Pb** from 68m (0.5% Zn + Pb Cut-off)
including - **6m @ 6.57% Zn + Pb, 16 g/t Ag from 69m (2% Zn + Pb Cut-off) - Sulphide**
- EHRC051 – **38m @ 1.12% Zn + Pb** from 38m (0.5% Zn + Pb Cut-off)
including - **7m @ 4.05% Zn + Pb, 5.3 g/t Ag from 48m (2% Zn + Pb Cut-off) - Oxide**
- EHRC060 – **52m @ 1.65% Zn + Pb** from 50m to EOH (0.5% Zn + Pb Cut-off) -
including - **16m @ 3.32% Zn + Pb, 2.7 g/t Ag from 75m (2% Zn + Pb Cut-off) - Sulphide**

These results complement and build on the previously reported first two drill holes (fast tracked for assaying) at the Chinook Prospect announcing a major zinc-lead discovery (see ASX announcement 19th April 2021). The previously reported intersections were:

- EHRC050 - **34m @ 4.22% Zn + Pb** from 66m (True Width – 0.5% Zn + Pb cut-off)
including - **24m @ 5.57% Zn + Pb from 66m & 15m @ 6.97% Zn + Pb, 5.4 g/t Ag from 74m**
- EHRC044 - **21m @ 4.31% Zn + Pb** from 61m (True Width – 2% Pb + Zn cut-off)
Including - **10m @ 5.02 % Zn + Pb from 67m**

Lower grade drill hole intersections with significant widths of mineralisation include:

- EHRC046 – **23m @ 1.09% Zn + Pb** from 92m (0.5% Zn + Pb Cut Off) – Sulphide
Including 3m @ 4.38 % Zn + Pb, 3.1 g/t Ag from 106m (2% Zn + Pb Cut Off)
- EHRC054 – **19m @ 1.67% Zn + Pb** from 107m to EOH (0.5% Zn + Pb Cut Off) – Sulphide
Including 6m @ 3.09% Zn + Pb, 5.6 g/t Ag from 111m (2% Zn + Pb Cut Off)
- EHRC067 – **22m @ 1.67% Zn + Pb** from 138m (0.5% Zn + Pb Cut Off) – Sulphide
Including 6m @ 2.76% Zn+ Pb, 4.3 g/t Ag from 138m (2% Zn + Pb Cut Off)
- EHRC068 – **20m @ 2.13% Zn + Pb** from 152m (0.5% Zn + Pb Cut Off) – Sulphide
Including 5m @ 3.21% Zn + Pb, 5.5 g/t Ag from 154m (2% Zn + Pb Cut Off)
And 4m @ 3.06% Zn + Pb, 4 g/t Ag from 163m (2% Zn + Pb Cut Off)

All intersections are true width

The drill hole plan (image 1) for Chinook highlights the north-north west trending inferred extensional faults that cut across the stratigraphy. The tenor of Zn-Pb mineralisation increases close to the inferred extensional faults. Section AA (image 2) highlights the change in the underlying basement with respect to normal/extension faults.

Chinook Mineralisation and Structure

Zinc and lead mineralisation (3:1 average ratio) is hosted in the inferred basal unit of the Frere Iron Formation. The lower Frere Iron Formation lithologies immediately above the unconformity (above the Yelma Formation – shale, limestone/dolomite dominant at Chinook) comprises of variable facies with sandstone, siltstone, shale, marl, micrites and evaporites. The lower Frere Iron Formation facies variability controls the widespread flat spatial distribution of Zn-Pb mineralisation throughout the project area through porosity and fractures in association with inferred underlying extension faults (feeders).




Image 2 – Chinook Prospect Section AA – Geology, Structure and Assay Intersections

The underlying extensional feeder faults are inferred from geological (drill hole sectional) interpretation and detailed airborne magnetics. The faults are transgressive to the strike of the basin sediments, sediments generally dip shallow to the north and north north-east. The strike of the inferred extension faults range trend 310 – 330. Sulphide mineralization is pyrite – sphalerite – galena. Pyrite forms massive (fine grain) zones both peripheral and with sphalerite and galena. Both dark (Mod Fe) and honey green to brown (low Fe) sphalerite varieties noted.

Mineralisation associated with the Zn-Pb zones include:

- **Manganese** – As carbonate in the primary zones.

Manganese is directly associated with Zn and Pb (1 – 4% Mn) in the primary and oxide zones. Within the lower oxide/transition zone Mn grades are substantially higher. Intersections include:

- EHRC051 – 3m @ 19.3% Mn, 1.45% Ba (5.32% Zn + Pb) from 50m
- EHRC062 – 5m @ 21.34% Mn, 0.63% Ba (2.28% Zn + Pb) from 48m
- **Barium** – Generally elevated, however, not directly associated with primary Zn - Pb mineralisation and is more distal and strongly develops with Mn within the transition zone as psilomelane.
- **Silver** – Generally low grade and highly variable with both Zn and Pb. Intersections include:
 - (EHRC055) 6m @ 6.57% Zn + Pb, 16 g/t Ag from 69m

Note: Historic intercept 4m @ 559 g/t Ag (see image 5) highlights the potential for high grades.

- **Cadmium** – Generally low in abundance with a peak value of 528ppm (8.84% Zn value for same interval)
 - Cadmium within Zn mineralisation - 60 to 100 ppm range
 - Zn:Cd ratios range 300 – 500
- **Massive pyrite** - Occurs spacially to and sometimes with Zn-Pb mineralisation.
- **Copper** - Generally absent to slightly elevated within the flat lying Zn-Pb mineralisation, however, there is a marked increase in copper close to the inferred extension faults. Intersections include:
 - (EHRC053) 9m @ 0.13% Cu from 103m
- **Thallium** – Elevated to 90 ppm, however, the assay technique detection limit was 10 ppm which is not suitable to highlight TI trends

Chinook Alteration and Host Rocks

Pervasive low temperature silica alteration is laterally extensive and is associated with mineralisation. The silica alteration has preferentially replaced select facies. Higher angle silica/quartz veins occur within the mineralised zones. Host rocks to the mineralisation are highly variable (complex facies) with generally shale, siltstone and fine grain sandstone along with marl and evaporites (anhydrite). Multi-element assaying has highlighted significant levels of sulphur (excess sulphur relative to pyrite, sphalerite and galena) which is inferred to be from sulphate (likely after anhydrite).

Current Stage RC Results Magazine Prospect (Image 3)

At Magazine seven vertical RC drill-holes were completed for 940m.




Image 3 – Magazine Prospect – Location of Recent and Historic Drill Holes with Results over AMAG RTP Image

Final results from Magazine (seven drill-holes for 940m) include:

- EHRC043 – 18m @ 1.24% Zn + Pb from 84m to EOH (0.5% Zn + Pb Cut Off) – Sulphide
Including 4m @ 2.93% Zn + Pb, 4.1 g/t Ag from 86m
- EHRC072 – 20m @ 1.58% Zn + Pb from 140m to EOH (0.5% Zn + Pb Cut Off) – Sulphide
Including 10m @ 2.52% Zn + Pb, 2.5 g/t Ag from 143m

The style of mineralisation is similar to Chinook, however, the clastic content is significantly higher with coarser grain sediments including sandstone and grit.

At Magazine, geological and airborne magnetic interpretation has highlighted higher grade Zn + Pb mineralisation is also associated with underlying inferred NNW trending extension faults (feeders). Grades increase significantly closer to the interpreted feeders with historic and earlier Rumble drilling intersections including:

- TDH4 – Historic – sulphide - **9.4m @ 6.25% Zn + Pb** from 150.4m
Includes **3m @ 13.97% Zn + Pb** from 150.4m
- TRC47 – Historic – sulphide - **7m @ 4.86% Zn + Pb** from 102m
Includes **2m @ 11% Zn + Pb** from 103m
- EHRC34 – Rumble – sulphide - **10m @ 4.28% Zn + Pb** from 88m
Includes **4m @ 7.36% Zn + Pb** from 88m

All intersections are true widths

Earaheedy Geological Model – SEDEX Style




Image 4 – Earaheedy Project – Updated Geology Model – Incorporating SEDEX Style Mineralisation

The style of mineralisation based on RC chips, geological interpretation (host lithologies) and multi-element geochemistry suggests the metal bearing fluids are likely oxidised and near-neutral brines which have permeated along the inferred porous basal unit of the Frere Iron Formation via multiple sub-vertical extensional “feeder” faults. The sub-vertical extension faults form “swarms” or clusters that sub-parallel the main regional northwest trending Lockeridge Fault. The Lockeridge Fault appears to be very-long lived influencing earlier Archaean structure and Palaeoproterozoic Basins (reactivation). Within the host basal unit, highly variable facies (differing porosity and permeability) include evaporites, micrites/marl and tidal flat algae units which likely contributed to the reductant (redox catalyst) required to precipitate the sulphide mineralisation.

Initial interpretation indicates the potential style is a mixed clastic/carbonate sediment hosted Zn-Pb deposit type with mineralisation characteristic of a SEDEX (variant style) deposit system. However, carbonate sediment hosted Zn-Pb (MVT – Mississippi Valley Type) has been defined within the upper Yelma Formation (Sweetwaters Well Dolomite) close to both Chinook and Magazine which suggests the Earahedy Zn-Pb mineralisation may be transitional SEDEX-MVT style.

Large Scale Zinc-Lead-Silver Tier 1 SEDEX Style Deposit Potential (images 4 and 6)

With the new understanding of higher-grade Zn – Pb zones having a spatial association with multiple extensional faults (inferred feeders) and many similarities with SEDEX (variant) style system emerging, **the potential for large scale Zn Pb (Ag) SEDEX style deposit(s) is high.** At Chinook, **the potential for Zn-Pb economic ore zones amenable to open cut mining now includes both oxide and sulphide types.** The latest RC drilling has highlighted potential economic oxide associated with the inferred extension faults zones. Drillhole EHRC051 (see image 2 for location) is within oxide and returned an intersection of: EHRC051 4m @ 5.11% Zn + Pb, 7.5 g/t Ag from 49m (4% Zn + Pb Cut Off). In addition to the open cut oxide/sulphide potential, NNW along the **each of the inferred multiple extension faults there is scope to delineate higher-grade Zn + Pb zones with potential for underground mining.** Historic drilling has highlighted low-grade Zn – Pb mineralisation (see image 6 – 12m @ 1.25% Zn + Pb from 232m) some 5km along the plane of the inferred extension faults.

The inference is that **each** of the many inferred fault zones have the potential to develop higher-grade Zinc-Lead zones in both the oxide and sulphide over the entire length of the plane of the extension fault (known length at least 5km). Image 2 (section AA) highlights the potential width of higher-grade Zn Pb zones associated with the inferred extension faults is >200m with the thickness up to 34m.




Image 5 – Chinook Prospect Surrounds –Drilling (Historic and Recent) and Structure over AMAG TMI RTP TDR Greyscale with NE Shadow



Next Steps

RC & Diamond Drill Program

As announced on 25th May 2021 a major 30,000m program consisting of diamond and RC drilling has commenced at the Earaaheedy Project. The major drilling program will:

- Twin the significant mineralization in EHRC044 and EHRC050, to facilitate:
 - RC assay reconciliation; and
 - Preliminary metallurgical test-work.
- Scope on 500m line spacings over 12km of strike for further extensions and discoveries between the Chinook and Magazine Prospects.
- Test the potential higher-grade Zn-Pb corridors associated with inferred extension faults (feeder structures).

Geophysics

A detailed gravity survey (100m by 100m and 200m by 100m stations) has recently been completed over the Chinook Prospect to aid in defining the potential extension faults (feeder structures) which may assist with targeting the higher-grade Zn-Pb zones. **Processing and interpretation pending.**

First Stage - Exploration Target

Rumble's first stage Zn-Pb exploration target at the Earaaheedy Project is between 40 to 100 million tonnes at a grade ranging between 3.5% Zn-Pb to 4.5% Zn-Pb. The exploration target is at a shallow depth (80m), and over 40kms of prospective strike (completely open) has been defined within the Earaaheedy Project. The potential quantity and grade of the exploration target is conceptual in nature, there has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource. The exploration target, being conceptual in nature, takes no account of geological complexity, possible mining method or metallurgical recovery factors. The exploration target has been estimated in order to provide an assessment of the potential for large-scale Zn-Pb deposits within the Earaaheedy Project. The exploration target has been prepared and reported in accordance with the 2012 edition of the JORC Code. The exploration target is based on the current geological understanding of the mineralisation geometry, continuity of mineralisation and regional geology. This understanding is provided by an extensive drill hole database, regional mapping, coupled with understanding of the host stratigraphic sequence and a feasibility study completed at the nearby Paroo Pb deposit. Included in the data on which this exploration target has been prepared is recent RC drilling of 30 holes for 2690m (three RC stages), 33 holes for 3593m recently completed (assays returned for 2 and 31 holes assays pending) and diamond drilling of 4 holes for 1199.8m completed by Rumble along with 64 historic RC drill holes completed within the project area (E69/3464) by previous explorers (refer historical exploration results in previous ASX announcements dated 5 February 2019, 12 October 2017, 23 January 2020 and 19 April 2021 which continue to apply and have not materially changed). Some of the considerations in respect of the estimation of the exploration target include:

- Drilling results have demonstrated strong continuity of shallow, flat lying mineralisation;
- Over 40km's of prospective strike and open;
- Minimum 600m of width (based on shallow 7.5° and shallow depth to 120m, based on drilling results.
- True width (thickness) of mineralisation up to 34 metres received in drilling results; and
- Specific gravity (SG) of 2.5 (world average SG of sandstone – not accounting for metal).

The Company intends to test the exploration target with drilling and this further drilling is expected to extend over approximately 12 months. Grade ranges have been either estimated or assigned from lower and upper grades of mineralisation received in drilling results. A classification is not applicable for an exploration target.

Earaaheedy Zn-Pb Project – Exploration Target		
Range	Tonnes	Grade
Upper	100,000,000	4.5% Zn+Pb
Lower	40,000,000	3.5% Zn+Pb

Table 1: Near surface exploration target down to 100 metre - shallow depth

The potential quantity and grade of the exploration target is conceptual in nature. There has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource.

SEDEX World Class Deposits

The target type and style has been interpreted as a SEDEX variant with respect to

- Structural setting – inferred extension faults (feeders)
- Geological Setting – large underlying Palaeo-proterozoic shale/carbonate basin – source of metal.
- Amenable host horizon – siltstone, shale, sandstone, marl/micrite and evaporite (with potential reductant)
- Mineralisation characteristics including:
 - Associated Mn and Ag with the main Zn Pb mineralisation
 - Distal Ba anomalism
 - Low cadmium and high Zn:Cd ratios (300 to 500)
 - Elevated Cu with feeder zones
 - Massive pyrite zones – peripheral to base metal sulphides
 - Pervasive low temperature silica alteration

Of note:

- SEDEX style deposits account for 25% of production and 50% of Zinc-Lead reserves globally¹
- Have six (6) of the ten (10) largest active zinc mines³
- Form Giant and Super Giant Tier 1 Deposits²




Image 6 – Grade (Zn + Pb wt %) versus Volume – SEDEX Type Deposits Worldwide³

About Earraheedy Project

The Earraheedy project is located approximately 110km north of Wiluna, Western Australia. Rumble owns 75% of E69/3464 and Zenith Minerals Ltd (ASX: ZNC) owns 25%. Rumble has a single contiguous exploration license application ELA69/3787 (100% RTR) covering the known strike extent. The project area covers the inferred unconformity contact between the overlying Frere Iron Formation and underlying Yelma Formation of the Palaeoproterozoic Earraheedy Basin.

RC and diamond core drilling by Rumble has defined two areas of significant Zn-Pb mineralisation with anomalous Ag (see image 6). Within EL69/3464, Chinook and Magazine lie 12km apart. Within the project area, Rumble controls 45km of prospective strike which has the potential for multiple large tonnage Zn – Pb deposits.




Image 7: Earraheedy Project Location and Regional Geology

Authorisation

This announcement is authorised for release by Shane Sikora, Managing Director of the Company.

-Ends-

For further information visit rumblresources.com.au or contact info@rumblresources.com.au.

About Rumble Resources Ltd

Rumble Resources Ltd is an Australian based exploration company, officially admitted to the ASX on the 1st July 2011. Rumble was established with the aim of adding significant value to its current mineral exploration assets and will continue to look at mineral acquisition opportunities both in Australia and abroad.

Competent Persons Statement

The information in this report that relates to Exploration Targets and Exploration Results is based on and fairly represents information compiled by Mr Brett Keillor, who is a Member of the Australasian Institute of Mining & Metallurgy and the Australian Institute of Geoscientists. Mr Keillor is an employee of Rumble Resources Limited. Mr Keillor has sufficient experience relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Keillor consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.



Previously Reported Information

The information in this report that references previously reported exploration results is extracted from the Company's ASX market announcements released on the date noted in the body of the text where that reference appears. The previous market announcements are available to view on the Company's website or on the ASX website (www.asx.com.au). The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcements.

Disclaimer

This report contains certain forward-looking statements and forecasts, including possible or assumed reserves and resources, production levels and rates, costs, prices, future performance or potential growth of Rumble Resources Ltd, industry growth or other trend projections. Such statements are not a guarantee of future performance and involve unknown risks and uncertainties, as well as other factors which are beyond the control of Rumble Resources Ltd. Actual results and developments may differ materially from those expressed or implied by these forward looking statements depending on a variety of factors. Nothing in this report should be construed as either an offer to sell or a solicitation of an offer to buy or sell securities. This document has been prepared in accordance with the requirements of Australian securities laws, which may differ from the requirements of United States and other country securities laws. Unless otherwise indicated, all ore reserve and mineral resource estimates included or incorporated by reference in this document have been, and will be, prepared in accordance with the JORC classification system of the Australasian Institute of Mining, and Metallurgy and Australian Institute of Geoscientists.

References

1. Sedimentary Exhalative (Sedex) Zinc-Lead-Silver Deposit Model, Chapter N of Mineral Deposit Models for Resource Assessment, Emsbo, P., Seal, R.R., Breit, G.N., Diehl, S.F., and Shah, A.K., page 1, US Department of the Interior, U.S. Geological Survey, Reston, Virginia: 2016 <https://pubs.usgs.gov/sir/2010/5070/n/sir20105070n.pdf>
2. <https://www.911metallurgist.com/blog/SEDEX-sedimentary-exhalative-ore-deposits>
3. RANKED: Top 10 zinc mines in the world, 3 November 2020, <https://www.mining.com/featured-article/ranked-top-10-zinc-mines-in-the-world/>

Table 2. RC Drill Hole Location Table
All Holes Vertical – GDA94Z51

Hole_ID	Max_Depth	Orig_East	Orig_North	Comment
EHRC040	30	259870	7163469	Water Bore
EHRC041	126	262434	7159980	Magazine
EHRC042	114	262620	7159760	Magazine
EHRC043	102	262103	7159950	Magazine
EHRC044	96	253282	7165326	Chinook
EHRC045	78	253167	7165149	Chinook
EHRC046	118	253389	7165496	Chinook
EHRC047	89	253813	7165202	Chinook
EHRC048	90	253914	7165383	Chinook
EHRC049	108	252934	7165761	Chinook
EHRC050	102	252840	7165608	Chinook
EHRC051	78	252293	7165716	Chinook
EHRC052	90	252386	7165874	Chinook
EHRC053	126	252500	7166047	Chinook
EHRC054	126	253046	7165947	Chinook
EHRC055	96	254390	7165140	Chinook
EHRC056	78	254484	7165313	Chinook
EHRC057	84	254585	7165477	Chinook
EHRC058	108	252449	7165974	Chinook
EHRC059	90	252785	7165510	Chinook
EHRC060	102	252894	7165702	Chinook
EHRC061	126	252990	7165870	Chinook
EHRC062	90	253975	7165502	Chinook
EHRC063	72	253864	7165299	Chinook
EHRC064	90	253757	7165119	Chinook
EHRC065	84	253656	7164960	Chinook
EHRC066	84	252326	7165799	Chinook
EHRC067	160	252559	7166143	Chinook
EHRC068	180	252614	7166224	Chinook
EHRC069	108	254422	7165230	Chinook
EHRC070	144	262214	7160116	Magazine
EHRC071	150	262318	7160291	Magazine
EHRC072	160	262597	7160224	Magazine
EHRC073	144	262743	7159933	Magazine

Table 3. RC Drill Hole Significant Intersections

HoleID	From_m	To_m	Width_m	0.5% Zn + Pb Cut off	2% Zn + Pb Cut off	Ag g/t	4% Zn + Pb Cut off	Ag g/t	Comment
EHRC041	115	126 EOH	11	0.68					
EHRC043	84	102 EOH	18	1.24					
inc	86	92	4		2.93	4.1			
EHRC044	50	96 EOH	46	2.28					Previously Reported 19th April 2021
inc	61	82	21		4.31	5			
inc	62	81	19				4.45	5.2	
EHRC045	42	43	11	0.55					
EHRC046	92	115	23	1.09					
inc	106	109	3		4.38	3.1			
EHRC047	44	84	40	0.54					
inc	52	68	16		2.8				
EHRC048	64	84	20	0.77					
inc	75	76	1		2.22	9.5			
EHRC049	88	100	12	1.31					
inc	95	98	3		2.85	2.3			
EHRC050	66	100	34	4.22					Previously Reported 19th April 2021
inc	66	90	24		5.57	5.05			
inc	74	89	15				6.97	5.4	
EHRC051	38	76	38	1.12					
inc	48	55	7		4.05	5.3			
inc	49	53	4				5.11	7.5	
EHRC052	58	87	29	1.04					
inc	69	73	4		2.89				
EHRC053	106	126 EOH	20	1.42					
inc	111	115	4		2.41	11.7			
EHRC054	107	126 EOH	19	1.67					
inc	111	117	6		3.09	5.6			
EHRC055	68	79	11	3.98					
inc	69	75	6		6.57	16			
inc	70	75	5				7.45	18.1	
and	88	95	7	0.73					
EHRC056	20	24	4	0.59					
EHRC057	44	63	19	0.75					
EHRC058	84	97	13	1.09					
inc	95	97	2		3.03				
EHRC059	56	74	18	3.06					
inc	64	73	9		5.3	6.6			
inc	67	71	4				9.17	9.7	
EHRC060	50	102 EOH	52	1.65					
inc	72	88	16		3.32	2.7			
inc	75	80	5				4.96	2.8	
EHRC061	103	126 EOH	23	4.10					
inc	103	120	17		5.21	6.2			
inc	103	118	15				5.48	6.6	
EHRC062	46	64	18	1.47					
inc	49	54	5		2.45	7.8			
and	70	85	15	0.56					
EHRC063	41	68	27	1.08					
inc	49	52	3		3.2				
EHRC064	40	82	40	0.73					
EHRC065	52	68	16	0.74					
EHRC066	52	56	4	0.74					
EHRC067	138	160	22	1.67					
inc	138	144	6		2.76	4.3			
EHRC068	154	174	20	2.13					
inc	154	159	5		3.21	5.5			
and	163	167	4		3.06	4			
EHRC070	100	116	16	1.32					
inc	100	101	1				4.03		
EHRC071	129	131	2	0.85					
EHRC072	140	160 EOH	20	1.58					
inc	143	153	10		2.52	2.5			

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	- RC sampling completed on 1m intervals using Metzke Static cone splitter is dry. If wet, sample collected in large polywoven, then allowed to dry for 24 hrs. Sampling was by spear along inside of bag. - Weight of sample was on average >2kg. - Samples sent to ALS, Malaga, Perth, WA and are being assayed using a four acid digest and read by ICP-AES analytical instrument.
Drilling techniques	Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).	RC face hammer sampling (5.5in diameter). Rig used was an Atlas Copco 220 with 1250cfm air and 435psi compressor.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- RC drilling cuttings were collected as 1 metre intervals with corresponding chip tray interval kept for reference. - In general the dry sample versus the wet sample weight did not vary as the wet sample was collected in a polyweave bag which allowed excess water to seep and kept the drill cutting fines intact in the bag.
Logging	- Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. - Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. - The total length and percentage of the relevant intersections logged.	- Each metre was geologically logged with a magsus reading and pXRF reading. - All drill cuttings logged.
Sub-sampling techniques and sample preparation	- If core, whether cut or sawn and whether quarter, half or all core taken. - If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. - For all sample types, the nature, quality and appropriateness of the sample preparation technique. - Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. - Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	- Each metre was analysed by a Vanta pXRF. The Vanta used standards (CRM). - If the assay response was >1000ppm Zn, a sample (>2kg) was taken and delivered to ALS for wet analysis. - Sampling QA/QC involved a duplicate taken every 20m, and a standard taken every 20m. 4 standards (OREAS CRMs) levels and one blank were used randomly.



Criteria	JORC Code explanation	Commentary
	Whether sample sizes are appropriate to the grain size of the material being sampled.	
Quality of assay data and laboratory tests	- The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. - For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. - Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	- The assigned assaying methodology (4 acid) is total digest. - As discussed, the Vanta pXRF analyser was used to threshold the collection of samples for wet analysis. - In addition to Rumbles QA/QC methods (duplicates, standards and blanks), the laboratory has additional checks.
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- Significant intersections reported by company personnel only. - No twin holes were completed. - Documentation and review is ongoing. Prior to final vetting, entered into database.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	All drillhole collars surveyed using handheld GPS – Datum is MGA94 Zone 51.
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- No resource work completed. The drilling is reconnaissance by nature with drill hole spacing on average 500m x 100m apart. - Single metre and composites used.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- Previous drilling (and historic) has defined a consistent flat lying sedimentary package. - Drilling is normal (90°) to the mineralised intersections. True width reported. No bias.
Sample security	The measures taken to ensure sample security.	All sampling packaging and security completed by Rumble personnel, from collection of sample to delivery at laboratory.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audits completed.

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The Earraheedy Project comprises of a granted exploration license – E69/3464 (75% Rumble and 25% Zenith Minerals) and one exploration license application ELA69/3787 (100% Rumble) - E69/3464 is in a state of good standing and has no known impediments to operate in the area.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Exploration solely completed by Rumble Resources
Geology	Deposit type, geological setting and style of mineralisation.	The Earraheedy Project Deposit type is unconformity related sandstone hosted Zn-Pb type. Also MVT (Mississippi Valley Type) style associated with carbonates has been identified. Current work by Rumble has identified unconformity related sandstone hosted Zn Pb type (SEDEX variant).
Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	- Table 1 – Exploration Target - Table 2 – RC Drill Hole Location - Table 3 – RC Drill Hole RC Drill Hole Significant Intersections - Table 4 – RC Drill Hole Assay Results - ASX – Drilling Commenced at Earraheedy Zinc Project – 25th March 2021
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- Historic drilling cut-off grades used include: 0.5% Zn + Pb >0.1% Zn - The Zn:Pb ratio is variable over the project area. On average the Zn:Pb ratio is 3. >0.1% Zn cutoff was used to demonstrated continuity of mineralised trends. Note – exploration is reconnaissance and initially testing undrilled areas. - Historic drilling – if diamond drilling or RC composite – weighted average used.
Relationship between mineralisation widths and intercept lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not	Drilling is vertical. Mineralisation is flat. Width of mineralisation is true width



Criteria	JORC Code explanation	Commentary
	known').	
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	- Image 1 - Chinook Prospect – Drill Hole Location Plan with Geology, Structure and Intersections - Image 2 - Chinook Prospect Section AA – Geology, Structure and Assay Intersections - Image 3 - Magazine Prospect – Location of Recent and Historic Drill Holes with Results over AMAG RTP Image - Image 4 - Earacheedy Project – Updated Geology Model – Incorporating SEDEX Style Mineralisation - Image 5 - Chinook Prospect Surrounds –Drilling (Historic and Recent) and Structure over AMAG TMI RTP TDR Greyscale with NE Shadow - Image 6 - Grade (Zn + Pb wt %) versus Volume – SEDEX Type Deposits Worldwide. - Image 7 - Earacheedy Project Location and Regional Geology
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Tables 3 and 4 present all assays for drill holes
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	pXRF analyser is used only to gauge >1000ppm Zn. If sample is >1000ppm Zn and/or within a mineralised section, 1m RC samples are sent for wet analysis (4 acid digest multi-element)
Further work	- The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). - Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- Diamond drilling planned to follow up current RC drill program - RC drilling program to extend mineralisation along strike



Table 4 - RC Assay Results

HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC041	100	104	0.1	28	70	0.03	0.5	17	20.5	0.27	267	25	0.2	138	163
EHRC041	104	108	0.1	9	250	0.03	0.5	19	8.43	0.32	177	25	0.24	112	137
EHRC041	108	112	0.1	29	120	0.02	0.5	15	13.1	0.2	313	38	0.16	158	196
EHRC041	112	113	0.1	11	270	0.02	0.5	11	7.5	0.33	166	48	0.18	164	212
EHRC041	113	114	0.1	13	350	0.03	0.5	10	8.18	0.33	174	55	0.18	161	216
EHRC041	114	115	0.1	22	570	0.03	0.5	42	6.25	0.47	147	279	0.41	279	558
EHRC041	115	116	1	23	630	0.03	14.6	40	5.82	0.55	146	3220	0.85	4040	7260
EHRC041	116	117	0.8	46	780	0.04	22.1	80	6.62	1.15	2800	2490	1.47	6570	9060
EHRC041	117	118	0.1	23	670	0.07	8.6	32	7.99	0.8	8440	907	0.48	2610	3517
EHRC041	118	119	0.6	16	560	0.08	16.3	36	11.05	1.23	11400	1940	0.82	5130	7070
EHRC041	119	120	0.7	36	480	0.11	20.7	46	16.3	0.93	17050	1135	1.1	6450	7585
EHRC041	120	121	0.1	26	60	0.19	7.6	11	30.1	1.05	36600	274	1.8	3970	4244
EHRC041	121	122	0.8	25	100	0.17	5.5	13	31.3	0.74	40400	200	1.45	3820	4020
EHRC041	122	123	0.6	26	130	0.18	10.1	13	32.6	0.72	43900	373	1.05	4470	4843
EHRC041	123	124	1	34	260	0.18	53.2	48	27	0.94	33800	1325	1.4	9470	10795
EHRC041	124	125	1.3	43	320	0.17	40.7	40	24.6	0.8	31600	1115	1.93	8200	9315
EHRC041	125	126	0.5	17	280	0.53	7.6	11	17.3	1.07	30900	200	0.85	7270	7470
EHRC042	88	92	0.1	14	190	0.03	0.5	18	11	0.35	450	27	0.21	85	112
EHRC042	92	96	0.1	9	250	0.03	0.5	12	8.56	0.32	269	64	0.25	113	177
EHRC042	96	100	0.1	9	500	0.03	0.5	11	7.95	0.39	242	67	0.24	127	194
EHRC042	100	101	0.1	10	560	0.03	0.7	17	7.17	0.5	237	86	0.3	366	452
EHRC042	101	102	0.1	22	680	0.04	1.9	39	9.52	0.62	2400	220	0.49	1070	1290
EHRC042	102	103	0.1	39	810	0.04	0.5	21	10.2	0.61	1025	195	0.65	636	831
EHRC042	103	104	0.5	31	1030	0.06	1.9	26	10.3	0.65	7440	220	0.7	1290	1510
EHRC042	104	105	0.1	51	1210	0.06	2.1	29	9.17	0.7	5790	234	0.64	1160	1394
EHRC042	105	106	0.5	46	1330	0.05	1.4	31	7.59	0.65	3460	262	0.75	853	1115
EHRC042	106	107	0.6	53	1370	0.06	1.3	29	7.23	0.65	3550	197	0.85	790	987
EHRC042	107	108	0.5	52	1270	0.07	2.1	31	8.37	0.73	5350	268	1.13	1150	1418
EHRC042	108	109	0.5	50	500	0.09	7.7	31	10.55	1.1	9970	515	2	1720	2235
EHRC042	109	110	0.1	33	330	0.17	6.6	20	26.8	0.96	34900	383	1.78	2410	2793
EHRC042	110	111	0.5	32	270	0.18	10.1	22	30.2	0.86	37200	595	2.85	3840	4435
EHRC042	111	112	0.1	32	380	0.17	7.2	16	28.1	0.9	32000	278	1.26	2840	3118
EHRC042	112	113	0.6	42	260	0.2	6.8	23	26.9	1.11	33500	410	2.47	3260	3670
EHRC042	113	114	0.6	46	220	0.18	6	28	25.2	1.38	30100	467	3.54	3300	3767
EHRC043	82	83	0.1	10	460	0.02	0.5	15	3.16	0.55	138	57	0.12	196	253
EHRC043	83	84	0.1	15	500	0.02	0.5	28	4.02	0.62	164	56	0.12	289	345
EHRC043	84	85	0.9	17	690	0.03	18.2	94	3.36	0.61	179	850	0.48	5100	5950
EHRC043	85	86	1.8	38	430	0.03	70.2	66	2.54	0.53	92	2510	2.32	17200	19710
EHRC043	86	87	3.3	60	320	0.04	98.3	108	2.67	0.48	99	4510	2.93	25900	30410
EHRC043	87	88	1.8	40	820	0.03	44.5	90	2.9	0.56	129	2180	1.39	12800	14980
EHRC043	88	89	7.6	198	480	0.03	132.5	196	4.04	0.58	129	5440	5.66	43600	49040
EHRC043	89	90	3.8	141	320	0.05	59.7	116	9.4	0.61	9310	2910	3.93	19750	22660
EHRC043	90	91	1.2	45	630	0.12	20.8	31	19.65	0.43	28000	1055	1.47	11150	12205
EHRC043	91	92	2.8	62	740	0.16	33.2	69	20	0.54	27800	2540	1.87	12750	15290
EHRC043	92	93	1.5	57	790	0.46	21.3	32	16.7	0.66	24700	2180	1.61	9510	11690
EHRC043	93	94	1.1	56	940	7.27	15.1	26	6.15	4.85	8030	1925	1.19	3630	5555
EHRC043	94	95	1.1	24	350	13.25	8.7	17	2.83	8.15	3310	1405	1.01	2790	4195
EHRC043	95	96	0.9	22	360	14.1	10.1	23	3.3	8.37	4090	789	0.9	4130	4919
EHRC043	96	97	0.5	15	280	15.55	6.6	16	1.79	9.21	2140	332	0.55	2470	2802
EHRC043	97	98	0.7	20	280	15.65	10.9	23	2.64	9.2	2320	487	0.85	4200	4687
EHRC043	98	99	0.7	21	280	15.3	7.1	17	2.14	8.95	2190	749	0.66	2840	3589
EHRC043	99	100	0.1	13	310	13	6.7	16	2.18	8.03	2300	294	0.52	2580	2874
EHRC043	100	101	1	24	350	9.18	13.5	31	4.5	5.55	4920	811	1.07	5540	6351
EHRC043	101	102	1	22	330	9.43	13.1	49	3.27	5.7	3530	807	0.8	5250	6057
EHRC044	35	36	0.1	100	40	0.02	0.5	55	46.2	0.13	1950	253	0.1	1320	1573
EHRC044	36	37	0.1	62	210	0.04	0.5	36	31.8	0.27	2850	325	0.17	1760	2085
EHRC044	37	38	0.1	25	470	0.03	0.5	14	11.55	0.62	908	144	0.19	1445	1589
EHRC044	38	39	0.1	25	500	0.02	0.5	17	14.6	0.7	551	98	0.15	1230	1328
EHRC044	39	40	0.1	72	410	0.02	0.5	117	33.9	0.48	3950	231	0.15	2480	2711
EHRC044	40	41	0.1	31	490	0.03	0.5	28	26.1	0.57	4430	190	0.13	2040	2230
EHRC044	41	42	0.1	33	530	0.04	0.5	30	38.1	0.34	7320	334	0.18	2010	2344
EHRC044	42	43	0.1	21	250	0.03	0.5	19	35.3	0.29	3080	222	0.18	1650	1872
EHRC044	43	44	0.1	14	60	0.02	0.5	12	23.9	0.17	1470	133	0.13	1145	1278
EHRC044	44	45	0.1	15	30	0.01	0.5	8	15.3	0.13	1080	117	0.1	768	885
EHRC044	45	46	0.1	14	50	0.02	0.5	24	6.86	0.29	925	337	0.11	671	1008
EHRC044	46	47	0.1	15	160	0.02	0.5	19	4.92	0.56	1140	479	0.11	411	890
EHRC044	47	48	0.1	29	230	0.02	0.5	35	7.86	0.54	4050	1015	0.12	710	1725
EHRC044	48	49	0.1	35	370	0.02	0.6	37	10.65	0.64	2490	907	0.13	781	1688
EHRC044	49	50	0.1	36	500	0.02	1.5	39	8.26	0.58	3320	842	0.12	1115	1957
EHRC044	50	51	0.1	134	1030	0.02	3.5	59	17.9	0.46	8160	3010	0.15	2100	5110
EHRC044	51	52	0.1	94	450	0.03	0.5	41	12.95	0.47	2990	1910	0.18	1370	3280
EHRC044	52	53	0.1	104	190	0.03	0.5	57	15.45	0.47	1190	1600	0.18	2080	3680
EHRC044	53	54	0.1	102	220	0.04	0.5	65	15.3	0.5	1050	2020	0.19	2670	4690
EHRC044	54	55	0.1	93	180	0.03	0.5	56	13.7	0.49	756	1795	0.17	2160	3955
EHRC044	55	56	0.1	138	90	0.04	0.5	83	34.1	0.28	307	2480	0.14	4160	6640
EHRC044	56	57	8	126	140	0.07	1.6	58	19.5	0.39	290	1760	0.54	3630	5390
EHRC044	57	58	6.3	112	100	0.04	0.6	50	27.1	0.32	206	2180	0.37	4290	6470
EHRC044	58	59	4	93	100	0.05	0.5	65	29.2	0.34	250	2110	0.26	4160	6270
EHRC044	59	60	5.5	70	120	0.07	0.5	46	22.2	0.36	339	1565	0.32	3210	4775
EHRC044	60	61	4.5	69	170	0.05	11.5	64	13.05	0.48	243	5200	1.88	7120	12320
EHRC044	61	62	5.2	99	290	0.09	30.6	72	11.4	0.54	165	11500	4.02	16750	28250
EHRC044	62	63	7.6	200	220	0.04	54.2	54	6.62	0.72	146	18350	4.32	28400	46750
EHRC044	63	64	6.9	169	170	0.14	60.3	46	10.7	0.67	6920	13900	3.55	33900	47800
EHRC044	64	65	3.8	94	90	0.18	60.4	24	24	0.53	24700	5340	1.64	31700	37040



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC044	65	66	2.7	88	80	0.19	65.4	21	25	0.49	28800	3130	0.64	32900	36030
EHRC044	66	67	2	75	50	0.2	75.7	18	28.9	0.46	33200	3960	1.5	38300	42260
EHRC044	67	68	1.6	76	60	0.19	124	12	26.2	0.5	37600	2570	0.47	51300	53870
EHRC044	68	69	3.5	114	70	0.17	122.5	21	25.8	0.54	32600	4410	2.02	50300	54710
EHRC044	69	70	1.3	85	100	0.17	33.9	22	16.8	0.35	9520	1305	0.64	14550	15855
EHRC044	70	71	1.8	88	70	0.21	184	18	22.8	0.5	36100	3290	0.58	55600	58890
EHRC044	71	72	1.5	57	70	0.24	164.5	10	23.7	0.54	38700	3110	0.36	57900	61010
EHRC044	72	73	4.6	127	60	0.19	164.5	27	25.1	0.44	34700	4300	2.01	57900	62200
EHRC044	73	74	3.8	105	70	0.16	173.5	31	25	0.54	39900	2730	1.9	54400	57130
EHRC044	74	75	17.6	108	140	0.15	77.3	40	14.4	0.67	21800	11100	3.78	37300	48400
EHRC044	75	76	13.9	91	120	0.16	74.9	36	15.85	0.69	25600	8600	3.57	38600	47200
EHRC044	76	77	7.7	97	140	0.2	93.1	30	13.55	0.65	23300	7430	2.5	35800	43230
EHRC044	77	78	6.3	118	190	0.15	53.1	28	6.92	0.7	11750	7360	1.9	24000	31360
EHRC044	78	79	10.1	124	190	0.13	26.4	25	2.81	0.67	3370	8900	1.41	13800	22700
EHRC044	79	80	1.3	121	170	0.13	25.5	12	10.6	0.78	16200	1405	0.36	18850	20255
EHRC044	80	81	1.5	51	50	0.19	138.5	8	26.5	0.44	40500	2370	0.36	56700	59070
EHRC044	81	82	1.2	120	130	0.14	75.5	13	12.5	0.57	19200	1950	0.34	28800	30750
EHRC044	82	83	0.1	65	200	0.11	27.7	5	4.98	0.67	7870	552	0.17	9670	10222
EHRC044	83	84	0.1	71	220	0.62	21.6	5	3.79	1.01	5660	847	0.35	9130	9977
EHRC044	84	85	0.9	40	70	13.55	7.6	6	1.35	8.59	2410	1215	0.42	4870	6085
EHRC044	85	86	0.8	48	70	13.7	6.8	6	1.82	8.67	3120	242	0.39	4380	4622
EHRC044	86	87	0.7	50	50	15.85	7.3	9	1.21	9.68	2090	426	0.4	4610	5036
EHRC044	87	88	1.1	23	80	12.85	15	11	2.69	8.15	2650	828	0.52	8070	8898
EHRC044	88	89	0.9	15	60	13.55	10.1	7	1.56	8.3	2650	689	0.33	5350	6039
EHRC044	89	90	0.9	27	70	12.4	8.7	9	1.69	7.84	2860	492	0.29	4750	5242
EHRC044	90	91	0.1	36	110	10.3	2.7	11	3.83	6.52	1900	355	0.21	1580	1935
EHRC044	91	92	0.9	101	140	9.36	10.4	59	2.54	6.04	3680	412	0.42	4870	5282
EHRC044	92	93	0.7	21	60	14.6	4.9	61	1.93	9.09	2760	344	0.25	2520	2864
EHRC044	93	94	1	127	100	12.55	7.8	159	2.12	7.72	3110	594	0.5	4220	4814
EHRC044	94	95	0.9	26	280	4.88	7.9	184	3.11	3.31	2040	679	0.55	4170	4849
EHRC044	95	96	1.1	21	270	6.68	9.7	208	2.45	4.21	2780	837	0.66	5120	5957
EHRC045	30	31	0.1	23	110	9.48	17.6	20	7.97	6.04	892	146	0.12	666	812
EHRC045	31	32	0.1	87	150	1.19	1.8	72	22	1.05	772	402	0.15	1725	2127
EHRC045	32	33	0.1	266	140	1.55	2.1	80	23.8	1.21	713	621	0.18	2500	3121
EHRC045	33	34	0.5	680	150	0.41	0.5	100	26.3	0.6	496	607	0.16	2560	3167
EHRC045	34	35	0.1	321	290	0.57	0.7	83	27	0.83	961	878	0.12	2200	3078
EHRC045	35	36	0.1	281	240	0.41	0.6	147	28.1	0.69	681	842	0.13	2710	3552
EHRC045	36	37	0.1	234	180	1.67	2.3	143	18.6	1.32	740	638	0.13	2090	2728
EHRC045	37	38	0.1	80	230	0.08	0.5	54	6.41	0.47	299	256	0.1	836	1092
EHRC045	38	39	0.1	100	260	0.07	0.5	69	7.98	0.51	291	332	0.1	952	1284
EHRC045	39	40	0.1	108	200	0.04	0.5	93	7.13	0.4	516	443	0.1	1065	1508
EHRC045	40	41	0.1	79	250	0.06	0.5	64	4.76	0.47	1505	982	0.13	1290	2272
EHRC045	41	42	0.1	124	260	0.06	0.6	123	9.41	0.54	2750	1980	0.17	2730	4710
EHRC045	42	43	0.5	330	170	0.45	1.2	209	20.3	0.61	4870	5060	0.19	5290	10350
EHRC045	43	44	1.3	959	80	0.32	0.5	338	25.7	0.35	1805	3050	0.12	2760	5810
EHRC045	44	45	1	739	90	0.29	1.1	197	18.6	0.38	1655	2530	0.17	2170	4700
EHRC045	45	46	0.9	511	190	0.68	1.1	151	13.65	0.75	1325	2150	0.18	1690	3840
EHRC045	46	47	0.9	768	260	0.43	0.8	180	10.2	0.73	407	2170	0.18	1400	3570
EHRC045	47	48	1.3	725	250	0.29	0.5	160	8.77	0.62	373	2910	0.23	1275	4185
EHRC045	48	49	0.8	643	250	0.05	0.5	157	10.4	0.5	270	3300	0.23	1910	5210
EHRC045	49	50	1.7	524	200	0.05	0.5	129	15.6	0.42	379	3480	0.17	2430	5910
EHRC045	50	51	6.4	446	130	0.09	0.5	127	16.9	0.28	254	2810	0.11	3060	5870
EHRC045	51	52	2.5	336	220	0.11	0.5	87	11.1	0.47	260	2120	0.16	2030	4150
EHRC045	52	53	2.8	435	210	0.07	0.5	151	14.7	0.5	318	3120	0.23	3260	6380
EHRC045	53	54	0.9	284	220	1.46	1	125	11.5	1.32	392	2260	0.22	2700	4960
EHRC045	54	55	0.1	96	120	11.75	1.6	45	4.56	7.49	965	563	0.15	1270	1833
EHRC045	55	56	0.1	97	90	14.55	1.1	41	5.23	9.14	1290	573	0.17	979	1552
EHRC045	56	57	0.9	93	90	14.1	1.9	41	5.12	8.8	1445	662	0.17	1390	2052
EHRC045	57	58	0.1	42	70	16.55	0.6	19	2.55	10.25	1375	295	0.13	472	767
EHRC045	58	59	0.1	77	70	16.5	0.5	28	4.4	10.15	1840	403	0.07	618	1021
EHRC045	59	60	0.1	92	90	13.85	0.7	39	4.96	8.73	1595	647	0.13	904	1551
EHRC045	60	61	0.1	24	70	17.3	0.5	8	1.63	10.7	1930	111	0.06	203	314
EHRC045	61	62	0.1	99	70	14.3	0.7	39	5.3	8.84	1520	593	0.09	877	1470
EHRC045	62	63	0.1	112	60	14.35	0.7	44	5.41	8.99	1660	671	0.13	1070	1741
EHRC046	76	77	0.1	29	1750	0.03	0.5	20	10.1	1.25	2040	81	0.2	587	668
EHRC046	77	78	0.1	97	270	0.04	0.5	73	25.4	0.6	4120	164	0.22	1280	1444
EHRC046	78	79	0.1	27	480	0.02	0.5	20	9.05	1.03	1710	77	0.14	486	563
EHRC046	79	80	0.1	55	90	0.03	0.5	38	22.7	0.34	3990	140	0.19	1215	1355
EHRC046	80	81	0.6	71	80	0.03	0.5	93	34.9	0.35	5460	215	0.22	1700	1915
EHRC046	81	82	0.1	80	20	0.02	0.5	95	46.1	0.19	3270	259	0.15	1580	1839
EHRC046	82	83	0.1	84	80	0.03	0.5	80	39.7	0.34	4060	263	0.22	1595	1858
EHRC046	83	84	0.6	49	450	0.03	0.5	26	17.6	0.7	2200	151	0.24	892	1043
EHRC046	84	85	0.7	80	170	0.05	0.5	99	34.8	0.46	5010	223	0.26	1655	1878
EHRC046	85	86	0.8	120	120	0.04	0.5	317	37.2	0.43	3220	322	0.22	1705	2027
EHRC046	86	87	0.7	56	270	0.03	0.5	103	21.3	0.78	1315	226	0.18	1050	1276
EHRC046	87	88	0.6	35	450	0.03	0.5	59	18.5	0.75	1070	221	0.19	964	1185
EHRC046	88	89	0.5	64	520	0.03	0.5	67	16.35	0.72	1035	230	0.18	873	1103
EHRC046	89	90	0.1	44	320	0.03	0.5	40	11.2	0.65	992	138	0.14	723	861
EHRC046	90	91	0.1	33	320	0.02	0.5	41	15.8	0.5	538	161	0.13	795	956
EHRC046	91	92	0.5	70	270	0.03	0.5	43	17.35	0.62	1920	616	0.18	1220	1836
EHRC046	92	93	0.6	185	200	0.04	0.5	49	26.1	0.46	2390	7180	0.19	3420	10600
EHRC046	93	94	0.1	96	220	0.03	0.5	81	20.8	0.55	2140	3690	0.2	2250	5940
EHRC046	94	95	0.5	68	230	0.03	0.5	75	10.85	0.52	1025	1980	0.15	1800	3780
EHRC046	95	96	0.6	94	240	0.03	0.5	80	13.35	0.54	1225	1800	0.17	1535	3335



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC046	96	97	0.7	80	230	0.03	0.5	38	7.91	0.51	495	1110	0.14	1100	2210
EHRC046	97	98	0.8	82	220	0.03	0.5	32	11.55	0.54	647	1310	0.14	1620	2930
EHRC046	98	99	0.8	82	260	0.03	0.5	48	11.7	0.57	641	1960	0.15	1615	3575
EHRC046	99	100	1	63	250	0.03	0.5	41	7.59	0.6	462	1060	0.14	959	2019
EHRC046	100	101	4.4	174	240	0.03	4.9	132	6.08	0.62	259	3810	2.29	2310	6120
EHRC046	101	102	4.5	252	220	0.07	14.2	89	12.9	1.41	4440	4410	4.1	5410	9820
EHRC046	102	103	5.7	450	190	0.06	16.8	165	12.5	0.98	2340	6520	8.84	7490	14010
EHRC046	103	104	3.3	201	200	0.05	7	112	17.05	0.78	1800	2690	5.18	2700	5390
EHRC046	104	105	3.5	300	260	0.06	8.1	125	9.61	1.11	2550	4690	4.47	3800	8490
EHRC046	105	106	3.1	254	240	0.08	14.4	115	10.55	0.96	6570	4490	3.29	7940	12430
EHRC046	106	107	3.3	269	160	0.16	72.7	87	14.95	0.69	19750	8070	3.93	48200	56270
EHRC046	107	108	3	207	150	0.19	57.7	73	16.35	0.65	22000	6480	2.66	34300	40780
EHRC046	108	109	2.9	126	130	0.57	37.4	82	14.5	0.86	21300	7850	2.34	26400	34250
EHRC046	109	110	1	54	60	13.15	8.7	34	4.5	8.19	3530	1530	1.28	5340	6870
EHRC046	110	111	0.1	26	50	16.6	5.1	20	2.7	10.4	2390	646	0.7	3200	3846
EHRC046	111	112	0.1	47	70	15.15	4.1	18	5.34	9.39	2440	657	0.66	2420	3077
EHRC046	112	113	0.1	39	40	14.95	4.2	18	3.4	9.38	2130	651	0.77	2670	3321
EHRC046	113	114	0.5	50	60	14.7	6.4	22	3.51	9.2	2320	954	0.88	4100	5054
EHRC046	114	115	0.6	64	80	11.8	7.7	30	6.06	7.46	2700	1040	1.16	5260	6300
EHRC046	115	116	0.5	34	50	13.95	5.3	25	4.84	8.67	2500	801	0.81	3390	4191
EHRC046	116	117	0.6	41	70	14.65	5.2	25	3.28	9	3280	796	0.71	3390	4186
EHRC046	117	118	0.1	92	60	16.25	2.1	62	2.71	10	2070	416	0.52	1360	1776
EHRC047	32	36	0.1	28	850	0.05	1.8	12	18.75	0.35	30300	20	0.16	1920	1940
EHRC047	36	40	0.1	40	450	0.05	1.1	11	21.4	0.2	15550	33	0.11	1180	1213
EHRC047	40	44	0.1	25	550	0.08	1.3	16	14.25	0.31	26800	56	0.14	1115	1171
EHRC047	44	48	0.1	50	740	0.05	3.9	37	5.13	0.65	27900	1105	0.15	4050	5155
EHRC047	48	52	1.2	248	1870	0.05	20.7	35	14.65	0.45	37200	7420	0.17	8280	15700
EHRC047	52	56	0.6	304	2640	0.04	21.6	17	34.9	0.27	57900	6690	0.18	13600	20290
EHRC047	56	60	0.1	380	5580	0.05	18.2	20	30.9	0.22	94200	18050	0.16	9970	28020
EHRC047	60	64	0.1	163	870	0.04	4.6	26	29.3	0.24	93800	34100	0.18	7110	41210
EHRC047	64	68	1	127	230	4	1.9	55	20.2	2.55	39000	16850	0.17	5480	22330
EHRC047	68	72	1.3	23	80	17.85	3.6	14	3.17	10.5	4150	1325	1.07	1935	3260
EHRC047	72	76	1	51	100	14.95	16.7	26	5.06	8.85	4120	2460	0.96	11350	13810
EHRC047	76	77	0.1	37	70	15.2	3.8	19	3.93	8.97	3030	1050	0.29	3230	4280
EHRC047	77	78	0.1	35	60	15	3	17	3.82	8.93	2350	770	0.26	2900	3670
EHRC047	78	79	0.1	52	80	14.7	3.5	17	4.58	8.75	2780	1010	0.28	3070	4080
EHRC047	79	80	0.1	34	60	17.9	2.9	11	2.11	10.5	2140	644	0.26	2190	2834
EHRC047	80	81	0.1	46	70	16.6	5	14	3.34	9.81	2890	1330	0.44	4050	5380
EHRC047	81	82	0.6	32	60	14.25	6.6	14	2.69	8.81	1750	1685	0.61	4570	6255
EHRC047	82	83	2.7	65	60	12.75	17.8	59	3.44	8.01	1685	5590	1.96	12200	17790
EHRC047	83	84	0.8	29	60	16.3	7.4	15	2.28	9.67	1830	1600	0.51	4790	6390
EHRC047	84	85	0.1	22	90	17.35	2.5	10	2.54	10.2	3100	854	0.14	1805	2659
EHRC047	85	86	0.1	19	90	16.7	1	10	2.74	9.8	3080	666	0.1	1045	1711
EHRC047	86	87	0.1	35	80	16.95	1.6	16	3.4	10.4	3590	1050	0.48	1320	2370
EHRC047	87	88	0.1	36	60	15.1	0.5	17	3.24	9.37	2380	563	0.38	831	1394
EHRC047	88	89	0.1	58	60	15.7	0.6	18	2.78	9.54	1970	329	0.63	754	1083
EHRC048	56	57	0.1	11	210	0.02	2.6	41	13.4	0.1	8160	8	0.1	2430	2438
EHRC048	57	58	0.1	26	390	0.03	3.4	68	11.7	0.14	13750	7	0.14	3130	3137
EHRC048	58	59	0.1	25	570	0.03	4.5	54	6.46	0.59	17500	11	0.13	3230	3241
EHRC048	59	60	0.1	29	380	0.03	3.1	70	7.51	0.28	14250	36	0.12	3370	3406
EHRC048	60	61	0.1	27	930	0.06	5.6	30	5.92	0.62	22800	560	0.19	4200	4760
EHRC048	61	62	0.1	23	780	0.04	3.5	22	3.94	0.68	12900	369	0.14	2380	2749
EHRC048	62	63	0.1	23	810	0.04	3.2	30	4.09	0.72	15200	670	0.14	2920	3590
EHRC048	63	64	0.1	44	570	0.04	2.4	42	10.6	0.59	14050	700	0.18	2990	3690
EHRC048	64	65	0.6	95	700	0.05	4.5	45	8.17	0.53	18650	4660	0.15	5330	9990
EHRC048	65	66	0.1	63	470	0.04	2	96	19.7	0.56	13400	1540	0.22	3180	4720
EHRC048	66	67	0.1	84	620	0.04	3.6	31	6.37	0.42	14650	4200	0.13	3020	7220
EHRC048	67	68	0.1	202	630	0.06	2.2	58	14.2	0.45	5630	2910	0.12	5280	8190
EHRC048	68	69	0.1	181	730	0.07	2.4	38	10.75	0.53	5200	2420	0.16	4780	7200
EHRC048	69	70	0.1	90	510	5.72	2.3	20	6.08	3.71	4750	1395	0.16	3130	4525
EHRC048	70	71	5	56	210	10.85	10.7	22	7.65	6.59	3270	491	0.49	5670	6161
EHRC048	71	72	4.6	57	180	8.45	3.4	18	15.1	5.12	2660	276	0.24	1870	2146
EHRC048	72	73	0.1	30	160	14.1	1.6	5	1.93	8.59	1285	145	0.19	913	1058
EHRC048	73	74	3.9	20	270	4.14	10	33	3.82	2.73	927	2680	1.02	4260	6940
EHRC048	74	75	11.1	15	330	2.43	24.9	56	3.46	1.89	1055	6040	1.31	11600	17640
EHRC048	75	76	9.5	20	330	2.41	34.5	62	3.39	1.93	1465	6830	1.55	15450	22280
EHRC048	76	77	7	43	330	1.79	16.8	51	5.41	1.6	3520	5590	0.8	7760	13350
EHRC048	77	78	4.8	38	310	2.53	9.4	39	5.54	1.99	5370	3290	0.39	4690	7980
EHRC048	78	79	1.4	25	110	13.65	3.1	13	2.34	8.39	2180	1025	0.2	1785	2810
EHRC048	79	80	2.5	157	50	17.85	26.7	30	4.07	10.5	1575	1945	4.24	10950	12895
EHRC048	80	81	0.8	63	70	16.75	17.4	10	1.38	10	1580	626	0.88	7570	8196
EHRC048	81	82	0.6	30	50	18.75	3.2	6	1.16	11.1	1425	745	0.43	1585	2330
EHRC048	82	83	0.7	46	50	18.15	4.3	7	1.19	10.8	1285	717	0.62	1900	2617
EHRC048	83	84	0.6	32	50	18.85	10.2	8	0.93	11.15	1180	338	0.51	5270	5608
EHRC048	84	85	0.1	27	50	17.55	2.1	7	1.04	10.5	1550	272	0.27	1290	1562
EHRC048	85	86	0.1	18	40	18.9	1.6	5	0.75	11.35	1165	184	0.2	959	1143
EHRC048	86	87	0.8	31	50	16.75	6.1	14	1.85	10	1210	362	1.57	2780	3142
EHRC048	87	88	1.3	39	80	14.7	7.4	14	1.83	8.86	1965	1040	0.85	3530	4570
EHRC048	88	89	0.7	20	70	16.7	2.1	7	1.05	10.1	1210	425	0.32	1215	1640
EHRC048	89	90	0.8	29	70	16.7	4.6	8	1.4	9.88	1335	669	0.67	2270	2939
EHRC049	72	76	0.1	56	70	0.03	0.5	73	15.4	0.32	2640	393	0.21	718	1111
EHRC049	76	80	0.1	58	90	0.03	0.5	81	13.65	0.31	2160	524	0.18	793	1317
EHRC049	80	81	0.1	56	50	0.02	0.5	63	11.25	0.18	1160	502	0.1	604	1106
EHRC049	81	82	0.1	72	60	0.02	0.5	68	13.25	0.21	1210	551	0.13	649	1200



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC049	82	83	0.1	132	120	0.03	0.5	303	15.1	0.35	1680	1650	0.15	1675	3325
EHRC049	83	84	0.1	102	110	0.03	0.5	228	10.65	0.35	1170	1570	0.17	1230	2800
EHRC049	84	85	0.1	146	100	0.02	0.5	225	10.4	0.31	949	1520	0.14	1255	2775
EHRC049	85	86	4.2	141	140	0.04	0.5	419	11	0.44	1100	1760	0.41	1835	3595
EHRC049	86	87	3.5	167	160	0.03	0.5	407	13.1	0.47	616	1790	0.3	2380	4170
EHRC049	87	88	1.2	93	100	0.02	0.6	146	24.8	0.31	935	1525	0.7	3280	4805
EHRC049	88	89	3.4	99	100	0.02	1.9	198	22.5	0.35	819	3380	1.99	3650	7030
EHRC049	89	90	3.5	100	110	0.03	5.4	243	19.55	0.39	904	3630	1.96	4570	8200
EHRC049	90	91	4	87	130	0.03	5.8	337	15.65	0.4	714	4160	1.68	4290	8450
EHRC049	91	92	4.2	120	110	0.03	6.6	440	17.3	0.36	405	4200	3.8	4830	9030
EHRC049	92	93	5.1	139	120	0.03	9.1	558	13	0.66	370	5110	5.42	5020	10130
EHRC049	93	94	1.2	42	50	0.03	4.5	350	4.1	2.45	239	3110	1.24	2420	5530
EHRC049	94	95	2.9	101	120	0.06	17.2	368	10.25	1.49	6600	3970	2.8	8210	12180
EHRC049	95	96	3.9	122	70	0.15	39.3	341	15.9	0.91	23300	4700	6.21	20800	25500
EHRC049	96	97	1.5	63	80	0.22	34.7	167	13	1.88	29600	2450	1.39	23300	25750
EHRC049	97	98	1.4	28	60	0.32	65.9	125	15.75	1.32	41900	3350	1.11	30900	34250
EHRC049	98	99	0.9	42	60	7.91	7.9	69	4.16	6.24	4930	1510	0.67	3430	4940
EHRC049	99	100	2	55	60	6.5	7.7	144	8.45	4.47	4590	1650	1.33	4160	5810
EHRC049	100	101	1.1	42	60	10	6	113	5.93	6.52	4010	1040	1.16	3430	4470
EHRC049	101	102	0.8	28	50	12.9	3.4	50	3.86	8.14	3080	489	0.53	1610	2099
EHRC049	102	103	0.6	31	30	15.65	2	26	2.2	10	3230	215	0.37	1010	1225
EHRC049	103	104	0.6	28	20	15.35	2.5	31	2.81	10.25	3880	268	0.48	1340	1608
EHRC049	104	105	0.7	13	60	14.7	4.9	144	3.13	9.11	5340	345	0.59	2720	3065
EHRC049	105	106	1	29	60	12	10.3	131	4.48	7.57	7740	709	1.09	5530	6239
EHRC049	106	107	0.8	19	110	12.7	2.4	337	2.55	8.01	3360	271	0.71	1280	1551
EHRC049	107	108	0.7	11	90	13.65	1.9	215	2.37	8.37	2930	199	0.51	753	952
EHRC050	65	66	0.6	48	190	0.12	1.1	180	2.21	0.46	176	367	0.22	665	1032
EHRC050	66	67	4.8	48	80	0.56	9.1	286	3.14	0.53	353	17550	1.03	2580	20130
EHRC050	67	68	11.2	124	120	0.06	53.5	592	7.16	0.29	47	27100	8.84	12950	40050
EHRC050	68	69	6.3	107	160	0.06	48.8	200	2.27	0.42	49	22800	3.16	10750	33550
EHRC050	69	70	7	93	130	0.07	43.5	191	10.3	0.44	11750	31600	3.41	16450	48050
EHRC050	70	71	2.4	38	120	0.11	24	92	19.25	0.49	24700	13750	1.12	13150	26900
EHRC050	71	72	1.6	49	90	0.11	24.7	70	24.6	0.57	23500	5800	0.96	14650	20450
EHRC050	72	73	3.2	89	100	0.08	18.5	104	22.2	0.53	18950	6220	1.91	11300	17520
EHRC050	73	74	2.3	134	110	0.08	36.2	96	21.3	0.55	17600	22600	2.88	14450	37050
EHRC050	74	75	1.4	218	100	0.09	40.9	94	20.8	0.5	20400	32800	4.06	16150	48950
EHRC050	75	76	2.7	220	110	0.09	55.5	86	21.1	0.49	22200	36300	4.49	22400	58700
EHRC050	76	77	4.4	230	100	0.08	100	91	19.7	0.5	21800	49800	5.54	39100	88900
EHRC050	77	78	3.6	236	90	0.1	105	80	21.6	0.51	26000	34600	4.85	41800	76400
EHRC050	78	79	3.4	276	100	0.12	115	63	21.8	0.53	27400	17550	4.82	48900	66450
EHRC050	79	80	2	261	100	0.11	73.5	37	21.7	0.49	29500	9180	3.28	40700	49880
EHRC050	80	81	2.3	252	110	0.15	78.9	46	18.65	0.49	25700	7930	3.47	45300	53230
EHRC050	81	82	3.8	235	100	0.15	91.6	51	18.4	0.44	24400	9550	4.88	50700	60250
EHRC050	82	83	12.4	187	60	0.13	128	181	24.2	0.27	16250	24300	19.8	67500	91800
EHRC050	83	84	8.2	233	110	0.13	137	112	15.75	0.39	12800	17650	11.9	65100	82750
EHRC050	84	85	8	246	120	0.13	123	88	15.25	0.43	16050	19700	8.15	61100	80800
EHRC050	85	86	8.9	258	140	0.12	153	102	9.54	0.44	8110	22600	7.8	65400	88000
EHRC050	86	87	6.4	174	140	0.11	193	74	5.8	0.41	4990	18400	5.45	55400	73800
EHRC050	87	88	5.6	167	160	0.13	165	64	6.42	0.47	6710	19200	4.65	48700	67900
EHRC050	88	89	4.9	143	160	0.1	137.5	50	6.04	0.46	6940	18400	3.86	39600	58000
EHRC050	89	90	3.9	112	180	0.11	114.5	38	4.76	0.52	6050	16050	2.66	31800	47850
EHRC050	90	91	0.1	50	130	8.15	32.4	13	3.53	5.23	8930	2530	0.54	12200	14730
EHRC050	91	92	0.1	42	60	12	26.7	20	4.46	7.35	8550	1630	0.75	12600	14230
EHRC050	92	93	0.9	53	80	12	22	43	3.64	7.33	4540	2870	0.86	8530	11400
EHRC050	93	94	0.1	56	70	14.85	7.4	149	1.75	8.95	2820	675	0.27	3160	3835
EHRC050	94	95	0.1	29	70	14.9	6.3	93	1.52	9.05	2460	597	0.24	2370	2967
EHRC050	95	96	0.1	41	100	14	6.7	205	1.42	8.54	2170	403	0.26	2250	2653
EHRC050	96	97	0.1	13	100	14.05	4.6	174	1.39	8.45	2280	376	0.21	1500	1876
EHRC050	97	98	0.5	18	120	12.3	24.3	144	1.85	7.41	2790	1160	0.84	9480	10640
EHRC050	98	99	1.4	62	80	11.2	49.3	130	3.67	6.58	4520	3120	2.21	21900	25020
EHRC050	99	100	0.1	32	70	13.9	18.1	35	2.72	8.16	3740	1690	1.02	7950	9640
EHRC050	100	101	0.1	41	210	9.6	7.2	129	1.91	5.72	2890	863	0.48	2980	3843
EHRC050	101	102	0.1	18	190	10.55	8.5	45	2.48	6.19	3920	1230	0.5	3520	4750
EHRC051	37	38	0.1	115	100	0.02	0.5	192	21.6	0.28	833	1285	0.12	1520	2805
EHRC051	38	39	0.1	50	170	0.03	0.5	374	17.1	0.36	883	3160	0.11	2100	5260
EHRC051	39	40	0.8	17	210	0.03	0.5	315	8.2	0.56	881	1935	0.11	1100	3035
EHRC051	40	41	2	32	80	0.03	0.5	300	10.15	0.29	1665	1945	0.14	1200	3145
EHRC051	41	42	1.7	20	30	0.03	0.5	537	21.2	0.16	1790	4400	0.15	3830	8230
EHRC051	42	43	1.8	27	60	0.04	0.5	249	7.41	0.2	2100	1510	0.17	1205	2715
EHRC051	43	44	0.7	173	20	0.03	0.5	792	32.1	0.13	1530	5660	0.12	4950	10610
EHRC051	44	45	1	119	70	0.03	0.5	423	22.1	0.2	1740	3680	0.13	3010	6690
EHRC051	45	46	0.9	200	90	0.03	0.5	554	19.75	0.35	1720	3200	0.26	3700	6900
EHRC051	46	47	1	195	110	0.03	0.6	530	23.2	0.32	5210	4690	0.18	5400	10090
EHRC051	47	48	1	192	180	0.03	1.3	479	22.2	0.43	12650	9090	0.21	6040	15130
EHRC051	48	49	1.5	135	530	0.03	6.9	486	24.7	0.44	32600	19900	0.29	7240	27140
EHRC051	49	50	2.8	124	1550	0.03	20.9	610	28.5	0.38	69500	34900	0.24	9880	44780
EHRC051	50	51	9.2	201	3400	0.03	75.9	869	16.4	0.61	113150	42500	0.24	7620	50120
EHRC051	51	52	12.6	156	24450	0.06	411	741	7.59	0.45	266000	53000	0.06	7620	60620
EHRC051	52	53	5.5	262	15580	0.05	338	678	5.89	0.42	199050	43400	0.13	5370	48770
EHRC051	53	54	2.9	779	6250	0.04	175.5	843	15.3	0.48	94000	22800	0.16	6210	29010
EHRC051	54	55	2.4	1325	7570	0.05	138	751	18	0.58	81600	16350	0.16	6490	22840
EHRC051	55	56	0.1	508	1180	1.3	11.4	235	8.08	1.59	17150	4140	0.22	3070	7210
EHRC051	56	57	0.9	141	1690	10.65	41.1	155	3.65	6.9	20200	4190	0.13	2050	6240
EHRC051	57	58	0.8	104	1560	10.7	49.4	133	2.59	6.64	22300	5090	0.08	1960	7050



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC051	58	59	0.6	56	1100	9.4	29	94	2.73	6.24	14900	3690	0.07	1170	4860
EHRC051	59	60	1.2	60	1660	13.25	36.4	97	3.39	7.53	25500	4980	0.04	948	5928
EHRC051	60	61	1	40	1520	3.28	29.2	70	2.78	2.12	17000	3340	0.18	683	4023
EHRC051	61	62	2.1	57	3080	1	68.8	121	3.16	1.02	36400	7300	0.11	1320	8620
EHRC051	62	63	0.9	39	2000	2.08	36.9	72	2.74	1.88	20700	4130	0.04	850	4980
EHRC051	63	64	0.9	63	1680	1.12	32.8	89	4.18	1.95	18700	3950	0.09	956	4906
EHRC051	64	65	0.1	19	780	0.37	10.5	35	3.11	1.78	6230	1490	0.04	522	2012
EHRC051	65	66	0.1	16	1000	0.21	8.6	28	2.39	1.33	5560	1445	0.04	358	1803
EHRC051	66	67	0.1	22	1030	0.15	10.5	33	3.46	2.13	6300	1485	0.06	502	1987
EHRC051	67	68	0.9	22	1250	0.12	26.2	53	3.81	2.31	14550	3180	0.1	683	3863
EHRC051	68	69	0.8	36	1400	0.66	31.3	70	3.53	1.88	18100	4110	0.12	736	4846
EHRC051	69	70	1.4	67	2080	0.48	44.5	102	3.24	0.93	25200	5780	0.05	1025	6805
EHRC051	70	71	0.5	27	970	0.33	13.7	49	4.13	3.09	9200	2380	0.04	446	2826
EHRC051	71	72	0.1	15	630	0.93	6.9	41	4	2.16	5060	1085	0.05	367	1452
EHRC051	72	73	0.1	8	730	0.63	3.6	19	2.43	1.24	2680	568	0.04	158	726
EHRC051	73	74	0.7	17	1690	1.39	25	51	3.56	2.01	15400	3370	0.04	510	3880
EHRC051	74	75	1	49	2420	0.22	42.3	86	4.93	1.01	23900	5480	0.09	897	6377
EHRC051	75	76	0.9	63	2090	0.2	34.4	76	6.05	0.85	20400	4770	0.05	844	5614
EHRC051	76	77	0.1	21	1220	0.38	10	31	5.44	1.04	7510	2030	0.04	322	2352
EHRC051	77	78	0.1	15	970	0.6	3.9	17	5.61	1.19	3800	989	0.04	172	1161
EHRC052	56	57	0.1	28	180	0.05	0.5	50	3.98	0.45	1140	3900	0.14	227	4127
EHRC052	57	58	0.1	50	210	0.04	0.5	65	8.07	0.44	1360	4540	0.14	277	4817
EHRC052	58	59	0.1	45	220	0.04	0.5	71	7.05	0.43	1590	6120	0.15	274	6394
EHRC052	59	60	0.6	14	130	0.04	0.5	96	2.76	0.34	1900	6610	0.16	277	6887
EHRC052	60	61	0.7	14	170	0.04	0.5	67	2.3	0.42	1260	4700	0.16	221	4921
EHRC052	61	62	2.4	23	140	0.04	0.5	230	5.11	0.29	594	2360	0.26	262	2622
EHRC052	62	63	3.9	55	180	0.04	14.8	258	7.14	0.39	711	9320	0.67	891	10211
EHRC052	63	64	3.5	33	190	0.04	7.6	144	1.83	1.99	155	19900	0.97	531	20431
EHRC052	64	65	3.1	34	150	0.07	10.5	197	9.28	0.71	9300	10750	0.72	1860	12610
EHRC052	65	66	1.2	29	110	0.13	14.9	100	20	0.7	26800	9240	0.55	4680	13920
EHRC052	66	67	0.1	24	60	0.15	10.7	20	25.2	0.57	29600	4910	0.32	4110	9020
EHRC052	67	68	0.1	35	80	0.33	12.1	9	28.6	0.56	32900	2700	0.28	5110	7810
EHRC052	68	69	0.6	99	200	0.12	14.5	19	12.8	0.86	11150	9580	0.74	3170	12750
EHRC052	69	70	0.7	132	210	0.1	48.1	45	12.25	0.89	9840	14000	1.03	8040	22040
EHRC052	70	71	1.2	116	180	0.08	30.6	92	16.7	0.76	12300	17350	1.04	6980	24330
EHRC052	71	72	2.2	131	150	0.11	34	121	19.95	0.73	15800	31100	1.14	6220	37320
EHRC052	72	73	0.9	20	40	0.11	32.9	32	23.7	1.15	20000	16150	0.96	15600	31750
EHRC052	73	74	0.7	17	10	0.13	14.8	9	20.7	2.99	17800	9860	0.44	7020	16880
EHRC052	74	75	0.1	32	110	0.41	6.4	9	19.15	3.78	23700	3060	0.5	11800	14860
EHRC052	75	76	0.1	46	90	7.85	4.8	18	6.27	7.31	6040	1995	0.49	2740	4735
EHRC052	76	77	0.1	17	40	11.3	7.1	19	5.81	7.68	7690	882	0.34	5520	6402
EHRC052	77	78	0.1	14	40	14.75	4.8	12	2.11	9.22	3110	664	0.23	2680	3344
EHRC052	78	79	0.1	9	40	14.75	5.1	11	1.92	9.29	2940	697	0.25	2740	3437
EHRC052	79	80	0.1	12	40	15.05	6.1	15	1.28	9.43	2040	395	0.24	3180	3575
EHRC052	80	81	0.1	8	20	16.25	2.4	9	1.4	9.9	2400	348	0.13	903	1251
EHRC052	81	82	0.1	14	10	14.85	5.3	13	2.33	9.74	3200	618	0.25	1375	1993
EHRC052	82	83	0.6	25	90	8.62	21.7	59	4.9	6.58	4470	1955	0.5	5270	7225
EHRC052	83	84	0.1	83	100	12.1	13	28	3.69	7.87	4120	1635	0.34	3240	4875
EHRC052	84	85	0.1	22	70	14.45	2	80	1.75	8.74	2850	477	0.14	503	980
EHRC052	85	86	0.1	22	100	14.45	8.2	66	2.53	8.69	3220	844	0.2	1800	2644
EHRC052	86	87	0.6	36	80	10.2	14.2	80	4.89	6.84	4990	2100	0.41	3780	5880
EHRC052	87	88	0.9	54	160	10.2	9.6	195	3.9	6.58	4110	1400	0.32	2560	3960
EHRC052	88	89	0.1	14	90	11.15	9.8	70	5.18	7.04	5780	1365	0.28	3030	4395
EHRC052	89	90	0.1	10	140	11.6	8.4	96	2.61	7.26	3330	1125	0.21	1845	2970
EHRC053	101	102	0.1	44	130	0.02	0.5	61	11.25	0.29	603	227	0.15	256	483
EHRC053	102	103	2	80	80	0.03	0.5	527	10.8	0.24	472	931	2.81	277	1208
EHRC053	103	104	4.7	76	120	0.03	0.5	1910	5.56	0.22	216	2150	1.8	160	2310
EHRC053	104	105	1.7	53	190	0.03	0.5	479	8.45	0.23	384	1300	0.93	259	1559
EHRC053	105	106	5.6	89	110	0.03	0.5	1720	4.61	0.18	150	1660	2.95	93	1753
EHRC053	106	107	8.6	200	130	0.03	2.9	1660	10.85	0.33	91	12350	11.4	321	12671
EHRC053	107	108	10	442	130	0.02	9.5	543	12.35	0.34	76	18550	13.4	991	19541
EHRC053	108	109	5.3	250	120	0.03	9.1	792	12.55	0.28	396	5780	6.35	3150	8930
EHRC053	109	110	3.2	214	180	0.03	22.2	1150	7.34	0.43	266	5550	3.41	5000	10550
EHRC053	110	111	3.2	242	180	0.03	34.3	1320	5.7	0.47	205	6980	4	9450	16430
EHRC053	111	112	7.4	278	100	0.02	26.8	2530	16.1	0.32	77	6930	19.85	16350	23280
EHRC053	112	113	13.8	212	60	0.02	10	658	24.7	0.15	88	12800	30	5970	18770
EHRC053	113	114	12.6	234	70	0.02	35.4	833	20.6	0.18	93	17250	26.2	17500	34750
EHRC053	114	115	13	228	70	0.02	10.6	659	22.4	0.21	74	12250	26.2	7170	19420
EHRC053	115	116	4.6	250	130	0.03	12.7	326	5.98	0.32	66	2950	6.43	3910	6860
EHRC053	116	117	5.5	282	170	0.03	32.8	1520	6.5	0.41	85	5990	7.48	12950	18940
EHRC053	117	118	3.8	205	110	0.03	25.1	522	6.11	0.32	90	2600	6.73	9110	11710
EHRC053	118	119	3.8	275	120	0.03	22.4	626	5.1	0.33	57	3220	5.66	5420	8640
EHRC053	119	120	4.2	215	100	0.03	22.8	310	7.85	0.27	75	1890	8.6	6090	7980
EHRC053	120	121	6.4	233	80	0.03	16.4	527	11.3	0.39	197	5870	12.2	5930	11800
EHRC053	121	122	4.7	163	80	0.04	16.2	552	19.6	0.48	6680	5020	8.62	5860	10880
EHRC053	122	123	2.8	110	50	0.08	19	567	29.6	0.49	16400	5010	4.71	6390	11400
EHRC053	123	124	0.8	80	50	0.13	11.7	155	32.4	0.47	21300	1820	2.12	7040	8860
EHRC053	124	125	0.5	59	40	0.14	12.4	89	33.9	0.66	24600	1720	1.31	9840	11560
EHRC053	125	126	0.7	147	110	0.15	10.6	120	33.8	0.45	30000	1960	2.61	9540	11500
EHRC054	105	106	0.7	35	210	0.03	4.8	47	4.96	0.53	184	58	0.4	335	393
EHRC054	106	107	1.1	55	260	0.03	14.5	34	3.94	0.72	174	96	0.59	1420	1516
EHRC054	107	108	1.6	62	240	0.03	26.6	44	4	0.61	213	2750	1.24	5120	7870
EHRC054	108	109	2.9	106	220	0.04	30.7	84	13.15	0.47	3560	5860	1.98	8130	13990
EHRC054	109	110	5.1	156	230	0.05	40.6	109	13.3	0.38	6560	9520	2.83	14300	23820



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC054	110	111	3.7	136	590	0.02	22.7	83	11.05	0.41	793	5440	1.83	8230	13670
EHRC054	111	112	9	257	340	0.03	72.7	90	4.39	0.56	570	20200	3.18	26800	47000
EHRC054	112	113	1.2	113	500	0.04	2.5	50	17.05	0.42	389	1860	0.31	3700	5560
EHRC054	113	114	7.2	169	250	0.03	99.7	131	15	0.43	676	17000	6.06	44200	61200
EHRC054	114	115	4	132	360	0.03	37.4	83	8.54	0.57	1060	7200	2.38	15050	22250
EHRC054	115	116	5.3	93	300	0.03	41.9	77	7.65	0.55	361	5470	2.14	17900	23370
EHRC054	116	117	6.8	112	240	0.04	27.8	89	9.78	0.55	648	13450	2.87	12100	25550
EHRC054	117	118	2.2	114	210	0.03	1.9	120	13.85	0.61	526	2160	0.8	4170	6330
EHRC054	118	119	6.7	174	140	0.03	2	194	24.9	0.44	746	5210	1.72	5020	10230
EHRC054	119	120	3.7	96	150	0.25	21.3	176	13.55	0.55	15450	6640	0.93	11850	18490
EHRC054	120	121	2.2	57	100	10.75	6.8	70	6.35	6.83	1600	3280	1.26	3620	6900
EHRC054	121	122	4.3	79	110	10.55	7.7	98	7.61	6.56	1650	5100	4.56	3430	8530
EHRC054	122	123	1.8	46	90	12.3	6.5	50	4.38	7.78	1510	3030	1.56	2710	5740
EHRC054	123	124	1.3	43	100	12.6	8.6	34	3.39	7.9	1205	2770	0.72	4460	7230
EHRC054	124	125	2.9	64	80	11.8	8.1	64	7.38	7.3	1250	2830	4.71	3520	6350
EHRC054	125	126	1.2	39	70	15.2	6.1	34	3.21	9.02	1390	2750	0.85	2720	5470
EHRC055	24	28	0.1	<5	1170	8.44	23.4	37	1.88	5.6	9520	373	0.11	4890	5263
EHRC055	28	32	0.1	<5	830	0.42	2.2	19	1.78	0.86	4830	449	0.07	597	1046
EHRC055	32	36	0.1	<5	770	0.24	0.9	18	2.44	0.73	2770	684	0.08	329	1013
EHRC055	36	40	0.1	8	790	0.19	0.5	17	3.9	0.73	301	189	0.09	342	531
EHRC055	40	44	0.1	<5	750	0.06	0.5	10	2.19	0.64	112	167	0.1	180	347
EHRC055	44	48	0.1	33	560	0.04	0.5	42	8.19	0.58	2520	872	0.13	1505	2377
EHRC055	48	52	0.1	<5	710	0.03	0.5	14	3.73	0.72	1450	542	0.07	553	1095
EHRC055	52	56	0.5	6	750	0.04	0.5	8	4.87	1.84	392	216	0.06	1800	2016
EHRC055	56	60	0.1	<5	750	0.04	0.5	5	5.44	3.34	276	126	0.05	1800	1926
EHRC055	60	61	0.1	17	710	0.21	0.5	7	6.08	4.3	458	142	0.15	1420	1562
EHRC055	61	62	0.1	8	600	0.09	0.5	12	6.83	5.34	416	192	0.12	2670	2862
EHRC055	62	63	0.1	<5	520	0.05	0.5	11	7.08	6.05	398	150	0.1	3080	3230
EHRC055	63	64	0.1	5	380	0.05	0.5	14	7.19	7.02	434	106	0.09	2420	2526
EHRC055	64	65	0.1	6	350	0.05	0.5	81	7.1	6.59	383	110	0.17	2430	2540
EHRC055	65	66	0.1	8	380	0.11	0.5	76	6.49	5.85	420	124	0.17	2390	2514
EHRC055	66	67	0.1	<5	620	0.1	0.5	38	5.84	5.08	330	70	0.11	1560	1630
EHRC055	67	68	0.5	<5	240	0.09	3.4	22	8.24	8.7	518	1190	0.1	2590	3780
EHRC055	68	69	1	<5	100	0.18	15.3	158	6.69	2.92	2580	1595	0.1	6500	8095
EHRC055	69	70	5.5	29	180	0.19	28.9	463	10.2	5.08	3260	4260	0.34	17450	21710
EHRC055	70	71	25.2	388	160	0.25	350	337	10.95	3.59	12950	12950	3.95	113500	126450
EHRC055	71	72	46.9	452	190	0.17	383	395	8.63	3.46	10450	27500	5	120500	148000
EHRC055	72	73	10.9	69	90	7.8	75.1	171	8.14	7.3	9170	8050	1.82	26500	34550
EHRC055	73	74	4.8	88	150	6.66	78.9	138	14.15	5.12	18650	2560	4.1	40000	42560
EHRC055	74	75	2.7	48	130	12.4	39.6	81	7.27	8.33	10450	1640	1.62	19250	20890
EHRC055	75	76	3.2	52	50	14.05	33.9	142	4.4	9.75	3940	1445	2.58	14300	15745
EHRC055	76	77	1.7	26	60	14.95	19.2	113	3.42	10.5	2940	1360	1.19	7630	8990
EHRC055	77	78	1	20	40	16.65	12.3	59	2.61	10.8	2700	694	1.14	5220	5914
EHRC055	78	79	1.1	18	80	14.4	9.7	55	2.88	10.3	2730	640	0.74	4690	5330
EHRC055	79	80	0.7	8	70	16	8.2	33	2.38	10.8	2250	521	0.5	3850	4371
EHRC055	80	81	0.9	17	50	15.6	7.6	31	2.44	10.6	2730	537	0.51	3910	4447
EHRC055	81	82	0.5	5	60	15.8	4.3	28	2.09	10.5	2300	356	0.48	1910	2266
EHRC055	82	83	0.1	<5	60	16.75	6.5	28	1.91	11.25	2500	288	0.14	2950	3238
EHRC055	83	84	0.5	9	60	15.7	5.6	28	2.27	10.85	2310	420	0.13	3300	3720
EHRC055	84	85	0.7	10	20	18.2	5.4	18	2.16	11.75	2570	670	0.16	3260	3930
EHRC055	85	86	0.9	23	20	17.8	5.7	50	1.81	11.2	2150	516	0.89	2570	3086
EHRC055	86	87	0.5	11	70	18.25	4.6	17	1.08	11.5	1600	337	0.35	1970	2307
EHRC055	87	88	0.6	7	110	16.45	5.5	12	1.6	10.7	1380	304	0.48	2850	3154
EHRC055	88	89	4.2	80	80	15.1	6.8	38	4.49	9.56	1380	2680	4.13	3330	6010
EHRC055	89	90	0.7	31	100	17.75	4.8	24	1.4	11.05	1700	653	0.45	2160	2813
EHRC055	90	91	1.5	36	120	15.25	11.8	24	2.95	9.91	1890	1030	0.95	5760	6790
EHRC055	91	92	2.6	30	100	14.95	23.7	40	3.01	9.84	1930	2010	1.09	9820	11830
EHRC055	92	93	1.1	13	70	17.25	21.9	20	1.24	10.75	1760	533	0.62	11450	11983
EHRC055	93	94	0.6	10	60	18.5	9.1	12	0.94	11.45	1660	453	0.29	4220	4673
EHRC055	94	95	0.9	9	100	16.45	13.3	18	1.78	10.8	1760	556	0.41	6740	7296
EHRC055	95	96	0.5	<5	170	12.25	8	17	2.96	9.71	1550	412	0.18	4010	4422
EHRC058	77	78	0.1	71	160	0.02	0.5	184	12.1	0.45	1790	2530	0.12	999	3529
EHRC058	78	79	0.1	86	100	0.03	0.5	167	11.65	0.33	1620	1630	0.14	971	2601
EHRC058	79	80	0.1	111	90	0.03	0.5	234	13.2	0.3	1090	2490	0.14	1340	3830
EHRC058	80	81	0.1	146	100	0.03	0.5	263	14.6	0.31	743	2340	0.12	1625	3965
EHRC058	81	82	0.1	177	110	0.03	0.5	296	21.3	0.27	600	2310	0.09	1780	4090
EHRC058	82	83	0.7	144	110	0.03	0.5	293	17.3	0.31	1005	2070	0.13	1725	3795
EHRC058	83	84	0.9	119	110	0.03	0.5	252	17.2	0.31	1220	1810	0.12	1475	3285
EHRC058	84	85	1.7	93	110	0.03	0.5	500	14.3	0.55	1175	3780	0.23	1345	5125
EHRC058	85	86	5.3	84	90	0.05	9.8	714	15.85	1.21	7190	12550	0.84	3740	16290
EHRC058	86	87	0.9	36	50	0.16	7.5	78	30.7	0.96	39200	3550	0.46	4420	7970
EHRC058	87	88	1.1	69	30	0.16	8.7	133	29.6	1.17	37300	3960	1.92	4410	8370
EHRC058	88	89	0.8	35	40	0.19	2.9	165	29.6	1.27	29700	1935	1.11	2230	4165
EHRC058	89	90	1.7	100	40	0.09	8.4	777	9.67	4.58	5750	4310	2.75	864	5174
EHRC058	90	91	9.5	112	30	0.06	12.1	1350	32	0.49	10250	3510	>10.0	1835	5345
EHRC058	91	92	9.3	81	40	0.11	8.2	612	33.6	0.41	17700	6220	>10.0	2280	8500
EHRC058	92	93	3.3	75	40	0.13	6.2	368	33.1	0.54	23400	4110	6.08	3480	7590
EHRC058	93	94	1.2	61	20	0.25	5.9	80	35.6	0.95	33500	1700	1.73	3800	5500
EHRC058	94	95	1.3	113	30	0.24	7.9	407	31.7	0.77	30000	1960	2.8	5630	7590
EHRC058	95	96	1	56	70	0.28	17.4	469	26.7	1.21	34500	5750	0.72	17750	23500
EHRC058	96	97	1.4	63	110	0.21	52.9	109	14.65	0.56	22600	4420	1.42	32700	37120
EHRC058	97	98	0.1	73	60	13.35	4.7	25	2.6	8.21	4860	863	0.52	1495	2358
EHRC058	98	99	0.1	53	60	12.45	3.4	52	3.7	7.7	5250	731	0.46	2450	3181
EHRC058	99	100	0.1	37	60	14.75	1.9	76	3.08	8.93	3220	478	0.5	901	1379



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC059	60	61	0.1	190	160	0.11	0.5	213	12.7	0.52	1330	2840	0.16	1940	4780
EHRC059	61	62	1.5	73	130	0.17	3.1	1010	11.05	0.46	2810	9990	0.17	2870	12860
EHRC059	62	63	2.3	39	120	0.23	1.8	623	13.1	0.43	4680	11300	0.2	3230	14530
EHRC059	63	64	2.2	36	120	0.21	1.6	643	12.25	0.42	4320	11400	0.21	2960	14360
EHRC059	64	65	3.4	23	170	0.16	6.4	538	13	0.7	10500	16600	0.35	3700	20300
EHRC059	65	66	2.5	44	120	0.16	7.4	337	18.55	0.64	13400	7410	0.47	4880	12290
EHRC059	66	67	2.2	123	110	0.13	19.6	185	20.9	0.97	14600	7450	1.44	14250	21700
EHRC059	67	68	10	340	130	0.06	117.5	436	10.2	0.67	2820	44800	8.28	55600	100400
EHRC059	68	69	10.2	267	200	0.08	149	449	7.65	0.75	3170	45500	6.62	70500	116000
EHRC059	69	70	9.9	219	190	0.07	102	312	7.23	0.73	2770	40300	5.02	49300	89600
EHRC059	70	71	8.7	150	160	0.15	69.2	318	16.05	0.74	13600	26000	2.99	34600	60600
EHRC059	71	72	8.9	136	130	0.22	25.9	691	22.1	0.78	22900	9910	1.06	18850	28760
EHRC059	72	73	3.4	192	210	0.57	16.6	369	12.5	1.08	20200	7590	0.94	19100	26690
EHRC059	73	74	1.1	53	150	8.13	8.3	137	3.21	5.25	4040	3020	0.49	4140	7160
EHRC059	74	75	0.9	33	130	9.42	6.4	97	2.93	5.87	3900	2230	0.44	3040	5270
EHRC059	75	76	0.1	13	110	12.35	1.1	33	2.27	7.25	4280	376	0.12	587	963
EHRC059	76	77	1.3	28	130	4.95	4.5	526	6.7	3.13	3720	7060	0.26	2790	9850
EHRC059	77	78	0.1	14	220	8.28	0.8	41	2.41	5.25	3490	322	0.11	338	660
EHRC059	78	79	0.1	23	220	8.19	1.3	71	3.28	4.95	4050	584	0.18	589	1173
EHRC060	48	49	0.5	166	150	0.04	0.5	66	8.74	0.4	1400	1010	0.13	2050	3060
EHRC060	49	50	0.1	277	180	0.03	0.5	64	9.02	0.51	1600	1020	0.16	2690	3710
EHRC060	50	51	0.1	366	160	0.05	0.9	126	21.7	0.4	1540	1910	0.12	3860	5770
EHRC060	51	52	0.5	374	60	0.06	1.8	172	34.5	0.16	780	3700	0.06	5410	9110
EHRC060	52	53	0.1	219	190	0.06	0.7	72	11.5	0.55	2260	1550	0.19	2820	4370
EHRC060	53	54	0.1	209	210	0.07	0.5	63	9.55	0.6	1890	1290	0.2	2580	3870
EHRC060	54	55	0.6	161	150	0.06	0.6	94	12.25	0.43	1470	1370	0.15	2670	4040
EHRC060	55	56	0.1	161	160	0.06	0.6	97	12.8	0.44	1150	1490	0.14	2870	4360
EHRC060	56	57	0.1	161	220	0.04	0.9	70	8.3	0.6	1020	1105	0.18	2440	3545
EHRC060	57	58	0.1	144	200	0.05	0.7	84	10.45	0.56	834	1210	0.18	2430	3640
EHRC060	58	59	0.1	121	190	0.04	0.5	82	9.89	0.53	1000	1310	0.18	2370	3680
EHRC060	59	60	0.1	125	170	0.04	0.7	91	10.65	0.49	952	1360	0.19	2480	3840
EHRC060	60	61	0.1	128	200	0.05	0.6	97	10.45	0.55	1120	1905	0.22	2370	4275
EHRC060	61	62	0.1	62	230	0.04	0.5	93	9.45	0.53	2960	3220	0.16	2330	5550
EHRC060	62	63	0.1	54	170	0.03	0.5	173	17.4	0.49	4700	4480	0.16	4020	8500
EHRC060	63	64	0.1	41	130	0.03	0.5	243	26	0.44	6070	4680	0.18	5440	10120
EHRC060	64	65	9.5	26	110	0.07	5.2	86	22.9	0.44	27400	3050	0.25	5870	8920
EHRC060	65	66	2	26	160	0.12	16.1	42	19.85	0.47	39700	2280	0.23	6540	8820
EHRC060	66	67	2.2	71	80	0.12	8.9	44	22.6	0.82	42100	1675	1.81	5750	7425
EHRC060	67	68	3.2	46	60	0.17	11.2	32	27.9	1.28	53600	2380	1.21	6710	9090
EHRC060	68	69	3.2	49	60	0.19	15.6	35	29.4	0.73	58400	3580	1.61	7950	11530
EHRC060	69	70	2.8	42	50	0.17	30	22	27.9	1.09	49600	4120	1.29	14550	18670
EHRC060	70	71	1.6	54	70	0.18	18	28	25.3	1.02	50000	2200	1.18	8600	10800
EHRC060	71	72	1.7	40	50	0.12	26.6	25	18.85	1.55	26300	3990	1.46	12850	16840
EHRC060	72	73	2.6	104	40	0.12	52.9	57	25.1	1.35	27000	5720	4.47	23800	29520
EHRC060	73	74	2	58	40	0.13	74.6	38	27.3	1.14	30400	4770	3.05	31600	36370
EHRC060	74	75	1.7	51	40	0.17	63	26	27.2	1.27	34500	6350	2.37	30700	37050
EHRC060	75	76	1.7	60	50	0.19	79.9	27	26	1.21	36900	9350	2.41	38700	48050
EHRC060	76	77	1.3	45	40	0.2	93.3	29	25.5	1.24	37900	7200	2.29	44200	51400
EHRC060	77	78	1.7	60	50	0.18	97.3	34	20.9	1.6	32000	7920	2.5	42700	50620
EHRC060	78	79	4.2	94	70	0.6	94.4	64	17.5	2.07	21900	13550	6.07	42500	56050
EHRC060	79	80	4.9	112	70	8.5	48.3	53	8.3	6.28	7700	18000	4.83	23700	41700
EHRC060	80	81	2.3	83	60	11.7	28.3	35	4.43	8.07	4320	6920	2.62	13750	20670
EHRC060	81	82	3.8	96	60	11.05	19.6	76	8.77	7.33	3390	6390	8.12	9250	15640
EHRC060	82	83	5.2	120	50	9.15	15.8	100	13	6.13	2630	5840	13.85	7540	13380
EHRC060	83	84	3.7	80	50	11.4	33.3	65	6.58	7.49	2140	5940	6.96	17000	22940
EHRC060	84	85	1.7	65	60	11.65	37.3	31	3.25	7.81	3240	3020	2.5	21900	24920
EHRC060	85	86	2.2	70	60	11.7	42.5	43	3.37	7.78	2390	3670	3.39	24300	27970
EHRC060	86	87	2.1	67	60	12.35	35.5	40	2.91	8.21	2180	4920	2.87	19800	24720
EHRC060	87	88	2	69	70	11.55	45.8	47	2.79	7.97	2500	4630	2.62	25300	29930
EHRC060	88	89	0.9	31	50	14.95	16.7	23	1.82	9.26	2120	1785	0.93	8560	10345
EHRC060	89	90	1.5	33	50	15.35	6.7	62	2.88	9.43	1690	1875	2.3	3160	5035
EHRC060	90	91	1	55	50	11.85	9.1	27	2.44	8.15	2460	3040	1.02	4210	7250
EHRC060	91	92	1	146	50	14.6	15.1	50	2.14	9.11	2040	2310	1.18	7590	9900
EHRC060	92	93	1.3	107	50	12.8	16.6	51	2.4	8.65	2410	3130	1.49	8020	11150
EHRC060	93	94	0.9	84	60	13.3	10.1	38	2.13	8.84	2370	2450	0.97	4990	7440
EHRC060	94	98	1.2	119	50	11.45	6.7	72	2.74	7.63	2070	1800	1.4	3130	4930
EHRC060	98	102	1.1	77	60	10.15	9.3	29	3.17	7.16	2550	2700	1.16	4460	7160
EHRC061	100	101	0.1	73	200	0.02	0.5	80	7.75	0.41	461	1065	0.1	688	1753
EHRC061	101	102	0.1	118	310	0.03	0.5	38	8.82	0.65	1070	855	0.11	731	1586
EHRC061	102	103	0.1	71	230	0.02	0.5	99	11	0.47	427	1755	0.1	1590	3345
EHRC061	103	104	4.8	137	150	0.04	125.5	79	10.85	0.3	275	6490	8.29	39800	46290
EHRC061	104	105	9.2	165	250	0.05	177	60	5.55	0.47	92	16500	8.12	59000	75500
EHRC061	105	106	2.6	74	180	0.03	50.1	41	8.82	0.39	521	6540	2.2	17000	23540
EHRC061	106	107	7.7	101	160	0.03	148.5	66	6.66	0.35	132	19150	6.65	38400	57550
EHRC061	107	108	6.8	100	190	0.03	275	59	4.05	0.5	94	17800	6.05	52900	70700
EHRC061	108	109	7.8	124	200	0.03	142	81	7.93	0.49	115	18550	9.2	37000	55550
EHRC061	109	110	10.5	157	180	0.03	172.5	117	10.95	0.45	75	23000	14.65	52500	75500
EHRC061	110	111	5.7	97	200	0.03	232	76	3.42	0.51	69	9880	6.46	67600	77480
EHRC061	111	112	4.3	167	200	0.03	235	57	2.34	0.54	63	11900	5.18	57800	69700
EHRC061	112	113	4.9	126	220	0.04	110.5	63	5.39	0.57	57	9830	6.74	18850	28680
EHRC061	113	114	12.3	112	140	0.04	138.5	136	13.35	0.36	81	16700	17.5	50000	66700
EHRC061	114	115	5.5	114	220	0.04	79.9	59	4.08	0.58	98	17200	4.78	19000	36200
EHRC061	115	116	7.4	88	200	0.04	93.4	90	6.36	0.53	118	16650	7.87	34900	51550
EHRC061	116	117	6.4	102	190	0.05	74.3	87	8.82	0.56	7350	15650	6.01	28500	44150



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC061	117	118	3.5	68	140	0.09	76.9	44	14.2	0.48	21600	10850	3.32	31400	42250
EHRC061	118	119	3.2	67	170	0.08	60.9	36	7.46	0.52	8070	11500	2.97	22900	34400
EHRC061	119	120	3	74	200	0.27	59.1	45	5.77	0.73	7330	11150	2.36	18600	29750
EHRC061	120	121	0.6	22	100	10.05	10.8	13	2.2	6.46	2960	2170	0.72	3750	5920
EHRC061	121	122	1	34	90	9.7	17.1	18	4.56	6.06	3090	1940	1.3	6160	8100
EHRC061	122	123	0.9	23	80	10.3	12.8	15	4.58	6.37	3530	1225	1.06	5250	6475
EHRC061	123	124	0.8	43	110	6.53	20.1	23	3.09	4.17	1670	2830	0.82	7680	10510
EHRC061	124	125	1	89	120	7.63	24.4	35	2.58	4.84	1500	6010	1.06	10400	16410
EHRC061	125	126	0.1	71	90	13.45	21.9	21	1.78	8.03	3940	765	0.73	8280	9045
EHRC062	42	43	0.1	50	840	0.1	2.1	91	23.2	0.42	19750	38	0.16	906	944
EHRC062	43	44	0.1	30	410	0.09	2.1	64	19.35	0.36	23500	19	0.17	1280	1299
EHRC062	44	45	0.6	38	810	0.12	3.4	91	22.9	0.3	42800	594	0.17	1640	2234
EHRC062	45	46	0.1	70	580	0.06	1.8	104	28.9	0.26	25500	2030	0.15	1420	3450
EHRC062	46	47	1.2	123	1000	0.07	3.5	176	36	0.2	39900	4520	0.13	2010	6530
EHRC062	47	48	1.7	139	1400	0.07	7.4	224	34.5	0.18	68900	5270	0.13	2490	7760
EHRC062	48	49	8.6	123	2370	0.2	30.3	224	24.4	0.23	186000	6290	0.14	5640	11930
EHRC062	49	50	11.2	142	3340	0.09	44.7	306	19.75	0.16	243000	8260	0.16	13950	22210
EHRC062	50	51	10.9	159	6780	0.08	61.6	325	19	0.19	240700	7270	0.19	17150	24420
EHRC062	51	52	8.4	153	10300	0.09	61.1	312	15.7	0.22	231600	5270	0.18	25200	30470
EHRC062	52	53	5.4	161	8790	0.09	43	294	14.7	0.29	165700	5100	0.19	19900	25000
EHRC062	53	54	3	127	8390	0.12	24.5	175	13.15	0.49	99900	7420	0.2	12850	20270
EHRC062	54	55	1.4	97	4810	0.08	10.6	88	10.7	0.52	46300	8450	0.2	7810	16260
EHRC062	56	57	1.2	126	3710	0.08	8	77	10.1	0.53	36300	8210	0.19	6670	14880
EHRC062	57	58	1.9	138	2490	0.09	4.5	51	7.64	0.52	23000	8540	0.16	5220	13760
EHRC062	58	59	0.7	175	2010	0.06	4.2	52	8.22	0.52	21700	9460	0.16	5310	14770
EHRC062	59	60	0.8	186	1940	0.07	4.3	50	8.15	0.55	22000	9060	0.17	5290	14350
EHRC062	60	61	0.8	239	2220	0.15	4.8	62	9.66	0.62	24000	9290	0.19	6410	15700
EHRC062	61	62	4.6	154	1710	5.53	36.7	58	7.36	3.68	19000	5530	0.16	6550	12080
EHRC062	62	63	1.6	32	500	16.15	10.4	18	2.47	9.57	6190	1390	0.12	2270	3660
EHRC062	63	64	0.6	20	240	18.2	11.1	13	1.48	10.65	3620	771	0.53	3890	4661
EHRC062	64	65	0.9	26	200	16.05	17.3	16	1.61	9.33	2500	799	1.02	5110	5909
EHRC062	65	66	0.1	13	130	19.25	7.3	5	0.88	11.25	2130	397	0.14	1250	1647
EHRC062	66	67	0.5	35	190	17.05	5	6	1.09	10.1	1450	485	0.23	1410	1895
EHRC062	67	68	0.1	34	70	20.2	9.1	6	0.93	11.85	1480	417	0.54	3110	3527
EHRC062	68	69	0.7	33	90	19.9	5.6	6	1.29	11.65	1660	1390	0.9	1720	3110
EHRC062	69	70	0.1	18	100	19.55	2.2	4	0.92	11.45	1960	380	0.14	614	994
EHRC062	70	71	0.7	55	40	19.65	8.6	6	1.23	11.5	1430	2260	0.9	3170	5430
EHRC062	71	72	0.1	20	60	20.2	6	3	0.72	11.75	1770	699	0.23	2240	2939
EHRC062	72	73	0.1	26	80	19.15	11.3	6	1.26	11.2	1360	444	1.01	4460	4904
EHRC062	73	74	0.6	29	90	20.4	7.5	5	1.26	11.85	1470	432	0.97	3090	3522
EHRC062	74	75	1.7	83	80	18.8	12.8	14	2.79	10.9	1520	965	2.84	4840	5805
EHRC062	75	76	1.3	52	70	18.35	58.1	15	1.79	10.7	1690	339	2.72	27800	28139
EHRC062	76	77	1.1	39	80	18.6	11.1	9	1.36	10.85	1420	635	1.13	4820	5455
EHRC062	77	78	0.6	22	70	19.75	2.1	5	0.9	11.65	1190	228	0.41	812	1040
EHRC062	78	79	1.2	42	70	17.25	6.5	13	2.4	10.05	1330	829	2.07	2360	3189
EHRC062	79	80	1.2	21	70	18.85	4.6	5	0.94	11.05	1300	2600	0.49	1600	4200
EHRC062	80	81	0.1	21	30	20.5	1.8	3	0.75	12	1640	320	0.16	624	944
EHRC062	81	82	0.6	29	40	20.3	9.2	9	1.49	11.95	1570	218	1.21	3740	3958
EHRC062	82	83	0.1	30	60	18.9	17.6	10	1.05	11.1	1630	224	0.69	6510	6734
EHRC062	83	84	0.1	38	100	17.85	4.9	6	0.84	10.55	1470	182	0.3	1550	1732
EHRC062	84	86	1.2	29	50	19.1	10.8	65	1.81	11.25	1470	1520	1.65	3810	5330
EHRC062	86	90	0.1	16	40	19.65	4.5	7	0.86	11.5	1320	164	0.5	1790	1954
EHRC063	41	42	0.5	47	610	0.06	3.5	33	8.3	0.59	32900	2260	0.15	6490	8750
EHRC063	42	43	0.6	102	480	0.05	3.3	65	9.47	0.6	32200	12250	0.14	6750	19000
EHRC063	43	44	0.9	94	460	0.05	3.5	51	9.07	0.55	32500	9010	0.15	7630	16640
EHRC063	44	45	1.2	96	520	0.05	6	53	9.09	0.53	40000	10500	0.16	9230	19730
EHRC063	45	46	0.8	121	420	0.03	3.3	41	7.65	0.55	19000	6820	0.13	6800	13620
EHRC063	46	47	0.5	118	440	0.04	2.8	45	7.88	0.5	17850	7510	0.16	5730	13240
EHRC063	47	48	0.5	94	610	0.07	2.7	27	9.53	0.38	11700	4710	0.07	3410	8120
EHRC063	48	49	0.8	154	1270	0.06	15	40	16.25	0.38	35600	11350	0.15	5480	16830
EHRC063	49	50	1	195	2240	0.06	27.5	43	15.3	0.38	66600	21600	0.15	6380	27980
EHRC063	50	51	1	275	2570	0.05	23.1	50	12.9	0.4	94000	40100	0.16	6640	46740
EHRC063	51	52	1.3	186	1180	1.96	26.2	37	12.35	1.5	38400	15700	0.29	5510	21210
EHRC063	52	53	1.2	107	520	5.8	11.7	27	12.7	3.7	17900	6340	0.4	4380	10720
EHRC063	53	54	0.7	75	300	12.3	3.7	16	7.24	7.61	8330	3520	0.55	1510	5030
EHRC063	54	58	0.6	19	60	18.4	3.6	3	1.71	10.95	1940	462	0.65	1620	2082
EHRC063	58	59	0.5	17	60	17.4	3.8	3	1.04	10.45	1530	262	0.37	1410	1672
EHRC063	59	60	0.1	17	60	18.4	2.5	2	0.86	11.05	1640	151	0.21	1260	1411
EHRC063	60	61	0.6	20	30	18.55	12.2	3	1.07	11.25	1430	228	0.69	5080	5308
EHRC063	61	62	1.5	28	30	17.35	11.3	17	3.62	10.45	1550	1230	3.73	6300	7530
EHRC063	62	63	0.9	16	30	18.25	6.1	4	1.22	11.1	1280	456	0.94	2930	3386
EHRC063	63	64	0.6	25	30	19.05	10.5	2	0.78	11.45	1230	412	0.56	5080	5492
EHRC063	64	65	0.1	22	20	18.7	2.8	1	0.55	11.4	1180	97	0.16	1360	1457
EHRC063	65	66	0.5	21	30	18.4	2.3	1	0.56	11.05	1200	178	0.15	1130	1308
EHRC063	66	67	4	159	30	16.9	22.4	34	3.65	10.1	1300	8700	4.35	9270	17970
EHRC063	67	68	1.5	44	40	18.1	7.4	10	0.97	10.95	1440	1810	0.71	3250	5060
EHRC063	68	69	1	30	20	19.3	4.2	4	0.75	11.65	1240	1270	0.48	1960	3230
EHRC063	69	70	0.8	35	30	19	4.1	5	0.89	11.35	1220	680	0.61	1830	2510
EHRC063	70	71	1.5	42	30	19	10.5	10	1.54	11.4	1140	1200	1.63	5210	6410
EHRC063	71	72	0.9	22	30	18.2	5.1	4	0.82	10.95	1260	571	0.57	2710	3281
EHRC064	40	44	0.5	215	380	0.24	3.1	100	8.31	0.67	19600	1250	0.2	4730	5980
EHRC064	44	48	0.8	234	430	0.11	3.8	103	8.33	0.66	21000	1460	0.18	5430	6890
EHRC064	48	52	0.1	266	360	0.08	2.4	79	11.7	0.94	12200	1070	0.22	6310	7380
EHRC064	52	53	0.1	382	190	0.05	2.4	112	20.8	2.64	6220	1300	0.21	9510	10810



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC064	53	54	0.1	411	140	0.04	1.8	125	23.7	3.1	4440	1300	0.21	11500	12800
EHRC064	54	55	0.1	566	80	0.04	1.8	186	32	2.75	3610	1590	0.2	13450	15040
EHRC064	55	56	0.1	569	80	0.04	1.8	192	31.9	2.74	3530	1900	0.21	13300	15200
EHRC064	56	57	0.1	486	120	0.04	1.5	162	28.8	2.47	4850	2030	0.21	12250	14280
EHRC064	57	58	0.1	417	100	0.6	9.4	138	27.7	2.03	6530	3550	0.2	12150	15700
EHRC064	58	59	0.6	333	130	2.63	17.1	124	23.5	2.86	7240	3590	0.19	11150	14740
EHRC064	59	60	0.6	232	120	6.26	15.7	87	16.9	4.81	6360	2790	0.18	8290	11080
EHRC064	60	61	0.5	132	90	12.3	4.7	48	8.37	7.95	3860	1170	0.37	3740	4910
EHRC064	61	62	0.5	73	70	16.2	2.4	24	4.38	9.93	2580	644	0.16	1920	2564
EHRC064	62	66	0.5	37	50	17.2	0.9	13	1.72	10.4	1830	244	0.2	618	862
EHRC064	66	70	1.3	127	140	13.05	6.5	35	5.93	8.23	7740	1930	0.21	4710	6640
EHRC064	70	74	0.6	95	200	12.9	33.2	40	6.39	8.28	11850	3930	0.17	7990	11920
EHRC064	74	78	0.8	43	90	14.3	10.1	13	1.97	8.82	2570	461	0.19	2250	2711
EHRC064	78	82	0.7	66	180	12.75	22.8	20	2.59	8.04	4800	1510	0.16	3810	5320
EHRC065	52	56	0.8	355	170	0.04	1.5	117	18.8	0.48	2870	1145	0.16	3090	4235
EHRC065	56	60	0.7	227	170	0.03	1	149	29.4	0.52	5020	2330	0.2	6710	9040
EHRC065	60	64	0.1	36	70	0.05	0.5	96	41.5	0.31	2080	2760	0.18	8470	11230
EHRC065	64	68	0.1	32	60	10.4	6.1	41	9.95	6.59	5950	1020	0.13	3990	5010
EHRC065	68	72	0.1	25	100	15.6	4.5	9	2.02	9.65	3310	181	0.07	1230	1411
EHRC066	44	48	1	124	160	0.03	0.6	104	12.6	0.42	2450	1250	0.15	2220	3470
EHRC066	48	52	0.9	85	230	0.03	0.5	134	14.35	0.47	12500	2430	0.15	1860	4290
EHRC066	52	56	0.6	89	380	0.03	0.5	184	26.3	0.34	16450	4130	0.16	3250	7380
EHRC066	56	60	0.7	79	600	1.08	0.5	91	19.25	1.09	1425	1610	0.16	3220	4830
EHRC067	138	139	4	81	240	0.03	47	129	3.23	0.46	120	11050	2.72	9320	20370
EHRC067	139	140	3.6	148	260	0.03	45.5	73	3.48	0.57	95	9630	3.89	13950	23580
EHRC067	140	141	6.1	307	160	0.03	153.5	63	9.3	0.51	96	7220	11.65	45700	52920
EHRC067	141	142	2.1	91	260	0.03	13.3	43	3.41	0.56	150	5290	2.09	4130	9420
EHRC067	142	143	5.3	125	230	0.03	53.2	43	4.29	0.53	72	12350	5.14	14450	26800
EHRC067	143	144	4.5	131	120	0.05	306	91	24.8	0.38	9890	5790	4.59	26500	32290
EHRC067	144	145	0.6	42	50	0.12	36.9	13	33	0.27	23700	873	1.01	7770	8643
EHRC067	145	146	0.7	55	60	0.12	24.1	12	35	0.28	21900	1440	1.57	11400	12840
EHRC067	146	147	0.5	53	60	0.1	17.1	9	34.9	0.32	22900	1020	0.85	9100	10120
EHRC067	147	148	2.9	55	40	0.12	20.9	52	34.8	0.56	18500	3330	7.49	9880	13210
EHRC067	148	149	3	78	60	0.15	37.3	45	34.3	0.36	24900	3540	6.41	15300	18840
EHRC067	149	150	1.2	47	50	0.14	30.6	21	36.5	0.37	26600	1480	2.68	11850	13330
EHRC067	150	151	1.6	60	50	0.16	25.5	20	36.3	0.4	26900	1820	2.73	12300	14120
EHRC067	151	152	3.2	62	50	0.15	33.7	46	35.3	0.36	25500	3100	6.22	13000	16100
EHRC067	152	153	0.7	50	70	0.13	48	16	32.1	0.44	25900	2350	1.83	13200	15550
EHRC067	153	154	1	76	120	0.13	37.3	20	31.5	0.49	24800	2090	2.45	12900	14990
EHRC067	154	155	0.1	47	130	0.15	28.6	8	27.9	0.34	26800	1130	0.84	12600	13730
EHRC067	155	156	0.1	31	180	0.13	33.5	4	17.95	0.36	18250	954	0.45	10450	11404
EHRC067	156	157	0.1	48	180	0.23	29.8	7	12.45	0.4	13000	1010	0.69	8180	9190
EHRC067	157	158	0.1	47	130	0.09	35.3	12	5.85	0.35	5990	1170	0.41	3920	5090
EHRC067	158	159	0.1	36	290	0.24	25.2	7	21.6	0.45	27000	766	0.43	12900	13666
EHRC067	159	160	0.1	70	160	2.93	17.1	215	12.25	2.86	22700	445	0.37	11300	11745
EHRC067	160	161	0.1	25	120	12.15	6.2	92	5.02	7.69	3710	177	0.17	1145	1322
EHRC067	161	162	0.1	56	140	10.1	7.6	123	6.44	6.65	8320	238	0.37	3730	3968
EHRC068	152	154	2	80	230	0.03	7.8	74	6.71	0.47	853	3310	0.54	2440	5750
EHRC068	154	155	3.7	118	350	0.03	53.3	74	2.44	0.49	107	8130	2.74	17150	25280
EHRC068	155	156	6	705	250	0.02	171	100	4.61	0.45	81	8470	7.14	50700	59170
EHRC068	156	157	5.4	199	150	0.03	66.8	70	10.45	0.42	302	4380	8.92	22100	26480
EHRC068	157	158	5	194	220	0.04	66.4	85	8.83	0.42	464	5450	7.36	20600	26050
EHRC068	158	159	7.5	196	190	0.04	36.1	151	9.98	0.41	128	12200	9.42	11400	23600
EHRC068	159	160	4.8	151	160	0.05	33	136	13.4	1.03	4330	6820	5.04	10900	17720
EHRC068	160	161	2.1	85	150	0.07	21.5	55	19.45	0.68	12350	2940	1.89	8460	11400
EHRC068	161	162	0.9	76	50	0.17	19.4	36	24.9	1.52	20400	1525	0.98	9670	11195
EHRC068	162	163	0.6	66	30	0.2	14.6	29	31.5	1.2	29200	1670	0.53	12700	14370
EHRC068	163	164	3.3	98	50	0.15	32.1	79	25.8	0.71	20800	3710	4.83	20200	23910
EHRC068	164	165	6.7	124	90	0.11	69.3	104	21.1	0.68	12400	11200	9.47	27200	38400
EHRC068	165	166	2.7	84	80	0.14	29.6	52	24.9	0.66	25300	3130	4.59	25000	28130
EHRC068	166	167	3.2	117	110	0.14	42.8	73	21.7	0.72	21000	3700	6.53	28400	32100
EHRC068	167	168	1.5	111	120	0.21	43.2	37	13.8	0.64	14600	2350	2.52	13100	15450
EHRC068	168	169	1.2	48	120	0.21	28.6	27	14.4	0.52	14250	1575	2.35	11650	13225
EHRC068	169	170	0.1	39	80	0.29	12.3	5	21.5	0.45	33700	417	0.44	26500	26917
EHRC069	21	22	0.1	<5	170	17.1	6	4	0.8	10.55	336	28	0.05	997	1025
EHRC069	22	23	0.1	<5	390	17.3	18.9	6	0.73	10.65	1630	29	0.08	2500	2529
EHRC069	23	24	0.1	<5	530	17.45	24.8	7	0.58	10.65	2240	18	0.07	3020	3038
EHRC069	24	25	0.1	<5	2370	12.55	19.6	23	1.15	8.04	8520	46	0.09	2670	2716
EHRC069	25	26	0.1	<5	1660	9.87	15.8	19	1.36	6.28	6740	54	0.12	2560	2614
EHRC069	26	27	0.1	6	2030	0.85	5.3	46	1.95	1.2	23200	86	0.09	1520	1606
EHRC069	27	28	0.1	5	1450	0.38	1.9	22	2.01	0.68	20700	92	0.08	588	680
EHRC070	100	101	1.5	20	310	0.04	120	164	5.42	0.52	317	3330	3.36	37000	40330
EHRC070	101	102	0.9	33	770	0.03	60.7	52	2.94	0.67	135	1575	1.77	14050	15625
EHRC070	102	103	0.9	31	1430	0.02	55.5	46	2.32	0.76	118	1635	1.45	12700	14335
EHRC070	103	104	1.2	29	660	0.04	57.3	72	3.83	0.54	206	2510	1.79	13950	16460
EHRC070	104	105	1.1	31	800	0.03	48.6	107	4.44	0.56	219	2050	1.75	12450	14500
EHRC070	105	106	0.7	25	750	0.03	29.1	76	5.35	0.57	332	1340	1.13	7340	8680
EHRC070	106	107	0.1	23	410	0.03	5.6	41	8.9	0.42	412	845	0.59	1785	2630
EHRC070	107	108	0.6	21	350	0.03	8.5	30	6.54	0.34	362	2250	0.59	2180	4430
EHRC070	108	109	1.9	44	240	0.04	32	169	5.07	0.57	176	2950	3.08	6290	9240
EHRC070	109	110	2.6	150	320	0.04	82.4	110	3.35	0.51	683	2370	2.96	24000	26370
EHRC070	110	111	0.8	90	930	0.09	20.5	56	15.2	0.68	23300	1040	1.22	12200	13240
EHRC070	111	112	1.3	103	720	0.14	23.7	99	13.35	1.12	19900	884	2.33	12800	13684
EHRC070	112	113	0.6	65	750	0.13	16.7	50	15.4	0.93	22100	748	1.02	6520	7268



HoleID	From_m	To_m	Ag_ppm	As_ppm	Ba_ppm	Ca_pc	Cd_ppm	Cu_ppm	Fe_pc	Mg_pc	Mn_ppm	Pb_ppm	S_pc	Zn_ppm	Zn + Pb ppm
EHRC070	113	114	0.6	66	440	0.13	12.4	38	22.8	0.57	38900	463	0.8	7210	7673
EHRC070	114	115	0.8	114	310	0.18	12.6	50	26.4	0.54	42200	844	1.75	8220	9064
EHRC070	115	116	2.4	119	480	0.13	18.1	81	14.2	1.53	18800	1160	2.46	6210	7370
EHRC070	116	117	1.2	178	870	0.12	15	73	9.31	1.75	10950	774	2.34	3690	4464
EHRC070	117	118	1.4	151	700	0.13	16	49	6.97	2.65	5010	523	2.41	2150	2673
EHRC070	118	119	1.6	132	680	0.39	16.1	45	6.47	2.97	3830	416	2.47	1860	2276
EHRC070	119	120	0.9	73	450	9.93	6.9	31	3.75	7.56	2550	216	1.47	857	1073
EHRC071	127	128	0.1	14	310	0.02	0.6	31	4.08	0.4	1310	145	0.15	264	409
EHRC071	128	129	3.9	22	390	0.02	0.5	27	2.77	0.49	885	264	0.14	191	455
EHRC071	129	130	0.6	28	780	0.07	13.6	78	6.76	0.52	12600	5250	0.15	3850	9100
EHRC071	130	131	0.5	30	1150	0.07	8	129	7.82	0.63	6590	4770	0.16	3140	7910
EHRC071	131	132	0.9	55	940	0.05	6.6	104	9.23	0.72	5790	1540	0.15	3240	4780
EHRC071	132	133	0.8	48	140	0.05	7	68	11.55	2.33	8360	810	0.17	3390	4200
EHRC071	133	134	0.8	33	140	0.05	6.4	106	10.45	2.91	7780	639	0.18	3270	3909
EHRC071	134	135	1.2	30	120	0.05	3.8	123	9.04	2.51	4710	487	0.19	2950	3437
EHRC071	135	136	2.3	33	80	0.05	2.8	172	7.98	1.95	4010	382	0.17	2690	3072
EHRC071	136	137	2.6	18	50	0.05	1.9	227	6.09	1.69	2990	225	0.13	2250	2475
EHRC071	137	138	2.9	29	90	0.05	1.9	304	7.58	1.96	3720	281	0.15	2840	3121
EHRC071	138	142	0.9	6	80	0.1	5.8	34	6.4	1.65	7400	230	0.31	2980	3210
EHRC071	142	146	0.1	8	350	0.14	2.5	5	7.33	3.44	6870	316	0.33	1750	2066
EHRC072	136	140	0.6	39	520	0.03	13.3	56	7.98	0.49	352	1140	0.37	3030	4170
EHRC072	140	141	1.2	23	1460	0.02	29.1	41	4.05	0.65	135	2170	0.43	4250	6420
EHRC072	141	142	0.5	38	1740	0.02	7.9	20	6.51	0.76	174	637	0.26	1655	2292
EHRC072	142	143	1.8	35	1040	0.03	44.7	40	9.91	0.55	173	3500	1.33	8430	11930
EHRC072	143	144	5.6	39	430	0.05	172.5	63	6.18	0.57	1660	10800	3.93	34700	45500
EHRC072	144	145	2.1	36	970	0.1	60.6	34	12.45	0.56	10200	3530	1.52	14050	17580
EHRC072	145	146	1.6	26	700	0.11	43.9	22	13.65	0.51	13650	3350	1.01	11950	15300
EHRC072	146	147	2.5	34	520	0.14	69.7	31	22.2	0.37	27000	4810	2.23	22300	27110
EHRC072	147	148	1.7	24	570	0.1	48.2	25	20	0.4	20800	3140	1.41	16000	19140
EHRC072	148	149	2.3	29	480	0.16	79.1	31	20.4	0.36	27300	3070	1.85	25600	28670
EHRC072	149	150	2	46	430	0.2	82.1	32	23.7	0.36	31300	2030	2.01	27200	29230
EHRC072	150	151	1.2	32	460	0.18	24.3	18	27.2	0.42	39000	1000	1.31	16700	17700
EHRC072	151	152	2.1	67	970	0.14	46.3	39	15.25	0.55	21100	1855	1.52	17250	19105
EHRC072	152	153	3.8	92	180	0.17	66.8	117	16.55	0.71	25700	4490	4.57	27400	31890
EHRC072	153	154	1.8	105	980	0.14	39.6	67	8.19	1.36	9580	2240	1.66	9890	12130
EHRC072	154	156	1	67	860	0.14	18.9	37	8.04	1.96	8370	992	1.01	4580	5572
EHRC072	156	160	1	41	230	13.2	14.8	20	4.28	8.39	4660	500	1.22	4620	5120
EHRC073	120	124	0.1	32	360	0.03	1.3	27	17.5	0.34	449	58	0.16	1150	1208
EHRC073	124	128	0.1	19	400	0.03	0.5	20	10.4	0.36	318	77	0.19	452	529
EHRC073	128	132	0.1	32	750	0.04	0.5	50	9.19	0.5	422	544	0.2	1035	1579
EHRC073	132	136	0.5	25	1000	0.04	1.5	49	7.69	0.75	312	939	0.81	1300	2239
EHRC073	136	140	1.5	47	490	0.06	9	74	16.4	0.34	9530	1130	1.11	3190	4320
EHRC073	140	144	0.9	53	350	0.29	6.5	48	25	0.46	23200	1070	1	2790	3860