



magnetic resources<sup>NL</sup>

ASX code: MAU  
ASX Release  
8 July 2021

## LADY JULIE NORTH TARGET EXPANDED TO 4.6KM WITH ADDITION OF P38/4170

After our high-grade results at Lady Julie North with the best and most consistent shallow intersection to date at Lady Julie, with 38m at 3.6g/t gold from 32m including 16m at 5.6g/t from 54m in MLJRC162, a 100% interest in P38/4170 was purchased from Mining Equities (shown in pink in Figure 1) for \$67,500 in cash.

P38/4170 (80 hectares) has numerous significant gold intersections within a 700m length including, 13m at 2.08g/t from 66m in RFRC014, 11m at 1.05g/t from 48m in RFAC109, 11m at 1.64g/t from 97m in RFRC015, 3m at 6.25g/t from 51m in RFAC307 (Figure 1 and Table 1). Two NS thrust zones also pass through the western edge of this tenement and are the same ones that contain our 36m at 3.6g/t from 32m in Hole 162 in Lady Julie North1 2km to the south. This addition expands the prospective target length of the Lady Julie North targets to 4.6km in length.

In addition, a 100% interest in P38/4126 has been acquired from Roger Thomas Graham for \$55,000 cash. This tenement has been mainly used by prospectors looking for nuggets and it contains many historical workings that lie along a NS thrust zone, which is only 500m west of our HN9 deposit (Figure 1). We completed some drilling just to the east of this tenement and we were targeting the NS thrust that passes through P38/4126 at depth and we intersected a high-grade zone with 1m at 58.5g/t from 91m in MHNRC1010.

A detailed drilling programme of 110 holes totaling 10,310m is in progress mainly covering Lady Julie North 1, 2, 3, Lady Julie Central, HN9, HN5 West and HN9 Thrust 3 (Figure 1 and Table 1).

In addition, due to the success of the soil geochemistry method working over the HN9 deposit and the new high-grade intersection at Lady Julie North1 a large soil geochemistry programme is starting, utilising a detailed 50mx50m grid over 2.2 sq km area and is being carried out directly north of Lady Julie North1 and includes coverage over the newly acquired P38/4170 and P38/4126.




Figure 1 Gold intersection overview covering the HN5, HN6, HN9 and adjacent Lady Julie Projects showing ten additional gold targets covering 15.7km with highlighted intersections (yellow label) and two purchased tenements P38/4170 and P38/4126 (pink shade). Significant historical and Magnetic intercepts (max Au projected to surface) and 40 RC and 4 Diamond holes for 4,264m with assays pending in blue and planned 110 RC holes for 10,310m in yellow.

**Table 1. Target Summary HN5, HN6, HN9 and Lady Julie**


<b>Target</b>	<b>Length km</b>	<b>Significant gold intersection</b>	<b>Description</b>
Lady Julie North (1-4)	4.6	MLJRC162 38m @ 3.55g/t from 32m	Wide high-grade intersection with 50ppb soil anomaly. Two thrusts and workings and new lease P38/4170.
Lady Julie Central	1.5	MLJRC214 4m @ 16.66g/t from 32m	New NNE-trending gold zone with some excellent high-grade intersections.
Lady Julie East	1.7	MLJRC183 4m @ 1.49g/t from 16m	Southern extension of near-surface high-grade results
HN9 thickened zone	1.5	MHNRC582 104m @ 0.82g/t from 8m	Open 1km to the NE. New holes planned.
HN9 fold	1.5	RFAC408 5m @ 2.35g/t from 49m	Unusual EW trend, part of large regional folding
HN9 Thrust 2	1.2	HNR008 2m @ 12.83g/t from 36m	Drilling extension of high-grade intersection planned.
HN9 Thrust 3	1.2	MHNRC1010 1m @ 58.48g/t from 91m	Drilling extension of new intersection and new lease P38/4126 with thrust.
HN5 West	0.3	MHNRC1015 4m @ 62.51g/t from 52m	Drilling of very high-grade intersection planned
HN5 South	0.7	No drilling to-date	NW extension of Eagles Nest workings
HN6 Thrust 2	1.5	MHNRC1041 1m @ 3.06g/t from 40m	Extension of intersection and initial testing of workings planned.
<b>Total</b>	<b>15.7</b>		

The eight thrust zones that come to surface continue to the north and south over an extensive 6km length and shallow RAB and or soil geochemistry is being planned to help outline any further anomalous gold areas worthy of follow up drilling.

There are now at least four discernible mineralised lodes recognised that mostly dip shallowly around 20–30° to the east and plunge shallowly to the northeast within the Central Thickened zone. There are at least four stacked thickened lodes with some very thick intersections including 104m at 0.82g/t from 8m in MHNRC582 including 20m at 2.23g/t from 95m and 70m at 0.49g/t from 13m in MHNRC541. These multi-stacked thickened lodes show similarities with the adjacent Wallaby, Sunrise Dam and Jupiter major gold deposits. More results are pending for this area and further drilling is in progress to the NE where it remains open.

This Central Thickened Zone crosscuts the NNW-trending near-surface flat-dipping mineralisation and may represent a blowout zone at the intersection of the NNW shear zone with NE-trending porphyries and dolerites, where four separate shallow-dipping porphyry zones coalesce and thicken.

Following on from these exciting new results and outlining of targets associated with the thrust zones, a large drill programme of 110 RC holes for 10,310m testing the ten target areas (Figure 1 and Table 4).



**Figure 2. Location Map showing Hawks Nest and Lady Julie Projects near major gold mines.**

**Table 2. HN5, 6, 9 and Lady Julie Significant Drilling Intercepts Gold >1g/t with >2g/t highlighted.**

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
<b>RC - Magnetic Resources NL 2.5m composites and 1m splits 22nd June 2021</b>							
MHNRC19	427305	6826077	18	19	1	2.11	E38/3127
MHNRC48	427179	6826508	5	12	7	4.44	E38/3127
MHNRC50	427173	6826473	16	17	1	1.59	E38/3127
MHNRC52	427163	6826503	6	7	1	1.45	E38/3127
MHNRC58	427052	6826607	10	11	1	1.39	E38/3127
MHNRC58			22	24	2	1.8	
MHNRC63	427234	6826309	3	4	1	1.02	E38/3127
MHNRC70	427149	6826522	5	6	1	1.46	E38/3127
MHNRC71	427155	6826530	2	4	2	1.5	E38/3127
MHNRC103	427296	6826215	20	24	4	1.01	E38/3127
MHNRC103b	427104	6826444	19	20	1	4.57	E38/3127
MHNRC111	427253	6826330	53	54	1	1.77	E38/3127
MHNRC124	428952	6822397	14	15	1	1	E38/3127
MHNRC125	429140	6822367	8	9	1	1.84	M38/1041
MHNRC126	429165	6822366	20	21	1	1.86	M38/1041
MHNRC127	429076	6822369	16	17	1	1.03	M38/1041
MHNRC129	429238	6822208	5	6	1	1.32	M38/1041

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC131	429225	6822271	3	4	1	1.45	M38/1041
MHNRC135	429661	6821344	18	19	1	2.4	E38/3127
MHNRC136	429516	6821406	6	7	1	1.96	E38/3127
MHNRC139	429550	6821541	11	12	1	1.23	E38/3127
MHNRC139			16	17	1	1.16	
MHNRC140	429550	6821615	20	23	3	2.62	E38/3127
MHNRC142	429524	6821702	14	15	1	4.27	E38/3127
MHNRC143	429558	6821740	29	30	1	4.43	E38/3127
MHNRC144	429537	6821824	22	27	5	2.32	E38/3127
MHNRC145	429560	6821825	35	37	2	4.56	E38/3127
MHNRC146	429463	6821761	5	6	1	2.22	E38/3127
MHNRC146			9	10	1	1.49	
MHNRC147	429465	6821858	5	11	6	2.07	E38/3127
MHNRC149	429496	6821889	24	29	5	1.7	E38/3127
MHNRC150	429512	6821921	27	28	1	3.67	E38/3127
MHNRC151	429536	6821924	37	40	3	1.86	E38/3127
MHNRC152	429417	6822022	13	17	4	1.25	E38/3127
MHNRC152			19	20	1	2	
MHNRC153	429378	6822014	3	6	3	1.26	E38/3127
MHNRC153			9	11	2	5.71	
MHNRC154	429422	6822060	19	21	2	1.43	E38/3127
MHNRC154			26	30	4	1.05	
MHNRC154			36	37	1	2.15	
MHNRC155	429440	6822073	26	31	5	1.21	E38/3127
MHNRC165	429540	6822168	70	71	1	1.67	E38/3127
MHNRC167	429432	6821993	9	12	3	4.13	E38/3127
MHNRC170	429435	6821901	2	3	1	1.2	E38/3127
MHNRC172	429474	6821674	6	9	3	1.39	E38/3127
MHNRC175	429539	6821584	1	3	2	1.05	E38/3127
MHNRC179	429670	6821219	6	7	1	1.13	E38/3127
MHNRC179			27	29	2	1.5	
MHNRC179			36	37	1	1.05	
MHNRC182	429592	6821346	20	21	1	1.04	E38/3127
MHNRC182			35	36	1	1.03	
MHNRC183	429395	6821973	4	7	3	1.3	E38/3127
MHNRC184	429414	6821984	2	3	1	1.47	E38/3127
MHNRC184			11	12	1	1.45	
MHNRC191	429068	6822429	7	8	1	1.21	M38/1041
MHNRC193	428980	6822382	1	2	1	1.11	E38/3127
MHNRC194	429195	6822368	13	14	1	1.58	M38/1041
MHNRC196	429289	6822212	27	28	1	1.17	M38/1041
MHNRC197	429391	6822116	20	23	3	1.01	E38/3127
MHNRC198	429476	6822089	42	44	2	1.33	E38/3127
MHNRC198			53	54	1	1.75	
MHNRC199	429451	6822040	29	30	1	1.44	E38/3127
MHNRC199			33	34	1	2.27	
MHNRC200	429569	6821925	48	50	2	1.21	E38/3127
MHNRC200			53	54	1	5.9	
MHNRC202	429491	6821856	12	13	1	8.09	E38/3127
MHNRC202			16	17	1	1.51	
MHNRC203	429590	6821827	45	48	3	3.56	E38/3127
MHNRC204	429493	6821763	11	15	4	2.99	E38/3127
MHNRC205	429611	6821735	49	51	2	2.14	E38/3127
MHNRC206	429556	6821719	23	24	1	6.51	E38/3127
MHNRC210	429648	6821440	45	46	1	1.06	E38/3127
MHNRC211	429690	6821344	18	19	1	1.82	E38/3127
MHNRC214	429014	6822533	35	36	1	1.01	E38/3127
MHNRC215	429048	6822553	45	50	5	1.05	E38/3127
MHNRC218	429316	6822215	16	17	1	1.68	M38/1041
MHNRC218			28	29	1	2.75	

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC219	429366	6822188	30	32	2	2.78	E38/3127
MHNRC220	429420	6822136	28	29	1	4.34	E38/3127
MHNRC221	429502	6822102	59	60	1	1.06	E38/3127
MHNRC222	429489	6822064	41	46	5	1.67	E38/3127
MHNRC223	429465	6822016	26	27	1	3.46	E38/3127
MHNRC223			33	34	1	1.17	
MHNRC224	429428	6821959	2	3	1	1.9	E38/3127
MHNRC229	429543	6821856	29	30	1	1.49	E38/3127
MHNRC229			33	35	2	3.61	
MHNRC231	429537	6821761	19	21	2	1.55	E38/3127
MHNRC231			24	25	1	2.58	
MHNRC232	428121	6821635	32	33	1	2.95	E38/3127
MHNRC235	429648	6821343	50	51	1	1.02	E38/3127
MHNRC242	429729	6821098	18	19	1	1.12	E38/3127
MHNRC243	429757	6821097	16	17	1	1.41	E38/3127
MHNRC244	429786	6821097	35	36	1	1.3	E38/3127
MHNRC252	429017	6822400	15	16	1	1.78	E38/3127
MHNRC254	429094	6822366	1	2	1	1.44	M38/1041
MHNRC254			17	20	3	4.84	
MHNRC258	429205	6822177	19	20	1	2.88	M38/1041
MHNRC261	429394	6822043	9	13	4	2.58	E38/3127
MHNRC261			15	16	1	1.64	
MHNRC263	429403	6822018	9	10	1	2.65	E38/3127
MHNRC263			15	16	1	1.07	
MHNRC268	429475	6821922	18	19	1	3.09	E38/3127
MHNRC270	429452	6821898	0	6	6	2.74	E38/3127
MHNRC270			7	8	1	3.15	
MHNRC273	429448	6821861	0	1	1	1	E38/3127
MHNRC273			4	5	1	3.08	
MHNRC275	429464	6821835	8	9	1	1.53	E38/3127
MHNRC275			11	12	1	1.18	
MHNRC276	429432	6821838	0	1	1	1.06	E38/3127
MHNRC276			3	4	1	1	
MHNRC277	429481	6821822	13	14	1	3.23	E38/3127
MHNRC278	429465	6821822	8	9	1	1.86	E38/3127
MHNRC280	429451	6821762	1	4	3	4.43	E38/3127
MHNRC282	429484	6821745	7	12	5	2.57	E38/3127
MHNRC284	429511	6821718	9	10	1	2.12	E38/3127
MHNRC287	429490	6821684	2	3	1	1.19	E38/3127
MHNRC287			4	8	4	5.5	
MHNRC289	429524	6821647	6	7	1	1.2	E38/3127
MHNRC289			12	13	1	1.07	
MHNRC292	429507	6821614	6	8	2	5.26	E38/3127
MHNRC294	429617	6821584	42	43	1	1.38	E38/3127
MHNRC294			49	50	1	1.04	
MHNRC295	429521	6821581	8	9	1	1	E38/3127
MHNRC297	429538	6821541	9	10	1	1.09	E38/3127
MHNRC297			13	17	4	1.08	
MHNRC300	429576	6821511	20	21	1	1.34	E38/3127
MHNRC302	429569	6821439	4	7	3	2.48	E38/3127
MHNRC302			11	12	1	2.71	
MHNRC332	429649	6820901	5	8	3	1.33	E38/3127
MHNRC332			13	14	1	1.95	
MHNRC333	429697	6820902	24	25	1	1.5	E38/3127
MHNRC333			28	30	2	1.2	
MHNRC337	429597	6820801	8	10	2	1.72	E38/3127
MHNRC371	428992	6822720	34	35	1	1.35	E38/3127
MHNRC373	429039	6822642	72	73	1	2.53	E38/3127
MHNRC377	429195	6822500	46	47	1	1.37	M38/1041
MHNRC378	429240	6822524	51	52	1	4.15	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC380	429275	6822368	30	31	1	2.18	M38/1041
MHNRC381	429339	6822371	42	44	2	4.38	E38/3127
MHNRC383	429369	6822277	36	37	1	1.43	E38/3127
MHNRC383			48	49	1	4.36	
MHNRC387	429453	6822151	37	38	1	1.08	E38/3127
MHNRC388	429494	6822178	48	49	1	5.38	E38/3127
MHNRC389	429523	6822079	53	54	1	1.2	E38/3127
MHNRC391	429361	6822026	5	6	1	3.25	E38/3127
MHNRC392	429371	6822036	2	6	4	1.98	E38/3127
MHNRC392			9	11	2	2.34	
MHNRC394	429573	6822001	62	63	1	2.86	E38/3127
MHNRC397	429441	6821960	8	9	1	1.57	E38/3127
MHNRC397			11	12	1	1.64	
MHNRC398	429438	6821940	8	9	1	3	E38/3127
MHNRC400	429444	6821925	3	7	4	1.14	E38/3127
MHNRC400			8	9	1	1.49	
MHNRC401	429441	6821911	3	4	1	2.56	E38/3127
MHNRC402	429449	6821909	6	7	1	4.03	E38/3127
MHNRC403	429471	6821912	6	12	6	1.88	E38/3127
MHNRC403			13	14	1	2.46	
MHNRC404	429482	6821912	10	11	1	8.14	E38/3127
MHNRC410	429464	6821875	7	8	1	11.21	E38/3127
MHNRC411	429432	6821860	8	9	1	2.15	E38/3127
MHNRC414	429440	6821838	5	6	1	3.09	E38/3127
MHNRC415	429474	6821836	14	15	1	9.68	E38/3127
MHNRC416	429485	6821836	11	12	1	11.87	E38/3127
MHNRC417	429571	6821856	42	44	2	1.36	E38/3127
MHNRC421	429580	6821715	30	31	1	1.15	E38/3127
MHNRC421			34	35	1	2.28	
MHNRC421			38	39	1	1.92	
MHNRC422	429576	6821763	31	32	1	4.94	E38/3127
MHNRC433	429507	6821103	4	5	1	2.44	E38/3127
MHNRC436	429519	6821050	10	11	1	1.91	E38/3127
MHNRC441	429690	6821061	20	21	1	1.09	E38/3127
MHNRC443	429753	6821001	40	41	1	1.29	E38/3127
MHNRC444	429779	6820972	47	48	1	1.46	E38/3127
MHNRC445	429823	6821098	46	47	1	1.73	E38/3127
MHNRC455	429122	6822355	2	3	1	1.19	M38/1041
MHNRC456	429139	6822352	16	19	3	10.99	M38/1041
MHNRC458	429392	6822061	12	17	5	1.43	E38/3127
MHNRC459	429406	6822040	18	20	2	1.56	E38/3127
MHNRC461	429472	6821954	19	20	1	2.41	E38/3127
MHNRC462	429446	6821781	5	6	1	1.77	E38/3127
MHNRC464	429478	6821753	6	8	2	1.8	E38/3127
MHNRC465	429488	6821755	8	9	1	1.19	E38/3127
MHNRC465			14	15	1	4.76	
MHNRC466	429469	6821690	1	3	2	2.73	E38/3127
MHNRC468	429491	6821704	6	7	1	1.51	E38/3127
MHNRC469	429496	6821661	2	3	1	1.53	E38/3127
MHNRC469			5	6	1	1.4	
MHNRC470	429507	6821671	5	7	2	3.15	E38/3127
MHNRC470			13	17	4	2.31	
MHNRC473	429510	6821634	8	12	4	1.83	E38/3127
MHNRC474	429507	6821603	6	7	1	1.87	E38/3127
MHNRC476	429015	6822430	8	9	1	6.52	M38/1041
MHNRC476			15	16	1	1.95	
MHNRC479	428906	6822400	57	58	1	1.82	E38/3127
MHNRC482	429039	6822440	20	22	2	4.02	M38/1041
MHNRC489	429503	6821835	17	22	5	3.07	E38/3127
MHNRC490	429613	6821764	44	45	1	2.49	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC496	429677	6821249	48	49	1	1.44	E38/3127
MHNRC496			58	59	1	6.34	
MHNRC497	429675	6821202	7	8	1	1.01	E38/3127
MHNRC497			18	19	1	1.44	
MHNRC497			22	25	3	1.04	
MHNRC500	429673	6820948	1	2	1	1.56	E38/3127
MHNRC500			8	9	1	1.79	
MHNRC501	429722	6820945	25	26	1	1.08	E38/3127
MHNRC507	428938	6822450	11	14	3	1.01	E38/3127
MHNRC508	429647	6821926	76	77	1	3.01	E38/3127
MHNRC511	429510	6822122	53	56	3	2.24	E38/3127
MHNRC514	429097	6822389	6	7	1	2.23	M38/1041
MHNRC515	429129	6822355	3	5	2	1.34	M38/1041
MHNRC516	429152	6822355	6	8	2	1.25	M38/1041
MHNRC517	429109	6822340	10	12	2	1.23	M38/1041
MHNRC520	429154	6822339	19	20	1	1.29	M38/1041
MHNRC521	429164	6822339	16	17	1	14.56	M38/1041
MHNRC524	429137	6822315	6	9	3	1.42	M38/1041
MHNRC524			13	14	1	2.15	
MHNRC529	429387	6822098	16	18	2	1.11	E38/3127
MHNRC531	429391	6822081	14	20	6	2.16	E38/3127
MHNRC535	429484	6821662	6	7	1	1.79	E38/3127
MHNRC536	429558	6821479	18	19	1	1.5	E38/3127
MHNRC541	429709	6821254	24	25	1	1.32	E38/3127
MHNRC541			55	58	3	2.3	
MHNRC541			62	66	4	1.08	
MHNRC541			73	74	1	1.03	
MHNRC546	429656	6821167	0	1	1	1.08	E38/3127
MHNRC546			12	13	1	1.23	
MHNRC552	429730	6821136	23	24	1	2.87	E38/3127
MHNRC553	429760	6821136	33	34	1	1.46	E38/3127
MHNRC558	428990	6822450	14	15	1	1.2	E38/3127
MHNRC558			21	22	1	4.39	
MHNRC559	428984	6822676	81	82	1	1.05	E38/3127
MHNRC563	429759	6821180	28	32	4	1.05	E38/3127
MHNRC564	429721	6821289	60	61	1	6.77	E38/3127
MHNRC564			71	72	1	1.08	
MHNRC576	429147	6822355	3	4	1	1.52	M38/1041
MHNRC576			7	8	1	1.09	
MHNRC577	429536	6822126	67	69	2	2.79	E38/3127
MHNRC579	429654	6821741	58	59	1	1.49	E38/3127
MHNRC579			67	69	2	2.74	
MHNRC581	429849	6821169	27	28	1	1.6	E38/3127
MHNRC581			37	38	1	1.78	
MHNRC581			73	74	1	1.08	
MHNRC582	429790	6821311	8	9	1	27.72	E38/3127
MHNRC582			56	57	1	5.04	
MHNRC582			104	105	1	39.72	
MHNRC583	429769	6821252	37	38	1	2.89	E38/3127
MHNRC583			48	49	1	1.08	
MHNRC585	429853	6821315	1	2	1	2.59	E38/3127
MHNRC586	429831	6821341	75	76	1	1.61	E38/3127
MHNRC586			79	80	1	1	
MHNRC586			111	112	1	1.13	
MHNRC586			116	117	1	1.35	
MHNRC586			120	125	5	1.41	
MHNRC587	429859	6821378	94	97	3	1.27	E38/3127
MHNRC587			117	118	1	1.2	
MHNRC590	429600	6821133	39	40	1	1.2	E38/3127
MHNRC593	429410	6822089	21	22	1	2.04	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC596	429190	6822339	19	21	2	1.92	M38/1041
MHNRC605	429459	6821049	36	37	1	1.44	E38/3127
MHNRC606	429919	6821553	124	125	1	1.18	E38/3127
MHNRC608	429594	6822121	80	81	1	2.08	E38/3127
MHNRC608			85	86	1	2.94	
MHNRC609	429179	6822401	12	13	1	1.22	M38/1041
MHNRC609			26	27	1	4.44	
MHNRC610	429101	6822528	40	42	2	1.81	E38/3127
MHNRC613	429600	6822200	72	73	1	1.21	E38/3127
MHNRC613			82	83	1	1.31	
MHNRC614	429258	6822545	58	59	1	1.85	E38/3127
MHNRC618	428709	6822652	56	57	1	1.14	E38/3127
MHNRC620	428844	6822638	67	71	4	2.36	E38/3127
MHNRC621	428786	6822606	57	58	1	2.34	E38/3127
MHNRC625	429226	6822658	77	78	1	1.87	E38/3127
MHNRC626	429035	6822486	28	29	1	1.81	E38/3127
MHNRC627	429456	6822116	35	37	2	5.41	E38/3127
MHNRC628	429434	6822104	9	10	1	2.72	E38/3127
MHNRC628			29	31	2	7.34	
MHNRC649	429901	6821426	89	90	1	6.43	E38/3127
MHNRC649			111	112	1	1.41	
MHNRC649			123	124	1	1.92	
MHNRC650	429892	6821377	120	121	1	5.77	E38/3127
MHNRC651	429829	6821377	84	85	1	1.23	E38/3127
MHNRC651			95	96	1	2.04	
MHNRC651			101	102	1	1.04	
MHNRC651			105	106	1	1.13	
MHNRC652	429864	6821346	89	90	1	1.27	E38/3127
MHNRC652			123	124	1	2.13	
MHNRC656	429721	6821311	59	60	1	11.08	E38/3127
MHNRC657	429692	6821284	47	48	1	1.59	E38/3127
MHNRC658	429759	6821284	41	42	1	1.4	E38/3127
MHNRC659	429738	6821250	28	30	2	1.43	E38/3127
MHNRC659			39	40	1	1.04	
MHNRC660	429644	6821224	12	13	1	1.01	E38/3127
MHNRC663	429552	6821200	24	28	4	1.21	E38/3127
MHNRC665	429660	6821199	33	34	1	1.53	E38/3127
MHNRC666	429688	6821200	29	30	1	1.68	E38/3127
MHNRC666			33	34	1	1.86	
MHNRC667	429662	6821165	24	25	1	1.51	E38/3127
MHNRC673	429604	6821073	45	46	1	85.64	E38/3127
MHNRC678	429793	6821049	18	20	2	1.29	E38/3127
MHNRC679	429820	6820997	1	2	1	2.84	E38/3127
MHNRC679			72	73	1	2.13	
MHNRC684	429831	6820901	73	76	3	1.76	E38/3127
MHNRC692	429408	6820557	55	56	1	4.32	E38/3127
MHNRC696	429639	6820385	111	112	1	1.28	E38/3127
MHNRC700	429670	6821101	16	18	2	2.03	E38/3127
MHNRC702	429505	6821002	2	3	1	2.32	E38/3127
MHNRC710	429754	6821346	78	79	1	6.29	E38/3127
MHNRC711	429867	6821000	43	44	1	2.21	E38/3127
MHNRC716	428743	6822586	37	38	1	1.08	E38/3127
MHNRC716			54	55	1	1.04	
MHNRC718	429716	6820392	108	114	6	3.47	E38/3127
MHNRC720	429683	6821237	35	36	1	1.16	E38/3127
MHNRC720			54	55	1	1.06	
MHNRC720			69	70	1	1.54	
MHNRC721	429721	6821236	19	22	3	1.74	E38/3127
MHNRC723	429730	6821268	4	5	1	1.09	E38/3127
MHNRC723			18	19	1	1.01	

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC723			29	30	1	1.02	
MHNRC724	429803	6821282	55	56	1	1.39	E38/3127
MHNRC727	429790	6821331	77	78	1	1.22	E38/3127
MHNRC727			85	86	1	1.22	
MHNRC728	429832	6821328	77	78	1	1.33	E38/3127
MHNRC728			100	101	1	1.19	
MHNRC728			104	105	1	3.25	
MHNRC729	429870	6821426	118	119	1	1.89	E38/3127
MHNRC730	429928	6821474	115	117	2	1.53	E38/3127
MHNRC730			136	137	1	1.92	
MHNRC731	429536	6821801	25	31	6	3.63	E38/3127
MHNRC732	429572	6821802	35	37	2	3.65	E38/3127
MHNRC733	429613	6821802	50	54	4	1.38	E38/3127
MHNRC733			55	57	2	2.08	
MHNRC734	429500	6821877	19	23	4	4.11	E38/3127
MHNRC736	429547	6822280	67	68	1	1.72	E38/3127
MHNRC738	429069	6822463	18	19	1	1.16	M38/1041
MHNRC743	428823	6822883	57	58	1	2.88	E38/3127
MHNRC780	429733	6820451	84	86	2	6.75	E38/3127
MHNRC780			139	140	1	1.4	
MHNRC780			145	146	1	1.34	
MHNRC781	429753	6820506	55	56	1	1.95	E38/3127
MHNRC783	429372	6822152	21	22	1	1.01	E38/3127
MHNRC784	429402	6822168	25	26	1	1.22	E38/3127
MHNRC785	429430	6822185	42	43	1	1.29	E38/3127
MHNRC788	429344	6822251	32	33	1	1.53	E38/3127
MHNRC788			42	43	1	1.01	
MHNRC795	429336	6822325	45	47	2	2.46	E38/3127
MHNRC796	429375	6822326	44	46	2	2.65	E38/3127
MHNRC796			53	54	1	1.18	
MHNRC797	429173	6822441	32	33	1	4.91	M38/1041
MHNRC798	429212	6822460	42	43	1	1	M38/1041
MHNRC799	429258	6822483	48	52	4	1.78	E38/3127
MHNRC801	429255	6822426	40	43	3	3.39	M38/1041
MHNRC802	429291	6822444	49	51	2	1.46	E38/3127
MHNRC811	429695	6820979	9	10	1	1.11	E38/3127
MHNRC812	429771	6821169	31	33	2	2.09	E38/3127
MHNRC814	429800	6821202	13	15	2	20.5	E38/3127
MHNRC814			40	41	1	2.59	
MHNRC814			45	46	1	3.09	
MHNRC815	429854	6821201	69	70	1	1.4	E38/3127
MHNRC816	429523	6821024	12	13	1	1.74	E38/3127
MHNRC822	429138	6822294	18	19	1	2.45	M38/1041
MHNRC823	429159	6822295	15	16	1	1.11	M38/1041
MHNRC828	429540	6822044	53	57	4	2.6	E38/3127
MHNRC828			60	61	1	1.93	
MHNRC829	429568	6821966	57	58	1	1.29	E38/3127
MHNRC830	429569	6821891	43	44	1	5.86	E38/3127
MHNRC831	429591	6821682	36	37	1	1.69	E38/3127
MHNRC833	429656	6821615	65	66	1	1.25	E38/3127
MHNRC835	429157	6822557	60	61	1	2.54	E38/3127
MHNRC836	429294	6822558	66	71	5	3.24	E38/3127
MHNRC837	429181	6822356	5	6	1	1.17	M38/1041
MHNRC837			11	12	1	1.39	
MHNRC838	429136	6822353	18	19	1	3.47	M38/1041
MHNRC839	429135	6822367	8	9	1	2.5	M38/1041
MHNRC842	429116	6822409	18	19	1	1.98	M38/1041
MHNRC843	428994	6822421	11	14	3	1.44	E38/3127
MHNRC844	429577	6822151	83	85	2	4.1	E38/3127
MHNRC848	429533	6821912	33	38	5	1.75	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC852	429536	6821844	29	30	1	1.33	E38/3127
MHNRC853	429483	6821805	10	14	4	1.89	E38/3127
MHNRC855	429643	6821766	58	61	3	8.07	E38/3127
MHNRC857	429495	6821779	18	19	1	1.08	E38/3127
MHNRC858	429536	6821780	21	23	2	3.79	E38/3127
MHNRC858			26	27	1	1.35	
MHNRC861	429498	6821687	7	9	2	7.25	E38/3127
MHNRC862	429542	6821689	18	20	2	4.74	E38/3127
MHNRC864	429575	6821618	34	35	1	2.64	E38/3127
MHNRC871	429548	6821402	21	22	1	1.11	E38/3127
MHNRC872	429590	6821402	13	14	1	1.37	E38/3127
MHNRC872			19	20	1	1.1	
MHNRC873	429517	6821310	12	13	1	1.39	E38/3127
MHNRC873			16	17	1	1.64	
MHNRC873			20	21	1	1.34	
MHNRC874	429522	6821249	1	5	4	1.47	E38/3127
MHNRC875	429605	6821247	45	46	1	1.2	E38/3127
MHNRC876	429555	6821228	28	29	1	1.25	E38/3127
MHNRC876			31	32	1	1.1	
MHNRC879	429621	6820802	1	2	1	1.68	E38/3127
MHNRC883	429671	6820906	16	17	1	1.19	E38/3127
MHNRC889	429837	6821054	9	10	1	1.04	E38/3127
MHNRC890	429846	6821099	8	9	1	1.36	E38/3127
MHNRC890			11	12	1	1.25	
MHNRC891	429829	6821136	63	64	1	3.19	E38/3127
MHNRC892	429841	6821288	67	68	1	1.93	E38/3127
MHNRC897	429839	6821428	88	89	1	1.18	E38/3127
MHNRC906	429909	6821455	130	131	1	2.01	E38/3127
MHNRC911	429942	6821427	134	135	1	1.08	E38/3127
MHNRC913	429705	6821400	69	70	1	1.48	E38/3127
MHNRC913			125	126	1	1.01	
MHNRC914	429748	6821400	49	50	1	1.22	E38/3127
MHNRC916	429908	6821400	109	111	2	3.88	E38/3127
MHNRC916			127	129	2	1.31	
MHNRC917	429956	6821400	57	58	1	1.3	E38/3127
MHNRC917			125	127	2	5.14	
MHNRC919	429968	6821376	26	27	1	1.49	E38/3127
MHNRC919			122	123	1	6.99	
MHNRC919			126	127	1	3.59	
MHNRC919			141	142	1	1.84	
MHNRC919			148	149	1	1.05	
MHNRC919			157	159	2	2.31	
MHNRC921	429920	6821345	105	107	2	2.31	E38/3127
MHNRC921			126	127	1	4.3	
MHNRC934	429713	6820477	64	68	4	1.4	E38/3127
MHNRC936	429700	6820447	84	92	8	1.1	E38/3127
MHNRC938	429765	6820447	89	90	1	1.15	E38/3127
MHNRC940	429725	6820420	92	96	4	3.17	E38/3127
MHNRC946	429727	6820334	136	140	4	1.05	E38/3127
MHNRC971	429616	6821891	36	40	4	1.04	E38/3127
MHNRC971			64	68	4	2.12	
MHNRC973	429348	6822587	72	76	4	1.1	E38/3127
MHNRC978	429159	6822708	92	96	4	4.66	E38/3127
MHNRC1006	429820	6821200	48	52	4	1.12	E38/3127
MHNRC1008	429800	6821190	40	45	5	1.51	E38/3127
MHNRC1010	429043	6821298	91	92	1	58.48	E38/3127
MHNRC1010			96	97	1	1.69	
MHNRC1015	427030	6826100	52	56	4	62.51	E38/3127
MHNRC1036	427357	6826494	63	64	1	1.43	E38/3127
MHNRC1041	428402	6825941	40	41	1	3.06	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC004	431878	6823860	36	37	1	1.24	E38/3127
MLJRC026	430817	6821180	33	34	1	1.1	P38/4383
MLJRC026			48	50	2	1.21	
MLJRC026			53	54	1	4.47	
MLJRC031	431124	6821002	60	61	1	1.08	P38/4383
MLJRC038	430938	6821730	17	19	2	1.76	P38/4346
MLJRC039	430953	6821730	29	31	2	5.44	P38/4346
MLJRC042	430938	6821785	9	10	1	8.38	P38/4346
MLJRC043	430953	6821785	23	24	1	2.26	P38/4346
MLJRC050	431620	6822510	12	13	1	1.06	P38/4346
MLJRC051	431640	6822510	20	23	3	1.4	P38/4346
MLJRC053	431600	6822600	25	26	1	1.33	P38/4346
MLJRC054	431600	6822556	6	7	1	7.51	P38/4346
MLJRC063	431967	6822952	24	25	1	4.09	P38/4379
MLJRC066	431945	6823008	6	7	1	1.2	P38/4379
MLJRC067	431965	6823008	21	22	1	1.35	P38/4379
MLJRC067			24	25	1	1.03	
MLJRC067			33	34	1	1.73	
MLJRC073	431940	6823058	15	16	1	18.18	P38/4379
MLJRC076	431940	6823090	1	7	6	1.79	P38/4379
MLJRC076			11	13	2	1.85	
MLJRC080	431950	6823170	27	28	1	4.91	P38/4379
MLJRC081	431925	6823220	22	23	1	1.03	P38/4379
MLJRC083	431925	6823270	5	8	3	1.78	P38/4379
MLJRC084	431950	6823270	9	12	3	1.26	P38/4379
MLJRC085	431918	6823310	2	3	1	1.97	P38/4379
MLJRC090	430950	6822397	21	22	1	1.32	P38/4346
MLJRC106	430935	6821700	22	23	1	1.18	P38/4346
MLJRC114	431987	6822952	26	27	1	1.29	P38/4379
MLJRC115	431986	6823008	31	32	1	6.16	P38/4379
MLJRC115			42	43	1	1.18	
MLJRC115			52	53	1	2.32	
MLJRC116	431981	6823090	16	17	1	1.63	P38/4379
MLJRC117	431973	6823171	14	15	1	1.15	P38/4379
MLJRC117			47	54	7	1.68	
MLJRC117			57	58	1	2.14	
MLJRC123	431981	6823220	65	67	2	1.35	P38/4379
MLJRC123			73	78	5	2.17	
MLJRC128	432020	6822952	45	46	1	2.68	P38/4379
MLJRC129	432037	6823009	84	85	1	1.05	P38/4379
MLJRC130	432038	6823091	53	54	1	1.03	P38/4379
MLJRC130			155	156	1	1.01	
MLJRC131	432033	6823170	55	56	1	1.05	P38/4379
MLJRC136	432001	6823170	28	36	8	1.38	P38/4379
MLJRC142	431955	6822855	12	16	4	2.73	P38/4379
MLJRC149	431330	6821485	35	37	2	3.59	E38/3127
MLJRC162	431845	6823860	32	70	38	3.55	E38/3127
MLJRC167	431950	6823500	60	64	4	1.07	E38/3127
MLJRC171	430975	6822250	57	59	2	1.17	P38/4346
MLJRC183	432360	6821310	16	20	4	1.49	P38/4382
MLJRC186	430900	6821252	120	124	4	1.35	P38/4383
MLJRC199	430970	6822070	106	107	1	1.12	P38/4346
MLJRC213	431210	6821040	16	20	4	1.2	P38/4383
MLJRC214	431245	6821040	32	36	4	16.66	P38/4383
MLJRC214			44	48	4	1.02	
MLJRC220	431245	6821120	12	16	4	2.11	P38/4383
MLJRC236	431805	6823860	4	8	4	2.18	E38/3127
MLJRC237	431765	6823860	36	40	4	2.13	E38/3127
MLJRC238	431845	6823820	68	72	4	1.04	E38/3127

RAB - Magnetic Resources NL



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
<b>RC - Historical</b>							
MHNRB156	427177	6826493	10	11	1	2.88	E38/3127
MHNRB157	427181	6826500	7	8	1	1.98	E38/3127
MHNRB160	427173	6826517	4	8	4	1.95	E38/3127
<b>RAB - Historical</b>							
RFB085	431713	6824398	5	7	2	1.93	E38/3127
RFB096	431812	6824158	52	53	1	2.7	E38/3127
RFB119	432368	6821358	10	12	2	2.6	P38/4382
RFB120	432348	6821358	1	3	2	1.54	P38/4382
RFB120			15	19	4	1.52	P38/4382
RFB141	431098	6820558	19	21	2	3.24	P38/4383
RFB165	430803	6821158	43	50	7	3.16	P38/4383
RFB172	430703	6820958	27	28	1	3.38	P38/4383
RFB181	430947	6822348	45	46	1	1.25	P38/4346
RFB206	431112	6820858	18	22	4	8.36	P38/4383
RFB214	431212	6821158	44	45	1	3.13	P38/4383
RFB217	431287	6821158	20	24	4	4.87	P38/4383



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
RFB220	431298	6821156	28	29	1	1.55	P38/4383
RFB222	431252	6821010	30	31	1	1.27	P38/4383
RFB223	431217	6821007	30	31	1	1.01	P38/4383
RFB226	431207	6821003	6	8	2	1.87	P38/4383
RFB226			24	28	4	16.35	P38/4383
RFB226			31	32	1	6.5	P38/4383
RFB240	431138	6820357	43	44	1	3.97	P38/4383
RFB253	430693	6820359	53	54	1	12.56	P38/4383
RFB271	431124	6820958	20	22	2	3.95	P38/4383
RFB271			44	45	1	1.11	P38/4383
RFB272	431103	6820993	2	5	3	3.02	P38/4383
RFB273	431098	6820993	1	4	3	3.68	P38/4383
RFB276	431100	6820998	10	21	11	2.04	P38/4383
RFB279	431103	6820998	1	5	4	1.68	P38/4383
RFB286	431103	6821013	1	2	1	1	P38/4383
RFR109	429106	6822361	0	2	2	1.3	M38/1041
RFR219	429125	6822351	5	6	1	1.31	M38/1041
RFR220	429128	6822358	6	7	1	2.6	M38/1041
RFR237	431629	6822336	38	40	2	1.56	P38/4346
RFR451	431311	6821897	0	5	5	1.06	P38/4346
RFR474	431330	6821499	33	34	1	25.4	E38/3127
RFR475	431350	6821500	19	20	1	1.99	E38/3127
RFR476	431370	6821501	21	22	1	2.54	E38/3127
RFR477	431390	6821502	20	22	2	2.38	E38/3127
RFR494	430772	6821073	7	8	1	1.06	P38/4383
RFR639	431378	6821775	35	40	5	1.37	P38/4346
RFR-31	429575	6821511	16	20	4	2.66	E38/3127
RFR-31			24	28	4	3.11	E38/3127
RFR-37	429491	6821684	0	8	8	2.33	E38/3127
RFR-44	429475	6821823	8	12	4	1.22	E38/3127
RFR-45	429496	6821823	12	16	4	1.53	E38/3127
RFR-49	429476	6821925	16	20	4	2.13	E38/3127
RFR-50	429496	6821926	16	20	4	1.91	E38/3127
RFR-53	429409	6822054	8	12	4	1.64	E38/3127

#### AC - Historical

RFAC109							
RFAC117	432263	6822958	66	67	1	1.91	P38/4379
RFAC123	432338	6822158	43	44	1	1.49	P38/4381
RFAC239	432174	6824563	75	80	5	1.13	E38/3127
RFAC250	432188	6823758	28	29	1	1.28	E38/3127
RFAC258	428135	6821158	49	50	1	1.44	E38/3127
RFAC109	432328	6826558	41	42	1	1.23	P38/4170
RFAC109			48	59	11	1.05	P38/4170
RFAC303	432353	6826453	48	53	5	1.65	P38/4170
RFAC304	432323	6826470	30	35	5	2.45	P38/4170
RFAC304			57	58	1	1.03	P38/4170
RFAC307	432342	6826358	51	54	3	6.25	P38/4170
RFAC331	430937	6821758	6	10	4	3.22	P38/4346
RFAC331			16	17	1	7.42	P38/4346
RFAC340	430917	6822158	27	28	1	8.79	P38/4346
RFAC365	428727	6820748	26	27	1	7.85	E38/3127
RFAC369	430887	6821358	23	24	1	3.69	E38/3127
RFAC380	430857	6821548	44	45	1	1.35	E38/3127
RFAC382	431037	6822558	37	38	1	1.38	P38/4346
RFAC408	429937	6819528	49	54	5	2.59	E38/3127
RFAC417	429737	6819493	49	52	3	3.66	E38/3127
RFAC422	430112	6819493	62	63	1	2.35	E38/3127
RFAC423	430137	6819523	60	64	4	1.56	P38/4384
RFAC424	430137	6819568	48	50	2	1.1	P38/4384

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
RFAC434	430337	6819558	53	54	1	1.14	P38/4384
RFAC443	429937	6819378	39	40	1	1.18	E38/3127
RFAC478	432487	6825558	55	56	1	1.19	E38/3127
RFAC478			60	61	1	1.24	E38/3127
RFAC484	432787	6825558	3	4	1	1.26	E38/3127
RFAC549	433137	6826158	37	38	1	1.04	E38/3127
HNAC026	428140	6821958	39	40	1	2.39	E38/3127
HNAC026			57	58	1	1.13	E38/3127
HNAC038	429538	6820478	65	66	1	5.42	E38/3127
HNAC039	429538	6820558	30	31	1	1.43	E38/3127
HNAC039			36	37	1	1.7	E38/3127
HNAC050	429138	6820578	35	36	1	1.02	E38/3127
HNAC057	429338	6820358	18	19	1	1.68	E38/3127
HNAC061	429338	6820518	12	13	1	1.19	E38/3127
HNAC064	429137	6819608	72	73	1	3.32	E38/3127
HNA013	428138	6821558	40	44	4	5.7	E38/3127

The newly discovered multiple shallow dipping extensive thickened lodes at HN9 are a potential indicator for deeper mineralisation because all the numerous nearby large deposits in the region including Wallaby (7Moz), Sunrise Dam (10Moz) and Jupiter (1.3Moz) have persistent internal shallow-dipping mineralised lodes that are often called shear zones, which are ubiquitous throughout these deposits and have been defined down to 1500m depth at the Wallaby deposit. In addition, many discoveries in recent times have been made by drilling below 100m because the historical drilling was far too shallow. At HN5, 6, 9 and Lady Julie the average hole depth is only 63m providing tremendous scope for upside potential. In addition, the length of our 3km mineralised shear zone is like the length of the large Jupiter, Wallaby and Sunrise Dam Deposits.

Managing Director George Sakalidis commented: "With the Australian gold price at near record levels of \$2,398 the HN9 Project area encompassing HN5, HN6, HN9 and Lady Julie being only 15km NW of the Granny Smith Operations owned by Gold Fields Australia Pty Ltd and only 10km NE of the Jupiter Operations owned by Dacian Gold Ltd and 35km north of the Sunrise Dam deposit owned by AngloGold Ashanti Ltd at Laverton, WA. (Figure 2), is shaping up and has potential for large-scale shallow deposits.

The fantastic new high grade thick intersection of 38m at 3.6g/t from 32m including 16m at 5.6g/t from 54m in MLJRC162 is very exciting and this zone is being followed up with 13 RC holes for 1270m and a detailed soil programme is also being carried out looking for repetitions of these anomalous targets over an expanded combined target length of 4.6km.

The acquisition of P38/4170 provides good upside to the extensive 4.6km long Lady Julie North Target with many significant intersections present including 13m at 2.1g/t from 66m in RFRC014 and 11m at 1.6g/t from 97m, and the adjoining two NS thrusts which contain the intersection of 38m at 3.6g/t from 32m in MLJRC162. In addition, the acquisition of P38/4126 provides a near surface thrust zone that contains numerous workings and has a significant 1m at 58.5g/t intersection down dip. Further analysis of the extensive 6km long NS thrusts is being planned to include both shallow RAB and or soil geochemistry to help outline any other anomalous gold areas that have not been previously assessed."



magnetic resources<sup>NL</sup>

**Table 4. HN5, 9 and Lady Julie Planned RC Drilling**

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement	Comment
MHNRC898	428777	6822860	422	75	-60	240	E38/3127	
MHNRC1017	426990	6826000	400	80	-60	270	E38/3127	
MHNRC1029	428365	6821158	419	145	-60	270	E38/3127	
MHNRC1030	428235	6820759	416	120	-60	270	E38/3127	
MHNRC1031	429079	6819650	418	85	-60	270	E38/3127	
MHNRC1032	428990	6820761	420	90	-60	270	E38/3127	
MHNRC1033	429990	6819555	422	75	-60	270	E38/3127	
MHNRC1042	428304	6821956	418	130	-60	270	E38/3127	
MHNRC1043	429843	6821400	429	155	-60	270	E38/3127	
MHNRC1044	429567	6821687	435	60	-60	270	E38/3127	
MHNRC1045	429618	6821687	436	80	-60	270	E38/3127	
MHNRC1046	429507	6821804	435	35	-60	270	E38/3127	
MHNRC1047	429466	6821804	435	20	-60	270	E38/3127	
MHNRC1048	427880	6827446	431	160	-60	270	E38/3127	
MHNRC1049	428021	6827451	431	70	-60	270	E38/3127	
MHNRC1050	427530	6827276	428	190	-60	250	E38/3127	
MHNRC1051	428807	6820764	419	80	-60	270	E38/3127	
MHNRC1052	429781	6819520	420	80	-60	270	E38/3127	
MHNRC1053	429100	6821700	428	70	-60	270	E38/3127	
MHNRC1054	429043	6821400	424	120	-60	270	E38/3127	
MHNRC1055	429043	6821200	423	120	-60	270	E38/3127	
MHNRC1056	429050	6820666	420	120	-60	270	E38/3127	
MHNRC1057	428900	6819760	418	130	-60	270	E38/3127	
MHNRC1058	428710	6826345	432	70	-60	270	E38/3127	
MHNRC1059	428460	6825941	435	120	-60	270	E38/3127	
MHNRC1060	428500	6826074	434	85	-60	270	E38/3127	
MHNRC1061	427455	6826432	434	120	-60	220	E38/3127	
MHNRC1062	429669	6821766	437	90	-60	270	E38/3127	
MHNRC1063	429681	6821741	437	90	-60	270	E38/3127	
MHNRC1064	429675	6821687	437	90	-60	270	E38/3127	
MHNRC1065	430015	6821378	427	200	-60	270	E38/3127	
MHNRC1066	429882	6821200	426	100	-60	270	E38/3127	
MHNRC1067	429991	6821475	429	200	-60	270	E38/3127	
MHNRC1068	430023	6821515	429	200	-60	270	E38/3127	
MHNRC1069	428051	6825539	437	75	-60	220	E38/3127	
MHNRC1070	428000	6825482	437	75	-60	220	E38/3127	
MHNRC1071	427778	6825631	433	75	-60	220	E38/3127	
MHNRC1072	427730	6825582	433	75	-60	220	E38/3127	
MHNRC1073	428978	6821299	424	100	-60	270	E38/3127	
MHNRC1074	429100	6821299	423	150	-60	270	E38/3127	
MHNRC1075	428875	6820960	421	80	-60	270	E38/3127	
MHNRC1076	428835	6820960	421	80	-60	270	E38/3127	
MHNRC1077	428795	6820960	421	70	-60	270	E38/3127	
MHNRC1078	428755	6820960	421	60	-60	270	E38/3127	
MHNRC1079	428715	6820960	421	40	-60	270	E38/3127	
MHNRC1080	427030	6826120	443	80	-60	270	E38/3127	
MHNRC1081	427015	6826100	443	80	-60	270	E38/3127	
MHNRC1082	427045	6826100	443	90	-60	270	E38/3127	
MHNRC1083	427030	6826080	443	80	-60	270	E38/3127	
MHNRC1084	426989	6826050	443	90	-60	270	E38/3127	
MHNRC1085	427090	6825900	443	90	-60	270	E38/3127	
MHNRC1086	427120	6825900	443	90	-60	270	E38/3127	
MLJRC005	431916	6823860	449	160	-60	270	E38/3127	Deepen from 60 to 160m
MLJRC250	431900	6824700	449	150	-60	270	E38/3127	
MLJRC255	431950	6824050	449	180	-60	270	E38/3127	
MLJRC257	432250	6823950	449	80	-60	270	E38/3127	

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Tenement	Comment
MLJRC259	432350	6823950	449	150	-60	270	E38/3127	
MLJRC262	432200	6820800	450	140	-60	270	P38/4380	
MLJRC263	432250	6820800	450	170	-60	270	P38/4380	
MLJRC264	431190	6820985	430	100	-60	270	P38/4383	
MLJRC265	431230	6820985	430	120	-60	270	P38/4383	
MLJRC266	431279	6821040	430	100	-60	270	P38/4383	
MLJRC267	431230	6821080	430	75	-60	270	P38/4383	
MLJRC268	431270	6821080	430	85	-60	270	P38/4383	
MLJRC269	431323	6821121	430	150	-60	270	P38/4383	
MLJRC270	431344	6821158	431	110	-60	270	P38/4383	
MLJRC271	431155	6820830	429	90	-60	270	P38/4383	
MLJRC272	431212	6820759	429	110	-60	270	P38/4383	
MLJRC273	432340	6821385	443	70	-60	270	P38/4382	
MLJRC274	432370	6821385	443	80	-60	270	P38/4382	
MLJRC275	432400	6821385	443	90	-60	270	P38/4382	
MLJRC277	432330	6821270	443	80	-60	270	P38/4382	
MLJRC278	432360	6821270	443	90	-60	270	P38/4382	
MLJRC279	431205	6821003	430	55	-60	270	P38/4383	
MLJRC280	431110	6820858	429	40	-60	270	P38/4383	
MLJRC281	431289	6821158	431	40	-60	270	P38/4383	
MLJRC282	431098	6820993	430	30	-60	270	P38/4383	
MLJRC283	431329	6821499	434	40	-60	270	E38/3127	
MLJRC284	431390	6821432	433	90	-60	270	E38/3127	
MLJRC285	431333	6821432	433	80	-60	270	E38/3127	
MLJRC286	431785	6823950	449	70	-60	270	E38/3127	
MLJRC287	431825	6823950	449	80	-60	270	E38/3127	
MLJRC288	431865	6823950	449	90	-60	270	E38/3127	
MLJRC289	431905	6823950	449	100	-60	270	E38/3127	
MLJRC290	431820	6823900	449	100	-60	270	E38/3127	
MLJRC291	431880	6823900	449	150	-60	270	E38/3127	
MLJRC292	431820	6823880	449	80	-60	270	E38/3127	
MLJRC293	431850	6823880	449	120	-60	270	E38/3127	
MLJRC294	431880	6823880	449	130	-60	270	E38/3127	
MLJRC295	431823	6823860	448	80	-60	270	E38/3127	
MLJRC296	431820	6823842	449	80	-60	270	E38/3127	
MLJRC297	431850	6823842	449	80	-60	270	E38/3127	
MLJRC298	431880	6823842	449	110	-60	270	E38/3127	
MLJRC299	431870	6823615	447	80	-60	270	E38/3127	
MLJRC300	431910	6823615	448	80	-60	270	E38/3127	
MLJRC301	431900	6823430	448	80	-60	270	E38/3127	
MLJRC302	431940	6823430	449	80	-60	270	E38/3127	
MLJRC303	431990	6823271	450	120	-60	270	P38/4379	
MLJRC304	431985	6823248	450	120	-60	270	P38/4379	
MLJRC305	431975	6823200	450	90	-60	270	P38/4379	
MLJRC306	431965	6823150	450	80	-60	270	P38/4379	
MLJRC307	431957	6823072	449	60	-60	270	P38/4379	
MLJRC308	431875	6823055	448	40	-60	270	P38/4379	
MLJRC309	431865	6823020	448	40	-60	270	P38/4379	
MLJRC310	431910	6823017	448	60	-60	270	P38/4379	
MLJRC311	431901	6822974	448	60	-60	270	P38/4379	
MLJRC312	431896	6822931	448	60	-60	270	P38/4379	
MLJRC313	431891	6822880	448	60	-60	270	P38/4379	
MLJRC314	431965	6822880	447	70	-60	270	P38/4379	
MLJRC315	431976	6822808	446	70	-60	270	P38/4379	

110 RC drillholes for 10,310m



magnetic resources<sup>NL</sup>

Level 1, 44A Kings Park Road, West Perth WA 6005 | PO Box 1388, West Perth WA 6872  
Telephone 08 9226 1777 | [www.magres.com.au](http://www.magres.com.au)

ABN 34 121 370 232



magnetic resources<sup>NL</sup>

This announcement has been authorised for release by Managing Director George Sakalidis.  
For more information on the company visit [www.magres.com.au](http://www.magres.com.au)

For more information on the company visit [www.magres.com.au](http://www.magres.com.au)

George Sakalidis  
Managing Director  
Phone (08) 9226 1777  
Mobile 0411 640 337  
Email [george@magres.com.au](mailto:george@magres.com.au)

The information in this report is based on information compiled by George Sakalidis BSc (Hons), who is a member of the Australasian Institute of Mining and Metallurgy. George Sakalidis is a Director of Magnetic Resources NL. George Sakalidis has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. George Sakalidis consents to the inclusion of this information in the form and context in which it appears in this report.

The Information in this report that relates to:

1. Promising 200m wide 0.7g/t soil geochemistry associated with extensive 1km long NS porphyries at newly named Hawks Nest 9. MAU ASX Release 15 October 2018
2. 1.1km NNW Mineralised Gold Intersections at HN9. MAU ASX Release 7 November 2018
3. Surface drilled Mineralisation extends to significant 1.5km at HN9. MAU Release 20 November 2018
4. Hawks Nest Delivers with 8m@4.2g/t Gold from 4m MAU Release 29 January 2018
5. Robust Near Surface High-grade Zone of 7m @ 4.5g/t Gold from 5m from 1m splits. MAU Release 5 March 2018
6. Hawks Nest Geochemical Survey Outlines Potential Extensions to the Prospective 7m @ 4.5g/t Gold Intercepted. MAU Release 20 March 2018
7. An 865m RC drilling programme started testing promising 7m at 4.5g/t gold and eight separate anomalous soil geochemical targets at HN5. MAU Release 10 May 2018
8. Large Gold Mineralised Shear Zone Greater Than 250m at Hawks Nest 5. MAU Release 9 June 2018
9. Gold Geochemical Target Zone Grows to Significant 2km in Length at HN9. MAU Release 7 January 2019
10. Significant 2km Gold Target is open to the East on 83% of the 24 Lines Drilled at HN9. MAU Release 4 February 2019
11. Significant 2.1km Gold Target Still open to North, South, East and at Depth. MAU Release 25 March 2019
12. Gold Target Enlarged By 47% to Significant 3.1km and is still open to the North, East and at Depth. MAU Release 22 May 2019
13. HN9 Prospective Zone Enlarged by 170% with Lady Julie Tenements. MAU Release 24 June 2019
14. 200m-Wide Gold Zone Open to The Northeast and Very Extensive Surface Gold Mineralisation Confirmed at HN9 Laverton. MAU Release 27 June 2019
15. 200m Wide Gold Zone Open to the North and New 800m Anomalous Gold Zone defined at HN9 Laverton. MAU Release 4 September 2019
16. Highest Grades Outlined at HN9 and are being Followed Up and Lady Julie Shallow Drilling Commencing Shortly. MAU Release 14 October 2019
17. Central Part of HN9 Shows Significant Thickening of The Mineralised Zone to 28m. MAU Release 28 November 2019
18. Multiple Silicified Porphyry Horizons from Deep Drilling and 57m Mineralised Feeder Zone at MAU Release 17 January 2020
19. Very High-Grade Intersection of 4m at 49g/t Adjacent to 70m Thick Mineralised Feeder Zone MAU Release 5 February 2020
20. 20 km of thickened porphyry units outlined by ground magnetic interpretation at Hawks Nest 9. MAU Release 9 March 2020
21. Further Thick Down Plunge Extensions and NW Extension Shown up at HN9. MAU Release 18 May 2020
22. Four Stacked Thickened Porphyry Lodes at HN9. MAU Release 3 August 2020
23. High-Grade Intersections in Thickened Zone at HN9. MAU Release 18 September 2020
24. Follow up of 16m at 1.16g/t gold from 64m at Lady Julie MAU Release 2 November 2020
25. Shallow Seismic searching for multiple thickened lodes MAU Release 16 November 2020
26. New thicken zone in southern part of Hawks Nest 9. MAU Release 1 December 2020
27. Two RC rigs now operating at HN9 and Lady Julie. MAU Release 11 January 2021
28. Nine gold targets defined over 14km at HN5, HN6, HN9 and Lady Julie MAU Release 3 June 2021
29. Lady Julie Delivers with best wide intersection of 38m at 3.6g/t gold from 32m MAU Release 23 June 2021

All of which are available on [www.magres.com.au](http://www.magres.com.au)

This announcement contains forward-looking statements which involve a number of risks and uncertainties. These forward-looking statements are expressed in good faith and believed to have a reasonable basis. These statements reflect current expectations, intentions or strategies regarding the future and assumptions based on currently available information. Should one or more of the risks or uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary from the expectations, intentions and strategies described in this announcement. No obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

## JORC Code, 2012 Edition – Table 1 report

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> <li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li><i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>For RAB sampling, 1m completed by Duketon (A22722)</li> <li>For RAB sampling, 4m composites completed by Gwalia (A29728)</li> <li>For AC sampling, 4m composites and 1m splits completed by Metex (A62445, A72419)</li> <li>For RC sampling, 2m composites completed by Julia Mines (A18060) and 5m composites completed by Placer (A34935)</li> <li>All the reported historical drilling and their relevant sampling procedures, QAQC and analytical methods etc. are referred to in the original WAMEX reports (references in the main text of ASX release of 7 November 2018).</li> <li>The targets at HN9 have been tested by RC drilling. A 1 metre split is taken directly from a cone splitter mounted beneath the rig's cyclone. The cyclone and splitter are cleaned regularly to minimize contamination.</li> <li>Sampling and QAQC procedures are carried out using Magnetic's protocols as per industry sound practice.</li> <li>RC drilling was used to obtain bulk 1 metre samples from which composite 4m samples were prepared by spear sampling of the bulk 1m samples. 3kg of the composite sample was pulverized to produce a 50g charge for fire assay for gold. The assay results of the composite samples are used to determine which 1m samples from the rig's cyclone and splitter are selected for fire assay using the same method.</li> </ul>
<i>Drilling techniques</i>	<ul style="list-style-type: none"> <li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>Rotary air blast (RAB) drilling with a blade bit.</li> <li>Reverse Circulation (RC) drilling was carried out using a face sampling hammer with a nominal diameter of 140mm.</li> <li>Aircore (AC) drilling.</li> </ul>
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> <li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> </ul>	<ul style="list-style-type: none"> <li>RC sample recoveries are visually estimated qualitatively on a metre basis.</li> <li>Various drilling additive (including muds and foams) have been used to condition the RC holes to maximize recoveries and sample quality.</li> </ul>



Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"><li>• Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li></ul>	<ul style="list-style-type: none"><li>• Insufficient drilling and geochemical data is available at the present stage to evaluate potential sample bias. Drill samples are sometimes wet which may result in sample bias because of preferential loss/gain of fine/coarse material.</li></ul>
Logging	<ul style="list-style-type: none"><li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li><li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li><li>• The total length and percentage of the relevant intersections logged.</li></ul>	<ul style="list-style-type: none"><li>• Lithology, alteration and veining is recorded and imported into the Magnetic Resources central database. The logging is of sufficient standard to support a geological resource.</li><li>• All drill holes were logged in full.</li></ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"><li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li><li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li><li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li><li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li><li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li><li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li></ul>	<ul style="list-style-type: none"><li>• RC samples are cyclone split to produce a 2-3kg sample. 4m composite samples are prepared by tube sampling bulk 1m samples.</li><li>• No field duplicates were taken.</li><li>• Sample sizes are appropriate for the grain size being sampled.</li></ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"><li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li><li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li><li>• Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li></ul>	<ul style="list-style-type: none"><li>• RC samples are assayed using a 50g charge and a fire assay method with an AAS finish which is regarded as appropriate. The technique provides an estimate of the total gold content.</li><li>• Industry standard standards and duplicates are used by the NATA registered laboratory conducting the analyses</li></ul>
Verification	<ul style="list-style-type: none"><li>• The verification of significant intersections by</li></ul>	<ul style="list-style-type: none"><li>• No independent verification of drill intersections</li></ul>



Criteria	JORC Code explanation	Commentary
<i>of sampling and assaying</i>	<i>either independent or alternative company personnel.</i> <ul style="list-style-type: none"><li>• <i>The use of twinned holes.</i></li><li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li><li>• <i>Discuss any adjustment to assay data.</i></li></ul>	has yet been carried out. <ul style="list-style-type: none"><li>• Twin holes are planned to be drilled.</li><li>• Primary data is entered into an in-house database and checked by the database manager.</li><li>• No adjustment of assay data other than averaging of repeat and duplicate assays.</li><li>• No verification of historically reported drilling has been carried out.</li></ul>
<i>Location of data points</i>	<ul style="list-style-type: none"><li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li><li>• <i>Specification of the grid system used.</i></li><li>• <i>Quality and adequacy of topographic control.</i></li></ul>	<ul style="list-style-type: none"><li>• Drill collars located by hand- held GPS with an accuracy of +/- 5m.</li><li>• Grid system: MGAz51 GDA94.</li><li>• Topographic control using regional DEM data.</li></ul>
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"><li>• <i>Data spacing for reporting of Exploration Results.</i></li><li>• <i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li><li>• <i>Whether sample compositing has been applied.</i></li></ul>	<ul style="list-style-type: none"><li>• RC drilling was carried out at HN9 prospect. 1m samples were composited into 4m composite samples for assay.</li><li>• RC drilling was carried out and 1m samples were composited into 2m and 5m composite samples for assay.</li></ul>
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"><li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li><li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li></ul>	<ul style="list-style-type: none"><li>• At HN9 historical geological mapping and the trends of old gold diggings indicate a general NNW to SSE trend to the geological structures. The historical drilling was carried out orthogonal to this trend.</li></ul>
<i>Sample security</i>	<ul style="list-style-type: none"><li>• <i>The measures taken to ensure sample security.</i></li></ul>	<ul style="list-style-type: none"><li>• Samples were stored in the field prior to dispatch to Perth using a commercial freight company.</li></ul>
<i>Audits or reviews</i>	<ul style="list-style-type: none"><li>• <i>The results of any audits or reviews of sampling techniques and data.</i></li></ul>	<ul style="list-style-type: none"><li>• No audits or reviews of the sampling techniques and data from historical drilling have been carried out.</li></ul>



## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"><li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li><li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li></ul>	<ul style="list-style-type: none"><li>The HN9 target area is situated on exploration Licence E38/3127, M38/1041 and newly acquired P38/4126 held 100% by Magnetic Resources NL.</li><li>The adjacent Lady Julie targets are on Prospecting Licences P38/4346, P38/4379, P38/4384 and newly acquired P38/4170 held 100% by Magnetic Resources NL.</li><li>All the above are granted tenements with no known impediments to obtaining a licence to operate.</li></ul>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"><li><i>Acknowledgment and appraisal of exploration by other parties.</i></li></ul>	<ul style="list-style-type: none"><li>The HN9 area has been subject to historical exploration refer to text</li></ul>
<i>Geology</i>	<ul style="list-style-type: none"><li><i>Deposit type, geological setting and style of mineralisation.</i></li></ul>	<ul style="list-style-type: none"><li>HN9 Two mineralization styles have been observed: quartz veining and stock working in the porphyries and shear-hosted quartz veins on porphyry-amphibolite contacts.</li></ul>
<i>Drill hole Information</i>	<ul style="list-style-type: none"><li><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i><ul style="list-style-type: none"><li><i>easting and northing of the drill hole collar</i></li><li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li><li><i>dip and azimuth of the hole</i></li><li><i>down hole length and interception depth</i></li><li><i>hole length.</i></li></ul></li><li><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li></ul>	<ul style="list-style-type: none"><li>Refer to table in the text of this release.</li></ul>
<i>Data aggregation methods</i>	<ul style="list-style-type: none"><li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li><li><i>Where aggregate intercepts incorporate short</i></li></ul>	<ul style="list-style-type: none"><li>No weighting or cutting of gold values, other than averaging of duplicate and repeat analyses.</li></ul>



Criteria	JORC Code explanation	Commentary
	<p><i>lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <ul style="list-style-type: none"><li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li></ul>	
<i>Relationship between mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"><li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li><li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li><li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li></ul>	<ul style="list-style-type: none"><li>The relationships between mineralization widths and intercept lengths at HN9 remain to be clarified.</li></ul>
<i>Diagrams</i>	<ul style="list-style-type: none"><li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li></ul>	<ul style="list-style-type: none"><li>Refer to text.</li></ul>
<i>Balanced reporting</i>	<ul style="list-style-type: none"><li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.</i></li></ul>	<ul style="list-style-type: none"><li>Plus 1g/t Au intersections from the RC drilling have been reported in this release.</li></ul>
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"><li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li></ul>	<ul style="list-style-type: none"><li>Metallurgical results refer to ASX Release 27/10/2020 Positive metallurgical results from Hawks Nest 9.</li></ul>
<i>Further work</i>	<ul style="list-style-type: none"><li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li><li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li></ul>	<ul style="list-style-type: none"><li>Table 4 shows the drilling planned. Further deeper drilling will be planned to follow up results from recent intersections with 110 RC holes totaling 10,310m.</li><li>As outlined in this release.</li><li>A map and table of the proposed drilling is shown in this release.</li></ul>