

#### **Corporate Details**

#### Zenith Minerals Limited (ASX:ZNC)

ABN: 96 119 397 938

 Issued Shares
 294.4M

 Unlisted options
 16.55M

 Mkt. Cap. (\$0.26)
 A\$76.4M

 Cash (31-Mar-21)
 A\$3.1M

 Debt
 Nil

#### **Directors**

Peter Bird Exec Chair
Michael Clifford Director-CEO
Stan Macdonald Non-Exec Director
Julian Goldsworthy Non-Exec Director
Graham Riley Non-Exec Director
Nicholas Ong CFO & Co Sec

### **Major Shareholders**

Directors	~7%
HSBC Custody. Nom.	10.4%
BNP Paribas. Nom.	6.0%
Citicorp Nom	4.3%
Granich	4.1%

#### **Our Vision**

Zenith has a vision to build a gold and base metals business with a team of proven project finders.

Focus is on 100% owned Zenith projects, whilst partners progress multiple additional opportunities using partner funds.

#### **Contact Us**

Level 2, 33 Ord Street WEST PERTH WA 6005 PO Box 1426 WEST PERTH WA 6872 Telephone: (08) 922

Telephone: (08) 9226 1110 Email:info@zenithminerals.com.au Web:www.zenithminerals.com.au

# ADDITIONAL HIGH-GRADE GOLD ZONES DEFINED AT SPLIT ROCKS

- Further high-grade gold drill results received from the remaining 64 aircore (AC) holes of a 100-hole program (totalling 4,732 metres) at the Split Rocks gold project in Western Australia.
- Initial 4m composite results from extensional drilling at Scott's Grey provide very strong encouragement for further work, new results include:
  - 8m @ 4.1 g/t Au
  - 4m @ 4.8 g/t Au, and
  - 10m @ 0.9 g/t Au (eoh) incl. 4m @ 1.6 g/t Au
- Initial 4m composite results from confirmatory and extensional drilling at Dulcie North outline strong near surface gold mineralisation that requires follow-up, new results include:
  - 16m @ 1.3 g/t Au incl 4m @ 2.9 g/t Au
  - 4m @ 1.7 g/t Au, and
  - 4m @ 1.6 g/t Au
- Results are in addition to those recently announced for the first 36 holes of the program completed at Dulcie Far North (ASX Release 24-Jun-21), including:
  - 3m @ 70.0 g/t Au (end of hole)
  - 8m @ 2.5 g/t Au
  - 8m @ 1.9 g/t Au, and
  - 12m @ 1.0 g/t Au incl 4m @ 1.9 g/t Au
- Infill and extensional AC drilling is now required at Dulcie Far North, Dulcie North, Scott's Grey & Estrella to be followed by RC drilling on these significant near surface gold results and at the adjoining Dulcie targets: Dulcie Laterite Pit & Water Bore.

### Commenting on the new high-grade gold results, Chairman Peter Bird said:

"These new gold results continue to demonstrate the prospective nature of the Split Rocks project. The drilling program had two aims both of which were successfully achieved - targeted drilling to assist in understanding the orientation and continuity of the mineralised structures such as at Scott's Grey and Estrella and secondly extensional drilling to scope out the extents of mineralisation such as at Dulcie North and Dulcie Far North. We have now identified multiple mineralised structures that extend over a cumulative strike of more than 3km. The next phase of follow-up AC and RC drilling will focus on testing the continuity of gold mineralisation within the individual shear zones as we work towards building gold inventory."

#### **New Drill Results**

A total of 100 AC holes were recently completed across 5 target areas as a first test for new zones of gold mineralisation and to extend other zones which had been poorly defined by previous wide-spaced or ineffective historic drilling. The 5 target zones include: Dulcie Far North, Dulcie North, Dulcie West, Scott Grey and Estrella. Drilling has been highly successful in outlining high-grade gold mineralisation at 4 of the 5 target zones (Figures 2 - 5). The assays results are based on initial 4m composite samples and mineralised zones will now be resampled at 1m intervals.

**Dulcie Far North** - The holes along with previous Zenith AC and historic drilling on lines 100m to 200m apart outline a zone of gold mineralisation 1km long x 300m wide. Results from hole ZDAC339 are particularly significant returning **3m @ 70 g/t Au** from 44m depth to the end of the drill hole which terminated in a zone of intense quartz veining close to a basalt – banded iron formation contact (as previously reported 24-Jun-21).

Scott's Grey - results from extensional drilling at Scott's Grey provide very strong encouragement for further work. New results include 8m @ 4.1 g/t Au – an up-dip extension to gold zones previously defined by Zenith surrounding the Scott's Grey workings (Figure 4), 10m @ 0.9 g/t Au (eoh) incl. 4m @ 1.6 g/t Au – a potential new gold zone southwest of Scott's Grey, and 4m @ 4.8 g/t Au a new zone of gold mineralisation 100m northeast of the historic workings that remains open to the east, north and south.

**Dulcie North** - results from confirmatory and extensional drilling, in an area where there is some doubt as to the location of historic drill holes, outline strong near surface gold mineralisation that requires follow-up aircore and RC testing, new results include: **16m** @ **1.3 g/t Au incl 4m** @ **2.9 g/t Au and 4m** @ **1.7 g/t Au**, **and 4m** @ **1.6 g/t Au** (Figure 5).

**Estrella** – Three additional drill holes were completed to assess the orientation of gold mineralisation intersected by Zenith in an earlier AC drilling program that returned **2m @ 9.8 g/t Au and 1m @ 7.1g/t Au**. The new hole ZAC356 drilled between these two intersections confirms a shallow dip to mineralisation with 4m @ 0.9 g/t Au indicating a potential northerly plunge that will be assessed with a further follow-up program.

**Dulcie West** – no significant results were returned from the recent broad spaced aircore drill program.

Note Zenith retains gold rights at Dulcie Far North, Dulcie North, Dulcie Laterite Pit Zone and Scott's Grey below 6m, subject to the Dulcie option agreement (refer to ASX Release 21-Mar-19).

## Split Rocks Project - Background on Gold Potential

A major targeting exercise by the Company's geological team initially identified 12 high-quality gold drill targets at Split Rocks, subsequently expanded to 18 targets in the north-eastern sector of the Company's 100% owned tenure (Refer to ZNC ASX Release 2 September 2020).

Drilling to date has tested 12 targets (results awaited for Dulcie West) with outstanding first pass results returned at (ASX Release 5-Aug-20, 2-Sep-20, 19-Oct-20, 28-Oct-20, 15-Ja-21, 11-Mar-21, 21-Apr-21, 24-Jun-21):

- Dulcie North: 32m @ 9.4 g/t Au, incl 9m @ 31.4 g/t Au
- Dulcie Laterite Pit:
  - 2m @ 14.5 g/t Au, incl. 1m @ 20.8 g/t Au,
  - 18m @ 2.0 g/t Au (EOH) incl. 1m @ 23.7 g/t Au
  - 14m @ 3.5 g/t Au
  - 3m @ 17.9 g/t Au
- Estrela Prospect: 2m @ 9.8 g/t Au
- Dulcie Far North: 5m @ 5.6 g/t Au incl. 4m @ 6.8 g/t Au, 3m @ 70 g/t Au
- O Water Bore: 3m @ 6.6 g/t Au

A further 7 of the 18 targets generated by Zenith extending over 18km of strike are yet to have first pass drill testing.

Infill and extensional aircore drilling is now required at Dulcie Far North, Dulcie North and Scott's Grey to be followed by RC drilling on the significant near surface gold results at the 4 Dulcie targets, Dulcie Laterite Pit, Dulcie North, Dulcie Far North & Water Bore. are planned.




Figure 1- Split Rocks Project Location Map Showing Zenith tenements, Dulcie Heap Leach Gold Operation (DHLGO\*) Prospect and Regional Gold Endowment. (\*Gold rights below 6m subject to option agreement).




Figure 2: Split Rocks Project Gold Targets and Significant RC - Aircore Drill Results (yellow captions) showing gold drill targets, and areas of Planned Drilling




Figure 3: Split Rocks Gold Project Drill Results and Target Areas (Dulcie Laterite Pit Area shallow third party <75m depth and ineffective drill holes are not shown)




Figure 4: Split Rocks Gold Project Scott's Grey Cross Section A-A' with Drill Results

(for details of historic results refer to previous ZNC ASX releases dated 28-Oct-19, 14-Feb-20 & 24-Jun-21)




Figure 5: Dulcie North - Cross Section with Drill Results

(for details of historic results refer to previous ZNC ASX release dated 5-Aug-20 and Tables 3 & 4)

Table 1: Significant New Gold Intersections from Zenith Aircore Drilling (4m composites)

Prospect	Hole ID	From (m)	To (m)	Interval (m)	Au Grade (g/t)
	ZAC355				NSR
Estrela	ZAC356	20	24	4	0.9
	ZAC357				NSR
Dulcie West	ZAC358 to ZAC389				NSR
	ZAC390				NSR
	ZAC391	0	4	4	0.4
Scott's Grey	and	20	28	8	4.1
	ZAC392	40	50 (eoh)	10	0.9
	incl	40	44	4	1.6

Prospect	Hole ID	From (m)	To (m)	Interval (m)	Au Grade (g/t)
	ZAC393	20	26 (eoh)	6	0.6
	ZAC394	0	4	4	0.5
	ZAC395	12	16	4	4.8
	ZAC396	0	4	4	0.5
	and	36	40	4	0.9
	ZAC397				NSR
	ZAC398				NSR
	ZAC399	36	39 (eoh)	3	0.4
	ZAC400	40	44 (eoh)	4	0.5
	ZAC401	0	4	4	3.5
	ZAC402	0	4	4	0.4
	ZAC403	0	4	4	0.6
	and	36	40	4	0.5
	ZAC404	0	4	4	0.7
	and	52	56	4	0.5
	ZAC405	44	52	8	0.7
	ZAC406				NSR
	ZAC407	0	4	4	0.6
	ZAC408	0	4	4	0.5
Dulcie North	ZAC409	0	4	4	0.5
	ZAC410	0	4	4	2.5
	ZAC411	0	16	16	1.3
	incl	0	4	4	1.5
	and incl	12	16	4	2.9
	ZAC412	32	36	4	1.6
	ZAC413				NSR
	ZAC414				NSR
	ZAC415				NSR
	ZAC416				NSR
	ZAC417	36	40	4	1.7
	ZAC418				NSR
	ZAC419				NSR

**Note:** Zenith has gold rights below 6m from surface only. High-grade intersections are length weighted average grades with minimum cut -off grade of 1.0g/t Au and no internal dilution, whilst lower grade intersections are length weighted average grades with minimum cut-off grade of 0.4g/t Au and maximum internal dilution of 4m. NSR = No significant result.

**Table 2: Drill Hole Collar Locations - Zenith Aircore** 

Prospect	Hole ID	Hole_Type	Easting	Northing	Depth (m)	Dip	Azimuth
	ZAC355	AC	746994	6477177	31	-60	50
Estrela	ZAC356	AC	746957	6477147	41	-60	50
	ZAC357	AC	746923	6477117	53	-60	50
	ZAC358	AC	745488	6481177	30	-90	0
Dulcie	ZAC359	AC	744999	6481582	43	-60	73
West	ZAC360	AC	744954	6481561	73	-60	73
	ZAC361	AC	744902	6481550	78	-60	73

ZAC363 AC 744806 6482029 28 -60 73 ZAC364 AC 744756 6482009 46 -60 73 ZAC365 AC 744710 6481995 78 -60 73 ZAC366 AC 744783 6482021 53 -60 73 ZAC366 AC 744783 6482021 53 -60 73 ZAC368 AC 744555 6482837 28 -60 73 ZAC369 AC 744555 6482837 28 -60 73 ZAC369 AC 744516 6482809 40 -60 73 ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744421 6482760 78 -60 73 ZAC371 AC 744421 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC373 AC 744406 6483392 45 -60 73 ZAC374 AC 744406 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744300 6483376 41 -60 73 ZAC377 AC 744212 6483308 67 -60 73 ZAC378 AC 744212 6483308 67 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743943 6484063 78 -60 73 ZAC383 AC 744249 6483740 48 -60 73 ZAC384 AC 743943 6484049 60 -60 73 ZAC385 AC 744448 6483740 48 -60 73 ZAC386 AC 744195 6483740 48 -60 73 ZAC388 AC 744249 6483740 48 -60 73 ZAC388 AC 744488 6483740 71 -60 73 ZAC388 AC 744498 6483740 71 -60 73 ZAC388 AC 744196 6483740 71 -60 73 ZAC388 AC 744196 6483740 71 -60 73 ZAC388 AC 744408 6483740 71 -60 73 ZAC388 AC 744408 6483740 71 -60 73 ZAC388 AC 744488 6483740 71 -60 73 ZAC388 AC 744408 6483740 71 -60 73 ZAC388 AC 744408 6483740 71 -60 73 ZAC389 AC 744098 6483688 58 -60 73 ZAC389 AC 744006 6482521 40 -60 73 ZAC389 AC 744006 6482521 40 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC393 AC 746014 6482532 30 -60 73 ZAC393 AC 746016 648259 75 -60 73 ZAC393 AC 746016 648259 75 -60 73 ZAC394 AC 746081 648259 75 -60 73 ZAC395 AC 746011 648259 43 -60 73 ZAC397 AC 746081 648259 43 -60 73 ZAC398 AC 746081 648264 55 -60 73 ZAC398 AC 746081 648264 55 -60 73 ZAC399 AC 746081 648264 55 -60 73 ZAC399 AC 746081 648264 55 -60 73 ZAC399 AC 746081 648264 55 -60 73			Τ	<u> </u>	Γ	Τ		
ZAC364 AC 744756 6482009 46 60 77 ZAC365 AC 744710 6481995 78 -60 77 ZAC366 AC 744783 6482021 53 -60 77 ZAC367 AC 744604 6482849 37 -60 77 ZAC368 AC 744555 6482849 37 -60 77 ZAC368 AC 744555 6482847 28 -60 77 ZAC369 AC 744516 6482809 40 -60 77 ZAC370 AC 744467 6482795 51 -60 77 ZAC371 AC 744467 6482795 51 -60 77 ZAC372 AC 744376 6482760 78 -60 77 ZAC373 AC 744446 6482760 78 -60 77 ZAC373 AC 744444 6483392 45 -60 77 ZAC375 AC 744406 6483376 41 -60 77 ZAC375 AC 744406 6483376 41 -60 77 ZAC377 AC 744307 6483342 46 -60 77 ZAC378 AC 744262 6483324 61 -60 77 ZAC379 AC 744212 6483308 67 -60 77 ZAC379 AC 744176 6483279 78 -60 77 ZAC384 AC 743893 6484063 78 -60 77 ZAC385 AC 744269 648370 78 -60 77 ZAC386 AC 743895 6484048 66 -60 77 ZAC388 AC 744249 648370 48 -60 77 ZAC388 AC 744249 648370 48 -60 77 ZAC388 AC 744249 648370 77 -60 77 ZAC388 AC 744269 648370 77 -60 77 ZAC388 AC 744269 648370 77 -60 77 ZAC388 AC 744269 648370 77 -60 77 ZAC388 AC 74408 648370 77 -60 77 ZAC389 AC 744098 648368 58 -60 77 ZAC389 AC 744098 648368 58 -60 77 ZAC389 AC 74408 6483659 75 -60 77 ZAC390 AC 746014 648259 43 -60 77 ZAC391 AC 746084 648259 43 -60 77 ZAC392 AC 746094 648259 43 -60 77 ZAC393 AC 746012 648259 43 -60 77 ZAC393 AC 746012 648259 43 -60 77 ZAC393 AC 746012 648259 43 -60 77 ZAC393 AC 746014 648259 43 -60 77 ZAC393 AC 746084 648259 43 -60 77 ZAC393 AC 746081 648264 55 4 -60 77 ZAC399 AC 746081 648269 55 5 -60 7						_		73
ZAC365 AC 744710 6481995 78 -60 73 ZAC366 AC 744783 6482021 53 -60 73 ZAC366 AC 744783 6482021 53 -60 73 ZAC368 AC 744504 6482849 37 -60 73 ZAC368 AC 744555 6482837 28 -60 73 ZAC369 AC 744516 6482809 40 -60 73 ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744421 648276 77 -60 73 ZAC372 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC373 AC 744446 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC377 AC 744300 6483342 46 -60 73 ZAC377 AC 744262 6483324 61 -60 73 ZAC379 AC 744262 6483324 61 -60 73 ZAC379 AC 74426 6483279 78 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743895 6484048 66 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC388 AC 744249 6483740 48 -60 73 ZAC388 AC 744248 6483710 71 -60 73 ZAC388 AC 744488 6483710 71 -60 73 ZAC388 AC 744408 6483710 71 -60 73 ZAC388 AC 74408 6483659 75 -60 73 ZAC388 AC 74408 6483677 60 -60 73 ZAC388 AC 74408 6483659 75 -60 73 ZAC388 AC 74408 6483659 75 -60 73 ZAC389 AC 746011 6482521 40 -60 73 ZAC390 AC 746012 6482599 43 -60 73 ZAC391 AC 746081 6482599 43 -60 73 ZAC393 AC 746012 6482599 43 -60 73 ZAC398 AC 746011 6482656 45 -60 73 ZAC398 AC 746081 6482645 54 -60 73 ZAC399 AC 746081 6482645 54 -60 73 ZAC399 AC 746081 6482644 35 -60 73 ZAC399 AC 746081 6482644 35 -60 73 ZAC399 AC 746081 6482644 35 -60 73		ZAC363	AC	744806	6482029		-60	73
ZAC366 AC 744783 6482021 53 -60 73 ZAC367 AC 744604 6482849 37 -60 73 ZAC368 AC 744555 6482837 28 -60 73 ZAC369 AC 744516 6482809 40 -60 73 ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744421 6482776 77 -60 73 ZAC372 AC 744421 6482776 77 -60 73 ZAC373 AC 744421 648276 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744446 6483392 45 -60 73 ZAC374 AC 744406 6483376 41 -60 73 ZAC375 AC 744360 6483379 45 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743895 6484048 66 -60 73 ZAC383 AC 743895 6484048 66 -60 73 ZAC383 AC 744249 6483740 48 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 648370 71 -60 73 ZAC388 AC 744198 6483710 71 -60 73 ZAC389 AC 744048 6483710 71 -60 73 ZAC389 AC 74408 648368 58 -60 73 ZAC389 AC 74408 648368 58 -60 73 ZAC389 AC 746094 6482592 30 -60 73 ZAC391 AC 746094 6482594 27 -60 73 ZAC393 AC 746094 6482594 27 -60 73 ZAC393 AC 746012 6482594 27 -60 73 ZAC393 AC 746094 6482594 27 -60 73 ZAC393 AC 746094 6482594 27 -60 73 ZAC393 AC 746011 6482594 27 -60 73 ZAC398 AC 746048 6482636 26 -60 73 ZAC399 AC 746011 6482694 35 -60 73 ZAC399 AC 746011 6482694 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745011 6482644 35 -60 73		ZAC364	AC	744756	6482009	46	-60	73
ZAC367 AC 744604 6482849 37 -60 73 ZAC368 AC 744555 6482837 28 -60 73 ZAC369 AC 744516 6482809 40 -60 73 ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744467 6482767 77 -60 73 ZAC372 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744446 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC375 AC 744360 6483359 45 -60 73 ZAC377 AC 744360 6483359 45 -60 73 ZAC378 AC 744262 6483324 46 -60 73 ZAC378 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC381 AC 743895 6484048 66 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483740 48 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 74408 648368 58 -60 73 ZAC388 AC 74408 648368 58 -60 73 ZAC389 AC 74408 648368 58 -60 73 ZAC389 AC 74408 648368 58 -60 73 ZAC389 AC 74408 6483659 75 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC391 AC 746068 6482521 50 -60 73 ZAC393 AC 746061 6482599 43 -60 73 ZAC393 AC 746061 6482656 45 -60 73 ZAC398 AC 746081 6482645 54 -60 73 ZAC399 AC 746081 6482644 35 -60 73 ZAC399 AC 745081 6482644 35 -60 73				_	0.0000	_		73
ZAC368 AC 744555 6482837 28 -60 73 ZAC369 AC 744516 6482809 40 -60 73 ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744467 6482776 77 -60 73 ZAC371 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744446 6483392 45 -60 73 ZAC374 AC 744446 6483376 41 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744307 6483342 46 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743895 6484048 66 -60 73 ZAC384 AC 743800 6484019 60 -60 73 ZAC385 AC 744195 6483740 48 -60 73 ZAC386 AC 744195 6483740 48 -60 73 ZAC387 AC 74408 648368 58 -60 73 ZAC388 AC 744098 6483688 58 -60 73 ZAC389 AC 744098 6483689 57 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC391 AC 746048 6482532 30 -60 73 ZAC392 AC 746012 6482594 27 -60 73 ZAC393 AC 746081 6482599 43 -60 73 ZAC397 AC 746081 6482599 43 -60 73 ZAC397 AC 746081 6482594 27 -60 73 ZAC398 AC 746081 6482644 35 -60 73 ZAC399 AC 746011 6482644 35 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745011 6482644 35 -60 73 ZAC399 AC 745081 6482796 44 -60 73 ZAC399 AC 745081 6482797 39 -60 73 ZAC399 AC 746081 6482644 35 -60 73 ZAC399 AC 746081 6482644 35 -60 73 ZAC399 AC 746081 6482644 35 -60 73 ZAC399 AC 745081 6482644 35 -60 73		ZAC366	AC	744783	6482021	53	-60	73
ZAC369 AC 744516 6482809 40 -60 73 ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744421 6482776 77 -60 73 ZAC372 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744444 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC375 AC 744406 6483359 45 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC377 AC 744202 6483324 61 -60 73 ZAC378 AC 744212 6483308 67 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743895 6484048 66 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 74418 6483740 48 -60 73 ZAC386 AC 74418 6483710 71 -60 73 ZAC389 AC 74408 6483659 75 -60 73 ZAC389 AC 744094 6483659 75 -60 73 ZAC389 AC 744094 6482592 30 -60 73 ZAC389 AC 744095 6483659 75 -60 73 ZAC389 AC 744096 6483659 75 -60 73 ZAC389 AC 744096 6483659 75 -60 73 ZAC390 AC 746104 6482592 30 -60 73 ZAC391 AC 74608 6482594 27 -60 73 ZAC393 AC 74608 6482599 43 -60 73 ZAC397 AC 74608 6482599 43 -60 73 ZAC397 AC 74608 6482645 54 -60 73 ZAC398 AC 746081 6482645 54 -60 73 ZAC398 AC 746081 6482645 54 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745011 6483696 44 -60 73		ZAC367	AC	744604	6482849	37	-60	73
ZAC370 AC 744467 6482795 51 -60 73 ZAC371 AC 744421 6482776 77 -60 73 ZAC372 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744446 6482786 45 -60 73 ZAC375 AC 744440 6483392 45 -60 73 ZAC377 AC 744306 6483376 41 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC379 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 74418 6483740 48 -60 73 ZAC386 AC 744148 6483740 71 -60 73 ZAC387 AC 74408 648369 75 -60 73 ZAC388 AC 74408 648369 75 -60 73 ZAC389 AC 74408 648369 75 -60 73 ZAC389 AC 746010 6482521 40 -60 73 ZAC391 AC 746081 6482594 27 -60 73 ZAC392 AC 746011 648264 35 -60 73 ZAC399 AC 746081 6482645 54 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745088 6483717 39 -60 73 ZAC399 AC 745081 6482645 54 -60 73	•	ZAC368	AC	744555	6482837	28	-60	73
ZAC371 AC 744421 6482776 77 -60 73 ZAC372 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744446 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744360 6483376 41 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744216 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 744249 6483740 48 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 74418 6483710 71 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC388 AC 744048 648368 58 -60 73 ZAC388 AC 744048 6483687 76 -60 73 ZAC389 AC 744048 6483659 75 -60 73 ZAC389 AC 746014 6482532 30 -60 73 ZAC391 AC 746068 648251 40 -60 73 ZAC392 AC 746014 6482532 50 -60 73 ZAC393 AC 746012 6482432 50 -60 73 ZAC394 AC 746081 6482645 54 -60 73 ZAC398 AC 746011 6482645 54 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745011 6482645 54 -60 73 ZAC399 AC 745011 6482645 54 -60 73 ZAC399 AC 745011 6482644 35 -60 73	•	ZAC369		744516	6482809			73
ZAC372 AC 744376 6482760 78 -60 73 ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744444 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744360 6483376 41 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 74418 6483740 48 -60 73 ZAC386 AC 74418 6483710 71 -60 73 ZAC388 AC 744048 648368 58 -60 73 ZAC388 AC 744048 6483687 60 -60 73 ZAC389 AC 744048 6483687 60 -60 73 ZAC390 AC 746014 6482532 30 -60 73 ZAC391 AC 746068 648259 75 -60 73 ZAC393 AC 746012 6482432 50 -60 73 ZAC395 AC 746012 6482432 50 -60 73 ZAC396 AC 746014 648259 43 -60 73 ZAC397 AC 746081 6482694 27 -60 73 ZAC398 AC 746012 6482695 45 -60 73 ZAC399 AC 746011 6482645 54 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745011 6482624 35 -60 73		ZAC370		744467				73
ZAC373 AC 744446 6482786 45 -60 73 ZAC374 AC 744444 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744360 6483359 45 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744148 6483710 71 -60 73 ZAC386 AC 744098 6483688 58 -60 73 ZAC388 AC 744098 6483669 75 -60 73 ZAC389 AC 744048 6483677 60 -60 73 ZAC389 AC 744048 6483677 60 -60 73 ZAC389 AC 746068 6482521 40 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 648259 43 -60 73 ZAC393 AC 746094 6482599 43 -60 73 ZAC396 AC 746081 6482696 55 -60 73 ZAC397 AC 746081 6482645 54 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745018 6483717 39 -60 73 ZAC399 AC 745018 6483717 39 -60 73 ZAC399 AC 745018 6483717 39 -60 73 ZAC399 AC 74501 6482624 35 -60 73 ZAC399 AC 745018 6483717 39 -60 73 ZAC399 AC 745018 6482624 35 -60 73 ZAC399 AC 745018 6482624 35 -60 73 ZAC399 AC 745018 6482624 35 -60 73 ZAC399 AC 745018 6483717 39 -60 73		ZAC371		744421				73
ZAC374 AC 744444 6483392 45 -60 73 ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744360 6483359 45 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744148 6483710 71 -60 73 ZAC386 AC 744048 6483677 60 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744048 6483659 75 -60 73 ZAC389 AC 746014 6482532 30 -60 73 ZAC391 AC 746068 6482591 40 -60 73 ZAC392 AC 746012 6482591 40 -60 73 ZAC395 AC 746094 6482599 43 -60 73 ZAC396 AC 746081 6482656 45 -60 73 ZAC397 AC 746081 6482656 45 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 74508 6483177 39 -60 73 ZAC399 AC 74508 6483717 39 -60 73						_		73
ZAC375 AC 744406 6483376 41 -60 73 ZAC376 AC 744360 6483359 45 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744048 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC388 AC 744048 6483659 75 -60 73 ZAC389 AC 744048 6482532 30 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482594 27 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 74604 6482599 43 -60 73 ZAC396 AC 74604 6482599 43 -60 73 ZAC397 AC 746081 6482645 54 -60 73 ZAC398 AC 746048 6482645 54 -60 73 ZAC399 AC 746048 6482645 54 -60 73 ZAC399 AC 746048 6482645 54 -60 73 ZAC399 AC 746048 6482644 35 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745011 6482624 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745011 6482624 35 -60 73 ZAC399 AC 745011 6482624 35 -60 73 ZAC399 AC 745011 6482624 35 -60 73								73
ZAC376 AC 744360 6483359 45 -60 73 ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744048 6483659 75 -60 73 ZAC389 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 74604 6482594 27 -60 73 ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746081 6482645 54 -60 73 ZAC397 AC 746048 6482645 54 -60 73 ZAC398 AC 746048 6482645 54 -60 73 ZAC399 AC 746048 6482645 54 -60 73 ZAC399 AC 746048 6482645 54 -60 73 ZAC399 AC 746048 6482644 35 -60 73 ZAC399 AC 746048 6482644 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745011 6482624 35 -60 73								73
ZAC377 AC 744307 6483342 46 -60 73 ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483687 60 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC390 AC 746014 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 746012 6482432 50 -60 73 ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746012 648259 43 -60 73 ZAC396 AC 746014 6482599 43 -60 73 ZAC397 AC 746081 648266 45 -60 73 ZAC397 AC 746081 6482665 45 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745008 6483717 39 -60 73 ZAC399 AC 745001 6482624 35 -60 73 ZAC399 AC 745008 6483717 39 -60 73								73
ZAC378 AC 744262 6483324 61 -60 73 ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744195 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744048 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 74604 6482599 43 -60 73 ZAC395 AC 74604 6482599 43 -60 73 ZAC396 AC 74604 6482599 43 -60 73 ZAC397 AC 746081 6482645 54 -60 73 ZAC398 AC 746048 6482636 26 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745001 6482624 35 -60 73								73
ZAC379 AC 744212 6483308 67 -60 73 ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC388 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744048 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 746012 6482432 50 -60 73 ZAC394 AC 74608 6482594 27 -60 73 ZAC395 AC 74608 6482594 27 -60 73 ZAC396 AC 74608 6482595 43 -60 73 ZAC397 AC 74608 6482636 26 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745811 6483796 44 -60 73								73
ZAC380 AC 744176 6483279 78 -60 73 ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 74604 6482594 27 -60 73 ZAC394 AC 74604 6482594 27 -60 73 ZAC395 AC 74604 6482594 27 -60 73 ZAC397 AC 746081 6482656 45 -60 73 ZAC397 AC 746081 6482645 54 -60 73 ZAC398 AC 746011 6482645 54 -60 73 ZAC399 AC 745908 6483717 39 -60 73								73
ZAC381 AC 743943 6484063 78 -60 73 ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 74604 6482594 27 -60 73 ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746121 6482656 45 -60 73 ZAC397 AC 746048 6482636 26 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73						_		73
ZAC382 AC 743895 6484048 66 -60 73 ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 746051 6482594 27 -60 73 ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746121 6482656 45 -60 73 ZAC396 AC 746081 6482645 54 -60 73 ZAC397 AC 746048 6482636 26 -60 73 ZAC399 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745811 6483796 44 -60 73								73
ZAC383 AC 743800 6484019 60 -60 73 ZAC384 AC 744249 6483740 48 -60 73 ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 746051 6482594 27 -60 73 ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746012 6482656 45 -60 73 ZAC396 AC 746081 6482656 45 -60 73 ZAC397 AC 746088 6482636 26 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC400 AC 745811 6483796 44 -60 73								73
ZAC384         AC         744249         6483740         48         -60         73           ZAC385         AC         744195         6483726         57         -60         73           ZAC386         AC         744148         6483710         71         -60         73           ZAC387         AC         744098         6483688         58         -60         73           ZAC388         AC         744048         6483677         60         -60         73           ZAC389         AC         744005         6483659         75         -60         73           ZAC390         AC         746104         6482532         30         -60         73           ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC395         AC         746094         6482599         43         -60         73           ZAC396         AC         746081         6482645         54         -60 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>73</td>								73
ZAC385 AC 744195 6483726 57 -60 73 ZAC386 AC 744148 6483710 71 -60 73 ZAC387 AC 744098 6483688 58 -60 73 ZAC388 AC 744048 6483677 60 -60 73 ZAC389 AC 744005 6483659 75 -60 73 ZAC390 AC 746104 6482532 30 -60 73 ZAC391 AC 746068 6482521 40 -60 73 ZAC392 AC 746012 6482432 50 -60 73 ZAC393 AC 746051 6482594 27 -60 73 ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746121 6482656 45 -60 73 ZAC396 AC 746081 6482645 54 -60 73 ZAC397 AC 746048 6482636 26 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC399 AC 745811 6483796 44 -60 73								73
ZAC386         AC         744148         6483710         71         -60         73           ZAC387         AC         744098         6483688         58         -60         73           ZAC388         AC         744048         6483677         60         -60         73           ZAC389         AC         744005         6483659         75         -60         73           ZAC390         AC         746104         6482532         30         -60         73           ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         746081         6482656         45         -60         73           ZAC397         AC         746081         6482636         26         -60         73           ZAC398         AC         746011         6482624         35         -60 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>73</td>								73
ZAC387         AC         744098         6483688         58         -60         73           ZAC388         AC         744048         6483677         60         -60         73           ZAC389         AC         744005         6483659         75         -60         73           ZAC390         AC         746104         6482532         30         -60         73           ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         746081         6482645         45         -60         73           ZAC396         AC         746081         6482645         54         -60         73           ZAC397         AC         746048         6482636         26         -60         73           ZAC399         AC         745908         6483717         39         -60 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
ZAC388         AC         744048         6483677         60         -60         73           ZAC389         AC         744005         6483659         75         -60         73           ZAC390         AC         746104         6482532         30         -60         73           ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         7460121         6482656         45         -60         73           ZAC396         AC         746081         6482645         54         -60         73           ZAC397         AC         746048         6482636         26         -60         73           ZAC398         AC         745908         6483717         39         -60         73           ZAC400         AC         745908         6483796         44         -60 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
ZAC389         AC         744005         6483659         75         -60         73           ZAC390         AC         746104         6482532         30         -60         73           ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         746021         6482656         45         -60         73           ZAC396         AC         746081         6482645         54         -60         73           ZAC397         AC         746048         6482636         26         -60         73           ZAC399         AC         745908         6483717         39         -60         73           ZAC400         AC         745811         6483796         44         -60         73	-							
ZAC390         AC         746104         6482532         30         -60         73           ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         746121         6482656         45         -60         73           ZAC396         AC         746041         6482645         54         -60         73           ZAC397         AC         746048         6482636         26         -60         73           ZAC398         AC         746011         6482624         35         -60         73           ZAC399         AC         745908         6483717         39         -60         73           ZAC400         AC         745811         6483796         44         -60         73	-							
Scott's Grey         ZAC391         AC         746068         6482521         40         -60         73           ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         746121         6482656         45         -60         73           ZAC396         AC         746081         6482645         54         -60         73           ZAC397         AC         746048         6482636         26         -60         73           ZAC398         AC         746011         6482624         35         -60         73           ZAC399         AC         745908         6483717         39         -60         73           ZAC400         AC         745811         6483796         44         -60         73								
Scott's Grey         ZAC392         AC         746012         6482432         50         -60         73           ZAC393         AC         746051         6482594         27         -60         73           ZAC394         AC         746094         6482599         43         -60         73           ZAC395         AC         746121         6482656         45         -60         73           ZAC396         AC         746081         6482645         54         -60         73           ZAC397         AC         746048         6482636         26         -60         73           ZAC398         AC         746011         6482624         35         -60         73           ZAC399         AC         745908         6483717         39         -60         73           ZAC400         AC         745811         6483796         44         -60         73	-							
Scott's Grey	-					_		
Scott's Grey ZAC394 AC 746094 6482599 43 -60 73 ZAC395 AC 746121 6482656 45 -60 73 ZAC396 AC 746081 6482645 54 -60 73 ZAC397 AC 746048 6482636 26 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC400 AC 745811 6483796 44 -60 73	-							73
ZAC395 AC 746121 6482656 45 -60 73 ZAC396 AC 746081 6482645 54 -60 73 ZAC397 AC 746048 6482636 26 -60 73 ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC400 AC 745811 6483796 44 -60 73								73
ZAC396     AC     746081     6482645     54     -60     73       ZAC397     AC     746048     6482636     26     -60     73       ZAC398     AC     746011     6482624     35     -60     73       ZAC399     AC     745908     6483717     39     -60     73       ZAC400     AC     745811     6483796     44     -60     73	Grey							73
ZAC397     AC     746048     6482636     26     -60     73       ZAC398     AC     746011     6482624     35     -60     73       ZAC399     AC     745908     6483717     39     -60     73       ZAC400     AC     745811     6483796     44     -60     73	-							73
ZAC398 AC 746011 6482624 35 -60 73 ZAC399 AC 745908 6483717 39 -60 73 ZAC400 AC 745811 6483796 44 -60 73	-							73
ZAC399 AC 745908 6483717 39 -60 73 ZAC400 AC 745811 6483796 44 -60 73	-							73
ZAC400 AC 745811 6483796 44 -60 73								73
								73
ZAC4U1   AC   /4569U   6483/31   51  -60   16		ZAC401	AC	745690	6483731	51	-60	160
								160
	Dulcie							160
	<b>H</b>							160
	-							73
								73
	-							73
	-							73

ZAC409	AC	745587	6484039	21	-60	73
ZAC410	AC	745553	6484011	48	-60	73
ZAC411	AC	745515	6483997	64	-60	73
ZAC412	AC	745473	6483986	43	-60	73
ZAC413	AC	745822	6483903	22	-60	73
ZAC414	AC	745792	6483888	33	-60	73
ZAC415	AC	745751	6483882	39	-60	73
ZAC416	AC	745719	6483867	48	-60	73
ZAC417	AC	745677	6483855	53	-60	73
ZAC418	AC	745628	6483840	47	-60	73
ZAC419	AC	745567	6483825	26	-60	73

**Table 3: Significant Historical Gold Intersections** 

Prospect	Hole ID	From (m)	To (m)	Interval (m)	Au Grade (g/t)
	PR-02	0	13	13	1.1
	PR-22	0	8	8	2.5
	PR-03	0	8	8	1.7
	PR-04	0	14	14	1.8
Dulcie North	PR-34	37	42	5	0.6
Duicle North	PR-40	44	49	5	1.0
	PR-40	36	38	2	1.7
	PR-35	37	44	7	1.2
	PR-35	52	56	4	0.9
	PR-23	0	9	9	1.5

**Note:** Zenith has gold rights below 6m from surface only. High-grade intersections are length weighted average grades with minimum cut -off grade of 1.0g/t Au and no internal dilution, whilst lower grade intersections are length weighted average grades with minimum cut-off grade of 0.4g/t Au and maximum internal dilution of 4m. NSR = No significant result. Refer to JORC Tables in ZNC ASX release 24-Jun-21 for details of sampling techniques of holes with PR\* prefix.

Table 2: Drill Hole Collar Locations - Historical Holes

Prospect	Hole ID	Hole_Type	Easting	Northing	Depth (m)	Dip	Azimuth
	PR-02	RAB	745519	6484008	15	-60	074
	PR-22	RAB	745518	6484023	15	-90	-
	PR-03	RAB	745529	6484023	15	-60	074
Dulcie	PR-04	RAB	745521	6484023	15	-60	074
North	PR-34	RAB	745477	6483983	51	-60	074
	PR-40	RAB	745463	6484003	51	-60	074
	PR-35	RAB	745474	6483983	51	-90	-
	PR-23	RAB	745517	6484003	30	-60	074

For further information please refer to the Company's website or contact the Company directly.

Authorised for release by the Zenith Minerals Limited Board of Directors – 13<sup>th</sup> July 2021 For further information contact Zenith Minerals Limited:

Directors Michael Clifford or Peter Bird

E: mick@zenithminerals.com.au\_peter@zenithminerals.com.au\_(Phone +61 8 9226 1110)

#### **Competent Persons Statement**

The information in this report that relates to Exploration Results and Mineral Resources is based on information compiled by Mr Michael Clifford, who is a Member of the Australian Institute of Geoscientists and an employee of Zenith Minerals Limited. Mr Clifford has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Clifford consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

#### **Material ASX Releases Previously Released**

The Company has released all material information that relates to Exploration Results, Mineral Resources and Reserves, Economic Studies and Production for the Company's Projects on a continuous basis to the ASX and in compliance with JORC 2012. The Company confirms that it is not aware of any new information that materially affects the content of this ASX release and that the material assumptions and technical parameters remain unchanged.

### **About Zenith**

Zenith has a vision to build a gold and base metals business with a team of proven project finders. Focus is on 100% owned Zenith projects, whilst partners progress multiple additional opportunities using third party funds.

Zenith is continuing to focus on its core Australian gold and copper projects including:

- Red Mountain Gold Project in Queensland (100% owned) where ongoing drilling is following-up the high-grade near surface gold and silver intersected in the maiden & subsequent drill programs (ASX Releases 3-Aug-20 & 13-Oct-20, 9-Nov-20, 21-Jan-21), including:
  - o 13m @ 8.0 g/t Au & 3.2 g/t Ag from surface
  - 15m @ 3.5 g/t Au, incl. 2m @ 22.4 g/t Au
  - o 5m @ 10.4 g/t Au, and
  - o 12m @ 4.9 g/t Au
- Split Rocks Gold Project in Western Australia (100% owned), where recent drilling returned, high-grade near surface gold mineralisation at multiple targets (ASX Release 5-Aug-20, 2-Sep-20, 19-Oct-20, 28-Oct-20, 15-Ja-21, 11-Mar-21, 21-Apr-21, 24-Jun-21), including:
  - o Dulcie North: 32m @ 9.4 g/t Au, incl 9m @ 31.4 g/t Au.
  - o Dulcie Laterite Pit:
    - 2m @ 14.5 g/t Au, incl. 1m @ 20.8 g/t Au,
    - 18m @ 2.0 g/t Au (EOH) incl. 1m @ 23.7 g/t Au &
    - 14m @ 3.5 g/t Au
  - Estrela Prospect: 2m @ 9.8 g/t Au (open to north & south)
  - Dulcie Far North: 5m @ 5.6 g/t Au incl. 4m @ 6.8 g/t Au, 3m @ 70 g/t Au
  - o Water Bore: 3m @ 6.6 g/t Au
- Develin Creek Copper-Zinc Project in Queensland (100% owned) maiden drill test of the new Snook copper target located 30km south of Zenith's JORC resources discovers massive copper-zinc sulphides (ASX Release 17-Dec-20). Drill results from Sulphide City include: 29m @ 2.3% Cu, 1.2% Zn, 0.3g/t Au, 4.2 g/t Ag (ASX Release 5-Jul-21).
- Jackadgery Gold Project in New South Wales (option to earn initial 90%), historic trenching returned 160m @ 1.2 g/t Au. No drilling to date. Zenith planning maiden drill test (ASX Release 10-Sep-20).
- Earaheedy Zinc Project in Western Australia (25% free carry to end BFS). New major zinc discovery to be fast tracked with extensive accelerated exploration program underpinned by a recent \$40M capital raising by partner Rumble Resources Limited (ASX:RTR) (ASX Releases 28-Apr-21 & 2-Jun-21).

# **JORC Tables**

# **Section 1 Sampling Techniques and Data for Zenith Aircore Drilling**

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
	Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.	4m composite aircore drill samples were collected at depths ranging from 0 to 56m depth.  Samples were collected via a cyclone.
Sampling	Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.	Samples are representative of the intervals sampled.
techniques	Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.	Aircore drilling was used to obtain 4 m composite from which 2 kg was pulverised with analysis for gold by 50g fire assay with AAS finish
Drilling techniques	Drill type (e.g. core, reverse circulation, openhole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, facesampling bit or other type, whether core is oriented and if so, by what method, etc.).	Aircore
	Method of recording and assessing core and chip sample recoveries and results assessed.	Samples were visually assessed in the field and using an estimated bulk density compared against theoretical mass to estimate recovery.
Drill sample recovery	Measures taken to maximise sample recovery and ensure representative nature of the samples.	Aircore ensured good recoveries through-out the drill program, holes that ended in high-water ingress were terminated to ensure adequate sample recovery.
	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Acceptable overall sample recoveries through-out drill program no bias likely.

	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	All drill samples were logged by a qualified geologist
Logging	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.	Qualitative logging, representative sample retained t
	The total length and percentage of the relevant intersections logged.	100%
	If core, whether cut or sawn and whether quarter, half or all core taken.	No core
Sub-sampling	If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.	Cone splitter for each 4m composite sample.
techniques and sample preparation	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	Samples were analysed at Nagrom Laboratories in Perth, 2 kg was pulverised and a representative subsample was analysed for gold by 50g fire assay with AAS finish.
	Quality control procedures adopted for all sub- sampling stages to maximise representivity of samples.	~200g of sample was pulverised and a sub-sample was taken in the laboratory and analysed.
Sub-sampling techniques and sample	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	Duplicate samples were taken in the field and analysed as part of the QA/QC process
preparation - continued	Whether sample sizes are appropriate to the grain size of the material being sampled.	Each sample was approximately 2kg in weight which is appropriate to test for the grain size of material sampled.
	assaying and laboratory procedures used and	Samples were analysed at Nagrom Laboratories in Perth, 2 kg was pulverised and a representative subsample was analysed for gold by 50g fire assay with AAS finish.
Quality of assay data and laboratory tests	For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	No geophysical tools used in this program.
	Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	Idiniicate eamniae wara incliidad in the analytical i
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel.	At least 2 Zenith company personnel have been to the prospect area and observed samples and representative drill chip samples
assayirig	The use of twinned holes.	Nil

	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	Field data were all recorded on paper logs and sample record books and then entered into a database
	Discuss any adjustment to assay data.	No adjustments were made.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Sample location is based on GPS coordinates +/-5m accuracy.
	Specification of the grid system used.	The grid system used to compile data was MGA94 Zone 50
Location of data points – continued	Quality and adequacy of topographic control.	Topography control is +/- 10m.
	Data spacing for reporting of Exploration Results.	Refer to Figures 2 - 7
Data spacing and distribution	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	There is insufficient information to calculate a mineral resource
	Whether sample compositing has been applied.	Simple weight average mathematical compositing applied
Orientation of data in relation to	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	All Zenith drilling is -60 degrees east and is close to representing true width thickness of the west dipping gold mineralisation, based on the current geological interpretation. Further drilling is required to confirm this interpretation.
geological structure	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	
Sample security	The measures taken to ensure sample security.	All samples were taken by Zenith personnel on site and retained in a secure location until delivered directly to the laboratory by Zenith personnel.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	The sampling techniques and data have been reviewed by two company personnel who are qualified as Competent Persons

# Section 1 Sampling Techniques and Data – Historic Drill Holes

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
		Historical drill holes:
		CUR* RAB holes were drilled by Thames Mining NL in 1985 & 1986. Samples were collected as 3m composites (WAMEX Open file reports a18004 & 19521).
		CURC* RC holes were drilled by Thames Mining NL in 1986. Samples were collected as 2m composites (WAMEX Open file report a19554). PR-* RAB holes were drilled by Gwalia Minerals NL in 1988. Samples were collected as 3m composites with some later resampling at 1m (WAMEX Open file report a37134).
		dac* aircore holes were drilled by Aztec Mining Ltd in 1992. Samples were collected as 5m composites (WAMEX Open file report a37803).
		P7SRC* RC holes were drilled by Gasgoyne Gold Mines in 1995-96. Samples were collected as 2m composites with some later re-sampling at 1m (WAMEX Open file report a49187).
Sampling techniques	Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples	DHRC* RC holes were drilled by Sons of Gwalia Ltd in 1996. Samples were collected as 4m composites with some later re-sampling at 1m (WAMEX Open file report a52864). PSA* aircore holes were drilled by Sons of Gwalia Ltd in 1996-97. Samples were collected as 4m composites with some later re-sampling at 1m (WAMEX Open file report a53374).
	should not be taken as limiting the broad meaning of sampling.	PDR* & PSR* RAB and PDA* aircore holes were drilled by Sons of Gwalia Ltd in 1998. Samples were collected as 3m composites with some later re-sampling at 1m (WAMEX Open file reports a58137 & a62999).
		LDRC* RC holes were drilled by Crusader Holdings NL in 2004. Samples were collected as 4m composites with some later re-sampling at 1m (WAMEX Open file report a68752).
		DLRC* RC holes were drilled by Southern Cross Goldfields Ltd in 2009-2010. Samples were collected as 4m composites with some later re-sampling at 1m (WAMEX Open file reports a85232 & a88742).
		DRC* RC holes were drilled by Sons of Gwalia Ltd in 1998 (a62999). Three metre composite samples were collected from each hole and submitted to Ultra Trace Laboratories in Perth for analysis.
		DR* RAB holes were drilled by Kia Ora Gold Corporation NL in 1986. Samples were speared as 4m composites (a20282)

	standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or	Historical drilling: Historical RAB and RC drilling were used to obtain 1 to 5m composite samples which were analysed for gold following diverse methods (see below).
Drilling	mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.  Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard	Historical drilling: RAB, aircore and RC
techniques	tube, depth of diamond tails, face- sampling bit or other type, whether core is oriented and if so, by what method, etc.).	
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed.	Drill chip recoveries are not documented in historical reports. Appropriate controls will be put in place in future infill drilling programmes. With the exception of some RC drill holes completed by Crusader Resources that had some wet samples that were reported as having poor recoveries (a68752) it is assumed that most samples have been drilled dry and that
	Measures taken to maximise sample recovery and ensure representative nature of the samples.	most samples have been drilled dry and that acceptable recoveries have been achieved.  Not documented in historical drilling.

	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	Not documented in historical drilling.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.	Historical drill samples were logged by qualified geologists.
	Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.	Historical logging was qualitative.
	The total length and percentage of the relevant intersections logged.	All historical intersections were logged.
	If core, whether cut or sawn and whether quarter, half or all core taken.	No core
	If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.	Different methods were used with historical samples. When reported, generally 1m samples from cyclones were riffle split and composited to final sample. Samples were generally dry but some were reported as wet.
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	CUR* RAB samples were analysed at Analabs Laboratories at Welshpool (WA) using Fire Assay followed by AAS determination.
		CURC* assaying methods and laboratory were not reported. PR-* samples were analysed at Kal Assays Southern Cross Pty Ltd in Southern Cross (WA) using aqua regia digestion followed by AAS determination. Re-sampling assayed via Fire assay.
		dac* samples were analysed at ALS laboratory in Perth (WA) using aqua regia (50g) digestion followed by AAS determination.
Sub-sampling techniques and sample preparation		P7SRC* samples were analysed at Yilgarn Assay Laboratory in Southern Cross (WA) using aqua regia (AR50) digestion followed by an unreported determination method.
		DHRC* assaying methods and laboratory were not reported.
		PSA* samples were analysed at ALS laboratory in Perth (WA) using aqua regia digestion followed by an unknown determination method. Re-sampling assayed via Fire assay.
		PDR*, PSR* & PDA* samples were analysed at Ultra Trace Laboratories in Perth (WA) using an aqua regia digestion followed by ICP-MS/OES determination. Resampling assayed at ALS laboratory in Perth (WA) via aqua regia followed by graphite furnace/AAS determination.
		LDRC* samples were analysed at Leonora Laverton Assay Laboratory in Southern Cross (WA) using cyanide leaching (PAL1). Re-sampling assayed via 40g Fire assay.

		DLRC* samples were analysed at Ultra Trace Perth (WA) using Fire Assay (FA002) followed by ICPOES determination.
		Hole DRC005 was assayed for Au and Ni using an aqua regia digestion followed by ICP-MS determination. Anomalous samples were re-split to 1m intervals and assayed for Au, Pd and Pt by fire assay/ICP-OES.
		DR* samples were analysed at Kalgoorlie Assay Laboratories (Kalgoorlie) and were assayed by AAS method.
		dl* samples were analysed at Analabs (Perth) using an aqua regia digestion followed by AAS determination.
		DLP* samples were analysed at Analabs (Perth) using an aqua regia digestion followed by AAS determination.
		FDUP* samples were analysed by Fire Assay. No other information is available.
		P7A* assay method was not documented.
	Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.	Standard industry laboratory procedures are assumed to have been in place following pulverising of the sample material (80% passing 75um).
Sub-sampling techniques and sample preparation -	Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.	Historical drilling: Field duplicate or second half sampling is generally not stated in historical reports; selected repeat samples from the PDR* & PDA* series were sent to ALS Laboratories in Perth and assayed for gold using an aqua regia digestion followed by graphite furnace / AAS determination (a62999).
continued	Whether sample sizes are appropriate to the grain size of the material being sampled.	Historical Drilling: Sample sizes are assumed to be following industry standards and appropriate.
		CUR* RAB samples were analysed at Analabs Laboratories at Welshpool (WA) using Fire Assay followed by AAS determination.
	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	CURC* assaying methods and laboratory were not reported.
Quality of assay data and laboratory tests		PR-* samples were analysed at Kal Assays Southern Cross Pty Ltd in Southern Cross (WA) using aqua regia digestion followed by AAS determination. Re-sampling assayed via Fire assay.
		dac* samples were analysed at ALS laboratory in Perth (WA) using aqua regia (50g) digestion followed by AAS determination.
		P7SRC* samples were analysed at Yilgarn Assay Laboratory in Southern Cross (WA) using aqua regia (AR50) digestion followed by an unreported determination method.

DHRC\* assaying methods and laboratory were not reported. PSA\* samples were analysed at ALS laboratory in Perth (WA) using aqua regia digestion followed by an unknown determination method. Re-sampling assayed via Fire assay. PDR\*, PSR\* & PDA\* samples were analysed at Ultra Trace Laboratories in Perth (WA) using an aqua regia digestion followed by ICP-MS/OES determination. Resampling assayed at ALS laboratory in Perth (WA) via agua regia followed by graphite furnace/AAS determination. LDRC\* samples were analysed at Leonora Laverton Assay Laboratory in Southern Cross (WA) using cyanide leaching (PAL1). Re-sampling assayed via 40g Fire assay. DLRC\* samples were analysed at Ultra Trace Perth (WA) using Fire assay. Hole DRC005 was assayed for Au and Ni using an digestion followed bγ regia ICP-MS determination. Anomalous samples were re-split to 1m intervals and assayed for Au, Pd and Pt by fire assay/ICP-OES. DR\* samples were analysed at Kalgoorlie Assay Laboratories (Kalgoorlie) and were assayed by AAS method. dl\* samples were analysed at Analabs using an aqua regia digestion followed by AAS determination. DLP\* samples were analysed at Analabs (Perth) using an aqua regia digestion followed by AAS determination. FDUP\* samples were analysed by Fire Assay. No other information is available. P7A\* assay method was not documented. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the No geophysical tools used in this drilling program analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Historical drilling: The QA/QC controls are not well documented in historical reports. selected repeat samples from the PDR\*, PSR\* & PSA\* series were sent to ALS Nature of quality control procedures Laboratories in Perth and assayed for gold using an adopted (e.g. standards, blanks, agua regia digestion followed by graphite furnace / AAS duplicates, external laboratory checks) determination (a62999). and whether acceptable levels of accuracy (i.e. lack of bias) and precision Thirteen successive drilling campaigns by seven have been established. different companies analysed by at least six separate laboratories have confirmed the presence of bedrock gold mineralisation and provide comfort that significant bedrock gold mineralisation exists. Verification of The Historical drilling: verification of significant Thirteen successive drilling campaigns by seven sampling and intersections by either independent or assaving alternative company personnel. different companies analysed by at least six separate

		laboratories have confirmed the presence of bedrock gold mineralisation.
	The use of twinned holes.	No specific twin hole drilled but thirteen successive drilling campaigns by seven different companies analysed by at least six separate laboratories have confirmed the presence of bedrock gold mineralisation.
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	Historical drilling: Field data were recorded on paper logs.
	Discuss any adjustment to assay data.	No adjustments were made.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	Historical drilling: Original drill collar locations based on compass and tape surveys or GPS depending on year of drilling. Selected drill hole collar locations have been verified in the field using GPS with +/- 3m accuracy. Some more recent drilling surveyed using a carrier-phase enhancement GPS (a85232).
	Specification of the grid system used.	The grid system used to compile data was MGA94 Zone 50
Location of data points - continued	Quality and adequacy of topographic control.	Topography control is +/- 5m
	Data spacing for reporting of Exploration Results.	Drill holes shown in Figures 3 & 4 and Tables 3 & 4
Data spacing and distribution	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	The data alone will not be used to estimate mineral resource or ore reserve.
	Whether sample compositing has been applied.	Different methods were used with historical samples. When reported, generally 1m samples from cyclones were riffle split and composited to final sample. Samples were generally dry but some were reported as wet.
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	The intersections in all drill holes are interpreted to be close to true widths.
	If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	As above
Sample security	The measures taken to ensure sample security.	Historical drilling: Industry standards are inferred to have been used.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Historical drilling: No specific audit documented but at least four successive drilling campaigns by different companies analysed by at least two separate laboratories have confirmed the presence of bedrock gold mineralisation.

# **Section 2 Reporting of Exploration Results**

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.	Zenith announced on the 21st March 2019 that it has a 2-year option(subsequently extended by a year) to explore for bedrock gold (any gold 6 metres below surface) and lithium mineralisation on tenements covering the operating Dulcie Heap Leach Gold Project (DHLGO) in exchange for surface laterite gold rights on Zenith's adjoining exploration licence E77/2388.  Zenith may at its sole election exercise the option through the payment of a 2% NSR royalty payable on any future bedrock gold production from the DHLGO project area. The project is located predominantly in vacant crown land.
	The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	Tenements are mining leases and prospecting leases, current heap leach operation is active, no known impediments to obtain a licence to operate.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	Refer to ASX release 21st March 2019.
Geology	Deposit type, geological setting and style of mineralisation.	Archean mesothermal lode gold mineralisation hosted within banded iron formation (BIF) and mafic rock types.
	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:  o easting and northing of the drill hole collar	
5 77.4	o elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar	Refer to Figures and Tables in body of text of this ASX release.
Drill hole Information	o dip and azimuth of the hole o down hole length and interception depth	
	o hole length.	
	If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	
Data aggregation methods	averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high	High-grade intersections are length weighted average grades with minimum cut -off grade of 1.0g/t Au and no internal dilution, whilst lower grade intersections are length weighted average grades with minimum cut-off grade of 0.4g/t Au and maximum internal dilution of 4m.
	Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.	

Data aggregation methods - continued	The assumptions used for any reporting of metal equivalent values should be clearly stated.	
Relationship between mineralisation widths and intercept lengths	These relationships are particularly important in the reporting of Exploration Results.	Drilling is angled -60 degrees east or vertical and based on current interpretation is thought to be representing true width thickness of the flat lying supergene or gentle west dipping gold mineralised zones however further drilling is required to confirm this interpretation.
	If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.	
	If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').	Mineralised intervals reported are down-hole lengths but
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Refer to Figures and Tables in body of text of this ASX release.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Refer to Figures and Tables in body of text of this ASX
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No other meaningful or material exploration data to be reported at this stage.
	The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).	
Further work	Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Refer to figures in body of this report.