

2 August 2021

Julimar continues to grow with new high-grade zone defined and significant extensions in step-out drilling

Ongoing resource drilling defines new G12 zone along the north-west contact of Gonneville and extends G8 and G9 zones by >500m along strike

Highlights

Drilling results

- « Further **exceptional high-grade results** received from the ongoing ~160,000m step-out and resource definition drill program at the **~1.8km x 0.9km** Gonneville Intrusion.
- « Drilling has defined a **twelfth high-grade zone (G12)**, extended the G8-G9 high-grade zones significantly to the north-east and extended the G2 zone down-plunge:
 - « G12: >650m of strike length and interpreted to potentially have up to 450m of dip extent, open along strike and down-dip;
 - « G8: >1,000m of strike length and up to 250m of dip extent, open to the north along strike and down-dip;
 - « G9: >1,000m of strike length and up to 200m of dip extent, open along strike and down-dip;
- « Significant new high-grade (>1g/t Pd) step-out results include:
 - « **9m @ 3.6g/t Pd**, 0.6g/t Pt, **1.7% Ni**, **0.7% Cu**, **0.1% Co** from 237m (JRC263) – New zone (TBD)
 - « **14m @ 2.7g/t Pd**, 0.9g/t Pt, 0.1g/t Au, 0.3% Ni, 0.2% Cu, 0.02% Co from 135m (JRC274) – G3
 - « **16m @ 1.3g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.2% Ni, 0.2% Cu, 0.02% Co from 197m (JRC288) – G8
 - « **10m @ 1.6g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.4% Ni, **0.5% Cu**, 0.03% Co from 446m (JD076) – G2
 - « **11m @ 1.6g/t Pd**, 0.3g/t Pt, **0.5g/t Au**, 0.1% Ni, **0.7% Cu**, 0.01% Co from 495m (JD081) – G6
 - « **5.9m @ 2.0g/t Pd**, 0.4g/t Pt, 0.1g/t Au, **0.5% Ni**, **0.7% Cu**, **0.05% Co** from 131.7m (JD083) – G3
 - « **10m @ 1.7g/t Pd**, 0.6g/t Pt, 0.1g/t Au, 0.2% Ni, 0.1% Cu, 0.02% Co from 93m (JRC299) – G12
 - « **5m @ 3.7g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.3% Ni, 0.2% Cu, 0.03% Co from 297m (JD081) – G2
- « Infill drilling across multiple high-grade zones continues to support the geological model and continuity of mineralisation, with significant new high-grade (>1g/t Pd) results including:
 - « **15.4m @ 7.1g/t Pd**, **1.3g/t Pt**, **0.6% Ni**, 0.3% Cu, **0.05% Co** from 48m (JD087) – G2
 - « **30m @ 1.7g/t Pd**, 0.4g/t Pt, 0.2g/t Au, 0.2% Ni, 0.3% Cu, 0.02% Co from 132m (JD063) – G6
 - « **7m @ 8.1g/t Pd**, **3.7g/t Pt**, 0.5g/t Au, **0.5% Ni**, **0.5% Cu**, 0.03% Co from 226m (JRC240) – G11
 - « **12m @ 5.0g/t Pd**, **1.0g/t Pt**, 0.2g/t Au, 0.2% Ni, **0.5% Cu**, 0.02% Co from 210m (JD085) – G11
 - « **15m @ 2.2g/t Pd**, 0.7g/t Pt, 0.4% Ni, **0.5% Cu**, 0.03% Co from 113m (JD064) – G1
 - « **13m @ 2.0g/t Pd**, 0.4g/t Pt, **0.6g/t Au**, 0.1% Ni, **0.7% Cu**, 0.01% Co from 247m (JD069) – G4
 - « **12.4m @ 2.1g/t Pd**, 0.6g/t Pt, 0.2g/t Au, 0.2% Ni, **0.6% Cu**, 0.02% Co from 155.6m (JD066) – G6
 - « **5.6m @ 2.6g/t Pd**, 0.8g/t Pt, **1.3g/t Au**, 0.1% Ni, **0.5% Cu**, 0.01% Co from 33m (JD088) – G6
 - « **14m @ 9.7g/t Pd**, **3.1g/t Pt**, 0.1g/t Au from 0m (JD066) – Oxide

Registered Office
ABN 47 116 648 956

Level 2, 1292 Hay Street
West Perth, Western Australia
GPO Box 2890, Perth WA 6001

T: +61 8 9322 3960
F: +61 8 9322 5800

info@chalicemining.com
www.chalicemining.com

 @chalicemining
 chalice-mining

- « **15.9m @ 7.9g/t Pd, 1.8g/t Pt**, 0.1g/t Au from 0m (JD069) – Oxide
- « **12.7m @ 10.2g/t Pd, 1.9g/t Pt**, 0.1g/t Au from 3.2m (JD072) – Oxide
- « **18m @ 4.1g/t Pd**, 0.8g/t Pt, **1.1g/t Au** from 8m (JRC260) – Oxide
- « Assay results pending for a further 116 completed drill holes.
- « Maiden Mineral Resource Estimate on track for completion in Q4 2021.

Overview

Chalice Mining Limited ("Chalice" or "the Company", ASX: CHN | OTCQB: CGMLF) is pleased to report significant new results from ongoing exploration and evaluation activities at its 100%-owned **Julimar Nickel-Copper-Platinum Group Element (PGE) Project**, located ~70km north-east of Perth in Western Australia.

The step-out and resource definition drill program at the ~1.8km x 0.9km Gonnevillite Intrusion is continuing, with over 136,000m of drilling completed to date and a significant number of assay results pending. The COVID-19 pandemic and associated travel restrictions have resulted in minor delays in drilling progress. Additional diamond drill rigs are currently being sourced and are expected on site in the coming weeks.

Results have now been received for drilling targeting:

- « The northern and down-dip extensions to the high-grade G1-G9 zones;
- « Infill of the high-grade G1-G9 zones on a nominal 40m x 40m spaced grid and of the northern extensions of the G11 zone on a nominal 40m x 80m spaced grid;
- « The non-magnetic pyroxenite-rich north-western part of the Gonnevillite Intrusion (initial wide-spaced lines on a nominal ~80m x 160m spaced grid);

A total of 131 diamond drill holes and 372 RC drill holes (including RC pre-collars with diamond tails) have been completed to date at the project (~136,000m), of which assay results have now been reported for 88 diamond and 300 RC holes (including RC pre-collars with diamond tails). Assay results are pending for a further 116 completed drill holes, with lab turnaround times currently averaging approximately seven weeks.

The current geological interpretation indicates the G8 and G9 zones have been extended significantly along strike to the north-east, while a new high-grade zone (G12) has been defined at the north-western hanging wall contact of Gonnevillite.

Infill drilling has confirmed that the G5 zone merges with the G2 zone at the northern end, and step-out drilling has closed off the G7 and G10 zones. Importantly, infill drilling continues to support the geological interpretation and in selected cases defines new mineralised zones not seen in wide-spaced drilling.

Within the 81 new drill holes reported in this announcement, there were:

- « 283 mineralised intervals (>4m width and >0.3g/t Pd cut-off grade);
- « 205 high-grade Pd +/- Pt-Au-Ni-Cu-Co metal intervals (>2m width and >1g/t Pd cut-off grade), including:
 - « 63 high-grade Pd-Ni-Cu +/- Pt-Au-Co intervals (>2m width, >1g/t Pd and >0.5% Ni+Cu cut-off grade).

Chalice Managing Director, Alex Dorsch, said: *"The fact that we are still discovering new high-grade zones and identifying significant extensions in step-out drilling so far into the resource drill-out is testament to the exceptional scale and quality of the Gonnevillite deposit."*

"We have now identified a 12th high-grade zone in drilling targeting the non-magnetic, pyroxenite-rich north-western contact of the intrusion. This is an exciting development, with the newly defined

zone projecting some ~380m down-dip to a previous intersection in deep diamond hole JD018. The new zone remains wide open and requires further drilling to refine.

“In addition, step-out drilling has delivered some exceptional new high-grade results, extending the existing G8 and G9 zones by over 500m along strike. Infill drilling elsewhere within the deposit continues to support our geological model and demonstrate the continuity of the mineralisation.

“Our resource drill-out is continuing at pace, with assays currently pending for 116 holes. We remain on track to deliver our maiden Mineral Resource Estimate next quarter, providing a strong foundation for preliminary economic studies, which are also advancing in parallel.

“We continue to receive positive feedback from the relevant State Government departments regarding access to the Julimar State Forest for initial drill testing to the north of Gonneville. Initial wide-spaced drilling anticipated to commence at Hartog in late Q3 2021, subject to access approval.”

Table 1. Interpreted maximum dimensions and status of high-grade zones at Gonneville.

Zone	Previous strike extent	Previous dip-extent	Current strike extent	Current dip-extent	Status
G1	450m	390m	450m	280m	Merges with G2 at depth
G2	690m	490m	800m	500m	Open down-plunge to the north
G3	465m	280m	465m	280m	Open to the north
G4	1250m	600m	1250m	650m	Open to the north and down-dip
G5	650m	270m	650m	200m	Merges with G2 at the northern end
G6	875m	450m	875m	400m	Open down plunge to the north
G7	500m	350m	275m	350m	Closed off
G8	350m	250m	1,000m	250m	Open to the north and down-dip
G9	500m	250m	1,000m	200m	Open along strike and down-dip
G10	400m	300m	350m	300m	Closed off
G11	1,200m	300m	900m	250m	Open to the north and down-dip
G12	N/A	N/A	650m	450m	Open along strike and down-dip




Figure 1. Gonneville Intrusion Plan View – key new drill results and high-grade G1-G12 zone outlines over interpreted geology at 160m RL (~80m below surface).




Figure 2. Gonneville Intrusion 3D View (looking North-West) – key new drill results and high-grade zones.

Technical discussion

New high-grade G12 zone

Wide-spaced drilling targeting the north-western end of the Gonneville Intrusion has intersected a zone of mineralisation in serpentinite between a gabbro and pyroxenite contact:

« **10m @ 1.7g/t Pd, 0.6g/t Pt, 0.1g/t Au, 0.2% Ni, 0.1% Cu, 0.02% Co** from 93m (JRC299),

Visual indications from nearby holes indicate that this zone has also been intersected in adjacent holes and, as such, has been interpreted as the 12th high-grade zone within Gonneville (G12).

The Pt:Pd ratio in this intersection is higher than the average for the majority of the Gonneville intrusion mineralisation. Isolated intercepts from previous broad-spaced drilling also contain similarly high Pt:Pd ratios. Infill drilling is required to determine whether these isolated intersections are all part of the same mineralised zone. The latest drilling has also confirmed the geology in this area is more complex than initially thought.

The G12 zone remains open down-dip and has not been tested along strike to the south. Reinterpretation of the results from previous deep hole JD018 (5m @ 1.7g/t Pd, 0.6g/t Pt, 0.2g/t Au, 0.2% Ni, 0.2% Cu, 0.02% Co from 455m, refer to ASX announcement on 18 Nov 2020) has concluded that this intersection is likely the extension of G12, approximately ~380m down-dip from the intersection in JRC299 (Figure 3).




Figure 3. Gonneville G12 zone Cross Section 6,513,200mN +/- 50m.

Step-out drilling results

Previous broad-spaced drilling on a nominal ~160m x 80m spaced grid to the north of the G3 and G5-G9 zones intersected broad zones of disseminated sulphides surrounding narrower high-grade zones (>1g/t Pd).

Results from recent infill drilling on nominal 80-160m x 40m spaced grid indicate that this high-grade mineralisation intersected represents strike extensions of the high-grade G8 and G9 zones (Figure 1), which have now both been extended to an interpreted strike length of over ~1,000m (Table 1).

Significant new high-grade (>1g/t Pd) results include:

- « **9m @ 3.6g/t Pd**, 0.6g/t Pt, **1.7% Ni**, **0.7% Cu**, 0.1% Co from 237m (JRC263) – **new zone located below the G8 zone, remains wide open and further drilling is required to confirm interpretation;**
- « **14m @ 1.5g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.2% Ni, 0.1% Cu, 0.02% Co from 166m (JRC261D) – G8;
- « **16m @ 1.3g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.2% Ni, 0.2% Cu, 0.02% Co from 197m (JRC288) – G8; and,
- « **6m @ 1.5g/t Pd**, 0.3g/t Pt, 0.2% Ni, 0.1% Cu, 0.02% Co from 87m (JRC261D) – G9.

Mineralisation strikes north-north-east and dips west-north-west, parallel to the contacts of geological domains within the Gonneville Intrusion. Further infill drilling is required to determine the significance of the northern strike extent of these high-grade zones.

Several RC and diamond holes were drilled targeting extensions of the G1-G9 zones down-dip to the west. Significant new high-grade (>1g/t Pd) results include:

- « **14m @ 2.7g/t Pd**, 0.9g/t Pt, 0.1g/t Au, 0.3% Ni, 0.2% Cu, 0.02% Co from 135m (JRC274) – G3;
- « **11m @ 1.6g/t Pd**, 0.3g/t Pt, 0.5g/t Au, 0.1% Ni, **0.7% Cu**, 0.01% Co from 495m (JD081) – G6;
- « **10m @ 1.6g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.4% Ni, **0.5% Cu**, 0.03% Co from 446m (JD076) – G2;
- « **5.9m @ 2.0g/t Pd**, 0.4g/t Pt, 0.1g/t Au, **0.5% Ni**, **0.7% Cu**, **0.05% Co** from 131.7m (JD083) – G3; and,
- « **5m @ 3.7g/t Pd**, 0.3g/t Pt, 0.1g/t Au, 0.3% Ni, 0.2% Cu, 0.03% Co from 297m (JD081) – G2.

Assays remain pending for several step-out drill holes targeting the down-dip extension of the high-grade G1-G9 zones.

Infill drilling results

Infill drilling continues to confirm continuous zones of high-grade mineralisation across Gonneville. Significant new high-grade (>1g/t Pd) results include:

- « **15.4m @ 7.1g/t Pd**, **1.3g/t Pt**, **0.6% Ni**, 0.3% Cu, **0.05% Co** from 48m (JD087) – G2;
- « **30m @ 1.7g/t Pd**, 0.4g/t Pt, 0.2g/t Au, 0.2% Ni, 0.3% Cu, 0.02% Co from 132m (JD063) – G6;
- « **7m @ 8.1g/t Pd**, **3.7g/t Pt**, 0.5g/t Au, **0.5% Ni**, **0.5% Cu**, 0.03% Co from 226m (JRC240) – G11;
- « **12m @ 5.0g/t Pd**, **1.0g/t Pt**, 0.2g/t Au, 0.2% Ni, **0.5% Cu**, 0.02% Co from 210m (JD085) – G11;
- « **15m @ 2.2g/t Pd**, 0.7g/t Pt, 0.4% Ni, **0.5% Cu**, 0.03% Co from 113m (JD064) – G1;
- « **13m @ 2.0g/t Pd**, 0.4g/t Pt, 0.6g/t Au, 0.1% Ni, **0.7% Cu**, 0.01% Co from 247m (JD069) – G4;
- « **12.4m @ 2.1g/t Pd**, 0.6g/t Pt, 0.2g/t Au, 0.2% Ni, **0.6% Cu**, 0.02% Co from 155.6m (JD066) – G6;
- « **5.6m @ 2.6g/t Pd**, 0.8g/t Pt, **1.3g/t Au**, 0.1% Ni, **0.5% Cu**, 0.01% Co from 33m (JD088) – G6;
- « **14m @ 9.7g/t Pd**, **3.1g/t Pt**, 0.1g/t Au from 0m (JD066) – Oxide;
- « **15.9m @ 7.9g/t Pd**, **1.8g/t Pt**, 0.1g/t Au from 0m (JD069) – Oxide;
- « **12.7m @ 10.2g/t Pd**, **1.9g/t Pt**, 0.1g/t Au from 3.2m (JD072) – Oxide; and,
- « **18m @ 4.1g/t Pd**, **0.8g/t Pt**, **1.1g/t Au** from 8m (JRC260) – Oxide.

Broad zones of disseminated sulphide intervals continue to be intersected surrounding the high-grade zones, with significant new intersections (>0.3g/t Pd) including:

- « **103m @ 1.1g/t Pd**, 0.4g/t Pt, 0.1g/t Au, 0.2% Ni, 0.2% Cu, 0.02% Co from 218m (JRC240);
- « **149m @ 0.8g/t Pd**, 0.2g/t Pt, 0.2% Ni, 0.1% Cu, 0.02% Co from 24m (JRC274);
- « **102m @ 0.8g/t Pd**, 0.1g/t Pt, 0.3% Ni, 0.1% Cu, 0.02% Co from 162m (JRC263);
- « **158m @ 0.7g/t Pd**, 0.2g/t Pt, 0.1% Ni, 0.1% Cu, 0.01% Co from 102m (JRC285);
- « **113m @ 0.7g/t Pd**, 0.2g/t Pt, 0.2% Ni, 0.1% Cu, 0.02% Co from 109m (JRC292);
- « **101m @ 0.7g/t Pd**, 0.1g/t Pt, 0.2% Ni, 0.1% Cu, 0.02% Co from 28m (JD067); and,
- « **100.2m @ 0.7g/t Pd**, 0.1g/t Pt, 0.2% Ni, 0.1% Cu, 0.02% Co from 29.5m (JD076).

Forward plan

Chalice's Julimar Project strategy is to concurrently advance studies for an initial development at Gonneville and to define the full extent of mineralisation along the >26km long Julimar Complex.

Ongoing and planned activities at Julimar include:

- « **Resource definition drilling (Gonneville)** – RC/diamond drilling on a nominal 40m x 40m spaced grid is expected to continue until ~Q1 2022, subject to results. The Company anticipates that its maiden Mineral Resource Estimate will be released in Q4 2021. Several deep geological holes are also planned in the current quarter to test the down-plunge extension of the high-grade zones towards the north-west.
- « **Geotechnical, metallurgical, hydrogeological and infrastructure drilling (Gonneville)** – AC/RC/diamond drilling to support studies for Gonneville will commence progressively following the resource definition drill program in ~Q1 2022.
- « **Metallurgical testwork (Gonneville)** – Phase 2 sequential flotation tests on high-grade sulphide composites are expected to be completed in the next quarter. Bulk flotation tests on disseminated sulphide composites and testwork to determine comminution properties of several composites has also commenced. Initial waste rock characterisation testwork continues.
- « **Studies (Gonneville)** – Consultant proposals have been invited to support studies for the project, which will assess development scenarios for the Gonneville deposit. The Company anticipates that a Scoping Study for the initial stage of development at Gonneville will be completed in H1 2022.
- « **Reconnaissance exploration and surveys within the Julimar State Forest** – Infill soil sampling and follow-up Moving Loop EM surveys are underway at the Baudin-Jansz-Drummond Targets within the Julimar State Forest and on private farmland. Baseline flora and fauna surveys across the Baudin-Jansz-Drummond Targets in Julimar State Forest are planned to commence in Q3 2021.
- « **Reconnaissance drilling at the Hartog-Baudin Targets within the Julimar State Forest** – First-pass low-impact drilling utilising small track-mounted diamond rigs is planned to commence in late Q3 2021, subject to access and permitting approvals. A total of 72 drill sites are planned across the ~10km strike length, with the ability to drill multiple angled holes at each site. No mechanised vegetation clearance is required to complete this first pass of drilling. Dieback, cultural heritage and confirmatory spring flora surveys are planned across the Hartog-Baudin Targets in the Julimar State Forest in August-September 2021.

Authorised for release by the Disclosure Committee of the Company:



Alex Dorsch
Managing Director

For further information or to view the interactive 3D model of Julimar, please visit www.challicemining.com, or contact:

Corporate Enquiries

Alex Dorsch
Managing Director
Chalice Mining Limited
+61 8 9322 3960
info@challicemining.com

Media Enquiries

Nicholas Read
Principal and Managing Director
Read Corporate Investor Relations
+61 8 9388 1474
info@readcorporate.com.au

Follow our communications

LinkedIn: [chalice-mining](https://www.linkedin.com/company/chalice-mining)
Twitter: [@challicemining](https://twitter.com/challicemining)

About the Julimar Nickel-Copper-PGE Project

The 100%-owned Julimar Nickel-Copper-PGE Project is located ~70km north-east of Perth in Western Australia. The Project was staked in early 2018 as part of Chalice's global search for high-potential nickel sulphide exploration opportunities.

Chalice interpreted the possible presence of a mafic-ultramafic layered intrusive complex at Julimar based on high-resolution regional magnetics (the Julimar Complex). An initial RC drill program commenced in Q1 2020 at the southern end of the Complex on private farmland and resulted in the discovery of high-grade PGE-nickel-copper-cobalt-gold mineralisation.

The significant discovery (named Gonneville) established the new West Yilgarn Ni-Cu-PGE Province in Western Australia, which is interpreted to extend for ~1,200km along the western margin of the Yilgarn Craton.

The Julimar Complex is interpreted to be >26km long and is still largely undrilled, as such the project is considered highly prospective for further orthomagmatic nickel, copper and platinum group element (PGE) discoveries.

Drilling to date at Gonneville has established that the ~1.8km x 0.9km Intrusion on private farmland hosts at least 12 shallow, wide zones of high-grade PGE-Ni-Cu-Co+/-Au sulphide mineralisation in fresh rock, a substantial PGE-rich oxide zone, as well as widespread zones of PGE-dominant mineralisation associated with disseminated sulphides. The Gonneville Intrusion remains open to the north and has been confirmed to extend beyond a depth of ~800m (open at depth).




Figure 4. Julimar Complex, Gonneville discovery, Project tenure and nearby infrastructure.

Competent Persons and Qualifying Persons Statement

The information in this announcement that relates to Exploration Results in relation to the Julimar Nickel-Copper-PGE Project is based on and fairly represents information and supporting documentation compiled by Mr. Bruce Kendall BSc (Hons), a Competent Person, who is a Member of the Australian Institute of Geoscientists. Mr. Kendall is a full-time employee of the Company and has sufficient experience that is relevant to the activity being undertaken to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Minerals Resources and Ore Reserves, and is a Qualified Person under National Instrument 43-101 – 'Standards of Disclosure for Mineral Projects'. The Qualified Person has verified the data disclosed in this release, including sampling, analytical and test data underlying the information contained in this release. Mr Kendall consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.

The Information in this announcement that relates to prior exploration results for the Julimar Project is extracted from ASX announcements available to view on the Company's website at www.challicemining.com. The Company confirms that it is not aware of any new information or data that materially affects the exploration results included in the relevant original market announcements. The Company confirms that the form and context in which the Competent Person and Qualified Person's findings are presented have not been materially modified from the relevant original market announcements.

Forward Looking Statements

This announcement may contain forward-looking information, including forward looking information within the meaning of Canadian securities legislation and forward-looking statements within the meaning of the United States Private Securities Litigation Reform Act of 1995 (collectively, forward-looking statements). These forward-looking statements are made as of the date of this report and Chalice Mining Limited (the Company) does not intend, and does not assume any obligation, to update these forward-looking statements.

Forward-looking statements relate to future events or future performance and reflect Company management's expectations or beliefs regarding future events and include, but are not limited to, the Company's strategy, the completion of the intended demerger, the estimated timing of drilling in the Julimar State Forest, the fair value of investments ultimately realised, the estimation of mineral reserves and mineral resources, the realisation of mineral resource estimates, estimation of metallurgical recoveries, the forecast timing of the estimation of mineral resources, the likelihood of exploration success at the Company's projects, the prospectivity of the Company's exploration projects, the existence of additional EM anomalies within the Julimar Project, the forecast timing of the completion of the Gonneville Scoping Study, the timing of future exploration activities on the Company's exploration projects, planned expenditures and budgets and the execution thereof, the timing and availability of drill results, potential sites for additional drilling, the timing and amount of estimated future production, costs of production, capital expenditures, success of mining operations, environmental risks, unanticipated reclamation expenses, title disputes or claims and limitations on insurance coverage.

In certain cases, forward-looking statements can be identified by the use of words such as, "anticipates", "considered", "expected", "highly", "interpreted", "likely", "may", "plan" or "planned", "potential", "robust", "will" or variations of such words and phrases or statements that certain actions, events or results may, could, would, might or will be taken, occur or be achieved or the negative of these terms or comparable terminology. By their very nature forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements.

Such factors may include, among others, risks related to actual results of current or planned exploration activities; assay results of soil samples; whether geophysical and geochemical anomalies are related to economic mineralisation or some other feature; obtaining appropriate access to undertake additional ground disturbing exploration work on EM anomalies located in the Julimar State Forrest; the results from testing EM anomalies; results of planned metallurgical test work including results from other zones not tested yet, scaling up to commercial operations; changes in project parameters as plans continue to be refined; changes in exploration programs and budgets based upon the results of exploration, future prices of mineral resources; grade or recovery rates; accidents, labour disputes and other risks of the mining industry; delays in obtaining governmental approvals or financing or in the completion of development or construction activities; movements in the share price of investments and the timing and proceeds realised on future disposals of investments, the impact of the COVID 19 epidemic as well as those factors detailed from time to time in the Company's interim and annual financial statements, all of which are filed and available for review on SEDAR at sedar.com, ASX at asx.com.au and OTC Markets at otcm Markets.com.

Although the Company has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there may be other factors that cause actions, events or results not to be as anticipated, estimated or intended. There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. Accordingly, readers should not place undue reliance on forward-looking statements.

Appendix A Drilling and assay data

Table 2. Significant new drill intersections (>0.3g/t Pd, >1g/t Pd, >1g/t Pd & >0.5% Ni+Cu cut-off)

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JD057	12.4	28.0	15.6	1.44	0.62	0.03	0.14	0.15	0.04	Oxide
Incl	14.0	23.0	9.0	1.44	0.31	0.02	0.14	0.12	0.06	Oxide
JD057	36.0	42.0	6.0	0.32	0.05	<0.01	0.09	0.02	0.01	Oxide
JD057	42.0	50.4	8.4	0.48	0.12	<0.01	0.15	0.09	0.02	Sulphide
JD057	73.7	84.1	10.4	1.12	0.25	<0.01	0.19	0.04	0.02	Sulphide
Incl	74.0	78.0	4.0	1.81	0.46	<0.01	0.22	0.05	0.02	Sulphide
JD057	136.0	142.9	6.9	0.46	0.11	<0.01	0.16	0.08	0.02	Sulphide
JD058	11.9	32.5	20.6	1.29	0.26	0.06	0.22	0.19	0.04	Oxide
Incl	13.0	23.0	10.0	1.72	0.32	0.06	0.29	0.25	0.06	Oxide
and	27.8	32.5	4.8	1.32	0.31	0.05	0.19	0.11	0.02	Oxide
JD059	102.0	119.7	17.7	0.53	0.11	0.01	0.19	0.08	0.02	Sulphide
JD060	6.2	24.0	17.8	1.36	0.49	0.04	0.17	0.18	0.09	Oxide
Incl	10.0	20.0	10.0	2.06	0.67	0.06	0.20	0.26	0.11	Oxide
JD060	24.0	84.9	60.9	0.79	0.16	0.02	0.19	0.08	0.02	Sulphide
Incl	39.0	41.0	2.0	1.03	0.19	<0.01	0.18	0.06	0.02	Sulphide
and	58.0	65.0	7.0	1.16	0.18	0.03	0.24	0.12	0.03	Sulphide
and	78.0	84.9	6.9	1.68	0.40	0.04	0.29	0.16	0.03	Sulphide
JD060	100.7	149.0	48.3	0.65	0.14	0.02	0.15	0.09	0.02	Sulphide
Incl	126.0	133.0	7.0	1.18	0.23	0.03	0.15	0.10	0.02	Sulphide
JD060	154.0	227.9	73.9	0.59	0.13	<0.01	0.15	0.05	0.02	Sulphide
Incl	167.0	169.5	2.5	1.34	0.35	0.02	0.23	0.24	0.02	Sulphide
JD060	255.0	259.0	4.0	0.39	0.11	<0.01	0.12	0.04	0.01	Sulphide
JD060	286.0	364.9	78.9	0.43	0.10	<0.01	0.14	0.04	0.01	Sulphide
JD061	6.7	33.0	26.3	0.90	0.08	0.03	0.14	0.09	0.02	Oxide
Incl	6.7	16.0	9.3	1.55	0.10	0.04	0.10	0.14	0.05	Oxide
and	28.0	30.0	2.0	1.19	0.25	0.02	0.26	0.18	0.02	Oxide
JD061	35.0	62.9	27.9	0.71	0.20	0.01	0.18	0.17	0.02	Sulphide
JD061	75.0	88.0	13.0	1.04	0.23	0.03	0.24	0.17	0.02	Sulphide
Incl	76.0	78.0	2.0	2.68	0.51	0.10	0.46	0.33	0.04	Sulphide
and	82.0	88.0	6.0	1.07	0.27	0.02	0.28	0.22	0.03	Sulphide
JD061	94.0	99.0	5.0	0.98	0.13	0.02	0.28	0.13	0.03	Sulphide
Incl	94.0	97.0	3.0	1.35	0.16	0.03	0.39	0.20	0.03	Sulphide
JD061	106.0	231.3	125.3	0.48	0.11	0.03	0.16	0.07	0.01	Sulphide
JD061	247.0	259.0	12.0	0.39	0.09	0.01	0.17	0.02	0.02	Sulphide
JD061	264.0	278.2	14.2	0.44	0.11	0.03	0.16	0.16	0.02	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JD062	8.0	26.0	18.0	1.14	0.27	0.03	0.17	0.20	0.04	Oxide
Incl	8.0	17.1	9.1	1.69	0.36	0.03	0.25	0.27	0.07	Oxide
JD062	26.0	38.0	12.0	0.64	0.13	<0.01	0.16	0.13	0.02	Sulphide
JD062	44.4	49.0	4.6	0.82	0.26	0.03	0.19	0.18	0.02	Sulphide
JD063	1.4	32.0	30.6	1.50	0.37	0.03	0.22	0.23	0.04	Oxide
Incl	2.4	24.7	22.3	2.02	0.47	0.04	0.25	0.32	0.06	Oxide
JD063	32.0	79.0	47.1	0.57	0.15	0.02	0.15	0.06	0.01	Sulphide
Incl	37.0	39.0	2.0	1.36	0.13	0.02	0.24	0.11	0.02	Sulphide
JD063	84.0	167.9	83.9	1.09	0.28	0.14	0.14	0.32	0.01	Sulphide
Incl	86.9	89.5	2.6	1.36	0.38	0.40	0.16	0.71	0.02	Sulphide
and	98.0	100.0	2.0	1.17	0.43	0.70	0.10	0.49	0.01	Sulphide
and	105.0	108.0	3.0	1.55	0.28	0.15	0.12	0.71	0.01	Sulphide
and	123.0	125.0	2.0	1.17	0.31	0.09	0.16	0.26	0.02	Sulphide
and	132.0	162.0	30.0	1.72	0.44	0.23	0.17	0.33	0.02	Sulphide
JD063	205.0	218.1	13.1	0.71	0.14	0.03	0.11	0.11	0.01	Sulphide
JD064	9.4	14.0	4.6	1.10	0.06	0.03	0.11	0.20	0.05	Oxide
JD064	18.0	28.9	10.9	1.58	0.31	0.05	0.31	0.18	0.05	Oxide
Incl	18.0	28.0	10.0	1.68	0.33	0.06	0.31	0.19	0.05	Oxide
JD064	38.0	66.0	28.0	0.61	0.13	0.01	0.16	0.09	0.02	Sulphide
JD064	79.0	128.0	49.0	1.00	0.30	0.01	0.22	0.19	0.02	Sulphide
Incl	113.0	128.0	15.0	2.16	0.72	0.03	0.40	0.51	0.03	Sulphide
JD064	133.0	155.0	22.0	0.37	0.08	0.01	0.10	0.23	0.01	Sulphide
JD064	164.0	194.0	30.0	0.82	0.19	<0.01	0.22	0.10	0.02	Sulphide
Incl	169.7	172.0	2.3	1.39	0.33	<0.01	0.35	0.20	0.03	Sulphide
and	177.7	186.6	8.9	1.70	0.37	0.01	0.40	0.23	0.03	Sulphide
JD064	199.0	204.0	5.0	0.30	0.11	0.01	0.09	0.01	0.01	Sulphide
JD064	211.0	219.0	8.0	0.54	0.20	0.01	0.16	0.11	0.02	Sulphide
JD064	226.0	234.0	8.0	0.30	0.12	0.01	0.11	0.01	0.01	Sulphide
JD065	7.0	33.0	26.0	1.07	0.24	0.06	0.13	0.26	0.03	Oxide
Incl	9.0	24.0	15.0	1.83	0.42	0.11	0.18	0.25	0.04	Oxide
JD065	33.0	113.0	80.0	0.95	0.25	0.01	0.17	0.09	0.02	Sulphide
Incl	63.0	80.0	17.0	1.43	0.41	0.02	0.21	0.15	0.02	Sulphide
and	86.0	89.0	3.0	1.02	0.20	0.02	0.20	0.11	0.02	Sulphide
and	94.0	99.0	5.0	1.47	0.32	0.03	0.19	0.13	0.02	Sulphide
and	102.0	109.0	7.0	1.06	0.22	0.02	0.14	0.03	0.01	Sulphide
JD065	138.0	172.0	34.0	0.54	0.12	0.02	0.16	0.05	0.02	Sulphide
Incl	138.0	142.0	4.0	1.11	0.22	0.01	0.26	0.08	0.03	Sulphide
JD065	213.0	217.0	4.0	2.19	0.39	0.05	0.58	0.73	0.04	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
Incl	214.9	217.0	2.1	3.72	0.69	0.08	1.06	1.14	0.07	Sulphide
JD065	225.0	231.0	6.0	0.49	0.14	<0.01	0.12	0.06	0.01	Sulphide
JD065	235.7	279.8	44.1	0.66	0.12	0.01	0.21	0.09	0.02	Sulphide
Incl	246.0	248.2	2.2	2.89	0.21	0.03	0.82	0.87	0.05	Sulphide
JD065	288.0	325.0	37.0	0.41	0.09	<0.01	0.15	0.05	0.01	Sulphide
JD065	332.0	339.6	7.6	0.47	0.10	<0.01	0.15	0.03	0.01	Sulphide
JD066	0.0	20.9	20.9	5.83	1.84	0.09	0.22	0.25	0.04	Oxide
Incl	0.0	14.0	14.0	9.70	3.09	0.13	0.18	0.31	0.05	Oxide
JD066	36.0	175.0	139.0	0.63	0.18	0.03	0.16	0.09	0.01	Sulphide
Incl	47.0	51.4	4.4	1.96	0.47	0.02	0.45	0.10	0.04	Sulphide
and	155.6	168.0	12.4	2.08	0.59	0.22	0.24	0.56	0.02	Sulphide
JD066	242.0	260.7	18.7	0.94	0.89	0.09	0.13	0.20	0.01	Sulphide
Incl	257.0	259.7	2.7	2.70	5.28	0.36	0.21	0.20	0.02	Sulphide
JD067	6.2	28.0	21.8	1.42	0.47	0.01	0.16	0.23	0.07	Oxide
Incl	7.4	20.7	13.3	2.04	0.72	0.02	0.19	0.29	0.11	Oxide
JD067	28.0	129.0	101.0	0.68	0.14	<0.01	0.17	0.07	0.02	Sulphide
Incl	28.0	34.0	6.0	1.18	0.22	<0.01	0.18	0.09	0.02	Sulphide
and	41.0	44.8	3.8	1.52	0.33	0.01	0.44	0.19	0.04	Sulphide
and	74.0	78.0	4.0	1.17	0.21	<0.01	0.17	0.08	0.02	Sulphide
and	97.0	100.6	3.6	1.14	0.17	0.01	0.21	0.08	0.02	Sulphide
JD067	159.0	170.7	11.7	0.54	0.26	0.02	0.12	0.26	0.01	Sulphide
JD067	184.5	263.1	78.6	0.42	0.09	<0.01	0.15	0.01	0.01	Sulphide
JD067	287.5	293.0	5.5	1.00	0.17	0.03	0.18	0.17	0.02	Sulphide
JD067	305.0	353.0	48.0	0.42	0.12	0.02	0.15	0.06	0.01	Sulphide
JD067	358.3	381.6	23.3	0.55	0.14	0.06	0.15	0.11	0.01	Sulphide
Incl	370.0	372.0	2.0	1.21	0.21	0.08	0.24	0.31	0.02	Sulphide
JD067	389.6	409.2	19.6	0.38	0.10	0.03	0.14	0.07	0.02	Sulphide
JD067	422.5	431.0	8.5	0.52	0.14	0.08	0.11	0.11	0.01	Sulphide
JD068	6.4	30.0	23.6	0.74	0.16	0.02	0.15	0.07	0.03	Oxide
Incl	9.4	16.0	6.6	2.16	0.34	0.03	0.28	0.25	0.11	Oxide
JD068	30.0	78.0	48.0	0.40	0.08	0.01	0.16	0.03	0.01	Sulphide
JD068	93.0	102.0	9.0	0.56	0.08	0.02	0.26	0.22	0.02	Sulphide
JD068	145.0	187.0	42.0	0.71	0.15	0.10	0.15	0.25	0.02	Sulphide
Incl	158.0	164.0	6.0	1.32	0.25	0.11	0.18	0.52	0.02	Sulphide
and	180.0	185.0	5.0	1.47	0.33	0.44	0.15	0.59	0.01	Sulphide
JD069	0.0	19.1	19.1	6.21	1.38	0.07	0.22	0.29	0.07	Oxide
Incl	0.0	15.9	15.9	7.90	1.76	0.09	0.22	0.35	0.08	Oxide
JD069	24.9	38.0	13.1	0.56	0.11	<0.01	0.14	0.05	0.01	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JD069	51.0	131.0	80.0	0.51	0.13	<0.01	0.15	0.04	0.01	Sulphide
Incl	55.0	58.1	3.1	2.32	0.33	0.01	0.22	0.10	0.02	Sulphide
JD069	166.6	175.4	8.8	0.44	0.12	0.02	0.14	0.04	0.02	Sulphide
JD069	181.4	207.0	25.6	0.59	0.17	<0.01	0.12	0.06	0.01	Sulphide
JD069	234.0	266.0	32.0	1.19	0.25	0.26	0.12	0.40	0.01	Sulphide
Incl	247.0	260.0	13.0	2.04	0.43	0.59	0.12	0.65	0.01	Sulphide
JD069	271.0	275.0	4.0	0.46	0.07	0.01	0.11	0.06	0.01	Sulphide
JD069	289.8	294.0	4.2	0.62	0.03	0.02	0.12	0.18	0.02	Sulphide
JD070	5.0	29.0	24.0	1.41	0.30	0.04	0.13	0.12	0.04	Oxide
Incl	7.0	19.6	12.6	2.70	0.58	0.07	0.17	0.19	0.08	Oxide
JD070	29.0	34.0	5.0	0.37	0.07	<0.01	0.18	0.04	0.02	Sulphide
JD070	57.0	115.0	58.0	0.67	0.15	0.01	0.18	0.06	0.02	Sulphide
Incl	94.0	97.0	3.0	3.32	0.93	0.03	0.69	0.21	0.05	Sulphide
JD070	129.0	139.0	10.0	0.39	0.08	<0.01	0.12	0.04	0.01	Sulphide
JD070	162.0	171.0	9.0	0.37	0.08	<0.01	0.14	0.07	0.01	Sulphide
JD070	176.0	226.0	50.0	0.60	0.14	0.01	0.15	0.09	0.01	Sulphide
Incl	177.0	182.0	5.0	1.39	0.29	0.02	0.24	0.16	0.02	Sulphide
JD070	231.0	252.0	21.0	0.63	0.15	<0.01	0.13	0.06	0.01	Sulphide
Incl	234.0	236.0	2.0	3.18	0.90	0.03	0.23	0.32	0.02	Sulphide
JD070	259.0	284.0	25.0	0.35	0.08	<0.01	0.12	0.05	0.01	Sulphide
JD070	306.0	318.0	12.0	0.31	0.08	<0.01	0.12	0.03	0.01	Sulphide
JD070	321.0	401.0	80.0	0.44	0.10	0.02	0.16	0.05	0.01	Sulphide
JD070	421.0	453.0	32.0	0.45	0.10	0.01	0.18	0.05	0.02	Sulphide
JD070	463.5	475.0	11.5	0.46	0.11	0.01	0.14	0.06	0.01	Sulphide
JD071	42.2	97.0	54.8	0.68	0.14	<0.01	0.15	0.06	0.02	Sulphide
Incl	94.0	96.0	2.0	1.04	0.20	<0.01	0.15	0.03	0.01	Sulphide
JD071	102.2	167.0	64.9	0.77	0.15	<0.01	0.17	0.08	0.02	Sulphide
Incl	104.3	109.0	4.7	2.42	0.43	0.03	0.38	0.19	0.04	Sulphide
JD071	216.0	235.7	19.7	0.42	0.12	0.01	0.13	0.08	0.01	Sulphide
JD071	288.9	308.2	19.3	0.36	0.08	<0.01	0.15	0.02	0.01	Sulphide
JD071	322.6	470.0	147.4	0.53	0.12	0.04	0.15	0.09	0.01	Sulphide
Incl	379.0	383.0	4.0	1.07	0.17	0.08	0.25	0.49	0.03	Sulphide
and	418.0	431.0	13.0	1.33	0.15	0.16	0.17	0.37	0.01	Sulphide
JD072	3.2	20.2	17.0	7.05	1.31	0.04	0.21	0.24	0.04	Oxide
Incl	3.2	15.9	12.7	10.20	1.88	0.06	0.23	0.31	0.05	Oxide
JD072	31.6	143.1	111.5	0.49	0.12	<0.01	0.15	0.06	0.02	Sulphide
Incl	50.0	56.0	6.0	2.29	0.23	0.02	0.50	0.22	0.03	Sulphide
JD072	175.0	295.0	120.0	0.44	0.09	<0.01	0.18	0.03	0.02	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
Incl	176.5	179.0	2.6	3.38	0.50	0.04	0.96	0.56	0.10	Sulphide
JD072	303.0	328.0	25.0	0.58	0.16	<0.01	0.15	0.09	0.02	Sulphide
JD072	338.2	445.0	106.9	0.65	0.18	0.07	0.11	0.16	0.01	Sulphide
Incl	370.6	384.0	13.5	1.42	0.41	0.06	0.16	0.19	0.01	Sulphide
and	408.0	411.5	3.5	1.37	0.53	0.32	0.17	0.45	0.02	Sulphide
JD073	8.5	26.0	17.5	0.93	0.32	0.05	0.24	0.18	0.05	Oxide
Incl	11.0	15.0	4.0	1.41	0.66	0.04	0.30	0.28	0.14	Oxide
JD073	26.0	111.7	85.7	0.47	0.13	0.01	0.19	0.08	0.02	Sulphide
Incl	103.0	106.0	3.0	1.55	0.50	0.05	0.17	0.12	0.02	Sulphide
JD073	116.5	170.6	54.1	0.43	0.13	0.02	0.17	0.03	0.02	Sulphide
JD073	179.9	199.0	19.1	0.61	0.16	0.08	0.14	0.13	0.01	Sulphide
Incl	192.0	194.3	2.3	1.06	0.30	0.13	0.11	0.06	0.01	Sulphide
JD074	12.0	22.1	10.1	1.31	0.74	0.01	0.06	0.11	<0.01	Oxide
Incl	13.0	16.0	3.0	2.27	1.44	0.02	0.08	0.14	0.01	Oxide
JD074	30.0	35.0	5.0	0.57	0.13	<0.01	0.12	0.06	0.01	Oxide
JD074	35.0	54.0	19.0	0.43	0.09	<0.01	0.14	0.09	0.01	Sulphide
JD074	65.0	69.0	4.0	0.51	0.11	<0.01	0.14	0.01	0.02	Sulphide
JD074	106.0	233.3	127.3	0.55	0.12	0.02	0.14	0.06	0.01	Sulphide
Incl	146.0	148.0	2.0	2.05	0.32	0.01	0.15	0.13	0.02	Sulphide
and	209.0	212.0	3.0	1.54	0.17	0.03	0.22	0.15	0.02	Sulphide
JD075	8.0	27.0	19.0	0.79	0.13	0.02	0.25	0.12	0.02	Oxide
Incl	8.0	14.7	6.7	1.21	0.18	0.02	0.27	0.21	0.04	Oxide
JD075	37.0	42.0	5.0	0.41	0.11	0.02	0.15	0.13	0.02	Sulphide
JD075	49.0	54.0	5.0	0.39	0.07	0.03	0.16	0.06	0.02	Sulphide
JD075	61.0	67.0	6.0	0.31	0.06	0.01	0.14	0.01	0.01	Sulphide
JD075	71.6	77.0	5.5	0.46	0.09	0.01	0.19	0.05	0.02	Sulphide
JD075	82.0	143.0	61.0	0.47	0.11	0.01	0.19	0.04	0.02	Sulphide
JD075	173.0	177.8	4.8	0.37	0.07	0.03	0.14	0.05	0.01	Sulphide
JD075	183.3	197.0	13.7	0.33	0.10	0.01	0.16	0.06	0.01	Sulphide
JD075	205.8	211.0	5.2	2.81	4.22	0.11	0.17	0.10	0.02	Sulphide
Incl	207.0	211.0	4.0	3.43	5.31	0.11	0.19	0.11	0.02	Sulphide
JD076	22.8	29.5	6.7	0.47	0.19	0.02	0.15	0.17	0.02	Oxide
JD076	29.5	129.7	100.2	0.72	0.15	0.01	0.16	0.09	0.02	Sulphide
Incl	70.0	80.0	10.0	1.22	0.23	0.01	0.21	0.08	0.02	Sulphide
and	104.0	109.0	5.0	1.07	0.20	0.02	0.20	0.17	0.02	Sulphide
JD076	138.0	154.1	16.1	0.61	0.14	0.02	0.15	0.08	0.02	Sulphide
Incl	150.0	154.1	4.1	1.01	0.22	0.02	0.17	0.09	0.02	Sulphide
JD076	179.3	268.0	88.7	0.52	0.11	0.01	0.14	0.07	0.02	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
Incl	196.0	198.0	2.0	1.19	0.22	0.01	0.21	0.06	0.02	Sulphide
JD076	273.0	368.1	95.1	0.53	0.12	<0.01	0.14	0.06	0.02	Sulphide
Incl	309.0	311.0	2.0	1.40	0.41	0.01	0.19	0.09	0.02	Sulphide
and	319.0	323.0	4.0	1.00	0.20	<0.01	0.23	0.08	0.02	Sulphide
and	330.0	334.0	4.0	1.06	0.18	<0.01	0.21	0.17	0.02	Sulphide
JD076	393.0	407.5	14.5	0.59	0.14	<0.01	0.17	0.05	0.02	Sulphide
JD076	412.7	420.0	7.3	0.40	0.11	0.02	0.12	0.07	0.01	Sulphide
JD076	429.0	586.2	157.2	0.57	0.13	0.02	0.18	0.10	0.02	Sulphide
Incl	446.0	456.0	10.0	1.57	0.32	0.06	0.37	0.50	0.03	Sulphide
JD077	18.4	24.9	6.5	0.67	0.13	0.01	0.12	0.20	0.01	Oxide
JD077	27.5	35.8	8.3	0.38	0.09	<0.01	0.13	0.06	0.01	Sulphide
JD077	94.9	182.0	87.1	0.59	0.11	0.02	0.16	0.05	0.01	Sulphide
JD078	2.0	29.0	27.0	1.24	0.30	0.04	0.22	0.21	0.05	Oxide
Incl	7.6	21.7	14.1	1.77	0.33	0.04	0.28	0.29	0.08	Oxide
JD078	29.0	68.0	39.0	0.46	0.12	<0.01	0.16	0.07	0.01	Sulphide
JD078	74.0	81.3	7.3	0.37	0.11	<0.01	0.12	0.10	0.01	Sulphide
JD078	86.0	91.0	5.0	0.45	0.13	0.05	0.13	0.04	0.01	Sulphide
JD078	120.0	226.0	106.0	0.51	0.11	0.05	0.15	0.11	0.01	Sulphide
Incl	184.6	187.0	2.4	1.23	0.34	0.32	0.21	0.51	0.02	Sulphide
JD078	236.8	243.0	6.2	1.67	1.01	0.18	0.11	0.10	0.01	Sulphide
Incl	236.8	242.0	5.2	1.93	1.19	0.21	0.11	0.11	0.01	Sulphide
JD079	9.3	19.7	10.4	0.72	0.18	0.02	0.16	0.12	0.02	Oxide
Incl	13.0	17.0	4.0	1.19	0.29	0.01	0.30	0.16	0.04	Oxide
JD079	28.0	33.6	5.6	0.54	0.10	<0.01	0.14	0.21	0.01	Oxide
JD079	36.0	67.3	31.3	0.47	0.11	<0.01	0.14	0.04	0.01	Sulphide
JD079	141.1	148.0	6.9	0.82	0.47	0.07	0.13	0.04	0.01	Sulphide
Incl	146.0	148.0	2.0	1.26	1.20	0.07	0.09	0.05	0.01	Sulphide
JD080	5.0	19.0	14.0	0.56	0.04	0.03	0.19	0.12	0.01	Oxide
JD080	65.0	77.0	12.0	0.74	0.15	0.03	0.19	0.16	0.02	Sulphide
JD081	34.0	53.0	19.0	0.77	0.14	0.02	0.17	0.11	0.02	Sulphide
JD081	111.0	190.0	79.0	0.67	0.14	<0.01	0.16	0.06	0.02	Sulphide
Incl	154.0	158.0	4.0	1.32	0.30	<0.01	0.20	0.13	0.01	Sulphide
JD081	297.0	302.0	5.0	3.67	0.26	0.07	0.30	0.21	0.03	Sulphide
JD081	378.0	432.5	54.5	0.48	0.11	<0.01	0.15	0.03	0.01	Sulphide
JD081	441.0	486.0	45.0	0.41	0.10	0.09	0.14	0.10	0.01	Sulphide
JD081	492.0	542.9	50.9	0.78	0.15	0.14	0.11	0.30	0.01	Sulphide
Incl	495.0	506.0	11.0	1.62	0.30	0.52	0.13	0.71	0.01	Sulphide
JD082	11.9	22.0	10.1	0.55	0.07	<0.01	0.22	0.09	0.02	Oxide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JD082	30.0	84.0	54.0	0.63	0.14	0.01	0.16	0.09	0.02	Sulphide
Incl	60.0	63.0	3.0	1.17	0.40	0.03	0.24	0.22	0.03	Sulphide
and	82.0	84.0	2.0	2.76	0.29	0.08	0.38	0.21	0.04	Sulphide
JD083	12.0	39.0	27.0	0.61	0.14	0.13	0.08	0.01	0.02	Oxide
Incl	13.0	20.2	7.2	1.59	0.38	0.02	0.14	0.10	0.02	Oxide
JD083	39.0	49.0	10.0	0.75	0.15	0.15	0.03	<0.01	0.01	Sulphide
Incl	44.0	47.0	3.0	1.35	0.24	<0.01	0.18	0.03	0.02	Sulphide
JD083	74.0	118.5	44.5	0.67	0.14	0.15	0.10	0.02	0.01	Sulphide
Incl	77.0	81.0	4.0	1.09	0.21	0.02	0.19	0.07	0.02	Sulphide
and	92.0	95.4	3.4	1.19	0.21	0.02	0.17	0.13	0.02	Sulphide
JD083	131.7	156.0	24.3	0.83	0.17	0.26	0.25	0.04	0.02	Sulphide
Incl	131.7	137.6	5.9	1.97	0.41	0.13	0.47	0.67	0.05	Sulphide
JD083	166.1	206.0	39.9	0.50	0.10	0.15	0.07	0.01	0.02	Sulphide
JD083	210.1	267.2	57.1	0.67	0.15	0.17	0.13	0.03	0.02	Sulphide
Incl	249.5	258.0	8.5	1.43	0.37	0.10	0.31	0.31	0.03	Sulphide
JD083	273.0	281.0	8.0	0.59	0.10	0.14	0.08	0.01	0.01	Sulphide
JD083	298.0	306.0	8.0	0.40	0.09	0.13	0.02	0.01	0.01	Sulphide
JD083	320.6	335.5	14.9	0.36	0.08	0.09	0.02	<0.01	0.01	Sulphide
JD083	362.0	387.0	25.0	0.51	0.10	0.17	0.06	0.01	0.02	Sulphide
JD083	412.0	423.7	11.7	0.63	0.17	0.15	0.16	0.01	0.01	Sulphide
JD083	428.0	563.9	135.9	0.57	0.13	0.15	0.07	0.02	0.01	Sulphide
Incl	499.0	501.0	2.0	1.52	0.98	0.03	0.23	0.20	0.02	Sulphide
and	555.0	561.8	6.8	1.89	0.30	0.04	0.13	0.04	0.01	Sulphide
JD084	3.0	23.0	20.0	0.86	0.23	0.08	0.17	0.26	0.02	Oxide
Incl	5.0	16.6	11.6	1.33	0.31	0.07	0.26	0.36	0.03	Oxide
JD084	23.0	61.5	38.5	0.66	0.18	0.02	0.14	0.17	0.02	Sulphide
Incl	39.8	45.2	5.4	1.06	0.27	0.02	0.22	0.29	0.02	Sulphide
JD084	75.3	83.9	8.6	1.03	0.12	0.08	0.18	0.11	0.02	Sulphide
JD084	109.0	116.7	7.7	0.89	0.09	0.03	0.22	0.30	0.02	Sulphide
JD085	15.4	22.0	6.6	3.41	0.44	<0.01	0.09	0.21	0.17	Oxide
Incl	15.4	20.3	4.9	3.89	0.50	<0.01	0.09	0.23	0.19	Oxide
JD085	24.4	31.0	6.6	0.72	0.14	<0.01	0.13	0.05	0.02	Oxide
JD085	43.0	167.0	124.0	0.57	0.12	<0.01	0.17	0.06	0.02	Sulphide
JD085	201.0	269.5	68.5	1.33	0.28	0.06	0.15	0.19	0.01	Sulphide
Incl	210.0	222.0	12.0	5.04	1.00	0.16	0.25	0.48	0.02	Sulphide
and	225.0	228.0	3.0	3.26	0.70	0.09	0.16	0.11	0.01	Sulphide
and	328.0	330.0	2.0	1.93	0.25	0.60	0.09	0.08	0.02	Sulphide
JD085	335.0	342.0	7.0	0.72	0.27	0.07	0.08	0.02	0.01	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JD086	3.2	29.2	26.0	1.37	0.27	0.12	0.15	0.29	0.03	Oxide
Incl	8.5	17.3	8.8	2.16	0.31	0.20	0.27	0.49	0.06	Oxide
and	24.8	29.2	4.4	2.21	0.64	0.08	0.12	0.31	0.02	Oxide
JD086	29.2	34.0	4.9	1.40	0.30	0.38	0.10	0.52	0.01	Sulphide
Incl	31.0	34.0	3.0	1.83	0.43	0.55	0.11	0.69	0.01	Sulphide
JD086	58.4	85.5	27.1	0.85	0.34	0.02	0.14	0.14	0.01	Sulphide
Incl	65.0	69.3	4.3	2.52	0.96	0.07	0.22	0.35	0.02	Sulphide
JD086	125.0	132.0	7.0	0.53	<0.01	0.04	0.07	0.15	0.01	Sulphide
JD087	0.7	25.0	24.3	1.27	0.46	0.03	0.20	0.16	0.02	Oxide
Incl	0.7	17.0	16.3	1.79	0.69	0.04	0.19	0.18	0.03	Oxide
JD087	35.2	40.0	4.8	3.87	0.56	0.05	0.42	0.24	0.03	Sulphide
Incl	35.2	39.5	4.4	4.21	0.59	0.05	0.44	0.26	0.04	Sulphide
JD087	48.0	63.4	15.4	7.10	1.34	0.04	0.64	0.30	0.05	Sulphide
JD087	106.0	176.7	70.7	0.42	0.11	<0.01	0.15	0.03	0.01	Sulphide
JD087	198.2	241.9	43.7	0.41	0.13	0.02	0.16	0.07	0.02	Sulphide
JD087	274.0	310.5	36.5	0.86	0.31	0.13	0.13	0.29	0.01	Sulphide
Incl	278.7	284.0	5.3	1.51	0.72	0.23	0.16	0.41	0.02	Sulphide
and	289.0	296.0	7.0	1.23	0.52	0.24	0.12	0.52	0.01	Sulphide
JD088	1.5	31.2	29.7	1.17	0.31	0.29	0.22	0.41	0.05	Oxide
Incl	3.1	17.0	13.9	1.84	0.40	0.38	0.35	0.65	0.09	Oxide
and	28.0	31.2	3.2	1.02	0.50	0.07	0.13	0.16	0.02	Oxide
JD088	31.2	38.6	7.4	2.13	0.62	0.98	0.10	0.42	0.01	Sulphide
Incl	33.0	38.6	5.6	2.57	0.76	1.28	0.10	0.54	0.01	Sulphide
JD088	55.3	89.8	34.5	0.58	0.12	0.04	0.12	0.19	0.01	Sulphide
Incl	87.0	89.0	2.0	1.11	0.25	0.03	0.17	0.15	0.02	Sulphide
JD088	93.9	140.4	46.5	0.94	0.20	0.10	0.18	0.21	0.02	Sulphide
Incl	112.0	114.6	2.6	1.82	0.31	0.61	0.14	0.89	0.02	Sulphide
and	122.6	124.8	2.2	2.26	0.35	0.04	0.37	0.13	0.03	Sulphide
and	130.0	135.0	5.0	1.79	0.49	0.05	0.43	0.22	0.04	Sulphide
and	138.0	140.0	2.0	1.23	0.31	0.14	0.22	0.15	0.02	Sulphide
JRC218D	33.0	54.0	21.0	0.54	0.11	<0.01	0.15	0.06	0.02	Sulphide
JRC218D	66.0	94.0	28.0	0.43	0.09	<0.01	0.12	0.07	0.01	Sulphide
JRC218D	105.0	111.0	6.0	0.35	0.08	<0.01	0.18	0.06	0.02	Sulphide
JRC218D	144.0	162.0	18.0	0.31	0.09	<0.01	0.13	0.03	0.01	Sulphide
JRC218D	167.0	191.5	24.5	0.58	0.13	<0.01	0.16	0.08	0.02	Sulphide
Incl	171.0	173.0	2.0	1.33	0.29	<0.01	0.27	0.27	0.02	Sulphide
JRC218D	211.7	220.1	8.4	0.66	0.17	<0.01	0.13	0.04	0.01	Sulphide
Incl	217.0	219.0	2.0	1.35	0.39	<0.01	0.12	0.05	0.01	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JRC218D	225.1	251.0	25.9	0.50	0.12	0.01	0.16	0.11	0.02	Sulphide
JRC218D	265.0	274.0	9.0	0.50	0.20	0.02	0.17	0.40	0.01	Sulphide
JRC218D	285.0	335.4	50.4	0.50	0.11	0.01	0.15	0.05	0.01	Sulphide
JRC218D	340.7	346.7	6.0	0.59	0.11	<0.01	0.18	0.01	0.02	Sulphide
JRC232	9.0	30.0	21.0	1.19	0.31	0.06	0.11	0.15	0.05	Oxide
Incl	10.0	22.0	12.0	1.63	0.42	0.09	0.10	0.16	0.07	Oxide
JRC232	30.0	82.0	52.0	0.50	0.11	<0.01	0.13	0.07	0.01	Sulphide
JRC232	109.0	135.0	26.0	0.67	0.16	0.02	0.15	0.16	0.02	Sulphide
Incl	109.0	112.0	3.0	2.05	0.59	0.07	0.23	0.79	0.02	Sulphide
JRC232	143.0	165.0	22.0	0.39	0.09	<0.01	0.13	0.03	0.01	Sulphide
JRC232	172.0	251.0	79.0	0.80	0.18	0.01	0.17	0.07	0.02	Sulphide
Incl	177.0	179.0	2.0	3.23	0.42	0.09	0.40	0.11	0.04	Sulphide
and	185.0	200.0	15.0	1.56	0.43	<0.01	0.24	0.11	0.02	Sulphide
and	219.0	223.0	4.0	1.87	0.36	0.04	0.20	0.41	0.02	Sulphide
JRC232	258.0	357.0	99.0	0.51	0.12	0.01	0.17	0.07	0.02	Sulphide
JRC237D	7.0	31.0	24.0	0.93	0.23	<0.01	0.11	0.08	0.02	Oxide
Incl	15.0	22.0	7.0	1.71	0.46	<0.01	0.06	0.12	0.05	Oxide
JRC237D	31.0	117.0	86.0	0.58	0.12	<0.01	0.18	0.06	0.02	Sulphide
Incl	98.0	100.0	2.0	1.18	0.18	<0.01	0.24	0.06	0.02	Sulphide
and	106.0	108.0	2.0	1.08	0.32	<0.01	0.37	0.11	0.03	Sulphide
JRC237D	143.0	147.0	4.0	0.52	0.11	<0.01	0.14	0.04	0.01	Sulphide
JRC239	9.0	30.0	21.0	1.01	0.26	<0.01	0.08	0.08	0.02	Oxide
Incl	15.0	21.0	6.0	1.54	0.39	<0.01	0.06	0.12	0.04	Oxide
and	26.0	29.0	3.0	1.10	0.28	<0.01	0.20	0.07	0.03	Oxide
JRC239	30.0	84.0	54.0	0.44	0.09	<0.01	0.14	0.05	0.02	Sulphide
JRC239	89.0	144.0	55.0	0.72	0.17	<0.01	0.17	0.07	0.02	Sulphide
Incl	113.0	117.0	4.0	1.14	0.28	<0.01	0.28	0.10	0.02	Sulphide
and	129.0	133.0	4.0	1.17	0.27	<0.01	0.23	0.18	0.02	Sulphide
JRC239	163.0	199.0	36.0	0.40	0.09	<0.01	0.13	0.05	0.01	Sulphide
JRC239	208.0	216.0	8.0	0.35	0.19	<0.01	0.08	0.04	0.01	Sulphide
JRC239	230.0	252.0	22.0	0.48	0.11	<0.01	0.17	0.07	0.02	Sulphide
Incl	236.0	238.0	2.0	1.25	0.40	0.03	0.44	0.42	0.05	Sulphide
JRC240	54.0	118.0	64.0	0.55	0.12	<0.01	0.16	0.05	0.01	Sulphide
JRC240	218.0	321.0	103.0	1.13	0.41	0.11	0.16	0.16	0.02	Sulphide
Incl	226.0	233.0	7.0	8.09	3.74	0.50	0.50	0.53	0.03	Sulphide
and	237.0	239.0	2.0	1.54	0.41	0.25	0.19	0.81	0.02	Sulphide
and	257.0	267.0	10.0	1.11	0.25	0.08	0.14	0.15	0.02	Sulphide
and	288.0	290.0	2.0	1.33	0.60	0.03	0.14	0.09	0.02	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JRC240	327.0	340.0	13.0	0.54	0.12	0.10	0.11	0.06	0.01	Sulphide
JRC240	349.0	360.0	11.0	1.30	0.25	0.18	0.12	0.10	0.01	Sulphide
Incl	352.0	358.0	6.0	1.87	0.36	0.19	0.13	0.08	0.01	Sulphide
JRC250	19.0	29.0	10.0	0.45	0.09	0.03	0.09	0.06	0.01	Oxide
JRC250	52.0	149.0	97.0	0.62	0.13	0.05	0.15	0.07	0.02	Sulphide
Incl	58.0	60.0	2.0	1.18	0.23	0.03	0.20	0.09	0.02	Sulphide
and	104.0	106.0	2.0	1.54	0.31	0.02	0.17	0.11	0.02	Sulphide
and	111.0	121.0	10.0	1.19	0.22	0.11	0.20	0.19	0.02	Sulphide
JRC250	156.0	234.0	78.0	0.57	0.11	0.02	0.17	0.10	0.02	Sulphide
Incl	164.0	166.0	2.0	1.22	0.22	0.04	0.25	0.07	0.03	Sulphide
JRC250	241.0	284.0	43.0	0.80	0.18	<0.01	0.18	0.12	0.02	Sulphide
Incl	244.0	247.0	3.0	1.76	0.53	0.01	0.24	0.13	0.02	Sulphide
and	251.0	256.0	5.0	1.22	0.26	0.01	0.30	0.21	0.02	Sulphide
and	265.0	267.0	2.0	1.73	0.44	0.01	0.23	0.25	0.02	Sulphide
JRC251	173.0	197.0	24.0	0.57	0.12	<0.01	0.16	0.07	0.02	Sulphide
JRC251	204.0	222.0	18.0	0.53	0.11	<0.01	0.14	0.05	0.02	Sulphide
JRC251	234.0	258.0	24.0	0.56	0.13	<0.01	0.14	0.07	0.02	Sulphide
JRC252D	56.0	72.0	16.0	0.54	0.19	<0.01	0.11	0.05	0.01	Sulphide
Incl	62.0	64.0	2.0	1.11	0.34	<0.01	0.17	0.13	0.01	Sulphide
JRC252D	105.0	116.0	11.0	0.49	0.11	<0.01	0.14	0.03	0.01	Sulphide
JRC252D	148.0	193.9	45.9	0.55	0.11	0.01	0.19	0.08	0.02	Sulphide
Incl	149.0	151.0	2.0	2.46	0.34	0.01	1.26	0.38	0.09	Sulphide
and	185.0	187.0	2.0	1.18	0.35	0.10	0.15	0.39	0.02	Sulphide
JRC252D	276.1	281.1	5.0	1.32	0.28	0.06	0.20	0.37	0.01	Sulphide
JRC252DW1	274.4	328.4	54.0	0.61	0.16	0.04	0.15	0.11	0.01	Sulphide
Incl	282.0	284.0	2.0	2.14	0.48	0.11	0.20	0.34	0.02	Sulphide
JRC252DW1	341.0	351.0	10.0	1.68	0.43	0.20	0.09	0.07	0.01	Sulphide
Incl	341.9	351.0	9.1	1.78	0.47	0.21	0.09	0.07	0.01	Sulphide
JRC258	36.0	42.0	6.0	0.40	0.10	<0.01	0.16	0.06	0.02	Oxide
JRC258	42.0	57.0	15.0	0.45	0.09	<0.01	0.15	0.08	0.02	Sulphide
JRC258	66.0	255.0	189.0	0.65	0.15	0.04	0.13	0.11	0.01	Sulphide
Incl	75.0	77.0	2.0	1.50	0.35	0.03	0.14	0.06	0.01	Sulphide
and	152.0	157.0	5.0	1.04	0.21	0.04	0.17	0.08	0.02	Sulphide
and	175.0	179.0	4.0	1.04	0.17	0.16	0.22	0.53	0.02	Sulphide
and	208.0	214.0	6.0	1.22	0.24	0.12	0.15	0.11	0.02	Sulphide
and	220.0	226.0	6.0	1.16	0.26	0.05	0.17	0.10	0.01	Sulphide
and	231.0	235.0	4.0	2.07	0.50	0.03	0.29	0.35	0.02	Sulphide
JRC259	14.0	26.0	12.0	0.45	0.08	0.02	0.05	0.09	0.01	Oxide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JRC259	44.0	53.0	9.0	0.60	0.11	<0.01	0.15	0.05	0.01	Sulphide
JRC259	126.0	134.0	8.0	0.43	0.09	<0.01	0.14	0.05	0.02	Sulphide
JRC260	5.0	27.0	22.0	3.38	0.71	0.91	0.18	0.39	0.10	Oxide
Incl	8.0	26.0	18.0	4.08	0.82	1.11	0.20	0.43	0.12	Oxide
JRC261D	26.0	33.0	7.0	0.59	0.18	0.04	0.13	0.05	0.02	Oxide
JRC261D	43.0	61.0	18.0	0.47	0.10	0.10	0.13	0.26	0.01	Sulphide
JRC261D	82.0	147.0	65.0	0.63	0.15	0.02	0.15	0.07	0.01	Sulphide
Incl	87.0	93.0	6.0	1.48	0.34	0.04	0.16	0.14	0.02	Sulphide
and	111.0	115.0	4.0	1.10	0.24	0.03	0.22	0.10	0.02	Sulphide
JRC261D	153.0	203.0	50.0	0.88	0.20	0.04	0.14	0.12	0.01	Sulphide
Incl	166.0	180.0	14.0	1.52	0.33	0.06	0.19	0.13	0.02	Sulphide
JRC261D	210.0	216.0	6.0	0.56	0.13	0.05	0.11	0.10	0.01	Sulphide
JRC261D	239.0	283.4	44.4	0.50	0.10	<0.01	0.15	0.09	0.02	Sulphide
JRC261D	292.0	330.0	38.0	0.66	0.13	<0.01	0.19	0.04	0.02	Sulphide
Incl	313.4	316.0	2.6	1.90	0.40	<0.01	0.50	0.14	0.05	Sulphide
JRC261D	335.0	404.0	69.0	0.44	0.09	<0.01	0.15	0.07	0.02	Sulphide
JRC261D	410.0	418.0	8.0	0.67	0.14	<0.01	0.19	0.12	0.02	Sulphide
JRC261D	425.0	444.1	19.1	0.48	0.10	<0.01	0.16	0.08	0.02	Sulphide
JRC261D	464.7	569.0	104.3	0.60	0.13	0.02	0.16	0.08	0.02	Sulphide
Incl	539.0	542.0	3.0	1.42	0.35	0.03	0.20	0.12	0.02	Sulphide
and	566.0	568.0	2.0	1.48	0.57	0.04	0.14	0.05	0.01	Sulphide
JRC262	71.0	171.0	100.0	0.54	0.11	<0.01	0.16	0.06	0.02	Sulphide
Incl	109.0	116.0	7.0	1.36	0.29	<0.01	0.28	0.16	0.03	Sulphide
JRC262	182.0	276.0	94.0	0.68	0.15	<0.01	0.16	0.07	0.02	Sulphide
Incl	207.0	210.0	3.0	1.31	0.32	<0.01	0.25	0.16	0.03	Sulphide
and	259.0	261.0	2.0	3.66	0.99	0.02	0.44	0.17	0.05	Sulphide
and	270.0	273.0	3.0	1.09	0.22	0.02	0.22	0.13	0.03	Sulphide
JRC263	48.0	56.0	8.0	0.36	0.09	0.01	0.10	0.09	0.01	Sulphide
JRC263	62.0	77.0	15.0	0.39	0.10	0.01	0.10	0.08	0.01	Sulphide
JRC263	143.0	147.0	4.0	0.36	0.07	<0.01	0.15	0.01	0.01	Sulphide
JRC263	162.0	264.0	102.0	0.78	0.15	<0.01	0.29	0.11	0.02	Sulphide
Incl	166.0	171.0	5.0	1.17	0.20	<0.01	0.21	0.01	0.01	Sulphide
and	237.0	246.0	9.0	3.60	0.56	0.01	1.69	0.68	0.10	Sulphide
JRC263	272.0	303.0	31.0	0.49	0.10	<0.01	0.16	0.05	0.02	Sulphide
JRC264	42.0	54.0	12.0	0.57	0.12	0.02	0.15	0.08	0.01	Oxide
Incl	52.0	54.0	2.0	1.04	0.26	0.02	0.11	0.12	0.01	Oxide
JRC264	60.0	80.0	20.0	0.78	0.20	0.06	0.10	0.15	0.01	Sulphide
Incl	65.0	69.0	4.0	1.11	0.29	0.14	0.11	0.08	0.01	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
and	72.0	77.0	5.0	1.04	0.25	0.04	0.11	0.11	0.01	Sulphide
JRC264	94.0	159.0	65.0	0.69	0.15	0.03	0.15	0.10	0.01	Sulphide
Incl	106.0	109.0	3.0	1.04	0.21	0.03	0.15	0.11	0.01	Sulphide
and	121.0	126.0	5.0	1.07	0.21	0.02	0.15	0.05	0.01	Sulphide
JRC264	191.0	201.0	10.0	0.49	0.13	0.03	0.08	0.09	0.01	Sulphide
JRC264	228.0	238.0	10.0	0.35	0.09	0.01	0.09	0.06	0.01	Sulphide
JRC264	265.0	297.0	32.0	0.40	0.08	0.01	0.11	0.06	0.01	Sulphide
JRC265	6.0	11.0	5.0	0.42	0.05	0.03	0.05	0.06	0.01	Oxide
JRC265	48.0	62.0	14.0	0.73	0.27	0.02	0.18	0.09	0.02	Sulphide
JRC266	14.0	39.0	25.0	0.62	0.14	<0.01	0.16	0.07	0.03	Oxide
JRC266	41.0	92.0	51.0	0.47	0.10	<0.01	0.15	0.08	0.01	Sulphide
Incl	53.0	57.0	4.0	1.59	0.28	0.01	0.51	0.34	0.04	Sulphide
JRC266	97.0	102.0	5.0	0.37	0.08	<0.01	0.14	<0.01	0.02	Sulphide
JRC267	7.0	18.0	11.0	1.10	0.41	0.02	0.16	0.19	0.05	Oxide
Incl	9.0	16.0	7.0	1.33	0.51	0.02	0.18	0.23	0.06	Oxide
JRC267	18.0	63.0	45.0	0.70	0.16	<0.01	0.14	0.09	0.01	Sulphide
JRC267	68.0	94.0	26.0	0.49	0.12	<0.01	0.14	0.07	0.01	Sulphide
JRC267	109.0	125.0	16.0	0.64	0.13	0.02	0.15	<0.01	0.01	Sulphide
JRC268	85.0	106.0	21.0	0.47	0.10	<0.01	0.14	0.08	0.01	Sulphide
JRC268	115.0	135.0	20.0	0.64	0.15	<0.01	0.16	0.07	0.02	Sulphide
JRC268	141.0	160.0	19.0	0.52	0.12	<0.01	0.12	0.08	0.01	Sulphide
JRC268	166.0	233.0	67.0	0.44	0.10	0.06	0.11	0.11	0.01	Sulphide
JRC268	243.0	283.0	40.0	0.71	0.15	0.02	0.14	0.04	0.01	Sulphide
Incl	246.0	251.0	5.0	1.42	0.30	0.02	0.15	0.07	0.02	Sulphide
JRC268	296.0	300.0	4.0	0.53	0.10	0.04	0.16	0.17	0.02	Sulphide
JRC269	95.0	121.0	26.0	0.53	0.11	<0.01	0.16	0.01	0.01	Sulphide
JRC269	135.0	214.0	79.0	0.49	0.11	<0.01	0.16	0.05	0.01	Sulphide
JRC270	8.0	22.0	14.0	0.64	0.20	0.02	0.12	0.16	0.04	Oxide
JRC270	22.0	123.0	101.0	0.63	0.14	0.01	0.14	0.09	0.01	Sulphide
Incl	42.0	46.0	4.0	1.04	0.18	0.02	0.13	0.12	0.01	Sulphide
JRC270	129.0	135.0	6.0	0.52	0.15	<0.01	0.19	0.08	0.02	Sulphide
JRC270	143.0	194.0	51.0	0.73	0.23	0.02	0.13	0.07	0.02	Sulphide
Incl	167.0	169.0	2.0	5.02	2.18	0.09	0.18	0.08	0.03	Sulphide
and	187.0	189.0	2.0	1.23	0.46	0.13	0.19	0.31	0.02	Sulphide
JRC271	129.0	141.0	12.0	0.52	0.12	<0.01	0.14	0.04	0.01	Sulphide
JRC271	170.0	197.0	27.0	0.35	0.09	<0.01	0.11	0.07	0.01	Sulphide
JRC271	216.0	228.0	12.0	0.75	0.17	0.04	0.13	0.15	0.01	Sulphide
Incl	221.0	223.0	2.0	1.29	0.25	0.03	0.16	0.13	0.02	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JRC272	37.0	46.0	9.0	0.31	0.20	0.04	0.08	0.08	0.01	Oxide
JRC272	62.0	93.0	31.0	0.47	0.10	<0.01	0.16	0.07	0.01	Sulphide
JRC272	100.0	145.0	45.0	0.66	0.14	<0.01	0.16	0.03	0.01	Sulphide
Incl	109.0	117.0	8.0	1.32	0.26	<0.01	0.18	0.05	0.02	Sulphide
JRC272	190.0	195.0	5.0	0.49	0.10	<0.01	0.17	0.07	0.02	Sulphide
JRC272	201.0	207.0	6.0	0.63	0.13	<0.01	0.13	0.03	0.01	Sulphide
JRC272	228.0	242.0	14.0	0.45	0.11	<0.01	0.15	0.07	0.01	Sulphide
JRC272	255.0	315.0	60.0	0.85	0.19	0.01	0.16	0.08	0.02	Sulphide
Incl	299.0	305.0	6.0	1.57	0.27	0.03	0.19	0.11	0.02	Sulphide
and	308.0	311.0	3.0	1.71	0.48	0.04	0.17	0.18	0.02	Sulphide
JRC273	8.0	27.0	19.0	0.51	0.16	0.01	0.18	0.15	0.04	Oxide
JRC273	27.0	39.0	12.0	0.78	0.20	<0.01	0.20	0.18	0.02	Sulphide
Incl	34.0	36.0	2.0	1.20	0.29	<0.01	0.23	0.23	0.02	Sulphide
JRC273	45.0	121.0	76.0	0.76	0.16	<0.01	0.16	0.08	0.02	Sulphide
Incl	50.0	57.0	7.0	1.52	0.44	0.01	0.22	0.14	0.02	Sulphide
JRC273	137.0	145.0	8.0	0.54	0.13	<0.01	0.15	0.09	0.02	Sulphide
JRC274	16.0	24.0	8.0	0.72	0.15	0.01	0.12	0.09	0.01	Oxide
Incl	20.0	22.0	2.0	1.08	0.22	0.01	0.13	0.09	0.01	Oxide
JRC274	24.0	173.0	149.0	0.75	0.19	0.02	0.16	0.07	0.02	Sulphide
Incl	26.0	30.0	4.0	1.03	0.20	<0.01	0.16	0.06	0.02	Sulphide
and	135.0	149.0	14.0	2.71	0.92	0.05	0.29	0.17	0.02	Sulphide
JRC274	182.0	258.0	76.0	0.55	0.12	0.01	0.13	0.08	0.01	Sulphide
Incl	204.0	209.0	5.0	1.05	0.20	0.02	0.13	0.08	0.01	Sulphide
JRC275	37.0	46.0	9.0	0.75	0.20	0.04	0.15	0.23	0.02	Oxide
JRC275	46.0	88.0	42.0	0.62	0.15	0.01	0.14	0.10	0.01	Sulphide
Incl	63.0	65.0	2.0	1.19	0.24	0.02	0.19	0.16	0.02	Sulphide
JRC275	118.0	234.0	116.0	0.61	0.12	<0.01	0.16	0.05	0.02	Sulphide
Incl	122.0	127.0	5.0	1.72	0.36	<0.01	0.29	0.19	0.03	Sulphide
and	164.0	169.0	5.0	1.16	0.22	<0.01	0.19	0.07	0.02	Sulphide
JRC275	243.0	300.0	57.0	0.70	0.16	<0.01	0.17	0.05	0.02	Sulphide
JRC276	83.0	284.0	201.0	0.63	0.15	<0.01	0.15	0.08	0.02	Sulphide
Incl	113.0	119.0	6.0	1.02	0.25	<0.01	0.13	0.08	0.01	Sulphide
and	131.0	136.0	5.0	1.92	0.33	0.01	0.24	0.21	0.02	Sulphide
and	160.0	165.0	5.0	1.00	0.19	<0.01	0.18	0.09	0.02	Sulphide
and	220.0	223.0	3.0	1.00	0.30	0.07	0.30	0.21	0.03	Sulphide
JRC277	12.0	27.0	15.0	1.02	0.34	0.05	0.07	0.11	0.01	Oxide
Incl	18.0	26.0	8.0	1.41	0.41	0.06	0.08	0.12	0.01	Oxide
JRC277	60.0	222.0	162.0	0.52	0.11	0.01	0.14	0.07	0.01	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
Incl	93.0	96.0	3.0	1.18	0.23	0.03	0.13	0.24	0.01	Sulphide
JRC277	228.0	234.0	6.0	0.45	0.10	<0.01	0.14	0.04	0.02	Sulphide
JRC277	239.0	270.0	31.0	0.52	0.12	<0.01	0.14	0.12	0.02	Sulphide
JRC278	21.0	34.0	13.0	0.79	0.19	0.02	0.13	0.12	0.02	Oxide
Incl	23.0	25.0	2.0	1.72	0.34	0.02	0.15	0.21	0.02	Oxide
JRC278	42.0	47.0	5.0	0.33	0.11	0.02	0.12	0.07	0.01	Oxide
JRC278	75.0	147.0	72.0	0.66	0.15	0.01	0.15	0.06	0.02	Sulphide
Incl	76.0	82.0	6.0	1.13	0.24	0.04	0.17	0.21	0.02	Sulphide
and	129.0	132.0	3.0	1.32	0.27	<0.01	0.24	0.06	0.02	Sulphide
JRC278	179.0	271.0	92.0	0.55	0.14	<0.01	0.16	0.04	0.02	Sulphide
Incl	202.0	204.0	2.0	1.42	0.37	<0.01	0.19	0.23	0.02	Sulphide
and	217.0	219.0	2.0	3.25	1.71	0.01	0.35	0.13	0.04	Sulphide
JRC278	277.0	298.0	21.0	0.80	0.28	<0.01	0.18	0.10	0.02	Sulphide
Incl	279.0	283.0	4.0	1.41	0.47	0.01	0.26	0.08	0.02	Sulphide
and	288.0	291.0	3.0	1.50	0.75	0.01	0.25	0.35	0.02	Sulphide
JRC279	22.0	31.0	9.0	0.36	0.09	0.03	0.12	0.08	0.02	Oxide
JRC279	31.0	110.0	79.0	0.56	0.13	0.04	0.12	0.13	0.01	Sulphide
Incl	47.0	49.0	2.0	1.83	0.39	0.07	0.19	0.12	0.02	Sulphide
JRC279	154.0	168.0	14.0	0.78	0.18	0.01	0.17	0.08	0.02	Sulphide
JRC279	173.0	211.0	38.0	0.55	0.12	<0.01	0.17	0.06	0.02	Sulphide
JRC279	239.0	300.0	61.0	0.55	0.13	<0.01	0.15	0.05	0.01	Sulphide
JRC280	17.0	31.0	14.0	0.52	0.13	0.02	0.10	0.09	0.01	Oxide
JRC280	31.0	156.0	125.0	0.62	0.13	0.01	0.13	0.07	0.01	Sulphide
Incl	70.0	74.0	4.0	1.09	0.20	0.02	0.16	0.08	0.02	Sulphide
and	114.0	120.0	6.0	1.33	0.27	0.01	0.18	0.07	0.02	Sulphide
and	124.0	130.0	6.0	1.37	0.26	0.02	0.15	0.10	0.01	Sulphide
JRC280	237.0	272.0	35.0	0.51	0.10	<0.01	0.16	0.05	0.02	Sulphide
JRC281	48.0	50.0	2.0	3.42	3.43	0.02	0.18	0.53	0.04	Oxide
JRC282	26.0	146.0	120.0	0.61	0.13	0.03	0.13	0.11	0.01	Sulphide
Incl	34.0	36.0	2.0	1.39	0.30	0.02	0.14	0.10	0.02	Sulphide
and	98.0	102.0	4.0	1.08	0.20	0.02	0.16	0.06	0.02	Sulphide
and	142.0	146.0	4.0	1.56	0.35	0.02	0.18	0.07	0.02	Sulphide
JRC282	161.0	250.0	89.0	0.60	0.13	0.01	0.15	0.07	0.02	Sulphide
Incl	169.0	174.0	5.0	1.15	0.25	0.01	0.20	0.06	0.02	Sulphide
and	190.0	195.0	5.0	1.66	0.48	0.01	0.21	0.13	0.02	Sulphide
JRC283	10.0	23.0	13.0	0.35	0.10	0.01	0.05	0.04	0.01	Oxide
JRC283	122.0	336.0	214.0	0.63	0.15	0.01	0.14	0.08	0.01	Sulphide
Incl	181.0	189.0	8.0	1.33	0.32	0.02	0.25	0.21	0.02	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
and	290.0	292.0	2.0	1.17	0.61	0.10	0.26	0.17	0.03	Sulphide
and	295.0	300.0	5.0	1.47	0.47	0.08	0.16	0.07	0.02	Sulphide
and	323.0	325.0	2.0	1.06	0.22	<0.01	0.19	0.05	0.02	Sulphide
JRC283	345.0	373.0	28.0	0.47	0.10	0.01	0.12	0.06	0.01	Sulphide
JRC284	127.0	140.0	13.0	0.33	0.08	0.01	0.13	0.09	0.01	Sulphide
JRC284	148.0	177.0	29.0	0.42	0.11	0.03	0.13	0.14	0.01	Sulphide
JRC285	60.0	74.0	14.0	0.57	0.13	0.01	0.12	0.10	0.01	Sulphide
JRC285	102.0	260.0	158.0	0.72	0.16	0.03	0.14	0.10	0.01	Sulphide
Incl	106.0	111.0	5.0	1.08	0.26	0.03	0.13	0.11	0.01	Sulphide
and	168.0	173.0	5.0	1.03	0.19	0.02	0.15	0.06	0.01	Sulphide
and	235.0	243.0	8.0	1.16	0.24	0.08	0.21	0.19	0.02	Sulphide
and	246.0	259.0	13.0	1.08	0.24	0.05	0.19	0.13	0.02	Sulphide
JRC286	11.0	22.0	11.0	0.69	0.22	0.04	0.13	0.18	0.02	Oxide
JRC286	22.0	59.0	37.0	0.54	0.13	0.02	0.12	0.09	0.01	Sulphide
Incl	27.0	31.0	4.0	1.14	0.24	0.07	0.18	0.21	0.02	Sulphide
JRC286	65.0	159.0	94.0	0.63	0.15	0.01	0.15	0.09	0.02	Sulphide
Incl	98.0	100.0	2.0	1.08	0.25	0.02	0.21	0.14	0.02	Sulphide
JRC286	168.0	175.0	7.0	0.31	0.06	0.01	0.14	0.10	0.02	Sulphide
JRC286	182.0	191.0	9.0	0.31	0.08	0.01	0.17	0.03	0.01	Sulphide
JRC286	204.0	209.0	5.0	0.40	0.08	0.01	0.14	0.06	0.01	Sulphide
JRC287	74.0	79.0	5.0	0.34	0.19	0.02	0.10	0.18	0.02	Sulphide
JRC287	160.0	229.0	69.0	0.43	0.10	0.02	0.12	0.13	0.01	Sulphide
JRC287	234.0	276.0	42.0	0.52	0.12	<0.01	0.13	0.07	0.01	Sulphide
Incl	265.0	268.0	3.0	1.28	0.32	<0.01	0.19	0.13	0.02	Sulphide
JRC288	81.0	135.0	54.0	0.52	0.12	0.03	0.11	0.09	0.01	Sulphide
JRC288	159.0	167.0	8.0	0.53	0.12	0.02	0.12	<0.01	0.01	Sulphide
JRC288	175.0	258.0	83.0	0.70	0.15	0.03	0.16	0.08	0.01	Sulphide
Incl	176.0	182.0	6.0	1.10	0.23	0.05	0.22	0.13	0.02	Sulphide
and	197.0	213.0	16.0	1.27	0.27	0.07	0.24	0.19	0.02	Sulphide
and	217.0	222.0	5.0	1.47	0.33	0.02	0.18	0.06	0.02	Sulphide
JRC289	105.0	114.0	9.0	0.40	0.19	0.01	0.12	0.08	0.01	Sulphide
JRC289	169.0	175.0	6.0	0.33	0.09	0.05	0.20	0.50	0.03	Sulphide
JRC290	22.0	45.0	23.0	0.44	0.11	0.06	0.11	0.12	0.01	Sulphide
JRC290	51.0	149.0	98.0	0.67	0.15	0.01	0.16	0.11	0.02	Sulphide
Incl	69.0	73.0	4.0	1.04	0.25	0.01	0.18	0.07	0.02	Sulphide
and	85.0	87.0	2.0	1.21	0.28	0.05	0.19	0.16	0.02	Sulphide
and	117.0	119.0	2.0	1.68	0.21	0.01	0.70	0.51	0.07	Sulphide
and	137.0	139.0	2.0	1.85	0.45	0.01	0.29	0.44	0.03	Sulphide

Hole ID	From (m)	To (m)	Interval (m)	Pd (g/t)	Pt (g/t)	Au (g/t)	Ni (%)	Cu (%)	Co (%)	Geology
JRC290	161.0	213.0	52.0	0.41	0.10	0.01	0.12	0.07	0.01	Sulphide
JRC290	218.0	242.0	24.0	0.56	0.12	0.01	0.14	0.05	0.02	Sulphide
JRC290	248.0	257.0	9.0	0.45	0.08	0.01	0.10	0.02	0.01	Sulphide
JRC291	180.0	250.0	70.0	0.47	0.12	0.02	0.13	0.12	0.01	Sulphide
JRC292	31.0	46.0	15.0	0.66	0.28	0.02	0.14	0.05	0.02	Oxide
JRC292	46.0	50.0	4.0	0.60	0.13	0.01	0.13	0.06	0.01	Sulphide
JRC292	109.0	222.0	113.0	0.72	0.15	0.03	0.16	0.10	0.02	Sulphide
Incl	125.0	128.0	3.0	1.14	0.22	0.03	0.17	0.08	0.02	Sulphide
and	135.0	138.0	3.0	1.52	0.27	0.03	0.21	0.04	0.02	Sulphide
and	152.0	156.0	4.0	1.03	0.17	0.02	0.18	0.07	0.02	Sulphide
and	159.0	162.0	3.0	1.28	0.22	0.03	0.22	0.26	0.02	Sulphide
and	184.0	191.0	7.0	1.03	0.22	0.03	0.18	0.11	0.02	Sulphide
and	195.0	201.0	6.0	1.01	0.22	0.03	0.20	0.13	0.02	Sulphide
and	208.0	213.0	5.0	1.10	0.22	0.05	0.24	0.17	0.02	Sulphide
JRC292	237.0	251.0	14.0	1.10	0.25	0.02	0.17	0.08	0.02	Sulphide
Incl	244.0	249.0	5.0	2.16	0.45	0.03	0.28	0.13	0.02	Sulphide
JRC294D	251.0	260.0	9.0	0.39	0.08	<0.01	0.13	0.01	0.01	Sulphide
Incl	291.0	296.0	5.0	1.06	0.19	0.01	0.17	0.11	0.02	Sulphide
JRC299	74.0	104.0	30.0	0.86	0.38	0.04	0.13	0.06	0.01	Sulphide
Incl	93.0	103.0	10.0	1.68	0.63	0.07	0.22	0.13	0.02	Sulphide

Table 3. New drill hole survey data and assaying status

Hole ID	Type	Easting (m)	Northing (m)	RL (m)	Depth (m)	Survey type	Azi (°)	Dip (°)	Assay status
JD057	Core	425527.6	6513016.7	254.9	333.8	GPS-RTK	94.4	-59.9	Reported
JD058	Core	425423.5	6512156.1	239.7	141.2	GPS-RTK	95.1	-59.7	Reported
JD059	Core	425286.3	6512238.2	235.3	178	GPS-RTK	89.7	-61.0	Reported
JD060	Core	425023.0	6512598.4	243.0	384.6	GPS-RTK	87.2	-63.1	Reported
JD061	Core	425082.8	6512420.3	238.4	300.8	GPS-RTK	150.2	-57.9	Reported
JD062	Core	425382.5	6512158.7	237.4	141.2	GPS-RTK	90.9	-59.1	Reported
JD063	Core	425138.1	6512239.4	234.7	294.5	GPS-RTK	88.7	-60.6	Reported
JD064	Core	425079.0	6512424.2	238.2	348.8	GPS-RTK	218.3	-59.7	Reported
JD065	Core	425022.1	6512509.6	238.3	339.6	GPS-RTK	89.4	-76.8	Reported
JD066	Core	425094.4	6512245.0	235.9	288.5	GPS-RTK	90.6	-60.8	Reported
JD067	Core	424976.0	6512393.7	235.4	462.8	GPS-RTK	89.3	-60.0	Reported
JD068	Core	425343.9	6512391.7	238.2	288.8	GPS-RTK	89.0	-59.5	Reported
JD069	Core	425093.8	6512245.0	235.9	348.4	GPS-RTK	91.8	-74.9	Reported
JD070	Core	425030.4	6512647.1	246.1	509.4	GPS-RTK	89.7	-60.0	Reported
JD071	Core	424902.4	6512387.6	237.3	523.4	GPS-RTK	90.1	-59.7	Reported

Hole ID	Type	Easting (m)	Northing (m)	RL (m)	Depth (m)	Survey type	Azi (°)	Dip (°)	Assay status
JD072	Core	425097.5	6512243.8	235.6	508.9	GPS-RTK	273.0	-85.2	Reported
JD073	Core	425240.5	6512286.0	235.3	249.6	GPS-RTK	88.9	-59.8	Reported
JD074	Core	425548.7	6513077.9	253.8	265.5	GPS-RTK	93.1	-60.1	Reported
JD075	Core	425194.8	6512283.4	234.9	234.6	GPS-RTK	89.1	-59.8	Reported
JD076	Core	424860.4	6512651.6	252.0	645.8	GPS-RTK	90.6	-60.9	Reported
JD077	Core	425559.9	6513161.3	249.8	234.8	GPS-RTK	90.3	-57.0	Reported
JD078	Core	425154.4	6512284.4	235.8	285.5	GPS-RTK	88.4	-60.0	Reported
JD079	Core	425585.8	6513237.8	247.0	303.9	GPS-RTK	90.3	-59.9	Reported
JD080	Core	425314.3	6512153.1	234.7	174.3	GPS-RTK	90.1	-49.1	Reported
JD081	Core	424777.8	6512390.4	237.7	641.7	GPS-RTK	89.7	-59.7	Reported
JD082	Core	425598.0	6513435.1	246.0	264.8	GPS-RTK	90.2	-57.9	Reported
JD083	Core	424898.3	6512652.5	251.7	662.9	GPS-RTK	91.1	-60.4	Reported
JD084	Core	425289.3	6512147.1	233.5	201.5	GPS-RTK	94.9	-59.1	Reported
JD085	Core	425341.0	6512744.6	252.3	453.7	GPS-RTK	89.1	-59.9	Reported
JD086	Core	425254.5	6512146.6	231.9	192.3	GPS-RTK	92.7	-59.2	Reported
JD087	Core	425018.5	6512278.6	235.4	351.5	GPS-RTK	90.8	-60.1	Reported
JD088	Core	425252.6	6512146.7	231.9	222.6	GPS-RTK	89.3	-80.0	Reported
JRC218D	RC- Core	425216.1	6512649.0	246.7	414.8	GPS-RTK	88.3	-61.8	Reported
JRC232	RC	425022.2	6512558.8	240.8	357	GPS-RTK	91.0	-59.3	Reported
JRC233	RC	425418.7	6512745.8	255.2	300.0	GPS-RTK	90.7	-59.2	Previously Reported
JRC234	RC	425421.7	6512823.0	260.0	342.0	GPS-RTK	90.1	-60.7	Previously Reported
JRC235	RC	425378.6	6512745.4	253.6	252.0	GPS-RTK	90.3	-60.0	Previously Reported
JRC236	RC	425297.4	6512745.1	251.5	251.0	GPS-RTK	90.4	-59.8	Previously Reported
JRC237D	RC- Core	425340.7	6512821.6	256.7	427	GPS-RTK	90.3	-59.5	RC reported only
JRC238	RC	425473.1	6512861.7	258.4	348.0	GPS-RTK	90.2	-60.8	Previously Reported
JRC239	RC	425258.9	6512744.9	252.0	252	GPS-RTK	85.3	-59.9	Reported
JRC240	RC	425435.5	6512863.5	260.8	369	GPS-RTK	91.6	-58.7	Reported
JRC241	RC	425214.3	6512742.7	253.2	252.0	GPS-RTK	83.0	-60.1	Previously Reported
JRC242	RC	425307.4	6512820.4	256.6	270.0	GPS-RTK	89.1	-60.3	Previously Reported
JRC243	RC	425255.3	6512816.0	258.9	252.0	GPS-RTK	91.4	-59.7	Previously Reported
JRC244	RC	425173.3	6512742.2	253.1	192.0	GPS-RTK	80.9	-61.7	Previously Reported

Hole ID	Type	Easting (m)	Northing (m)	RL (m)	Depth (m)	Survey type	Azi (°)	Dip (°)	Assay status
JRC245	RC	425357.4	6512865.7	260.3	139.0	GPS-RTK	90.6	-58.2	Previously Reported
JRC246	RC	425133.3	6512742.3	252.7	252.0	GPS-RTK	89.8	-60.4	Previously Reported
JRC247	RC	425216.2	6512825.3	261.1	250.0	GPS-RTK	87.9	-60.9	Previously Reported
JRC248	RC	425062.0	6512744.0	254.4	250.0	GPS-RTK	88.6	-61.0	Previously Reported
JRC249	RC	425181.1	6512826.6	261.4	192.0	GPS-RTK	90.8	-60.9	Previously Reported
JRC250	RC	424974.7	6512747.1	256.2	284	GPS-RTK	94.4	-60.4	Reported
JRC251	RC	425150.4	6512830.5	261.7	258	GPS-RTK	89.3	-60.3	Reported
JRC252D	RC-Core	425399.5	6512821.2	259.6	282.1	GPS-RTK	90.5	-64.7	Reported
JRC252DW1	Core	425399.5	6512821.1	259.6	399.7	GPS-RTK	90.5	-64.7	Reported
JRC253	RC	425077.2	6512821.7	261.1	258.0	GPS-RTK	87.2	-55.1	Previously Reported
JRC254	RC	425061.0	6512821.4	260.6	159.0	GPS-RTK	89.4	-60.5	Previously Reported
JRC255	RC	425539.2	6512741.3	251.8	225.0	GPS-RTK	91.7	-61.0	Previously Reported
JRC256	RC	425006.0	6512820.9	260.3	300.0	GPS-RTK	93.0	-59.3	Previously Reported
JRC257	RC	425126.6	6513592.8	260.5	213.0	GPS-RTK	91.1	-60.3	Previously Reported
JRC258	RC	424911.9	6512821.9	259.7	291	GPS-RTK	89.2	-62.3	Reported
JRC259	RC	425420.2	6513073.3	258.4	267	GPS-RTK	94.6	-59.9	Reported
JRC260	RC	425575.2	6512388.5	244.0	249	GPS-RTK	89.8	-60.0	Reported
JRC261D	RC-Core	424980.0	6512822.6	260.3	657.9	GPS-RTK	90.1	-60.4	Reported
JRC262	RC	425389.0	6513070.0	259.6	280	GPS-RTK	91.7	-60.1	Reported
JRC263	RC	425297.7	6513076.4	261.1	303	GPS-RTK	92.7	-60.0	Reported
JRC264	RC	424941.3	6512822.4	260.2	306	GPS-RTK	89.1	-60.5	Reported
JRC265	RC	425607.2	6513379.8	246.0	249	GPS-RTK	89.6	-62.5	Reported
JRC266	RC	425526.2	6513158.2	250.9	173	GPS-RTK	88.9	-60.7	Reported
JRC267	RC	425569.6	6513378.4	246.5	125	GPS-RTK	89.0	-62.2	Reported
JRC268	RC	424806.9	6512772.1	255.4	300	GPS-RTK	88.9	-62.7	Reported
JRC269	RC	425369.7	6512998.5	261.7	268	GPS-RTK	88.8	-60.1	Reported
JRC270	RC	425529.7	6513376.3	247.0	326	GPS-RTK	91.3	-62.6	Reported
JRC271	RC	424761.0	6512828.4	256.7	228	GPS-RTK	86.7	-59.5	Reported
JRC272	RC	425327.2	6512997.5	262.6	315	GPS-RTK	90.4	-60.3	Reported
JRC273	RC	425563.8	6513433.9	246.5	163	GPS-RTK	91.8	-60.7	Reported
JRC274	RC	424982.7	6512652.6	248.5	258	GPS-RTK	90.0	-60.3	Reported

Hole ID	Type	Easting (m)	Northing (m)	RL (m)	Depth (m)	Survey type	Azi (°)	Dip (°)	Assay status
JRC275	RC	425286.6	6512998.5	263.0	300	GPS-RTK	88.0	-59.6	Reported
JRC276	RC	425441.5	6513438.3	249.0	342	GPS-RTK	89.4	-60.1	Reported
JRC277	RC	425156.8	6512867.4	263.7	270	GPS-RTK	90.7	-61.0	Reported
JRC278	RC	425247.6	6512998.8	263.5	300	GPS-RTK	90.1	-60.6	Reported
JRC279	RC	425206.5	6512996.2	264.3	300	GPS-RTK	90.8	-60.2	Reported
JRC280	RC	425118.6	6512865.7	263.6	272	GPS-RTK	87.0	-60.4	Reported
JRC281	RC	425059.1	6513075.6	266.1	297	GPS-RTK	91.0	-59.9	Reported
JRC282	RC	425078.3	6512864.4	263.0	270	GPS-RTK	79.5	-60.4	Reported
JRC283	RC	425366.9	6513444.2	251.9	382	GPS-RTK	90.9	-60.5	Reported
JRC284	RC	425205.0	6513156.4	261.2	177	GPS-RTK	89.6	-59.4	Reported
JRC285	RC	424919.6	6512866.9	261.9	270	GPS-RTK	90.5	-60.7	Reported
JRC286	RC	425526.3	6513438.6	247.4	294	GPS-RTK	86.7	-60.8	Reported
JRC287	RC	425166.6	6513155.6	262.0	291	GPS-RTK	91.2	-61.0	Reported
JRC288	RC	425000.9	6512865.2	262.5	276	GPS-RTK	87.6	-60.1	Reported
JRC289	RC	425124.1	6513157.0	263.3	183	GPS-RTK	93.4	-59.6	Reported
JRC290	RC	425487.4	6513379.3	247.5	297	GPS-RTK	90.8	-60.1	Reported
JRC291	RC	425097.3	6513162.8	264.2	250	GPS-RTK	93.5	-60.0	Reported
JRC292	RC	424957.1	6512864.7	262.2	252	GPS-RTK	88.7	-59.8	Reported
JRC293									Pending
JRC294D	RC-Core	425345.9	6513236.4	257.3	445	GPS-RTK	89.1	-60.6	RC reported only
JRC295	RC	425043.5	6513161.0	265.8	249	GPS-RTK	90.8	-60.4	Reported - NSA
JRC296	RC	425306.0	6513235.4	258.7	252	GPS-RTK	91.1	-60.6	Reported - NSA
JRC297									Pending
JRC298									Pending
JRC299	RC	424970.0	6513160.0	266.3	260	GPS	86.2	-60.4	Reported
JRC300	RC	425270.0	6513240.0	259.5	252	GPS	89.8	-60.4	Reported - NSA

NSA = No significant assay

B-1 Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg. submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> Diamond drill core samples were taken over selective intervals ranging from 0.2m to 1.2m (typically 1.0m). Qualitative care taken when sampling diamond drill core to sample the same half of the drill core. Reverse Circulation (RC) drilling samples were collected as 1m samples. Two 1m assay samples were collected as a split from the rig cyclone using a cone splitter and are typically 3kg in weight.
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> Drilling has been undertaken by diamond and Reverse Circulation (RC) techniques. Diamond drill core is predominantly HQ size (63.5mm diameter). Limited NQ (47.6mm diameter) drilling has also been completed. Triple tube has been used from surface until competent bedrock and then standard tube thereafter. Core orientation is by an ACT Reflex (ACT II RD) tool RC Drilling uses a face-sampling hammer drill bit with a diameter of 5.5 inches (140mm).
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to 	<ul style="list-style-type: none"> Individual recoveries of diamond drill core samples were recorded on a qualitative basis. Generally sample weights are comparable, and any bias is considered negligible. Individual recoveries for RC composite samples were recorded on a qualitative basis. Sample weights were slightly lower through transported cover whereas drilling through bedrock

Criteria	JORC Code explanation	Commentary
	preferential loss/gain of fine/coarse material.	<p>yielded samples with more consistent weights.</p> <ul style="list-style-type: none"> No relationships have been evident between diamond core or RC sample grade and recoveries.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> All drill holes were logged geologically including, but not limited to; weathering, regolith, lithology, structure, texture, alteration and mineralisation. Logging was at an appropriate quantitative standard for infill drilling and resource estimation. Logging is considered qualitative in nature. All holes were geologically logged in full. Diamond drill core is photographed wet before cutting.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> Diamond core was sawn in half and one-half quartered and sampled over 0.2-1.2m intervals (mostly 1m). Diamond drill core field duplicates collected as ¼ core. RC assay samples were collected as two 1m splits from the rig cyclone via a cone splitter. The cone splitter was horizontal to ensure sample representivity. Wet or damp samples were noted in the sample logging sheet. A majority of samples were dry. Sample preparation is industry standard and comprises oven drying, jaw crushing and pulverising to -75 microns (80% pass). Field duplicates were collected from selected sulphide zones as a second 1m split directly from the cone splitter. Drill sample sizes are considered appropriate for the style of mineralisation sought and the nature of the drilling program.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie. lack of bias) and precision have been established. 	<ul style="list-style-type: none"> Diamond drill core and RC samples underwent sample preparation and geochemical analysis by ALS Perth. Au-Pt-Pd was analysed by 50g fire assay fusion with an ICP-AES finish (ALS Method code PGM-ICP24). A 48-element suite was analysed by ICP-MS following a four-acid digest (ALS method code ME-MS61) for holes up to and including JD023 and JRC122. Later holes were analysed using four-acid digest for 34 elements (ALS method code ME-ICP61) including Ag, Al, As, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W, Zn, Zr. Additional ore-grade analysis was performed as

Criteria	JORC Code explanation	Commentary
		<p>required for elements reporting out of range for Ni, Cr, Cu (ALS method code ME-OG-62) and Pd, Pt (ALS method code PGM-ICP27).</p> <ul style="list-style-type: none"> • Certified analytical standards and blanks were inserted at appropriate intervals for diamond, RC drill samples and auger soil samples. Approximately 5% of significant intercepts were sent for cross laboratory checks. All QAQC samples display results within acceptable levels of accuracy • Approximately 5% of samples submitted for analysis comprised QAQC control samples.
Verification of sampling and assaying	<ul style="list-style-type: none"> • The verification of significant intersections by either independent or alternative company personnel. • The use of twinned holes. • Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> • Significant drill intersections are checked by the Project Geologist and then by the General Manager Development. Significant intersections are cross-checked with the logged geology and drill core after final assays are received. • Three RC holes have been twinned with a diamond hole to provide a comparison between grade/thickness variations over a 5m separation between drill holes. • Primary drill data was collected digitally using OCRIS software before being transferred to the master SQL database. • No adjustments were made to the assay data
Location of data points	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • Diamond and RC drill hole collar locations are initially recorded by Chalice employees using a handheld GPS with a +/- 3m margin of error. • RTK-DGPS collar pick-ups replace handheld GPS collar pick-ups and have +/-20 mm margin of error. • The grid system used for the location of all drill holes is GDA94 - MGA (Zone 50). • RLs for reported holes were derived from RTK-DGPS pick-ups.
Data spacing and distribution	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<ul style="list-style-type: none"> • Drill hole spacing varies from between 40m x 40 m in the south to 160m x 80m in the north. • Results from the drilling to date are not considered sufficient to assume any geological or grade continuity appropriate for Mineral Resource estimation procedure(s) and classifications. • No compositing undertaken for diamond drill core or RC samples.
Orientation of data in	<ul style="list-style-type: none"> • Whether the orientation of sampling achieves unbiased sampling of possible 	<ul style="list-style-type: none"> • RC and Diamond drill holes were typically oriented within 15° of

Criteria	JORC Code explanation	Commentary
relation to geological structure	<p>structures and the extent to which this is known, considering the deposit type.</p> <ul style="list-style-type: none"> If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<p>orthogonal to the interpreted dip and strike of the known zone of mineralisation. However, several holes were drilled at less optimal azimuths due to site access constraints or to test for alternative mineralisation orientations. Only holes JD064 and JD072 in this release were not drilled within 15° of orthogonal to the interpreted dip and strike of the known zone of mineralisation</p> <ul style="list-style-type: none"> The orientation of the drilling is not considered to have introduced sampling bias
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Samples are collected in polyweave bags and delivered directly from site to ALS laboratories in Wangara, Perth by a Chalice contractor
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No review has been carried out to date.

B-2 Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> Exploration activities are ongoing over E70/5118 and 5119 and the tenements are in good standing. The holder CGM (WA) Pty Ltd is a wholly owned subsidiary of Chalice Mining Limited with no known encumbrances Current drilling is on private land E70/5119 partially overlaps ML15A, a State Agreement covering Bauxite mineral rights only
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Limited exploration has been completed by other exploration parties in the vicinity of the targets identified by Chalice to date. Chalice has compiled historical records dating back to the early 1960's which indicate only three genuine explorers in the area, all primarily targeting Fe-Ti-V mineralisation. Over 1971-1972, Garrick Agnew Pty Ltd undertook reconnaissance surface sampling over prominent aeromagnetic anomalies in a search for 'Coates deposit style' vanadium mineralisation. Surface sampling methodology is not described in detail, nor were analytical methods specified, with samples analysed for V2O5, Ni, Cu, Cr, Pb and Zn, results of which are referred to in this announcement. Three diamond holes were completed by Bestbet Pty Ltd targeting Fe-Ti-V

Criteria	JORC Code explanation	Commentary
		<p>situated approximately 3km NE of JRC001. No elevated Ni-Cu-PGE assays were reported.</p> <ul style="list-style-type: none"> Bestbet Pty Ltd undertook 27 stream sediment samples within E70/5119. Elevated levels of palladium were noted in the coarse fraction (-5mm+2mm) are reported in this release. Finer fraction samples did not replicate the coarse fraction results. A local AMAG survey was flown in 1996 by Alcoa using 200m line spacing which has been used by Chalice for targeting purposes.
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The target deposit type is a magmatic Ni-Cu-PGE sulphide deposit, within the Yilgarn Craton. The style of sulphide mineralisation intersected consists of massive, matrix, stringer and disseminated sulphides typical of metamorphosed and structurally overprinted magmatic Ni sulphide deposits.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Provided in body of text No material information has been excluded.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. 	<ul style="list-style-type: none"> Significant intercepts are reported using a >0.3g/t Pd length-weighted cut off. A maximum of 4m internal dilution has been applied. Higher grade intervals are reported using a >1.0g/t Pd and >1.0g/t Pd & >0.5% Ni+Cu length-weighted cut off. A maximum of 2m internal dilution has been applied. Metal equivalent values are not reported.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> The assumptions used for any reporting of metal equivalent values should be clearly stated. 	
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg. 'down hole length, true width not known'). 	<ul style="list-style-type: none"> All widths are quoted down-hole. All drill holes were orientated to be as close as possible to orthogonal to the interpreted strike and/or dip of the mineralised zone(s) and/or targets. Within this release holes JD064 and JD072 were drilled to test for potential different mineralisation orientations and hence weren't drilled orthogonal to the interpreted strike and/or dip of the mineralised zone(s).
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Refer to figures in the body of text.
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> All holes including those without significant intercepts have been reported.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> Not applicable
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Diamond and RC drilling will continue to test high-priority targets including EM conductors. Further drilling along strike and down dip may occur at these and other targets depending on results. Down-hole EM surveying will be carried out on selective drill holes to test for off-hole conductors. Subsequent holes will undergo down-hole EM if required. Any potential extensions to mineralisation are shown in the figures in the body of the text.