



magnetic resources<sup>NL</sup>

ASX code: MAU  
ASX Release  
16 August 2021

## MULTIPLE THICK AND HIGH-GRADE ZONES LOCATED AT LADY JULIE


- Multiple both thick and high-grade zones have been located at Lady Julie after our recent drilling programme (Figures 1-2). These promising anomalous gold zones are still open to the north and south, west and down dip and are currently being followed up with 29 RC holes for 3200m averaging 110m hole depth mainly within the 2km long Lady Julie North 1 target zone. Highlights of this drill programme recently completed include:

Hole	MGA East m	MGA North m	From m	To m	Width m	Gold g/t
MLJRC290	431820	6823900	64	84	20	1.35
MLJRC293	431850	6823880	24	100	76	0.72
	including		44	76	32	1.35
MLJRC294	431880	6823880	52	56	4	2.35
MLJRC296	431820	6823842	52	72	20	2.57
	including		52	60	8	5.8
MLJRC298	431880	6823842	52	84	32	1.29
	including		56	64	8	4.15
MLJRC307	431957	6823072	20	56	36	1.69
	including		24	28	4	13.34
MLJRC319	431811	6823820	28	40	12	1.33
MLJRC320	431871	6823778	60	68	8	1.84
MLJRC326	431936	6823072	8	20	12	2.32
MLJRC327	431936	6823034	8	12	4	3.58
MLJRC162	431845	6823860	31	72	41	2.56*
	including		52	67	15	4.21*

\*Previously drilled with new 1m splits


- The best and most consistent shallow intersections to date at Lady Julie North with 20m at 2.6g/t from 52m including 8m at 5.8g/t from 52m in MLJRC296, 36m at 1.7g/t from 20m including 4m at 13.3g/t from 24m in MLJRC307, 32m at 1.4g/t from 44m in MLJRC293, 32m at 1.3g/t from 52m including 8m at 4.2g/t from 56m in MLJRC298 and 41m at 2.6g/t gold from 31m including 15m at 4.2g/t from 52m in a previously drilled MLJRC162.
- The southern 1km of the 2km long Lady Julie North 1 area is strongly mineralised. The amplitude of the soil anomaly containing the 41m at 2.6g/t form 31m in MLJRC162 is 50ppb. There are several other similar soil geochemical anomalies that have not been drilled tested adequately and are within the 1km northern part of Lady Julie North1 target. Drilling has already started here and further results are awaited. In addition, a 1.9km long area directly north of Lady Julie 1 has had a detailed 50m x 50m soil sampling completed

and assay results are awaited. This soil survey is also encompassing some historical drilling with an intersection of 13m at 2.1g/t from 66m in RFC014 within Lady Julie 4.



**Figure 1** The southern 1km part of the Lady Julie North1 area highlighting significant thick intersections from the latest drill programme (yellow label) and previous drilling (white label) with maximum gold projected to surface and drillholes with assays pending and planned drillholes.

Within the HN5, HN6, HN9 and Lady Julie areas there are many new shallow intersections (Fig 1 and Table 2) with a total of 1123 intersections (ranging from 1 to 19m) greater than 0.5g/t Au, which includes 475 greater than 1g/t Au, 169 greater than 2g/t Au, 86 greater than 3g/t Au and 56 greater than 4g/t Au.



**Figure 2 Gold intersection overview covering the HN5, HN6, HN9 and adjacent Lady Julie Projects showing ten additional gold targets covering 15km (purple outlines) with highlighted intersections (white label). Significant historical and Magnetic intercepts (maximum Au projected to surface) and 25 RC and 4 Diamond holes for 2,569m with assays pending in blue and planned 104 RC holes for 9,892m in yellow.**



magnetic resources<sup>NL</sup>

The recent 2D seismic survey combined with results from recent major drill programmes as well as historical drillings results have led to the interpretation of 15km of gold targets in 10 areas within HN5, HN6, HN9 and Lady Julie outlined in purple in Figure 2 and summarised in Table 1.

The best-looking target so far besides the 3km-long HN9 mineralisation, is Lady Julie North (3.9km long) At Lady Julie North 1 there are many mineralised intersections including the outstanding intersection of **41m at 2.6g/t Au from 31m including 15m at 4.2g/t from 52m** in MLJRC162. This zone between the two thrusts is very prospective and there are numerous NS workings, mineralised drillholes and anomalous soil geochemical areas (Figures 1-2).

The eight thrust zones that come to surface continue to the north and south over an extensive 6km length and shallow RAB and or soil geochemistry is being planned to help outline any further anomalous gold areas worthy of follow up drilling. Other previously drilled areas include HN9 Thrust 2, which is positioned on Thrust 2. At Lady Julie North 1 and 2, the targets are compelling because they are associated with the two parallel Thrusts 7 and 8 (Fig. 1). Interestingly, both the mineralised targets at HN9 and Lady Julie North appear to straddle two thrusts, with HN9 being a major 3km-long mineralised zone.

**Table 1. Target Summary HN5, HN6, HN9 and Lady Julie**

Target	Length km	Significant gold intersection	Description
Lady Julie North (1-4)	3.9	MLJRC162 41m @ 2.6g/t from 31m	Several wide and high-grade intersections associated 50ppb soil anomaly.
Lady Julie Central	1.5	MLJRC214 4m @ 16.66g/t from 32m	New NNE-trending gold zone with some excellent high-grade intersections.
Lady Julie East	1.7	MLJRC183 4m @ 1.49g/t from 16m	Southern extension of near-surface high-grade results
HN9 thickened zone	1.5	MHNRC582 104m @ 0.82g/t from 8m	Open 1km to the NE. New holes planned.
HN9 fold	1.5	RFAC408 5m @ 2.35g/t from 49m	Unusual EW trend, part of large regional folding
HN9 Thrust 2	1.2	HNR008 2m @ 12.83g/t from 36m	Drilling extension of high-grade intersection planned.
HN9 Thrust 3	1.2	MHNRC1010 1m @ 58.48g/t from 91m	Drilling extension of new intersection
HN5 West	0.3	MHNRC1015 4m @ 62.51g/t from 52m	Drilling of very high-grade intersection planned
HN5 South	0.7	No drilling to-date	NW extension of Eagles Nest workings
HN6 Thrust 2	1.5	MHNRC1041 1m @ 3.06g/t from 40m	Extension of intersection and initial testing of workings planned.
Total	15.0		


At Hawks Nest 5, 6, 9 and Lady Julie extensive drilling programmes have been completed. (Tables 2 and 3), including 1,352 RC holes totaling 87,457m (average 65m depth) 19,910 2-5m composites and 10,291 1m splits and 4 Diamond holes totaling 431m. This release is mainly reporting on 2,380 composite assays (2-5m) from 107 RC holes (MHNRC905, 907,908,912,1012,1013,1031-1033,1044-1047,1052-1056,1063,1064,1073 and MLJRC161,170, 185,200-207,240-327) totaling 9,444m and 2,004 1m splits. A further 25 RC and 4 Diamond holes for 2,569m have assays pending.

Two RC rigs are now planned with a programme of 104 RC drillholes for 9,892m (shown in yellow in Figure 2) following up the new assays reported on Lady Julie North 1 and HN5 West, which is designed to test and extend all ten targets (Table 1) shown with the aim of ultimately converting to an Indicated Resource.

There are now at least four discernible mineralised lodes recognised that mostly dip shallowly around 20–30° to the east and plunge shallowly to the northeast within the Central Thickened zone. There are at least four stacked thickened lodes with some very thick intersections including 104m at 0.82g/t from 8m in MHNRC582 including 20m at 2.23g/t from 95m and 70m at 0.49g/t from 13m in MHNRC541. These multi-stacked thickened lodes show similarities with the adjacent Wallaby, Sunrise Dam and Jupiter major gold deposits. More results are pending for this area and further drilling is in progress to the NE where it remains open. In addition, a thick intersection of 76m at 0.72g/t from 24m in MLJRC293 at Lady Julie is being examined for its multi stacked depth potential.

This Central Thickened Zone crosscuts the NNW-trending near-surface flat-dipping mineralisation and may represent a blowout zone at the intersection of the NNW shear zone with NE-trending porphyries and dolerites, where four separate shallow-dipping porphyry zones coalesce and thicken.

Following on from these exciting new results and outlining of targets associated with the thrust zones, a large drill programme of 104 RC drillholes for 9,892m testing the ten target areas (Figure 2 and Table 4).



**Figure 3. Location Map showing Hawks Nest and Lady Julie Projects near major gold mines and processing plants**



magnetic resources<sup>NL</sup>

**Table 2. HN5, 6, 9 and Lady Julie Significant Drilling Intercepts Gold >1g/t with >2g/t highlighted.**

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
<b>RC - Magnetic Resources NL 2-5m composites and 1m splits 11th August 2021</b>							
MHNRC19	427305	6826077	18	19	1	2.11	E38/3127
MHNRC48	427179	6826508	5	12	7	4.44	E38/3127
MHNRC50	427173	6826473	16	17	1	1.59	E38/3127
MHNRC52	427163	6826503	6	7	1	1.45	E38/3127
MHNRC58	427052	6826607	10	11	1	1.39	E38/3127
MHNRC58			22	24	2	1.8	
MHNRC63	427234	6826309	3	4	1	1.02	E38/3127
MHNRC70	427149	6826522	5	6	1	1.46	E38/3127
MHNRC71	427155	6826530	2	4	2	1.5	E38/3127
MHNRC103	427296	6826215	20	24	4	1.01	E38/3127
MHNRC103b	427104	6826444	19	20	1	4.57	E38/3127
MHNRC111	427253	6826330	53	54	1	1.77	E38/3127
MHNRC124	428952	6822397	14	15	1	1	E38/3127
MHNRC125	429140	6822367	8	9	1	1.84	M38/1041
MHNRC126	429165	6822366	20	21	1	1.86	M38/1041
MHNRC127	429076	6822369	16	17	1	1.03	M38/1041
MHNRC129	429238	6822208	5	6	1	1.32	M38/1041
MHNRC131	429225	6822271	3	4	1	1.45	M38/1041
MHNRC135	429661	6821344	18	19	1	2.4	E38/3127
MHNRC136	429516	6821406	6	7	1	1.96	E38/3127
MHNRC139	429550	6821541	11	12	1	1.23	E38/3127
MHNRC139			16	17	1	1.16	
MHNRC140	429550	6821615	20	23	3	2.62	E38/3127
MHNRC142	429524	6821702	14	15	1	4.27	E38/3127
MHNRC143	429558	6821740	29	30	1	4.43	E38/3127
MHNRC144	429537	6821824	22	27	5	2.32	E38/3127
MHNRC145	429560	6821825	35	37	2	4.56	E38/3127
MHNRC146	429463	6821761	5	6	1	2.22	E38/3127
MHNRC146			9	10	1	1.49	
MHNRC147	429465	6821858	5	11	6	2.07	E38/3127
MHNRC149	429496	6821889	24	29	5	1.7	E38/3127
MHNRC150	429512	6821921	27	28	1	3.67	E38/3127
MHNRC151	429536	6821924	37	40	3	1.86	E38/3127
MHNRC152	429417	6822022	13	17	4	1.25	E38/3127
MHNRC152			19	20	1	2	
MHNRC153	429378	6822014	3	6	3	1.26	E38/3127
MHNRC153			9	11	2	5.71	
MHNRC154	429422	6822060	19	21	2	1.43	E38/3127
MHNRC154			26	30	4	1.05	
MHNRC154			36	37	1	2.15	
MHNRC155	429440	6822073	26	31	5	1.21	E38/3127
MHNRC165	429540	6822168	70	71	1	1.67	E38/3127
MHNRC167	429432	6821993	9	12	3	4.13	E38/3127
MHNRC170	429435	6821901	2	3	1	1.2	E38/3127
MHNRC172	429474	6821674	6	9	3	1.39	E38/3127
MHNRC175	429539	6821584	1	3	2	1.05	E38/3127
MHNRC179	429670	6821219	6	7	1	1.13	E38/3127
MHNRC179			27	29	2	1.5	
MHNRC179			36	37	1	1.05	
MHNRC182	429592	6821346	20	21	1	1.04	E38/3127
MHNRC182			35	36	1	1.03	
MHNRC183	429395	6821973	4	7	3	1.3	E38/3127
MHNRC184	429414	6821984	2	3	1	1.47	E38/3127
MHNRC184			11	12	1	1.45	
MHNRC191	429068	6822429	7	8	1	1.21	M38/1041
MHNRC193	428980	6822382	1	2	1	1.11	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC194	429195	6822368	13	14	1	1.58	M38/1041
MHNRC196	429289	6822212	27	28	1	1.17	M38/1041
MHNRC197	429391	6822116	20	23	3	1.01	E38/3127
MHNRC198	429476	6822089	42	44	2	1.33	E38/3127
MHNRC198			53	54	1	1.75	
MHNRC199	429451	6822040	29	30	1	1.44	E38/3127
MHNRC199			33	34	1	2.27	
MHNRC200	429569	6821925	48	50	2	1.21	E38/3127
MHNRC200			53	54	1	5.9	
MHNRC202	429491	6821856	12	13	1	8.09	E38/3127
MHNRC202			16	17	1	1.51	
MHNRC203	429590	6821827	45	48	3	3.56	E38/3127
MHNRC204	429493	6821763	11	15	4	2.99	E38/3127
MHNRC205	429611	6821735	49	51	2	2.14	E38/3127
MHNRC206	429556	6821719	23	24	1	6.51	E38/3127
MHNRC210	429648	6821440	45	46	1	1.06	E38/3127
MHNRC211	429690	6821344	18	19	1	1.82	E38/3127
MHNRC214	429014	6822533	35	36	1	1.01	E38/3127
MHNRC215	429048	6822553	45	50	5	1.05	E38/3127
MHNRC218	429316	6822215	16	17	1	1.68	M38/1041
MHNRC218			28	29	1	2.75	
MHNRC219	429366	6822188	30	32	2	2.78	E38/3127
MHNRC220	429420	6822136	28	29	1	4.34	E38/3127
MHNRC221	429502	6822102	59	60	1	1.06	E38/3127
MHNRC222	429489	6822064	41	46	5	1.67	E38/3127
MHNRC223	429465	6822016	26	27	1	3.46	E38/3127
MHNRC223			33	34	1	1.17	
MHNRC224	429428	6821959	2	3	1	1.9	E38/3127
MHNRC229	429543	6821856	29	30	1	1.49	E38/3127
MHNRC229			33	35	2	3.61	
MHNRC231	429537	6821761	19	21	2	1.55	E38/3127
MHNRC231			24	25	1	2.58	
MHNRC232	428121	6821635	32	33	1	2.95	E38/3127
MHNRC235	429648	6821343	50	51	1	1.02	E38/3127
MHNRC242	429729	6821098	18	19	1	1.12	E38/3127
MHNRC243	429757	6821097	16	17	1	1.41	E38/3127
MHNRC244	429786	6821097	35	36	1	1.3	E38/3127
MHNRC252	429017	6822400	15	16	1	1.78	E38/3127
MHNRC254	429094	6822366	1	2	1	1.44	M38/1041
MHNRC254			17	20	3	4.84	
MHNRC258	429205	6822177	19	20	1	2.88	M38/1041
MHNRC261	429394	6822043	9	13	4	2.58	E38/3127
MHNRC261			15	16	1	1.64	
MHNRC263	429403	6822018	9	10	1	2.65	E38/3127
MHNRC263			15	16	1	1.07	
MHNRC268	429475	6821922	18	19	1	3.09	E38/3127
MHNRC270	429452	6821898	0	6	6	2.74	E38/3127
MHNRC270			7	8	1	3.15	
MHNRC273	429448	6821861	0	1	1	1	E38/3127
MHNRC273			4	5	1	3.08	
MHNRC275	429464	6821835	8	9	1	1.53	E38/3127
MHNRC275			11	12	1	1.18	
MHNRC276	429432	6821838	0	1	1	1.06	E38/3127
MHNRC276			3	4	1	1	
MHNRC277	429481	6821822	13	14	1	3.23	E38/3127
MHNRC278	429465	6821822	8	9	1	1.86	E38/3127
MHNRC280	429451	6821762	1	4	3	4.43	E38/3127
MHNRC282	429484	6821745	7	12	5	2.57	E38/3127
MHNRC284	429511	6821718	9	10	1	2.12	E38/3127
MHNRC287	429490	6821684	2	3	1	1.19	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC287			4	8	4	5.5	
MHNRC289	429524	6821647	6	7	1	1.2	E38/3127
MHNRC289			12	13	1	1.07	
MHNRC292	429507	6821614	6	8	2	5.26	E38/3127
MHNRC294	429617	6821584	42	43	1	1.38	E38/3127
MHNRC294			49	50	1	1.04	
MHNRC295	429521	6821581	8	9	1	1	E38/3127
MHNRC297	429538	6821541	9	10	1	1.09	E38/3127
MHNRC297			13	17	4	1.08	
MHNRC300	429576	6821511	20	21	1	1.34	E38/3127
MHNRC302	429569	6821439	4	7	3	2.48	E38/3127
MHNRC302			11	12	1	2.71	
MHNRC332	429649	6820901	5	8	3	1.33	E38/3127
MHNRC332			13	14	1	1.95	
MHNRC333	429697	6820902	24	25	1	1.5	E38/3127
MHNRC333			28	30	2	1.2	
MHNRC337	429597	6820801	8	10	2	1.72	E38/3127
MHNRC371	428992	6822720	34	35	1	1.35	E38/3127
MHNRC373	429039	6822642	72	73	1	2.53	E38/3127
MHNRC377	429195	6822500	46	47	1	1.37	M38/1041
MHNRC378	429240	6822524	51	52	1	4.15	E38/3127
MHNRC380	429275	6822368	30	31	1	2.18	M38/1041
MHNRC381	429339	6822371	42	44	2	4.38	E38/3127
MHNRC383	429369	6822277	36	37	1	1.43	E38/3127
MHNRC383			48	49	1	4.36	
MHNRC387	429453	6822151	37	38	1	1.08	E38/3127
MHNRC388	429494	6822178	48	49	1	5.38	E38/3127
MHNRC389	429523	6822079	53	54	1	1.2	E38/3127
MHNRC391	429361	6822026	5	6	1	3.25	E38/3127
MHNRC392	429371	6822036	2	6	4	1.98	E38/3127
MHNRC392			9	11	2	2.34	
MHNRC394	429573	6822001	62	63	1	2.86	E38/3127
MHNRC397	429441	6821960	8	9	1	1.57	E38/3127
MHNRC397			11	12	1	1.64	
MHNRC398	429438	6821940	8	9	1	3	E38/3127
MHNRC400	429444	6821925	3	7	4	1.14	E38/3127
MHNRC400			8	9	1	1.49	
MHNRC401	429441	6821911	3	4	1	2.56	E38/3127
MHNRC402	429449	6821909	6	7	1	4.03	E38/3127
MHNRC403	429471	6821912	6	12	6	1.88	E38/3127
MHNRC403			13	14	1	2.46	
MHNRC404	429482	6821912	10	11	1	8.14	E38/3127
MHNRC410	429464	6821875	7	8	1	11.21	E38/3127
MHNRC411	429432	6821860	8	9	1	2.15	E38/3127
MHNRC414	429440	6821838	5	6	1	3.09	E38/3127
MHNRC415	429474	6821836	14	15	1	9.68	E38/3127
MHNRC416	429485	6821836	11	12	1	11.87	E38/3127
MHNRC417	429571	6821856	42	44	2	1.36	E38/3127
MHNRC421	429580	6821715	30	31	1	1.15	E38/3127
MHNRC421			34	35	1	2.28	
MHNRC421			38	39	1	1.92	
MHNRC422	429576	6821763	31	32	1	4.94	E38/3127
MHNRC433	429507	6821103	4	5	1	2.44	E38/3127
MHNRC436	429519	6821050	10	11	1	1.91	E38/3127
MHNRC441	429690	6821061	20	21	1	1.09	E38/3127
MHNRC443	429753	6821001	40	41	1	1.29	E38/3127
MHNRC444	429779	6820972	47	48	1	1.46	E38/3127
MHNRC445	429823	6821098	46	47	1	1.73	E38/3127
MHNRC455	429122	6822355	2	3	1	1.19	M38/1041
MHNRC456	429139	6822352	16	19	3	10.99	M38/1041

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC458	429392	6822061	12	17	5	1.43	E38/3127
MHNRC459	429406	6822040	18	20	2	1.56	E38/3127
MHNRC461	429472	6821954	19	20	1	2.41	E38/3127
MHNRC462	429446	6821781	5	6	1	1.77	E38/3127
MHNRC464	429478	6821753	6	8	2	1.8	E38/3127
MHNRC465	429488	6821755	8	9	1	1.19	E38/3127
MHNRC465			14	15	1	4.76	
MHNRC466	429469	6821690	1	3	2	2.73	E38/3127
MHNRC468	429491	6821704	6	7	1	1.51	E38/3127
MHNRC469	429496	6821661	2	3	1	1.53	E38/3127
MHNRC469			5	6	1	1.4	
MHNRC470	429507	6821671	5	7	2	3.15	E38/3127
MHNRC470			13	17	4	2.31	
MHNRC473	429510	6821634	8	12	4	1.83	E38/3127
MHNRC474	429507	6821603	6	7	1	1.87	E38/3127
MHNRC476	429015	6822430	8	9	1	6.52	M38/1041
MHNRC476			15	16	1	1.95	
MHNRC479	428906	6822400	57	58	1	1.82	E38/3127
MHNRC482	429039	6822440	20	22	2	4.02	M38/1041
MHNRC489	429503	6821835	17	22	5	3.07	E38/3127
MHNRC490	429613	6821764	44	45	1	2.49	E38/3127
MHNRC496	429677	6821249	48	49	1	1.44	E38/3127
MHNRC496			58	59	1	6.34	
MHNRC497	429675	6821202	7	8	1	1.01	E38/3127
MHNRC497			18	19	1	1.44	
MHNRC497			22	25	3	1.04	
MHNRC500	429673	6820948	1	2	1	1.56	E38/3127
MHNRC500			8	9	1	1.79	
MHNRC501	429722	6820945	25	26	1	1.08	E38/3127
MHNRC507	428938	6822450	11	14	3	1.01	E38/3127
MHNRC508	429647	6821926	76	77	1	3.01	E38/3127
MHNRC511	429510	6822122	53	56	3	2.24	E38/3127
MHNRC514	429097	6822389	6	7	1	2.23	M38/1041
MHNRC515	429129	6822355	3	5	2	1.34	M38/1041
MHNRC516	429152	6822355	6	8	2	1.25	M38/1041
MHNRC517	429109	6822340	10	12	2	1.23	M38/1041
MHNRC520	429154	6822339	19	20	1	1.29	M38/1041
MHNRC521	429164	6822339	16	17	1	14.56	M38/1041
MHNRC524	429137	6822315	6	9	3	1.42	M38/1041
MHNRC524			13	14	1	2.15	
MHNRC529	429387	6822098	16	18	2	1.11	E38/3127
MHNRC531	429391	6822081	14	20	6	2.16	E38/3127
MHNRC535	429484	6821662	6	7	1	1.79	E38/3127
MHNRC536	429558	6821479	18	19	1	1.5	E38/3127
MHNRC541	429709	6821254	24	25	1	1.32	E38/3127
MHNRC541			55	58	3	2.3	
MHNRC541			62	66	4	1.08	
MHNRC541			73	74	1	1.03	
MHNRC546	429656	6821167	0	1	1	1.08	E38/3127
MHNRC546			12	13	1	1.23	
MHNRC552	429730	6821136	23	24	1	2.87	E38/3127
MHNRC553	429760	6821136	33	34	1	1.46	E38/3127
MHNRC558	428990	6822450	14	15	1	1.2	E38/3127
MHNRC558			21	22	1	4.39	
MHNRC559	428984	6822676	81	82	1	1.05	E38/3127
MHNRC563	429759	6821180	28	32	4	1.05	E38/3127
MHNRC564	429721	6821289	60	61	1	6.77	E38/3127
MHNRC564			71	72	1	1.08	
MHNRC576	429147	6822355	3	4	1	1.52	M38/1041
MHNRC576			7	8	1	1.09	

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC577	429536	6822126	67	69	2	2.79	E38/3127
MHNRC579	429654	6821741	58	59	1	1.49	E38/3127
MHNRC579			67	69	2	2.74	
MHNRC581	429849	6821169	27	28	1	1.6	E38/3127
MHNRC581			37	38	1	1.78	
MHNRC581			73	74	1	1.08	
MHNRC582	429790	6821311	8	9	1	27.72	E38/3127
MHNRC582			56	57	1	5.04	
MHNRC582			104	105	1	39.72	
MHNRC583	429769	6821252	37	38	1	2.89	E38/3127
MHNRC583			48	49	1	1.08	
MHNRC585	429853	6821315	1	2	1	2.59	E38/3127
MHNRC586	429831	6821341	75	76	1	1.61	E38/3127
MHNRC586			79	80	1	1	
MHNRC586			111	112	1	1.13	
MHNRC586			116	117	1	1.35	
MHNRC586			120	125	5	1.41	
MHNRC587	429859	6821378	94	97	3	1.27	E38/3127
MHNRC587			117	118	1	1.2	
MHNRC590	429600	6821133	39	40	1	1.2	E38/3127
MHNRC593	429410	6822089	21	22	1	2.04	E38/3127
MHNRC596	429190	6822339	19	21	2	1.92	M38/1041
MHNRC605	429459	6821049	36	37	1	1.44	E38/3127
MHNRC606	429919	6821553	124	125	1	1.18	E38/3127
MHNRC608	429594	6822121	80	81	1	2.08	E38/3127
MHNRC608			85	86	1	2.94	
MHNRC609	429179	6822401	12	13	1	1.22	M38/1041
MHNRC609			26	27	1	4.44	
MHNRC610	429101	6822528	40	42	2	1.81	E38/3127
MHNRC613	429600	6822200	72	73	1	1.21	E38/3127
MHNRC613			82	83	1	1.31	
MHNRC614	429258	6822545	58	59	1	1.85	E38/3127
MHNRC618	428709	6822652	56	57	1	1.14	E38/3127
MHNRC620	428844	6822638	67	71	4	2.36	E38/3127
MHNRC621	428786	6822606	57	58	1	2.34	E38/3127
MHNRC625	429226	6822658	77	78	1	1.87	E38/3127
MHNRC626	429035	6822486	28	29	1	1.81	E38/3127
MHNRC627	429456	6822116	35	37	2	5.41	E38/3127
MHNRC628	429434	6822104	9	10	1	2.72	E38/3127
MHNRC628			29	31	2	7.34	
MHNRC649	429901	6821426	89	90	1	6.43	E38/3127
MHNRC649			111	112	1	1.41	
MHNRC649			123	124	1	1.92	
MHNRC650	429892	6821377	120	121	1	5.77	E38/3127
MHNRC651	429829	6821377	84	85	1	1.23	E38/3127
MHNRC651			95	96	1	2.04	
MHNRC651			101	102	1	1.04	
MHNRC651			105	106	1	1.13	
MHNRC652	429864	6821346	89	90	1	1.27	E38/3127
MHNRC652			123	124	1	2.13	
MHNRC656	429721	6821311	59	60	1	11.08	E38/3127
MHNRC657	429692	6821284	47	48	1	1.59	E38/3127
MHNRC658	429759	6821284	41	42	1	1.4	E38/3127
MHNRC659	429738	6821250	28	30	2	1.43	E38/3127
MHNRC659			39	40	1	1.04	
MHNRC660	429644	6821224	12	13	1	1.01	E38/3127
MHNRC663	429552	6821200	24	28	4	1.21	E38/3127
MHNRC665	429660	6821199	33	34	1	1.53	E38/3127
MHNRC666	429688	6821200	29	30	1	1.68	E38/3127
MHNRC666			33	34	1	1.86	

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC667	429662	6821165	24	25	1	1.51	E38/3127
MHNRC673	429604	6821073	45	46	1	85.64	E38/3127
MHNRC678	429793	6821049	18	20	2	1.29	E38/3127
MHNRC679	429820	6820997	1	2	1	2.84	E38/3127
MHNRC679			72	73	1	2.13	
MHNRC684	429831	6820901	73	76	3	1.76	E38/3127
MHNRC692	429408	6820557	55	56	1	4.32	E38/3127
MHNRC696	429639	6820385	111	112	1	1.28	E38/3127
MHNRC700	429670	6821101	16	18	2	2.03	E38/3127
MHNRC702	429505	6821002	2	3	1	2.32	E38/3127
MHNRC710	429754	6821346	78	79	1	6.29	E38/3127
MHNRC711	429867	6821000	43	44	1	2.21	E38/3127
MHNRC716	428743	6822586	37	38	1	1.08	E38/3127
MHNRC716			54	55	1	1.04	
MHNRC718	429716	6820392	108	114	6	3.47	E38/3127
MHNRC720	429683	6821237	35	36	1	1.16	E38/3127
MHNRC720			54	55	1	1.06	
MHNRC720			69	70	1	1.54	
MHNRC721	429721	6821236	19	22	3	1.74	E38/3127
MHNRC723	429730	6821268	4	5	1	1.09	E38/3127
MHNRC723			18	19	1	1.01	
MHNRC723			29	30	1	1.02	
MHNRC724	429803	6821282	55	56	1	1.39	E38/3127
MHNRC727	429790	6821331	77	78	1	1.22	E38/3127
MHNRC727			85	86	1	1.22	
MHNRC728	429832	6821328	77	78	1	1.33	E38/3127
MHNRC728			100	101	1	1.19	
MHNRC728			104	105	1	3.25	
MHNRC729	429870	6821426	118	119	1	1.89	E38/3127
MHNRC730	429928	6821474	115	117	2	1.53	E38/3127
MHNRC730			136	137	1	1.92	
MHNRC731	429536	6821801	25	31	6	3.63	E38/3127
MHNRC732	429572	6821802	35	37	2	3.65	E38/3127
MHNRC733	429613	6821802	50	54	4	1.38	E38/3127
MHNRC733			55	57	2	2.08	
MHNRC734	429500	6821877	19	23	4	4.11	E38/3127
MHNRC736	429547	6822280	67	68	1	1.72	E38/3127
MHNRC738	429069	6822463	18	19	1	1.16	M38/1041
MHNRC743	428823	6822883	57	58	1	2.88	E38/3127
MHNRC780	429733	6820451	84	86	2	6.75	E38/3127
MHNRC780			139	140	1	1.4	
MHNRC780			145	146	1	1.34	
MHNRC781	429753	6820506	55	56	1	1.95	E38/3127
MHNRC783	429372	6822152	21	22	1	1.01	E38/3127
MHNRC784	429402	6822168	25	26	1	1.22	E38/3127
MHNRC785	429430	6822185	42	43	1	1.29	E38/3127
MHNRC788	429344	6822251	32	33	1	1.53	E38/3127
MHNRC788			42	43	1	1.01	
MHNRC795	429336	6822325	45	47	2	2.46	E38/3127
MHNRC796	429375	6822326	44	46	2	2.65	E38/3127
MHNRC796			53	54	1	1.18	
MHNRC797	429173	6822441	32	33	1	4.91	M38/1041
MHNRC798	429212	6822460	42	43	1	1	M38/1041
MHNRC799	429258	6822483	48	52	4	1.78	E38/3127
MHNRC801	429255	6822426	40	43	3	3.39	M38/1041
MHNRC802	429291	6822444	49	51	2	1.46	E38/3127
MHNRC811	429695	6820979	9	10	1	1.11	E38/3127
MHNRC812	429771	6821169	31	33	2	2.09	E38/3127
MHNRC814	429800	6821202	13	15	2	20.5	E38/3127
MHNRC814			40	41	1	2.59	

\*

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC814			45	46	1	3.09	
MHNRC815	429854	6821201	69	70	1	1.4	E38/3127
MHNRC816	429523	6821024	12	13	1	1.74	E38/3127
MHNRC822	429138	6822294	18	19	1	2.45	M38/1041
MHNRC823	429159	6822295	15	16	1	1.11	M38/1041
MHNRC828	429540	6822044	53	57	4	2.6	E38/3127
MHNRC828			60	61	1	1.93	
MHNRC829	429568	6821966	57	58	1	1.29	E38/3127
MHNRC830	429569	6821891	43	44	1	5.86	E38/3127
MHNRC831	429591	6821682	36	37	1	1.69	E38/3127
MHNRC833	429656	6821615	65	66	1	1.25	E38/3127
MHNRC835	429157	6822557	60	61	1	2.54	E38/3127
MHNRC836	429294	6822558	66	71	5	3.24	E38/3127
MHNRC837	429181	6822356	5	6	1	1.17	M38/1041
MHNRC837			11	12	1	1.39	
MHNRC838	429136	6822353	18	19	1	3.47	M38/1041
MHNRC839	429135	6822367	8	9	1	2.5	M38/1041
MHNRC842	429116	6822409	18	19	1	1.98	M38/1041
MHNRC843	428994	6822421	11	14	3	1.44	E38/3127
MHNRC844	429577	6822151	83	85	2	4.1	E38/3127
MHNRC848	429533	6821912	33	38	5	1.75	E38/3127
MHNRC852	429536	6821844	29	30	1	1.33	E38/3127
MHNRC853	429483	6821805	10	14	4	1.89	E38/3127
MHNRC855	429643	6821766	58	61	3	8.07	E38/3127
MHNRC857	429495	6821779	18	19	1	1.08	E38/3127
MHNRC858	429536	6821780	21	23	2	3.79	E38/3127
MHNRC858			26	27	1	1.35	
MHNRC861	429498	6821687	7	9	2	7.25	E38/3127
MHNRC862	429542	6821689	18	20	2	4.74	E38/3127
MHNRC864	429575	6821618	34	35	1	2.64	E38/3127
MHNRC871	429548	6821402	21	22	1	1.11	E38/3127
MHNRC872	429590	6821402	13	14	1	1.37	E38/3127
MHNRC872			19	20	1	1.1	
MHNRC873	429517	6821310	12	13	1	1.39	E38/3127
MHNRC873			16	17	1	1.64	
MHNRC873			20	21	1	1.34	
MHNRC874	429522	6821249	1	5	4	1.47	E38/3127
MHNRC875	429605	6821247	45	46	1	1.2	E38/3127
MHNRC876	429555	6821228	28	29	1	1.25	E38/3127
MHNRC876			31	32	1	1.1	
MHNRC879	429621	6820802	1	2	1	1.68	E38/3127
MHNRC883	429671	6820906	16	17	1	1.19	E38/3127
MHNRC889	429837	6821054	9	10	1	1.04	E38/3127
MHNRC890	429846	6821099	8	9	1	1.36	E38/3127
MHNRC890			11	12	1	1.25	
MHNRC891	429829	6821136	63	64	1	3.19	E38/3127
MHNRC892	429841	6821288	67	68	1	1.93	E38/3127
MHNRC897	429839	6821428	88	89	1	1.18	E38/3127
MHNRC902	429935	6821514	145	146	1	2.64	E38/3127
MHNRC906	429909	6821455	130	131	1	2.01	E38/3127
MHNRC907	429957	6821455	196	200	4	2.58	E38/3127
MHNRC911	429942	6821427	134	135	1	1.08	E38/3127
MHNRC912	430023	6821428	152	156	4	1.68	E38/3127
MHNRC912			168	172	4	1.19	
MHNRC913	429705	6821400	69	70	1	1.48	E38/3127
MHNRC913			125	126	1	1.01	
MHNRC914	429748	6821400	49	50	1	1.22	E38/3127
MHNRC916	429908	6821400	109	111	2	3.88	E38/3127
MHNRC916			127	129	2	1.31	
MHNRC917	429956	6821400	57	58	1	1.3	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC917			125	127	2	5.14	
MHNRC918	429993	6821400	146	147	1	1.28	E38/3127
MHNRC918			154	155	1	2.18	
MHNRC919	429968	6821376	26	27	1	1.49	E38/3127
MHNRC919			122	123	1	6.99	
MHNRC919			126	127	1	3.59	
MHNRC919			141	142	1	1.84	
MHNRC919			148	149	1	1.05	
MHNRC919			157	159	2	2.31	
MHNRC921	429920	6821345	105	107	2	2.31	E38/3127
MHNRC921			126	127	1	4.3	
MHNRC925	429690	6820700	75	77	2	1.14	E38/3127
MHNRC930	429781	6820630	30	31	1	1.15	E38/3127
MHNRC934	429713	6820477	66	68	2	2.17	E38/3127
MHNRC935	429743	6820477	61	62	1	1.61	E38/3127
MHNRC935			65	66	1	1.94	
MHNRC935			71	72	1	1.32	
MHNRC936	429700	6820447	87	90	3	3.36	E38/3127
MHNRC938	429765	6820447	89	90	1	1.15	E38/3127
MHNRC939	429695	6820420	87	88	1	1.06	E38/3127
MHNRC940	429725	6820420	93	97	4	3.37	E38/3127
MHNRC944	429670	6820364	131	133	2	1.33	E38/3127
MHNRC945	429710	6820364	124	125	1	1.07	E38/3127
MHNRC946	429727	6820334	88	89	1	1.57	E38/3127
MHNRC946			164	165	1	1.27	
MHNRC953	429418	6820571	37	38	1	1	E38/3127
MHNRC953			41	42	1	1.69	
MHNRC954	429388	6820590	33	34	1	1.55	E38/3127
MHNRC956	429351	6820517	20	21	1	2.45	E38/3127
MHNRC971	429616	6821891	38	39	1	5.98	E38/3127
MHNRC971			61	62	1	1.03	
MHNRC971			66	67	1	11.75	
MHNRC972	429590	6822068	72	73	1	1.07	E38/3127
MHNRC973	429348	6822587	74	78	4	1.88	E38/3127
MHNRC974	429305	6822510	63	64	1	2.05	E38/3127
MHNRC977	429284	6822628	79	80	1	1.82	E38/3127
MHNRC978	429159	6822708	92	93	1	3.92	E38/3127
MHNRC992	430040	6819400	77	79	2	1.17	E38/3127
MHNRC1001	429520	6821280	14	15	1	1.61	E38/3127
MHNRC1003	429706	6820980	9	10	1	2.22	E38/3127
MHNRC1005	429780	6821200	34	37	3	1.75	E38/3127
MHNRC1006	429820	6821200	51	52	1	1.28	E38/3127
MHNRC1008	429800	6821190	41	42	1	8.02	E38/3127
MHNRC1010	429043	6821298	91	92	1	58.48	E38/3127
MHNRC1010			96	97	1	1.69	
MHNRC1011	429852	6821251	67	68	1	1.48	E38/3127
MHNRC1015	427030	6826100	54	56	2	7.24	E38/3127
MHNRC1024	427349	6824278	27	28	1	1.09	E38/3127
MHNRC1027	427294	6824190	57	58	1	1.07	E38/3127
MHNRC1036	427357	6826494	63	64	1	1.43	E38/3127
MHNRC1041	428402	6825941	40	41	1	3.06	E38/3127
MHNRC1044	429567	6821687	24	28	4	1.84	E38/3127
MHNRC1045	429618	6821687	44	48	4	2.55	E38/3127
MLJRC004	431878	6823860	36	37	1	1.24	E38/3127
MLJRC004			72	76	4	1.42	
MLJRC026	430817	6821180	33	34	1	1.1	P38/4383
MLJRC026			48	50	2	1.21	
MLJRC026			53	54	1	4.47	
MLJRC031	431124	6821002	60	61	1	1.08	P38/4383
MLJRC038	430938	6821730	17	19	2	1.76	P38/4346

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC039	430953	6821730	29	31	2	5.44	P38/4346
MLJRC042	430938	6821785	9	10	1	8.38	P38/4346
MLJRC043	430953	6821785	23	24	1	2.26	P38/4346
MLJRC050	431620	6822510	12	13	1	1.06	P38/4346
MLJRC051	431640	6822510	20	23	3	1.4	P38/4346
MLJRC053	431600	6822600	25	26	1	1.33	P38/4346
MLJRC054	431600	6822556	6	7	1	7.51	P38/4346
MLJRC063	431967	6822952	24	25	1	4.09	P38/4379
MLJRC066	431945	6823008	6	7	1	1.2	P38/4379
MLJRC067	431965	6823008	21	22	1	1.35	P38/4379
MLJRC067			24	25	1	1.03	
MLJRC067			33	34	1	1.73	
MLJRC073	431940	6823058	15	16	1	18.18	P38/4379
MLJRC076	431940	6823090	1	7	6	1.79	P38/4379
MLJRC076			11	13	2	1.85	
MLJRC080	431950	6823170	27	28	1	4.91	P38/4379
MLJRC081	431925	6823220	22	23	1	1.03	P38/4379
MLJRC083	431925	6823270	5	8	3	1.78	P38/4379
MLJRC084	431950	6823270	9	12	3	1.26	P38/4379
MLJRC085	431918	6823310	2	3	1	1.97	P38/4379
MLJRC090	430950	6822397	21	22	1	1.32	P38/4346
MLJRC106	430935	6821700	22	23	1	1.18	P38/4346
MLJRC114	431987	6822952	26	27	1	1.29	P38/4379
MLJRC115	431986	6823008	31	32	1	6.16	P38/4379
MLJRC115			42	43	1	1.18	
MLJRC115			52	53	1	2.32	
MLJRC116	431981	6823090	16	17	1	1.63	P38/4379
MLJRC117	431973	6823171	14	15	1	1.15	P38/4379
MLJRC117			47	54	7	1.68	
MLJRC117			57	58	1	2.14	
MLJRC123	431981	6823220	65	67	2	1.35	P38/4379
MLJRC123			73	78	5	2.17	
MLJRC128	432020	6822952	45	46	1	2.68	P38/4379
MLJRC129	432037	6823009	84	85	1	1.05	P38/4379
MLJRC130	432038	6823091	53	54	1	1.03	P38/4379
MLJRC130			155	156	1	1.01	
MLJRC131	432033	6823170	55	56	1	1.05	P38/4379
MLJRC132	431910	6823271	3	4	1	1.07	P38/4379
MLJRC133	432008	6823271	66	67	1	2.51	P38/4379
MLJRC133			92	93	1	1.12	
MLJRC133			111	112	1	1.45	
MLJRC136	432001	6823170	29	34	5	1.52	P38/4379
MLJRC137	432060	6823170	88	89	1	2	P38/4379
MLJRC139	432051	6822953	14	15	1	1.79	P38/4379
MLJRC139			45	46	1	5.12	
MLJRC142	431955	6822855	13	15	2	3.17	P38/4379
MLJRC149	431330	6821485	35	37	2	3.59	E38/3127
MLJRC162	431845	6823860	15	17	2	1.35	E38/3127
MLJRC162			31	34	3	2.12	
MLJRC162			39	50	11	2.78	
MLJRC162			52	62	10	3.49	
MLJRC162			63	67	4	6.89	
MLJRC163	431942	6823860	65	66	1	1.41	E38/3127
MLJRC164	431865	6823700	46	50	4	2.08	E38/3127
MLJRC165	431925	6823700	59	60	1	1	E38/3127
MLJRC171	430975	6822250	57	59	2	1.17	P38/4346
MLJRC183	432360	6821310	11	12	1	1.13	P38/4382
MLJRC183			17	18	1	5.23	
MLJRC183			41	44	3	1.4	
MLJRC186	430900	6821252	120	123	3	1.4	P38/4383



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC190	430964	6821757	32	33	1	1.98	P38/4346
MLJRC199	430970	6822070	106	107	1	1.12	P38/4346
MLJRC205	431020	6822480	44	48	4	2.03	P38/4346
MLJRC208	431070	6822660	49	50	1	1.63	P38/4346
MLJRC209	431315	6821530	11	12	1	3.46	E38/3127
MLJRC209			16	17	1	1.02	*
MLJRC211	431385	6821530	18	19	1	1.69	E38/3127
MLJRC213	431210	6821040	16	19	3	1.47	P38/4383
MLJRC214	431245	6821040	11	12	1	1.89	P38/4383
MLJRC214			32	33	1	37.98	*
MLJRC214			44	45	1	3.5	*
MLJRC220	431245	6821120	12	14	2	2.5	P38/4383
MLJRC220			18	19	1	1.01	*
MLJRC231	430925	6821153	94	95	1	10.02	P38/4383
MLJRC233	431880	6821125	221	222	1	4.43	P38/4380
MLJRC236	431805	6823860	4	7	3	2.82	E38/3127
MLJRC237	431765	6823860	37	38	1	7.35	E38/3127
MLJRC238	431845	6823820	62	63	1	1.1	E38/3127
MLJRC238			67	71	4	1.41	*
MLJRC241	431845	6823778	57	58	1	1.28	E38/3127
MLJRC244	432015	6825700	36	40	4	1.05	E38/3127
MLJRC247	431750	6824700	12	16	4	1.4	E38/3127
MLJRC278	432360	6821270	20	24	4	1.47	P38/4382
MLJRC290	431820	6823900	68	76	8	2.93	E38/3127
MLJRC293	431850	6823880	44	48	4	2.28	E38/3127
MLJRC293			56	60	4	2.12	*
MLJRC293			64	68	4	2.95	*
MLJRC293			72	76	4	2.17	*
MLJRC294	431880	6823880	52	56	4	2.35	E38/3127
MLJRC294			124	128	4	1.13	*
MLJRC296	431820	6823842	52	60	8	5.8	E38/3127
MLJRC297	431850	6823842	64	68	4	1.1	E38/3127
MLJRC298	431880	6823842	56	64	8	4.15	E38/3127
MLJRC305	431975	6823200	68	72	4	1.33	P38/4379
MLJRC307	431957	6823072	24	28	4	13.34	P38/4379
MLJRC318	431877	6823820	84	88	4	1.14	E38/3127
MLJRC319	431811	6823820	28	36	8	1.63	E38/3127
MLJRC320	431871	6823778	60	68	8	1.84	E38/3127
MLJRC322	431835	6823700	16	20	4	1.13	E38/3127
MLJRC326	431936	6823072	8	24	16	2.55	P38/4379
MLJRC327	431936	6823034	8	12	4	3.58	P38/4379
<b>RAB - Magnetic Resources NL</b>							
MHNRB156	427177	6826493	10	11	1	2.88	E38/3127
MHNRB157	427181	6826500	7	8	1	1.98	E38/3127
MHNRB160	427173	6826517	4	8	4	1.95	E38/3127
<b>RC - Historical</b>							
AJC01	431928	6823072	3	16	13	1.37	P38/4379
AJC02	431948	6823072	23	29	6	2.05	P38/4379
AJC05	431948	6823032	18	19	1	1.8	P38/4379
AJC06	431928	6823032	5	6	1	2.28	P38/4379
AJC07	431908	6823032	1	2	1	1.25	P38/4379
AJC09	431867	6823032	12	13	1	1.05	P38/4379
AJC10	432008	6823032	10	14	4	1.02	P38/4379
AJC13	431947	6822952	9	10	1	2.8	P38/4379
AJC14	431927	6822952	0	1	1	1.3	P38/4379
AJC23	431947	6823112	10	11	1	1.08	P38/4379
AJC25	431938	6823308	12	13	1	1.24	P38/4379
RFRC013	432383	6826358	44	45	1	1.29	P38/4170



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
RFRC013			96	104	8	1.5	P38/4170
RFRC013			111	120	9	1.31	P38/4170
RFRC014	432348	6826558	29	30	1	1.29	P38/4170
RFRC014			44	46	2	1.02	P38/4170
RFRC014			66	79	13	2.08	P38/4170
RFRC015	432388	6826558	97	108	11	1.64	P38/4170
RFRC016	432368	6826758	65	68	3	1.93	P38/4170
RFRC016			74	75	1	1.24	P38/4170
RFRC022	430872	6821158	63	64	1	1.27	P38/4383
RFRC027	431017	6821758	74	75	1	1.43	P38/4346
RFRC028	431007	6822158	31	32	1	1.64	P38/4346
RFRC028			77	79	2	1.09	P38/4346
RFRC029	430952	6821758	17	23	6	1.66	P38/4346
RFRC042	432262	6820958	77	78	1	1.07	P38/4382
RFRC045	432157	6820558	96	97	1	1.29	P38/4380
RFRC049	432438	6826358	41	44	3	1.41	P38/4170
RFRC049			113	117	4	1.44	P38/4170
RFRC049			144	145	1	1.09	P38/4170
RFRC049			149	151	2	2.39	P38/4170
RN1	429469	6821820	8	10	2	1.93	E38/3127
RN2	429494	6821858	16	18	2	1.13	E38/3127
RN3	429483	6821916	14	16	2	3.15	E38/3127
RN5	429404	6822044	18	20	2	2.51	E38/3127
HNR008	428138	6821638	37	38	1	25.11	E38/3127
HNR008			48	49	1	2.34	E38/3127
HNR010	428178	6821478	46	47	1	1.14	E38/3127
RRC060	431311	6821475	10	15	5	1.42	E38/3127
RRC079	429137	6822275	0	5	5	1.54	M38/1041
<b>RAB - Historical</b>							
RFB085	431713	6824398	5	7	2	1.93	E38/3127
RFB096	431812	6824158	52	53	1	2.7	E38/3127
RFB119	432368	6821358	10	12	2	2.6	P38/4382
RFB120	432348	6821358	1	3	2	1.54	P38/4382
RFB120			15	19	4	1.52	P38/4382
RFB141	431098	6820558	19	21	2	3.24	P38/4383
RFB165	430803	6821158	43	50	7	3.16	P38/4383
RFB172	430703	6820958	27	28	1	3.38	P38/4383
RFB181	430947	6822348	45	46	1	1.25	P38/4346
RFB206	431112	6820858	18	22	4	8.36	P38/4383
RFB214	431212	6821158	44	45	1	3.13	P38/4383
RFB217	431287	6821158	20	24	4	4.87	P38/4383
RFB220	431298	6821156	28	29	1	1.55	P38/4383
RFB222	431252	6821010	30	31	1	1.27	P38/4383
RFB223	431217	6821007	30	31	1	1.01	P38/4383
RFB226	431207	6821003	6	8	2	1.87	P38/4383
RFB226			24	28	4	16.35	P38/4383
RFB226			31	32	1	6.5	P38/4383
RFB240	431138	6820357	43	44	1	3.97	P38/4383
RFB253	430693	6820359	53	54	1	12.56	P38/4383
RFB271	431124	6820958	20	22	2	3.95	P38/4383
RFB271			44	45	1	1.11	P38/4383
RFB272	431103	6820993	2	5	3	3.02	P38/4383
RFB273	431098	6820993	1	4	3	3.68	P38/4383
RFB276	431100	6820998	10	21	11	2.04	P38/4383
RFB279	431103	6820998	1	5	4	1.68	P38/4383
RFB286	431103	6821013	1	2	1	1	P38/4383
RFR109	429106	6822361	0	2	2	1.3	M38/1041
RFR219	429125	6822351	5	6	1	1.31	M38/1041
RFR220	429128	6822358	6	7	1	2.6	M38/1041



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
RFR237	431629	6822336	38	40	2	1.56	P38/4346
RFR451	431311	6821897	0	5	5	1.06	P38/4346
RFR474	431330	6821499	33	34	1	25.4	E38/3127
RFR475	431350	6821500	19	20	1	1.99	E38/3127
RFR476	431370	6821501	21	22	1	2.54	E38/3127
RFR477	431390	6821502	20	22	2	2.38	E38/3127
RFR494	430772	6821073	7	8	1	1.06	P38/4383
RFR639	431378	6821775	35	40	5	1.37	P38/4346
RFR-31	429575	6821511	16	20	4	2.66	E38/3127
RFR-31			24	28	4	3.11	E38/3127
RFR-37	429491	6821684	0	8	8	2.33	E38/3127
RFR-44	429475	6821823	8	12	4	1.22	E38/3127
RFR-45	429496	6821823	12	16	4	1.53	E38/3127
RFR-49	429476	6821925	16	20	4	2.13	E38/3127
RFR-50	429496	6821926	16	20	4	1.91	E38/3127
RFR-53	429409	6822054	8	12	4	1.64	E38/3127
<b>AC - Historical</b>							
RFAC109							
RFAC117	432263	6822958	66	67	1	1.91	P38/4379
RFAC123	432338	6822158	43	44	1	1.49	P38/4381
RFAC239	432174	6824563	75	80	5	1.13	E38/3127
RFAC250	432188	6823758	28	29	1	1.28	E38/3127
RFAC258	428135	6821158	49	50	1	1.44	E38/3127
RFAC109	432328	6826558	41	42	1	1.23	P38/4170
RFAC109			48	59	11	1.05	P38/4170
RFAC303	432353	6826453	48	53	5	1.65	P38/4170
RFAC304	432323	6826470	30	35	5	2.45	P38/4170
RFAC304			57	58	1	1.03	P38/4170
RFAC307	432342	6826358	51	54	3	6.25	P38/4170
RFAC331	430937	6821758	6	10	4	3.22	P38/4346
RFAC331			16	17	1	7.42	P38/4346
RFAC340	430917	6822158	27	28	1	8.79	P38/4346
RFAC365	428727	6820748	26	27	1	7.85	E38/3127
RFAC369	430887	6821358	23	24	1	3.69	E38/3127
RFAC380	430857	6821548	44	45	1	1.35	E38/3127
RFAC382	431037	6822558	37	38	1	1.38	P38/4346
RFAC408	429937	6819528	49	54	5	2.59	E38/3127
RFAC417	429737	6819493	49	52	3	3.66	E38/3127
RFAC422	430112	6819493	62	63	1	2.35	E38/3127
RFAC423	430137	6819523	60	64	4	1.56	P38/4384
RFAC424	430137	6819568	48	50	2	1.1	P38/4384
RFAC434	430337	6819558	53	54	1	1.14	P38/4384
RFAC443	429937	6819378	39	40	1	1.18	E38/3127
RFAC478	432487	6825558	55	56	1	1.19	E38/3127
RFAC478			60	61	1	1.24	E38/3127
RFAC484	432787	6825558	3	4	1	1.26	E38/3127
RFAC549	433137	6826158	37	38	1	1.04	E38/3127
HNAC026	428140	6821958	39	40	1	2.39	E38/3127
HNAC026			57	58	1	1.13	E38/3127
HNAC038	429538	6820478	65	66	1	5.42	E38/3127
HNAC039	429538	6820558	30	31	1	1.43	E38/3127
HNAC039			36	37	1	1.7	E38/3127
HNAC050	429138	6820578	35	36	1	1.02	E38/3127
HNAC057	429338	6820358	18	19	1	1.68	E38/3127
HNAC061	429338	6820518	12	13	1	1.19	E38/3127
HNAC064	429137	6819608	72	73	1	3.32	E38/3127
HNA013	428138	6821558	40	44	4	5.7	E38/3127

\* New 1m or 4m assay

The multiple shallow dipping extensive thickened lodes at HN9 are a potential indicator for deeper mineralisation because all the numerous nearby large deposits in the region including Wallaby (7Moz), Sunrise Dam (10Moz) and Jupiter (1.3Moz) have persistent internal shallow-dipping mineralised lodes that are often called shear zones, which are ubiquitous throughout these deposits and have been defined down to 1500m depth at the Wallaby deposit. In addition, many discoveries in recent times have been made by drilling below 100m because the historical drilling was far too shallow. At HN5, 6, 9 and Lady Julie the average hole depth is only 65m providing tremendous scope for upside potential. In addition, the length of our 3km mineralised shear zone is like the length of the large Jupiter, Wallaby and Sunrise Dam Deposits.

Managing Director George Sakalidis commented: "With the Australian gold price at near record levels of \$2415, the HN9 Project area encompassing HN5, HN6, HN9 and Lady Julie being only 15km NW of the Granny Smith Operations owned by Gold Fields Australia Pty Ltd and only 10km NE of the Jupiter Operations owned by Dacian Gold Ltd and 35km north of the Sunrise Dam deposit owned by AngloGold Ashanti Ltd at Laverton, WA. (Figure 3), is shaping up and has potential for large-scale shallow deposits.

**The multiple new high grade thick intersections of 20m at 2.6g/t from 52m including 8m at 5.8g/t from 52m, 36m at 1.7g/t from 20m including 4m at 13.3g/t from 24m, 32m at 1.4g/t from 44m, 32m at 1.3g/t including 8m at 4.2g/t from 56m and 41m at 2.6g/t gold from 31m including 15m at 4.2g/t from 52m in previously drilled MLJRC162 are very exciting and this zone is being followed up with 29 RC holes for 3200m.**

In addition, a detailed soil programme has been carried out looking for repetitions of these anomalous soil targets over a length of 1.9km. A total drill programme of 104 RC drillholes for 9,892m (Table 4) is being carried out and further analysis of the extensive 6km long NS thrusts is being planned to include both shallow RAB and or soil geochemistry to help outline any other anomalous gold areas that have not been previously assessed looking for further exciting near surface deposits in this gold fertile region."

**Table 3. HN5, 6, 9 and Lady Julie Completed RC and Diamond Drilling**

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNDD001	429439	6822106	434	106	-60	240	DDH	E38/3127
MHNDD002	429505	6821835	436	93	-60	270	DDH	E38/3127
MHNDD003	429607	6821075	427	147	-60	270	DDH	E38/3127
MHNDD004	429578	6821510	432	85	-60	270	DDH	E38/3127
MHNRC03	427035	6826227	440	80	-60	270	RC	E38/3127
MHNRC04	427079	6826225	441	90	-60	270	RC	E38/3127
MHNRC05	427130	6826219	441	98	-60	270	RC	E38/3127
MHNRC07	426848	6826222	437	174	-60	270	RC	E38/3127
MHNRC08	427408	6826224	439	150	-60	270	RC	E38/3127
MHNRC15	427610	6828098	423	222	-60	210	RC	E38/3127
MHNRC19	427305	6826077	444	100	-60	225	RC	E38/3127
MHNRC20	427354	6826030	444	100	-60	225	RC	E38/3127
MHNRC31	427963	6827393	433	66	-50	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC32	427925	6827300	435	70	-50	270	RC	E38/3127
MHNRC33	427777	6827030	434	24	-50	270	RC	E38/3127
MHNRC33A	427775	6827030	434	60	-50	270	RC	E38/3127
MHNRC34	427723	6827104	433	50	-50	270	RC	E38/3127
MHNRC35	427344	6826115	442	78	-50	225	RC	E38/3127
MHNRC36	427167	6826493	434	60	-50	40	RC	E38/3127
MHNRC46	427770	6827071	434	70	-50	270	RC	E38/3127
MHNRC47	427190	6826523	433	32	-50	220	RC	E38/3127
MHNRC48	427179	6826508	433	60	-60	220	RC	E38/3127
MHNRC49	427152	6826480	434	42	-60	45	RC	E38/3127
MHNRC50	427173	6826473	434	36	-60	45	RC	E38/3127
MHNRC51	427163	6826464	434	48	-60	45	RC	E38/3127
MHNRC52	427163	6826503	433	60	-60	45	RC	E38/3127
MHNRC53	427162	6826536	433	48	-60	45	RC	E38/3127
MHNRC54	427153	6826527	433	48	-60	45	RC	E38/3127
MHNRC55	427125	6826565	432	24	-60	45	RC	E38/3127
MHNRC56	427115	6826554	432	40	-60	45	RC	E38/3127
MHNRC57A	427105	6826543	432	1	-60	45	RC	E38/3127
MHNRC58	427052	6826607	430	24	-60	45	RC	E38/3127
MHNRC59	427044	6826599	430	24	-60	45	RC	E38/3127
MHNRC59Ext	427046	6826601	430	52	-60	45	RC	E38/3127
MHNRC60	427311	6826240	439	40	-60	225	RC	E38/3127
MHNRC61	427322	6826249	439	44	-60	225	RC	E38/3127
MHNRC62	427328	6826263	439	30	-60	225	RC	E38/3127
MHNRC63	427234	6826309	438	35	-60	225	RC	E38/3127
MHNRC64	427244	6826320	438	35	-60	225	RC	E38/3127
MHNRC65	427252	6826329	437	24	-60	225	RC	E38/3127
MHNRC66	427314	6826383	436	24	-60	45	RC	E38/3127
MHNRC67	427303	6826373	436	36	-60	45	RC	E38/3127
MHNRC68	427294	6826365	437	54	-60	45	RC	E38/3127
MHNRC69	427252	6826442	435	60	-60	45	RC	E38/3127
MHNRC70	427149	6826522	433	12	-60	45	RC	E38/3127
MHNRC71	427155	6826530	433	12	-60	225	RC	E38/3127
MHNRC72	427364	6826314	437	48	-60	225	RC	E38/3127
MHNRC73	427293	6826068	445	24	-60	240	RC	E38/3127
MHNRC74	427303	6826032	445	36	-60	225	RC	E38/3127
MHNRC75	427319	6826046	444	48	-60	225	RC	E38/3127
MHNRC76	427144	6826516	433	36	-60	45	RC	E38/3127
MHNRC77	427016	6826640	430	42	-60	45	RC	E38/3127
MHNRC78	427009	6826622	430	30	-60	45	RC	E38/3127
MHNRC79	426999	6826610	430	30	-60	45	RC	E38/3127
MHNRC80	427037	6826591	430	30	-60	45	RC	E38/3127
MHNRC81	427027	6826584	430	24	-60	45	RC	E38/3127
MHNRC82	427085	6826581	431	30	-60	45	RC	E38/3127
MHNRC83	427074	6826573	431	36	-60	45	RC	E38/3127
MHNRC84	427141	6826549	432	30	-60	45	RC	E38/3127
MHNRC85	427138	6826539	433	42	-60	45	RC	E38/3127
MHNRC86	427130	6826533	433	42	-60	45	RC	E38/3127
MHNRC87	427122	6826526	433	46	-60	45	RC	E38/3127
MHNRC88	427229	6826468	435	36	-60	45	RC	E38/3127
MHNRC89	427220	6826460	435	42	-60	45	RC	E38/3127
MHNRC90	427208	6826450	435	42	-60	45	RC	E38/3127
MHNRC91	427192	6826435	435	42	-60	45	RC	E38/3127
MHNRC92	427247	6826437	435	30	-60	45	RC	E38/3127
MHNRC93	427227	6826415	436	48	-60	45	RC	E38/3127
MHNRC94	427215	6826401	436	48	-60	45	RC	E38/3127
MHNRC95	427282	6826353	437	30	-60	45	RC	E38/3127
MHNRC96	427389	6826330	437	48	-60	225	RC	E38/3127
MHNRC97	427351	6826298	438	48	-60	225	RC	E38/3127
MHNRC98	427337	6826268	438	42	-60	225	RC	E38/3127
MHNRC99	427302	6826219	440	42	-60	225	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC100	427287	6826208	441	42	-60	225	RC	E38/3127
MHNRC101	427273	6826193	441	42	-60	225	RC	E38/3127
MHNRC101b	426968	6826581	430	90	-60	45	RC	E38/3127
MHNRC102	427257	6826172	442	42	-60	225	RC	E38/3127
MHNRC102b	427116	6826486	433	54	-60	45	RC	E38/3127
MHNRC103	427296	6826215	440	36	-90	0	RC	E38/3127
MHNRC103b	427104	6826444	434	60	-60	45	RC	E38/3127
MHNRC104	427273	6826348	437	66	-60	45	RC	E38/3127
MHNRC104b	427095	6826423	434	78	-60	45	RC	E38/3127
MHNRC105	427288	6826359	437	42	-90	0	RC	E38/3127
MHNRC105b	427134	6826436	434	60	-60	45	RC	E38/3127
MHNRC106	427358	6825985	444	48	-60	225	RC	E38/3127
MHNRC106b	427166	6826409	435	60	-60	45	RC	E38/3127
MHNRC107	427194	6826380	436	60	-60	45	RC	E38/3127
MHNRC107A	427273	6826409	436	60	-60	45	RC	E38/3127
MHNRC107b	427270	6826406	436	40	-60	39	RC	E38/3127
MHNRC108	427259	6826393	436	78	-60	45	RC	E38/3127
MHNRC109	427247	6826380	436	60	-60	45	RC	E38/3127
MHNRC111	427253	6826330	437	60	-60	45	RC	E38/3127
MHNRC112	427315	6826244	439	40	-60	90	RC	E38/3127
MHNRC113	427254	6826172	442	60	-60	45	RC	E38/3127
MHNRC114	427260	6826032	446	60	-60	45	RC	E38/3127
MHNRC115	427290	6825995	446	54	-60	45	RC	E38/3127
MHNRC116	427318	6825934	446	54	-60	45	RC	E38/3127
MHNRC117	427010	6826225	439	90	-60	90	RC	E38/3127
MHNRC118	426695	6826226	434	104	-60	90	RC	E38/3127
MHNRC120	428627	6826312	432	60	-60	90	RC	E38/3127
MHNRC121	428722	6822191	420	40	-60	300	RC	E38/3127
MHNRC122	428916	6822418	421	20	-60	300	RC	E38/3127
MHNRC123	428932	6822409	422	40	-60	300	RC	E38/3127
MHNRC124	428952	6822397	422	40	-60	300	RC	E38/3127
MHNRC125	429140	6822367	426	40	-60	270	RC	M38/1041
MHNRC126	429165	6822366	426	40	-60	270	RC	M38/1041
MHNRC127	429076	6822369	426	40	-60	270	RC	M38/1041
MHNRC128	429159	6822273	428	40	-60	270	RC	M38/1041
MHNRC129	429238	6822208	425	34	-60	270	RC	M38/1041
MHNRC130	429260	6822206	428	40	-60	270	RC	M38/1041
MHNRC131	429225	6822271	429	40	-60	270	RC	M38/1041
MHNRC132	429248	6822273	430	40	-60	270	RC	M38/1041
MHNRC133	429674	6821078	423	40	-60	230	RC	E38/3127
MHNRC134	429694	6821094	423	40	-60	230	RC	E38/3127
MHNRC135	429661	6821344	424	40	-60	270	RC	E38/3127
MHNRC136	429516	6821406	426	40	-60	270	RC	E38/3127
MHNRC137	429617	6821439	427	40	-60	270	RC	E38/3127
MHNRC138	429616	6821510	428	55	-60	270	RC	E38/3127
MHNRC139	429550	6821541	427	40	-60	270	RC	E38/3127
MHNRC140	429550	6821615	427	40	-60	270	RC	E38/3127
MHNRC141	429506	6821691	430	40	-60	240	RC	E38/3127
MHNRC142	429524	6821702	430	40	-60	240	RC	E38/3127
MHNRC143	429558	6821740	430	50	-60	270	RC	E38/3127
MHNRC144	429537	6821824	430	40	-60	270	RC	E38/3127
MHNRC145	429560	6821825	430	50	-60	270	RC	E38/3127
MHNRC146	429463	6821761	431	40	-60	270	RC	E38/3127
MHNRC147	429465	6821858	430	40	-60	270	RC	E38/3127
MHNRC148	429497	6821890	430	40	-60	270	RC	E38/3127
MHNRC149	429496	6821889	433	40	-60	270	RC	E38/3127
MHNRC150	429512	6821921	434	40	-60	270	RC	E38/3127
MHNRC151	429536	6821924	434	50	-60	270	RC	E38/3127
MHNRC152	429417	6822022	429	40	-60	240	RC	E38/3127
MHNRC153	429378	6822014	430	50	-60	240	RC	E38/3127
MHNRC154	429422	6822060	429	40	-60	240	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC155	429440	6822073	429	66	-60	240	RC	E38/3127
MHNRC156	429516	6822144	432	40	-60	230	RC	E38/3127
MHNRC157	429687	6822174	435	40	-60	270	RC	E38/3127
MHNRC158	429651	6822125	437	40	-60	270	RC	E38/3127
MHNRC159	429339	6822090	427	40	-60	240	RC	E38/3127
MHNRC160	429355	6822099	427	40	-60	240	RC	E38/3127
MHNRC161	429115	6822369	426	40	-60	270	RC	M38/1041
MHNRC162	429115	6822299	427	42	-60	270	RC	M38/1041
MHNRC163	429153	6822213	427	48	-60	270	RC	M38/1041
MHNRC164	429195	6822208	424	48	-60	270	RC	M38/1041
MHNRC165	429540	6822168	430	95	-60	230	RC	E38/3127
MHNRC166	429482	6822115	431	40	-60	240	RC	E38/3127
MHNRC167	429432	6821993	430	40	-60	240	RC	E38/3127
MHNRC168	429388	6821936	432	48	-60	270	RC	E38/3127
MHNRC169	429339	6822001	431	40	-60	240	RC	E38/3127
MHNRC170	429435	6821901	432	40	-60	270	RC	E38/3127
MHNRC171	429588	6821732	430	40	-60	270	RC	E38/3127
MHNRC172	429474	6821674	430	40	-60	240	RC	E38/3127
MHNRC173	429392	6821632	428	54	-60	270	RC	E38/3127
MHNRC174	429444	6821632	428	48	-60	270	RC	E38/3127
MHNRC175	429539	6821584	427	40	-60	270	RC	E38/3127
MHNRC176	429586	6821586	429	42	-60	270	RC	E38/3127
MHNRC177	429579	6821222	421	42	-60	270	RC	E38/3127
MHNRC178	429625	6821222	424	40	-60	270	RC	E38/3127
MHNRC179	429670	6821219	424	70	-60	270	RC	E38/3127
MHNRC180	429519	6821341	426	40	-60	270	RC	E38/3127
MHNRC181	429561	6821343	426	48	-60	270	RC	E38/3127
MHNRC182	429592	6821346	425	40	-60	270	RC	E38/3127
MHNRC183	429395	6821973	430	48	-60	240	RC	E38/3127
MHNRC184	429414	6821984	430	40	-60	240	RC	E38/3127
MHNRC185	429260	6822125	426	40	-60	240	RC	M38/1041
MHNRC186	429282	6822138	427	40	-60	240	RC	M38/1041
MHNRC187	429302	6822150	427	40	-60	240	RC	M38/1041
MHNRC188	429325	6822163	428	40	-60	240	RC	M38/1041
MHNRC189	429194	6822277	429	42	-60	270	RC	M38/1041
MHNRC190	429139	6821972	431	48	-60	270	RC	E38/3127
MHNRC191	429068	6822429	423	40	-60	240	RC	M38/1041
MHNRC192	429042	6822415	423	40	-60	240	RC	M38/1041
MHNRC193	428980	6822382	423	60	-60	300	RC	E38/3127
MHNRC194	429195	6822368	428	60	-60	270	RC	M38/1041
MHNRC195	429280	6822276	431	60	-60	270	RC	M38/1041
MHNRC196	429289	6822212	429	60	-60	270	RC	M38/1041
MHNRC197	429391	6822116	432	60	-60	240	RC	E38/3127
MHNRC198	429476	6822089	431	60	-60	240	RC	E38/3127
MHNRC199	429451	6822040	431	60	-60	240	RC	E38/3127
MHNRC200	429569	6821925	435	60	-60	270	RC	E38/3127
MHNRC201	429529	6821893	433	60	-60	270	RC	E38/3127
MHNRC202	429491	6821856	432	60	-60	270	RC	E38/3127
MHNRC203	429590	6821827	430	60	-60	270	RC	E38/3127
MHNRC204	429493	6821763	431	60	-60	270	RC	E38/3127
MHNRC205	429611	6821735	432	60	-60	270	RC	E38/3127
MHNRC206	429556	6821719	429	60	-60	240	RC	E38/3127
MHNRC207	429585	6821642	430	60	-60	270	RC	E38/3127
MHNRC208	429583	6821540	428	60	-60	270	RC	E38/3127
MHNRC209	429644	6821511	428	60	-60	270	RC	E38/3127
MHNRC210	429648	6821440	426	60	-60	270	RC	E38/3127
MHNRC211	429690	6821344	423	60	-60	270	RC	E38/3127
MHNRC212	429106	6822454	424	60	-60	240	RC	M38/1041
MHNRC213	428984	6822515	421	18	-60	240	RC	E38/3127
MHNRC213cont	428984	6822516	418	60	-60	240	RC	E38/3127
MHNRC214	429014	6822533	421	60	-60	240	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC215	429048	6822553	422	60	-60	240	RC	E38/3127
MHNRC216	429005	6822369	424	60	-60	300	RC	E38/3127
MHNRC217	429136	6822470	425	60	-60	240	RC	M38/1041
MHNRC218	429316	6822215	430	60	-60	270	RC	M38/1041
MHNRC219	429366	6822188	430	60	-60	240	RC	E38/3127
MHNRC220	429420	6822136	429	80	-60	240	RC	E38/3127
MHNRC221	429502	6822102	432	80	-60	240	RC	E38/3127
MHNRC222	429489	6822064	429	100	-60	240	RC	E38/3127
MHNRC223	429465	6822016	431	60	-60	240	RC	E38/3127
MHNRC224	429428	6821959	431	60	-60	250	RC	E38/3127
MHNRC225	429459	6821967	431	60	-60	250	RC	E38/3127
MHNRC226	429494	6821978	433	60	-60	250	RC	E38/3127
MHNRC227	429526	6821989	434	60	-60	250	RC	E38/3127
MHNRC228	429598	6821926	434	80	-60	270	RC	E38/3127
MHNRC229	429543	6821856	433	50	-60	270	RC	E38/3127
MHNRC230	429632	6821828	430	80	-60	270	RC	E38/3127
MHNRC231	429537	6821761	431	40	-60	270	RC	E38/3127
MHNRC232	428121	6821635	414	54	-60	90	RC	E38/3127
MHNRC233	428138	6821599	414	75	-60	90	RC	E38/3127
MHNRC234	429676	6821440	426	80	-60	270	RC	E38/3127
MHNRC235	429648	6821343	425	65	-60	270	RC	E38/3127
MHNRC236	429716	6821343	421	100	-60	270	RC	E38/3127
MHNRC237	429712	6821220	423	65	-60	270	RC	E38/3127
MHNRC238	429749	6821222	420	140	-60	270	RC	E38/3127
MHNRC239	429524	6821098	425	40	-60	270	RC	E38/3127
MHNRC240	429568	6821096	426	40	-60	270	RC	E38/3127
MHNRC241	429624	6821101	425	80	-60	270	RC	E38/3127
MHNRC242	429729	6821098	422	40	-60	270	RC	E38/3127
MHNRC243	429757	6821097	422	40	-60	270	RC	E38/3127
MHNRC244	429786	6821097	419	125	-60	270	RC	E38/3127
MHNRC245	429674	6821049	422	40	-60	270	RC	E38/3127
MHNRC246	429720	6821046	421	40	-60	270	RC	E38/3127
MHNRC247	429617	6820998	421	40	-60	270	RC	E38/3127
MHNRC248	429669	6821000	422	40	-60	270	RC	E38/3127
MHNRC249	429721	6820999	420	40	-60	270	RC	E38/3127
MHNRC250	429766	6820999	420	40	-60	270	RC	E38/3127
MHNRC251	428896	6822431	421	20	-60	300	RC	E38/3127
MHNRC252	429017	6822400	424	30	-60	240	RC	E38/3127
MHNRC253	428958	6822366	424	30	-60	240	RC	E38/3127
MHNRC254	429094	6822366	426	30	-60	270	RC	M38/1041
MHNRC255	429208	6822275	429	30	-60	270	RC	M38/1041
MHNRC256	429112	6822270	428	35	-60	270	RC	M38/1041
MHNRC257	429219	6822211	425	25	-60	270	RC	M38/1041
MHNRC258	429205	6822177	426	20	-60	270	RC	M38/1041
MHNRC259	429185	6822178	425	15	-60	270	RC	M38/1041
MHNRC260	429328	6822086	427	15	-60	240	RC	E38/3127
MHNRC261	429394	6822043	428	40	-60	240	RC	E38/3127
MHNRC262	429366	6822043	429	30	-60	240	RC	E38/3127
MHNRC263	429403	6822018	430	45	-60	240	RC	E38/3127
MHNRC264	429380	6822003	430	15	-60	240	RC	E38/3127
MHNRC265	429363	6821995	428	15	-60	240	RC	E38/3127
MHNRC266	429384	6821965	431	15	-60	240	RC	E38/3127
MHNRC267	429371	6821955	432	30	-60	240	RC	E38/3127
MHNRC268	429475	6821922	433	40	-60	270	RC	E38/3127
MHNRC269	429421	6821926	432	20	-60	270	RC	E38/3127
MHNRC270	429452	6821898	433	25	-60	270	RC	E38/3127
MHNRC271	429416	6821891	433	70	-60	270	RC	E38/3127
MHNRC272	429402	6821891	433	10	-60	270	RC	E38/3127
MHNRC273	429448	6821861	432	15	-60	270	RC	E38/3127
MHNRC274	429423	6821853	432	10	-60	270	RC	E38/3127
MHNRC275	429464	6821835	432	25	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC276	429432	6821838	432	10	-60	270	RC	E38/3127
MHNRC277	429481	6821822	432	30	-60	270	RC	E38/3127
MHNRC278	429465	6821822	432	25	-60	270	RC	E38/3127
MHNRC279	429439	6821823	432	15	-60	270	RC	E38/3127
MHNRC280	429451	6821762	431	15	-60	270	RC	E38/3127
MHNRC281	429435	6821760	431	10	-60	270	RC	E38/3127
MHNRC282	429484	6821745	431	15	-60	270	RC	E38/3127
MHNRC283	429470	6821740	431	15	-60	270	RC	E38/3127
MHNRC284	429511	6821718	431	25	-60	270	RC	E38/3127
MHNRC285	429484	6821718	431	15	-60	270	RC	E38/3127
MHNRC286	429450	6821718	431	15	-60	270	RC	E38/3127
MHNRC287	429490	6821684	430	20	-60	240	RC	E38/3127
MHNRC288	429451	6821663	429	10	-60	240	RC	E38/3127
MHNRC289	429524	6821647	428	20	-60	270	RC	E38/3127
MHNRC290	429475	6821643	429	10	-60	270	RC	E38/3127
MHNRC291	429523	6821613	428	20	-60	270	RC	E38/3127
MHNRC292	429507	6821614	428	15	-60	270	RC	E38/3127
MHNRC293	429462	6821615	428	10	-60	270	RC	E38/3127
MHNRC294	429617	6821584	430	55	-60	270	RC	E38/3127
MHNRC295	429521	6821581	427	10	-60	270	RC	E38/3127
MHNRC296	429499	6821582	427	10	-60	270	RC	E38/3127
MHNRC297	429538	6821541	427	20	-60	270	RC	E38/3127
MHNRC298	429516	6821541	426	15	-60	270	RC	E38/3127
MHNRC299	429486	6821541	426	10	-60	270	RC	E38/3127
MHNRC300	429576	6821511	427	40	-60	270	RC	E38/3127
MHNRC301	429551	6821511	427	40	-60	270	RC	E38/3127
MHNRC302	429569	6821439	424	80	-60	270	RC	E38/3127
MHNRC303	429533	6821438	426	10	-60	270	RC	E38/3127
MHNRC304	429501	6821405	426	10	-60	270	RC	E38/3127
MHNRC305	429487	6821406	426	10	-60	270	RC	E38/3127
MHNRC306	429627	6821346	425	20	-60	270	RC	E38/3127
MHNRC307	429633	6821224	424	20	-60	270	RC	E38/3127
MHNRC308	429607	6821224	424	10	-60	270	RC	E38/3127
MHNRC309	429218	6820979	420	36	-60	315	RC	E38/3127
MHNRC310	429254	6820944	421	36	-60	315	RC	E38/3127
MHNRC311	429290	6820907	420	36	-60	315	RC	E38/3127
MHNRC312	429324	6820872	419	36	-60	315	RC	E38/3127
MHNRC313	429360	6820837	418	36	-60	315	RC	E38/3127
MHNRC314	429396	6820801	419	36	-60	315	RC	E38/3127
MHNRC315	429433	6820765	418	36	-60	315	RC	E38/3127
MHNRC316	429100	6820930	418	36	-60	315	RC	E38/3127
MHNRC317	429134	6820896	418	36	-60	315	RC	E38/3127
MHNRC318	429170	6820859	418	36	-60	315	RC	E38/3127
MHNRC319	429205	6820824	418	36	-60	315	RC	E38/3127
MHNRC320	429236	6820792	418	36	-60	315	RC	E38/3127
MHNRC321	429277	6820752	417	36	-60	315	RC	E38/3127
MHNRC322	429309	6820719	417	36	-60	315	RC	E38/3127
MHNRC323	429347	6820684	417	36	-60	315	RC	E38/3127
MHNRC324	429058	6820812	417	36	-60	315	RC	E38/3127
MHNRC325	429093	6820776	417	36	-60	315	RC	E38/3127
MHNRC326	429128	6820744	417	36	-60	315	RC	E38/3127
MHNRC327	429162	6820709	417	36	-60	315	RC	E38/3127
MHNRC328	429198	6820674	416	36	-60	315	RC	E38/3127
MHNRC329	429235	6820636	416	36	-60	315	RC	E38/3127
MHNRC330	429548	6820900	421	36	-60	270	RC	E38/3127
MHNRC331	429597	6820902	421	36	-60	270	RC	E38/3127
MHNRC332	429649	6820901	420	36	-60	270	RC	E38/3127
MHNRC333	429697	6820902	419	36	-60	270	RC	E38/3127
MHNRC334	429743	6820901	419	36	-60	270	RC	E38/3127
MHNRC335	429797	6820901	420	36	-60	270	RC	E38/3127
MHNRC336	429545	6820802	419	36	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC337	429597	6820801	418	36	-60	270	RC	E38/3127
MHNRC338	429650	6820801	418	80	-60	270	RC	E38/3127
MHNRC339	429699	6820802	419	36	-60	270	RC	E38/3127
MHNRC340	429747	6820802	418	36	-60	270	RC	E38/3127
MHNRC341	429799	6820802	418	110	-60	270	RC	E38/3127
MHNRC342	429548	6820702	415	36	-60	270	RC	E38/3127
MHNRC343	429597	6820703	416	36	-60	270	RC	E38/3127
MHNRC344	429846	6820503	421	36	-60	270	RC	E38/3127
MHNRC345	429898	6820500	422	36	-60	270	RC	E38/3127
MHNRC346	429700	6820398	418	36	-60	270	RC	E38/3127
MHNRC347	429748	6820399	421	36	-60	270	RC	E38/3127
MHNRC348	429800	6820398	421	36	-60	270	RC	E38/3127
MHNRC349	429849	6820400	421	36	-60	270	RC	E38/3127
MHNRC350	429897	6820399	422	36	-60	270	RC	E38/3127
MHNRC351	429949	6820401	422	36	-60	270	RC	E38/3127
MHNRC352	429649	6820299	418	36	-60	270	RC	E38/3127
MHNRC353	429700	6820300	418	36	-60	270	RC	E38/3127
MHNRC354	429748	6820301	418	36	-60	270	RC	E38/3127
MHNRC355	429798	6820301	418	36	-60	270	RC	E38/3127
MHNRC356	429847	6820301	418	36	-60	270	RC	E38/3127
MHNRC357	429897	6820300	419	36	-60	270	RC	E38/3127
MHNRC358	429946	6820300	419	36	-60	270	RC	E38/3127
MHNRC359	429606	6820030	419	36	-60	270	RC	E38/3127
MHNRC360	429658	6820032	419	36	-60	270	RC	E38/3127
MHNRC361	429706	6820027	419	36	-60	270	RC	E38/3127
MHNRC362	429754	6820027	419	36	-60	270	RC	E38/3127
MHNRC363	429803	6820023	419	36	-60	270	RC	E38/3127
MHNRC364	429856	6820026	419	36	-60	270	RC	E38/3127
MHNRC365	429907	6820029	420	36	-60	270	RC	E38/3127
MHNRC366	429485	6819821	417	42	-60	270	RC	E38/3127
MHNRC367	429588	6819819	417	36	-60	270	RC	E38/3127
MHNRC368	429638	6819822	417	48	-60	270	RC	E38/3127
MHNRC369	429677	6819825	417	42	-60	270	RC	E38/3127
MHNRC370	428953	6822698	420	75	-60	240	RC	E38/3127
MHNRC371	428992	6822720	421	75	-60	240	RC	E38/3127
MHNRC372	429003	6822620	421	75	-60	240	RC	E38/3127
MHNRC373	429039	6822642	418	100	-60	240	RC	E38/3127
MHNRC374	429093	6822674	423	100	-60	240	RC	E38/3127
MHNRC375	429086	6822575	422	80	-60	240	RC	E38/3127
MHNRC376	429131	6822599	424	100	-60	240	RC	E38/3127
MHNRC377	429195	6822500	426	100	-60	240	RC	M38/1041
MHNRC378	429240	6822524	426	100	-60	240	RC	E38/3127
MHNRC379	429220	6822368	429	60	-60	270	RC	M38/1041
MHNRC380	429275	6822368	430	100	-60	270	RC	M38/1041
MHNRC381	429339	6822371	432	100	-60	270	RC	E38/3127
MHNRC382	429313	6822273	433	60	-60	270	RC	M38/1041
MHNRC383	429369	6822277	434	100	-60	270	RC	E38/3127
MHNRC384	429355	6822212	430	60	-60	270	RC	E38/3127
MHNRC385	429403	6822207	431	80	-60	240	RC	E38/3127
MHNRC386	429441	6822227	432	100	-60	240	RC	E38/3127
MHNRC387	429453	6822151	431	70	-60	240	RC	E38/3127
MHNRC388	429494	6822178	432	100	-60	240	RC	E38/3127
MHNRC389	429523	6822079	433	80	-60	240	RC	E38/3127
MHNRC390	429571	6822105	435	100	-60	240	RC	E38/3127
MHNRC391	429361	6822026	430	20	-60	240	RC	E38/3127
MHNRC392	429371	6822036	429	25	-60	240	RC	E38/3127
MHNRC393	429492	6822027	432	60	-60	240	RC	E38/3127
MHNRC394	429573	6822001	436	100	-60	250	RC	E38/3127
MHNRC395	429620	6822017	439	100	-60	250	RC	E38/3127
MHNRC396	429411	6821943	431	15	-60	250	RC	E38/3127
MHNRC397	429441	6821960	431	15	-60	250	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC398	429438	6821940	431	15	-60	250	RC	E38/3127
MHNRC399	429457	6821941	432	15	-60	250	RC	E38/3127
MHNRC400	429444	6821925	429	30	-60	270	RC	E38/3127
MHNRC401	429441	6821911	432	15	-60	270	RC	E38/3127
MHNRC402	429449	6821909	432	15	-60	270	RC	E38/3127
MHNRC403	429471	6821912	433	15	-60	270	RC	E38/3127
MHNRC404	429482	6821912	433	15	-60	270	RC	E38/3127
MHNRC405	429436	6821891	433	15	-60	270	RC	E38/3127
MHNRC406	429468	6821893	433	25	-60	270	RC	E38/3127
MHNRC407	429430	6821869	432	15	-60	270	RC	E38/3127
MHNRC408	429444	6821873	432	15	-60	270	RC	E38/3127
MHNRC409	429453	6821873	432	15	-60	270	RC	E38/3127
MHNRC410	429464	6821875	432	15	-60	270	RC	E38/3127
MHNRC411	429432	6821860	432	10	-60	270	RC	E38/3127
MHNRC412	429405	6821841	432	10	-60	270	RC	E38/3127
MHNRC413	429417	6821840	432	10	-60	270	RC	E38/3127
MHNRC414	429440	6821838	432	10	-60	270	RC	E38/3127
MHNRC415	429474	6821836	432	15	-60	270	RC	E38/3127
MHNRC416	429485	6821836	432	15	-60	270	RC	E38/3127
MHNRC417	429571	6821856	433	60	-60	270	RC	E38/3127
MHNRC418	429452	6821741	431	15	-60	270	RC	E38/3127
MHNRC419	429484	6821741	431	25	-60	270	RC	E38/3127
MHNRC420	429509	6821740	431	40	-60	270	RC	E38/3127
MHNRC421	429580	6821715	430	60	-60	270	RC	E38/3127
MHNRC422	429576	6821763	431	50	-60	270	RC	E38/3127
MHNRC423	429446	6821787	431	15	-60	270	RC	E38/3127
MHNRC424	429456	6821788	431	15	-60	270	RC	E38/3127
MHNRC425	429469	6821789	432	15	-60	270	RC	E38/3127
MHNRC426	429481	6821790	432	15	-60	270	RC	E38/3127
MHNRC427	429458	6821667	430	10	-60	240	RC	E38/3127
MHNRC428	429485	6821166	426	20	-60	270	RC	E38/3127
MHNRC429	429503	6821165	426	20	-60	270	RC	E38/3127
MHNRC430	429523	6821165	426	20	-60	270	RC	E38/3127
MHNRC431	429469	6821101	425	10	-60	270	RC	E38/3127
MHNRC432	429490	6821101	425	15	-60	270	RC	E38/3127
MHNRC433	429507	6821103	425	20	-60	270	RC	E38/3127
MHNRC434	429482	6821051	424	20	-60	270	RC	E38/3127
MHNRC435	429500	6821050	424	20	-60	270	RC	E38/3127
MHNRC436	429519	6821050	425	20	-60	270	RC	E38/3127
MHNRC437	429527	6821069	423	50	-60	315	RC	E38/3127
MHNRC438	429552	6821040	425	50	-60	315	RC	E38/3127
MHNRC439	429581	6821011	421	50	-60	315	RC	E38/3127
MHNRC440	429613	6820981	420	50	-60	315	RC	E38/3127
MHNRC441	429690	6821061	422	50	-60	15	RC	E38/3127
MHNRC442	429722	6821034	421	50	-60	15	RC	E38/3127
MHNRC443	429753	6821001	420	50	-60	15	RC	E38/3127
MHNRC444	429779	6820972	420	50	-60	325	RC	E38/3127
MHNRC445	429823	6821098	421	70	-60	315	RC	E38/3127
MHNRC446	429628	6821330	425	20	-60	315	RC	E38/3127
MHNRC447	429663	6821309	424	100	-60	270	RC	E38/3127
MHNRC448	429628	6821329	425	20	-60	270	RC	E38/3127
MHNRC449	429818	6821098	421	70	-60	270	RC	E38/3127
MHNRC450	429689	6821063	422	50	-60	315	RC	E38/3127
MHNRC451	429778	6820969	420	50	-60	270	RC	E38/3127
MHNRC452	429780	6820902	420	70	-60	270	RC	E38/3127
MHNRC453	429720	6820801	419	65	-60	270	RC	E38/3127
MHNRC454	429094	6822356	426	25	-60	270	RC	M38/1041
MHNRC455	429122	6822355	427	25	-60	270	RC	M38/1041
MHNRC456	429139	6822352	426	25	-60	270	RC	M38/1041
MHNRC457	429216	6822199	424	25	-60	270	RC	M38/1041
MHNRC458	429392	6822061	428	25	-60	240	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC459	429406	6822040	428	25	-60	240	RC	E38/3127
MHNRC460	429465	6821945	432	25	-60	250	RC	E38/3127
MHNRC461	429472	6821954	432	25	-60	250	RC	E38/3127
MHNRC462	429446	6821781	431	25	-60	270	RC	E38/3127
MHNRC463	429460	6821779	431	25	-60	270	RC	E38/3127
MHNRC464	429478	6821753	431	25	-60	270	RC	E38/3127
MHNRC465	429488	6821755	431	25	-60	270	RC	E38/3127
MHNRC466	429469	6821690	430	25	-60	240	RC	E38/3127
MHNRC467	429482	6821699	430	25	-60	240	RC	E38/3127
MHNRC468	429491	6821704	430	25	-60	240	RC	E38/3127
MHNRC469	429496	6821661	429	25	-60	240	RC	E38/3127
MHNRC470	429507	6821671	430	25	-60	240	RC	E38/3127
MHNRC471	429516	6821680	430	25	-60	240	RC	E38/3127
MHNRC472	429496	6821631	428	25	-60	270	RC	E38/3127
MHNRC473	429510	6821634	428	25	-60	270	RC	E38/3127
MHNRC474	429507	6821603	428	25	-60	270	RC	E38/3127
MHNRC475	429158	6821990	431	25	-60	270	RC	E38/3127
MHNRC476	429015	6822430	423	36	-60	240	RC	M38/1041
MHNRC477	428963	6822600	421	75	-60	240	RC	E38/3127
MHNRC478	428931	6822439	422	75	-60	270	RC	E38/3127
MHNRC479	428906	6822400	422	75	-60	270	RC	E38/3127
MHNRC480	429060	6822397	424	40	-60	240	RC	M38/1041
MHNRC481	429101	6822420	424	40	-60	240	RC	M38/1041
MHNRC482	429039	6822440	422	40	-60	240	RC	M38/1041
MHNRC483	429198	6822164	425	40	-60	270	RC	M38/1041
MHNRC484	429218	6822164	426	40	-60	270	RC	M38/1041
MHNRC485	429237	6822164	426	40	-60	270	RC	M38/1041
MHNRC486	429344	6821985	431	15	-60	240	RC	E38/3127
MHNRC487	429352	6821978	431	20	-60	240	RC	E38/3127
MHNRC488	429365	6821981	431	20	-60	240	RC	E38/3127
MHNRC489	429503	6821835	432	30	-60	270	RC	E38/3127
MHNRC490	429613	6821764	432	60	-60	270	RC	E38/3127
MHNRC491	429608	6821719	432	60	-60	270	RC	E38/3127
MHNRC492	429495	6821598	427	25	-60	270	RC	E38/3127
MHNRC493	429652	6821587	432	75	-60	270	RC	E38/3127
MHNRC494	429616	6821361	426	25	-60	270	RC	E38/3127
MHNRC495	429636	6821362	425	25	-60	270	RC	E38/3127
MHNRC496	429677	6821249	424	110	-60	270	RC	E38/3127
MHNRC497	429675	6821202	424	50	-60	270	RC	E38/3127
MHNRC498	429799	6821126	421	50	-60	325	RC	E38/3127
MHNRC499	429797	6820942	420	80	-60	325	RC	E38/3127
MHNRC500	429673	6820948	420	40	-60	270	RC	E38/3127
MHNRC501	429722	6820945	420	40	-60	270	RC	E38/3127
MHNRC502	429633	6820848	421	80	-60	270	RC	E38/3127
MHNRC503	429684	6820853	420	40	-60	270	RC	E38/3127
MHNRC504	428663	6822184	421	48	-60	0	RC	E38/3127
MHNRC505	428659	6822171	420	50	-60	0	RC	E38/3127
MHNRC506	428898	6822385	421	54	-60	270	RC	E38/3127
MHNRC507	428938	6822450	421	54	-60	270	RC	E38/3127
MHNRC508	429647	6821926	435	100	-60	270	RC	E38/3127
MHNRC509	429639	6822112	434	75	-60	270	RC	E38/3127
MHNRC510	429650	6822141	434	120	-60	270	RC	E38/3127
MHNRC511	429510	6822122	429	60	-60	270	RC	E38/3127
MHNRC512	428701	6822199	418	100	-60	270	RC	E38/3127
MHNRC513	429765	6822567	425	60	-60	270	RC	E38/3127
MHNRC514	429097	6822389	422	30	-60	270	RC	M38/1041
MHNRC515	429129	6822355	424	30	-60	270	RC	M38/1041
MHNRC516	429152	6822355	423	24	-60	270	RC	M38/1041
MHNRC517	429109	6822340	424	15	-60	270	RC	M38/1041
MHNRC518	429127	6822339	424	20	-60	270	RC	M38/1041
MHNRC519	429138	6822339	424	25	-60	270	RC	M38/1041

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC520	429154	6822339	424	30	-60	270	RC	M38/1041
MHNRC521	429164	6822339	424	27	-60	270	RC	M38/1041
MHNRC522	429112	6822315	424	15	-60	270	RC	M38/1041
MHNRC523	429129	6822315	425	20	-60	270	RC	M38/1041
MHNRC524	429137	6822315	425	25	-60	270	RC	M38/1041
MHNRC525	429153	6822316	425	30	-60	270	RC	M38/1041
MHNRC526	429167	6822316	425	30	-60	270	RC	M38/1041
MHNRC527	429183	6822316	425	30	-60	270	RC	M38/1041
MHNRC528	429369	6822088	424	30	-60	240	RC	E38/3127
MHNRC529	429387	6822098	425	30	-60	240	RC	E38/3127
MHNRC530	429379	6822073	428	30	-60	240	RC	E38/3127
MHNRC531	429391	6822081	425	30	-60	240	RC	E38/3127
MHNRC532	429464	6821708	428	15	-60	240	RC	E38/3127
MHNRC533	429472	6821714	428	20	-60	240	RC	E38/3127
MHNRC534	429462	6821686	428	10	-60	240	RC	E38/3127
MHNRC535	429484	6821662	427	10	-60	240	RC	E38/3127
MHNRC536	429558	6821479	424	30	-60	270	RC	E38/3127
MHNRC537	429573	6821479	424	30	-60	270	RC	E38/3127
MHNRC538	429589	6821479	425	30	-60	270	RC	E38/3127
MHNRC539	429671	6821276	422	70	-60	270	RC	E38/3127
MHNRC540	429669	6821264	422	70	-60	270	RC	E38/3127
MHNRC541	429709	6821254	421	110	-60	270	RC	E38/3127
MHNRC542	429649	6821252	422	50	-60	270	RC	E38/3127
MHNRC543	429636	6821203	423	30	-60	270	RC	E38/3127
MHNRC544	429704	6821201	421	71	-60	270	RC	E38/3127
MHNRC545	429683	6821185	421	70	-60	270	RC	E38/3127
MHNRC546	429656	6821167	422	30	-60	270	RC	E38/3127
MHNRC547	429676	6821167	421	40	-60	270	RC	E38/3127
MHNRC548	429689	6821166	421	50	-60	270	RC	E38/3127
MHNRC549	429653	6821134	422	30	-60	270	RC	E38/3127
MHNRC550	429677	6821135	421	40	-60	270	RC	E38/3127
MHNRC551	429701	6821135	420	50	-60	270	RC	E38/3127
MHNRC552	429730	6821136	420	60	-60	270	RC	E38/3127
MHNRC553	429760	6821136	419	125	-60	270	RC	E38/3127
MHNRC554	429728	6821170	420	60	-60	270	RC	E38/3127
MHNRC555	429651	6821202	423	70	-60	270	RC	E38/3127
MHNRC556	429629	6821239	423	30	-60	270	RC	E38/3127
MHNRC557	429650	6821039	422	60	-60	270	RC	E38/3127
MHNRC558	428990	6822450	419	60	-60	270	RC	E38/3127
MHNRC559	428984	6822676	417	105	-60	240	RC	E38/3127
MHNRC560	429635	6821167	423	50	-60	270	RC	E38/3127
MHNRC561	429631	6821134	422	30	-60	270	RC	E38/3127
MHNRC562	429638	6821071	422	79	-60	270	RC	E38/3127
MHNRC563	429759	6821180	420	90	-60	270	RC	E38/3127
MHNRC564	429721	6821289	421	110	-60	270	RC	E38/3127
MHNRC565	429222	6819645	413	74	-60	270	RC	E38/3127
MHNRC566	429250	6820165	415	42	-60	270	RC	E38/3127
MHNRC567	429347	6820164	416	52	-60	270	RC	E38/3127
MHNRC568	429444	6820167	416	75	-60	270	RC	E38/3127
MHNRC569	429546	6820165	417	75	-60	270	RC	E38/3127
MHNRC570	429400	6820375	416	50	-60	270	RC	E38/3127
MHNRC571	429500	6820372	417	75	-60	270	RC	E38/3127
MHNRC572	429538	6820422	417	100	-60	0	RC	E38/3127
MHNRC573	429477	6820578	416	24	-60	270	RC	E38/3127
MHNRC574	429513	6820581	416	36	-60	270	RC	E38/3127
MHNRC575	429584	6820581	417	60	-60	270	RC	E38/3127
MHNRC576	429147	6822355	423	40	-60	270	RC	M38/1041
MHNRC577	429536	6822126	430	225	-50	240	RC	E38/3127
MHNRC578	429609	6821856	430	225	-50	270	RC	E38/3127
MHNRC579	429654	6821741	433	225	-50	270	RC	E38/3127
MHNRC580	429631	6821643	430	225	-50	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC581	429849	6821169	419	250	-50	270	RC	E38/3127
MHNRC582	429790	6821311	421	225	-50	270	RC	E38/3127
MHNRC583	429769	6821252	420	150	-60	270	RC	E38/3127
MHNRC584	429656	6821187	422	50	-60	270	RC	E38/3127
MHNRC585	429853	6821315	421	170	-60	270	RC	E38/3127
MHNRC586	429831	6821341	421	150	-60	270	RC	E38/3127
MHNRC587	429859	6821378	422	160	-60	270	RC	E38/3127
MHNRC588	429538	6821131	423	50	-60	270	RC	E38/3127
MHNRC589	429571	6821132	424	50	-60	270	RC	E38/3127
MHNRC590	429600	6821133	423	50	-60	270	RC	E38/3127
MHNRC591	429563	6821164	424	50	-60	270	RC	E38/3127
MHNRC592	429599	6821166	424	50	-60	270	RC	E38/3127
MHNRC593	429410	6822089	425	36	-60	240	RC	E38/3127
MHNRC594	429369	6822098	424	21	-60	240	RC	E38/3127
MHNRC595	429354	6822092	424	21	-60	240	RC	E38/3127
MHNRC596	429190	6822339	425	27	-60	270	RC	M38/1041
MHNRC597	428824	6822715	416	50	-60	240	RC	E38/3127
MHNRC598	429681	6821150	421	65	-60	270	RC	E38/3127
MHNRC599	429559	6821250	424	100	-60	270	RC	E38/3127
MHNRC600	429468	6821502	423	100	-60	270	RC	E38/3127
MHNRC601	429296	6821549	421	100	-60	270	RC	E38/3127
MHNRC602	429212	6821551	420	75	-60	270	RC	E38/3127
MHNRC603	429391	6821705	426	90	-60	270	RC	E38/3127
MHNRC604	429563	6820850	417	70	-60	270	RC	E38/3127
MHNRC605	429459	6821049	421	50	-60	270	RC	E38/3127
MHNRC606	429919	6821553	424	145	-60	270	RC	E38/3127
MHNRC607	429640	6821643	431	50	-60	270	RC	E38/3127
MHNRC608	429594	6822121	433	100	-60	240	RC	E38/3127
MHNRC609	429179	6822401	424	100	-60	270	RC	M38/1041
MHNRC610	429101	6822528	420	100	-60	240	RC	E38/3127
MHNRC611	429301	6821049	419	124	-60	270	RC	E38/3127
MHNRC612	429404	6821853	430	120	-60	270	RC	E38/3127
MHNRC613	429600	6822200	434	100	-60	270	RC	E38/3127
MHNRC614	429258	6822545	423	100	-60	270	RC	E38/3127
MHNRC615	429055	6821788	423	100	-60	270	RC	E38/3127
MHNRC616	428788	6822693	416	60	-60	240	RC	E38/3127
MHNRC617	428750	6822673	415	60	-60	240	RC	E38/3127
MHNRC618	428709	6822652	415	60	-60	240	RC	E38/3127
MHNRC619	428878	6822658	417	60	-60	240	RC	E38/3127
MHNRC620	428844	6822638	416	92	-60	240	RC	E38/3127
MHNRC621	428786	6822606	416	60	-60	240	RC	E38/3127
MHNRC622	428880	6822559	416	59	-60	240	RC	E38/3127
MHNRC623	428879	6822462	418	75	-60	240	RC	E38/3127
MHNRC624	428938	6822491	418	60	-60	240	RC	E38/3127
MHNRC625	429226	6822658	421	110	-60	240	RC	E38/3127
MHNRC626	429035	6822486	419	60	-60	240	RC	E38/3127
MHNRC627	429456	6822116	427	50	-60	240	RC	E38/3127
MHNRC628	429434	6822104	426	50	-60	240	RC	E38/3127
MHNRC629	429304	6822079	424	40	-60	240	RC	E38/3127
MHNRC630	429343	6822060	425	40	-60	240	RC	E38/3127
MHNRC631	429316	6822046	426	40	-60	240	RC	E38/3127
MHNRC632	429329	6822027	427	40	-60	240	RC	E38/3127
MHNRC633	429311	6822009	428	40	-60	240	RC	E38/3127
MHNRC634	429321	6821987	429	40	-60	240	RC	E38/3127
MHNRC635	429333	6821969	429	40	-60	240	RC	E38/3127
MHNRC636	429376	6821894	430	40	-60	240	RC	E38/3127
MHNRC637	429401	6821823	430	40	-60	240	RC	E38/3127
MHNRC638	429409	6821789	429	40	-60	270	RC	E38/3127
MHNRC639	429418	6821752	428	40	-60	270	RC	E38/3127
MHNRC640	429425	6821700	427	37	-60	270	RC	E38/3127
MHNRC641	429427	6821663	426	40	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC642	429434	6821614	426	40	-60	270	RC	E38/3127
MHNRC643	429443	6821583	425	40	-60	270	RC	E38/3127
MHNRC644	429476	6821583	424	40	-60	270	RC	E38/3127
MHNRC645	429449	6821542	423	40	-60	270	RC	E38/3127
MHNRC646	429491	6821511	424	40	-60	270	RC	E38/3127
MHNRC647	429520	6821477	424	45	-60	270	RC	E38/3127
MHNRC648	429489	6821441	423	40	-60	270	RC	E38/3127
MHNRC649	429901	6821426	423	190	-60	270	RC	E38/3127
MHNRC650	429892	6821377	422	150	-60	270	RC	E38/3127
MHNRC651	429829	6821377	422	150	-60	270	RC	E38/3127
MHNRC652	429864	6821346	422	150	-60	270	RC	E38/3127
MHNRC653	429797	6821346	421	150	-60	270	RC	E38/3127
MHNRC654	429594	6821310	423	50	-60	270	RC	E38/3127
MHNRC655	429548	6821311	423	40	-60	270	RC	E38/3127
MHNRC656	429721	6821311	421	130	-55	270	RC	E38/3127
MHNRC657	429692	6821284	421	110	-60	270	RC	E38/3127
MHNRC658	429759	6821284	421	115	-60	270	RC	E38/3127
MHNRC659	429738	6821250	420	150	-57	270	RC	E38/3127
MHNRC660	429644	6821224	422	50	-60	270	RC	E38/3127
MHNRC661	429687	6821224	421	60	-60	270	RC	E38/3127
MHNRC662	429505	6821200	424	40	-60	270	RC	E38/3127
MHNRC663	429552	6821200	424	40	-60	270	RC	E38/3127
MHNRC664	429606	6821200	424	80	-60	270	RC	E38/3127
MHNRC665	429660	6821199	422	90	-60	270	RC	E38/3127
MHNRC666	429688	6821200	421	90	-60	270	RC	E38/3127
MHNRC667	429662	6821165	422	110	-60	270	RC	E38/3127
MHNRC668	429814	6821167	419	80	-55	270	RC	E38/3127
MHNRC669	429893	6821167	419	100	-55	270	RC	E38/3127
MHNRC670	429613	6821133	423	50	-60	270	RC	E38/3127
MHNRC671	429540	6821100	423	50	-60	270	RC	E38/3127
MHNRC672	429586	6821094	423	50	-60	270	RC	E38/3127
MHNRC673	429604	6821073	422	50	-60	270	RC	E38/3127
MHNRC674	429672	6821070	420	55	-60	270	RC	E38/3127
MHNRC675	429417	6821050	420	40	-60	270	RC	E38/3127
MHNRC676	429535	6821048	423	70	-60	270	RC	E38/3127
MHNRC677	429573	6821049	423	45	-60	270	RC	E38/3127
MHNRC678	429793	6821049	418	110	-60	270	RC	E38/3127
MHNRC679	429820	6820997	417	85	-60	270	RC	E38/3127
MHNRC680	429533	6820998	420	40	-60	270	RC	E38/3127
MHNRC681	429582	6820999	421	40	-60	270	RC	E38/3127
MHNRC682	429558	6820950	419	40	-60	270	RC	E38/3127
MHNRC683	429843	6820945	418	90	-60	270	RC	E38/3127
MHNRC684	429831	6820901	418	100	-60	270	RC	E38/3127
MHNRC685	429764	6820853	417	70	-60	270	RC	E38/3127
MHNRC686	429476	6820849	417	40	-60	270	RC	E38/3127
MHNRC687	429278	6820799	416	50	-60	270	RC	E38/3127
MHNRC688	429197	6820895	417	50	-60	270	RC	E38/3127
MHNRC689	428972	6820550	412	40	-60	270	RC	E38/3127
MHNRC690	429191	6820599	413	80	-60	270	RC	E38/3127
MHNRC691	429406	6820480	415	80	-60	270	RC	E38/3127
MHNRC692	429408	6820557	415	60	-60	270	RC	E38/3127
MHNRC693	429660	6820582	417	120	-60	270	RC	E38/3127
MHNRC694	429650	6820511	417	130	-60	270	RC	E38/3127
MHNRC696	429639	6820385	418	120	-60	270	RC	E38/3127
MHNRC697	429797	6820448	419	80	-60	270	RC	E38/3127
MHNRC698	429359	6821991	429	40	-60	240	RC	E38/3127
MHNRC699	429679	6822052	437	105	-60	240	RC	E38/3127
MHNRC700	429670	6821101	421	40	-60	270	RC	E38/3127
MHNRC701	429444	6820851	417	40	-60	270	RC	E38/3127
MHNRC702	429505	6821002	421	40	-60	270	RC	E38/3127
MHNRC703	429470	6820951	419	40	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC704	429504	6820952	419	40	-60	270	RC	E38/3127
MHNRC705	429520	6820697	415	40	-60	270	RC	E38/3127
MHNRC706	429936	6821299	421	70	-60	270	RC	E38/3127
MHNRC707	429979	6821300	421	70	-60	270	RC	E38/3127
MHNRC708	430019	6821394	421	70	-60	270	RC	E38/3127
MHNRC709	430060	6821394	421	70	-60	270	RC	E38/3127
MHNRC710	429754	6821346	421	125	-60	270	RC	E38/3127
MHNRC711	429867	6821000	418	50	-60	270	RC	E38/3127
MHNRC712	428835	6822437	418	60	-60	240	RC	E38/3127
MHNRC713	428788	6822510	416	60	-60	240	RC	E38/3127
MHNRC714	428833	6822533	416	60	-60	240	RC	E38/3127
MHNRC715	428690	6822554	415	60	-60	240	RC	E38/3127
MHNRC716	428743	6822586	415	60	-60	240	RC	E38/3127
MHNRC717	428600	6822588	414	49	-60	240	RC	E38/3127
MHNRC718	429716	6820392	418	115	-60	270	RC	E38/3127
MHNRC719	429468	6820553	416	100	-60	270	RC	E38/3127
MHNRC720	429683	6821237	421	70	-60	270	RC	E38/3127
MHNRC721	429721	6821236	420	90	-60	270	RC	E38/3127
MHNRC722	429692	6821270	421	80	-60	270	RC	E38/3127
MHNRC723	429730	6821268	421	100	-60	270	RC	E38/3127
MHNRC724	429803	6821282	420	141	-60	270	RC	E38/3127
MHNRC725	429711	6821331	421	70	-60	270	RC	E38/3127
MHNRC726	429749	6821333	421	110	-60	270	RC	E38/3127
MHNRC727	429790	6821331	421	130	-60	270	RC	E38/3127
MHNRC728	429832	6821328	421	150	-60	270	RC	E38/3127
MHNRC729	429870	6821426	423	120	-60	270	RC	E38/3127
MHNRC730	429928	6821474	424	198	-60	270	RC	E38/3127
MHNRC731	429536	6821801	429	50	-60	270	RC	E38/3127
MHNRC732	429572	6821802	429	60	-60	270	RC	E38/3127
MHNRC733	429613	6821802	429	70	-60	270	RC	E38/3127
MHNRC734	429500	6821877	430	40	-60	270	RC	E38/3127
MHNRC735	429526	6821877	431	50	-60	270	RC	E38/3127
MHNRC736	429547	6822280	431	120	-60	240	RC	E38/3127
MHNRC737	429391	6822378	429	80	-60	270	RC	E38/3127
MHNRC738	429069	6822463	420	55	-60	240	RC	M38/1041
MHNRC739	428639	6822609	414	60	-60	240	RC	E38/3127
MHNRC740	428890	6822748	416	75	-60	240	RC	E38/3127
MHNRC741	428935	6822772	417	75	-60	240	RC	E38/3127
MHNRC742	428975	6822793	417	75	-60	240	RC	E38/3127
MHNRC743	428823	6822883	416	75	-60	240	RC	E38/3127
MHNRC744	428866	6822906	417	75	-60	240	RC	E38/3127
MHNRC745	428906	6822927	417	75	-60	240	RC	E38/3127
MHNRC746	428462	6822693	414	73	-60	225	RC	E38/3127
MHNRC747	428501	6822738	415	75	-60	225	RC	E38/3127
MHNRC748	428538	6822773	415	73	-60	225	RC	E38/3127
MHNRC749	428575	6822810	415	79	-60	225	RC	E38/3127
MHNRC750	428615	6822850	415	75	-60	225	RC	E38/3127
MHNRC751	428649	6822885	415	75	-60	225	RC	E38/3127
MHNRC752	428271	6822784	414	85	-60	225	RC	E38/3127
MHNRC753	428311	6822821	414	75	-60	225	RC	E38/3127
MHNRC754	428351	6822859	414	75	-60	225	RC	E38/3127
MHNRC755	428389	6822896	414	75	-60	225	RC	E38/3127
MHNRC756	428453	6822926	415	76	-60	225	RC	E38/3127
MHNRC757	428472	6823010	415	75	-60	225	RC	E38/3127
MHNRC758	428111	6822892	414	75	-60	225	RC	E38/3127
MHNRC759	428153	6822932	414	75	-60	225	RC	E38/3127
MHNRC760	428190	6822967	414	75	-60	225	RC	E38/3127
MHNRC761	428229	6823006	414	75	-60	225	RC	E38/3127
MHNRC762	428266	6823043	414	75	-60	225	RC	E38/3127
MHNRC763	428304	6823081	415	75	-60	225	RC	E38/3127
MHNRC764	428787	6823053	416	75	-60	330	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC765	428761	6823099	416	75	-60	330	RC	E38/3127
MHNRC766	428724	6823162	416	75	-60	330	RC	E38/3127
MHNRC767	428699	6823207	416	75	-60	330	RC	E38/3127
MHNRC768	429069	6823208	417	75	-60	330	RC	E38/3127
MHNRC769	429042	6823252	417	75	-60	330	RC	E38/3127
MHNRC770	429014	6823300	417	75	-60	330	RC	E38/3127
MHNRC771	428977	6823361	417	75	-60	330	RC	E38/3127
MHNRC772	428958	6823300	417	75	-60	240	RC	E38/3127
MHNRC773	429012	6823328	417	75	-60	240	RC	E38/3127
MHNRC774	429048	6823351	417	75	-60	240	RC	E38/3127
MHNRC775	429603	6821048	422	75	-60	270	RC	E38/3127
MHNRC776	429647	6821100	422	75	-60	270	RC	E38/3127
MHNRC777	429759	6821377	422	100	-60	270	RC	E38/3127
MHNRC778	429571	6821071	423	50	-60	270	RC	E38/3127
MHNRC779	429775	6820393	418	181	-60	270	RC	E38/3127
MHNRC780	429733	6820451	418	170	-60	270	RC	E38/3127
MHNRC781	429753	6820506	418	162	-60	270	RC	E38/3127
MHNRC782	429692	6820334	418	170	-60	270	RC	E38/3127
MHNRC783	429372	6822152	426	50	-60	240	RC	E38/3127
MHNRC784	429402	6822168	427	60	-60	240	RC	E38/3127
MHNRC785	429430	6822185	427	70	-60	240	RC	E38/3127
MHNRC786	429460	6822205	429	80	-60	240	RC	E38/3127
MHNRC787	429381	6822250	430	70	-60	270	RC	E38/3127
MHNRC788	429344	6822251	429	60	-60	270	RC	E38/3127
MHNRC789	429303	6822250	429	50	-60	270	RC	M38/1041
MHNRC790	429265	6822250	427	40	-60	270	RC	M38/1041
MHNRC791	429222	6822250	426	30	-60	270	RC	M38/1041
MHNRC792	429209	6822325	426	40	-60	270	RC	M38/1041
MHNRC793	429252	6822324	427	50	-60	270	RC	M38/1041
MHNRC794	429295	6822324	429	55	-60	270	RC	M38/1041
MHNRC795	429336	6822325	431	60	-60	270	RC	E38/3127
MHNRC796	429375	6822326	432	65	-60	270	RC	E38/3127
MHNRC797	429173	6822441	423	55	-60	240	RC	M38/1041
MHNRC798	429212	6822460	423	65	-60	240	RC	M38/1041
MHNRC799	429258	6822483	423	70	-60	240	RC	E38/3127
MHNRC800	429213	6822407	425	40	-60	240	RC	M38/1041
MHNRC801	429255	6822426	424	50	-60	240	RC	M38/1041
MHNRC802	429291	6822444	425	60	-60	240	RC	E38/3127
MHNRC803	428800	6823291	417	75	-60	225	RC	E38/3127
MHNRC805	429693	6821548	429	70	-60	270	RC	E38/3127
MHNRC806	429660	6820925	418	36	-60	270	RC	E38/3127
MHNRC807	429692	6820926	417	46	-60	270	RC	E38/3127
MHNRC808	429721	6820926	417	48	-60	270	RC	E38/3127
MHNRC809	429668	6820978	419	21	-60	270	RC	E38/3127
MHNRC810	429680	6820979	418	21	-60	270	RC	E38/3127
MHNRC811	429695	6820979	418	21	-60	270	RC	E38/3127
MHNRC812	429771	6821169	420	90	-60	270	RC	E38/3127
MHNRC813	429738	6821199	420	90	-60	270	RC	E38/3127
MHNRC814	429800	6821202	419	100	-60	270	RC	E38/3127
MHNRC815	429854	6821201	420	120	-60	270	RC	E38/3127
MHNRC816	429523	6821024	422	64	-60	270	RC	E38/3127
MHNRC817	429518	6820970	419	50	-60	270	RC	E38/3127
MHNRC818	429400	6822789	421	60	-60	270	RC	E38/3127
MHNRC819	429188	6822247	426	50	-60	270	RC	M38/1041
MHNRC820	429159	6822245	425	30	-60	270	RC	M38/1041
MHNRC821	429138	6822245	425	30	-60	270	RC	M38/1041
MHNRC822	429138	6822294	425	30	-60	270	RC	M38/1041
MHNRC823	429159	6822295	426	30	-60	270	RC	M38/1041
MHNRC824	429181	6822296	426	30	-60	270	RC	M38/1041
MHNRC825	429352	6822134	426	50	-60	240	RC	M38/1041
MHNRC826	429324	6822120	424	50	-60	240	RC	M38/1041

\*

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC827	429296	6822106	423	50	-60	240	RC	M38/1041
MHNRC828	429540	6822044	432	80	-60	240	RC	E38/3127
MHNRC829	429568	6821966	433	80	-60	250	RC	E38/3127
MHNRC830	429569	6821891	431	80	-60	270	RC	E38/3127
MHNRC831	429591	6821682	428	80	-60	270	RC	E38/3127
MHNRC832	429619	6821614	429	55	-60	270	RC	E38/3127
MHNRC833	429656	6821615	431	75	-60	270	RC	E38/3127
MHNRC834	429650	6821401	423	75	-60	270	RC	E38/3127
MHNRC835	429157	6822557	422	85	-60	240	RC	E38/3127
MHNRC836	429294	6822558	423	85	-60	240	RC	E38/3127
MHNRC837	429181	6822356	424	50	-60	270	RC	M38/1041
MHNRC838	429136	6822353	423	50	-60	270	RC	M38/1041
MHNRC839	429135	6822367	423	50	-60	270	RC	M38/1041
MHNRC840	429139	6822332	425	50	-60	270	RC	M38/1041
MHNRC841	429199	6822195	424	50	-60	270	RC	M38/1041
MHNRC842	429116	6822409	421	50	-60	240	RC	M38/1041
MHNRC843	428994	6822421	420	50	-60	240	RC	E38/3127
MHNRC844	429577	6822151	432	110	-60	240	RC	E38/3127
MHNRC847	429526	6821953	432	60	-60	270	RC	E38/3127
MHNRC848	429533	6821912	432	60	-60	270	RC	E38/3127
MHNRC849	429342	6821893	430	40	-60	270	RC	E38/3127
MHNRC851	429426	6821877	430	70	-60	270	RC	E38/3127
MHNRC852	429536	6821844	430	50	-60	270	RC	E38/3127
MHNRC853	429483	6821805	429	30	-60	270	RC	E38/3127
MHNRC854	429655	6821801	430	90	-60	270	RC	E38/3127
MHNRC855	429643	6821766	431	70	-60	270	RC	E38/3127
MHNRC856	429433	6821786	430	15	-60	270	RC	E38/3127
MHNRC857	429495	6821779	429	40	-60	270	RC	E38/3127
MHNRC858	429536	6821780	428	50	-60	270	RC	E38/3127
MHNRC859	429457	6821700	428	15	-60	240	RC	E38/3127
MHNRC860	429467	6821669	427	15	-60	240	RC	E38/3127
MHNRC861	429498	6821687	426	15	-60	240	RC	E38/3127
MHNRC862	429542	6821689	426	50	-60	270	RC	E38/3127
MHNRC863	429551	6821645	426	40	-60	270	RC	E38/3127
MHNRC864	429575	6821618	426	40	-60	270	RC	E38/3127
MHNRC865	429523	6821581	427	15	-60	270	RC	E38/3127
MHNRC866	429561	6821590	425	35	-60	270	RC	E38/3127
MHNRC867	429628	6821480	425	65	-60	270	RC	E38/3127
MHNRC868	429455	6821440	423	25	-60	270	RC	E38/3127
MHNRC871	429548	6821402	424	45	-60	270	RC	E38/3127
MHNRC872	429590	6821402	424	55	-60	270	RC	E38/3127
MHNRC873	429517	6821310	424	35	-60	270	RC	E38/3127
MHNRC874	429522	6821249	424	10	-60	270	RC	E38/3127
MHNRC875	429605	6821247	423	60	-60	270	RC	E38/3127
MHNRC876	429555	6821228	424	50	-60	270	RC	E38/3127
MHNRC877	429790	6821130	419	60	-60	270	RC	E38/3127
MHNRC878	429490	6821000	426	10	-60	270	RC	E38/3127
MHNRC879	429621	6820802	416	30	-60	270	RC	E38/3127
MHNRC880	429575	6820802	423	15	-60	270	RC	E38/3127
MHNRC881	429605	6820850	423	15	-60	270	RC	E38/3127
MHNRC882	429658	6820853	416	30	-60	270	RC	E38/3127
MHNRC883	429671	6820906	417	35	-60	270	RC	E38/3127
MHNRC884	429629	6820907	418	15	-60	270	RC	E38/3127
MHNRC886	429700	6820949	417	25	-60	270	RC	E38/3127
MHNRC887	429649	6820951	419	15	-60	270	RC	E38/3127
MHNRC888	429692	6821003	419	40	-60	270	RC	E38/3127
MHNRC889	429837	6821054	418	120	-60	270	RC	E38/3127
MHNRC890	429846	6821099	418	70	-60	270	RC	E38/3127
MHNRC891	429829	6821136	419	80	-60	270	RC	E38/3127
MHNRC892	429841	6821288	421	130	-60	270	RC	E38/3127
MHNRC893	429921	6821378	422	145	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC894	429855	6821478	424	145	-60	270	RC	E38/3127
MHNRC896	429951	6821550	424	108	-60	270	RC	E38/3127
MHNRC897	429839	6821428	423	130	-60	270	RC	E38/3127
MHNRC899	428756	6822932	422	75	-60	240	RC	E38/3127
MHNRC900	428786	6822950	422	75	-60	240	RC	E38/3127
MHNRC901	428858	6822817	422	75	-60	240	RC	E38/3127
MHNRC902	429935	6821514	430	200	-60	270	RC	E38/3127
MHNRC903	429751	6821452	425	145	-60	270	RC	E38/3127
MHNRC904	429800	6821454	424	145	-60	270	RC	E38/3127
MHNRC905	429854	6821455	430	195	-60	270	RC	E38/3127
MHNRC906	429909	6821455	423	145	-60	270	RC	E38/3127
MHNRC907	429957	6821455	429	200	-60	270	RC	E38/3127
MHNRC908	430014	6821455	422	205	-60	270	RC	E38/3127
MHNRC909	430061	6821455	427	215	-60	270	RC	E38/3127
MHNRC911	429942	6821427	423	165	-60	270	RC	E38/3127
MHNRC912	430023	6821428	422	200	-60	270	RC	E38/3127
MHNRC913	429705	6821400	422	142	-60	270	RC	E38/3127
MHNRC914	429748	6821400	422	143	-60	270	RC	E38/3127
MHNRC915	429788	6821400	422	143	-60	270	RC	E38/3127
MHNRC916	429908	6821400	428	170	-60	270	RC	E38/3127
MHNRC917	429956	6821400	422	185	-60	270	RC	E38/3127
MHNRC918	429993	6821400	428	192	-60	270	RC	E38/3127
MHNRC919	429968	6821376	422	165	-60	270	RC	E38/3127
MHNRC921	429920	6821345	422	160	-60	270	RC	E38/3127
MHNRC922	429963	6821345	427	175	-60	270	RC	E38/3127
MHNRC923	429575	6820700	422	60	-60	270	RC	E38/3127
MHNRC924	429625	6820700	422	80	-60	270	RC	E38/3127
MHNRC925	429690	6820700	423	120	-60	270	RC	E38/3127
MHNRC926	429755	6820700	423	150	-60	270	RC	E38/3127
MHNRC927	429810	6820700	424	178	-60	270	RC	E38/3127
MHNRC928	429855	6820700	424	200	-60	270	RC	E38/3127
MHNRC929	429733	6820631	424	140	-60	270	RC	E38/3127
MHNRC930	429781	6820630	424	140	-60	270	RC	E38/3127
MHNRC931	429828	6820631	424	140	-60	270	RC	E38/3127
MHNRC932	429722	6820506	424	120	-60	270	RC	E38/3127
MHNRC933	429783	6820506	424	180	-60	270	RC	E38/3127
MHNRC934	429713	6820477	424	150	-60	270	RC	E38/3127
MHNRC935	429743	6820477	424	160	-60	270	RC	E38/3127
MHNRC936	429700	6820447	423	180	-60	270	RC	E38/3127
MHNRC937	429773	6820477	424	160	-60	270	RC	E38/3127
MHNRC938	429765	6820447	424	199	-60	270	RC	E38/3127
MHNRC939	429695	6820420	423	132	-60	270	RC	E38/3127
MHNRC940	429725	6820420	424	160	-60	270	RC	E38/3127
MHNRC941	429755	6820420	424	160	-60	270	RC	E38/3127
MHNRC942	429606	6820391	423	140	-60	270	RC	E38/3127
MHNRC943	429683	6820391	423	160	-60	270	RC	E38/3127
MHNRC944	429670	6820364	423	145	-60	270	RC	E38/3127
MHNRC945	429710	6820364	423	163	-60	270	RC	E38/3127
MHNRC946	429727	6820334	424	187	-60	270	RC	E38/3127
MHNRC947	429149	6820558	419	70	-60	315	RC	E38/3127
MHNRC948	429183	6820527	419	90	-60	315	RC	E38/3127
MHNRC949	429125	6820446	419	90	-60	315	RC	E38/3127
MHNRC950	429095	6820475	419	70	-60	315	RC	E38/3127
MHNRC951	429429	6820860	423	70	-60	315	RC	E38/3127
MHNRC952	429401	6820889	424	70	-60	315	RC	E38/3127
MHNRC953	429418	6820571	420	70	-60	300	RC	E38/3127
MHNRC954	429388	6820590	420	70	-60	300	RC	E38/3127
MHNRC955	429381	6820497	420	70	-60	300	RC	E38/3127
MHNRC956	429351	6820517	420	70	-60	300	RC	E38/3127
MHNRC957	429352	6820353	421	70	-60	300	RC	E38/3127
MHNRC958	429322	6820371	421	70	-60	300	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC959	429292	6820388	420	70	-60	300	RC	E38/3127
MHNRC960	429602	6820630	422	70	-60	270	RC	E38/3127
MHNRC961	429567	6820630	422	70	-60	270	RC	E38/3127
MHNRC962	429584	6820510	423	90	-60	270	RC	E38/3127
MHNRC963	429535	6820510	422	70	-60	270	RC	E38/3127
MHNRC964	429536	6820391	422	70	-60	270	RC	E38/3127
MHNRC965	429578	6820447	423	90	-60	270	RC	E38/3127
MHNRC966	429536	6820447	422	70	-60	270	RC	E38/3127
MHNRC967	429651	6820230	423	130	-60	270	RC	E38/3127
MHNRC968	429583	6820230	423	110	-60	270	RC	E38/3127
MHNRC969	429908	6821000	424	100	-60	270	RC	E38/3127
MHNRC970	429903	6821054	425	100	-60	270	RC	E38/3127
MHNRC971	429616	6821891	438	100	-60	270	RC	E38/3127
MHNRC972	429590	6822068	437	100	-60	270	RC	E38/3127
MHNRC973	429348	6822587	429	120	-60	240	RC	E38/3127
MHNRC974	429305	6822510	430	90	-60	240	RC	E38/3127
MHNRC975	429347	6822535	430	120	-60	240	RC	E38/3127
MHNRC976	429222	6822592	427	110	-60	240	RC	E38/3127
MHNRC977	429284	6822628	428	140	-60	240	RC	E38/3127
MHNRC978	429159	6822708	425	150	-60	240	RC	E38/3127
MHNRC979	428852	6822400	424	70	-60	270	RC	E38/3127
MHNRC980	428939	6822401	425	90	-60	270	RC	E38/3127
MHNRC981	428940	6822345	426	90	-60	270	RC	E38/3127
MHNRC982	428890	6822345	425	90	-60	270	RC	E38/3127
MHNRC983	428840	6822345	424	90	-60	270	RC	E38/3127
MHNRC984	428100	6821700	418	90	-60	270	RC	E38/3127
MHNRC985	428150	6821700	418	90	-60	270	RC	E38/3127
MHNRC986	428080	6821835	418	120	-60	270	RC	E38/3127
MHNRC987	430340	6819400	423	90	-60	270	RC	E38/3127
MHNRC988	430280	6819400	423	90	-60	270	RC	E38/3127
MHNRC989	430220	6819400	423	90	-60	270	RC	E38/3127
MHNRC990	430160	6819400	422	90	-60	270	RC	E38/3127
MHNRC991	430100	6819400	422	90	-60	270	RC	E38/3127
MHNRC992	430040	6819400	422	90	-60	270	RC	E38/3127
MHNRC993	429980	6819400	422	90	-60	270	RC	E38/3127
MHNRC994	429495	6821310	429	30	-60	270	RC	E38/3127
MHNRC995	429475	6821310	429	30	-60	270	RC	E38/3127
MHNRC996	429432	6821877	435	25	-60	270	RC	E38/3127
MHNRC997	429425	6821883	435	25	-60	270	RC	E38/3127
MHNRC998	429430	6821883	435	25	-60	270	RC	E38/3127
MHNRC999	429435	6821883	435	25	-60	270	RC	E38/3127
MHNRC1000	429500	6821280	429	25	-60	270	RC	E38/3127
MHNRC1001	429520	6821280	429	30	-60	270	RC	E38/3127
MHNRC1002	429540	6821280	429	35	-60	270	RC	E38/3127
MHNRC1003	429706	6820980	424	20	-60	270	RC	E38/3127
MHNRC1004	429726	6820980	424	40	-60	270	RC	E38/3127
MHNRC1005	429780	6821200	426	40	-60	270	RC	E38/3127
MHNRC1006	429820	6821200	426	65	-60	270	RC	E38/3127
MHNRC1007	429800	6821215	426	45	-60	270	RC	E38/3127
MHNRC1008	429800	6821190	426	45	-60	270	RC	E38/3127
MHNRC1009	429418	6821272	430	96	-60	270	RC	E38/3127
MHNRC1010	429043	6821298	423	235	-60	270	RC	E38/3127
MHNRC1011	429852	6821251	430	100	-60	270	RC	E38/3127
MHNRC1012	428370	6821639	414	163	-60	270	RC	E38/3127
MHNRC1013	427533	6821862	413	171	-60	270	RC	E38/3127
MHNRC1014	426990	6826100	400	80	-60	270	RC	E38/3127
MHNRC1015	427030	6826100	400	80	-60	270	RC	E38/3127
MHNRC1016	427070	6826100	400	80	-60	270	RC	E38/3127
MHNRC1018	427021	6826017	400	80	-60	270	RC	E38/3127
MHNRC1019	427056	6826007	400	80	-60	270	RC	E38/3127
MHNRC1020	427655	6822716	400	75	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC1021	427695	6822716	400	75	-60	270	RC	E38/3127
MHNRC1022	427735	6822716	400	75	-60	270	RC	E38/3127
MHNRC1023	427775	6822716	400	75	-60	270	RC	E38/3127
MHNRC1024	427349	6824278	444	85	-60	220	RC	E38/3127
MHNRC1025	427369	6824193	441	85	-60	210	RC	E38/3127
MHNRC1026	427294	6824190	440	65	-60	315	RC	E38/3127
MHNRC1027	427294	6824190	440	100	-60	195	RC	E38/3127
MHNRC1028	427349	6824096	437	85	-60	195	RC	E38/3127
MHNRC1031	429079	6819650	418	85	-60	270	RC	E38/3127
MHNRC1032	428990	6820761	420	90	-60	270	RC	E38/3127
MHNRC1033	429990	6819555	422	75	-60	270	RC	E38/3127
MHNRC1034	428268	6826147	434	100	-60	270	RC	E38/3127
MHNRC1035	427424	6826392	435	85	-60	220	RC	E38/3127
MHNRC1036	427357	6826494	434	85	-60	220	RC	E38/3127
MHNRC1037	427465	6826227	438	100	-60	220	RC	E38/3127
MHNRC1038	427475	6826125	440	100	-60	220	RC	E38/3127
MHNRC1039	427489	6826003	440	100	-60	220	RC	E38/3127
MHNRC1040	428455	6826074	434	165	-60	270	RC	E38/3127
MHNRC1041	428402	6825941	434	100	-60	270	RC	E38/3127
MHNRC1044	429567	6821687	435	60	-60	270	RC	E38/3127
MHNRC1045	429618	6821687	436	80	-60	270	RC	E38/3127
MHNRC1046	429507	6821804	435	35	-60	270	RC	E38/3127
MHNRC1047	429466	6821804	435	20	-60	270	RC	E38/3127
MHNRC1052	429781	6819520	420	80	-60	270	RC	E38/3127
MHNRC1054	429043	6821400	424	120	-60	270	RC	E38/3127
MHNRC1055	429043	6821200	423	120	-60	270	RC	E38/3127
MHNRC1056	429050	6820666	420	120	-60	270	RC	E38/3127
MHNRC1063	429681	6821741	437	90	-60	270	RC	E38/3127
MHNRC1064	429675	6821687	437	90	-60	270	RC	E38/3127
MHNRC1073	428978	6821299	423	100	-60	270	RC	E38/3127
MHNRC1096	429389	6821993	434	52	-60	240	RC	E38/3127
MHNRC1097	429405	6822002	434	52	-60	240	RC	E38/3127
MHNRC1098	429420	6822010	434	52	-60	240	RC	E38/3127
MHNRC1099	429405	6821965	434	52	-60	240	RC	E38/3127
MHNRC1100	429421	6821973	435	52	-60	240	RC	E38/3127
MHNRC1101	429436	6821981	435	52	-60	240	RC	E38/3127
MHNRC1102	429375	6821915	434	52	-60	270	RC	E38/3127
MHNRC1103	429425	6821915	435	52	-60	270	RC	E38/3127
MHNRC1104	429380	6821853	434	52	-60	270	RC	E38/3127
MLJRC001	431740	6823101	448	102	-60	270	RC	P38/4379
MLJRC002	431772	6823027	448	150	-60	270	RC	P38/4379
MLJRC003	431752	6822966	447	100	-60	270	RC	P38/4379
MLJRC004	431878	6823860	449	100	-60	270	RC	E38/3127
MLJRC005	431916	6823860	449	60	-60	270	RC	E38/3127
MLJRC006	431977	6823072	449	80	-60	270	RC	P38/4379
MLJRC007	431990	6823058	449	85	-60	270	RC	P38/4379
MLJRC008	431974	6823034	449	80	-60	270	RC	P38/4379
MLJRC009	432037	6823034	449	135	-60	270	RC	P38/4379
MLJRC010	431937	6822952	448	80	-60	270	RC	P38/4379
MLJRC011	431993	6822855	447	60	-60	270	RC	P38/4379
MLJRC012	431625	6822600	445	70	-60	270	RC	P38/4346
MLJRC013	431640	6822556	444	65	-60	270	RC	P38/4346
MLJRC014	431660	6822476	444	60	-60	270	RC	P38/4346
MLJRC015	431645	6822450	444	60	-60	270	RC	P38/4346
MLJRC016	431580	6822450	445	60	-60	270	RC	P38/4346
MLJRC017	431654	6822335	442	60	-60	270	RC	P38/4346
MLJRC018	431808	6822108	440	60	-60	270	RC	P38/4379
MLJRC019	431841	6822109	440	60	-60	270	RC	P38/4379
MLJRC020	431408	6821770	435	70	-60	270	RC	P38/4346
MLJRC021	430990	6822350	436	80	-60	270	RC	P38/4346
MLJRC022	430960	6822155	434	90	-60	270	RC	P38/4346

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC023	430968	6821785	436	60	-60	270	RC	P38/4346
MLJRC024	430978	6821758	436	70	-60	270	RC	P38/4346
MLJRC025	430968	6821730	436	60	-60	270	RC	P38/4346
MLJRC026	430817	6821180	431	80	-60	270	RC	P38/4383
MLJRC027	430817	6821160	431	80	-60	270	RC	P38/4383
MLJRC028	430817	6821140	431	80	-60	270	RC	P38/4383
MLJRC029	431305	6821140	431	60	-60	270	RC	P38/4383
MLJRC030	430730	6820350	428	110	-60	270	RC	P38/4383
MLJRC031	431124	6821002	430	70	-60	270	RC	P38/4383
MLJRC032	431164	6820960	430	80	-60	270	RC	P38/4383
MLJRC033	431178	6820360	428	80	-60	270	RC	P38/4383
MLJRC034	431033	6819838	425	60	-60	270	RC	P38/4384
MLJRC035	431100	6820860	429	35	-60	270	RC	P38/4383
MLJRC036	431125	6820860	429	50	-60	270	RC	P38/4383
MLJRC037	430925	6821730	435	20	-60	270	RC	P38/4346
MLJRC038	430938	6821730	435	20	-60	270	RC	P38/4346
MLJRC039	430953	6821730	436	40	-60	270	RC	P38/4346
MLJRC040	430925	6821758	435	20	-60	270	RC	P38/4346
MLJRC041	430925	6821785	435	20	-60	270	RC	P38/4346
MLJRC042	430938	6821785	436	20	-60	270	RC	P38/4346
MLJRC043	430953	6821785	436	40	-60	270	RC	P38/4346
MLJRC044	431340	6821504	434	50	-60	270	RC	E38/3127
MLJRC045	431424	6822050	439	50	-60	270	RC	P38/4346
MLJRC046	430900	6822352	437	40	-60	270	RC	P38/4346
MLJRC047	431560	6822510	445	50	-60	270	RC	P38/4346
MLJRC048	431580	6822510	445	40	-60	270	RC	P38/4346
MLJRC049	431600	6822510	445	40	-60	270	RC	P38/4346
MLJRC050	431620	6822510	445	40	-60	270	RC	P38/4346
MLJRC051	431640	6822510	444	40	-60	270	RC	P38/4346
MLJRC052	431575	6822600	445	35	-60	270	RC	P38/4346
MLJRC053	431600	6822600	445	52	-60	270	RC	P38/4346
MLJRC054	431600	6822556	445	35	-60	270	RC	P38/4346
MLJRC055	431630	6822476	444	35	-60	270	RC	P38/4346
MLJRC056	431600	6822400	444	42	-60	270	RC	P38/4346
MLJRC057	431941	6822808	446	30	-60	270	RC	P38/4379
MLJRC058	431959	6822808	446	30	-60	270	RC	P38/4379
MLJRC059	431828	6822858	446	30	-60	270	RC	P38/4379
MLJRC060	431903	6822908	447	30	-60	270	RC	P38/4379
MLJRC061	431984	6822908	448	30	-60	270	RC	P38/4379
MLJRC062	432105	6822908	448	30	-60	270	RC	P38/4379
MLJRC063	431967	6822952	448	25	-60	270	RC	P38/4379
MLJRC064	431845	6823008	448	30	-60	270	RC	P38/4379
MLJRC065	431865	6823008	448	30	-60	270	RC	P38/4379
MLJRC066	431945	6823008	448	20	-60	270	RC	P38/4379
MLJRC067	431965	6823008	449	35	-60	270	RC	P38/4379
MLJRC068	431852	6823034	448	20	-60	270	RC	P38/4379
MLJRC069	431823	6823058	448	30	-60	270	RC	P38/4379
MLJRC070	431900	6823072	449	20	-60	270	RC	P38/4379
MLJRC071	431913	6823072	449	20	-60	270	RC	P38/4379
MLJRC072	431920	6823058	449	20	-60	270	RC	P38/4379
MLJRC073	431940	6823058	449	30	-60	270	RC	P38/4379
MLJRC074	431960	6823058	449	40	-60	270	RC	P38/4379
MLJRC075	431920	6823090	449	20	-60	270	RC	P38/4379
MLJRC076	431940	6823090	449	30	-60	270	RC	P38/4379
MLJRC077	431960	6823090	449	40	-60	270	RC	P38/4379
MLJRC078	431909	6823112	449	20	-60	270	RC	P38/4379
MLJRC079	431925	6823170	450	40	-60	270	RC	P38/4379
MLJRC080	431950	6823170	450	40	-60	270	RC	P38/4379
MLJRC081	431925	6823220	450	40	-60	270	RC	P38/4379
MLJRC082	431950	6823220	450	75	-60	270	RC	P38/4379
MLJRC083	431925	6823270	450	40	-60	270	RC	P38/4379

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC084	431950	6823270	450	40	-60	270	RC	P38/4379
MLJRC085	431918	6823310	450	30	-60	270	RC	P38/4379
MLJRC086	431965	6823310	450	110	-60	270	RC	P38/4379
MLJRC087	431725	6823409	446	35	-60	270	RC	P38/4379
MLJRC088	431750	6823409	447	35	-60	270	RC	P38/4379
MLJRC089	430950	6822397	437	30	-60	90	RC	P38/4346
MLJRC090	430950	6822397	437	40	-60	270	RC	P38/4346
MLJRC091	430787	6821158	431	75	-60	270	RC	P38/4383
MLJRC092	430776	6821140	431	75	-60	270	RC	P38/4383
MLJRC093	430765	6821107	431	75	-60	270	RC	P38/4383
MLJRC094	430796	6821207	431	75	-60	270	RC	P38/4383
MLJRC095	430828	6821207	432	75	-60	270	RC	P38/4383
MLJRC096	431110	6820806	429	45	-60	270	RC	P38/4383
MLJRC097	431080	6820910	430	45	-60	270	RC	P38/4383
MLJRC098	431110	6820910	429	45	-60	270	RC	P38/4383
MLJRC099	431140	6820910	429	45	-60	270	RC	P38/4383
MLJRC100	431092	6820980	430	35	-60	270	RC	P38/4383
MLJRC101	431104	6820980	430	35	-60	270	RC	P38/4383
MLJRC102	431120	6820980	430	35	-60	270	RC	P38/4383
MLJRC103	431120	6820993	430	35	-60	270	RC	P38/4383
MLJRC104	431095	6821030	431	35	-60	270	RC	P38/4383
MLJRC105	431110	6821030	431	35	-60	270	RC	P38/4383
MLJRC106	430935	6821700	435	45	-60	270	RC	P38/4346
MLJRC107	430955	6821700	435	45	-60	270	RC	P38/4346
MLJRC108	430935	6821820	436	45	-60	270	RC	P38/4346
MLJRC109	430955	6821820	436	45	-60	270	RC	P38/4346
MLJRC110	431661	6822509	444	45	-60	270	RC	P38/4346
MLJRC111	431605	6822580	445	45	-60	270	RC	P38/4346
MLJRC112	431569	6822640	445	45	-60	270	RC	P38/4346
MLJRC113	431593	6822640	445	45	-60	270	RC	P38/4346
MLJRC114	431987	6822952	448	45	-60	270	RC	P38/4379
MLJRC115	431986	6823008	449	65	-60	270	RC	P38/4379
MLJRC116	431981	6823090	450	65	-60	270	RC	P38/4379
MLJRC117	431973	6823171	450	60	-60	270	RC	P38/4379
MLJRC118	431974	6823271	450	70	-60	270	RC	P38/4379
MLJRC119	431960	6823360	449	50	-60	270	RC	E38/3127
MLJRC120	431927	6823360	449	40	-60	270	RC	E38/3127
MLJRC121	430855	6821180	426	110	-60	270	RC	P38/4383
MLJRC122	431984	6822529	443	70	-60	270	RC	P38/4379
MLJRC123	431981	6823220	451	100	-60	270	RC	P38/4379
MLJRC124	431850	6823900	449	70	-60	270	RC	E38/3127
MLJRC125	431905	6824350	447	70	-60	270	RC	E38/3127
MLJRC126	431750	6824450	446	70	-60	270	RC	E38/3127
MLJRC127	431800	6824450	446	80	-60	270	RC	E38/3127
MLJRC128	432020	6822952	448	130	-60	270	RC	P38/4379
MLJRC129	432037	6823009	449	130	-60	270	RC	P38/4379
MLJRC130	432038	6823091	450	160	-60	270	RC	P38/4379
MLJRC131	432033	6823170	451	150	-60	270	RC	P38/4379
MLJRC132	431910	6823271	450	35	-60	270	RC	P38/4379
MLJRC133	432008	6823271	450	120	-60	270	RC	P38/4379
MLJRC134	431897	6823220	450	40	-60	270	RC	P38/4379
MLJRC135	432023	6823220	451	180	-60	270	RC	P38/4379
MLJRC136	432001	6823170	451	100	-60	270	RC	P38/4379
MLJRC137	432060	6823170	451	95	-60	270	RC	P38/4379
MLJRC138	432008	6823091	450	105	-60	270	RC	P38/4379
MLJRC139	432051	6822953	449	80	-60	270	RC	P38/4379
MLJRC140	431955	6822908	448	20	-60	270	RC	P38/4379
MLJRC141	432020	6822908	448	70	-60	270	RC	P38/4379
MLJRC142	431955	6822855	448	20	-60	270	RC	P38/4379
MLJRC143	432020	6822855	448	70	-60	270	RC	P38/4379
MLJRC144	431587	6822556	445	6	-60	270	RC	P38/4346

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC145	431618	6822556	445	50	-60	270	RC	P38/4346
MLJRC146	431663	6822556	444	50	-60	270	RC	P38/4346
MLJRC147	431605	6822339	443	20	-60	270	RC	P38/4346
MLJRC148	431300	6821485	434	50	-60	270	RC	E38/3127
MLJRC149	431330	6821485	434	50	-60	270	RC	E38/3127
MLJRC150	431360	6821485	434	50	-60	270	RC	E38/3127
MLJRC151	431390	6821485	434	50	-60	270	RC	E38/3127
MLJRC152	431275	6821158	431	40	-60	270	RC	P38/4383
MLJRC153	431275	6821140	431	50	-60	270	RC	P38/4383
MLJRC154	431275	6821120	431	50	-60	270	RC	P38/4383
MLJRC155	431305	6821120	431	50	-60	270	RC	P38/4383
MLJRC156	431110	6820998	431	30	-60	270	RC	P38/4383
MLJRC157	431118	6820890	429	50	-60	270	RC	P38/4383
MLJRC158	431088	6820890	429	50	-60	270	RC	P38/4383
MLJRC159	431118	6820830	429	50	-60	270	RC	P38/4383
MLJRC160	431088	6820830	429	50	-60	270	RC	P38/4383
MLJRC161	430783	6821180	431	50	-60	270	RC	P38/4383
MLJRC162	431845	6823860	448	80	-60	270	RC	E38/3127
MLJRC163	431942	6823860	449	95	-60	270	RC	E38/3127
MLJRC164	431865	6823700	420	80	-60	270	RC	E38/3127
MLJRC165	431925	6823700	420	90	-60	270	RC	E38/3127
MLJRC166	431890	6823501	420	80	-60	270	RC	E38/3127
MLJRC167	431950	6823500	420	90	-60	270	RC	E38/3127
MLJRC168	432275	6824470	450	110	-60	270	RC	E38/3127
MLJRC169	431775	6823315	448	70	-60	270	RC	P38/4379
MLJRC170	430925	6822250	435	70	-60	270	RC	P38/4346
MLJRC171	430975	6822250	435	90	-60	270	RC	P38/4346
MLJRC172	431025	6822250	435	110	-60	270	RC	P38/4346
MLJRC173	430900	6821900	435	70	-60	270	RC	P38/4346
MLJRC174	430950	6821900	435	90	-60	270	RC	P38/4346
MLJRC175	431000	6821900	435	110	-60	270	RC	P38/4346
MLJRC176	431070	6821957	437	85	-60	270	RC	P38/4346
MLJRC179	432310	6821410	443	80	-60	270	RC	P38/4382
MLJRC180	432360	6821410	443	85	-60	270	RC	P38/4382
MLJRC181	432410	6821410	443	95	-60	270	RC	P38/4382
MLJRC182	432310	6821310	443	80	-60	270	RC	P38/4382
MLJRC183	432360	6821310	443	85	-60	270	RC	P38/4382
MLJRC184	432410	6821310	443	95	-60	270	RC	P38/4382
MLJRC185	430841	6821252	432	80	-60	270	RC	P38/4383
MLJRC186	430900	6821252	433	130	-60	270	RC	P38/4383
MLJRC187	430870	6821430	433	60	-60	270	RC	E38/3127
MLJRC188	430910	6821430	433	90	-60	270	RC	E38/3127
MLJRC189	430950	6821430	433	120	-60	270	RC	E38/3127
MLJRC190	430964	6821757	436	70	-60	270	RC	P38/4346
MLJRC191	430870	6821610	436	70	-60	270	RC	P38/4346
MLJRC192	430910	6821610	436	90	-60	270	RC	P38/4346
MLJRC193	430960	6821610	436	120	-60	270	RC	P38/4346
MLJRC194	430890	6821660	436	70	-60	270	RC	P38/4346
MLJRC195	430930	6821660	436	90	-60	270	RC	P38/4346
MLJRC196	430980	6821660	436	120	-60	270	RC	P38/4346
MLJRC197	430880	6822070	436	70	-60	270	RC	P38/4346
MLJRC198	430920	6822070	436	90	-60	270	RC	P38/4346
MLJRC199	430970	6822070	436	120	-60	270	RC	P38/4346
MLJRC200	430884	6822250	435	50	-60	270	RC	P38/4346
MLJRC201	430915	6822315	435	50	-60	270	RC	P38/4346
MLJRC202	430945	6822315	435	70	-60	270	RC	P38/4346
MLJRC203	430955	6822480	435	60	-60	270	RC	P38/4346
MLJRC204	430985	6822480	435	80	-60	270	RC	P38/4346
MLJRC205	431020	6822480	435	100	-60	270	RC	P38/4346
MLJRC206	430990	6822660	435	70	-60	270	RC	P38/4346
MLJRC207	431025	6822660	435	90	-60	270	RC	P38/4346

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC208	431070	6822660	435	110	-60	270	RC	P38/4346
MLJRC209	431315	6821530	435	70	-60	270	RC	E38/3127
MLJRC210	431350	6821530	435	70	-60	270	RC	E38/3127
MLJRC211	431385	6821530	435	70	-60	270	RC	E38/3127
MLJRC212	431175	6821040	430	60	-60	270	RC	P38/4383
MLJRC213	431210	6821040	430	80	-60	270	RC	P38/4383
MLJRC214	431245	6821040	430	100	-60	270	RC	P38/4383
MLJRC215	431200	6820960	430	90	-60	270	RC	P38/4383
MLJRC216	431245	6820960	430	120	-60	270	RC	P38/4383
MLJRC217	431290	6820960	430	150	-60	270	RC	P38/4383
MLJRC218	431165	6821120	430	70	-60	270	RC	P38/4383
MLJRC219	431205	6821120	430	90	-60	270	RC	P38/4383
MLJRC220	431245	6821120	430	110	-60	270	RC	P38/4383
MLJRC221	432200	6821000	448	70	-60	270	RC	P38/4380
MLJRC222	432240	6821000	448	90	-60	270	RC	P38/4380
MLJRC223	432290	6821000	448	110	-60	270	RC	P38/4382
MLJRC224	432190	6820920	448	90	-60	270	RC	P38/4380
MLJRC225	432240	6820920	448	110	-60	270	RC	P38/4380
MLJRC226	432325	6821460	448	70	-60	270	RC	P38/4382
MLJRC227	432375	6821460	448	90	-60	270	RC	P38/4382
MLJRC228	432425	6821460	448	110	-60	270	RC	P38/4382
MLJRC229	431582	6822556	445	30	-90	0	RC	P38/4346
MLJRC230	431626	6822342	443	80	-70	270	RC	P38/4346
MLJRC231	430925	6821153	431	121	-60	270	RC	P38/4383
MLJRC232	431533	6821125	432	100	-60	270	RC	P38/4380
MLJRC233	431880	6821125	437	300	-55	270	RC	P38/4380
MLJRC234	432255	6821125	442	49	-55	270	RC	P38/4382
MLJRC235	432600	6821120	446	120	-60	270	RC	P38/4382
MLJRC236	431805	6823860	449	70	-60	270	RC	E38/3127
MLJRC237	431765	6823860	450	50	-60	270	RC	E38/3127
MLJRC238	431845	6823820	448	80	-60	270	RC	E38/3127
MLJRC239	431810	6823700	448	70	-60	270	RC	E38/3127
MLJRC240	432300	6821120	442	129	-60	270	RC	P38/4382
MLJRC241	431845	6823778	449	80	-60	270	RC	E38/3127
MLJRC242	431826	6824302	449	80	-60	270	RC	E38/3127
MLJRC243	432015	6825800	449	70	-60	270	RC	E38/3127
MLJRC244	432015	6825700	449	70	-60	270	RC	E38/3127
MLJRC245	432030	6825587	449	70	-60	270	RC	E38/3127
MLJRC246	432050	6825442	449	70	-60	270	RC	E38/3127
MLJRC247	431750	6824700	449	70	-60	270	RC	E38/3127
MLJRC248	431800	6824700	449	90	-60	270	RC	E38/3127
MLJRC249	431850	6824700	449	110	-60	270	RC	E38/3127
MLJRC250	431900	6824700	446	150	-60	270	RC	E38/3127
MLJRC251	431750	6824050	449	70	-60	270	RC	E38/3127
MLJRC252	431800	6824050	449	90	-60	270	RC	E38/3127
MLJRC253	431850	6824050	449	110	-60	270	RC	E38/3127
MLJRC254	431900	6824050	449	140	-60	270	RC	E38/3127
MLJRC255	431950	6824050	449	180	-60	270	RC	E38/3127
MLJRC256	432200	6823950	449	70	-60	270	RC	E38/3127
MLJRC257	432250	6823950	449	80	-60	270	RC	E38/3127
MLJRC258	432300	6823950	449	110	-60	270	RC	E38/3127
MLJRC259	432350	6823950	455	150	-60	270	RC	E38/3127
MLJRC260	432100	6820800	450	70	-60	270	RC	P38/4380
MLJRC261	432150	6820800	450	100	-60	270	RC	P38/4380
MLJRC264	431190	6820985	430	100	-60	270	RC	P38/4383
MLJRC265	431230	6820985	430	120	-60	270	RC	P38/4383
MLJRC266	431279	6821040	431	100	-60	270	RC	P38/4383
MLJRC267	431230	6821080	431	75	-60	270	RC	P38/4383
MLJRC268	431270	6821080	431	85	-60	270	RC	P38/4383
MLJRC270	431344	6821158	431	110	-60	270	RC	P38/4383
MLJRC271	431155	6820830	429	90	-60	270	RC	P38/4383

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC272	431212	6820759	429	110	-60	270	RC	P38/4383
MLJRC273	432340	6821385	443	70	-60	270	RC	P38/4382
MLJRC274	432370	6821385	443	80	-60	270	RC	P38/4382
MLJRC275	432400	6821385	443	90	-60	270	RC	P38/4382
MLJRC276	432300	6821270	443	70	-60	270	RC	P38/4382
MLJRC277	432330	6821270	445	80	-60	270	RC	P38/4382
MLJRC278	432360	6821270	445	90	-60	270	RC	P38/4382
MLJRC279	431205	6821003	430	55	-60	270	RC	P38/4383
MLJRC280	431110	6820858	429	40	-60	270	RC	P38/4383
MLJRC282	431098	6820993	430	30	-60	270	RC	P38/4383
MLJRC283	431329	6821499	434	40	-60	270	RC	E38/3127
MLJRC284	431390	6821432	433	90	-60	270	RC	E38/3127
MLJRC285	431333	6821432	433	80	-60	270	RC	E38/3127
MLJRC286	431785	6823950	449	70	-60	270	RC	E38/3127
MLJRC287	431825	6823950	449	80	-60	270	RC	E38/3127
MLJRC288	431865	6823950	449	90	-60	270	RC	E38/3127
MLJRC289	431905	6823950	449	100	-60	270	RC	E38/3127
MLJRC290	431820	6823900	449	100	-60	270	RC	E38/3127
MLJRC291	431880	6823900	449	150	-60	270	RC	E38/3127
MLJRC292	431820	6823880	449	80	-60	270	RC	E38/3127
MLJRC293	431850	6823880	449	120	-60	270	RC	E38/3127
MLJRC294	431880	6823880	449	140	-60	270	RC	E38/3127
MLJRC295	431823	6823860	448	80	-60	270	RC	E38/3127
MLJRC296	431820	6823842	448	80	-60	270	RC	E38/3127
MLJRC297	431850	6823842	448	120	-60	270	RC	E38/3127
MLJRC298	431880	6823842	449	110	-60	270	RC	E38/3127
MLJRC299	431870	6823615	447	80	-60	270	RC	E38/3127
MLJRC300	431910	6823615	448	100	-60	270	RC	E38/3127
MLJRC301	431900	6823430	448	80	-60	270	RC	E38/3127
MLJRC302	431940	6823430	449	100	-60	270	RC	E38/3127
MLJRC303	431990	6823271	450	120	-60	270	RC	P38/4379
MLJRC304	431985	6823248	450	120	-60	270	RC	P38/4379
MLJRC305	431975	6823200	450	90	-60	270	RC	P38/4379
MLJRC306	431965	6823150	450	80	-60	270	RC	P38/4379
MLJRC307	431957	6823072	449	60	-60	270	RC	P38/4379
MLJRC308	431875	6823055	448	40	-60	270	RC	P38/4379
MLJRC309	431865	6823020	448	40	-60	270	RC	P38/4379
MLJRC310	431910	6823017	448	60	-60	270	RC	P38/4379
MLJRC311	431901	6822974	448	60	-60	270	RC	P38/4379
MLJRC312	431896	6822931	447	60	-60	270	RC	P38/4379
MLJRC313	431891	6822880	446	60	-60	270	RC	P38/4379
MLJRC314	431965	6822880	447	70	-60	270	RC	P38/4379
MLJRC315	431976	6822808	446	70	-60	270	RC	P38/4379
MLJRC316	431838	6823502	447	80	-60	270	RC	E38/3127
MLJRC317	431965	6823859	449	104	-60	270	RC	E38/3127
MLJRC318	431877	6823820	448	100	-60	270	RC	E38/3127
MLJRC319	431811	6823820	448	72	-60	270	RC	E38/3127
MLJRC320	431871	6823778	448	100	-60	270	RC	E38/3127
MLJRC321	431819	6823778	448	72	-60	270	RC	E38/3127
MLJRC322	431835	6823700	447	80	-60	270	RC	E38/3127
MLJRC323	431894	6823700	447	100	-60	270	RC	E38/3127
MLJRC324	431832	6823615	447	92	-60	270	RC	E38/3127
MLJRC325	431949	6823090	449	40	-60	270	RC	P38/4379
MLJRC326	431936	6823072	449	40	-60	270	RC	P38/4379
MLJRC327	431936	6823034	449	100	-60	270	RC	P38/4379
MLJRC328	431974	6823004	449	96	-60	270	RC	P38/4379
MLJRC329	431975	6822953	448	96	-60	270	RC	P38/4379
MLJRC330	432050	6825700	448	100	-60	270	RC	E38/3127
MLJRC331	432027	6825649	448	100	-60	270	RC	E38/3127
MLJRC332	431210	6821060	431	80	-60	270	RC	P38/4383
MLJRC333	431245	6821060	431	100	-60	270	RC	P38/4383



magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC334	431210	6821020	430	80	-60	270	RC	P38/4383

1352 RC drillholes for 87,457m & 4 Diamond drillholes for 431m

\*\*

\* New 1m or 4m assay

\*\* Assays pending

**Table 4. HN5, 9 and Lady Julie Planned RC Drilling**

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC262	432200	6820800	448	140	-60	270	RC	P38/4380
MLJRC263	432250	6820800	448	170	-60	270	RC	P38/4380
MLJRC269	431323	6821121	431	150	-60	270	RC	P38/4383
MLJRC281	431289	6821158	431	40	-60	270	RC	P38/4383
MLJRC335	431245	6821020	430	100	-60	270	RC	P38/4383
MLJRC336	431054	6822481	438	100	-60	270	RC	P38/4346
MLJRC337	431025	6822520	439	100	-60	270	RC	P38/4346
MLJRC338	431022	6822424	438	100	-60	270	RC	P38/4346
MLJRC339	430956	6822661	443	48	-60	270	RC	P38/4346
MLJRC340	431103	6822661	440	80	-60	270	RC	P38/4346
MLJRC341	431775	6823925	449	80	-60	270	RC	E38/3127
MLJRC342	431800	6823925	449	100	-60	270	RC	E38/3127
MLJRC343	431825	6823925	449	120	-60	270	RC	E38/3127
MLJRC344	431850	6823925	449	140	-60	270	RC	E38/3127
MLJRC345	431885	6823925	449	180	-60	270	RC	E38/3127
MLJRC346	431781	6823900	449	100	-60	270	RC	E38/3127
MLJRC347	431911	6823880	449	220	-60	270	RC	E38/3127
MLJRC348	431791	6823880	449	100	-60	270	RC	E38/3127
MLJRC349	431927	6823860	449	170	-60	270	RC	E38/3127
MLJRC350	431988	6823860	449	240	-60	270	RC	E38/3127
MLJRC351	431790	6823842	448	80	-60	270	RC	E38/3127
MLJRC352	431910	6823842	449	140	-60	270	RC	E38/3127
MLJRC353	432000	6823842	449	120	-60	270	RC	E38/3127
MLJRC354	431783	6823820	448	50	-60	270	RC	E38/3127
MLJRC355	431800	6823800	448	80	-60	270	RC	E38/3127
MLJRC356	431825	6823800	448	90	-60	270	RC	E38/3127
MLJRC357	431850	6823800	448	100	-60	270	RC	E38/3127
MLJRC358	431875	6823800	448	110	-60	270	RC	E38/3127
MLJRC359	431896	6823777	448	110	-60	270	RC	E38/3127
MLJRC360	431825	6823740	447	80	-60	270	RC	E38/3127
MLJRC361	431850	6823740	447	90	-60	270	RC	E38/3127
MLJRC362	431875	6823740	447	100	-60	270	RC	E38/3127
MLJRC363	431900	6823740	447	110	-60	270	RC	E38/3127
MLJRC364	431788	6823613	446	60	-60	270	RC	E38/3127
MLJRC365	431886	6823613	447	140	-60	270	RC	E38/3127
MLJRC366	431929	6823058	449	40	-60	270	RC	P38/4379
MLJRC367	431950	6823058	449	60	-60	270	RC	P38/4379
MLJRC368	431906	6822993	448	80	-60	270	RC	P38/4379
MLJRC369	431372	6821486	434	110	-60	270	RC	E38/3127
MHNRC898	428777	6822860	422	75	-60	240	RC	E38/3127
MHNRC1017	426990	6826000	442	80	-60	270	RC	E38/3127
MHNRC1029	428365	6821158	419	145	-60	270	RC	E38/3127
MHNRC1030	428235	6820759	416	120	-60	270	RC	E38/3127
MHNRC1042	428304	6821956	418	130	-60	270	RC	E38/3127
MHNRC1043	429843	6821400	429	155	-60	270	RC	E38/3127
MHNRC1048	427880	6827446	431	160	-60	270	RC	E38/3127
MHNRC1049	428021	6827451	431	70	-60	270	RC	E38/3127
MHNRC1051	428807	6820764	419	80	-60	270	RC	E38/3127
MHNRC1053	429100	6821700	428	70	-60	270	RC	E38/3127
MHNRC1057	428900	6819760	418	130	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC1058	428710	6826345	432	70	-60	270	RC	E38/3127
MHNRC1059	428460	6825941	435	120	-60	270	RC	E38/3127
MHNRC1060	428500	6826074	434	85	-60	270	RC	E38/3127
MHNRC1061	427455	6826432	434	120	-60	220	RC	E38/3127
MHNRC1062	429669	6821766	437	90	-60	270	RC	E38/3127
MHNRC1065	430015	6821378	427	200	-60	270	RC	E38/3127
MHNRC1066	429882	6821200	426	100	-60	270	RC	E38/3127
MHNRC1067	429991	6821475	428	200	-60	270	RC	E38/3127
MHNRC1068	430023	6821515	428	200	-60	270	RC	E38/3127
MHNRC1074	429100	6821299	424	150	-60	270	RC	E38/3127
MHNRC1075	428875	6820960	421	80	-60	270	RC	E38/3127
MHNRC1076	428835	6820960	421	80	-60	270	RC	E38/3127
MHNRC1077	428795	6820960	421	70	-60	270	RC	E38/3127
MHNRC1078	428755	6820960	421	60	-60	270	RC	E38/3127
MHNRC1079	428715	6820960	421	40	-60	270	RC	E38/3127
MHNRC1080	427030	6826120	443	80	-60	270	RC	E38/3127
MHNRC1081	427015	6826100	443	80	-60	270	RC	E38/3127
MHNRC1082	427045	6826100	444	90	-60	270	RC	E38/3127
MHNRC1083	427041	6826090	443	80	-60	270	RC	E38/3127
MHNRC1084	426989	6826050	442	90	-60	270	RC	E38/3127
MHNRC1085	427097	6825903	445	90	-60	270	RC	E38/3127
MHNRC1086	427120	6825900	446	90	-60	270	RC	E38/3127
MHNRC1087	428960	6822470	425	40	-60	270	RC	E38/3127
MHNRC1088	429005	6822500	425	52	-60	240	RC	E38/3127
MHNRC1089	428959	6822429	425	40	-60	270	RC	E38/3127
MHNRC1090	429015	6822457	426	40	-60	240	RC	M38/1041
MHNRC1091	429065	6822485	426	52	-60	240	RC	E38/3127
MHNRC1092	429000	6822345	427	40	-60	270	RC	E38/3127
MHNRC1093	429030	6822345	427	40	-60	270	RC	E38/3127
MHNRC1094	429060	6822345	428	40	-60	270	RC	M38/1041
MHNRC1095	429412	6822327	434	80	-60	270	RC	E38/3127
MHNRC1105	429805	6821252	426	88	-60	270	RC	E38/3127
MHNRC1106	429505	6820990	426	60	-60	270	RC	E38/3127
MHNRC1107	429489	6820970	426	60	-60	270	RC	E38/3127
MHNRC1108	429580	6820750	422	60	-60	270	RC	E38/3127
MHNRC1109	429610	6820750	422	60	-60	270	RC	E38/3127
MHNRC1110	429640	6820750	422	60	-60	270	RC	E38/3127
MHNRC1111	429550	6820670	421	60	-60	270	RC	E38/3127
MHNRC1112	429845	6820760	424	60	-60	270	RC	E38/3127
MHNRC1113	429792	6820700	424	16	-60	270	RC	E38/3127
MHNRC1114	429826	6820700	424	16	-60	270	RC	E38/3127
MHNRC1115	429800	6820665	424	60	-60	270	RC	E38/3127
MHNRC1116	429730	6820570	424	60	-60	270	RC	E38/3127
MHNRC1117	429760	6820570	424	60	-60	270	RC	E38/3127
MHNRC1118	429790	6820570	424	60	-60	270	RC	E38/3127
MHNRC1119	429807	6820506	424	60	-60	270	RC	E38/3127
MHNRC1120	429686	6820477	423	80	-60	270	RC	E38/3127
MHNRC1121	429666	6820448	423	108	-60	270	RC	E38/3127
MHNRC1122	429731	6820395	424	180	-60	270	RC	E38/3127
MHNRC1123	429742	6820365	424	180	-60	270	RC	E38/3127
MHNRC1124	429449	6820512	421	80	-60	270	RC	E38/3127
MHNRC1125	429868	6821100	425	80	-60	270	RC	E38/3127
MHNRC1126	429868	6821135	425	104	-60	270	RC	E38/3127
MHNRC1127	429877	6821285	426	108	-60	270	RC	E38/3127

104 RC drillholes for 9,892m



magnetic resources<sup>NL</sup>

This announcement has been authorised for release by Managing Director George Sakalidis.  
For more information on the company visit [www.magres.com.au](http://www.magres.com.au)

For more information on the company visit [www.magres.com.au](http://www.magres.com.au)

George Sakalidis  
Managing Director  
Phone (08) 9226 1777  
Mobile 0411 640 337  
Email [george@magres.com.au](mailto:george@magres.com.au)

The information in this report is based on information compiled by George Sakalidis BSc (Hons), who is a member of the Australasian Institute of Mining and Metallurgy. George Sakalidis is a Director of Magnetic Resources NL. George Sakalidis has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. George Sakalidis consents to the inclusion of this information in the form and context in which it appears in this report.

The Information in this report that relates to:

1. Promising 200m wide 0.7g/t soil geochemistry associated with extensive 1km long NS porphyries at newly named Hawks Nest 9. MAU ASX Release 15 October 2018
2. 1.1km NNW Mineralised Gold Intersections at HN9. MAU ASX Release 7 November 2018
3. Surface drilled Mineralisation extends to significant 1.5km at HN9. MAU Release 20 November 2018
4. Hawks Nest Delivers with 8m@4.2g/t Gold from 4m MAU Release 29 January 2018
5. Robust Near Surface High-grade Zone of 7m @ 4.5g/t Gold from 5m from 1m splits. MAU Release 5 March 2018
6. Hawks Nest Geochemical Survey Outlines Potential Extensions to the Prospective 7m @ 4.5g/t Gold Intercepted. MAU Release 20 March 2018
7. An 865m RC drilling programme started testing promising 7m at 4.5g/t gold and eight separate anomalous soil geochemical targets at HN5. MAU Release 10 May 2018
8. Large Gold Mineralised Shear Zone Greater Than 250m at Hawks Nest 5. MAU Release 9 June 2018
9. Gold Geochemical Target Zone Grows to Significant 2km in Length at HN9. MAU Release 7 January 2019
10. Significant 2km Gold Target is open to the East on 83% of the 24 Lines Drilled at HN9. MAU Release 4 February 2019
11. Significant 2.1km Gold Target Still open to North, South, East and at Depth. MAU Release 25 March 2019
12. Gold Target Enlarged By 47% to Significant 3.1km and is still open to the North, East and at Depth. MAU Release 22 May 2019
13. HN9 Prospective Zone Enlarged by 170% with Lady Julie Tenements. MAU Release 24 June 2019
14. 200m-Wide Gold Zone Open to The Northeast and Very Extensive Surface Gold Mineralisation Confirmed at HN9 Laverton. MAU Release 27 June 2019
15. 200m Wide Gold Zone Open to the North and New 800m Anomalous Gold Zone defined at HN9 Laverton. MAU Release 4 September 2019
16. Highest Grades Outlined at HN9 and are being Followed Up and Lady Julie Shallow Drilling Commencing Shortly. MAU Release 14 October 2019
17. Central Part of HN9 Shows Significant Thickening of The Mineralised Zone to 28m. MAU Release 28 November 2019
18. Multiple Silicified Porphyry Horizons from Deep Drilling and 57m Mineralised Feeder Zone at MAU Release 17 January 2020
19. Very High-Grade Intersection of 4m at 49g/t Adjacent to 70m Thick Mineralised Feeder Zone MAU Release 5 February 2020
20. 20 km of thickened porphyry units outlined by ground magnetic interpretation at Hawks Nest 9. MAU Release 9 March 2020
21. Further Thick Down Plunge Extensions and NW Extension Shown up at HN9. MAU Release 18 May 2020
22. Four Stacked Thickened Porphyry Lodes at HN9. MAU Release 3 August 2020
23. High-Grade Intersections in Thickened Zone at HN9. MAU Release 18 September 2020
24. Follow up of 16m at 1.16g/t gold from 64m at Lady Julie MAU Release 2 November 2020
25. Shallow Seismic searching for multiple thickened lodes MAU Release 16 November 2020
26. New thicken zone in southern part of Hawks Nest 9. MAU Release 1 December 2020
27. Two RC rigs now operating at HN9 and Lady Julie. MAU Release 11 January 2021
28. Nine gold targets defined over 14km at HN5, HN6, HN9 and Lady Julie 3 June 2021
29. Lady Julie delivers with 38m at 3.6g/t gold from 32m 23 June 2021
30. Lady Julie North expanded with purchase of tenements. 8 June 2021.

All of which are available on [www.magres.com.au](http://www.magres.com.au)

This announcement contains forward-looking statements which involve a number of risks and uncertainties. These forward-looking statements are expressed in good faith and believed to have a reasonable basis. These statements reflect current expectations, intentions or strategies regarding the future and assumptions based on currently available information. Should one or more of the risks or uncertainties materialize, or should underlying assumptions prove incorrect, actual results may vary from the expectations, intentions and strategies described in this announcement. No obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.



# JORC Code, 2012 Edition – Table 1 report

## Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"><li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li><li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li><li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li><li><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li></ul>	<ul style="list-style-type: none"><li>For RAB sampling, 1m completed by Duketon (A22722)</li><li>For RAB sampling, 4m composites completed by Gwalia (A29728)</li><li>For AC sampling, 4m composites and 1m splits completed by Metex (A62445, A72419)</li><li>For RC sampling, 2m composites completed by Julia Mines (A18060) and 5m composites completed by Placer (A34935)</li><li>All the reported historical drilling and their relevant sampling procedures, QAQC and analytical methods etc. are referred to in the original WAMEX reports (references in the main text of ASX release of 7 November 2018).</li><li>The targets at HN9 have been tested by RC drilling. A 1 metre split is taken directly from a cone splitter mounted beneath the rig's cyclone. The cyclone and splitter are cleaned regularly to minimize contamination.</li><li>Sampling and QAQC procedures are carried out using Magnetic's protocols as per industry sound practice.</li><li>RC drilling was used to obtain bulk 1 metre samples from which composite 4m samples were prepared by spear sampling of the bulk 1m samples. 3kg of the composite sample was pulverized to produce a 50g charge for fire assay for gold. The assay results of the composite samples are used to determine which 1m samples from the rig's cyclone and splitter are selected for fire assay using the same method.</li></ul>
<i>Drilling techniques</i>	<ul style="list-style-type: none"><li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li></ul>	<ul style="list-style-type: none"><li>Rotary air blast (RAB) drilling with a blade bit.</li><li>Reverse Circulation (RC) drilling was carried out using a face sampling hammer with a nominal diameter of 140mm.</li><li>Aircore (AC) drilling.</li></ul>
<i>Drill sample recovery</i>	<ul style="list-style-type: none"><li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li><li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li></ul>	<ul style="list-style-type: none"><li>RC sample recoveries are visually estimated qualitatively on a metre basis.</li><li>Various drilling additive (including muds and foams) have been used to condition the RC holes to maximize recoveries and sample quality.</li></ul>



Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"><li>• Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li></ul>	<ul style="list-style-type: none"><li>• Insufficient drilling and geochemical data is available at the present stage to evaluate potential sample bias. Drill samples are sometimes wet which may result in sample bias because of preferential loss/gain of fine/coarse material.</li></ul>
Logging	<ul style="list-style-type: none"><li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li><li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li><li>• The total length and percentage of the relevant intersections logged.</li></ul>	<ul style="list-style-type: none"><li>• Lithology, alteration and veining is recorded and imported into the Magnetic Resources central database. The logging is of sufficient standard to support a geological resource.</li><li>• All drill holes were logged in full.</li></ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"><li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li><li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li><li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li><li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li><li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li><li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li></ul>	<ul style="list-style-type: none"><li>• RC samples are cyclone split to produce a 2-3kg sample. 4m composite samples are prepared by tube sampling bulk 1m samples.</li><li>• No field duplicates were taken.</li><li>• Sample sizes are appropriate for the grain size being sampled.</li></ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"><li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li><li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li><li>• Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li></ul>	<ul style="list-style-type: none"><li>• RC samples are assayed using a 50g charge and a fire assay method with an AAS finish which is regarded as appropriate. The technique provides an estimate of the total gold content.</li><li>• Industry standard standards and duplicates are used by the NATA registered laboratory conducting the analyses</li></ul>
Verification	<ul style="list-style-type: none"><li>• The verification of significant intersections by</li></ul>	<ul style="list-style-type: none"><li>• No independent verification of drill intersections</li></ul>



Criteria	JORC Code explanation	Commentary
<i>of sampling and assaying</i>	<i>either independent or alternative company personnel.</i> <ul style="list-style-type: none"><li>• <i>The use of twinned holes.</i></li><li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li><li>• <i>Discuss any adjustment to assay data.</i></li></ul>	has yet been carried out. <ul style="list-style-type: none"><li>• Twin holes are planned to be drilled.</li><li>• Primary data is entered into an in-house database and checked by the database manager.</li><li>• No adjustment of assay data other than averaging of repeat and duplicate assays</li><li>• No verification of historically reported drilling has been carried out</li></ul>
<i>Location of data points</i>	<ul style="list-style-type: none"><li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li><li>• <i>Specification of the grid system used.</i></li><li>• <i>Quality and adequacy of topographic control.</i></li></ul>	<ul style="list-style-type: none"><li>• Drill collars located by hand- held GPS with an accuracy of +/- 5m.</li><li>• Grid system: MGAz51 GDA94.</li><li>• Topographic control using regional DEM data.</li></ul>
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"><li>• <i>Data spacing for reporting of Exploration Results.</i></li><li>• <i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li><li>• <i>Whether sample compositing has been applied.</i></li></ul>	<ul style="list-style-type: none"><li>• RC drilling was carried out at HN9 prospect. 1m samples were composited into 4m composite samples for assay.</li><li>• RC drilling was carried out and 1m samples were composited into 2m and 5m composite samples for assay</li></ul>
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"><li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li><li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li></ul>	<ul style="list-style-type: none"><li>• At HN9 historical geological mapping and the trends of old gold diggings indicate a general NNW to SSE trend to the geological structures. The historical drilling was carried out orthogonal to this trend.</li></ul>
<i>Sample security</i>	<ul style="list-style-type: none"><li>• <i>The measures taken to ensure sample security.</i></li></ul>	<ul style="list-style-type: none"><li>• Samples were stored in the field prior to dispatch to Perth using a commercial freight company.</li></ul>
<i>Audits or reviews</i>	<ul style="list-style-type: none"><li>• <i>The results of any audits or reviews of sampling techniques and data.</i></li></ul>	<ul style="list-style-type: none"><li>• No audits or reviews of the sampling techniques and data from historical drilling have been carried out.</li></ul>



## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"><li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li><li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li></ul>	<ul style="list-style-type: none"><li>The HN9 target area is situated on exploration Licence E38/3127 and M38/1041 held 100% by Magnetic Resources NL.</li><li>The adjacent Lady Julie targets are on Prospecting Licences P38/4346, P38/4379, P38/4384 held 100% by Magnetic Resources NL.</li><li>All the above are granted tenements with no known impediments to obtaining a licence to operate.</li></ul>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"><li><i>Acknowledgment and appraisal of exploration by other parties.</i></li></ul>	<ul style="list-style-type: none"><li>The HN9 area has been subject to historical exploration refer to text</li></ul>
<i>Geology</i>	<ul style="list-style-type: none"><li><i>Deposit type, geological setting and style of mineralisation.</i></li></ul>	<ul style="list-style-type: none"><li>HN9 Two mineralization styles have been observed: quartz veining and stock working in the porphyries and shear-hosted quartz veins on porphyry-amphibolite contacts.</li></ul>
<i>Drill hole Information</i>	<ul style="list-style-type: none"><li><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i><ul style="list-style-type: none"><li><i>easting and northing of the drill hole collar</i></li><li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li><li><i>dip and azimuth of the hole</i></li><li><i>down hole length and interception depth</i></li><li><i>hole length.</i></li></ul></li><li><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li></ul>	<ul style="list-style-type: none"><li>Refer to table in the text of this release.</li></ul>
<i>Data aggregation methods</i>	<ul style="list-style-type: none"><li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li><li><i>Where aggregate intercepts incorporate short</i></li></ul>	<ul style="list-style-type: none"><li>No weighting or cutting of gold values, other than averaging of duplicate and repeat analyses.</li></ul>



Criteria	JORC Code explanation	Commentary
	<p><i>lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <ul style="list-style-type: none"><li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li></ul>	
<i>Relationship between mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"><li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li><li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li><li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li></ul>	<ul style="list-style-type: none"><li>The relationships between mineralization widths and intercept lengths at HN9 remain to be clarified.</li></ul>
<i>Diagrams</i>	<ul style="list-style-type: none"><li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li></ul>	<ul style="list-style-type: none"><li>Refer to text.</li></ul>
<i>Balanced reporting</i>	<ul style="list-style-type: none"><li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.</i></li></ul>	<ul style="list-style-type: none"><li>Plus 1g/t Au intersections from the RC drilling have been reported in this release.</li></ul>
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"><li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li></ul>	<ul style="list-style-type: none"><li>Metallurgical results refer to ASX Release 27/10/2020 Positive metallurgical results from Hawks Nest 9.</li></ul>
<i>Further work</i>	<ul style="list-style-type: none"><li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li><li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li></ul>	<ul style="list-style-type: none"><li>Table 4 shows the drilling planned. Further deeper drilling will be planned to follow up results from recent intersections with 104 RC holes totaling 9,892m.</li><li>As outlined in this release.</li><li>A map and table of the proposed RC drilling is shown in this release.</li></ul>