

29 September 2021

PROSPECTIVE GEOLOGY INTERSECTED AT FEATHER CAP GOLD PROJECT

Highlights:

- **71 Air Core drill holes for 6,151m completed at the Feather Cap Project (100% AUR) evaluating two highly prospective regional gold targets**
- **Initial observations from drilling completed to date at the Durack East Prospect (located within Feather Cap) and at the Morck Well Project to the east, suggest the potential exists for significant mineralisation to be defined over a total strike extent of 5.7km**
- **Drilling designed to evaluate and infill potential extensions to known mineralised strike that extends into adjacent Morck Well JV tenement**
- **Positive indications with prospective jasperoidal cherts and/or quartz veining associated lithological contacts intersected along strike from confirmed gold mineralisation**
- **Priority results from holes that intersected anomalous quartz veining and/or jasperoidal chert are expected to be received within 3 weeks**
- **Feather Cap Project is prospective for both orogenic gold and Horseshoe Lights style Cu-Au VHMS mineralisation**
- **Gold potential of Feather Cap Project is highlighted by the 112k oz Durack Gold Resource, (Refer WGX announcement dated 4 September 2017), located 2km along strike to the west of recently completed drilling**

Gold and Base Metals explorer **Auris Minerals Limited** (“Auris” or “the Company”) (ASX: AUR) is pleased to announce that Air Core drilling has been completed at the Feather Cap Project, located 95km north of Meekatharra, in the Bryah Basin, Western Australia.

A total of 71 Air Core drill holes were completed for 6,151 metres within the Feather Cap Project, (Appendix 1) at the Durack East Prospect (see Figures 1 and 2). Drilling was designed to evaluate the potential for strike extensions to significant gold mineralisation highlighted by previous drilling along strike to the east and west.

Initial observations from drilling completed to date at the Durack East Prospect (located within Feather Cap) and at the Morck Well Project to the east, suggest the potential exists for significant mineralisation to be defined over a total strike extent of 5.7km.

Drilling was completed at 200m and 400m line spacings with holes completed every 100m along the lines. Infill drilling was completed at 50m spacing in areas around drilling intersecting significant quartz veining and/or chert, or prospective lithological contacts. All collar information is included in Appendix 1.

Drilling intersected several anomalous zones of quartz veining and jasperoidal chert along strike from recent and historical drill results, (Figure 2), associated with prospective lithological contacts. From the geology intersected within drilling completed to date, it has been interpreted that there is potential for one or two mineralised trends to be hosted at the Durack East Prospect rather than the previous interpreted three trends.

All samples from the drilling have been submitted for laboratory analysis. Priority analysis has been requested for holes that have intersected anomalous quartz veining and/or jasperoidal chert as routine analysis of samples has a current turnaround period of 10-12 weeks. All results from the priority analysis zones are expected within 3 weeks.

A full review of the drilling will be completed once all results are received to better understand the mineralisation and geology within the Durack East Prospect.

Auris Managing Director, Mike Hendriks, commented: *“Drilling at Feather Cap has been completed on time and on budget and our technical team is encouraged by initial observations from this programme, including the intersecting of prospective quartz veining and jasperoidal chert along strike from previous significant gold results.*

Our aim is to confirm mineralised extensions to the existing 2.2km strike at Feather Cap and results from this latest round of drilling will provide an important insight into Feather Cap’s geology and potential to host a much larger gold trend.

Sandfire is also planning to complete infill drilling at the Morck Well JV project located to the east of Feather Cap, so we look forward to reporting results from these key regional gold targets over the coming months.”

Historical regional drilling summary

Significant gold mineralisation along strike to the east has been intersected within previous Air Core drilling completed by both Sandfire Resources Limited (ASX: SFR) and Auris.

Regional Air Core drilling completed along strike to the east by Sandfire within the Morck Well Project at 800m line spacing, has returned significant gold mineralisation, including **5m @ 4.76g/t Au from 70m** (MWAC2682) and **10m @ 1.25g/t Au from 110m** (MWAC2679), (Refer ASX announcement 23 October 2020).

Air Core drilling completed by Sandfire in the west of the Morck Well Project, highlighted a potential 3.2km of gold mineralised trend which potentially extends to the west into the Feather Cap project for a further 2.5km, highlighted by the intersection of **4m @ 0.69g/t Au from 141m including 2m @ 1.26g/t Au from 142m** (DEAC0009 – Refer ASX Announcement 28 January 2021) within Air Core drilling completed during December 2020.

Significant gold mineralisation also occurs to the west of the planned drilling in the form of the Durack Gold Resource (Refer WGX announcement dated 4 September 2017), located along over 2km strike and outside of Auris tenure. Historical RAB drilling by Plutonic Resources and Geopeko in the 1990’s, located in the western extremity of the planned drilling has intersected high grade gold results including **35m @ 1.8g/t Au from 32m including 8m @ 5.19g/t Au from 32m (JRB43)** and **20m @ 3.01g/t Au from 40m including 4m @ 10.7g/t Au from 40m**, (Refer ASX announcement 28 October 2020).




Figure 1 – Durack East Prospect / Morck Well JV Drill Plan

Notes - Durack Gold Resource – Refer WGX announcement dated 4 September 2017
All other results - Refer ASX announcement 20 April 2020, 17 July 2020, 23 October 2020, 28 October 2021, 28 January 2021, 20 April 2021.




Figure 2 – Durack East Anomalous Geology in Recent Air Core Plan

-ENDS-

For and on behalf of the Board.

Mike Hendriks
Managing Director

For Further information please contact:

Mike Hendriks
Managing Director
Ph: 08 6109 4333

Appendix 1
 Drill Hole Collars Details

Hole ID	Hole Type	Total Depth	Easting (MGA94_Z50)	Northing (MGA94_Z50)	RL (m)	Dip	Azimuth	Tenement
DEAC0028	AC	82	673000	7148700	500	-60	180	E52/1910
DEAC0029	AC	126	673000	7148800	500	-60	180	E52/1910
DEAC0030	AC	115	673200	7148800	500	-60	180	E52/1910
DEAC0031	AC	104	673200	7148900	500	-60	180	E52/1910
DEAC0032	AC	96	673200	7148950	500	-60	180	E52/1910
DEAC0033	AC	97	673200	7149000	500	-60	180	E52/1910
DEAC0034	AC	111	673200	7149100	500	-60	180	E52/1910
DEAC0035	AC	91	673200	7149050	500	-60	180	E52/1910
DEAC0036	AC	108	673200	7149200	500	-60	180	E52/1910
DEAC0037	AC	89	673200	7149300	500	-60	180	E52/1910
DEAC0038	AC	100	673200	7149400	500	-60	180	E52/1910
DEAC0039	AC	111	673200	7149350	500	-60	180	E52/1910
DEAC0040	AC	53	673400	7148700	500	-60	180	E52/1910
DEAC0041	AC	66	673400	7148800	500	-60	180	E52/1910
DEAC0042	AC	102	673400	7148900	500	-60	180	E52/1910
DEAC0043	AC	95	673400	7149000	500	-60	180	E52/1910
DEAC0044	AC	97	673400	7149100	500	-60	180	E52/1910
DEAC0045	AC	94	673400	7149200	500	-60	180	E52/1910
DEAC0046	AC	113	673400	7149150	500	-60	180	E52/1910
DEAC0047	AC	114	673400	7149250	500	-60	180	E52/1910
DEAC0048	AC	99	673400	7149300	500	-60	180	E52/1910
DEAC0049	AC	108	673400	7149350	500	-60	180	E52/1910
DEAC0050	AC	82	673400	7149400	500	-60	180	E52/1910
DEAC0051	AC	96	673400	7149500	500	-60	180	E52/1910
DEAC0052	AC	7	673600	7148100	500	-60	180	E52/1910
DEAC0053	AC	8	673600	7148200	500	-60	180	E52/1910
DEAC0054	AC	3	673600	7148300	500	-60	180	E52/1910
DEAC0055	AC	7	673600	7148400	500	-60	180	E52/1910
DEAC0056	AC	47	673600	7148500	500	-60	180	E52/1910
DEAC0057	AC	85	673600	7148600	500	-60	180	E52/1910
DEAC0058	AC	39	673600	7148700	500	-60	180	E52/1910
DEAC0059	AC	32	673600	7148800	500	-60	180	E52/1910
DEAC0060	AC	71	673600	7148900	500	-60	180	E52/1910
DEAC0061	AC	17	674000	7148400	500	-60	180	E52/1910
DEAC0062	AC	26	674000	7148500	500	-60	180	E52/1910
DEAC0063	AC	68	674000	7148600	500	-60	180	E52/1910
DEAC0064	AC	40	674000	7148700	500	-60	180	E52/1910
DEAC0065	AC	45	674000	7148800	500	-60	180	E52/1910
DEAC0066	AC	4	674200	7147700	500	-60	180	E52/1910
DEAC0067	AC	10	674200	7147800	500	-60	180	E52/1910
DEAC0068	AC	13	674200	7147900	500	-60	180	E52/1910
DEAC0069	AC	8	674200	7148100	500	-60	180	E52/1910
DEAC0070	AC	18	674200	7148300	500	-60	180	E52/1910

Hole ID	Hole Type	Total Depth	Easting (MGA94_Z50)	Northing (MGA94_Z50)	RL (m)	Dip	Azimuth	Tenement
DEAC0071	AC	41	674200	7148500	500	-60	180	E52/1910
DEAC0072	AC	47	674200	7148600	500	-60	180	E52/1910
DEAC0073	AC	49	674200	7148700	500	-60	180	E52/1910
DEAC0074	AC	74	674200	7148800	500	-60	180	E52/1910
DEAC0075	AC	111	674200	7148900	500	-60	180	E52/1910
DEAC0076	AC	138	674200	7148850	500	-60	180	E52/1910
DEAC0077	AC	112	674200	7148950	500	-60	180	E52/1910
DEAC0078	AC	93	674200	7148925	500	-60	180	E52/1910
DEAC0079	AC	95	674200	7149000	500	-60	180	E52/1910
DEAC0080	AC	115	674200	7149100	500	-60	180	E52/1910
DEAC0081	AC	101	674200	7149200	500	-60	180	E52/1910
DEAC0082	AC	108	674200	7149150	500	-60	180	E52/1910
DEAC0083	AC	85	674200	7149250	500	-60	180	E52/1910
DEAC0084	AC	96	674200	7149300	500	-60	180	E52/1910
DEAC0085	AC	46	674600	7148000	500	-60	180	E52/1910
DEAC0086	AC	54	674600	7148100	500	-60	180	E52/1910
DEAC0087	AC	84	674600	7148200	500	-60	180	E52/1910
DEAC0088	AC	53	674600	7148300	500	-60	180	E52/1910
DEAC0089	AC	117	674600	7148400	500	-60	180	E52/1910
DEAC0090	AC	111	674600	7148350	500	-60	180	E52/1910
DEAC0091	AC	141	674600	7148500	500	-60	180	E52/1910
DEAC0092	AC	133	674600	7148450	500	-60	180	E52/1910
DEAC0093	AC	141	674600	7148550	500	-60	180	E52/1910
DEAC0094	AC	120	674600	7148600	500	-60	180	E52/1910
DEAC0095	AC	121	674600	7148700	500	-60	180	E52/1910
DEAC0096	AC	106	674600	7148800	500	-60	180	E52/1910
DEAC0097	AC	129	674600	7148750	500	-60	180	E52/1910
DEAC0098	AC	102	674600	7148900	500	-60	180	E52/1910
DEAC0099	AC	99	674600	7149000	500	-60	180	E52/1910
DEAC0100	AC	108	674600	7149100	500	-60	180	E52/1910
DEAC0101	AC	108	674600	7149200	500	-60	180	E52/1910
DEAC0102	AC	97	674600	7149150	500	-60	180	E52/1910
DEAC0103	AC	119	674600	7149200	500	-60	180	E52/1910

ABOUT AURIS MINERALS LIMITED

Auris is exploring for base metals and gold in the Bryah Basin of Western Australia. Auris has consolidated a tenement portfolio of 1,410km², which is divided into eight well-defined project areas: Forrest, Cashman, Cheroona, Doolgunna, Morck Well, Feather Cap, Milgun and Horseshoe Well, (Figure 3).

In February 2018, Auris entered a Farm-in Agreement with Sandfire in relation to the Morck Well and Doolgunna Projects which covers ~430km² (the Morck Well JV). During September 2019, Auris entered into a Farm-in with Sandfire in relation to the Cashman Project tenements, E51/1053 and E51/1120, (the Cashman JV). On 4 February 2020 Auris and Northern Star Resources Limited (NST) entered into a Farm-in with Sandfire in relation to the Cheroona Project tenements, E51/1391, E51/1837 and E51/1838, (the Cheroona JV). Sandfire has the right to earn a 70% interest in each of above projects upon completion of a Feasibility Study on a discovery of not less than 50,000t contained copper (or metal equivalent) on the project. Auris manages exploration on all other tenements, including those that are subject to arrangements with third parties.




Figure 3: Auris' copper-gold exploration tenement portfolio, with Sandfire (SFR), Northern Star (NST), Westgold (WGX), Fe Ltd and Gateway JV areas indicated

Notes:

1. The Forrest Project tenements E52/1659 and E52/1671 have the following outside interests:
 - Auris 80%; Westgold Resources Ltd 20% (ASX:WGX). Westgold Resources Ltd interest is free carried until a Decision to Mine
 - Westgold Resources Ltd own the gold rights over the Auris interest.
2. The Forrest Project tenement P52/1493 have the following outside interests:
 - Westgold Resources Ltd own the gold rights over the Auris interest.
3. The Forrest Project tenements P52/1494-1496 have the following outside interests:
 - Auris 80%; Fe Ltd 20% (ASX:FEL). Fe Ltd interest is free carried until a Decision to Mine
4. The Cheroona Project tenements E51/1391, E51/1837-38 have the following outside interests:
 - Auris 70%; Northern Star Resources Ltd 30% (ASX:NST)
5. The Horseshoe Well Project tenement E52/3291 has the following outside interests:
 - Auris 85%; Gateway Projects WA Pty Ltd (formerly OMNI Projects Pty Ltd) 15% (Gateway Projects free carried until a Decision to Mine)
6. The Milgun Project tenement E52/3248 has the following outside interests:
 - Auris 85%; Gateway Projects WA Pty Ltd (formerly OMNI Projects Pty Ltd) 15% (Gateway Projects free carried until a Decision to Mine)
7. The Morck Well Project tenements E51/1033, E52/1613 and E52/1672 have the following outside interests:
 - Auris 80%; Fe Ltd 20% (ASX:FEL). Fe Ltd interest is free carried until a Decision to Mine

Competent Person's Statement

Information in this announcement that relates to exploration results is based on and fairly represents information and supporting documentation prepared and compiled by Mr Matthew Svensson, who is a Member of the Australian Institute of Geoscientists. Mr Svensson is Exploration Manager for Auris Minerals Limited. Mr Svensson has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration, and to the activity which he is undertaking to qualify as a Competent Person, as defined in the 2012 Edition of the Australasian Code for Reporting Exploration Results, Mineral Resources and Ore Reserves. Mr Svensson consents to the inclusion in the announcement of the matters based on this information in the form and context in which it appears.

No New Information

Except where explicitly stated, this announcement contains references to prior exploration results and Mineral Resource estimates, all of which have been cross-referenced to previous market announcements made by the Company. The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources that all material assumptions and technical parameters underpinning the results and/or estimates in the relevant market announcement continue to apply and have not materially changed.

Forward Looking Statements

This announcement has been prepared by Auris Minerals Limited. This document contains background information about Auris Minerals Limited and its related entities current at the date of this announcement. This is in summary form and does not purport to be all inclusive or complete. Recipients should conduct their own investigations and perform their own analysis in order to satisfy themselves as to the accuracy and completeness of the information, statements and opinions contained in this announcement. This announcement is for information purposes only. Neither this document nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of shares in any jurisdiction.

This announcement may not be distributed in any jurisdiction except in accordance with the legal requirements applicable in such jurisdiction. Recipients should inform themselves of the restrictions that apply in their own jurisdiction. A failure to do so may result in a violation of securities laws in such jurisdiction. This document does not constitute investment advice and has been prepared without taking into account the recipient's investment objectives, financial circumstances or particular needs and the opinions and recommendations in this representation are not intended to represent recommendations of particular investments to particular investments to particular persons. Recipients should seek professional advice when deciding if an investment is appropriate. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments.

No responsibility for any errors or omissions from this document arising out of negligence or otherwise is accepted. This document does include forward-looking statements. Forward-looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of Auris Minerals Limited. Actual values, results, outcomes or events may be materially different to those expressed or implied in this announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward-looking statements.

Any forward-looking statements in this announcement speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law and ASX Listing Rules, Auris Minerals Limited does not undertake any obligation to update or revise any information or any of the forward-looking statements in this document or any changes in events, conditions or circumstances on which any such forward-looking statement is based.

JORC Code, 2012 Edition, Table 1

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	<ul style="list-style-type: none"> No assays reported
Drilling techniques	<ul style="list-style-type: none"> Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> All holes drill via Air Core Blade (Diameter 85-87mm) to refusal. Air Core hammer utilized to get through hard bands in weathering profile or to extent holes pass blade refusal.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> Any drill sample loss is recorded in sample table. No assays reported
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> All holes have been logged for lithology, weathering, alteration, mineralisation and colour using a standard set of in-house logging codes. The logging method is quantitative. Holes not able to be used with a mineral resource estimate due to sample type.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub- 	<ul style="list-style-type: none"> No assays reported

Criteria	JORC Code explanation	Commentary
	<p>sampling stages to maximise representivity of samples.</p> <ul style="list-style-type: none"> Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> No assays reported
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> No assays reported
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> All holes located prior to drilling via GPS with an estimated accuracy of \pm 5 metres. Grid is Map Grid of Australia Zone 50. Nominal value attributed to RL. DTM will be used to determine more accurate RL prior to loading data into database.
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> No assays reported
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> No assays reported
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> No assays reported
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No assays reported

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. 	<ul style="list-style-type: none"> The Feather Cap Project is located 95 kilometres north of Meekatharra in WA. The Feather Cap Project includes tenements E52/1910, E52/3350, E52/3351 and E52/3275. Auris has a 100% interest in all tenements which make up the Feather Cap Project. There are no issues are present relating to the security of the above tenements.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> No assays reported
Geology	<ul style="list-style-type: none"> Deposit type, geological setting and style of mineralisation. 	<ul style="list-style-type: none"> The Morck Well Project lies within the Proterozoic-aged Bryah rift basin enclosed between the Archaean Marymia Inlier to the north and the Proterozoic Yerrida basin to the south. The exploration targets in the Feather Cap Project are Volcanogenic Massive Sulphide (VMS) deposits and orogenic gold deposits.
Drill hole information	<ul style="list-style-type: none"> A summary of all information material to the under-standing of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> All Collar coordinates for the completed drilling are included in text of announcement..
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> No assays reported
Relationship between mineralisation	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with 	<ul style="list-style-type: none"> No assays reported

Criteria	JORC Code explanation	Commentary
widths and intercept lengths	<p>respect to the drill hole angle is known, its nature should be reported.</p> <ul style="list-style-type: none"> If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known'). 	
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> Relevant diagrams have been included within the main body of the announcement.
Balanced Reporting	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> No down hole surveying of the drilling was undertaken.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples - size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> No other exploration data reported.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Further work in the area will be based on results returned from the completed Air Core drilling.