

Excellent Further Drill Results from the Iroquois Zinc-Lead Discovery, WA

Gibb River Diamonds Limited ('GIB') is pleased to report the following excellent drill results from the Iroquois Zinc-Lead discovery in the Earaheedy Basin as reported by our Joint Venture partner Strickland Metals Limited (ASX: 'STK') to the ASX on 14 February 2022 (Appendix A with Table 1).

The Iroquois Prospect is a Joint Venture between STK (80%) and GIB (20% free-carried to Bankable Feasibility Study).

(The information below is from the STK release dated 14 February 2022, with minor modifications):

Key Points:

- **Further results from Iroquois have been received:**
 - IQRC004: 3m @ 7.6% Zn from 65m (within a broader 14m @ 2.2% Zn)
 - IQRC005: 10m @ 3.7% Zn from 123m (within a broader 20m @ 2.4% Zn)
- **Intersections directly along strike from Rumble Resources Ltd's (ASX:RTR) very exciting Zn-Pb-Ag discoveries in the Earaheedy Basin**
- **Further assays are awaited from the Iroquois area**
- **Planning underway for follow up drilling once heritage surveys have been completed**

Management Comment from Strickland Resources Limited

Andrew Bray, Chief Executive Officer, said: "Despite a lengthy delay in receiving the assays, we are pleased to report further Zn-Pb mineralisation in what is shaping to be a very exciting part of the Earaheedy Basin.

These results demonstrate continuity of the previously intersected mineralisation. From previous mapping we've done on the ground, we can see repeats of the dolomite unit proximal to this mineralisation, so we are optimistic about the likelihood for repeats of further Zn-Pb mineralisation within the tenement package.

What's most promising about the area is that these results are directly along strike from Rumble Resources Ltd's very large Zn-Pb-Ag discoveries, demonstrating the exciting potential of what could be located within Strickland's tenement tenure.

While our focus is primarily on our gold projects on the Yandal Belt, this is a very exciting secondary project

Iroquois Discovery

Strickland Metals Limited is pleased to report further mineralisation intersected at its promising Iroquois prospect from its 2021 drilling campaign:

- IQRC004: 3m @ 7.6% Zn from 65m (within a broader 14m @ 2.2% Zn)
- IQRC005: 10m @ 3.7% Zn from 123m (within a broader 20m @ 2.4% Zn)

These fresh rock intersections follow from the discovery hole results released to the market on 14 October 2021:

- IQRC001: 23m @ 5.5% Zn + Pb from 108m (combined), including;
14m @ 4.5% Zn from 108m (true depth 90m) and 9m @ 7% Zn + Pb from 135m (true depth 110m)
- IQRC003: 12m @ 5.4% Zn + Pb from 58m (combined), including;
6m @ 6.2% Zn from 58m (true depth 50m) and 6m @ 4.6% Zn + Pb from 96m (true depth 80m)

Further Zn + Pb intersections were also intersected in within the lower grade, shallow oxide zone:

- IQRC002: 23m @ 1.9% Zn + Pb from 18m;
- IQRC004: 15m @ 1.4% Zn + Pb from 21m; and
- IQRC005: 9m @ 1.7% Zn + Pb from 55m.




Figure 1: Cross section of Iroquois mineralisation

The discovery is located directly along strike from Rumble Resources Limited's (ASX : RTR) Earaheedy Project Chinook zinc-lead discovery. Both discoveries suggest the Earaheedy Basin margin is emerging as a significant new mineralised province and is highly prospective for further zinc-lead discoveries. Strickland controls approximately 30 kilometres of strike extending from the Rumble Resources Earaheedy Project (Figure 2).




Figure 2: Project location compared to RTR's Chinook discovery




Figure 3: Close up plan view of intersections

The drilling to date indicates strong continuity of mineralisation and highlights a substantial potentially mineralised zone which requires further drilling along strike. At this stage, drilling has only occurred on the western side of a key regional fault structure (Figure 3). Mineralisation is expected to be repeated on the eastern side of the fault.

The shallow nature of the mineralisation intersected to date also indicates it could potentially be amenable to open cut mining scenarios.

Next Steps

Heritage clearance was unfortunately not completed during Strickland Metals Limited's November 2021 heritage survey due to time constraints. Strickland Metals Limited will shortly lodge a new heritage survey program request with TMPAC, and upon receiving clearance will plan to recommence RC drilling at Iroquois. Further details of this program will be released to the market in due course.

Strickland Metals Limited is also awaiting assay results from further regional holes from the Iroquois area.

(STK comments end)

GIB Conclusion

Gibb River Diamonds Limited welcomes these latest results from the Iroquois Prospect as reported by Strickland Metals Limited; with the continuity of mineralisation being especially pleasing. GIB believes these excellent results merit an aggressive and timely follow-up drilling program.

Jim Richards BSc (hons) Geology, MAusIMM, MAIG

Executive Chairman

Enquiries To: Mr Jim Richards +61 8 9422 9500

References:

Iroquois Lead-Zinc Prospect (WA). First Drilling Results; Phosphate Australia Limited (now GIB) ASX Announcement dated 7 November 2011

High Grade Mississippi Valley-Type Zinc-Lead Discovery in Earaheedy Basin; Strickland Metals Limited; ASX Announcement dated 14 October 2021

The information in this report that relates to the GIB minority interest in the Joint Venture over E69/2820, has been derived from information reported to the ASX by Strickland Metals Limited (ASX: STK), as referenced in this report and compiled by Mr Jim Richards who is a Member of The Australasian Institute of Mining and Metallurgy and a Member of the Australian Institute of Geoscientists. Mr. Richards is a Director of GIB River Diamonds Limited. Mr. Richards has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Richards consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

Appendix A Strickland Metals Limited ASX Release Dated 14 February 2022

14 February 2022

FURTHER RESULTS FROM IROQUOIS ZINC-LEAD DISCOVERY IN EARAHEEDY BASIN

IROQUOIS PROSPECT EMERGING AS A SUBSTANTIAL MINERALISED SYSTEM

Key Points:

- Further results from Iroquois have been received:
 - IQRC004: 3m @ 7.6% Zn from 65m (within a broader 14m @ 2.2% Zn)
 - IQRC005: 10m @ 3.7% Zn from 123m (within a broader 20m @ 2.4% Zn)
- Intersections directly along strike from Rumble Resources Ltd's (ASX:RTR) very exciting Zn-Pb-Ag discoveries in the Earaheedy Basin
- Further assays are awaited from the Iroquois area
- Planning underway for follow up drilling once heritage surveys have been completed

Introduction

Strickland Metals Limited (ASX:STK) ("Strickland" or "the Company") is pleased to provide an overview of its recently discovered zinc-lead mineralisation at the Iroquois prospect (80% Strickland; 20% Gibb River Diamonds Ltd (ASX:GIB)).

Management Comment

Andrew Bray, Chief Executive Officer, said: "Despite a lengthy delay in receiving the assays, we are pleased to report further Zn-Pb mineralisation in what is shaping to be a very exciting part of the Earaheedy Basin.

These results demonstrate continuity of the previously intersected mineralisation. From previous mapping we've done on the ground, we can see repeats of the dolomite unit proximal to this mineralisation, so we are optimistic about the likelihood for repeats of further Zn-Pb mineralisation within the tenement package.

What's most promising about the area is that these results are directly along strike from Rumble Resources Ltd's very large Zn-Pb-Ag discoveries, demonstrating the exciting potential of what could be located within Strickland's tenement tenure.

While our focus is primarily on our gold projects on the Yandal Belt, this is a very exciting secondary project for Strickland to continue steadily advancing, and we look forward to recommencing drilling during 2022."

Iroquois Discovery

The Company is pleased to report further mineralisation intersected at its promising Iroquois prospect from its 2021 drilling campaign:

- IQRC004: 3m @ 7.6% Zn from 65m (within a broader 14m @ 2.2% Zn)
- IQRC005: 10m @ 3.7% Zn from 123m (within a broader 20m @ 2.4% Zn)

These fresh rock intersections follow from the discovery hole results released to the market on 14 October 2021:

- IQRC001: 23m @ 5.5% Zn + Pb from 108m (combined), including;
14m @ 4.5% Zn from 108m (true depth 90m) and 9m @ 7% Zn + Pb from 135m (true depth 110m)
- IQRC003: 12m @ 5.4% Zn + Pb from 58m (combined), including;
6m @ 6.2% Zn from 58m (true depth 50m) and 6m @ 4.6% Zn + Pb from 96m (true depth 80m)



Further Zn + Pb intersections were also intersected in within the lower grade, shallow oxide zone:

- IQRC002: 23m @ 1.9% Zn + Pb from 18m;
- IQRC004: 15m @ 1.4% Zn + Pb from 21m; and
- IQRC005: 9m @ 1.7% Zn + Pb from 55m.




Figure 1: Cross section of Iroquois mineralisation

The discovery is located directly along strike from Rumble Resources Limited's (ASX : RTR) Earaheedy Project Chinook zinc-lead discovery. Both discoveries suggest the Earaheedy Basin margin is emerging as a significant new mineralised province and is highly prospective for further zinc-lead discoveries. Strickland controls approximately 30 kilometres of strike extending from the Rumble Resources Earaheedy Project (Figure 2).




Figure 2: Project location compared to RTR's Chinook discovery




Figure 3: Close up plan view of intersections

The drilling to date indicates strong continuity of mineralisation and highlights a substantial potentially mineralised zone which requires further drilling along strike. At this stage, drilling has only occurred on the western side of a key regional fault structure (Figure 3). Mineralisation is expected to be repeated on the eastern side of the fault.

The shallow nature of the mineralisation intersected to date also indicates it could potentially be amenable to open cut mining scenarios.

Next Steps

Heritage clearance was unfortunately not completed during the Company's November 2021 heritage survey due to time constraints. The Company will shortly lodge a new heritage survey program request with TMPAC, and upon receiving clearance will plan to recommence RC drilling at Iroquois. Further details of this program will be released to the market in due course.

The Company is also awaiting assay results from further regional holes from the Iroquois area.

This ASX announcement was approved and authorised for release by the Chief Executive Officer of the Company.



For more information contact:

Andrew Bray
Chief Executive Officer
Phone: +61 (2) 8316 3991
info@stricklandmetals.com.au
stricklandmetals.com.au

Competent Person Statement

The information in this report that relates to Exploration Results or Mineral Resources is based on information compiled or reviewed by Mr Peter Langworthy who is a consultant to Strickland Metals Limited and is a current Member of the Australian Institute of Mining and Metallurgy. Mr Peter Langworthy has sufficient experience, which is relevant to the style of mineralisation and types of deposit under consideration and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Langworthy consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

Appendix A
Table 1: Iroquois RC Drill Hole Location Table

Hole ID	Hole Type	EOH Depth (m)	MGA94 Zone 51			Azimuth (deg)	Dip (deg)
			Easting (m)	Northing (m)	RL (m)		
IQRC001	RC	160	270718	7145644	500	135	-60
IQRC002	RC	240	270641	7145720	500	135	-60
IQRC003	RC	216	270960	7145829	500	135	-60
IQRC004	RC	170	270844	7145921	500	135	-60
IQRC005	RC	150	270746	7146010	500	135	-60
IQRC006*	RC	120	271590	7147085	500	135	-60
IQRC007*	RC	150	271500	7147100	500	135	-70
IQRC008*	RC	144	271400	7147100	500	135	-70
IQRC009*	RC	96	271200	7146500	500	135	-60
IQRC010*	RC	174	270840	7145620	500	135	-60
IQRC011*	RC	120	270700	7145300	500	135	-80
IQRC012*	RC	120	270600	7145300	500	135	-80
IQRC013*	RC	210	270541	7145920	500	135	-70
IQRC014*	RC	216	270840	7145720	500	135	-60
IQRC015*	RC	180	270940	7145720	500	135	-60
IQRC016*	RC	162	270940	7145920	500	135	-60

*Assays Pending



Table 2: RC Drill Hole Assay Table (IQRC001, IQRC002, IQRC003, IQRC004 and IQRC005)

Hole ID	From	To	Zn %	Pb %	Zn + Pb %	Ag (g/t)	Cd ppm	Ce ppm	Co ppm	Cu ppm	Ga ppm	Mn %
IQRC001	0	4	0.002	0.002	0.004	0.12	<0.02	11.5	2.1	6.4	4.89	0.008
IQRC001	4	8	0.002	0.002	0.004	0.11	<0.02	5.19	1.1	3.1	1.65	0.007
IQRC001	8	12	0.001	0.013	0.014	0.16	<0.02	17.45	10.8	4.6	2.42	0.018
IQRC001	12	16	0.003	0.03	0.033	2.54	0.02	8.43	2	9	6.71	0.007
IQRC001	16	17	0.022	0.068	0.091	3.34	<0.02	36.5	3	12.3	19.1	0.025
IQRC001	17	18	0.03	0.052	0.082	1.22	0.03	20.6	5.7	11.5	25.3	0.05
IQRC001	18	19	0.018	0.129	0.147	1.24	0.03	25.8	10.9	11.1	19.35	0.161
IQRC001	19	20	0.01	0.198	0.208	1.01	0.03	19.5	8.5	11.8	12.7	0.138
IQRC001	20	21	0.008	0.292	0.3	0.81	0.03	28.5	6.3	19.3	10.6	0.096
IQRC001	21	22	0.009	0.274	0.283	0.38	0.05	23.7	3.6	17.4	8.78	0.091
IQRC001	22	23	0.008	0.082	0.09	0.32	<0.02	6.57	5.7	15.3	5.57	0.121
IQRC001	23	24	0.015	1.25	1.265	0.58	0.05	13.4	46.6	50.3	7.47	1.335
IQRC001	24	25	0.031	2.88	2.911	0.43	0.07	15.15	94.3	103	8.28	2.9
IQRC001	25	26	0.038	2.83	2.868	0.54	0.06	15.6	83.3	112	8.27	3.01
IQRC001	26	27	0.054	5.5	5.554	0.75	0.13	23.6	159.5	208	5.41	5.63
IQRC001	27	28	0.03	1.625	1.655	0.85	0.06	13.1	42.9	69	5.93	1.55
IQRC001	28	29	0.019	0.281	0.3	0.53	0.02	7.74	30.6	24.7	6.37	0.291
IQRC001	29	30	0.036	0.268	0.304	0.97	<0.02	8.05	23.3	30.1	9.41	0.284
IQRC001	30	31	0.031	0.436	0.467	0.34	0.02	6.62	54.8	50.4	6.85	0.451
IQRC001	31	32	0.055	0.216	0.271	0.51	0.04	36.9	20.5	188	12.35	0.156
IQRC001	32	33	0.061	1.06	1.121	0.61	0.19	29.1	71	320	9.07	1.645
IQRC001	33	34	0.046	0.166	0.212	1.01	0.23	24.3	8	172.5	3.9	0.141
IQRC001	34	35	0.093	0.327	0.42	0.73	0.41	42	17.8	229	7.17	0.31
IQRC001	35	36	0.083	0.428	0.511	0.72	0.24	27.6	22.7	137.5	10.4	0.396
IQRC001	36	37	0.391	0.065	0.456	1.81	1.29	22.9	15.5	360	3.48	0.067
IQRC001	37	38	0.458	0.081	0.539	1.93	1.1	43.3	16	394	6.49	0.061
IQRC001	38	39	0.65	0.35	1	0.69	1.02	117.5	55.3	1970	4.75	0.105
IQRC001	39	40	0.728	0.44	1.168	0.66	1.17	291	102	2010	6.45	0.262
IQRC001	40	41	0.667	0.47	1.137	1.07	3.01	175	55.7	1120	7.41	0.633
IQRC001	41	42	0.672	1.065	1.737	1.57	8.59	278	79.1	1440	8.27	1.775
IQRC001	42	43	0.687	1.66	2.347	1.48	9.24	394	113	2040	8.22	2.47
IQRC001	43	44	0.685	2.05	2.735	1.91	15.25	491	116	2070	9.65	3.26
IQRC001	44	45	0.804	2.14	2.944	1.69	14.95	>500	115.5	2010	11	3.52
IQRC001	45	46	0.658	2.04	2.698	1.94	17.05	>500	112	1980	12.1	3.46
IQRC001	46	47	0.942	2.18	3.122	1.4	14.9	>500	117.5	2040	11.9	3.66
IQRC001	47	48	1.11	2.55	3.66	1.58	16.05	490	137	2270	11.5	4.61
IQRC001	48	49	1.495	3.48	4.975	1.23	16.45	431	184	2700	10.4	6.51
IQRC001	49	50	1.285	2.19	3.475	1.05	12.45	463	126.5	2380	11.15	3.75
IQRC001	50	51	0.833	2.22	3.053	1.13	17.95	344	116.5	1720	8.72	3.86
IQRC001	51	52	0.644	1.78	2.424	1.68	18.95	159.5	91	1140	5.68	3.33
IQRC001	52	53	0.549	1.55	2.099	1.18	53.8	78	66	699	3.9	2.82
IQRC001	53	54	0.587	1.61	2.197	1.07	57.5	112.5	66.4	777	4.38	2.82



IQRC001	54	55	0.602	1.08	1.682	1.07	61.1	54.1	41.6	526	3.85	1.97
IQRC001	55	56	0.622	1.07	1.692	0.89	73.2	57.9	44.5	490	3.66	1.945
IQRC001	56	57	0.879	0.739	1.618	0.91	74.5	48.2	30.5	322	2.42	1.475
IQRC001	57	58	1.23	0.552	1.782	1.15	95.3	39.6	19	328	1.82	1.095
IQRC001	58	59	0.731	0.384	1.115	0.63	60.9	30.7	15.7	213	1.61	0.818
IQRC001	59	60	0.276	0.135	0.411	0.28	16.95	14.1	5.9	78.4	0.77	0.374
IQRC001	60	61	0.171	0.058	0.229	0.18	10.5	6.63	3.6	35.8	0.66	0.219
IQRC001	61	62	0.113	0.047	0.16	0.13	5.36	5.27	3.2	28.1	0.66	0.184
IQRC001	62	63	0.286	0.08	0.366	0.26	16.85	7.62	5.7	43.5	0.73	0.27
IQRC001	63	64	0.545	0.039	0.584	0.38	73.6	4.96	5.3	35.6	1.11	0.178
IQRC001	64	65	0.539	0.056	0.595	0.36	70.7	6.44	6.2	51.8	1.27	0.183
IQRC001	65	66	0.551	0.084	0.635	0.57	69.3	7.96	8.2	69.4	1.43	0.245
IQRC001	66	67	0.456	0.095	0.551	0.76	48.3	10.2	7.2	70.3	1.52	0.301
IQRC001	67	68	0.538	0.194	0.732	0.7	65.3	28.2	13.3	150.5	1.99	0.482
IQRC001	68	69	0.546	0.041	0.587	0.73	55.9	5.97	6.8	45.8	1.47	0.238
IQRC001	69	70	0.493	0.041	0.534	1.71	76.6	5.3	6.4	73.2	1.84	0.168
IQRC001	70	71	0.434	0.035	0.469	2.2	43.1	7.09	6.8	69	2.9	0.142
IQRC001	71	72	0.319	0.033	0.352	1.24	35.5	6.49	5.8	43.9	1.98	0.209
IQRC001	72	76	0.023	0.01	0.033	0.26	1.96	5.77	3.2	12.8	1.22	0.16
IQRC001	76	80	0.012	0.003	0.015	0.11	1.11	4.34	2.6	10.2	0.88	0.144
IQRC001	80	84	0.011	0.004	0.015	0.18	1	6.27	3.5	11.6	1.48	0.168
IQRC001	84	85	3.84	0.004	3.844	4.06	273	5.45	10.8	52.6	2.1	0.131
IQRC001	85	86	0.16	0.004	0.164	0.32	10.95	7.27	4.2	8	1.52	0.19
IQRC001	86	87	0.074	0.005	0.079	0.2	5.54	3.85	2.5	7.9	0.74	0.175
IQRC001	87	88	0.051	0.004	0.055	0.15	3.71	3.25	2.2	7.9	0.64	0.183
IQRC001	88	92	0.033	0.001	0.035	0.14	2.33	3.89	2.5	11	0.71	0.176
IQRC001	92	96	0.01	0.001	0.011	0.12	0.54	3.76	2.3	8	0.71	0.148
IQRC001	96	100	0.012	0.001	0.013	0.11	0.97	3.81	2	12	0.61	0.186
IQRC001	100	104	0.003	0.001	0.004	0.07	0.19	3.21	1.5	9.8	0.52	0.106
IQRC001	104	105	0.003	0.001	0.004	0.07	0.2	6.81	2.1	4.5	1.55	0.064
IQRC001	105	106	0.052	0.001	0.053	0.16	3.44	9.86	2.1	5.2	1.99	0.09
IQRC001	106	107	0.01	0.002	0.012	0.08	0.73	7.72	2.4	5.9	1.49	0.178
IQRC001	107	108	0.005	0.001	0.006	0.05	0.32	4.31	1.6	4.5	0.92	0.126
IQRC001	108	109	15.6	0.144	15.744	13.25	932	2.7	45.1	207	59.2	0.14
IQRC001	109	110	21	0.095	21.095	15.9	>1000	1.72	52.7	220	62.7	0.106
IQRC001	110	111	6.56	0.043	6.603	5.11	390	2.57	21.4	73.3	17.55	0.152
IQRC001	111	112	0.54	0.02	0.56	0.68	39.6	4.65	4.1	11.9	3.26	0.136
IQRC001	112	113	0.424	0.022	0.446	0.66	30.1	7.32	4.8	11.9	3.08	0.144
IQRC001	113	114	0.313	0.009	0.322	0.38	21.1	7.5	3.3	10.2	2.84	0.196
IQRC001	114	115	1.725	0.004	1.729	1.11	129.5	3.93	6.1	22.3	2.06	0.148
IQRC001	115	116	2.95	0.004	2.954	1.75	216	3.57	8.6	32	2.53	0.226
IQRC001	116	117	0.134	0.004	0.138	0.2	10.35	4.89	2.8	7.2	1.54	0.162
IQRC001	117	118	0.168	0.004	0.172	0.25	11.6	5.79	3.7	8	2.41	0.16
IQRC001	118	119	1.445	0.003	1.448	1.39	93.9	5.32	10.1	111.5	3.61	0.158



STRICKLAND

METALS LIMITED

IQRC001	119	120	0.32	0.021	0.341	0.31	29.6	6.53	3.3	11.9	2.02	0.215
IQRC001	120	121	10.45	0.207	10.657	6.34	944	7.86	21.3	113	2.96	0.114
IQRC001	121	122	1.205	0.03	1.235	0.87	113.5	10.75	5.1	17.8	3.2	0.379
IQRC001	122	123	0.234	0.006	0.24	0.22	20.3	3.89	2.8	6.8	1.16	0.238
IQRC001	123	124	0.148	0.003	0.151	0.27	12.25	3.87	2.4	6.8	1.02	0.257
IQRC001	124	125	0.101	0.003	0.104	0.18	9.44	4.33	2.3	5.2	1.12	0.219
IQRC001	125	126	0.109	0.003	0.112	0.18	10.6	4.54	2.7	5.2	1.58	0.353
IQRC001	126	127	0.079	0.003	0.082	0.26	8.01	2.63	2.1	6.2	0.72	0.147
IQRC001	127	128	0.087	0.003	0.09	0.22	8.5	3.87	2.1	5.7	0.97	0.169
IQRC001	128	129	0.152	0.004	0.156	0.23	12.9	3.16	2.1	7.8	0.8	0.19
IQRC001	129	130	1.125	0.013	1.138	1.1	94.1	3.55	3.9	16.1	1.31	0.203
IQRC001	130	131	0.132	0.004	0.136	0.28	11.15	3.03	2.3	5.5	0.76	0.158
IQRC001	131	132	0.173	0.006	0.179	0.26	13.25	5	3.9	8.1	1.18	0.189
IQRC001	132	133	0.677	0.098	0.775	0.55	38.5	20.1	19	31.5	4.82	0.511
IQRC001	133	134	0.119	0.018	0.137	0.16	5.47	6.27	4.3	6.2	1.53	0.161
IQRC001	134	135	0.456	0.018	0.474	0.43	23.7	4.61	5.4	7.4	1.36	0.183
IQRC001	135	136	1.675	0.017	1.692	1.53	96.7	4.87	8.6	17.1	1.99	0.179
IQRC001	136	137	2.57	0.043	2.613	1.73	186	4.84	9.3	24.6	2.58	0.154
IQRC001	137	138	8.85	12.7	21.55	31.4	647	6.05	21.2	70.7	7.52	0.098
IQRC001	138	139	9.58	0.247	9.827	5.1	788	4.29	18.2	85.3	4.59	0.108
IQRC001	139	140	10.9	1.725	12.625	11.5	805	4.08	21.2	89.4	6.46	0.162
IQRC001	140	141	10.45	1.91	12.36	11	785	2.89	18.1	67.1	2.91	0.109
IQRC001	141	142	0.59	0.158	0.748	0.82	43	3.42	4.2	10.6	1.28	0.147
IQRC001	142	143	0.199	0.067	0.266	0.34	12.85	5.87	4	31.8	0.97	0.243
IQRC001	143	144	1.09	0.054	1.144	1.17	65.6	4.2	5.5	24.8	7.65	0.158
IQRC001	144	145	0.139	0.067	0.206	0.22	9.34	6.68	4.8	26.3	0.89	0.199
IQRC001	145	146	0.06	0.033	0.093	0.14	3.71	4.13	2.6	8.3	0.68	0.172
IQRC001	146	147	0.079	0.066	0.146	0.18	4.39	10.35	4.6	33.8	0.94	0.228
IQRC001	147	148	0.183	0.049	0.232	0.43	10.7	6.71	5.7	10.2	1.98	0.207
IQRC001	148	149	0.042	0.028	0.07	0.15	2.4	6.11	3.3	12.6	0.89	0.225
IQRC001	149	150	0.05	0.029	0.079	0.18	3.12	6.09	3	11.7	1.11	0.207
IQRC001	150	151	0.231	0.132	0.363	0.59	9.02	5.82	7.8	11.5	1.17	0.193
IQRC001	151	152	0.116	0.052	0.168	0.34	5.97	5.3	4.2	9.5	1.27	0.154
IQRC001	152	153	0.116	0.046	0.162	0.26	5.29	3.83	3.8	9.3	0.77	0.134
IQRC001	153	154	0.096	0.039	0.135	0.31	4.73	3.53	3.5	16.3	0.64	0.16
IQRC001	154	155	0.106	0.042	0.148	0.3	4.62	3.91	3.3	10.2	0.7	0.153
IQRC001	155	156	0.113	0.055	0.168	0.59	4.86	9.9	5.2	10.6	2.37	0.141
IQRC001	156	157	0.234	0.059	0.293	1.29	6.4	7.8	12.6	30.9	1.17	0.148
IQRC001	157	158	0.064	0.025	0.089	0.18	2.56	4.78	4.1	9.9	0.89	0.129
IQRC001	158	159	1.945	0.048	1.993	2.11	134	4.08	7.8	105.5	5.29	0.105
IQRC001	159	160	0.08	0.018	0.098	0.2	4.34	3.98	2.4	11.2	0.73	0.138
IQRC002	11	12	0.02	0.05	0.07	1.84	0.04	3.2	2.2	11.6	8.31	0.006
IQRC002	12	13	0.05	0.06	0.11	2.54	0.04	3.27	3.9	32.1	10.4	0.044
IQRC002	13	14	0.19	0.28	0.47	5.61	0.62	6.61	15.9	466	9.06	0.246



STRICKLAND

METALS LIMITED

IQRC002	14	15	0.89	0.97	1.85	18	2.92	18.95	91.7	1465	7.19	0.855
IQRC002	15	16	0.39	0.79	1.18	4.43	1.14	19.85	54.7	877	16	0.743
IQRC002	16	17	0.07	0.35	0.42	1.06	0.15	12.5	25	298	15.45	0.402
IQRC002	17	18	0.07	0.23	0.30	0.91	0.14	10.7	12.1	259	16.65	0.180
IQRC002	18	19	1.02	0.84	1.86	4.28	3.07	9.24	38.3	2180	25.2	0.217
IQRC002	19	20	1.43	1.27	2.69	0.98	3.6	9.49	114.5	2460	40.9	0.875
IQRC002	20	21	0.87	0.99	1.87	0.94	2.6	9.07	58.2	3990	39.1	0.573
IQRC002	21	22	0.46	0.67	1.13	0.92	1.44	7.21	27.3	2440	24.3	0.304
IQRC002	22	23	0.33	0.49	0.82	1.18	0.82	11.15	20.7	1085	17.8	0.272
IQRC002	23	24	0.57	1.93	2.50	1.76	4.41	19.95	68	1590	10.2	1.800
IQRC002	24	25	0.71	3.59	4.30	1.4	6.71	23.2	129	2420	13.65	3.500
IQRC002	25	26	0.81	2.72	3.53	1.04	5.05	17.75	88	2050	11.85	2.510
IQRC002	26	27	1.20	1.37	2.57	0.71	2.5	8.26	43.6	1415	11.4	1.105
IQRC002	27	28	1.83	2.37	4.20	1.08	10.1	12.35	91.8	1700	13.4	2.600
IQRC002	28	29	6.47	2.19	8.66	1.64	30.8	8.77	341	2050	10.85	6.170
IQRC002	30	31	1.03	0.98	2.00	0.87	100.5	3.11	92.6	381	3.04	3.350
IQRC002	31	32	1.62	1.78	3.40	1.2	117.5	4.57	144.5	725	5.11	5.160
IQRC002	32	33	1.92	2.08	4.00	1.25	84.9	5.61	153	963	6.73	5.240
IQRC002	33	34	1.00	0.96	1.96	1.04	112	2.9	70.7	534	3.75	2.520
IQRC002	34	35	1.49	1.56	3.05	1.08	107.5	3.99	114	723	4.62	4.220
IQRC002	35	36	1.60	1.53	3.12	0.87	63.4	6.14	92.2	1085	8.03	2.870
IQRC002	36	37	1.39	1.77	3.16	1.18	105	5.27	125	914	7.73	4.380
IQRC002	37	38	1.22	0.71	1.93	0.58	159	2.7	52.2	508	4.59	1.775
IQRC002	38	39	1.18	0.76	1.93	0.65	158	2.9	55.8	477	4.98	1.930
IQRC002	39	40	1.24	0.98	2.22	0.89	139.5	4.41	73.4	669	7.74	2.380
IQRC002	40	41	1.38	1.14	2.52	0.89	111	4.65	78.4	785	7.23	2.620
IQRC002	41	42	1.28	1.09	2.36	0.91	113	3.61	74.8	610	4.99	2.670
IQRC002	42	43	0.69	0.17	0.86	0.62	109.5	1.6	10.8	161	4.1	0.349
IQRC002	43	44	0.83	0.13	0.97	0.3	115	0.976	9.2	103.5	2.07	0.348
IQRC002	44	45	0.89	0.09	0.98	0.2	94.2	0.809	5.8	102.5	2.01	0.205
IQRC002	45	46	0.93	0.21	1.14	0.19	126	1.84	7.4	132	1.6	0.393
IQRC002	46	47	0.84	0.33	1.17	0.27	98.9	1.82	8	134	1.2	0.606
IQRC002	47	48	0.82	0.29	1.11	0.34	75.9	1.76	7.3	151.5	1.4	0.506
IQRC002	48	49	0.74	0.26	1.00	0.39	93	1.71	7.4	126.5	1.66	0.471
IQRC002	49	50	0.77	0.41	1.18	0.55	57.5	3.1	17.1	305	4.38	0.634
IQRC002	50	51	0.81	0.30	1.10	0.83	58.7	2.32	12.6	289	3.23	0.445
IQRC002	51	52	0.93	0.13	1.06	0.6	59	1.275	8.6	105.5	1.66	0.372
IQRC002	52	53	0.56	0.12	0.67	0.59	50.3	1.11	7.3	113	1.66	0.283
IQRC002	53	54	0.29	0.03	0.32	0.38	26.4	0.474	2.7	32.1	0.66	0.182
IQRC002	54	55	0.20	0.09	0.29	0.42	9.52	1.1	5.6	144.5	1.84	0.234
IQRC002	55	56	0.16	0.10	0.26	0.41	11.9	1.055	5	100.5	1.34	0.226
IQRC002	56	57	0.05	0.05	0.10	0.39	1.22	0.735	3.7	79.4	1.12	0.188
IQRC002	57	58	0.10	0.08	0.17	0.32	1.15	0.897	5.3	97.1	1.52	0.185
IQRC003	0	4	0.005	0.009	0.014	0.46	0.08	22.3	3.9	10.1	10.95	0.011



IQRC003	4	8	0.003	0.01	0.013	0.62	0.04	18.2	3.1	9.4	7.4	0.005
IQRC003	8	12	0.009	0.015	0.024	0.84	0.52	11.2	1.7	8.2	2.71	0.008
IQRC003	12	16	0.007	0.008	0.014	0.7	0.07	7.08	1.2	12.6	3.22	0.008
IQRC003	16	17	0.011	0.01	0.021	0.59	0.05	6.99	1	20	2.59	0.011
IQRC003	17	18	0.019	0.013	0.032	0.32	0.03	6.05	4.3	25.6	1.95	0.07
IQRC003	18	19	0.093	0.058	0.151	0.69	0.13	20.5	23.6	131.5	3.62	0.354
IQRC003	19	20	0.047	0.047	0.094	0.67	0.18	9.68	10.7	109	1.81	0.29
IQRC003	20	21	0.063	0.368	0.431	0.78	0.53	10.45	51.7	321	2.53	1.36
IQRC003	21	22	0.078	0.296	0.374	0.66	0.25	8.72	31.7	232	3.29	0.749
IQRC003	22	23	0.075	0.404	0.479	0.72	0.75	11.9	53.5	260	3.02	1.505
IQRC003	23	24	0.072	0.226	0.298	1.19	0.75	18.05	48.4	162	3.49	1.255
IQRC003	24	25	0.116	2.02	2.136	1.27	1.5	38.7	238	812	4.1	4.69
IQRC003	25	26	0.056	1.055	1.111	0.89	0.17	12.6	69.5	255	2.61	1.73
IQRC003	26	27	0.163	1.94	2.103	0.79	0.57	83.6	149	662	7.07	3.4
IQRC003	27	28	0.132	0.084	0.216	0.97	0.06	63.1	5.1	99.9	8.05	0.094
IQRC003	28	29	0.367	0.292	0.659	0.79	2.22	221	10.5	1840	14.2	0.12
IQRC003	29	30	0.712	0.869	1.581	0.76	4.24	253	51.6	1190	13.3	0.909
IQRC003	30	31	0.781	5.48	6.261	0.37	3.69	332	706	1930	11.45	11.2
IQRC003	31	32	0.492	5.11	5.602	0.33	3.13	246	583	1560	8.92	9.93
IQRC003	32	33	0.496	2.33	2.826	0.51	2.31	334	302	1010	12.5	4.1
IQRC003	33	34	0.332	0.601	0.933	0.41	0.69	490	60.9	727	19.5	0.698
IQRC003	34	35	0.368	1.44	1.808	0.46	1.29	400	189	795	17.45	2.34
IQRC003	35	36	0.333	0.844	1.177	0.57	1	420	89.8	646	18.45	1.13
IQRC003	36	37	0.255	0.412	0.667	0.28	26	146.5	33.6	351	5.46	0.625
IQRC003	37	38	0.22	0.143	0.363	2.87	27.3	28.9	9.2	144.5	1.64	0.301
IQRC003	38	39	0.528	0.242	0.77	12.05	53.8	19.6	11.4	243	2.15	0.367
IQRC003	39	40	0.168	0.142	0.31	0.5	21.8	13.35	9	153.5	1.16	0.323
IQRC003	40	44	0.061	0.027	0.087	0.26	3.15	5.34	3.3	51.9	0.73	0.19
IQRC003	44	45	0.03	0.015	0.045	0.16	1.47	4.6	2.2	33.5	0.69	0.165
IQRC003	45	46	0.021	0.013	0.034	0.37	0.9	2.88	2	27.9	0.54	0.164
IQRC003	46	47	0.145	0.036	0.181	0.22	7.4	4.51	5	509	0.97	0.488
IQRC003	47	48	0.04	0.027	0.066	0.17	2.07	3.76	2.6	101	0.69	0.356
IQRC003	48	52	0.018	0.008	0.026	0.26	0.69	4.04	2.1	18.4	0.65	0.257
IQRC003	52	56	0.032	0.008	0.04	0.19	1.65	3.34	2.1	19.4	0.68	0.17
IQRC003	56	57	0.018	0.005	0.023	0.23	0.95	3.96	2.5	19.3	0.91	0.19
IQRC003	57	58	0.011	0.002	0.013	0.16	0.52	3.08	2.5	9.2	0.98	0.19
IQRC003	58	59	1.305	0.034	1.339	1.2	76	2.79	12.3	33.6	4.94	0.275
IQRC003	59	60	20.8	0.139	20.939	15.35	>1000	1.91	79.2	426	59.2	0.146
IQRC003	60	61	4.01	0.107	4.117	2.69	214	5.4	18.4	196.5	9.94	0.214
IQRC003	61	62	8.96	0.074	9.034	4.7	570	2.59	42.4	381	11.75	0.273
IQRC003	62	63	0.59	0.017	0.607	0.46	34.5	4.96	7.1	66.8	5.83	0.441
IQRC003	63	64	1.41	0.008	1.418	0.81	84.3	2.33	8.1	45	2.38	0.154
IQRC003	64	65	0.169	0.005	0.174	0.24	8.06	3.98	4.5	21.5	1.82	0.344
IQRC003	65	66	0.1	0.002	0.102	0.14	5.67	2.24	2.3	7.8	1.03	0.177



STRICKLAND

METALS LIMITED

IQRC003	66	67	0.163	0.003	0.166	0.18	9.39	3.93	2.7	10.5	0.84	0.196
IQRC003	67	68	0.096	0.002	0.098	0.15	5.44	2.84	2	8	0.63	0.217
IQRC003	68	69	0.069	0.001	0.07	0.11	3.66	2.89	1.7	5.2	0.67	0.181
IQRC003	69	70	0.035	0.001	0.036	0.11	1.73	2.61	1.7	4	0.53	0.14
IQRC003	70	71	0.04	0.002	0.042	0.28	3.16	2.62	2	8.4	0.86	0.124
IQRC003	71	72	0.041	0.002	0.043	0.21	2.67	2.67	1.8	8.5	0.79	0.127
IQRC003	72	76	0.018	0.001	0.02	0.11	0.66	2.45	2.2	8.4	0.72	0.166
IQRC003	76	80	0.015	0.002	0.017	0.12	0.71	5.3	2.6	6.7	1.04	0.146
IQRC003	80	84	0.017	0.001	0.019	0.16	0.91	5.86	4.8	31.4	1.47	0.255
IQRC003	84	88	0.01	0.001	0.011	0.17	0.33	6.45	3.7	5.4	1.5	0.174
IQRC003	88	92	0.011	0.001	0.012	0.11	0.53	4.16	2.5	4.3	0.76	0.156
IQRC003	92	93	0.008	0.001	0.009	0.1	0.35	2.86	2.5	7.2	0.57	0.188
IQRC003	93	94	0.007	0.001	0.008	0.06	0.15	2.85	2.1	2.6	0.54	0.152
IQRC003	94	95	0.007	0.001	0.007	0.11	0.13	4.42	4	4.9	0.92	0.253
IQRC003	95	96	0.196	0.116	0.312	0.64	13.9	4.99	9.5	22.1	1.49	0.252
IQRC003	96	97	10.35	3.53	13.88	18.1	726	2.28	50	192.5	1.4	0.061
IQRC003	97	98	3.77	0.646	4.416	3.65	238	2.45	19.4	234	1.48	0.112
IQRC003	98	99	2.52	0.744	3.264	3.41	170.5	2.65	17.1	80.8	0.99	0.131
IQRC003	99	100	2.57	0.636	3.206	3.31	173	3.03	16.5	86.5	1.02	0.239
IQRC003	100	101	0.392	0.123	0.515	0.77	25.8	8.4	8.4	27.9	2.95	0.48
IQRC003	101	102	1.535	0.514	2.049	2.58	93.7	24.1	27.7	115.5	3.75	1.42
IQRC003	102	103	0.148	0.041	0.189	0.24	7.34	5.4	5.4	11.3	1.06	0.333
IQRC003	103	104	0.24	0.068	0.308	0.41	14.3	6.75	4.9	11	2.08	0.244
IQRC003	104	105	0.039	0.009	0.048	0.12	1.79	8.11	3	5.1	1.89	0.142
IQRC003	105	106	0.025	0.006	0.031	0.09	0.98	5.85	2.5	4	1.26	0.16
IQRC003	106	107	0.021	0.005	0.026	0.07	1.09	3.1	2	3.1	0.47	0.145
IQRC003	107	108	0.018	0.004	0.022	0.12	0.89	3.95	3	3.8	0.83	0.184
IQRC003	108	112	0.019	0.003	0.021	0.08	0.53	5.53	2.4	4.3	1.08	0.209
IQRC003	112	116	0.057	0.007	0.064	0.14	1.2	7.29	4.9	5.4	1.75	0.283
IQRC003	116	120	0.031	0.003	0.034	0.12	0.48	9.01	5.4	3.5	2.43	0.423
IQRC003	120	124	0.006	0.001	0.007	0.07	0.19	2.97	3.1	4.6	1.11	0.36
IQRC003	124	128	0.035	0.007	0.043	0.09	1.13	4.55	3.2	7.2	1.33	0.333
IQRC003	128	132	0.031	0.004	0.036	0.09	0.73	5.92	3.1	7.7	1.49	0.335
IQRC003	132	136	0.094	0.021	0.115	0.19	4.52	4.14	2.6	9.9	0.89	0.212
IQRC003	136	140	0.01	0.002	0.012	0.09	0.19	3.74	2.9	7.9	0.96	0.251
IQRC003	140	144	0.035	0.005	0.04	0.16	1.13	5.03	4.6	8.8	0.96	0.281
IQRC003	144	148	0.006	0.001	0.007	0.14	0.17	5.44	4.1	3.7	0.89	0.265
IQRC003	148	152	0.005	0.001	0.006	0.08	0.14	3.42	2.1	3.1	0.64	0.196
IQRC003	152	156	0.006	0.004	0.009	0.13	0.17	5.25	3.4	4	1.09	0.327
IQRC003	156	160	0.008	0.004	0.012	0.25	0.31	4.7	2.9	4.5	1.01	0.292
IQRC003	160	164	0.015	0.004	0.019	0.12	0.57	4.89	2.7	4.9	1.02	0.307
IQRC003	164	168	0.018	0.003	0.021	0.13	0.44	4.51	3.1	4.3	1.05	0.29
IQRC003	168	172	0.014	0.002	0.016	0.2	0.4	9.08	3.4	4.8	2.21	0.175
IQRC003	172	176	0.009	0.002	0.011	0.14	0.28	4.56	2.5	4.5	0.97	0.174



IQRC003	176	180	0.007	0.004	0.01	0.23	0.22	7.32	4.1	7	1.92	0.303
IQRC003	180	184	0.01	0.004	0.014	0.25	0.28	6.18	4.7	13.3	1.59	0.287
IQRC003	184	188	0.01	0.003	0.013	0.43	0.53	7.26	6.7	6.3	1.87	0.231
IQRC003	188	192	0.009	0.003	0.011	0.37	0.88	10.1	7.5	7.6	2.79	0.33
IQRC003	192	196	0.01	0.003	0.013	0.21	0.31	18.85	5.6	8.1	3.69	0.316
IQRC003	196	200	0.009	0.004	0.013	0.26	0.24	19.25	7.1	7.4	4.02	0.347
IQRC003	200	204	0.005	0.003	0.007	0.19	0.12	17.55	9.2	22.2	4.59	0.367
IQRC003	204	208	0.006	0.002	0.008	0.18	0.16	60.2	12.1	65.7	16.7	0.202
IQRC003	208	212	0.003	0.001	0.004	0.04	0.09	65.3	4.7	18.1	18.1	0.166
IQRC003	212	216	0.004	0.001	0.005	0.08	0.1	75.6	5.7	171.5	18.3	0.236
IQRC004	0	4	0.005	0.002	0.006	0.09	0.06	2.58	3.9	26.4	6.77	0.0312
IQRC004	4	8	0.005	0.005	0.010	0.2	0.03	3.86	5.6	15.9	20	0.0136
IQRC004	8	12	0.007	0.008	0.014	0.76	0.02	3.22	3.7	10.4	11.25	0.0075
IQRC004	12	16	0.008	0.025	0.032	0.79	0.03	3.11	2.1	16.6	5.73	0.028
IQRC004	16	17	0.011	0.076	0.087	0.68	0.06	8.99	4.2	49.3	9.25	0.0706
IQRC004	17	18	0.050	0.109	0.159	0.54	0.36	13.6	18.8	681	10.4	0.271
IQRC004	18	19	0.323	0.294	0.617	0.67	1.55	8.15	63.6	2720	9.58	0.884
IQRC004	19	20	0.204	0.337	0.541	0.57	1.19	7.14	39.5	1485	11.2	0.7
IQRC004	20	21	0.115	0.369	0.484	0.45	0.81	8.76	65.3	439	10.9	1.12
IQRC004	21	22	0.524	1.135	1.659	0.36	3.55	6.91	61	1240	4.76	1.58
IQRC004	22	23	0.612	0.738	1.350	0.78	2.63	5.44	20.6	1470	4.84	0.518
IQRC004	23	24	0.295	0.280	0.575	0.74	1.15	2.85	9.4	559	2.04	0.218
IQRC004	24	25	0.441	0.360	0.801	0.58	2.08	2.74	14.9	629	3.54	0.316
IQRC004	25	26	0.298	0.556	0.854	0.93	3.69	2.88	18.8	435	3.7	0.813
IQRC004	26	27	0.836	2.170	3.006	0.48	13.1	5.15	51.4	1250	4.02	3.29
IQRC004	27	28	0.628	0.780	1.408	0.54	5.15	3.5	29.7	853	3.77	1.2
IQRC004	28	29	0.422	0.659	1.081	0.81	13.8	9.29	40.4	659	5.29	1.37
IQRC004	29	30	0.604	0.819	1.423	0.77	26.9	10.85	72.7	826	6.28	2.07
IQRC004	30	31	0.525	0.717	1.242	0.72	16.25	10.1	50.7	731	6.83	1.545
IQRC004	31	32	1.325	1.360	2.685	0.74	19.2	10.45	247	938	6.75	4.98
IQRC004	32	33	0.681	0.509	1.190	0.84	10.55	7	106.5	526	5.68	2.29
IQRC004	33	34	0.695	0.466	1.161	1.34	10.2	7.56	98.9	448	6.65	2.51
IQRC004	34	35	0.489	0.201	0.690	1.74	3.77	5.38	54.6	274	6.27	1.455
IQRC004	35	36	1.090	0.332	1.422	1.72	24	6.19	106	437	8.43	3.32
IQRC004	36	37	0.744	0.208	0.952	0.35	272	5.25	38.3	232	3.74	1.065
IQRC004	37	38	0.731	0.193	0.924	0.33	282	4.91	36.1	221	3.58	0.988
IQRC004	38	39	0.693	0.229	0.922	0.32	265	4.85	39.5	224	3.12	1.085
IQRC004	39	40	0.698	0.250	0.948	0.32	229	4.45	41.6	234	3.13	1.075
IQRC004	40	41	0.696	0.140	0.836	0.27	201	3.95	27.6	173	4.2	0.612
IQRC004	41	42	0.610	0.115	0.725	0.32	175	3.36	21	140	3.76	0.513
IQRC004	42	43	0.460	0.037	0.497	0.45	119	1.795	8.6	61.9	2.48	0.211
IQRC004	43	44	0.457	0.049	0.506	0.42	117	1.91	10.6	75.2	2.44	0.256
IQRC004	44	45	0.496	0.091	0.587	0.37	86	2.94	12.2	95.8	1.64	0.813
IQRC004	45	46	0.462	0.131	0.593	0.45	92	3.29	18.2	102	2.47	0.669



IQRC004	46	47	0.436	0.093	0.529	0.42	91	2.48	15	113	2.25	1.13
IQRC004	47	48	0.516	0.155	0.671	0.5	56.2	3.3	33.3	213	3.17	2.53
IQRC004	48	49	1.085	0.234	1.319	0.55	78.9	2.98	68.3	252	3.84	2.62
IQRC004	49	50	0.617	0.193	0.810	0.43	38.6	2.5	37.8	164	3.34	1.32
IQRC004	50	51	0.490	0.095	0.585	0.25	58.1	2	15.6	107.5	2.54	0.936
IQRC004	51	52	0.389	0.074	0.463	0.17	20.4	1.115	11.4	79.2	1.4	0.722
IQRC004	52	56	0.476	0.321	0.797	0.19	27.1	2.49	16.8	120.5	3.01	0.927
IQRC004	56	60	0.340	0.063	0.403	0.1	19.25	0.98	4.9	65.7	1.56	0.265
IQRC004	60	64	0.043	0.006	0.049	0.19	1.34	0.432	3.6	15	1.54	0.267
IQRC004	64	65	0.050	0.007	0.057	0.55	2.19	0.442	2.3	13.2	1.56	0.242
IQRC004	65	66	2.620	0.016	2.636	2.33	108	0.31	8.9	51.7	2.88	0.204
IQRC004	66	67	18.950	0.015	18.965	9.6	698	0.297	46.8	271	10.6	0.18
IQRC004	67	68	1.225	0.003	1.228	0.88	47.8	0.231	6.1	24.4	1.67	0.1705
IQRC004	68	69	0.581	0.003	0.584	0.44	23.7	0.284	3.5	17.2	1.06	0.1505
IQRC004	69	70	0.348	0.003	0.351	0.28	14.15	0.311	3	18.2	0.94	0.1905
IQRC004	70	71	0.430	0.008	0.438	0.31	17.3	0.384	3.9	37.2	1.39	0.1865
IQRC004	71	72	0.328	0.003	0.331	0.27	13.35	0.272	3.3	12.3	0.89	0.158
IQRC004	72	73	1.635	0.006	1.641	1.26	84.7	0.267	8.8	27.2	1.51	0.1925
IQRC004	73	74	0.473	0.009	0.482	0.53	23.8	0.285	8.6	21.8	2.27	0.325
IQRC004	74	75	0.070	0.006	0.075	0.14	3.41	0.277	3.5	7.9	1.68	0.208
IQRC004	75	76	0.072	0.007	0.079	0.12	3.76	0.292	2.4	14.9	0.66	0.189
IQRC004	76	77	0.047	0.002	0.049	0.13	2.48	0.24	1.8	4.5	0.53	0.146
IQRC004	77	78	0.036	0.002	0.038	0.1	1.9	0.227	1.9	5.2	0.56	0.15
IQRC004	78	79	3.930	0.030	3.960	4	206	0.557	29.1	104	2.76	0.212
IQRC004	79	80	0.099	0.004	0.104	0.21	3.89	0.26	4.5	52.1	0.73	0.24
IQRC004	80	81	0.188	0.003	0.191	0.21	10.4	0.296	2.7	17.7	1.57	0.287
IQRC004	81	82	0.156	0.007	0.163	0.24	6.27	0.286	7.3	32.3	0.96	0.228
IQRC004	82	83	0.098	0.009	0.107	0.2	3.76	0.29	4	13.8	0.91	0.259
IQRC004	83	84	0.028	0.002	0.030	0.08	1.15	0.337	2	4.3	0.82	0.191
IQRC004	84	88	0.015	0.001	0.016	0.06	0.55	0.294	1.9	3.5	0.79	0.214
IQRC004	88	92	0.025	0.001	0.026	0.08	1.59	0.321	2.8	5.4	0.95	0.206
IQRC004	92	96	0.018	0.001	0.019	0.05	0.95	0.35	2.6	4.8	0.96	0.237
IQRC004	96	100	0.007	0.001	0.008	0.07	0.27	0.346	1.7	5.9	0.64	0.202
IQRC004	100	104	0.012	0.001	0.013	0.05	0.3	0.316	1.8	4.8	0.57	0.173
IQRC004	104	108	0.060	0.010	0.070	0.24	2.68	0.442	3.3	9.6	1.6	0.318
IQRC004	108	112	0.021	0.002	0.023	0.07	0.69	0.482	3.7	4.3	1.11	0.221
IQRC004	112	113	0.008	0.001	0.009	0.06	0.18	0.374	4.4	5.6	0.88	0.279
IQRC004	113	114	0.039	0.006	0.045	0.11	1.59	0.608	8.5	10.9	1.45	0.466
IQRC004	114	115	0.186	0.013	0.199	0.18	5.95	0.831	10	21.7	2.09	0.462
IQRC004	115	116	0.276	0.023	0.299	0.37	9.09	1.07	15.7	32.3	2.3	0.772
IQRC004	116	117	0.210	0.022	0.232	0.41	6.7	1.305	12.9	46.9	2.82	0.537
IQRC004	117	118	0.112	0.011	0.123	0.21	3.18	0.852	12.3	51	1.99	0.813
IQRC004	118	119	0.110	0.010	0.120	0.22	3.74	0.962	11.3	67.8	2.21	0.665
IQRC004	119	120	0.165	0.009	0.174	0.24	7.3	1.075	10.2	43.4	2.27	0.438



STRICKLAND

METALS LIMITED

IQRC004	120	121	0.452	0.046	0.498	0.23	18.65	1.325	12.1	52.3	3.93	0.287
IQRC004	121	122	0.344	0.035	0.379	0.31	14.05	1.06	14.4	83.7	3.15	0.491
IQRC004	122	123	0.249	0.028	0.277	0.26	10.55	1.175	12.3	65.9	4.29	0.503
IQRC004	123	124	0.153	0.016	0.169	0.2	6.18	0.897	9.2	37.7	2.82	0.409
IQRC004	124	125	0.254	0.014	0.268	0.08	6.06	0.37	7.6	11.7	0.84	0.162
IQRC004	125	126	0.359	0.026	0.385	0.2	11.55	0.658	13.1	32.5	1.89	0.258
IQRC004	126	127	0.472	0.093	0.565	0.61	21.3	1.94	17.7	78	3.64	0.413
IQRC004	127	128	0.442	0.097	0.539	0.73	17.8	2	14.8	90.3	4.17	0.252
IQRC004	128	129	0.348	0.060	0.408	0.5	13.15	1.52	12.6	62.4	3.36	0.252
IQRC004	129	130	0.331	0.055	0.386	0.5	13.5	1.81	13.2	63	3.2	0.258
IQRC004	130	131	0.121	0.017	0.138	0.23	4.75	0.903	6.7	27	1.85	0.162
IQRC004	131	132	0.154	0.020	0.174	0.25	5.57	0.927	7.1	28.9	1.77	0.171
IQRC004	132	133	0.271	0.037	0.308	0.44	11.2	1.395	10.1	57.9	2.47	0.18
IQRC004	133	134	0.036	0.004	0.041	0.13	1.14	0.763	4.2	7.7	1.21	0.185
IQRC004	134	135	0.038	0.004	0.042	0.08	1.05	0.506	3	10.1	1.06	0.188
IQRC004	135	136	0.184	0.010	0.194	0.15	5.1	0.534	3.7	31.7	1.23	0.247
IQRC004	136	137	0.180	0.014	0.194	0.21	6.46	0.551	4.4	28.1	1.3	0.206
IQRC004	137	138	0.199	0.019	0.218	0.29	7.47	0.857	5.7	41.5	2.1	0.254
IQRC004	138	139	0.182	0.026	0.208	0.31	8.14	1.055	7.4	37.2	1.79	0.231
IQRC004	139	140	0.197	0.028	0.225	0.28	10.3	1.6	9.7	42	3.7	0.235
IQRC004	140	141	0.219	0.028	0.247	0.39	10.25	1.335	9.8	43	2.66	0.26
IQRC004	141	142	0.332	0.042	0.374	0.66	15.85	2.49	13.8	53.5	4.12	0.358
IQRC004	142	143	0.294	0.033	0.327	0.58	12.95	2.04	12.1	48.7	3.96	0.285
IQRC004	143	144	0.220	0.018	0.238	0.39	7.67	1.45	11.1	32.2	3.31	0.211
IQRC004	144	145	0.225	0.014	0.239	0.29	6.2	0.929	11.7	22.6	2	0.189
IQRC004	145	146	2.980	0.005	2.985	1.12	124	0.52	62.9	145	7.78	0.166
IQRC004	146	147	1.180	0.009	1.189	0.53	43.5	0.563	29.5	48.5	2.7	0.168
IQRC004	147	148	0.671	0.016	0.687	0.33	26.1	1.155	34.5	39.5	2.33	0.79
IQRC004	148	149	0.727	0.023	0.750	0.43	40	1.965	23.4	48.3	4.67	1.15
IQRC004	149	150	0.547	0.010	0.557	0.56	25.9	1.17	14.7	26.8	3.36	0.448
IQRC004	150	151	0.500	0.010	0.510	0.44	23.4	0.762	14.7	32.3	2.28	0.295
IQRC004	151	152	0.658	0.003	0.661	0.56	35.7	0.418	48.1	51.8	2.59	0.223
IQRC004	152	153	0.317	0.004	0.321	0.29	15.2	0.56	29.7	41.2	2.41	0.201
IQRC004	153	154	0.299	0.002	0.301	0.22	12.5	0.657	12.6	23.9	3.02	0.294
IQRC004	154	155	0.174	0.002	0.176	0.23	8.08	0.965	10.1	15.2	3.46	0.321
IQRC004	155	156	0.184	0.003	0.187	0.21	8.18	0.77	9.1	13.1	2.42	0.3
IQRC004	156	157	0.177	0.003	0.180	0.23	8	1.03	8.7	14.4	2.64	0.279
IQRC004	157	158	0.137	0.002	0.139	0.27	5.99	1.55	9.6	11.4	3.94	0.285
IQRC004	158	159	0.097	0.002	0.099	0.17	4.47	0.863	4.5	8	1.93	0.304
IQRC004	159	160	0.073	0.002	0.075	0.13	3.48	0.676	4.3	19.7	1.44	0.311
IQRC004	160	164	0.049	0.001	0.050	0.12	2.01	0.451	3.1	7	1.14	0.219
IQRC004	164	168	0.028	0.001	0.029	0.1	1.21	0.551	4.7	6.7	1.57	0.224
IQRC004	168	170	0.040	0.004	0.044	0.12	1.38	0.365	3.6	7.9	0.82	0.242
IQRC005	0	4	0.003	0.002	0.005	0.07	0.1	4.12	6.2	14.5	11.6	0.0229



IQRC005	4	8	0.003	0.001	0.003	0.06	0.04	1.07	2.1	6.5	5.32	0.007
IQRC005	8	12	0.003	0.002	0.006	0.12	0.07	3.4	8	6	3.79	0.0155
IQRC005	12	16	0.012	0.006	0.018	0.42	0.27	0.715	3.3	4	1.44	0.0143
IQRC005	16	20	0.014	0.005	0.019	0.45	0.04	0.59	2.5	4.6	1.56	0.0088
IQRC005	20	24	0.023	0.007	0.029	0.4	0.23	0.65	3.3	5.7	3.44	0.013
IQRC005	24	28	0.038	0.008	0.047	0.28	0.06	1.02	4	8.8	18.55	0.0106
IQRC005	28	32	0.030	0.011	0.041	0.23	0.09	2.51	3.1	8.8	27.6	0.0247
IQRC005	32	36	0.009	0.028	0.037	0.86	0.1	3.87	4.3	9.1	10.35	0.155
IQRC005	36	40	0.015	0.074	0.089	2.88	0.19	13.9	4.1	14.1	13.95	0.207
IQRC005	40	44	0.007	0.022	0.029	5.15	0.12	4.38	1	9.5	13.3	0.0111
IQRC005	44	48	0.011	0.021	0.033	5.15	0.23	3.12	1.4	11.4	11.5	0.0164
IQRC005	48	52	0.019	0.046	0.065	6.76	0.29	3.41	3.6	69.5	11.85	0.0242
IQRC005	52	53	0.077	0.170	0.247	9.58	4.6	2.25	11.9	119	11.3	0.0038
IQRC005	53	54	0.069	0.128	0.197	5.33	4.29	2.05	5.5	114	8.61	0.0064
IQRC005	54	55	0.065	0.165	0.230	4.35	4.06	3.35	7.8	124.5	11.35	0.0349
IQRC005	55	56	0.121	0.467	0.588	8.92	7.38	2.63	21.7	377	9.11	0.0114
IQRC005	56	57	0.162	0.930	1.092	7.05	8.25	1.365	9.9	298	6.66	0.0077
IQRC005	57	58	0.135	0.884	1.019	7.24	7.33	1.835	15.7	262	5.35	0.0101
IQRC005	58	59	1.135	1.600	2.735	7.46	107.5	15.85	31.3	394	6.76	0.0047
IQRC005	59	60	1.525	1.475	3.000	11	273	6.86	51.2	219	6.7	0.0086
IQRC005	60	61	1.910	1.095	3.005	10.15	390	7.13	22.8	239	5.1	0.0453
IQRC005	61	62	0.916	0.365	1.281	3.13	181.5	1.82	5	79.6	1.61	0.1445
IQRC005	62	63	0.840	0.342	1.182	2.64	131.5	2.1	6.7	66.9	2.06	0.262
IQRC005	63	64	0.722	0.460	1.182	4.13	117	2.19	7.6	103.5	2.49	0.202
IQRC005	64	65	0.274	0.123	0.397	1.2	27.8	1.1	10.4	40.4	1.34	0.497
IQRC005	65	66	0.314	0.093	0.407	0.75	21.7	0.882	4.3	24.2	0.8	0.242
IQRC005	66	67	0.201	0.062	0.263	1.06	15.85	0.859	5.6	22.9	0.85	0.253
IQRC005	67	68	0.182	0.069	0.251	0.76	14.65	0.766	4	15.8	0.69	0.242
IQRC005	68	69	0.249	0.078	0.327	0.51	20.7	0.943	4.3	11.9	0.56	0.254
IQRC005	69	70	0.354	0.118	0.472	0.71	28.9	2.5	5.1	21.8	1.27	0.256
IQRC005	70	71	0.271	0.100	0.371	0.95	27.4	1.19	3.5	33.3	0.78	0.18
IQRC005	71	72	0.651	0.136	0.787	1.09	38.6	2.69	7.8	24.9	3.81	0.392
IQRC005	72	73	0.140	0.160	0.300	0.51	20.6	0.859	1.6	13.8	1.42	0.118
IQRC005	73	74	0.295	0.126	0.421	0.73	61.9	0.796	4	26.2	0.77	0.221
IQRC005	74	75	0.492	0.284	0.776	1.54	85.7	4.18	8	69.7	3.79	0.407
IQRC005	75	76	0.541	0.166	0.707	1	65.8	2.24	12	64.3	2.59	0.641
IQRC005	76	77	0.576	0.204	0.780	1.48	61.8	3.6	10.4	67.6	4.62	0.523
IQRC005	77	78	0.494	0.178	0.672	1.1	44.1	1.63	8.4	35.9	2.11	0.689
IQRC005	78	79	0.393	0.110	0.503	0.78	38.1	0.838	5	33.6	1.83	0.404
IQRC005	79	80	0.353	0.123	0.476	0.75	42.5	1.015	5.1	32.7	1.6	0.379
IQRC005	80	81	0.500	0.163	0.663	0.69	47.2	0.909	8.8	39	1.64	0.775
IQRC005	81	82	0.534	0.159	0.693	0.55	44.9	1.175	10.5	26.2	1.74	0.904
IQRC005	82	83	0.228	0.046	0.274	0.58	26.5	0.617	6.6	20	1.03	0.373
IQRC005	83	84	0.356	0.088	0.444	1.37	41.8	1.215	9.8	34.5	1.78	0.632



IQRC005	84	85	0.338	0.101	0.439	1.02	44.5	1.55	7.7	73	2.46	0.565
IQRC005	85	86	0.778	0.275	1.053	1.09	70.3	2.41	21.1	70.9	3.1	1.75
IQRC005	86	87	0.625	0.181	0.806	1.15	58	2.74	14.7	36.9	3.1	1.01
IQRC005	87	88	0.427	0.124	0.551	0.8	31.1	1.85	9.9	28.8	2.49	0.729
IQRC005	88	89	0.410	0.105	0.515	1.11	29.3	1.7	8.3	25.5	2.78	0.561
IQRC005	89	90	0.429	0.094	0.523	1.03	25.6	1.73	9.9	24.3	2.63	0.563
IQRC005	90	91	0.478	0.088	0.566	0.98	25.7	1.405	12	27.6	2.32	0.506
IQRC005	91	92	0.551	0.100	0.651	1.36	30.7	1.485	17	35.7	2.99	0.597
IQRC005	92	93	0.458	0.072	0.530	0.77	26.6	1.515	13.6	29.6	2.46	0.758
IQRC005	93	94	0.536	0.154	0.690	0.67	65.2	2.1	15.8	40.3	3.06	1.25
IQRC005	94	95	0.196	0.042	0.238	0.39	19.4	1.05	7.5	22.7	1.9	0.622
IQRC005	95	96	0.546	0.192	0.738	1.34	57.8	2.28	13	62.8	3.53	1.04
IQRC005	96	97	0.659	0.273	0.932	1.17	92.5	2.06	17.5	42.1	3.6	1.625
IQRC005	97	98	0.693	0.210	0.903	1.26	75.1	1.88	19.7	34.1	2.75	1.74
IQRC005	98	99	0.641	0.142	0.783	0.67	50.2	1.65	19.3	18.9	1.74	1.925
IQRC005	99	100	0.304	0.059	0.363	0.69	29	1.175	7.1	22	1.91	0.671
IQRC005	100	101	0.278	0.054	0.332	0.65	23.2	1.29	9.5	32.8	2.04	0.754
IQRC005	101	102	0.225	0.033	0.258	0.52	13.7	1.05	14.5	38.3	1.89	0.931
IQRC005	102	103	0.107	0.012	0.119	0.32	5.26	0.908	6.8	15.6	1.93	0.539
IQRC005	103	104	0.226	0.014	0.240	0.39	5.12	1.42	7.5	23.8	2.05	0.675
IQRC005	104	105	0.257	0.033	0.290	0.44	10.9	1.27	9.9	30.7	2.15	0.776
IQRC005	105	106	0.549	0.073	0.622	0.62	24.4	2.08	16.4	140	3.63	1.335
IQRC005	106	107	0.494	0.065	0.559	0.59	21.1	1.965	13.3	132	3.53	1.055
IQRC005	107	108	0.334	0.041	0.375	0.48	13.75	1.205	8	81.1	2.64	0.686
IQRC005	108	109	0.139	0.026	0.165	0.32	8.48	0.909	5.5	54.8	2.45	0.45
IQRC005	109	110	0.159	0.035	0.194	0.37	10.8	0.877	4.8	62.1	2.52	0.449
IQRC005	110	111	0.242	0.059	0.301	0.39	17.4	1.525	6.3	110	2.52	0.598
IQRC005	111	112	0.466	0.066	0.532	0.5	27.4	1.915	12	167.5	3.52	1.505
IQRC005	112	113	0.622	0.058	0.680	0.28	35.3	0.942	16.8	36.8	1.58	2.37
IQRC005	113	114	6.360	0.074	6.434	9.62	332	0.993	24.3	160	3.37	1.35
IQRC005	115	116	1.360	0.050	1.410	1.42	68.1	2.89	17.4	44.5	3.2	1.06
IQRC005	116	117	1.095	0.050	1.145	1.27	63.5	2.72	15.8	41.4	3.34	0.914
IQRC005	117	118	0.397	0.015	0.412	0.48	21.7	0.84	5.9	18.5	1.66	0.361
IQRC005	118	119	0.269	0.009	0.278	0.4	11.4	0.633	5.4	13.4	1.16	0.285
IQRC005	119	120	0.665	0.018	0.683	0.85	27.8	0.986	9.6	22.3	2.6	0.303
IQRC005	120	121	0.192	0.012	0.204	0.36	8.56	0.567	6.9	20	1.12	0.366
IQRC005	121	122	0.099	0.002	0.101	0.15	3.07	0.361	5.9	5.7	0.72	0.365
IQRC005	122	123	0.385	0.001	0.386	0.44	23.1	0.57	5.8	12	1.73	0.1875
IQRC005	123	124	3.060	0.152	3.212	3.97	189.5	0.581	14.9	47.9	3.32	0.105
IQRC005	124	125	9.560	0.542	10.102	11.95	576	0.55	32.4	108.5	3.22	0.14
IQRC005	125	126	9.630	0.611	10.241	13.5	549	0.563	29.2	121	4.43	0.1765
IQRC005	126	127	1.525	0.029	1.554	1.81	78.6	0.723	8.8	87.5	3.01	0.366
IQRC005	127	128	4.310	0.038	4.348	5.55	257	0.506	25.6	108	3.2	0.319
IQRC005	128	129	2.650	0.059	2.709	4.19	148.5	0.501	34.8	71.5	3.02	0.344



IQRC005	129	130	1.735	0.065	1.800	4.37	103.5	0.554	25.1	73.1	3.09	0.362
IQRC005	130	131	1.645	0.045	1.690	3.16	93.4	0.485	17.6	60.7	2.66	0.415
IQRC005	131	132	2.400	0.051	2.451	3.67	132.5	0.509	16.4	89.7	3.16	0.358
IQRC005	132	133	0.914	0.045	0.959	2.09	51.5	0.748	19.7	38.5	2.76	0.331
IQRC005	133	134	0.166	0.036	0.201	0.61	8.52	0.929	5.8	11.8	2.46	0.237
IQRC005	134	135	0.158	0.024	0.182	0.46	7.5	0.544	4.3	8.8	1.72	0.229
IQRC005	135	136	0.206	0.013	0.219	0.43	9.71	0.455	4.3	10.4	1.33	0.24
IQRC005	136	137	0.202	0.007	0.209	0.37	8.87	0.821	8.6	10.6	2.49	0.516
IQRC005	137	138	0.119	0.006	0.125	0.34	4.87	0.993	7.8	10.6	3.26	0.367
IQRC005	138	139	0.352	0.042	0.394	0.76	15.45	0.754	6.8	15	2.47	0.32
IQRC005	139	140	0.197	0.039	0.235	0.58	8.2	0.756	6	11.2	2.69	0.329
IQRC005	140	144	0.120	0.020	0.140	0.37	5.16	0.818	4.1	8.6	2.5	0.27
IQRC005	144	148	0.076	0.003	0.079	0.17	3.25	0.349	2.5	4.9	0.94	0.224
IQRC005	148	150	0.022	0.002	0.024	0.11	0.87	0.379	1.8	4.5	0.89	0.198

1 Appendix B: JORC Code, 2012 Edition – Table 1 report template

1.1 Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> • <i>Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where ‘industry standard’ work has been done this would be relatively simple (e.g., ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g., submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> • All drilling and sampling was undertaken in an industry standard manner. • RC hole samples were collected on a 1m basis from a cone splitter mounted on the drill rig cyclone, in depth pre-numbered calico bags. The remaining metre was then collected in pre-numbered green polyethylene bags and (with the pre-numbered calico bags) laid out in rows of 30. A 50g sample was collected from each pile and collected in a depth pre-numbered paper packet. This sample was then in turn placed into a semi-transparent plastic cup, with a clear transparent film at its base. This was then placed in a Vanta pXRF Work Station and analysed for 30 seconds (3 x 10 second beam) utilising an Olympus pXRF machine. Any base metal anomalism >500ppm encountered throughout the drilling was selected for 1 metre sampling, whereby the depth numbered calico was placed in a pre-numbered SKR***** prefixed bag. 1m sample ranged from a typical 2.5-3.5kg. All other samples were collected using a spear and collected over 4 metre composites. These were also placed in pre-numbered SKR***** pre-fixed calico bags and sampled sequentially. • Base metal standard reference material was used throughout the pXRF analysis process and were also inserted into every 50th pre-numbered SKR***** prefixed bag. • The independent laboratory pulverises the entire sample for analysis as described below. • Iroquois historic RC and DDH drilling by RGC, sampling techniques or methodology is not included in any of the historic WAMEX Open File reports relating to the historic RGC exploration work.
Drilling techniques	<ul style="list-style-type: none"> • <i>Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> • Reverse Circulation with a 5 and a 1/2 inch drill bit.
Drill sample recovery	<ul style="list-style-type: none"> • <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> 	<ul style="list-style-type: none"> • RC samples were visually assessed for recovery.

	<ul style="list-style-type: none"> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> 	<ul style="list-style-type: none"> Samples are considered representative with generally good recovery. Holes greater than 60 metres encountered water, with some samples having less than optimal recovery and possible contamination. No sample bias is observed.
Logging	<ul style="list-style-type: none"> <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> The entire hole has been geologically logged by a Company geologist. RC sample results are appropriate to use in a future resource estimation, except where sample recovery is poor. Each chip tray was photographed and catalogued within STK's digital filing structure.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> RC hole samples were collected on a 1m basis from a cone splitter mounted on the drill rig cyclone, in depth pre-numbered calico bags. The remaining metre was then collected in pre-numbered green polyethylene bags and (with the pre-numbered calico bags) laid out in rows of 30. A 50g sample was collected from each pile and collected in a depth pre-numbered paper packet. This sample was then in turn placed into a semi-transparent plastic cup, with a clear transparent film at its base. This was then placed in a Vanta pXRF Work Station and analysed for 30 seconds (3 x 10 second beam) utilising an Olympus pXRF machine. Any base metal anomalism >500ppm encountered throughout the drilling was selected for 1 metre sampling, whereby the depth numbered calico was placed in a pre-numbered SKR***** prefixed bag. 1m sample ranged from a typical 2.5-3.5kg. All other samples were collected using a spear and collected over 4 metre composites. These were also placed in pre-numbered SKR***** pre-fixed calico bags and sampled sequentially. Base metal standard reference material was used throughout the pXRF analysis process and were also inserted into every 50th pre-numbered SKR***** prefixed bag. Each sample was dried, split, crushed and pulverised. Sample sizes are considered appropriate for the material sampled. The samples are considered representative and appropriate for this type of drilling RC samples are mostly appropriate for use in a resource estimate
Quality of assay data and	<ul style="list-style-type: none"> <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> 	All samples were submitted to ALS laboratory in Perth for Au (50g) by Fire Assay with AAS finish and a (75g) multi element assay via a four acid digestion with an ICP-MS finish.

laboratory tests	<ul style="list-style-type: none"> For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e., lack of bias) and precision have been established. 	<p>The techniques are considered quantitative in nature.</p> <p>Certified standard reference material (suitable for this style of mineralisation) was inserted by the Company, at a frequency of every 50th sample. ALS also inserted internal standards as part of its own QAQC process.</p> <p>No duplicates were taken during this initial phase of drilling.</p> <p>The standard results from both the pXRF analysis and laboratory analysis are considered satisfactory.</p>
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Sample results have been imported into Datashed by Mitchell River Group (company's database consultants). Results have been uploaded into the company database, checked and verified. No adjustments have been made to the assay data. Results are reported on a length weighted basis.
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<p>RC drill collar location are located using a handheld Garmin Montana GPS which has an accuracy of +/-3m.</p> <p>Coordinate grid system is MGA94 zone 51 for collar location points. A nominal RL of 500 metres was assigned to each drill collar.</p> <p>Diagrams and a collar information table is provided in the report.</p>
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> This initial phase of RC drilling was conducted at 100 metres NW-SE and 300 metres NE-SW. Further drilling was undertaken to delineate the size and scale of grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s). No sample compositing has been applied to these results.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> Drilling was conducted perpendicular to the main strike in orientation of the identified "feeder" extensional fault, which is believed to be one of the main fluid conduits across Iroquois. The mineralization is a classic Mississippi Valley Type strata bound deposit, hosted within the Iroquois Dolomite, which shallowly dips to the west. Given the relatively flat-lying nature in the mineralization, and the orientation of the drilling, sampling is believed to be un-biased.

Sample security	<ul style="list-style-type: none"> <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> Sampling was recorded in both hardcopy and digital format. These were collected by company personnel and delivered directly to the laboratory via STK personnel.
Audits or reviews	<ul style="list-style-type: none"> <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> Results were assessed by Dr Nigel Brand (Geochemical Services Pty Ltd).

1.2 Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> The Iroquois prospect is located on E69/2820 which is in JV. 80% is held by Strickland Minerals Ltd and 20% (free carried interest) is held by Gibb River Diamond Ltd. L11 Capital Pty Ltd holds a 1% gross revenue royalty over Strickland's interest in the above tenure
Exploration done by other parties	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> The majority of exploration work at Iroquois was undertaken by RGC Exploration Ltd. Several shallow aircore holes were carried out by Phosphate Australia Ltd, who have since changed their name to Gibb River Diamonds Ltd. This shallow, follow-up drilling, identified base metal mineralization (>1% Zn + Pb + Mn), which was associated with heavily weathered manganiferous clays. This enrichment is now believed to be associated with secondary enrichment processes due to fluctuations in the water table and is not primary mineralization.
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Zn-Pb base metal mineralisation at Iroquois has all the characteristics of a Mississippi Valley Type (Pb-Zn-Ag) orebody. Mineralisation intersected to date is hosted within the Iroquois dolomite unit within the

		Yelma Formation which is part of the Tooloo Subgroup belonging to the Earaheedy Basin.
Drill hole Information	<ul style="list-style-type: none"> A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> Drill hole location and directional information is provided in the report.
Data aggregation methods	<ul style="list-style-type: none"> In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> Results are reported to a minimum cutoff grade of 0.1% Pb and 0.1% Zn with an internal dilution of X metres. Intercepts are length weighted averaged No maximum cutoff grades have been applied.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g., 'down hole length, true width not known'). 	<ul style="list-style-type: none"> The geometry of the mineralization at Iroquois is believed to be generally flat-lying, with a general dip of 10-20 degrees to north west and striking 50 degrees to the NE.
Diagrams	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any 	<ul style="list-style-type: none"> Please refer to the main body of text.

	<i>significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	
Balanced reporting	<ul style="list-style-type: none"> <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> All drill collars are show in figures and all significant results are provided in this report. The report is considered balanced and provided in context
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> The sulphides intersected in the drilling are relatively coarse grained, which is typical for an MVT deposit. No other exploration data is regarded as being meaningful or material for this announcement.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> The results from a detailed soil sample program, across the wider Iroquois Dolomite unit will be received by the end of this month. This will compliment the detailed geological and structural mapping undertaken by the Strickland geological at the end of last year. A Native Title Heritage Survey is to be undertaken to allow for extensional drill target testing. A ground Induced Dipole-Dipole IP survey will be undertaken across the wider Iroquois Dolomite unit to delineate further areas of base metal mineralization. Upon the completion of these activities, RC and diamond drilling will be undertaken to further define Pb-Zn mineralization and assist in defining an initial Pb-Zn inferred resource.