

**ASX code: MAU**  
**ASX Release**  
**21 February 2022**

#### THICKER INTERSECTIONS CONTINUE TO GROW LADY JULIE1 AND 4 AND HOMEWARD BOUND


- Ongoing infill and extension drilling at Lady Julie has shown many thick intersections some of which start from surface with 40m at 1.5g/t from 0m including 8m at 5.18g/t from 0m in MLJRC482, 12m at 2g/t from 4m in MLJRC474 and further examples are shown in the highlights below and in Figures 1-2. This promising thick gold zone at the central part of Lady Julie1 is growing southwards towards the southern mineralised zone over a 1km length as shown in Figure 1.

HoleID	East	North	From	To	Width	Gold
	MGAz51	MGAz51	m	m	m	g/t
MLJRC482	429039	6822440	0	40	40	1.47
		including	0	8	8	5.18
MLJRC475	429158	6821990	0	40	40	0.61
MLJRC474	429507	6821603	4	16	12	1.95
MLJRC463	431833	6823882	92	124	32	0.95
MLJRC441	429690	6821061	88	124	36	0.91
MLJRC347	429748	6820399	32	46	14	1.03
MLJRC437	429527	6821069	4	20	16	0.88
MLJRC493	429652	6821587	8	16	8	1.07
MLJAC020	431912	6823820	8	17	9	1.15
MHNRC1129	431926	6823860	82	88	6	1.73
MHNRC1062	431956	6823820	67	76	9	3.68


- There are now four main mineralised centres that have been extensively drilled and in some cases, further drilling is planned. They include Lady Julie 1 (being drill tested over a 1km length), Lady Julie 4 (being tested over 500m length), HN9 (2.5km length) and Homeward Bound South (being tested over a 500m length and is within 5km mineralised Federation shear zone). These four mineralised areas are all shallow deposits and, in some cases, starting from surface providing low strip ratios and potential for economic ore that is open-cuttable.
- The Lady Julie 1 mineralisation (Figure 2) can be unusually thick with associated higher grades, 41m at 2.6g/t from 31m in MLJRC162, 52m at 1.7g/t from 52m in MLJRC352, 52m at 1.5g/t from 15m, 40m at 1.5g/t from 0m in MLJRC452 and 88m at 1.3g/t from 68m, which augers well for the potential economics considering a lot of the intersections also start from surface, 25m at 4.4g/t from 0m in MLJRC348, 22m at 4.1g/t from 0m in MLJRC457.

The highest-grade and thickest zones trend NNW within an overall NS trend (Figure 1). This 1km long Lady Julie 1 target is being infill drilled to get it to an Indicated Category. There are at least two separate stacked lodes present in this current drilling area, which dip 20 to 45 deg to the east. Assays are pending for 32 RC holes totaling 2572m and 3 diamond holes for 302m at Lady Julie 1 and 4 and three RC holes totaling 320m at HN9.

- The gold mineralisation at Lady Julie 1 can occur within the porphyry or along the porphyry/mafic and porphyry/ultramafic unit contacts. Locally there is a strong concentration within the ultramafic as well, where there is higher grade mineralisation. Also, the alteration is usually a strong pervasive albite-silicic alteration within the porphyry units which have numerous cross-cutting quartz vein intersections as well.
- Thickened porphyry zones (up to 70m) are common on the eastern part of the Lady Julie North 1 strongly mineralised zones, on the edge of a major 6km long NS thrust zone. These porphyries are also steeper dipping in this area and may represent conduits for deeper mineralisation to come closer to the surface. These underlying intrusions are also targets for deeper mineralisation similar to the deeper intrusions at depth at the world class Sunrise Dam gold mine and deeper holes are planned here.
- Infill RC drilling within the very high-grade intersection zones have shown that they are associated with pervasive vertical zones (shoots) with grades greater than 10g/t as shown in Table 1. Some of these intersections include 2m at 21.4g/t from 43m in MLJRC292 and 2m at 21.0g/t from 3m in MLJRC457 and 1m at 59.5g/t from 22m in MLJRC348 and 4m at 15.1g/t form 32m in MLJRC453. Further infill RC and diamond drilling have been completed and results are awaited. This drilling is designed to define the true extent and distribution of these enriched high-grade shoots that lie within the promising thicker intersections (Figure 1).



**Figure 1. The southern 1km part of the Lady Julie North1 area highlighting significant thick intersections from the latest drill programme (yellow large rectangular label) and previous drilling (white label) with maximum gold projected to surface and planned drillholes (in yellow).**



**Figure 2 Gold intersection overview covering the HN5, HN6, HN9 and adjacent Lady Julie Projects showing ten additional gold targets covering 15km (purple outlines) with highlighted intersections (white label). Significant historical and Magnetic intercepts (maximum Au projected to surface) and planned RC holes in yellow.**



**Within the HN5, HN6, HN9 and Lady Julie areas there are many new shallow intersections (Fig 1 and Table 2) with a total of 1,670 intersections (ranging from 1 to 30m) greater than 0.5g/t Au, which includes 734 greater than 1g/t Au, 274 greater than 2g/t Au, 153 greater than 3g/t Au and 96 greater than 4g/t Au.**

The results from the 2D seismic survey and the recent major drill programmes as well as historical drillings results have led to the interpretation of 15km of gold targets in 10 areas within HN5, HN6, HN9 and Lady Julie outlined in purple in Figure 2 and summarised in Table 1.

The best-looking target so far besides the 3km-long HN9 mineralisation, is Lady Julie North (3.9km long) At Lady Julie North 1 there are many mineralised intersections including the outstanding intersection of 41m at 2.6g/t Au from 31m including 15m at 4.2g/t from 52m in MLJRC162, 25m at 4.4g/t from 0m in MLJRC348 and 36m at 2.0g/t from 92m in MLJRC448.

This zone between the two thrusts is very prospective and there are numerous NS workings, mineralised drillholes and anomalous soil geochemical areas, which are in the process of being further drilled (Figures 1-2).


Both the mineralised targets at HN9 and Lady Julie North appear to straddle two deep seated thrusts, with HN9 being a major 3km-long mineralised zone. The eight thrust zones that come to surface continue to the north and south over an extensive 6km length and shallow RAB and or soil geochemistry is being carried out to help outline any further anomalous gold areas worthy of follow up drilling (Figure 2). At Lady Julie North 1 and 2, the targets are compelling because they are associated with the two parallel Thrusts 7 and 8 (Fig. 2).

**Table 1. Target Summary HN5, HN6, HN9 and Lady Julie**

Target	Length Km	Significant gold intersection	Description
Lady Julie North (1-4)	3.9	MLJRC406 64m @ 2.37g/t from 88m MLJRC404 20m @ 4.29g/t from 140m MLJRC295 39m @ 1.55g/t from 7m MLJRC162 41m @ 2.56g/t from 31m	Several wide and high-grade intersections starting from surface associated 50ppb soil anomaly
Lady Julie Central	1.5	MLJRC214 4m @ 16.66g/t from 32m	New NNE-trending gold zone with some excellent high-grade intersections.
Lady Julie East	1.7	MLJRC183 4m @ 1.49g/t from 16m	Southern extension of near-surface high-grade results
HN9 thickened zone	1.5	MHNRC582 104m @ 0.82g/t from 8m	Open 1km to the NE. New holes planned.
HN9 fold	1.5	RFAC408 5m @ 2.35g/t from 49m	Unusual EW trend, part of large regional folding
HN9 Thrust 2	1.2	HNR008 2m @ 12.83g/t from 36m	Drilling extension of high-grade intersection planned.
HN9 Thrust 3	1.2	MHNRC1010 1m @ 58.48g/t from 91m	Drilling extension of new intersection
HN5 West	0.3	MHNRC1015 4m @ 62.51g/t from 52m	Drilling of very high-grade intersection planned
HN5 South	0.7	No drilling to-date	NW extension of Eagles Nest workings
HN6 Thrust 2	1.5	MHNRC1041 1m @ 3.06g/t from 40m	Extension of intersection and initial testing of workings planned.
Total	15.0		

At Hawks Nest 5, 6, 9 and Lady Julie extensive drilling programmes have been completed. (Tables 3 and 4), including 1,598 RC holes totaling 110,568m (average 69m depth) 27,122 2–5m composites and 16,518 1m splits and 7 Diamond holes totaling 751m. This release is mainly reporting on 777 composite assays (2–4m) and 286 1m splits from 52 RC holes (MLJRC269,335-340,347,349,350,353,434-437,441,444,445,459-464,466,472-494 and MHNRC1062,1126,1129, 1131,1134 & 1135) totaling 5,180m. Assays are pending for 32 RC holes for 2,572m and 3 Diamond holes for 302m at Lady Julie and 4 RC holes for 320m at Hawks Nest 9.

An RC rig has started with a programme of 30 RC holes for 3688m at Lady Julie 1 and 4 and 27 RC holes for 1879m at HN9 (shown in yellow in Figure 2 and Table 4) following up the new assays reported on at Lady Julie North 1 and 4, which is designed to test and extend all the gold mineralisation found with the aim of ultimately converting to an Indicated Resource. In addition, 24 RC holes for 1820m are planned to follow up promising thick intersections of 20m at 3g/t from 60m in MHBSRC025 and 31m at 1g/t from 20m in MHBSRC010 at Homeward Bound South.



**Figure 3. Location Map showing Hawks Nest and Lady Julie Projects near major gold mines and processing plants**



magnetic resources<sup>NL</sup>

**Table 2. HN5, 6, 9 and Lady Julie Significant Drilling Intercepts Gold >1g/t with >2g/t highlighted.**

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
<b><i>RC/DDH - Magnetic Resources NL 2-5m composites and 1m splits 16th February 2022</i></b>							
MHNDD001	429439	6822106	30	31	1	2.61	E38/3127
MHNDD001			34	35	1	3.37	E38/3127
MHNDD002	429505	6821835	16	17	1	6.84	E38/3127
MHNDD002			20	21	1	3.39	E38/3127
MHNDD004	429578	6821510	2	3	1	3.45	E38/3127
MHNDD004			21	23	2	1.14	E38/3127
MHNRC19	427305	6826077	18	19	1	2.11	E38/3127
MHNRC48	427179	6826508	5	12	7	4.44	E38/3127
MHNRC50	427173	6826473	16	17	1	1.59	E38/3127
MHNRC52	427163	6826503	6	7	1	1.45	E38/3127
MHNRC58	427052	6826607	10	11	1	1.39	E38/3127
MHNRC58			22	24	2	1.8	E38/3127
MHNRC63	427234	6826309	3	4	1	1.02	E38/3127
MHNRC70	427149	6826522	5	6	1	1.46	E38/3127
MHNRC71	427155	6826530	2	4	2	1.5	E38/3127
MHNRC103	427296	6826215	20	24	4	1.01	E38/3127
MHNRC103b	427104	6826444	19	20	1	4.57	E38/3127
MHNRC111	427253	6826330	53	54	1	1.77	E38/3127
MHNRC124	428952	6822397	14	15	1	1	E38/3127
MHNRC125	429140	6822367	8	9	1	1.84	M38/1041
MHNRC126	429165	6822366	20	21	1	1.86	M38/1041
MHNRC127	429076	6822369	16	17	1	1.03	M38/1041
MHNRC129	429238	6822208	5	6	1	1.32	M38/1041
MHNRC131	429225	6822271	3	4	1	1.45	M38/1041
MHNRC135	429661	6821344	18	19	1	2.4	E38/3127
MHNRC136	429516	6821406	6	7	1	1.96	E38/3127
MHNRC139	429550	6821541	11	12	1	1.23	E38/3127
MHNRC139			16	17	1	1.16	E38/3127
MHNRC140	429550	6821615	20	23	3	2.62	E38/3127
MHNRC142	429524	6821702	14	15	1	4.27	E38/3127
MHNRC143	429558	6821740	29	30	1	4.43	E38/3127
MHNRC144	429537	6821824	22	27	5	2.32	E38/3127
MHNRC145	429560	6821825	35	37	2	4.56	E38/3127
MHNRC146	429463	6821761	5	6	1	2.22	E38/3127
MHNRC146			9	10	1	1.49	E38/3127
MHNRC147	429465	6821858	5	11	6	2.07	E38/3127
MHNRC149	429496	6821889	24	29	5	1.7	E38/3127
MHNRC150	429512	6821921	27	28	1	3.67	E38/3127
MHNRC151	429536	6821924	37	40	3	1.86	E38/3127
MHNRC152	429417	6822022	13	17	4	1.25	E38/3127
MHNRC152			19	20	1	2	E38/3127
MHNRC153	429378	6822014	3	6	3	1.26	E38/3127
MHNRC153			9	11	2	5.71	E38/3127
MHNRC154	429422	6822060	19	21	2	1.43	E38/3127
MHNRC154			26	30	4	1.05	E38/3127
MHNRC154			36	37	1	2.15	E38/3127
MHNRC155	429440	6822073	26	31	5	1.21	E38/3127
MHNRC165	429540	6822168	70	71	1	1.67	E38/3127
MHNRC167	429432	6821993	9	12	3	4.13	E38/3127
MHNRC170	429435	6821901	2	3	1	1.2	E38/3127
MHNRC172	429474	6821674	6	9	3	1.39	E38/3127
MHNRC175	429539	6821584	1	3	2	1.05	E38/3127
MHNRC179	429670	6821219	6	7	1	1.13	E38/3127
MHNRC179			27	29	2	1.5	E38/3127
MHNRC179			36	37	1	1.05	E38/3127
MHNRC182	429592	6821346	20	21	1	1.04	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC182			35	36	1	1.03	E38/3127
MHNRC183	429395	6821973	4	7	3	1.3	E38/3127
MHNRC184	429414	6821984	2	3	1	1.47	E38/3127
MHNRC184			11	12	1	1.45	E38/3127
MHNRC191	429068	6822429	7	8	1	1.21	M38/1041
MHNRC193	428980	6822382	1	2	1	1.11	E38/3127
MHNRC194	429195	6822368	13	14	1	1.58	M38/1041
MHNRC196	429289	6822212	27	28	1	1.17	M38/1041
MHNRC197	429391	6822116	20	23	3	1.01	E38/3127
MHNRC198	429476	6822089	42	44	2	1.33	E38/3127
MHNRC198			53	54	1	1.75	E38/3127
MHNRC199	429451	6822040	29	30	1	1.44	E38/3127
MHNRC199			33	34	1	2.27	E38/3127
MHNRC200	429569	6821925	48	50	2	1.21	E38/3127
MHNRC200			53	54	1	5.9	E38/3127
MHNRC202	429491	6821856	12	13	1	8.09	E38/3127
MHNRC202			16	17	1	1.51	E38/3127
MHNRC203	429590	6821827	45	48	3	3.56	E38/3127
MHNRC204	429493	6821763	11	15	4	2.99	E38/3127
MHNRC205	429611	6821735	49	51	2	2.14	E38/3127
MHNRC206	429556	6821719	23	24	1	6.51	E38/3127
MHNRC210	429648	6821440	45	46	1	1.06	E38/3127
MHNRC211	429690	6821344	18	19	1	1.82	E38/3127
MHNRC214	429014	6822533	35	36	1	1.01	E38/3127
MHNRC215	429048	6822553	45	50	5	1.05	E38/3127
MHNRC218	429316	6822215	16	17	1	1.68	M38/1041
MHNRC218			28	29	1	2.75	M38/1041
MHNRC219	429366	6822188	30	32	2	2.78	E38/3127
MHNRC220	429420	6822136	28	29	1	4.34	E38/3127
MHNRC221	429502	6822102	59	60	1	1.06	E38/3127
MHNRC222	429489	6822064	41	46	5	1.67	E38/3127
MHNRC223	429465	6822016	26	27	1	3.46	E38/3127
MHNRC223			33	34	1	1.17	E38/3127
MHNRC224	429428	6821959	2	3	1	1.9	E38/3127
MHNRC229	429543	6821856	29	30	1	1.49	E38/3127
MHNRC229			33	35	2	3.61	E38/3127
MHNRC231	429537	6821761	19	21	2	1.55	E38/3127
MHNRC231			24	25	1	2.58	E38/3127
MHNRC232	428121	6821635	32	33	1	2.95	E38/3127
MHNRC235	429648	6821343	50	51	1	1.02	E38/3127
MHNRC242	429729	6821098	18	19	1	1.12	E38/3127
MHNRC243	429757	6821097	16	17	1	1.41	E38/3127
MHNRC244	429786	6821097	35	36	1	1.3	E38/3127
MHNRC252	429017	6822400	15	16	1	1.78	E38/3127
MHNRC254	429094	6822366	1	2	1	1.44	M38/1041
MHNRC254			17	20	3	4.84	M38/1041
MHNRC258	429205	6822177	19	20	1	2.88	M38/1041
MHNRC261	429394	6822043	9	13	4	2.58	E38/3127
MHNRC261			15	16	1	1.64	E38/3127
MHNRC263	429403	6822018	9	10	1	2.65	E38/3127
MHNRC263			15	16	1	1.07	E38/3127
MHNRC268	429475	6821922	18	19	1	3.09	E38/3127
MHNRC270	429452	6821898	0	6	6	2.74	E38/3127
MHNRC270			7	8	1	3.15	E38/3127
MHNRC273	429448	6821861	0	1	1	1	E38/3127
MHNRC273			4	5	1	3.08	E38/3127
MHNRC275	429464	6821835	8	9	1	1.53	E38/3127
MHNRC275			11	12	1	1.18	E38/3127
MHNRC276	429432	6821838	0	1	1	1.06	E38/3127
MHNRC276			3	4	1	1	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC277	429481	6821822	13	14	1	3.23	E38/3127
MHNRC278	429465	6821822	8	9	1	1.86	E38/3127
MHNRC280	429451	6821762	1	4	3	4.43	E38/3127
MHNRC282	429484	6821745	7	12	5	2.57	E38/3127
MHNRC284	429511	6821718	9	10	1	2.12	E38/3127
MHNRC287	429490	6821684	2	3	1	1.19	E38/3127
MHNRC287			4	8	4	5.5	E38/3127
MHNRC289	429524	6821647	6	7	1	1.2	E38/3127
MHNRC289			12	13	1	1.07	E38/3127
MHNRC292	429507	6821614	6	8	2	5.26	E38/3127
MHNRC294	429617	6821584	42	43	1	1.38	E38/3127
MHNRC294			49	50	1	1.04	E38/3127
MHNRC295	429521	6821581	8	9	1	1	E38/3127
MHNRC297	429538	6821541	9	10	1	1.09	E38/3127
MHNRC297			13	17	4	1.08	E38/3127
MHNRC300	429576	6821511	20	21	1	1.34	E38/3127
MHNRC302	429569	6821439	4	7	3	2.48	E38/3127
MHNRC302			11	12	1	2.71	E38/3127
MHNRC332	429649	6820901	5	8	3	1.33	E38/3127
MHNRC332			13	14	1	1.95	E38/3127
MHNRC333	429697	6820902	24	25	1	1.5	E38/3127
MHNRC333			28	30	2	1.2	E38/3127
MHNRC337	429597	6820801	8	10	2	1.72	E38/3127
MHNRC371	428992	6822720	34	35	1	1.35	E38/3127
MHNRC373	429039	6822642	72	73	1	2.53	E38/3127
MHNRC377	429195	6822500	46	47	1	1.37	M38/1041
MHNRC378	429240	6822524	51	52	1	4.15	E38/3127
MHNRC380	429275	6822368	30	31	1	2.18	M38/1041
MHNRC381	429339	6822371	42	44	2	4.38	E38/3127
MHNRC383	429369	6822277	36	37	1	1.43	E38/3127
MHNRC383			48	49	1	4.36	E38/3127
MHNRC387	429453	6822151	37	38	1	1.08	E38/3127
MHNRC388	429494	6822178	48	49	1	5.38	E38/3127
MHNRC389	429523	6822079	53	54	1	1.2	E38/3127
MHNRC391	429361	6822026	5	6	1	3.25	E38/3127
MHNRC392	429371	6822036	2	6	4	1.98	E38/3127
MHNRC392			9	11	2	2.34	E38/3127
MHNRC394	429573	6822001	62	63	1	2.86	E38/3127
MHNRC397	429441	6821960	8	9	1	1.57	E38/3127
MHNRC397			11	12	1	1.64	E38/3127
MHNRC398	429438	6821940	8	9	1	3	E38/3127
MHNRC400	429444	6821925	3	7	4	1.14	E38/3127
MHNRC400			8	9	1	1.49	E38/3127
MHNRC401	429441	6821911	3	4	1	2.56	E38/3127
MHNRC402	429449	6821909	6	7	1	4.03	E38/3127
MHNRC403	429471	6821912	6	12	6	1.88	E38/3127
MHNRC403			13	14	1	2.46	E38/3127
MHNRC404	429482	6821912	10	11	1	8.14	E38/3127
MHNRC410	429464	6821875	7	8	1	11.21	E38/3127
MHNRC411	429432	6821860	8	9	1	2.15	E38/3127
MHNRC414	429440	6821838	5	6	1	3.09	E38/3127
MHNRC415	429474	6821836	14	15	1	9.68	E38/3127
MHNRC416	429485	6821836	11	12	1	11.87	E38/3127
MHNRC417	429571	6821856	42	44	2	1.36	E38/3127
MHNRC421	429580	6821715	30	31	1	1.15	E38/3127
MHNRC421			34	35	1	2.28	E38/3127
MHNRC421			38	39	1	1.92	E38/3127
MHNRC422	429576	6821763	31	32	1	4.94	E38/3127
MHNRC433	429507	6821103	4	5	1	2.44	E38/3127
MHNRC436	429519	6821050	10	11	1	1.91	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC441	429690	6821061	20	21	1	1.09	E38/3127
MHNRC443	429753	6821001	40	41	1	1.29	E38/3127
MHNRC444	429779	6820972	47	48	1	1.46	E38/3127
MHNRC445	429823	6821098	46	47	1	1.73	E38/3127
MHNRC455	429122	6822355	2	3	1	1.19	M38/1041
MHNRC456	429139	6822352	16	19	3	10.99	M38/1041
MHNRC458	429392	6822061	12	17	5	1.43	E38/3127
MHNRC459	429406	6822040	18	20	2	1.56	E38/3127
MHNRC461	429472	6821954	19	20	1	2.41	E38/3127
MHNRC462	429446	6821781	5	6	1	1.77	E38/3127
MHNRC464	429478	6821753	6	8	2	1.8	E38/3127
MHNRC465	429488	6821755	8	9	1	1.19	E38/3127
MHNRC465			14	15	1	4.76	E38/3127
MHNRC466	429469	6821690	1	3	2	2.73	E38/3127
MHNRC468	429491	6821704	6	7	1	1.51	E38/3127
MHNRC469	429496	6821661	2	3	1	1.53	E38/3127
MHNRC469			5	6	1	1.4	E38/3127
MHNRC470	429507	6821671	5	7	2	3.15	E38/3127
MHNRC470			13	17	4	2.31	E38/3127
MHNRC473	429510	6821634	8	12	4	1.83	E38/3127
MHNRC474	429507	6821603	6	7	1	1.87	E38/3127
MHNRC476	429015	6822430	8	9	1	6.52	M38/1041
MHNRC476			15	16	1	1.95	M38/1041
MHNRC479	428906	6822400	57	58	1	1.82	E38/3127
MHNRC482	429039	6822440	20	22	2	4.02	M38/1041
MHNRC489	429503	6821835	17	22	5	3.07	E38/3127
MHNRC490	429613	6821764	44	45	1	2.49	E38/3127
MHNRC496	429677	6821249	48	49	1	1.44	E38/3127
MHNRC496			58	59	1	6.34	E38/3127
MHNRC497	429675	6821202	7	8	1	1.01	E38/3127
MHNRC497			18	19	1	1.44	E38/3127
MHNRC497			22	25	3	1.04	E38/3127
MHNRC500	429673	6820948	1	2	1	1.56	E38/3127
MHNRC500			8	9	1	1.79	E38/3127
MHNRC501	429722	6820945	25	26	1	1.08	E38/3127
MHNRC507	428938	6822450	11	14	3	1.01	E38/3127
MHNRC508	429647	6821926	76	77	1	3.01	E38/3127
MHNRC511	429510	6822122	53	56	3	2.24	E38/3127
MHNRC514	429097	6822389	6	7	1	2.23	M38/1041
MHNRC515	429129	6822355	3	5	2	1.34	M38/1041
MHNRC516	429152	6822355	6	8	2	1.25	M38/1041
MHNRC517	429109	6822340	10	12	2	1.23	M38/1041
MHNRC520	429154	6822339	19	20	1	1.29	M38/1041
MHNRC521	429164	6822339	16	17	1	14.56	M38/1041
MHNRC524	429137	6822315	6	9	3	1.42	M38/1041
MHNRC524			13	14	1	2.15	M38/1041
MHNRC529	429387	6822098	16	18	2	1.11	E38/3127
MHNRC531	429391	6822081	14	20	6	2.16	E38/3127
MHNRC535	429484	6821662	6	7	1	1.79	E38/3127
MHNRC536	429558	6821479	18	19	1	1.5	E38/3127
MHNRC541	429709	6821254	24	25	1	1.32	E38/3127
MHNRC541			55	58	3	2.3	E38/3127
MHNRC541			62	66	4	1.08	E38/3127
MHNRC541			73	74	1	1.03	E38/3127
MHNRC546	429656	6821167	0	1	1	1.08	E38/3127
MHNRC546			12	13	1	1.23	E38/3127
MHNRC552	429730	6821136	23	24	1	2.87	E38/3127
MHNRC553	429760	6821136	33	34	1	1.46	E38/3127
MHNRC558	428990	6822450	14	15	1	1.2	E38/3127
MHNRC558			21	22	1	4.39	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC559	428984	6822676	81	82	1	1.05	E38/3127
MHNRC563	429759	6821180	28	32	4	1.05	E38/3127
MHNRC564	429721	6821289	60	61	1	6.77	E38/3127
MHNRC564			71	72	1	1.08	E38/3127
MHNRC576	429147	6822355	3	4	1	1.52	M38/1041
MHNRC576			7	8	1	1.09	M38/1041
MHNRC577	429536	6822126	67	69	2	2.79	E38/3127
MHNRC579	429654	6821741	58	59	1	1.49	E38/3127
MHNRC579			67	69	2	2.74	E38/3127
MHNRC581	429849	6821169	27	28	1	1.6	E38/3127
MHNRC581			37	38	1	1.78	E38/3127
MHNRC581			73	74	1	1.08	E38/3127
MHNRC582	429790	6821311	8	9	1	27.72	E38/3127
MHNRC582			56	57	1	5.04	E38/3127
MHNRC582			104	105	1	39.72	E38/3127
MHNRC583	429769	6821252	37	38	1	2.89	E38/3127
MHNRC583			48	49	1	1.08	E38/3127
MHNRC585	429853	6821315	1	2	1	2.59	E38/3127
MHNRC586	429831	6821341	75	76	1	1.61	E38/3127
MHNRC586			79	80	1	1	E38/3127
MHNRC586			111	112	1	1.13	E38/3127
MHNRC586			116	117	1	1.35	E38/3127
MHNRC586			120	125	5	1.41	E38/3127
MHNRC587	429859	6821378	94	97	3	1.27	E38/3127
MHNRC587			117	118	1	1.2	E38/3127
MHNRC590	429600	6821133	39	40	1	1.2	E38/3127
MHNRC593	429410	6822089	21	22	1	2.04	E38/3127
MHNRC596	429190	6822339	19	21	2	1.92	M38/1041
MHNRC605	429459	6821049	36	37	1	1.44	E38/3127
MHNRC606	429919	6821553	124	125	1	1.18	E38/3127
MHNRC608	429594	6822121	80	81	1	2.08	E38/3127
MHNRC608			85	86	1	2.94	E38/3127
MHNRC609	429179	6822401	12	13	1	1.22	M38/1041
MHNRC609			26	27	1	4.44	M38/1041
MHNRC610	429101	6822528	40	42	2	1.81	E38/3127
MHNRC613	429600	6822200	72	73	1	1.21	E38/3127
MHNRC613			82	83	1	1.31	E38/3127
MHNRC614	429258	6822545	58	59	1	1.85	E38/3127
MHNRC618	428709	6822652	56	57	1	1.14	E38/3127
MHNRC620	428844	6822638	67	71	4	2.36	E38/3127
MHNRC621	428786	6822606	57	58	1	2.34	E38/3127
MHNRC625	429226	6822658	77	78	1	1.87	E38/3127
MHNRC626	429035	6822486	28	29	1	1.81	E38/3127
MHNRC627	429456	6822116	35	37	2	5.41	E38/3127
MHNRC628	429434	6822104	9	10	1	2.72	E38/3127
MHNRC628			29	31	2	7.34	E38/3127
MHNRC649	429901	6821426	89	90	1	6.43	E38/3127
MHNRC649			111	112	1	1.41	E38/3127
MHNRC649			123	124	1	1.92	E38/3127
MHNRC650	429892	6821377	120	121	1	5.77	E38/3127
MHNRC651	429829	6821377	84	85	1	1.23	E38/3127
MHNRC651			95	96	1	2.04	E38/3127
MHNRC651			101	102	1	1.04	E38/3127
MHNRC651			105	106	1	1.13	E38/3127
MHNRC652	429864	6821346	89	90	1	1.27	E38/3127
MHNRC652			123	124	1	2.13	E38/3127
MHNRC656	429721	6821311	59	60	1	11.08	E38/3127
MHNRC657	429692	6821284	47	48	1	1.59	E38/3127
MHNRC658	429759	6821284	41	42	1	1.4	E38/3127
MHNRC659	429738	6821250	28	30	2	1.43	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC659			39	40	1	1.04	E38/3127
MHNRC660	429644	6821224	12	13	1	1.01	E38/3127
MHNRC663	429552	6821200	24	28	4	1.21	E38/3127
MHNRC665	429660	6821199	33	34	1	1.53	E38/3127
MHNRC666	429688	6821200	29	30	1	1.68	E38/3127
MHNRC666			33	34	1	1.86	E38/3127
MHNRC667	429662	6821165	24	25	1	1.51	E38/3127
MHNRC673	429604	6821073	45	46	1	85.64	E38/3127
MHNRC678	429793	6821049	18	20	2	1.29	E38/3127
MHNRC679	429820	6820997	1	2	1	2.84	E38/3127
MHNRC679			72	73	1	2.13	E38/3127
MHNRC684	429831	6820901	73	76	3	1.76	E38/3127
MHNRC692	429408	6820557	55	56	1	4.32	E38/3127
MHNRC696	429639	6820385	111	112	1	1.28	E38/3127
MHNRC700	429670	6821101	16	18	2	2.03	E38/3127
MHNRC702	429505	6821002	2	3	1	2.32	E38/3127
MHNRC710	429754	6821346	78	79	1	6.29	E38/3127
MHNRC711	429867	6821000	43	44	1	2.21	E38/3127
MHNRC716	428743	6822586	37	38	1	1.08	E38/3127
MHNRC716			54	55	1	1.04	E38/3127
MHNRC718	429716	6820392	108	114	6	3.47	E38/3127
MHNRC720	429683	6821237	35	36	1	1.16	E38/3127
MHNRC720			54	55	1	1.06	E38/3127
MHNRC720			69	70	1	1.54	E38/3127
MHNRC721	429721	6821236	19	22	3	1.74	E38/3127
MHNRC723	429730	6821268	4	5	1	1.09	E38/3127
MHNRC723			18	19	1	1.01	E38/3127
MHNRC723			29	30	1	1.02	E38/3127
MHNRC724	429803	6821282	55	56	1	1.39	E38/3127
MHNRC727	429790	6821331	77	78	1	1.22	E38/3127
MHNRC727			85	86	1	1.22	E38/3127
MHNRC728	429832	6821328	77	78	1	1.33	E38/3127
MHNRC728			100	101	1	1.19	E38/3127
MHNRC728			104	105	1	3.25	E38/3127
MHNRC729	429870	6821426	118	119	1	1.89	E38/3127
MHNRC730	429928	6821474	115	117	2	1.53	E38/3127
MHNRC730			136	137	1	1.92	E38/3127
MHNRC731	429536	6821801	25	31	6	3.63	E38/3127
MHNRC732	429572	6821802	35	37	2	3.65	E38/3127
MHNRC733	429613	6821802	50	54	4	1.38	E38/3127
MHNRC733			55	57	2	2.08	E38/3127
MHNRC734	429500	6821877	19	23	4	4.11	E38/3127
MHNRC736	429547	6822280	67	68	1	1.72	E38/3127
MHNRC738	429069	6822463	18	19	1	1.16	M38/1041
MHNRC743	428823	6822883	57	58	1	2.88	E38/3127
MHNRC780	429733	6820451	84	86	2	6.75	E38/3127
MHNRC780			139	140	1	1.4	E38/3127
MHNRC780			145	146	1	1.34	E38/3127
MHNRC781	429753	6820506	55	56	1	1.95	E38/3127
MHNRC783	429372	6822152	21	22	1	1.01	E38/3127
MHNRC784	429402	6822168	25	26	1	1.22	E38/3127
MHNRC785	429430	6822185	42	43	1	1.29	E38/3127
MHNRC788	429344	6822251	32	33	1	1.53	E38/3127
MHNRC788			42	43	1	1.01	E38/3127
MHNRC795	429336	6822325	45	47	2	2.46	E38/3127
MHNRC796	429375	6822326	44	46	2	2.65	E38/3127
MHNRC796			53	54	1	1.18	E38/3127
MHNRC797	429173	6822441	32	33	1	4.91	M38/1041
MHNRC798	429212	6822460	42	43	1	1	M38/1041
MHNRC799	429258	6822483	48	52	4	1.78	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC801	429255	6822426	40	43	3	3.39	M38/1041
MHNRC802	429291	6822444	49	51	2	1.46	E38/3127
MHNRC811	429695	6820979	9	10	1	1.11	E38/3127
MHNRC812	429771	6821169	31	33	2	2.09	E38/3127
MHNRC814	429800	6821202	13	15	2	20.5	E38/3127
MHNRC814			40	41	1	2.59	E38/3127
MHNRC814			45	46	1	3.09	E38/3127
MHNRC815	429854	6821201	69	70	1	1.4	E38/3127
MHNRC816	429523	6821024	12	13	1	1.74	E38/3127
MHNRC822	429138	6822294	18	19	1	2.45	M38/1041
MHNRC823	429159	6822295	15	16	1	1.11	M38/1041
MHNRC828	429540	6822044	53	57	4	2.6	E38/3127
MHNRC828			60	61	1	1.93	E38/3127
MHNRC829	429568	6821966	57	58	1	1.29	E38/3127
MHNRC830	429569	6821891	43	44	1	5.86	E38/3127
MHNRC831	429591	6821682	36	37	1	1.69	E38/3127
MHNRC833	429656	6821615	65	66	1	1.25	E38/3127
MHNRC835	429157	6822557	60	61	1	2.54	E38/3127
MHNRC836	429294	6822558	66	71	5	3.24	E38/3127
MHNRC837	429181	6822356	5	6	1	1.17	M38/1041
MHNRC837			11	12	1	1.39	M38/1041
MHNRC838	429136	6822353	18	19	1	3.47	M38/1041
MHNRC839	429135	6822367	8	9	1	2.5	M38/1041
MHNRC842	429116	6822409	18	19	1	1.98	M38/1041
MHNRC843	428994	6822421	11	14	3	1.44	E38/3127
MHNRC844	429577	6822151	83	85	2	4.1	E38/3127
MHNRC848	429533	6821912	33	38	5	1.75	E38/3127
MHNRC852	429536	6821844	29	30	1	1.33	E38/3127
MHNRC853	429483	6821805	10	14	4	1.89	E38/3127
MHNRC855	429643	6821766	58	61	3	8.07	E38/3127
MHNRC857	429495	6821779	18	19	1	1.08	E38/3127
MHNRC858	429536	6821780	21	23	2	3.79	E38/3127
MHNRC858			26	27	1	1.35	E38/3127
MHNRC861	429498	6821687	7	9	2	7.25	E38/3127
MHNRC862	429542	6821689	18	20	2	4.74	E38/3127
MHNRC864	429575	6821618	34	35	1	2.64	E38/3127
MHNRC871	429548	6821402	21	22	1	1.11	E38/3127
MHNRC872	429590	6821402	13	14	1	1.37	E38/3127
MHNRC872			19	20	1	1.1	E38/3127
MHNRC873	429517	6821310	12	13	1	1.39	E38/3127
MHNRC873			16	17	1	1.64	E38/3127
MHNRC873			20	21	1	1.34	E38/3127
MHNRC874	429522	6821249	1	5	4	1.47	E38/3127
MHNRC875	429605	6821247	45	46	1	1.2	E38/3127
MHNRC876	429555	6821228	28	29	1	1.25	E38/3127
MHNRC876			31	32	1	1.1	E38/3127
MHNRC879	429621	6820802	1	2	1	1.68	E38/3127
MHNRC883	429671	6820906	16	17	1	1.19	E38/3127
MHNRC889	429837	6821054	9	10	1	1.04	E38/3127
MHNRC890	429846	6821099	8	9	1	1.36	E38/3127
MHNRC890			11	12	1	1.25	E38/3127
MHNRC891	429829	6821136	63	64	1	3.19	E38/3127
MHNRC892	429841	6821288	67	68	1	1.93	E38/3127
MHNRC897	429839	6821428	88	89	1	1.18	E38/3127
MHNRC902	429935	6821514	145	146	1	2.64	E38/3127
MHNRC906	429909	6821455	130	131	1	2.01	E38/3127
MHNRC907	429957	6821455	125	126	1	1.08	E38/3127
MHNRC907			197	198	1	7.06	E38/3127
MHNRC908	430014	6821455	166	168	2	1.91	E38/3127
MHNRC908			171	172	1	1.06	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC908			199	200	1	1.14	E38/3127
MHNRC908			204	205	1	1.1	E38/3127
MHNRC911	429942	6821427	134	135	1	1.08	E38/3127
MHNRC912	430023	6821428	153	156	3	1.86	E38/3127
MHNRC912			168	171	3	3.28	E38/3127
MHNRC912			174	176	2	1.19	E38/3127
MHNRC913	429705	6821400	69	70	1	1.48	E38/3127
MHNRC913			125	126	1	1.01	E38/3127
MHNRC914	429748	6821400	49	50	1	1.22	E38/3127
MHNRC916	429908	6821400	109	111	2	3.88	E38/3127
MHNRC916			127	129	2	1.31	E38/3127
MHNRC917	429956	6821400	57	58	1	1.3	E38/3127
MHNRC917			125	127	2	5.14	E38/3127
MHNRC918	429993	6821400	146	147	1	1.28	E38/3127
MHNRC918			154	155	1	2.18	E38/3127
MHNRC919	429968	6821376	26	27	1	1.49	E38/3127
MHNRC919			122	123	1	6.99	E38/3127
MHNRC919			126	127	1	3.59	E38/3127
MHNRC919			141	142	1	1.84	E38/3127
MHNRC919			148	149	1	1.05	E38/3127
MHNRC919			157	159	2	2.31	E38/3127
MHNRC921	429920	6821345	105	107	2	2.31	E38/3127
MHNRC921			126	127	1	4.3	E38/3127
MHNRC925	429690	6820700	75	77	2	1.14	E38/3127
MHNRC930	429781	6820630	30	31	1	1.15	E38/3127
MHNRC934	429713	6820477	66	68	2	2.17	E38/3127
MHNRC935	429743	6820477	61	62	1	1.61	E38/3127
MHNRC935			65	66	1	1.94	E38/3127
MHNRC935			71	72	1	1.32	E38/3127
MHNRC936	429700	6820447	87	90	3	3.36	E38/3127
MHNRC938	429765	6820447	89	90	1	1.15	E38/3127
MHNRC939	429695	6820420	87	88	1	1.06	E38/3127
MHNRC940	429725	6820420	93	97	4	3.37	E38/3127
MHNRC944	429670	6820364	131	133	2	1.33	E38/3127
MHNRC945	429710	6820364	124	125	1	1.07	E38/3127
MHNRC946	429727	6820334	88	89	1	1.57	E38/3127
MHNRC946			164	165	1	1.27	E38/3127
MHNRC953	429418	6820571	37	38	1	1	E38/3127
MHNRC953			41	42	1	1.69	E38/3127
MHNRC954	429388	6820590	33	34	1	1.55	E38/3127
MHNRC956	429351	6820517	20	21	1	2.45	E38/3127
MHNRC971	429616	6821891	38	39	1	5.98	E38/3127
MHNRC971			61	62	1	1.03	E38/3127
MHNRC971			66	67	1	11.75	E38/3127
MHNRC972	429590	6822068	72	73	1	1.07	E38/3127
MHNRC973	429348	6822587	74	78	4	1.88	E38/3127
MHNRC974	429305	6822510	63	64	1	2.05	E38/3127
MHNRC977	429284	6822628	79	80	1	1.82	E38/3127
MHNRC978	429159	6822708	92	93	1	3.92	E38/3127
MHNRC992	430040	6819400	77	79	2	1.17	E38/3127
MHNRC1001	429520	6821280	14	15	1	1.61	E38/3127
MHNRC1003	429706	6820980	9	10	1	2.22	E38/3127
MHNRC1005	429780	6821200	34	37	3	1.75	E38/3127
MHNRC1006	429820	6821200	51	52	1	1.28	E38/3127
MHNRC1008	429800	6821190	41	42	1	8.02	E38/3127
MHNRC1010	429043	6821298	91	92	1	58.48	E38/3127
MHNRC1010			96	97	1	1.69	E38/3127
MHNRC1011	429852	6821251	67	68	1	1.48	E38/3127
MHNRC1015	427030	6826100	54	56	2	7.24	E38/3127
MHNRC1024	427349	6824278	27	28	1	1.09	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MHNRC1027	427294	6824190	57	58	1	1.07	E38/3127
MHNRC1036	427357	6826494	63	64	1	1.43	E38/3127
MHNRC1041	428402	6825941	40	41	1	3.06	E38/3127
MHNRC1044	429567	6821687	26	27	1	7.04	E38/3127
MHNRC1044			31	32	1	1.8	E38/3127
MHNRC1044			34	35	1	1.76	E38/3127
MHNRC1045	429618	6821687	47	51	4	4.48	E38/3127
MHNRC1046	429507	6821804	21	22	1	1.37	E38/3127
MHNRC1047	429466	6821804	7	8	1	1.45	E38/3127
MHNRC1062	429669	6821766	67	68	1	2.35	E38/3127
MHNRC1062			75	76	1	28.4	E38/3127
MHNRC1065	430015	6821378	144	148	4	6.34	E38/3127
MHNRC1065			164	168	4	4.44	E38/3127
MHNRC1087	428960	6822470	20	21	1	1.6	E38/3127
MHNRC1087			32	33	1	2.79	E38/3127
MHNRC1088	429005	6822500	23	24	1	1.8	E38/3127
MHNRC1089	428959	6822429	14	15	1	1.17	E38/3127
MHNRC1090	429015	6822457	25	26	1	3.18	M38/1041
MHNRC1093	429030	6822345	2	3	1	1.02	E38/3127
MHNRC1094	429060	6822345	16	17	1	1.54	M38/1041
MHNRC1096	429389	6821993	1	6	5	2.71	E38/3127
MHNRC1096			9	11	2	1.37	E38/3127
MHNRC1097	429405	6822002	12	14	2	4.71	E38/3127
MHNRC1098	429420	6822010	9	11	2	6.26	E38/3127
MHNRC1098			18	19	1	2.28	E38/3127
MHNRC1099	429405	6821965	6	7	1	1.18	E38/3127
MHNRC1100	429421	6821973	3	4	1	2.5	E38/3127
MHNRC1100			8	9	1	1.19	E38/3127
MHNRC1100			11	12	1	1.42	E38/3127
MHNRC1101	429436	6821981	12	14	2	4.75	E38/3127
MHNRC1102	429375	6821915	25	26	1	1	E38/3127
MHNRC1102			37	38	1	1.54	E38/3127
MHNRC1103	429425	6821915	1	2	1	1.01	E38/3127
MHNRC1128	429868	6821100	68	76	8	1.62	E38/3127
MHNRC1129	429662	6821890	82	83	1	8.43	E38/3127
MHNRC1129			86	87	1	1.14	E38/3127
MLJRC004	431877	6823856	36	37	1	1.24	E38/3127
MLJRC004			71	78	7	1.19	E38/3127
MLJRC026	430817	6821179	33	34	1	1.1	P38/4383
MLJRC026			48	50	2	1.21	P38/4383
MLJRC026			53	54	1	4.47	P38/4383
MLJRC031	431120	6820997	60	61	1	1.08	P38/4383
MLJRC038	430938	6821726	17	19	2	1.76	P38/4346
MLJRC039	430951	6821727	29	31	2	5.44	P38/4346
MLJRC042	430939	6821785	9	10	1	8.38	P38/4346
MLJRC043	430949	6821785	23	24	1	2.26	P38/4346
MLJRC050	431622	6822502	12	13	1	1.06	P38/4346
MLJRC051	431640	6822507	20	23	3	1.4	P38/4346
MLJRC053	431601	6822603	25	26	1	1.33	P38/4346
MLJRC054	431603	6822555	6	7	1	7.51	P38/4346
MLJRC063	431965	6822955	24	25	1	4.09	P38/4379
MLJRC066	431942	6823006	6	7	1	1.2	P38/4379
MLJRC067	431967	6823006	21	22	1	1.35	P38/4379
MLJRC067			24	25	1	1.03	P38/4379
MLJRC067			33	34	1	1.73	P38/4379
MLJRC073	431939	6823054	15	16	1	18.18	P38/4379
MLJRC076	431938	6823089	1	7	6	1.79	P38/4379
MLJRC076			11	13	2	1.85	P38/4379
MLJRC080	431954	6823168	27	28	1	4.91	P38/4379
MLJRC081	431925	6823216	22	23	1	1.03	P38/4379

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC083	431925	6823266	5	8	3	1.78	P38/4379
MLJRC084	431949	6823267	9	12	3	1.26	P38/4379
MLJRC085	431916	6823308	2	3	1	1.97	P38/4379
MLJRC090	430942	6822394	21	22	1	1.32	P38/4346
MLJRC106	430934	6821699	22	23	1	1.18	P38/4346
MLJRC114	431987	6822957	26	27	1	1.29	P38/4379
MLJRC115	431989	6823005	31	32	1	6.16	P38/4379
MLJRC115			42	43	1	1.18	P38/4379
MLJRC115			52	53	1	2.32	P38/4379
MLJRC116	431979	6823089	16	17	1	1.63	P38/4379
MLJRC117	431972	6823168	14	15	1	1.15	P38/4379
MLJRC117			47	54	7	1.68	P38/4379
MLJRC117			57	58	1	2.14	P38/4379
MLJRC123	431979	6823220	65	67	2	1.35	P38/4379
MLJRC123			73	78	5	2.17	P38/4379
MLJRC128	432017	6822951	45	46	1	2.68	P38/4379
MLJRC129	432039	6823007	84	85	1	1.05	P38/4379
MLJRC130	432038	6823090	53	54	1	1.03	P38/4379
MLJRC130			155	156	1	1.01	P38/4379
MLJRC131	432034	6823169	55	56	1	1.05	P38/4379
MLJRC132	431909	6823272	3	4	1	1.07	P38/4379
MLJRC133	432009	6823273	66	67	1	2.51	P38/4379
MLJRC133			92	93	1	1.12	P38/4379
MLJRC133			111	112	1	1.45	P38/4379
MLJRC136	432002	6823172	29	34	5	1.52	P38/4379
MLJRC137	432060	6823173	88	89	1	2	P38/4379
MLJRC139	432050	6822954	14	15	1	1.79	P38/4379
MLJRC139			45	46	1	5.12	P38/4379
MLJRC142	431954	6822858	13	15	2	3.17	P38/4379
MLJRC149	431330	6821486	35	37	2	3.59	E38/3127
MLJRC162	431845	6823862	15	17	2	1.35	E38/3127
MLJRC162			31	34	3	2.12	E38/3127
MLJRC162			39	50	11	2.78	E38/3127
MLJRC162			52	62	10	3.49	E38/3127
MLJRC162			63	67	4	6.89	E38/3127
MLJRC163	431944	6823859	65	66	1	1.41	E38/3127
MLJRC164	431864	6823702	46	50	4	2.08	E38/3127
MLJRC165	431925	6823700	59	60	1	1	E38/3127
MLJRC170	430923	6822251	26	27	1	2.55	P38/4346
MLJRC171	430976	6822252	57	59	2	1.17	P38/4346
MLJRC183	432361	6821309	11	12	1	1.13	P38/4382
MLJRC183			17	18	1	5.23	P38/4382
MLJRC183			41	44	3	1.4	P38/4382
MLJRC186	430899	6821249	120	123	3	1.4	P38/4383
MLJRC190	430963	6821756	32	33	1	1.98	P38/4346
MLJRC199	430969	6822069	106	107	1	1.12	P38/4346
MLJRC202	430947	6822314	36	37	1	1.32	P38/4346
MLJRC202			43	44	1	2.04	P38/4346
MLJRC204	430984	6822481	28	29	1	1.04	P38/4346
MLJRC205	431017	6822478	39	40	1	1.11	P38/4346
MLJRC205			45	47	2	3.19	P38/4346
MLJRC206	430990	6822662	32	33	1	1.34	P38/4346
MLJRC208	431066	6822659	49	50	1	1.63	P38/4346
MLJRC209	431313	6821532	11	12	1	3.46	E38/3127
MLJRC209			16	17	1	1.02	E38/3127
MLJRC211	431383	6821528	18	19	1	1.69	E38/3127
MLJRC213	431211	6821038	16	19	3	1.47	P38/4383
MLJRC214	431246	6821038	11	12	1	1.89	P38/4383
MLJRC214			32	33	1	37.98	P38/4383
MLJRC214			44	45	1	3.5	P38/4383

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC220	431245	6821121	12	14	2	2.5	P38/4383
MLJRC220			18	19	1	1.01	P38/4383
MLJRC231	430920	6821154	94	95	1	10.02	P38/4383
MLJRC233	431880	6821126	221	222	1	4.43	P38/4380
MLJRC236	431803	6823860	4	7	3	2.82	E38/3127
MLJRC237	431763	6823859	37	38	1	7.35	E38/3127
MLJRC238	431844	6823817	62	63	1	1.1	E38/3127
MLJRC238			67	71	4	1.41	E38/3127
MLJRC241	431842	6823773	57	58	1	1.28	E38/3127
MLJRC243	432015	6825801	25	26	1	2.4	E38/3127
MLJRC244	432017	6825700	18	22	4	1.18	E38/3127
MLJRC244			27	30	3	1.11	E38/3127
MLJRC244			39	40	1	1.54	E38/3127
MLJRC246	432051	6825442	56	57	1	1.35	E38/3127
MLJRC247	431750	6824698	11	16	5	1.91	E38/3127
MLJRC248	431799	6824700	49	50	1	1.04	E38/3127
MLJRC253	431851	6824051	91	92	1	1.25	E38/3127
MLJRC254	431898	6824050	133	134	1	1.78	E38/3127
MLJRC255	431946	6824048	93	94	1	1.06	E38/3127
MLJRC259	432349	6823947	127	128	1	1.29	E38/3127
MLJRC273	432340	6821380	20	21	1	1.26	P38/4382
MLJRC278	432355	6821264	22	23	1	1.83	P38/4382
MLJRC283	431327	6821502	16	17	1	1.21	E38/3127
MLJRC285	431330	6821428	14	15	1	4.91	E38/3127
MLJRC285			31	32	1	1.25	E38/3127
MLJRC286	431783	6823948	49	50	1	1.37	E38/3127
MLJRC286			54	55	1	1.07	E38/3127
MLJRC288	431864	6823949	80	81	1	3.74	E38/3127
MLJRC290	431821	6823899	68	75	7	1.59	E38/3127
MLJRC291	431879	6823898	36	37	1	1.85	E38/3127
MLJRC291			124	125	1	1.38	E38/3127
MLJRC292	431816	6823879	43	55	12	5.19	E38/3127
MLJRC292			66	67	1	1.18	E38/3127
MLJRC293	431848	6823880	44	48	4	3.29	E38/3127
MLJRC293			56	60	4	2.22	E38/3127
MLJRC293			64	67	3	4.39	E38/3127
MLJRC293			72	73	1	6.48	E38/3127
MLJRC293			90	91	1	1.4	E38/3127
MLJRC293			115	117	2	2.64	E38/3127
MLJRC294	431879	6823880	53	55	2	3.4	E38/3127
MLJRC294			95	96	1	2.2	E38/3127
MLJRC294			123	127	4	2.75	E38/3127
MLJRC295	431821	6823861	7	8	1	6.9	E38/3127
MLJRC295			19	24	5	1.85	E38/3127
MLJRC295			25	34	9	3.55	E38/3127
MLJRC295			39	40	1	3.22	E38/3127
MLJRC295			45	46	1	1.84	E38/3127
MLJRC296	431819	6823844	39	40	1	1.14	E38/3127
MLJRC296			52	59	7	5.21	E38/3127
MLJRC296			66	67	1	8.95	E38/3127
MLJRC297	431847	6823843	55	56	1	1.7	E38/3127
MLJRC297			62	65	3	2.2	E38/3127
MLJRC298	431880	6823841	56	62	6	6.54	E38/3127
MLJRC298			69	70	1	1.04	E38/3127
MLJRC303	431990	6823268	63	64	1	1.14	P38/4379
MLJRC303			87	88	1	1.69	P38/4379
MLJRC304	431984	6823245	38	41	3	1.03	P38/4379
MLJRC304			80	81	1	1.32	P38/4379
MLJRC304			88	89	1	1.27	P38/4379
MLJRC305	431974	6823196	68	70	2	1.47	P38/4379

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC307	431955	6823071	54	55	1	1.14	P38/4379
MLJRC310	431908	6823016	29	30	1	1.32	P38/4379
MLJRC312	431896	6822930	16	17	1	2.53	P38/4379
MLJRC318	431875	6823819	85	87	2	1.25	E38/3127
MLJRC319	431810	6823818	30	33	3	4.23	E38/3127
MLJRC319			37	38	1	2.89	E38/3127
MLJRC320	431872	6823774	62	64	2	4.56	E38/3127
MLJRC320			81	82	1	1.11	E38/3127
MLJRC322	431833	6823700	18	19	1	5.48	E38/3127
MLJRC322			23	24	1	1.57	E38/3127
MLJRC322			79	80	1	3.09	E38/3127
MLJRC323	431893	6823699	8	9	1	2.33	E38/3127
MLJRC324	431831	6823614	58	60	2	4.83	E38/3127
MLJRC326	431934	6823070	7	14	7	2.95	P38/4379
MLJRC326			16	24	8	2.84	P38/4379
MLJRC327	431935	6823033	9	12	3	2.73	P38/4379
MLJRC327			39	40	1	1.01	P38/4379
MLJRC330	432049	6825698	58	61	3	1.18	E38/3127
MLJRC333	431244	6821058	52	53	1	2.56	P38/4383
MLJRC336	431053	6822481	31	32	1	5.06	P38/4346
MLJRC336			77	78	1	1.6	P38/4346
MLJRC338	431023	6822425	55	56	1	1.15	P38/4346
MLJRC341	431773	6823924	0	1	1	1.39	E38/3127
MLJRC341			16	22	6	4.11	E38/3127
MLJRC341			36	37	1	2.38	E38/3127
MLJRC341			50	53	3	1.59	E38/3127
MLJRC342	431798	6823923	20	24	4	4.22	E38/3127
MLJRC342			34	38	4	1.4	E38/3127
MLJRC342			39	45	6	2.06	E38/3127
MLJRC342			61	62	1	30.65	E38/3127
MLJRC342			66	67	1	1.85	E38/3127
MLJRC344	431848	6823922	97	101	4	1.19	E38/3127
MLJRC344			103	104	1	1.75	E38/3127
MLJRC344			123	124	1	1.53	E38/3127
MLJRC346	431778	6823898	1	4	3	4.3	E38/3127
MLJRC346			23	24	1	1.37	E38/3127
MLJRC346			34	36	2	2.26	E38/3127
MLJRC346			74	75	1	2.64	E38/3127
MLJRC347	431911	6823879	30	32	2	1.54	E38/3127
MLJRC347			42	43	1	10.61	E38/3127
MLJRC348	431792	6823879	0	1	1	3.5	E38/3127
MLJRC348			12	25	13	7.96	E38/3127
MLJRC350	431984	6823856	205	206	1	5.97	E38/3127
MLJRC351	431790	6823844	8	9	1	1.18	E38/3127
MLJRC351			20	21	1	1.68	E38/3127
MLJRC351			38	40	2	1.14	E38/3127
MLJRC352	431909	6823842	52	53	1	1.46	E38/3127
MLJRC352			68	69	1	3.79	E38/3127
MLJRC352			77	81	4	1.26	E38/3127
MLJRC352			85	104	19	3.54	E38/3127
MLJRC352			130	132	2	2.59	E38/3127
MLJRC352			138	139	1	1.81	E38/3127
MLJRC355	431800	6823800	29	30	1	1.32	E38/3127
MLJRC355			39	40	1	1.15	E38/3127
MLJRC356	431823	6823800	16	17	1	1.05	E38/3127
MLJRC357	431847	6823801	2	3	1	4.08	E38/3127
MLJRC357			64	65	1	1.68	E38/3127
MLJRC357			67	68	1	1.21	E38/3127
MLJRC359	431895	6823778	91	93	2	2.31	E38/3127
MLJRC360	431826	6823741	24	25	1	1.03	E38/3127

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC365	431889	6823613	41	43	2	1.05	E38/3127
MLJRC366	431929	6823058	6	13	7	2.82	P38/4379
MLJRC367	431951	6823057	29	30	1	1.37	P38/4379
MLJRC367			32	35	3	1.01	P38/4379
MLJRC369	431373	6821482	18	21	3	7.78	E38/3127
MLJRC369			24	25	1	1.64	E38/3127
MLJRC372	431805	6824896	41	42	1	2.98	E38/3127
MLJRC374	431744	6824822	21	22	1	3.83	E38/3127
MLJRC377	431743	6824765	64	65	1	1.46	E38/3127
MLJRC379	431728	6824697	47	48	1	2.43	E38/3127
MLJRC383	431860	6824295	92	93	1	2.43	E38/3127
MLJRC388	431773	6823448	26	27	1	7.5	E38/3127
MLJRC398	432243	6822900	57	59	2	1.65	P38/4379
MLJRC399	431746	6823949	26	27	1	1.01	E38/3127
MLJRC400	431743	6823898	6	7	1	1.19	E38/3127
MLJRC400			35	36	1	2.16	E38/3127
MLJRC400			40	41	1	1.13	E38/3127
MLJRC400			47	50	3	5.74	E38/3127
MLJRC400			58	59	1	1.1	E38/3127
MLJRC402	431737	6823857	8	9	1	2.22	E38/3127
MLJRC403	431714	6823858	44	45	1	1.22	E38/3127
MLJRC403			48	49	1	2.21	E38/3127
MLJRC404	431953	6823839	142	146	4	10.69	E38/3127
MLJRC404			150	160	10	4.03	E38/3127
MLJRC405	431910	6823821	95	97	2	1.7	E38/3127
MLJRC405			100	104	4	1.39	E38/3127
MLJRC405			114	118	4	4.09	E38/3127
MLJRC406	431957	6823818	67	70	3	1.5	E38/3127
MLJRC406			89	90	1	3.54	E38/3127
MLJRC406			116	118	2	11.3	E38/3127
MLJRC406			144	145	1	1.58	E38/3127
MLJRC406			148	150	2	15.16	E38/3127
MLJRC406			162	163	1	1.54	E38/3127
MLJRC407	431903	6823798	93	97	4	1.81	E38/3127
MLJRC408	431785	6823701	41	42	1	1.52	E38/3127
MLJRC410	431953	6823699	125	126	1	1.24	E38/3127
MLJRC410			152	153	1	1.85	E38/3127
MLJRC410			174	175	1	4.95	E38/3127
MLJRC412	431914	6823500	67	68	1	1.11	E38/3127
MLJRC422	431747	6823925	1	4	3	2.29	E38/3127
MLJRC422			18	22	4	1.86	E38/3127
MLJRC423	431948	6823250	36	40	4	1.08	P38/4379
MLJRC428	431878	6823659	49	50	1	1.07	E38/3127
MLJRC434	432332	6826755	60	64	4	2.46	P38/4170
MLJRC437	432311	6826557	48	52	4	1.82	P38/4170
MLJRC438	432335	6826461	40	44	4	1.08	P38/4170
MLJRC439	432318	6826409	40	56	16	3.37	P38/4170
MLJRC441	432396	6826413	100	104	4	1.38	P38/4170
MLJRC441			108	116	8	1.57	P38/4170
MLJRC442	432357	6826360	60	68	8	6.67	P38/4170
MLJRC442			88	92	4	1.15	P38/4170
MLJRC443	432357	6826156	63	68	5	1.59	P38/4170
MLJRC443			87	89	2	1.81	P38/4170
MLJRC448	431926	6823858	68	76	8	1.48	E38/3127
MLJRC448			92	96	4	1.38	E38/3127
MLJRC448			100	108	8	5.46	E38/3127
MLJRC448			116	120	4	1.51	E38/3127
MLJRC448			124	128	4	3.35	E38/3127
MLJRC448			148	156	8	2.49	E38/3127
MLJRC451	431829	6823870	24	28	4	1.62	E38/3127



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
MLJRC451			32	36	4	2.84	E38/3127
MLJRC451			44	52	8	3.96	E38/3127
MLJRC452	431773	6823878	23	24	1	1.19	E38/3127
MLJRC452			35	36	1	1.42	E38/3127
MLJRC453	431804	6823879	28	36	8	10.41	E38/3127
MLJRC454	431833	6823881	36	44	8	1.51	E38/3127
MLJRC454			84	88	4	4.89	E38/3127
MLJRC454			100	104	4	1.37	E38/3127
MLJRC454			128	132	4	3.68	E38/3127
MLJRC455	431802	6823889	6	7	1	1.57	E38/3127
MLJRC455			35	43	8	5.84	E38/3127
MLJRC455			44	45	1	5.27	E38/3127
MLJRC456	431707	6823901	28	32	4	1.87	E38/3127
MLJRC457	431766	6823916	0	10	10	7.96	E38/3127
MLJRC457			20	22	2	5.07	E38/3127
MLJRC457			54	55	1	2.79	E38/3127
MLJRC457			59	61	2	2.21	E38/3127
MLJRC458	431795	6823915	21	25	4	3.96	E38/3127
MLJRC458			53	57	4	7.38	E38/3127
MLJRC459	431948	6823797	128	132	4	1.57	E38/3127
MLJRC460	431947	6823777	128	133	5	1.32	E38/3127
MLJRC463	432387	6826358	92	100	8	1.32	P38/4170
MLJRC463			108	112	4	1.23	P38/4170
MLJRC463			116	120	4	1.42	P38/4170
MLJRC464	432339	6826306	88	92	4	1.5	P38/4170
MLJRC466	432427	6826260	100	104	4	1.69	P38/4170
MLJRC474	431746	6823934	12	16	4	4.18	E38/3127
MLJRC475	431767	6823936	0	4	4	1.76	E38/3127
MLJRC475			24	28	4	1.56	E38/3127
MLJRC482	431757	6823923	0	8	8	5.18	E38/3127
MLJRC482			32	40	8	1.18	E38/3127
MLJRC493	431945	6823017	12	16	4	1.3	P38/4379
*							
RAB - Magnetic Resources NL							
MHNRB156	427177	6826493	10	11	1	2.88	E38/3127
MHNRB157	427181	6826500	7	8	1	1.98	E38/3127
MHNRB160	427173	6826517	4	8	4	1.95	E38/3127
*							
RC - Historical							
AJC01	431928	6823072	3	16	13	1.37	P38/4379
AJC02	431948	6823072	23	29	6	2.05	P38/4379
AJC05	431948	6823032	18	19	1	1.8	P38/4379
AJC06	431928	6823032	5	6	1	2.28	P38/4379
AJC07	431908	6823032	1	2	1	1.25	P38/4379
AJC09	431867	6823032	12	13	1	1.05	P38/4379
AJC10	432008	6823032	10	14	4	1.02	P38/4379
AJC13	431947	6822952	9	10	1	2.8	P38/4379
AJC14	431927	6822952	0	1	1	1.3	P38/4379
AJC23	431947	6823112	10	11	1	1.08	P38/4379
AJC25	431938	6823308	12	13	1	1.24	P38/4379
RFRC013	432383	6826358	44	45	1	1.29	P38/4170
RFRC013			96	104	8	1.5	P38/4170
RFRC013			111	120	9	1.31	P38/4170
RFRC014	432348	6826558	29	30	1	1.29	P38/4170
RFRC014			44	46	2	1.02	P38/4170
RFRC014			66	79	13	2.08	P38/4170
RFRC015	432388	6826558	97	108	11	1.64	P38/4170
RFRC016	432368	6826758	65	68	3	1.93	P38/4170
RFRC016			74	75	1	1.24	P38/4170
RFRC022	430872	6821158	63	64	1	1.27	P38/4383

magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
RFRC027	431017	6821758	74	75	1	1.43	P38/4346
RFRC028	431007	6822158	31	32	1	1.64	P38/4346
RFRC028			77	79	2	1.09	P38/4346
RFRC029	430952	6821758	17	23	6	1.66	P38/4346
RFRC042	432262	6820958	77	78	1	1.07	P38/4382
RFRC045	432157	6820558	96	97	1	1.29	P38/4380
RFRC049	432437	6826358	41	46	5	1.18	P38/4170
RFRC049			113	116	3	1.24	
RFRC049			132	133	1	1.02	
RFRC049			144	145	1	1.09	
RFRC049			149	151	2	2.59	
RFRC049			164	165	1	1.29	
RFRC052	432722	6826558	113	114	1	1.42	P38/4170
RN1	429469	6821820	8	10	2	1.93	E38/3127
RN2	429494	6821858	16	18	2	1.13	E38/3127
RN3	429483	6821916	14	16	2	3.15	E38/3127
RN5	429404	6822044	18	20	2	2.51	E38/3127
HNR008	428138	6821638	37	38	1	25.11	E38/3127
HNR008			48	49	1	2.34	E38/3127
HNR010	428178	6821478	46	47	1	1.14	E38/3127
RRC060	431311	6821475	10	15	5	1.42	E38/3127
RRC079	429137	6822275	0	5	5	1.54	M38/1041
<b>RAB - Historical</b>							
RFB085	431713	6824398	5	7	2	1.93	E38/3127
RFB096	431812	6824158	52	53	1	2.7	E38/3127
RFB119	432368	6821358	10	12	2	2.6	P38/4382
RFB120	432348	6821358	1	3	2	1.54	P38/4382
RFB120			15	19	4	1.52	P38/4382
RFB141	431098	6820558	19	21	2	3.24	P38/4383
RFB165	430803	6821158	43	50	7	3.16	P38/4383
RFB172	430703	6820958	27	28	1	3.38	P38/4383
RFB181	430947	6822348	45	46	1	1.25	P38/4346
RFB206	431112	6820858	18	22	4	8.36	P38/4383
RFB214	431212	6821158	44	45	1	3.13	P38/4383
RFB217	431287	6821158	20	24	4	4.87	P38/4383
RFB220	431298	6821156	28	29	1	1.55	P38/4383
RFB222	431252	6821010	30	31	1	1.27	P38/4383
RFB223	431217	6821007	30	31	1	1.01	P38/4383
RFB226	431207	6821003	6	8	2	1.87	P38/4383
RFB226			24	28	4	16.35	P38/4383
RFB226			31	32	1	6.5	P38/4383
RFB240	431138	6820357	43	44	1	3.97	P38/4383
RFB253	430693	6820359	53	54	1	12.56	P38/4383
RFB271	431124	6820958	20	22	2	3.95	P38/4383
RFB271			44	45	1	1.11	P38/4383
RFB272	431103	6820993	2	5	3	3.02	P38/4383
RFB273	431098	6820993	1	4	3	3.68	P38/4383
RFB276	431100	6820998	10	21	11	2.04	P38/4383
RFB279	431103	6820998	1	5	4	1.68	P38/4383
RFB286	431103	6821013	1	2	1	1	P38/4383
RFR109	429106	6822361	0	2	2	1.3	M38/1041
RFR219	429125	6822351	5	6	1	1.31	M38/1041
RFR220	429128	6822358	6	7	1	2.6	M38/1041
RFR237	431629	6822336	38	40	2	1.56	P38/4346
RFR451	431311	6821897	0	5	5	1.06	P38/4346
RFR474	431330	6821499	33	34	1	25.4	E38/3127
RFR475	431350	6821500	19	20	1	1.99	E38/3127
RFR476	431370	6821501	21	22	1	2.54	E38/3127
RFR477	431390	6821502	20	22	2	2.38	E38/3127



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
RFR494	430772	6821073	7	8	1	1.06	P38/4383
RFR639	431378	6821775	35	40	5	1.37	P38/4346
RFR-31	429575	6821511	16	20	4	2.66	E38/3127
RFR-31			24	28	4	3.11	E38/3127
RFR-37	429491	6821684	0	8	8	2.33	E38/3127
RFR-44	429475	6821823	8	12	4	1.22	E38/3127
RFR-45	429496	6821823	12	16	4	1.53	E38/3127
RFR-49	429476	6821925	16	20	4	2.13	E38/3127
RFR-50	429496	6821926	16	20	4	1.91	E38/3127
RFR-53	429409	6822054	8	12	4	1.64	E38/3127
<b>AC - Historical</b>							
RFAC109							
RFAC117	432263	6822958	66	67	1	1.91	P38/4379
RFAC123	432338	6822158	43	44	1	1.49	P38/4381
RFAC239	432174	6824563	75	80	5	1.13	E38/3127
RFAC250	432188	6823758	28	29	1	1.28	E38/3127
RFAC258	428135	6821158	49	50	1	1.44	E38/3127
RFAC109	432328	6826558	41	42	1	1.23	P38/4170
RFAC109			48	59	11	1.05	P38/4170
RFAC298	432418	6826658	29	30	1	1.03	P38/4170
RFAC298			34	35	1	1.01	
RFAC303	432353	6826453	51	53	2	3.01	P38/4170
RFAC304	432323	6826470	30	34	4	2.87	P38/4170
RFAC304			41	44	3	1.44	
RFAC304			57	58	1	1.03	
RFAC306	432423	6826358	44	45	1	1.09	P38/4170
RFAC306			55	56	1	1.26	
RFAC307	432343	6826358	51	54	3	6.25	P38/4170
RFAC309	432273	6826378	71	72	1	1.03	P38/4170
RFAC310	432398	6826258	83	84	1	1.09	P38/4170
RFAC321	432318	6826358	39	41	2	1.23	P38/4170
RFAC321			50	51	1	1.76	
RFAC523	432737	6826558	122	123	1	2.1	P38/4170
RFAC331	430937	6821758	6	10	4	3.22	P38/4346
RFAC331			16	17	1	7.42	P38/4346
RFAC340	430917	6822158	27	28	1	8.79	P38/4346
RFAC365	428727	6820748	26	27	1	7.85	E38/3127
RFAC369	430887	6821358	23	24	1	3.69	E38/3127
RFAC380	430857	6821548	44	45	1	1.35	E38/3127
RFAC382	431037	6822558	37	38	1	1.38	P38/4346
RFAC408	429937	6819528	49	54	5	2.59	E38/3127
RFAC417	429737	6819493	49	52	3	3.66	E38/3127
RFAC422	430112	6819493	62	63	1	2.35	E38/3127
RFAC423	430137	6819523	60	64	4	1.56	P38/4384
RFAC424	430137	6819568	48	50	2	1.1	P38/4384
RFAC434	430337	6819558	53	54	1	1.14	P38/4384
RFAC443	429937	6819378	39	40	1	1.18	E38/3127
RFAC478	432487	6825558	55	56	1	1.19	E38/3127
RFAC478			60	61	1	1.24	E38/3127
RFAC484	432787	6825558	3	4	1	1.26	E38/3127
RFAC549	433137	6826158	37	38	1	1.04	E38/3127
HNAC026	428140	6821958	39	40	1	2.39	E38/3127
HNAC026			57	58	1	1.13	E38/3127
HNAC038	429538	6820478	65	66	1	5.42	E38/3127
HNAC039	429538	6820558	30	31	1	1.43	E38/3127
HNAC039			36	37	1	1.7	E38/3127
HNAC050	429138	6820578	35	36	1	1.02	E38/3127
HNAC057	429338	6820358	18	19	1	1.68	E38/3127
HNAC061	429338	6820518	12	13	1	1.19	E38/3127



magnetic resources<sup>NL</sup>

Hole_Id	Easting MGAz51	Northing MGAz51	From metres	To metres	Width metres	Gold ppm	TenID
HNAC064	429137	6819608	72	73	1	3.32	E38/3127
HNA013	428138	6821558	40	44	4	5.7	E38/3127

\* New 1m or 4m assay

The multiple shallow dipping extensive thickened lodes at HN9 are a potential indicator for deeper mineralisation because all the numerous nearby large deposits in the region including Wallaby (7Moz), Sunrise Dam (10Moz) and Jupiter (1.3Moz) have persistent internal shallow-dipping mineralised lodes that are often called shear zones or thrust zones, which are ubiquitous throughout these deposits and have been defined down to 1500m depth at the Wallaby deposit. In addition, many discoveries in recent times have been made by drilling below 100m because the historical drilling was far too shallow. At HN5, 6, 9 and Lady Julie the average hole depth is only 69m providing tremendous scope for upside potential. In addition, the length of our 3km mineralised shear zone is like the length of the large Jupiter, Wallaby and Sunrise Dam Deposits.

Managing Director George Sakalidis commented: "With the Australian gold price at record levels of \$2645, the HN9 Project area encompassing HN5, HN6, HN9 and Lady Julie being only 15km NW of the Granny Smith Operations owned by Gold Fields Australia Pty Ltd and only 10km NE of the Jupiter Operations owned by Dacian Gold Ltd and 35km north of the Sunrise Dam deposit owned by AngloGold Ashanti Ltd at Laverton, WA. (Figure 3), is shaping up and has potential for large-scale shallow deposits.

**The multiple, shallow intersections that start from surface are exciting at Lady Julie North with intersections of 24m at 4.4g/t from 0m in MLJRC348, 22m at 4.1g/t from 0m in MLJRC457 and 8m at 5.18g/t from 0m in MLJRC482, (Figure 1). These shallow zones continue downdip and thicken as shown in with an intersection of 88m at 1.3g/t from 68m in MLJRC448 and 18m at 4.7g/t from 142m in MLJRC404. These mineralised zones are growing southwards and are being tested over a 1km length. Some of this infill drilling is ascertaining the extent of some very-high grade zones greater than 10g/t, including 2m at 21.4g/t from 43m in MLJRC292 and 4m at 15.1g/t from 32m in MLJRC453 and 1m at 59.5g/t from 22m in MLJRC348 that lie within the promising thicker intersections. There are thick intersections at Lady Julie 4 and Homeward Bound South which are also being followed up with drilling.**

**The thicker porphyry zones on the eastern side of the Lady Julie1 mineralised zones are also being tested at depth looking for underlying deeper mineralised intrusions similar to Sunrise Dam.**

**This is an exciting time for the company having four main projects with significant shallow gold near surface which are all potentially open-cuttable with recently engaged global investment bank Jefferies, who are helping review opportunities to maximise shareholder value."**

magnetic resources<sup>NL</sup>**Table 3. HN5, 6, 9 and Lady Julie Completed RC and Diamond Drilling**

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNDD001	429439	6822106	434	106	-60	240	DDH	E38/3127
MHNDD002	429505	6821835	436	93	-60	270	DDH	E38/3127
MHNDD003	429607	6821075	427	147	-60	270	DDH	E38/3127
MHNDD004	429578	6821510	432	85	-60	270	DDH	E38/3127
MHNRC03	427035	6826227	440	80	-60	270	RC	E38/3127
MHNRC04	427079	6826225	441	90	-60	270	RC	E38/3127
MHNRC05	427130	6826219	441	98	-60	270	RC	E38/3127
MHNRC07	426848	6826222	437	174	-60	270	RC	E38/3127
MHNRC08	427408	6826224	439	150	-60	270	RC	E38/3127
MHNRC15	427610	6828098	423	222	-60	210	RC	E38/3127
MHNRC19	427305	6826077	444	100	-60	225	RC	E38/3127
MHNRC20	427354	6826030	444	100	-60	225	RC	E38/3127
MHNRC31	427963	6827393	433	66	-50	270	RC	E38/3127
MHNRC32	427925	6827300	435	70	-50	270	RC	E38/3127
MHNRC33	427777	6827030	434	24	-50	270	RC	E38/3127
MHNRC33A	427775	6827030	434	60	-50	270	RC	E38/3127
MHNRC34	427723	6827104	433	50	-50	270	RC	E38/3127
MHNRC35	427344	6826115	442	78	-50	225	RC	E38/3127
MHNRC36	427167	6826493	434	60	-50	40	RC	E38/3127
MHNRC46	427770	6827071	434	70	-50	270	RC	E38/3127
MHNRC47	427190	6826523	433	32	-50	220	RC	E38/3127
MHNRC48	427179	6826508	433	60	-60	220	RC	E38/3127
MHNRC49	427152	6826480	434	42	-60	45	RC	E38/3127
MHNRC50	427173	6826473	434	36	-60	45	RC	E38/3127
MHNRC51	427163	6826464	434	48	-60	45	RC	E38/3127
MHNRC52	427163	6826503	433	60	-60	45	RC	E38/3127
MHNRC53	427162	6826536	433	48	-60	45	RC	E38/3127
MHNRC54	427153	6826527	433	48	-60	45	RC	E38/3127
MHNRC55	427125	6826565	432	24	-60	45	RC	E38/3127
MHNRC56	427115	6826554	432	40	-60	45	RC	E38/3127
MHNRC57A	427105	6826543	432	1	-60	45	RC	E38/3127
MHNRC58	427052	6826607	430	24	-60	45	RC	E38/3127
MHNRC59	427044	6826599	430	24	-60	45	RC	E38/3127
MHNRC59Ext	427046	6826601	430	52	-60	45	RC	E38/3127
MHNRC60	427311	6826240	439	40	-60	225	RC	E38/3127
MHNRC61	427322	6826249	439	44	-60	225	RC	E38/3127
MHNRC62	427328	6826263	439	30	-60	225	RC	E38/3127
MHNRC63	427234	6826309	438	35	-60	225	RC	E38/3127
MHNRC64	427244	6826320	438	35	-60	225	RC	E38/3127
MHNRC65	427252	6826329	437	24	-60	225	RC	E38/3127
MHNRC66	427314	6826383	436	24	-60	45	RC	E38/3127
MHNRC67	427303	6826373	436	36	-60	45	RC	E38/3127
MHNRC68	427294	6826365	437	54	-60	45	RC	E38/3127
MHNRC69	427252	6826442	435	60	-60	45	RC	E38/3127
MHNRC70	427149	6826522	433	12	-60	45	RC	E38/3127
MHNRC71	427155	6826530	433	12	-60	225	RC	E38/3127
MHNRC72	427364	6826314	437	48	-60	225	RC	E38/3127
MHNRC73	427293	6826068	445	24	-60	240	RC	E38/3127
MHNRC74	427303	6826032	445	36	-60	225	RC	E38/3127
MHNRC75	427319	6826046	444	48	-60	225	RC	E38/3127
MHNRC76	427144	6826516	433	36	-60	45	RC	E38/3127
MHNRC77	427016	6826640	430	42	-60	45	RC	E38/3127
MHNRC78	427009	6826622	430	30	-60	45	RC	E38/3127
MHNRC79	426999	6826610	430	30	-60	45	RC	E38/3127
MHNRC80	427037	6826591	430	30	-60	45	RC	E38/3127
MHNRC81	427027	6826584	430	24	-60	45	RC	E38/3127
MHNRC82	427085	6826581	431	30	-60	45	RC	E38/3127
MHNRC83	427074	6826573	431	36	-60	45	RC	E38/3127
MHNRC84	427141	6826549	432	30	-60	45	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC85	427138	6826539	433	42	-60	45	RC	E38/3127
MHNRC86	427130	6826533	433	42	-60	45	RC	E38/3127
MHNRC87	427122	6826526	433	46	-60	45	RC	E38/3127
MHNRC88	427229	6826468	435	36	-60	45	RC	E38/3127
MHNRC89	427220	6826460	435	42	-60	45	RC	E38/3127
MHNRC90	427208	6826450	435	42	-60	45	RC	E38/3127
MHNRC91	427192	6826435	435	42	-60	45	RC	E38/3127
MHNRC92	427247	6826437	435	30	-60	45	RC	E38/3127
MHNRC93	427227	6826415	436	48	-60	45	RC	E38/3127
MHNRC94	427215	6826401	436	48	-60	45	RC	E38/3127
MHNRC95	427282	6826353	437	30	-60	45	RC	E38/3127
MHNRC96	427389	6826330	437	48	-60	225	RC	E38/3127
MHNRC97	427351	6826298	438	48	-60	225	RC	E38/3127
MHNRC98	427337	6826268	438	42	-60	225	RC	E38/3127
MHNRC99	427302	6826219	440	42	-60	225	RC	E38/3127
MHNRC100	427287	6826208	441	42	-60	225	RC	E38/3127
MHNRC101	427273	6826193	441	42	-60	225	RC	E38/3127
MHNRC101b	426968	6826581	430	90	-60	45	RC	E38/3127
MHNRC102	427257	6826172	442	42	-60	225	RC	E38/3127
MHNRC102b	427116	6826486	433	54	-60	45	RC	E38/3127
MHNRC103	427296	6826215	440	36	-90	0	RC	E38/3127
MHNRC103b	427104	6826444	434	60	-60	45	RC	E38/3127
MHNRC104	427273	6826348	437	66	-60	45	RC	E38/3127
MHNRC104b	427095	6826423	434	78	-60	45	RC	E38/3127
MHNRC105	427288	6826359	437	42	-90	0	RC	E38/3127
MHNRC105b	427134	6826436	434	60	-60	45	RC	E38/3127
MHNRC106	427358	6825985	444	48	-60	225	RC	E38/3127
MHNRC106b	427166	6826409	435	60	-60	45	RC	E38/3127
MHNRC107	427194	6826380	436	60	-60	45	RC	E38/3127
MHNRC107A	427273	6826409	436	60	-60	45	RC	E38/3127
MHNRC107b	427270	6826406	436	40	-60	39	RC	E38/3127
MHNRC108	427259	6826393	436	78	-60	45	RC	E38/3127
MHNRC109	427247	6826380	436	60	-60	45	RC	E38/3127
MHNRC111	427253	6826330	437	60	-60	45	RC	E38/3127
MHNRC112	427315	6826244	439	40	-60	90	RC	E38/3127
MHNRC113	427254	6826172	442	60	-60	45	RC	E38/3127
MHNRC114	427260	6826032	446	60	-60	45	RC	E38/3127
MHNRC115	427290	6825995	446	54	-60	45	RC	E38/3127
MHNRC116	427318	6825934	446	54	-60	45	RC	E38/3127
MHNRC117	427010	6826225	439	90	-60	90	RC	E38/3127
MHNRC118	426695	6826226	434	104	-60	90	RC	E38/3127
MHNRC120	428627	6826312	432	60	-60	90	RC	E38/3127
MHNRC121	428722	6822191	423	40	-60	300	RC	E38/3127
MHNRC122	428916	6822418	424	20	-60	300	RC	E38/3127
MHNRC123	428932	6822409	425	40	-60	300	RC	E38/3127
MHNRC124	428952	6822397	425	40	-60	300	RC	E38/3127
MHNRC125	429140	6822367	429	40	-60	270	RC	M38/1041
MHNRC126	429165	6822366	429	40	-60	270	RC	M38/1041
MHNRC127	429076	6822369	428	40	-60	270	RC	M38/1041
MHNRC128	429159	6822273	430	40	-60	270	RC	M38/1041
MHNRC129	429238	6822208	431	34	-60	270	RC	M38/1041
MHNRC130	429260	6822206	431	40	-60	270	RC	M38/1041
MHNRC131	429225	6822271	431	40	-60	270	RC	M38/1041
MHNRC132	429248	6822273	431	40	-60	270	RC	M38/1041
MHNRC133	429674	6821078	426	40	-60	230	RC	E38/3127
MHNRC134	429694	6821094	426	40	-60	230	RC	E38/3127
MHNRC135	429661	6821344	429	40	-60	270	RC	E38/3127
MHNRC136	429516	6821406	430	40	-60	270	RC	E38/3127
MHNRC137	429617	6821439	431	40	-60	270	RC	E38/3127
MHNRC138	429616	6821510	432	55	-60	270	RC	E38/3127
MHNRC139	429550	6821541	432	40	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC140	429550	6821615	433	40	-60	270	RC	E38/3127
MHNRC141	429506	6821691	434	40	-60	240	RC	E38/3127
MHNRC142	429524	6821702	434	40	-60	240	RC	E38/3127
MHNRC143	429558	6821740	435	50	-60	270	RC	E38/3127
MHNRC144	429537	6821824	436	40	-60	270	RC	E38/3127
MHNRC145	429560	6821825	436	50	-60	270	RC	E38/3127
MHNRC146	429463	6821761	434	40	-60	270	RC	E38/3127
MHNRC147	429465	6821858	435	40	-60	270	RC	E38/3127
MHNRC148	429497	6821890	436	40	-60	270	RC	E38/3127
MHNRC149	429496	6821889	436	40	-60	270	RC	E38/3127
MHNRC150	429512	6821921	436	40	-60	270	RC	E38/3127
MHNRC151	429536	6821924	437	50	-60	270	RC	E38/3127
MHNRC152	429417	6822022	434	40	-60	240	RC	E38/3127
MHNRC153	429378	6822014	434	50	-60	240	RC	E38/3127
MHNRC154	429422	6822060	434	40	-60	240	RC	E38/3127
MHNRC155	429440	6822073	434	66	-60	240	RC	E38/3127
MHNRC156	429516	6822144	435	40	-60	230	RC	E38/3127
MHNRC157	429687	6822174	437	40	-60	270	RC	E38/3127
MHNRC158	429651	6822125	438	40	-60	270	RC	E38/3127
MHNRC159	429339	6822090	432	40	-60	240	RC	E38/3127
MHNRC160	429355	6822099	432	40	-60	240	RC	E38/3127
MHNRC161	429115	6822369	428	40	-60	270	RC	M38/1041
MHNRC162	429115	6822299	429	42	-60	270	RC	M38/1041
MHNRC163	429153	6822213	429	48	-60	270	RC	M38/1041
MHNRC164	429195	6822208	430	48	-60	270	RC	M38/1041
MHNRC165	429540	6822168	436	95	-60	230	RC	E38/3127
MHNRC166	429482	6822115	435	40	-60	240	RC	E38/3127
MHNRC167	429432	6821993	435	40	-60	240	RC	E38/3127
MHNRC168	429388	6821936	434	48	-60	270	RC	E38/3127
MHNRC169	429339	6822001	433	40	-60	240	RC	E38/3127
MHNRC170	429435	6821901	435	40	-60	270	RC	E38/3127
MHNRC171	429588	6821732	436	40	-60	270	RC	E38/3127
MHNRC172	429474	6821674	433	40	-60	240	RC	E38/3127
MHNRC173	429392	6821632	431	54	-60	270	RC	E38/3127
MHNRC174	429444	6821632	432	48	-60	270	RC	E38/3127
MHNRC175	429539	6821584	432	40	-60	270	RC	E38/3127
MHNRC176	429586	6821586	433	42	-60	270	RC	E38/3127
MHNRC177	429579	6821222	429	42	-60	270	RC	E38/3127
MHNRC178	429625	6821222	428	40	-60	270	RC	E38/3127
MHNRC179	429670	6821219	428	70	-60	270	RC	E38/3127
MHNRC180	429519	6821341	430	40	-60	270	RC	E38/3127
MHNRC181	429561	6821343	430	48	-60	270	RC	E38/3127
MHNRC182	429592	6821346	430	40	-60	270	RC	E38/3127
MHNRC183	429395	6821973	434	48	-60	240	RC	E38/3127
MHNRC184	429414	6821984	434	40	-60	240	RC	E38/3127
MHNRC185	429260	6822125	431	40	-60	240	RC	M38/1041
MHNRC186	429282	6822138	431	40	-60	240	RC	M38/1041
MHNRC187	429302	6822150	432	40	-60	240	RC	M38/1041
MHNRC188	429325	6822163	432	40	-60	240	RC	M38/1041
MHNRC189	429194	6822277	430	42	-60	270	RC	M38/1041
MHNRC190	429139	6821972	430	48	-60	270	RC	E38/3127
MHNRC191	429068	6822429	427	40	-60	240	RC	M38/1041
MHNRC192	429042	6822415	427	40	-60	240	RC	M38/1041
MHNRC193	428980	6822382	426	60	-60	300	RC	E38/3127
MHNRC194	429195	6822368	430	60	-60	270	RC	M38/1041
MHNRC195	429280	6822276	432	60	-60	270	RC	M38/1041
MHNRC196	429289	6822212	432	60	-60	270	RC	M38/1041
MHNRC197	429391	6822116	433	60	-60	240	RC	E38/3127
MHNRC198	429476	6822089	435	60	-60	240	RC	E38/3127
MHNRC199	429451	6822040	435	60	-60	240	RC	E38/3127
MHNRC200	429569	6821925	437	60	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC201	429529	6821893	437	60	-60	270	RC	E38/3127
MHNRC202	429491	6821856	436	60	-60	270	RC	E38/3127
MHNRC203	429590	6821827	437	60	-60	270	RC	E38/3127
MHNRC204	429493	6821763	435	60	-60	270	RC	E38/3127
MHNRC205	429611	6821735	436	60	-60	270	RC	E38/3127
MHNRC206	429556	6821719	435	60	-60	240	RC	E38/3127
MHNRC207	429585	6821642	434	60	-60	270	RC	E38/3127
MHNRC208	429583	6821540	432	60	-60	270	RC	E38/3127
MHNRC209	429644	6821511	433	60	-60	270	RC	E38/3127
MHNRC210	429648	6821440	431	60	-60	270	RC	E38/3127
MHNRC211	429690	6821344	429	60	-60	270	RC	E38/3127
MHNRC212	429106	6822454	427	60	-60	240	RC	M38/1041
MHNRC213	428984	6822515	425	18	-60	240	RC	E38/3127
MHNRC213cont	428984	6822516	425	60	-60	240	RC	E38/3127
MHNRC214	429014	6822533	425	60	-60	240	RC	E38/3127
MHNRC215	429048	6822553	425	60	-60	240	RC	E38/3127
MHNRC216	429005	6822369	426	60	-60	300	RC	E38/3127
MHNRC217	429136	6822470	428	60	-60	240	RC	M38/1041
MHNRC218	429316	6822215	432	60	-60	270	RC	M38/1041
MHNRC219	429366	6822188	433	60	-60	240	RC	E38/3127
MHNRC220	429420	6822136	434	80	-60	240	RC	E38/3127
MHNRC221	429502	6822102	435	80	-60	240	RC	E38/3127
MHNRC222	429489	6822064	435	100	-60	240	RC	E38/3127
MHNRC223	429465	6822016	435	60	-60	240	RC	E38/3127
MHNRC224	429428	6821959	435	60	-60	250	RC	E38/3127
MHNRC225	429459	6821967	435	60	-60	250	RC	E38/3127
MHNRC226	429494	6821978	436	60	-60	250	RC	E38/3127
MHNRC227	429526	6821989	437	60	-60	250	RC	E38/3127
MHNRC228	429598	6821926	438	80	-60	270	RC	E38/3127
MHNRC229	429543	6821856	437	50	-60	270	RC	E38/3127
MHNRC230	429632	6821828	437	80	-60	270	RC	E38/3127
MHNRC231	429537	6821761	435	40	-60	270	RC	E38/3127
MHNRC232	428121	6821635	418	54	-60	90	RC	E38/3127
MHNRC233	428138	6821599	418	75	-60	90	RC	E38/3127
MHNRC234	429676	6821440	431	80	-60	270	RC	E38/3127
MHNRC235	429648	6821343	429	65	-60	270	RC	E38/3127
MHNRC236	429716	6821343	428	100	-60	270	RC	E38/3127
MHNRC237	429712	6821220	427	65	-60	270	RC	E38/3127
MHNRC238	429749	6821222	427	140	-60	270	RC	E38/3127
MHNRC239	429524	6821098	428	40	-60	270	RC	E38/3127
MHNRC240	429568	6821096	428	40	-60	270	RC	E38/3127
MHNRC241	429624	6821101	427	80	-60	270	RC	E38/3127
MHNRC242	429729	6821098	426	40	-60	270	RC	E38/3127
MHNRC243	429757	6821097	425	40	-60	270	RC	E38/3127
MHNRC244	429786	6821097	425	125	-60	270	RC	E38/3127
MHNRC245	429674	6821049	426	40	-60	270	RC	E38/3127
MHNRC246	429720	6821046	425	40	-60	270	RC	E38/3127
MHNRC247	429617	6820998	426	40	-60	270	RC	E38/3127
MHNRC248	429669	6821000	425	40	-60	270	RC	E38/3127
MHNRC249	429721	6820999	425	40	-60	270	RC	E38/3127
MHNRC250	429766	6820999	424	40	-60	270	RC	E38/3127
MHNRC251	428896	6822431	424	20	-60	300	RC	E38/3127
MHNRC252	429017	6822400	426	30	-60	240	RC	E38/3127
MHNRC253	428958	6822366	426	30	-60	240	RC	E38/3127
MHNRC254	429094	6822366	428	30	-60	270	RC	M38/1041
MHNRC255	429208	6822275	431	30	-60	270	RC	M38/1041
MHNRC256	429112	6822270	429	35	-60	270	RC	M38/1041
MHNRC257	429219	6822211	431	25	-60	270	RC	M38/1041
MHNRC258	429205	6822177	430	20	-60	270	RC	M38/1041
MHNRC259	429185	6822178	430	15	-60	270	RC	M38/1041
MHNRC260	429328	6822086	432	15	-60	240	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC261	429394	6822043	433	40	-60	240	RC	E38/3127
MHNRC262	429366	6822043	433	30	-60	240	RC	E38/3127
MHNRC263	429403	6822018	434	45	-60	240	RC	E38/3127
MHNRC264	429380	6822003	434	15	-60	240	RC	E38/3127
MHNRC265	429363	6821995	433	15	-60	240	RC	E38/3127
MHNRC266	429384	6821965	434	15	-60	240	RC	E38/3127
MHNRC267	429371	6821955	434	30	-60	240	RC	E38/3127
MHNRC268	429475	6821922	436	40	-60	270	RC	E38/3127
MHNRC269	429421	6821926	435	20	-60	270	RC	E38/3127
MHNRC270	429452	6821898	436	25	-60	270	RC	E38/3127
MHNRC271	429416	6821891	435	70	-60	270	RC	E38/3127
MHNRC272	429402	6821891	435	10	-60	270	RC	E38/3127
MHNRC273	429448	6821861	435	15	-60	270	RC	E38/3127
MHNRC274	429423	6821853	435	10	-60	270	RC	E38/3127
MHNRC275	429464	6821835	435	25	-60	270	RC	E38/3127
MHNRC276	429432	6821838	435	10	-60	270	RC	E38/3127
MHNRC277	429481	6821822	435	30	-60	270	RC	E38/3127
MHNRC278	429465	6821822	435	25	-60	270	RC	E38/3127
MHNRC279	429439	6821823	435	15	-60	270	RC	E38/3127
MHNRC280	429451	6821762	434	15	-60	270	RC	E38/3127
MHNRC281	429435	6821760	434	10	-60	270	RC	E38/3127
MHNRC282	429484	6821745	434	15	-60	270	RC	E38/3127
MHNRC283	429470	6821740	434	15	-60	270	RC	E38/3127
MHNRC284	429511	6821718	434	25	-60	270	RC	E38/3127
MHNRC285	429484	6821718	434	15	-60	270	RC	E38/3127
MHNRC286	429450	6821718	433	15	-60	270	RC	E38/3127
MHNRC287	429490	6821684	433	20	-60	240	RC	E38/3127
MHNRC288	429451	6821663	432	10	-60	240	RC	E38/3127
MHNRC289	429524	6821647	433	20	-60	270	RC	E38/3127
MHNRC290	429475	6821643	432	10	-60	270	RC	E38/3127
MHNRC291	429523	6821613	432	20	-60	270	RC	E38/3127
MHNRC292	429507	6821614	432	15	-60	270	RC	E38/3127
MHNRC293	429462	6821615	431	10	-60	270	RC	E38/3127
MHNRC294	429617	6821584	434	55	-60	270	RC	E38/3127
MHNRC295	429521	6821581	432	10	-60	270	RC	E38/3127
MHNRC296	429499	6821582	432	10	-60	270	RC	E38/3127
MHNRC297	429538	6821541	432	20	-60	270	RC	E38/3127
MHNRC298	429516	6821541	431	15	-60	270	RC	E38/3127
MHNRC299	429486	6821541	431	10	-60	270	RC	E38/3127
MHNRC300	429576	6821511	432	40	-60	270	RC	E38/3127
MHNRC301	429551	6821511	431	40	-60	270	RC	E38/3127
MHNRC302	429569	6821439	431	80	-60	270	RC	E38/3127
MHNRC303	429533	6821438	430	10	-60	270	RC	E38/3127
MHNRC304	429501	6821405	430	10	-60	270	RC	E38/3127
MHNRC305	429487	6821406	430	10	-60	270	RC	E38/3127
MHNRC306	429627	6821346	429	20	-60	270	RC	E38/3127
MHNRC307	429633	6821224	428	20	-60	270	RC	E38/3127
MHNRC308	429607	6821224	429	10	-60	270	RC	E38/3127
MHNRC309	429218	6820979	423	36	-60	315	RC	E38/3127
MHNRC310	429254	6820944	423	36	-60	315	RC	E38/3127
MHNRC311	429290	6820907	423	36	-60	315	RC	E38/3127
MHNRC312	429324	6820872	423	36	-60	315	RC	E38/3127
MHNRC313	429360	6820837	422	36	-60	315	RC	E38/3127
MHNRC314	429396	6820801	422	36	-60	315	RC	E38/3127
MHNRC315	429433	6820765	422	36	-60	315	RC	E38/3127
MHNRC316	429100	6820930	422	36	-60	315	RC	E38/3127
MHNRC317	429134	6820896	422	36	-60	315	RC	E38/3127
MHNRC318	429170	6820859	422	36	-60	315	RC	E38/3127
MHNRC319	429205	6820824	421	36	-60	315	RC	E38/3127
MHNRC320	429236	6820792	421	36	-60	315	RC	E38/3127
MHNRC321	429277	6820752	421	36	-60	315	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC322	429309	6820719	420	36	-60	315	RC	E38/3127
MHNRC323	429347	6820684	420	36	-60	315	RC	E38/3127
MHNRC324	429058	6820812	421	36	-60	315	RC	E38/3127
MHNRC325	429093	6820776	421	36	-60	315	RC	E38/3127
MHNRC326	429128	6820744	421	36	-60	315	RC	E38/3127
MHNRC327	429162	6820709	420	36	-60	315	RC	E38/3127
MHNRC328	429198	6820674	420	36	-60	315	RC	E38/3127
MHNRC329	429235	6820636	420	36	-60	315	RC	E38/3127
MHNRC330	429548	6820900	424	36	-60	270	RC	E38/3127
MHNRC331	429597	6820902	424	36	-60	270	RC	E38/3127
MHNRC332	429649	6820901	424	36	-60	270	RC	E38/3127
MHNRC333	429697	6820902	424	36	-60	270	RC	E38/3127
MHNRC334	429743	6820901	423	36	-60	270	RC	E38/3127
MHNRC335	429797	6820901	424	36	-60	270	RC	E38/3127
MHNRC336	429545	6820802	423	36	-60	270	RC	E38/3127
MHNRC337	429597	6820801	423	36	-60	270	RC	E38/3127
MHNRC338	429650	6820801	423	80	-60	270	RC	E38/3127
MHNRC339	429699	6820802	423	36	-60	270	RC	E38/3127
MHNRC340	429747	6820802	423	36	-60	270	RC	E38/3127
MHNRC341	429799	6820802	424	110	-60	270	RC	E38/3127
MHNRC342	429548	6820702	422	36	-60	270	RC	E38/3127
MHNRC343	429597	6820703	422	36	-60	270	RC	E38/3127
MHNRC344	429846	6820503	425	36	-60	270	RC	E38/3127
MHNRC345	429898	6820500	425	36	-60	270	RC	E38/3127
MHNRC346	429700	6820398	423	36	-60	270	RC	E38/3127
MHNRC347	429748	6820399	424	36	-60	270	RC	E38/3127
MHNRC348	429800	6820398	424	36	-60	270	RC	E38/3127
MHNRC349	429849	6820400	425	36	-60	270	RC	E38/3127
MHNRC350	429897	6820399	425	36	-60	270	RC	E38/3127
MHNRC351	429949	6820401	425	36	-60	270	RC	E38/3127
MHNRC352	429649	6820299	423	36	-60	270	RC	E38/3127
MHNRC353	429700	6820300	423	36	-60	270	RC	E38/3127
MHNRC354	429748	6820301	424	36	-60	270	RC	E38/3127
MHNRC355	429798	6820301	424	36	-60	270	RC	E38/3127
MHNRC356	429847	6820301	424	36	-60	270	RC	E38/3127
MHNRC357	429897	6820300	425	36	-60	270	RC	E38/3127
MHNRC358	429946	6820300	425	36	-60	270	RC	E38/3127
MHNRC359	429606	6820030	422	36	-60	270	RC	E38/3127
MHNRC360	429658	6820032	422	36	-60	270	RC	E38/3127
MHNRC361	429706	6820027	422	36	-60	270	RC	E38/3127
MHNRC362	429754	6820027	422	36	-60	270	RC	E38/3127
MHNRC363	429803	6820023	422	36	-60	270	RC	E38/3127
MHNRC364	429856	6820026	422	36	-60	270	RC	E38/3127
MHNRC365	429907	6820029	423	36	-60	270	RC	E38/3127
MHNRC366	429485	6819821	420	42	-60	270	RC	E38/3127
MHNRC367	429588	6819819	421	36	-60	270	RC	E38/3127
MHNRC368	429638	6819822	421	48	-60	270	RC	E38/3127
MHNRC369	429677	6819825	421	42	-60	270	RC	E38/3127
MHNRC370	428953	6822698	423	75	-60	240	RC	E38/3127
MHNRC371	428992	6822720	423	75	-60	240	RC	E38/3127
MHNRC372	429003	6822620	424	75	-60	240	RC	E38/3127
MHNRC373	429039	6822642	424	100	-60	240	RC	E38/3127
MHNRC374	429093	6822674	425	100	-60	240	RC	E38/3127
MHNRC375	429086	6822575	426	80	-60	240	RC	E38/3127
MHNRC376	429131	6822599	426	100	-60	240	RC	E38/3127
MHNRC377	429195	6822500	428	100	-60	240	RC	M38/1041
MHNRC378	429240	6822524	429	100	-60	240	RC	E38/3127
MHNRC379	429220	6822368	430	60	-60	270	RC	M38/1041
MHNRC380	429275	6822368	431	100	-60	270	RC	M38/1041
MHNRC381	429339	6822371	433	100	-60	270	RC	E38/3127
MHNRC382	429313	6822273	433	60	-60	270	RC	M38/1041

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC383	429369	6822277	434	100	-60	270	RC	E38/3127
MHNRC384	429355	6822212	433	60	-60	270	RC	E38/3127
MHNRC385	429403	6822207	434	80	-60	240	RC	E38/3127
MHNRC386	429441	6822227	434	100	-60	240	RC	E38/3127
MHNRC387	429453	6822151	434	70	-60	240	RC	E38/3127
MHNRC388	429494	6822178	435	100	-60	240	RC	E38/3127
MHNRC389	429523	6822079	436	80	-60	240	RC	E38/3127
MHNRC390	429571	6822105	437	100	-60	240	RC	E38/3127
MHNRC391	429361	6822026	433	20	-60	240	RC	E38/3127
MHNRC392	429371	6822036	433	25	-60	240	RC	E38/3127
MHNRC393	429492	6822027	436	60	-60	240	RC	E38/3127
MHNRC394	429573	6822001	437	100	-60	250	RC	E38/3127
MHNRC395	429620	6822017	438	100	-60	250	RC	E38/3127
MHNRC396	429411	6821943	435	15	-60	250	RC	E38/3127
MHNRC397	429441	6821960	435	15	-60	250	RC	E38/3127
MHNRC398	429438	6821940	435	15	-60	250	RC	E38/3127
MHNRC399	429457	6821941	436	15	-60	250	RC	E38/3127
MHNRC400	429444	6821925	435	30	-60	270	RC	E38/3127
MHNRC401	429441	6821911	435	15	-60	270	RC	E38/3127
MHNRC402	429449	6821909	435	15	-60	270	RC	E38/3127
MHNRC403	429471	6821912	436	15	-60	270	RC	E38/3127
MHNRC404	429482	6821912	436	15	-60	270	RC	E38/3127
MHNRC405	429436	6821891	435	15	-60	270	RC	E38/3127
MHNRC406	429468	6821893	436	25	-60	270	RC	E38/3127
MHNRC407	429430	6821869	435	15	-60	270	RC	E38/3127
MHNRC408	429444	6821873	435	15	-60	270	RC	E38/3127
MHNRC409	429453	6821873	435	15	-60	270	RC	E38/3127
MHNRC410	429464	6821875	436	15	-60	270	RC	E38/3127
MHNRC411	429432	6821860	435	10	-60	270	RC	E38/3127
MHNRC412	429405	6821841	435	10	-60	270	RC	E38/3127
MHNRC413	429417	6821840	435	10	-60	270	RC	E38/3127
MHNRC414	429440	6821838	435	10	-60	270	RC	E38/3127
MHNRC415	429474	6821836	435	15	-60	270	RC	E38/3127
MHNRC416	429485	6821836	436	15	-60	270	RC	E38/3127
MHNRC417	429571	6821856	437	60	-60	270	RC	E38/3127
MHNRC418	429452	6821741	434	15	-60	270	RC	E38/3127
MHNRC419	429484	6821741	434	25	-60	270	RC	E38/3127
MHNRC420	429509	6821740	434	40	-60	270	RC	E38/3127
MHNRC421	429580	6821715	435	60	-60	270	RC	E38/3127
MHNRC422	429576	6821763	436	50	-60	270	RC	E38/3127
MHNRC423	429446	6821787	434	15	-60	270	RC	E38/3127
MHNRC424	429456	6821788	435	15	-60	270	RC	E38/3127
MHNRC425	429469	6821789	435	15	-60	270	RC	E38/3127
MHNRC426	429481	6821790	435	15	-60	270	RC	E38/3127
MHNRC427	429458	6821667	432	10	-60	240	RC	E38/3127
MHNRC428	429485	6821166	429	20	-60	270	RC	E38/3127
MHNRC429	429503	6821165	429	20	-60	270	RC	E38/3127
MHNRC430	429523	6821165	429	20	-60	270	RC	E38/3127
MHNRC431	429469	6821101	428	10	-60	270	RC	E38/3127
MHNRC432	429490	6821101	428	15	-60	270	RC	E38/3127
MHNRC433	429507	6821103	428	20	-60	270	RC	E38/3127
MHNRC434	429482	6821051	427	20	-60	270	RC	E38/3127
MHNRC435	429500	6821050	427	20	-60	270	RC	E38/3127
MHNRC436	429519	6821050	427	20	-60	270	RC	E38/3127
MHNRC437	429527	6821069	427	50	-60	315	RC	E38/3127
MHNRC438	429552	6821040	427	50	-60	315	RC	E38/3127
MHNRC439	429581	6821011	426	50	-60	315	RC	E38/3127
MHNRC440	429613	6820981	425	50	-60	315	RC	E38/3127
MHNRC441	429690	6821061	426	50	-60	15	RC	E38/3127
MHNRC442	429722	6821034	425	50	-60	15	RC	E38/3127
MHNRC443	429753	6821001	424	50	-60	15	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC444	429779	6820972	424	50	-60	325	RC	E38/3127
MHNRC445	429823	6821098	425	70	-60	315	RC	E38/3127
MHNRC446	429628	6821330	429	20	-60	315	RC	E38/3127
MHNRC447	429663	6821309	429	100	-60	270	RC	E38/3127
MHNRC448	429628	6821329	429	20	-60	270	RC	E38/3127
MHNRC449	429818	6821098	425	70	-60	270	RC	E38/3127
MHNRC450	429689	6821063	426	50	-60	315	RC	E38/3127
MHNRC451	429778	6820969	424	50	-60	270	RC	E38/3127
MHNRC452	429780	6820902	423	70	-60	270	RC	E38/3127
MHNRC453	429720	6820801	423	65	-60	270	RC	E38/3127
MHNRC454	429094	6822356	428	25	-60	270	RC	M38/1041
MHNRC455	429122	6822355	429	25	-60	270	RC	M38/1041
MHNRC456	429139	6822352	429	25	-60	270	RC	M38/1041
MHNRC457	429216	6822199	430	25	-60	270	RC	M38/1041
MHNRC458	429392	6822061	433	25	-60	240	RC	E38/3127
MHNRC459	429406	6822040	434	25	-60	240	RC	E38/3127
MHNRC460	429465	6821945	436	25	-60	250	RC	E38/3127
MHNRC461	429472	6821954	436	25	-60	250	RC	E38/3127
MHNRC462	429446	6821781	434	25	-60	270	RC	E38/3127
MHNRC463	429460	6821779	434	25	-60	270	RC	E38/3127
MHNRC464	429478	6821753	434	25	-60	270	RC	E38/3127
MHNRC465	429488	6821755	434	25	-60	270	RC	E38/3127
MHNRC466	429469	6821690	433	25	-60	240	RC	E38/3127
MHNRC467	429482	6821699	433	25	-60	240	RC	E38/3127
MHNRC468	429491	6821704	434	25	-60	240	RC	E38/3127
MHNRC469	429496	6821661	433	25	-60	240	RC	E38/3127
MHNRC470	429507	6821671	433	25	-60	240	RC	E38/3127
MHNRC471	429516	6821680	433	25	-60	240	RC	E38/3127
MHNRC472	429496	6821631	432	25	-60	270	RC	E38/3127
MHNRC473	429510	6821634	433	25	-60	270	RC	E38/3127
MHNRC474	429507	6821603	432	25	-60	270	RC	E38/3127
MHNRC475	429158	6821990	430	25	-60	270	RC	E38/3127
MHNRC476	429015	6822430	426	36	-60	240	RC	M38/1041
MHNRC477	428963	6822600	424	75	-60	240	RC	E38/3127
MHNRC478	428931	6822439	424	75	-60	270	RC	E38/3127
MHNRC479	428906	6822400	424	75	-60	270	RC	E38/3127
MHNRC480	429060	6822397	427	40	-60	240	RC	M38/1041
MHNRC481	429101	6822420	428	40	-60	240	RC	M38/1041
MHNRC482	429039	6822440	426	40	-60	240	RC	M38/1041
MHNRC483	429198	6822164	430	40	-60	270	RC	M38/1041
MHNRC484	429218	6822164	430	40	-60	270	RC	M38/1041
MHNRC485	429237	6822164	431	40	-60	270	RC	M38/1041
MHNRC486	429344	6821985	433	15	-60	240	RC	E38/3127
MHNRC487	429352	6821978	434	20	-60	240	RC	E38/3127
MHNRC488	429365	6821981	434	20	-60	240	RC	E38/3127
MHNRC489	429503	6821835	436	30	-60	270	RC	E38/3127
MHNRC490	429613	6821764	436	60	-60	270	RC	E38/3127
MHNRC491	429608	6821719	436	60	-60	270	RC	E38/3127
MHNRC492	429495	6821598	432	25	-60	270	RC	E38/3127
MHNRC493	429652	6821587	434	75	-60	270	RC	E38/3127
MHNRC494	429616	6821361	430	25	-60	270	RC	E38/3127
MHNRC495	429636	6821362	430	25	-60	270	RC	E38/3127
MHNRC496	429677	6821249	428	110	-60	270	RC	E38/3127
MHNRC497	429675	6821202	427	50	-60	270	RC	E38/3127
MHNRC498	429799	6821126	425	50	-60	325	RC	E38/3127
MHNRC499	429797	6820942	424	80	-60	325	RC	E38/3127
MHNRC500	429673	6820948	424	40	-60	270	RC	E38/3127
MHNRC501	429722	6820945	424	40	-60	270	RC	E38/3127
MHNRC502	429633	6820848	423	80	-60	270	RC	E38/3127
MHNRC503	429684	6820853	423	40	-60	270	RC	E38/3127
MHNRC504	428663	6822184	422	48	-60	0	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC505	428659	6822171	422	50	-60	0	RC	E38/3127
MHNRC506	428898	6822385	424	54	-60	270	RC	E38/3127
MHNRC507	428938	6822450	424	54	-60	270	RC	E38/3127
MHNRC508	429647	6821926	438	100	-60	270	RC	E38/3127
MHNRC509	429639	6822112	438	75	-60	270	RC	E38/3127
MHNRC510	429650	6822141	438	120	-60	270	RC	E38/3127
MHNRC511	429510	6822122	435	60	-60	270	RC	E38/3127
MHNRC512	428701	6822199	423	100	-60	270	RC	E38/3127
MHNRC513	429765	6822567	432	60	-60	270	RC	E38/3127
MHNRC514	429097	6822389	428	30	-60	270	RC	M38/1041
MHNRC515	429129	6822355	429	30	-60	270	RC	M38/1041
MHNRC516	429152	6822355	429	24	-60	270	RC	M38/1041
MHNRC517	429109	6822340	429	15	-60	270	RC	M38/1041
MHNRC518	429127	6822339	429	20	-60	270	RC	M38/1041
MHNRC519	429138	6822339	429	25	-60	270	RC	M38/1041
MHNRC520	429154	6822339	429	30	-60	270	RC	M38/1041
MHNRC521	429164	6822339	430	27	-60	270	RC	M38/1041
MHNRC522	429112	6822315	429	15	-60	270	RC	M38/1041
MHNRC523	429129	6822315	429	20	-60	270	RC	M38/1041
MHNRC524	429137	6822315	429	25	-60	270	RC	M38/1041
MHNRC525	429153	6822316	429	30	-60	270	RC	M38/1041
MHNRC526	429167	6822316	430	30	-60	270	RC	M38/1041
MHNRC527	429183	6822316	430	30	-60	270	RC	M38/1041
MHNRC528	429369	6822088	433	30	-60	240	RC	E38/3127
MHNRC529	429387	6822098	433	30	-60	240	RC	E38/3127
MHNRC530	429379	6822073	433	30	-60	240	RC	E38/3127
MHNRC531	429391	6822081	433	30	-60	240	RC	E38/3127
MHNRC532	429464	6821708	433	15	-60	240	RC	E38/3127
MHNRC533	429472	6821714	433	20	-60	240	RC	E38/3127
MHNRC534	429462	6821686	433	10	-60	240	RC	E38/3127
MHNRC535	429484	6821662	433	10	-60	240	RC	E38/3127
MHNRC536	429558	6821479	431	30	-60	270	RC	E38/3127
MHNRC537	429573	6821479	431	30	-60	270	RC	E38/3127
MHNRC538	429589	6821479	431	30	-60	270	RC	E38/3127
MHNRC539	429671	6821276	428	70	-60	270	RC	E38/3127
MHNRC540	429669	6821264	428	70	-60	270	RC	E38/3127
MHNRC541	429709	6821254	427	110	-60	270	RC	E38/3127
MHNRC542	429649	6821252	428	50	-60	270	RC	E38/3127
MHNRC543	429636	6821203	428	30	-60	270	RC	E38/3127
MHNRC544	429704	6821201	427	71	-60	270	RC	E38/3127
MHNRC545	429683	6821185	427	70	-60	270	RC	E38/3127
MHNRC546	429656	6821167	427	30	-60	270	RC	E38/3127
MHNRC547	429676	6821167	427	40	-60	270	RC	E38/3127
MHNRC548	429689	6821166	427	50	-60	270	RC	E38/3127
MHNRC549	429653	6821134	427	30	-60	270	RC	E38/3127
MHNRC550	429677	6821135	427	40	-60	270	RC	E38/3127
MHNRC551	429701	6821135	426	50	-60	270	RC	E38/3127
MHNRC552	429730	6821136	426	60	-60	270	RC	E38/3127
MHNRC553	429760	6821136	426	125	-60	270	RC	E38/3127
MHNRC554	429728	6821170	426	60	-60	270	RC	E38/3127
MHNRC555	429651	6821202	428	70	-60	270	RC	E38/3127
MHNRC556	429629	6821239	428	30	-60	270	RC	E38/3127
MHNRC557	429650	6821039	426	60	-60	270	RC	E38/3127
MHNRC558	428990	6822450	425	60	-60	270	RC	E38/3127
MHNRC559	428984	6822676	423	105	-60	240	RC	E38/3127
MHNRC560	429635	6821167	428	50	-60	270	RC	E38/3127
MHNRC561	429631	6821134	427	30	-60	270	RC	E38/3127
MHNRC562	429638	6821071	427	79	-60	270	RC	E38/3127
MHNRC563	429759	6821180	426	90	-60	270	RC	E38/3127
MHNRC564	429721	6821289	428	110	-60	270	RC	E38/3127
MHNRC565	429222	6819645	419	74	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC566	429250	6820165	421	42	-60	270	RC	E38/3127
MHNRC567	429347	6820164	421	52	-60	270	RC	E38/3127
MHNRC568	429444	6820167	422	75	-60	270	RC	E38/3127
MHNRC569	429546	6820165	422	75	-60	270	RC	E38/3127
MHNRC570	429400	6820375	421	50	-60	270	RC	E38/3127
MHNRC571	429500	6820372	422	75	-60	270	RC	E38/3127
MHNRC572	429538	6820422	422	100	-60	0	RC	E38/3127
MHNRC573	429477	6820578	421	24	-60	270	RC	E38/3127
MHNRC574	429513	6820581	421	36	-60	270	RC	E38/3127
MHNRC575	429584	6820581	422	60	-60	270	RC	E38/3127
MHNRC576	429147	6822355	429	40	-60	270	RC	M38/1041
MHNRC577	429536	6822126	436	225	-50	240	RC	E38/3127
MHNRC578	429609	6821856	437	225	-50	270	RC	E38/3127
MHNRC579	429654	6821741	437	225	-50	270	RC	E38/3127
MHNRC580	429631	6821643	435	225	-50	270	RC	E38/3127
MHNRC581	429849	6821169	425	250	-50	270	RC	E38/3127
MHNRC582	429790	6821311	427	225	-50	270	RC	E38/3127
MHNRC583	429769	6821252	427	150	-60	270	RC	E38/3127
MHNRC584	429656	6821187	428	50	-60	270	RC	E38/3127
MHNRC585	429853	6821315	427	170	-60	270	RC	E38/3127
MHNRC586	429831	6821341	428	150	-60	270	RC	E38/3127
MHNRC587	429859	6821378	428	160	-60	270	RC	E38/3127
MHNRC588	429538	6821131	428	50	-60	270	RC	E38/3127
MHNRC589	429571	6821132	428	50	-60	270	RC	E38/3127
MHNRC590	429600	6821133	428	50	-60	270	RC	E38/3127
MHNRC591	429563	6821164	429	50	-60	270	RC	E38/3127
MHNRC592	429599	6821166	428	50	-60	270	RC	E38/3127
MHNRC593	429410	6822089	433	36	-60	240	RC	E38/3127
MHNRC594	429369	6822098	433	21	-60	240	RC	E38/3127
MHNRC595	429354	6822092	432	21	-60	240	RC	E38/3127
MHNRC596	429190	6822339	430	27	-60	270	RC	M38/1041
MHNRC597	428824	6822715	422	50	-60	240	RC	E38/3127
MHNRC598	429681	6821150	427	65	-60	270	RC	E38/3127
MHNRC599	429559	6821250	429	100	-60	270	RC	E38/3127
MHNRC600	429468	6821502	430	100	-60	270	RC	E38/3127
MHNRC601	429296	6821549	428	100	-60	270	RC	E38/3127
MHNRC602	429212	6821551	427	75	-60	270	RC	E38/3127
MHNRC603	429391	6821705	432	90	-60	270	RC	E38/3127
MHNRC604	429563	6820850	423	70	-60	270	RC	E38/3127
MHNRC605	429459	6821049	427	50	-60	270	RC	E38/3127
MHNRC606	429919	6821553	432	145	-60	270	RC	E38/3127
MHNRC607	429640	6821643	435	50	-60	270	RC	E38/3127
MHNRC608	429594	6822121	437	100	-60	240	RC	E38/3127
MHNRC609	429179	6822401	429	100	-60	270	RC	M38/1041
MHNRC610	429101	6822528	426	100	-60	240	RC	E38/3127
MHNRC611	429301	6821049	425	124	-60	270	RC	E38/3127
MHNRC612	429404	6821853	435	120	-60	270	RC	E38/3127
MHNRC613	429600	6822200	436	100	-60	270	RC	E38/3127
MHNRC614	429258	6822545	429	100	-60	270	RC	E38/3127
MHNRC615	429055	6821788	428	100	-60	270	RC	E38/3127
MHNRC616	428788	6822693	422	60	-60	240	RC	E38/3127
MHNRC617	428750	6822673	422	60	-60	240	RC	E38/3127
MHNRC618	428709	6822652	421	60	-60	240	RC	E38/3127
MHNRC619	428878	6822658	423	60	-60	240	RC	E38/3127
MHNRC620	428844	6822638	422	92	-60	240	RC	E38/3127
MHNRC621	428786	6822606	422	60	-60	240	RC	E38/3127
MHNRC622	428880	6822559	423	59	-60	240	RC	E38/3127
MHNRC623	428879	6822462	424	75	-60	240	RC	E38/3127
MHNRC624	428938	6822491	424	60	-60	240	RC	E38/3127
MHNRC625	429226	6822658	427	110	-60	240	RC	E38/3127
MHNRC626	429035	6822486	426	60	-60	240	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC627	429456	6822116	434	50	-60	240	RC	E38/3127
MHNRC628	429434	6822104	434	50	-60	240	RC	E38/3127
MHNRC629	429304	6822079	432	40	-60	240	RC	E38/3127
MHNRC630	429343	6822060	432	40	-60	240	RC	E38/3127
MHNRC631	429316	6822046	432	40	-60	240	RC	E38/3127
MHNRC632	429329	6822027	433	40	-60	240	RC	E38/3127
MHNRC633	429311	6822009	433	40	-60	240	RC	E38/3127
MHNRC634	429321	6821987	433	40	-60	240	RC	E38/3127
MHNRC635	429333	6821969	433	40	-60	240	RC	E38/3127
MHNRC636	429376	6821894	434	40	-60	240	RC	E38/3127
MHNRC637	429401	6821823	434	40	-60	240	RC	E38/3127
MHNRC638	429409	6821789	434	40	-60	270	RC	E38/3127
MHNRC639	429418	6821752	433	40	-60	270	RC	E38/3127
MHNRC640	429425	6821700	433	37	-60	270	RC	E38/3127
MHNRC641	429427	6821663	432	40	-60	270	RC	E38/3127
MHNRC642	429434	6821614	431	40	-60	270	RC	E38/3127
MHNRC643	429443	6821583	431	40	-60	270	RC	E38/3127
MHNRC644	429476	6821583	431	40	-60	270	RC	E38/3127
MHNRC645	429449	6821542	430	40	-60	270	RC	E38/3127
MHNRC646	429491	6821511	430	40	-60	270	RC	E38/3127
MHNRC647	429520	6821477	430	45	-60	270	RC	E38/3127
MHNRC648	429489	6821441	430	40	-60	270	RC	E38/3127
MHNRC649	429901	6821426	429	190	-60	270	RC	E38/3127
MHNRC650	429892	6821377	428	150	-60	270	RC	E38/3127
MHNRC651	429829	6821377	428	150	-60	270	RC	E38/3127
MHNRC652	429864	6821346	428	150	-60	270	RC	E38/3127
MHNRC653	429797	6821346	428	150	-60	270	RC	E38/3127
MHNRC654	429594	6821310	429	50	-60	270	RC	E38/3127
MHNRC655	429548	6821311	430	40	-60	270	RC	E38/3127
MHNRC656	429721	6821311	428	130	-55	270	RC	E38/3127
MHNRC657	429692	6821284	428	110	-60	270	RC	E38/3127
MHNRC658	429759	6821284	427	115	-60	270	RC	E38/3127
MHNRC659	429738	6821250	427	150	-57	270	RC	E38/3127
MHNRC660	429644	6821224	428	50	-60	270	RC	E38/3127
MHNRC661	429687	6821224	427	60	-60	270	RC	E38/3127
MHNRC662	429505	6821200	429	40	-60	270	RC	E38/3127
MHNRC663	429552	6821200	429	40	-60	270	RC	E38/3127
MHNRC664	429606	6821200	428	80	-60	270	RC	E38/3127
MHNRC665	429660	6821199	428	90	-60	270	RC	E38/3127
MHNRC666	429688	6821200	427	90	-60	270	RC	E38/3127
MHNRC667	429662	6821165	427	110	-60	270	RC	E38/3127
MHNRC668	429814	6821167	425	80	-55	270	RC	E38/3127
MHNRC669	429893	6821167	425	100	-55	270	RC	E38/3127
MHNRC670	429613	6821133	428	50	-60	270	RC	E38/3127
MHNRC671	429540	6821100	428	50	-60	270	RC	E38/3127
MHNRC672	429586	6821094	427	50	-60	270	RC	E38/3127
MHNRC673	429604	6821073	427	50	-60	270	RC	E38/3127
MHNRC674	429672	6821070	426	55	-60	270	RC	E38/3127
MHNRC675	429417	6821050	427	40	-60	270	RC	E38/3127
MHNRC676	429535	6821048	427	70	-60	270	RC	E38/3127
MHNRC677	429573	6821049	427	45	-60	270	RC	E38/3127
MHNRC678	429793	6821049	425	110	-60	270	RC	E38/3127
MHNRC679	429820	6820997	424	85	-60	270	RC	E38/3127
MHNRC680	429533	6820998	426	40	-60	270	RC	E38/3127
MHNRC681	429582	6820999	426	40	-60	270	RC	E38/3127
MHNRC682	429558	6820950	425	40	-60	270	RC	E38/3127
MHNRC683	429843	6820945	424	90	-60	270	RC	E38/3127
MHNRC684	429831	6820901	424	100	-60	270	RC	E38/3127
MHNRC685	429764	6820853	423	70	-60	270	RC	E38/3127
MHNRC686	429476	6820849	423	40	-60	270	RC	E38/3127
MHNRC687	429278	6820799	421	50	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC688	429197	6820895	422	50	-60	270	RC	E38/3127
MHNRC689	428972	6820550	419	40	-60	270	RC	E38/3127
MHNRC690	429191	6820599	419	80	-60	270	RC	E38/3127
MHNRC691	429406	6820480	421	80	-60	270	RC	E38/3127
MHNRC692	429408	6820557	420	60	-60	270	RC	E38/3127
MHNRC693	429660	6820582	423	120	-60	270	RC	E38/3127
MHNRC694	429650	6820511	423	130	-60	270	RC	E38/3127
MHNRC696	429639	6820385	423	120	-60	270	RC	E38/3127
MHNRC697	429797	6820448	424	80	-60	270	RC	E38/3127
MHNRC698	429359	6821991	433	40	-60	240	RC	E38/3127
MHNRC699	429679	6822052	439	105	-60	240	RC	E38/3127
MHNRC700	429670	6821101	426	40	-60	270	RC	E38/3127
MHNRC701	429444	6820851	423	40	-60	270	RC	E38/3127
MHNRC702	429505	6821002	426	40	-60	270	RC	E38/3127
MHNRC703	429470	6820951	425	40	-60	270	RC	E38/3127
MHNRC704	429504	6820952	425	40	-60	270	RC	E38/3127
MHNRC705	429520	6820697	421	40	-60	270	RC	E38/3127
MHNRC706	429936	6821299	427	70	-60	270	RC	E38/3127
MHNRC707	429979	6821300	427	70	-60	270	RC	E38/3127
MHNRC708	430019	6821394	427	70	-60	270	RC	E38/3127
MHNRC709	430060	6821394	427	70	-60	270	RC	E38/3127
MHNRC710	429754	6821346	428	125	-60	270	RC	E38/3127
MHNRC711	429867	6821000	424	50	-60	270	RC	E38/3127
MHNRC712	428835	6822437	423	60	-60	240	RC	E38/3127
MHNRC713	428788	6822510	422	60	-60	240	RC	E38/3127
MHNRC714	428833	6822533	423	60	-60	240	RC	E38/3127
MHNRC715	428690	6822554	421	60	-60	240	RC	E38/3127
MHNRC716	428743	6822586	422	60	-60	240	RC	E38/3127
MHNRC717	428600	6822588	420	49	-60	240	RC	E38/3127
MHNRC718	429716	6820392	424	115	-60	270	RC	E38/3127
MHNRC719	429468	6820553	421	100	-60	270	RC	E38/3127
MHNRC720	429683	6821237	428	70	-60	270	RC	E38/3127
MHNRC721	429721	6821236	427	90	-60	270	RC	E38/3127
MHNRC722	429692	6821270	428	80	-60	270	RC	E38/3127
MHNRC723	429730	6821268	427	100	-60	270	RC	E38/3127
MHNRC724	429803	6821282	427	141	-60	270	RC	E38/3127
MHNRC725	429711	6821331	428	70	-60	270	RC	E38/3127
MHNRC726	429749	6821333	428	110	-60	270	RC	E38/3127
MHNRC727	429790	6821331	428	130	-60	270	RC	E38/3127
MHNRC728	429832	6821328	427	150	-60	270	RC	E38/3127
MHNRC729	429870	6821426	429	120	-60	270	RC	E38/3127
MHNRC730	429928	6821474	430	198	-60	270	RC	E38/3127
MHNRC731	429536	6821801	436	50	-60	270	RC	E38/3127
MHNRC732	429572	6821802	436	60	-60	270	RC	E38/3127
MHNRC733	429613	6821802	437	70	-60	270	RC	E38/3127
MHNRC734	429500	6821877	436	40	-60	270	RC	E38/3127
MHNRC735	429526	6821877	436	50	-60	270	RC	E38/3127
MHNRC736	429547	6822280	435	120	-60	240	RC	E38/3127
MHNRC737	429391	6822378	433	80	-60	270	RC	E38/3127
MHNRC738	429069	6822463	426	55	-60	240	RC	M38/1041
MHNRC739	428639	6822609	421	60	-60	240	RC	E38/3127
MHNRC740	428890	6822748	422	75	-60	240	RC	E38/3127
MHNRC741	428935	6822772	423	75	-60	240	RC	E38/3127
MHNRC742	428975	6822793	423	75	-60	240	RC	E38/3127
MHNRC743	428823	6822883	422	75	-60	240	RC	E38/3127
MHNRC744	428866	6822906	422	75	-60	240	RC	E38/3127
MHNRC745	428906	6822927	422	75	-60	240	RC	E38/3127
MHNRC746	428462	6822693	419	73	-60	225	RC	E38/3127
MHNRC747	428501	6822738	420	75	-60	225	RC	E38/3127
MHNRC748	428538	6822773	420	73	-60	225	RC	E38/3127
MHNRC749	428575	6822810	420	79	-60	225	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC750	428615	6822850	420	75	-60	225	RC	E38/3127
MHNRC751	428649	6822885	421	75	-60	225	RC	E38/3127
MHNRC752	428271	6822784	419	85	-60	225	RC	E38/3127
MHNRC753	428311	6822821	419	75	-60	225	RC	E38/3127
MHNRC754	428351	6822859	419	75	-60	225	RC	E38/3127
MHNRC755	428389	6822896	419	75	-60	225	RC	E38/3127
MHNRC756	428453	6822926	419	76	-60	225	RC	E38/3127
MHNRC757	428472	6823010	419	75	-60	225	RC	E38/3127
MHNRC758	428111	6822892	420	75	-60	225	RC	E38/3127
MHNRC759	428153	6822932	420	75	-60	225	RC	E38/3127
MHNRC760	428190	6822967	420	75	-60	225	RC	E38/3127
MHNRC761	428229	6823006	420	75	-60	225	RC	E38/3127
MHNRC762	428266	6823043	420	75	-60	225	RC	E38/3127
MHNRC763	428304	6823081	420	75	-60	225	RC	E38/3127
MHNRC764	428787	6823053	422	75	-60	330	RC	E38/3127
MHNRC765	428761	6823099	421	75	-60	330	RC	E38/3127
MHNRC766	428724	6823162	421	75	-60	330	RC	E38/3127
MHNRC767	428699	6823207	422	75	-60	330	RC	E38/3127
MHNRC768	429069	6823208	422	75	-60	330	RC	E38/3127
MHNRC769	429042	6823252	422	75	-60	330	RC	E38/3127
MHNRC770	429014	6823300	422	75	-60	330	RC	E38/3127
MHNRC771	428977	6823361	423	75	-60	330	RC	E38/3127
MHNRC772	428958	6823300	422	75	-60	240	RC	E38/3127
MHNRC773	429012	6823328	422	75	-60	240	RC	E38/3127
MHNRC774	429048	6823351	423	75	-60	240	RC	E38/3127
MHNRC775	429603	6821048	427	75	-60	270	RC	E38/3127
MHNRC776	429647	6821100	427	75	-60	270	RC	E38/3127
MHNRC777	429759	6821377	429	100	-60	270	RC	E38/3127
MHNRC778	429571	6821071	427	50	-60	270	RC	E38/3127
MHNRC779	429775	6820393	424	181	-60	270	RC	E38/3127
MHNRC780	429733	6820451	424	170	-60	270	RC	E38/3127
MHNRC781	429753	6820506	424	162	-60	270	RC	E38/3127
MHNRC782	429692	6820334	423	170	-60	270	RC	E38/3127
MHNRC783	429372	6822152	433	50	-60	240	RC	E38/3127
MHNRC784	429402	6822168	433	60	-60	240	RC	E38/3127
MHNRC785	429430	6822185	434	70	-60	240	RC	E38/3127
MHNRC786	429460	6822205	435	80	-60	240	RC	E38/3127
MHNRC787	429381	6822250	434	70	-60	270	RC	E38/3127
MHNRC788	429344	6822251	433	60	-60	270	RC	E38/3127
MHNRC789	429303	6822250	432	50	-60	270	RC	M38/1041
MHNRC790	429265	6822250	432	40	-60	270	RC	M38/1041
MHNRC791	429222	6822250	431	30	-60	270	RC	M38/1041
MHNRC792	429209	6822325	431	40	-60	270	RC	M38/1041
MHNRC793	429252	6822324	431	50	-60	270	RC	M38/1041
MHNRC794	429295	6822324	432	55	-60	270	RC	M38/1041
MHNRC795	429336	6822325	433	60	-60	270	RC	E38/3127
MHNRC796	429375	6822326	434	65	-60	270	RC	E38/3127
MHNRC797	429173	6822441	429	55	-60	240	RC	M38/1041
MHNRC798	429212	6822460	429	65	-60	240	RC	M38/1041
MHNRC799	429258	6822483	430	70	-60	240	RC	E38/3127
MHNRC800	429213	6822407	430	40	-60	240	RC	M38/1041
MHNRC801	429255	6822426	430	50	-60	240	RC	M38/1041
MHNRC802	429291	6822444	431	60	-60	240	RC	E38/3127
MHNRC803	428800	6823291	422	75	-60	225	RC	E38/3127
MHNRC805	429693	6821548	434	70	-60	270	RC	E38/3127
MHNRC806	429660	6820925	424	36	-60	270	RC	E38/3127
MHNRC807	429692	6820926	424	46	-60	270	RC	E38/3127
MHNRC808	429721	6820926	424	48	-60	270	RC	E38/3127
MHNRC809	429668	6820978	425	21	-60	270	RC	E38/3127
MHNRC810	429680	6820979	425	21	-60	270	RC	E38/3127
MHNRC811	429695	6820979	425	21	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC812	429771	6821169	426	90	-60	270	RC	E38/3127
MHNRC813	429738	6821199	426	90	-60	270	RC	E38/3127
MHNRC814	429800	6821202	426	100	-60	270	RC	E38/3127
MHNRC815	429854	6821201	426	120	-60	270	RC	E38/3127
MHNRC816	429523	6821024	427	64	-60	270	RC	E38/3127
MHNRC817	429518	6820970	426	50	-60	270	RC	E38/3127
MHNRC818	429400	6822789	427	60	-60	270	RC	E38/3127
MHNRC819	429188	6822247	430	50	-60	270	RC	M38/1041
MHNRC820	429159	6822245	430	30	-60	270	RC	M38/1041
MHNRC821	429138	6822245	429	30	-60	270	RC	M38/1041
MHNRC822	429138	6822294	429	30	-60	270	RC	M38/1041
MHNRC823	429159	6822295	430	30	-60	270	RC	M38/1041
MHNRC824	429181	6822296	430	30	-60	270	RC	M38/1041
MHNRC825	429352	6822134	432	50	-60	240	RC	M38/1041
MHNRC826	429324	6822120	432	50	-60	240	RC	M38/1041
MHNRC827	429296	6822106	431	50	-60	240	RC	M38/1041
MHNRC828	429540	6822044	437	80	-60	240	RC	E38/3127
MHNRC829	429568	6821966	437	80	-60	250	RC	E38/3127
MHNRC830	429569	6821891	437	80	-60	270	RC	E38/3127
MHNRC831	429591	6821682	435	80	-60	270	RC	E38/3127
MHNRC832	429619	6821614	434	55	-60	270	RC	E38/3127
MHNRC833	429656	6821615	435	75	-60	270	RC	E38/3127
MHNRC834	429650	6821401	430	75	-60	270	RC	E38/3127
MHNRC835	429157	6822557	427	85	-60	240	RC	E38/3127
MHNRC836	429294	6822558	429	85	-60	240	RC	E38/3127
MHNRC837	429181	6822356	430	50	-60	270	RC	M38/1041
MHNRC838	429136	6822353	429	50	-60	270	RC	M38/1041
MHNRC839	429135	6822367	429	50	-60	270	RC	M38/1041
MHNRC840	429139	6822332	429	50	-60	270	RC	M38/1041
MHNRC841	429199	6822195	430	50	-60	270	RC	M38/1041
MHNRC842	429116	6822409	428	50	-60	240	RC	M38/1041
MHNRC843	428994	6822421	426	50	-60	240	RC	E38/3127
MHNRC844	429577	6822151	436	110	-60	240	RC	E38/3127
MHNRC847	429526	6821953	437	60	-60	270	RC	E38/3127
MHNRC848	429533	6821912	437	60	-60	270	RC	E38/3127
MHNRC849	429342	6821893	434	40	-60	270	RC	E38/3127
MHNRC851	429426	6821877	435	70	-60	270	RC	E38/3127
MHNRC852	429536	6821844	436	50	-60	270	RC	E38/3127
MHNRC853	429483	6821805	435	30	-60	270	RC	E38/3127
MHNRC854	429655	6821801	437	90	-60	270	RC	E38/3127
MHNRC855	429643	6821766	437	70	-60	270	RC	E38/3127
MHNRC856	429433	6821786	434	15	-60	270	RC	E38/3127
MHNRC857	429495	6821779	435	40	-60	270	RC	E38/3127
MHNRC858	429536	6821780	435	50	-60	270	RC	E38/3127
MHNRC859	429457	6821700	433	15	-60	240	RC	E38/3127
MHNRC860	429467	6821669	433	15	-60	240	RC	E38/3127
MHNRC861	429498	6821687	433	15	-60	240	RC	E38/3127
MHNRC862	429542	6821689	434	50	-60	270	RC	E38/3127
MHNRC863	429551	6821645	433	40	-60	270	RC	E38/3127
MHNRC864	429575	6821618	433	40	-60	270	RC	E38/3127
MHNRC865	429523	6821581	432	15	-60	270	RC	E38/3127
MHNRC866	429561	6821590	433	35	-60	270	RC	E38/3127
MHNRC867	429628	6821480	432	65	-60	270	RC	E38/3127
MHNRC868	429455	6821440	429	25	-60	270	RC	E38/3127
MHNRC871	429548	6821402	430	45	-60	270	RC	E38/3127
MHNRC872	429590	6821402	430	55	-60	270	RC	E38/3127
MHNRC873	429517	6821310	429	35	-60	270	RC	E38/3127
MHNRC874	429522	6821249	429	10	-60	270	RC	E38/3127
MHNRC875	429605	6821247	429	60	-60	270	RC	E38/3127
MHNRC876	429555	6821228	429	50	-60	270	RC	E38/3127
MHNRC877	429790	6821130	425	60	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC878	429490	6821000	426	10	-60	270	RC	E38/3127
MHNRC879	429621	6820802	423	30	-60	270	RC	E38/3127
MHNRC880	429575	6820802	423	15	-60	270	RC	E38/3127
MHNRC881	429605	6820850	423	15	-60	270	RC	E38/3127
MHNRC882	429658	6820853	423	30	-60	270	RC	E38/3127
MHNRC883	429671	6820906	424	35	-60	270	RC	E38/3127
MHNRC884	429629	6820907	424	15	-60	270	RC	E38/3127
MHNRC886	429700	6820949	424	25	-60	270	RC	E38/3127
MHNRC887	429649	6820951	425	15	-60	270	RC	E38/3127
MHNRC888	429692	6821003	425	40	-60	270	RC	E38/3127
MHNRC889	429837	6821054	424	120	-60	270	RC	E38/3127
MHNRC890	429846	6821099	425	70	-60	270	RC	E38/3127
MHNRC891	429829	6821136	425	80	-60	270	RC	E38/3127
MHNRC892	429841	6821288	427	130	-60	270	RC	E38/3127
MHNRC893	429921	6821378	428	145	-60	270	RC	E38/3127
MHNRC894	429855	6821478	431	145	-60	270	RC	E38/3127
MHNRC896	429951	6821550	430	108	-60	270	RC	E38/3127
MHNRC897	429839	6821428	429	130	-60	270	RC	E38/3127
MHNRC899	428756	6822932	422	75	-60	240	RC	E38/3127
MHNRC900	428786	6822950	422	75	-60	240	RC	E38/3127
MHNRC901	428858	6822817	422	75	-60	240	RC	E38/3127
MHNRC902	429935	6821514	430	200	-60	270	RC	E38/3127
MHNRC903	429751	6821452	431	145	-60	270	RC	E38/3127
MHNRC904	429800	6821454	431	145	-60	270	RC	E38/3127
MHNRC905	429854	6821455	430	195	-60	270	RC	E38/3127
MHNRC906	429909	6821455	429	145	-60	270	RC	E38/3127
MHNRC907	429957	6821455	429	200	-60	270	RC	E38/3127
MHNRC908	430014	6821455	428	205	-60	270	RC	E38/3127
MHNRC909	430061	6821455	427	215	-60	270	RC	E38/3127
MHNRC911	429942	6821427	429	165	-60	270	RC	E38/3127
MHNRC912	430023	6821428	428	200	-60	270	RC	E38/3127
MHNRC913	429705	6821400	430	142	-60	270	RC	E38/3127
MHNRC914	429748	6821400	429	143	-60	270	RC	E38/3127
MHNRC915	429788	6821400	429	143	-60	270	RC	E38/3127
MHNRC916	429908	6821400	428	170	-60	270	RC	E38/3127
MHNRC917	429956	6821400	428	185	-60	270	RC	E38/3127
MHNRC918	429993	6821400	428	192	-60	270	RC	E38/3127
MHNRC919	429968	6821376	428	165	-60	270	RC	E38/3127
MHNRC921	429920	6821345	427	160	-60	270	RC	E38/3127
MHNRC922	429963	6821345	427	175	-60	270	RC	E38/3127
MHNRC923	429575	6820700	422	60	-60	270	RC	E38/3127
MHNRC924	429625	6820700	422	80	-60	270	RC	E38/3127
MHNRC925	429690	6820700	423	120	-60	270	RC	E38/3127
MHNRC926	429755	6820700	423	150	-60	270	RC	E38/3127
MHNRC927	429810	6820700	424	178	-60	270	RC	E38/3127
MHNRC928	429855	6820700	424	200	-60	270	RC	E38/3127
MHNRC929	429733	6820631	424	140	-60	270	RC	E38/3127
MHNRC930	429781	6820630	424	140	-60	270	RC	E38/3127
MHNRC931	429828	6820631	424	140	-60	270	RC	E38/3127
MHNRC932	429722	6820506	424	120	-60	270	RC	E38/3127
MHNRC933	429783	6820506	424	180	-60	270	RC	E38/3127
MHNRC934	429713	6820477	424	150	-60	270	RC	E38/3127
MHNRC935	429743	6820477	424	160	-60	270	RC	E38/3127
MHNRC936	429700	6820447	423	180	-60	270	RC	E38/3127
MHNRC937	429773	6820477	424	160	-60	270	RC	E38/3127
MHNRC938	429765	6820447	424	199	-60	270	RC	E38/3127
MHNRC939	429695	6820420	423	132	-60	270	RC	E38/3127
MHNRC940	429725	6820420	424	160	-60	270	RC	E38/3127
MHNRC941	429755	6820420	424	160	-60	270	RC	E38/3127
MHNRC942	429606	6820391	423	140	-60	270	RC	E38/3127
MHNRC943	429683	6820391	423	160	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC944	429670	6820364	423	145	-60	270	RC	E38/3127
MHNRC945	429710	6820364	423	163	-60	270	RC	E38/3127
MHNRC946	429727	6820334	424	187	-60	270	RC	E38/3127
MHNRC947	429149	6820558	419	70	-60	315	RC	E38/3127
MHNRC948	429183	6820527	419	90	-60	315	RC	E38/3127
MHNRC949	429125	6820446	419	90	-60	315	RC	E38/3127
MHNRC950	429095	6820475	419	70	-60	315	RC	E38/3127
MHNRC951	429429	6820860	423	70	-60	315	RC	E38/3127
MHNRC952	429401	6820889	424	70	-60	315	RC	E38/3127
MHNRC953	429418	6820571	420	70	-60	300	RC	E38/3127
MHNRC954	429388	6820590	420	70	-60	300	RC	E38/3127
MHNRC955	429381	6820497	420	70	-60	300	RC	E38/3127
MHNRC956	429351	6820517	420	70	-60	300	RC	E38/3127
MHNRC957	429352	6820353	421	70	-60	300	RC	E38/3127
MHNRC958	429322	6820371	421	70	-60	300	RC	E38/3127
MHNRC959	429292	6820388	420	70	-60	300	RC	E38/3127
MHNRC960	429602	6820630	422	70	-60	270	RC	E38/3127
MHNRC961	429567	6820630	422	70	-60	270	RC	E38/3127
MHNRC962	429584	6820510	423	90	-60	270	RC	E38/3127
MHNRC963	429535	6820510	422	70	-60	270	RC	E38/3127
MHNRC964	429536	6820391	422	70	-60	270	RC	E38/3127
MHNRC965	429578	6820447	423	90	-60	270	RC	E38/3127
MHNRC966	429536	6820447	422	70	-60	270	RC	E38/3127
MHNRC967	429651	6820230	423	130	-60	270	RC	E38/3127
MHNRC968	429583	6820230	423	110	-60	270	RC	E38/3127
MHNRC969	429908	6821000	424	100	-60	270	RC	E38/3127
MHNRC970	429903	6821054	425	100	-60	270	RC	E38/3127
MHNRC971	429616	6821891	438	100	-60	270	RC	E38/3127
MHNRC972	429590	6822068	437	100	-60	270	RC	E38/3127
MHNRC973	429348	6822587	429	120	-60	240	RC	E38/3127
MHNRC974	429305	6822510	430	90	-60	240	RC	E38/3127
MHNRC975	429347	6822535	430	120	-60	240	RC	E38/3127
MHNRC976	429222	6822592	427	110	-60	240	RC	E38/3127
MHNRC977	429284	6822628	428	140	-60	240	RC	E38/3127
MHNRC978	429159	6822708	425	150	-60	240	RC	E38/3127
MHNRC979	428852	6822400	424	70	-60	270	RC	E38/3127
MHNRC980	428939	6822401	425	90	-60	270	RC	E38/3127
MHNRC981	428940	6822345	426	90	-60	270	RC	E38/3127
MHNRC982	428890	6822345	425	90	-60	270	RC	E38/3127
MHNRC983	428840	6822345	424	90	-60	270	RC	E38/3127
MHNRC984	428100	6821700	418	90	-60	90	RC	E38/3127
MHNRC985	428150	6821700	418	90	-60	90	RC	E38/3127
MHNRC986	428080	6821835	418	120	-60	90	RC	E38/3127
MHNRC987	430340	6819400	423	90	-60	270	RC	E38/3127
MHNRC988	430280	6819400	423	90	-60	270	RC	E38/3127
MHNRC989	430220	6819400	423	90	-60	270	RC	E38/3127
MHNRC990	430160	6819400	422	90	-60	270	RC	E38/3127
MHNRC991	430100	6819400	422	90	-60	270	RC	E38/3127
MHNRC992	430040	6819400	422	90	-60	270	RC	E38/3127
MHNRC993	429980	6819400	422	90	-60	270	RC	E38/3127
MHNRC994	429495	6821310	429	30	-60	270	RC	E38/3127
MHNRC995	429475	6821310	429	30	-60	270	RC	E38/3127
MHNRC996	429432	6821877	435	25	-60	270	RC	E38/3127
MHNRC997	429425	6821883	435	25	-60	270	RC	E38/3127
MHNRC998	429430	6821883	435	25	-60	270	RC	E38/3127
MHNRC999	429435	6821883	435	25	-60	270	RC	E38/3127
MHNRC1000	429500	6821280	429	25	-60	270	RC	E38/3127
MHNRC1001	429520	6821280	429	30	-60	270	RC	E38/3127
MHNRC1002	429540	6821280	429	35	-60	270	RC	E38/3127
MHNRC1003	429706	6820980	424	20	-60	270	RC	E38/3127
MHNRC1004	429726	6820980	424	40	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC1005	429780	6821200	426	40	-60	270	RC	E38/3127
MHNRC1006	429820	6821200	426	65	-60	270	RC	E38/3127
MHNRC1007	429800	6821215	426	45	-60	270	RC	E38/3127
MHNRC1008	429800	6821190	426	45	-60	270	RC	E38/3127
MHNRC1009	429418	6821272	428	96	-60	270	RC	E38/3127
MHNRC1010	429043	6821298	423	235	-60	270	RC	E38/3127
MHNRC1011	429852	6821251	426	100	-60	270	RC	E38/3127
MHNRC1012	428370	6821639	419	163	-60	270	RC	E38/3127
MHNRC1013	427533	6821862	415	171	-60	270	RC	E38/3127
MHNRC1014	426990	6826100	442	80	-60	270	RC	E38/3127
MHNRC1015	427030	6826100	443	80	-60	270	RC	E38/3127
MHNRC1016	427070	6826100	444	80	-60	270	RC	E38/3127
MHNRC1018	427021	6826017	443	80	-60	270	RC	E38/3127
MHNRC1019	427056	6826007	445	80	-60	270	RC	E38/3127
MHNRC1020	427655	6822716	418	75	-60	270	RC	E38/3127
MHNRC1021	427695	6822716	418	75	-60	270	RC	E38/3127
MHNRC1022	427735	6822716	418	75	-60	270	RC	E38/3127
MHNRC1023	427775	6822716	418	75	-60	270	RC	E38/3127
MHNRC1024	427349	6824278	444	85	-60	220	RC	E38/3127
MHNRC1025	427369	6824193	441	85	-60	210	RC	E38/3127
MHNRC1026	427294	6824190	440	65	-60	315	RC	E38/3127
MHNRC1027	427294	6824190	440	100	-60	195	RC	E38/3127
MHNRC1028	427349	6824096	437	85	-60	195	RC	E38/3127
MHNRC1029	428365	6821158	419	145	-60	270	RC	E38/3127
MHNRC1031	429079	6819650	418	85	-60	270	RC	E38/3127
MHNRC1032	428990	6820761	420	90	-60	270	RC	E38/3127
MHNRC1033	429990	6819555	422	75	-60	270	RC	E38/3127
MHNRC1034	428268	6826147	434	100	-60	270	RC	E38/3127
MHNRC1035	427424	6826392	435	85	-60	220	RC	E38/3127
MHNRC1036	427357	6826494	434	85	-60	220	RC	E38/3127
MHNRC1037	427465	6826227	438	100	-60	220	RC	E38/3127
MHNRC1038	427475	6826125	440	100	-60	220	RC	E38/3127
MHNRC1039	427489	6826003	440	100	-60	220	RC	E38/3127
MHNRC1040	428455	6826074	434	165	-60	270	RC	E38/3127
MHNRC1041	428402	6825941	435	100	-60	270	RC	E38/3127
MHNRC1042	428304	6821956	418	130	-60	270	RC	E38/3127
MHNRC1043	429843	6821400	429	156	-60	270	RC	E38/3127
MHNRC1044	429567	6821687	435	60	-60	270	RC	E38/3127
MHNRC1045	429618	6821687	436	80	-60	270	RC	E38/3127
MHNRC1046	429507	6821804	435	35	-60	270	RC	E38/3127
MHNRC1047	429466	6821804	435	20	-60	270	RC	E38/3127
MHNRC1050	427535	6827270	428	168	-60	250	RC	E38/3127
MHNRC1051	428807	6820764	419	80	-60	270	RC	E38/3127
MHNRC1052	429781	6819520	420	80	-60	270	RC	E38/3127
MHNRC1053	429100	6821700	428	70	-60	270	RC	E38/3127
MHNRC1054	429043	6821400	424	120	-60	270	RC	E38/3127
MHNRC1055	429043	6821200	423	120	-60	270	RC	E38/3127
MHNRC1056	429050	6820666	420	120	-60	270	RC	E38/3127
MHNRC1059	428460	6825941	435	120	-60	270	RC	E38/3127
MHNRC1061	427455	6826432	434	200	-60	220	RC	E38/3127
MHNRC1062	429669	6821766	437	90	-60	270	RC	E38/3127
MHNRC1063	429681	6821741	437	90	-60	270	RC	E38/3127
MHNRC1064	429675	6821687	437	90	-60	270	RC	E38/3127
MHNRC1065	430015	6821378	427	200	-60	270	RC	E38/3127
MHNRC1066	429882	6821200	426	100	-60	270	RC	E38/3127
MHNRC1067	429988	6821474	429	200	-60	270	RC	E38/3127
MHNRC1068	430023	6821515	428	200	-60	270	RC	E38/3127
MHNRC1069	428051	6825539	437	75	-60	220	RC	E38/3127
MHNRC1070	428000	6825482	437	75	-60	220	RC	E38/3127
MHNRC1071	427778	6825631	433	75	-60	220	RC	E38/3127
MHNRC1072	427730	6825582	433	75	-60	220	RC	E38/3127

\*

\*\*

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MHNRC1073	428978	6821299	423	100	-60	270	RC	E38/3127
MHNRC1075	428875	6820960	421	80	-60	270	RC	E38/3127
MHNRC1076	428835	6820960	421	80	-60	270	RC	E38/3127
MHNRC1077	428795	6820960	421	70	-60	270	RC	E38/3127
MHNRC1078	428755	6820960	421	60	-60	270	RC	E38/3127
MHNRC1079	428715	6820960	421	40	-60	270	RC	E38/3127
MHNRC1080	427030	6826120	443	80	-60	270	RC	E38/3127
MHNRC1081	427010	6826105	443	80	-60	270	RC	E38/3127
MHNRC1082	427048	6826109	444	90	-60	270	RC	E38/3127
MHNRC1086	427120	6825900	446	90	-60	270	RC	E38/3127
MHNRC1087	428960	6822470	425	40	-60	270	RC	E38/3127
MHNRC1088	429005	6822500	425	52	-60	240	RC	E38/3127
MHNRC1089	428959	6822429	425	40	-60	270	RC	E38/3127
MHNRC1090	429015	6822457	426	40	-60	240	RC	M38/1041
MHNRC1091	429065	6822485	426	52	-60	240	RC	E38/3127
MHNRC1092	429000	6822345	427	40	-60	270	RC	E38/3127
MHNRC1093	429030	6822345	427	40	-60	270	RC	E38/3127
MHNRC1094	429060	6822345	428	40	-60	270	RC	M38/1041
MHNRC1096	429389	6821993	434	52	-60	240	RC	E38/3127
MHNRC1097	429405	6822002	434	52	-60	240	RC	E38/3127
MHNRC1098	429420	6822010	434	52	-60	240	RC	E38/3127
MHNRC1099	429405	6821965	434	52	-60	240	RC	E38/3127
MHNRC1100	429421	6821973	435	52	-60	240	RC	E38/3127
MHNRC1101	429436	6821981	435	52	-60	240	RC	E38/3127
MHNRC1102	429375	6821915	434	52	-60	270	RC	E38/3127
MHNRC1103	429425	6821915	435	52	-60	270	RC	E38/3127
MHNRC1104	429380	6821853	434	52	-60	270	RC	E38/3127
MHNRC1108	429580	6820750	422	60	-60	270	RC	E38/3127
MHNRC1109	429610	6820750	422	60	-60	270	RC	E38/3127
MHNRC1110	429640	6820750	422	60	-60	270	RC	E38/3127
MHNRC1112	429845	6820760	424	60	-60	270	RC	E38/3127
MHNRC1115	429799	6820664	424	60	-60	270	RC	E38/3127
MHNRC1116	429730	6820570	424	60	-60	270	RC	E38/3127
MHNRC1117	429760	6820570	424	60	-60	270	RC	E38/3127
MHNRC1118	429790	6820570	424	60	-60	270	RC	E38/3127
MHNRC1119	429807	6820506	424	37	-60	270	RC	E38/3127
MHNRC1120	429686	6820477	423	80	-60	270	RC	E38/3127
MHNRC1121	429666	6820448	423	108	-60	270	RC	E38/3127
MHNRC1124	429449	6820512	421	80	-60	270	RC	E38/3127
MHNRC1126	429877	6821285	427	108	-60	270	RC	E38/3127
MHNRC1127	429868	6821135	425	104	-60	270	RC	E38/3127
MHNRC1128	429868	6821100	425	80	-60	270	RC	E38/3127
MHNRC1129	429662	6821890	438	120	-60	270	RC	E38/3127
MHNRC1130	429647	6821856	438	100	-60	270	RC	E38/3127
MHNRC1131	429692	6821614	436	100	-60	270	RC	E38/3127
MHNRC1132	430340	6822050	433	80	-60	270	RC	E38/3127
MHNRC1133	430390	6822250	435	80	-60	270	RC	E38/3127
MHNRC1134	430640	6822455	438	80	-60	270	RC	E38/3127
MHNRC1135	430160	6822450	435	80	-60	270	RC	E38/3127
MHNRC1138	429000	6822320	427	48	-60	270	RC	E38/3127
MHNRC1139	429035	6822320	427	48	-60	270	RC	E38/3127
MHNRC1140	429070	6822320	428	48	-60	270	RC	M38/1041
MHNRC1144	429573	6821278	426	48	-60	270	RC	M38/1041
MHNRC1145	429525	6821265	426	32	-60	270	RC	E38/3127
MLJDD01	431775	6823915	446	103	-60	270	DDH	E38/3127
MLJDD02	431815	6823880	446	109	-60	270	DDH	E38/3127
MLJDD03	431833	6823860	448	109	-60	270	DDH	E38/3127
MLJRC001	431740	6823101	448	102	-60	270	RC	P38/4379
MLJRC002	431772	6823027	448	150	-60	270	RC	P38/4379
MLJRC003	431752	6822965	447	100	-60	270	RC	P38/4379
MLJRC004	431877	6823856	449	100	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC005	431914	6823857	449	60	-60	270	RC	E38/3127
MLJRC006	431974	6823071	449	80	-60	270	RC	P38/4379
MLJRC007	431985	6823055	449	85	-60	270	RC	P38/4379
MLJRC008	431974	6823036	449	80	-60	270	RC	P38/4379
MLJRC009	432037	6823034	450	135	-60	270	RC	P38/4379
MLJRC010	431935	6822951	448	80	-60	270	RC	P38/4379
MLJRC011	431992	6822849	447	60	-60	270	RC	P38/4379
MLJRC012	431626	6822602	445	70	-60	270	RC	P38/4346
MLJRC013	431645	6822558	444	65	-60	270	RC	P38/4346
MLJRC014	431657	6822471	444	60	-60	270	RC	P38/4346
MLJRC015	431646	6822457	444	60	-60	270	RC	P38/4346
MLJRC016	431579	6822448	445	60	-60	270	RC	P38/4346
MLJRC017	431653	6822330	442	60	-60	270	RC	P38/4346
MLJRC018	431808	6822112	440	60	-60	270	RC	P38/4379
MLJRC019	431839	6822110	440	60	-60	270	RC	P38/4379
MLJRC020	431408	6821768	435	70	-60	270	RC	P38/4346
MLJRC021	430990	6822346	436	80	-60	270	RC	P38/4346
MLJRC022	430959	6822152	434	90	-60	270	RC	P38/4346
MLJRC023	430971	6821784	436	60	-60	270	RC	P38/4346
MLJRC024	430977	6821753	436	70	-60	270	RC	P38/4346
MLJRC025	430967	6821726	436	60	-60	270	RC	P38/4346
MLJRC026	430817	6821179	432	80	-60	270	RC	P38/4383
MLJRC027	430816	6821159	431	80	-60	270	RC	P38/4383
MLJRC028	430815	6821138	431	80	-60	270	RC	P38/4383
MLJRC029	431305	6821144	431	60	-60	270	RC	P38/4383
MLJRC030	430731	6820346	428	110	-60	270	RC	P38/4383
MLJRC031	431120	6820997	430	70	-60	270	RC	P38/4383
MLJRC032	431161	6820957	430	80	-60	270	RC	P38/4383
MLJRC033	431175	6820355	428	80	-60	270	RC	P38/4383
MLJRC034	431034	6819836	425	60	-60	270	RC	P38/4384
MLJRC035	431100	6820858	429	35	-60	270	RC	P38/4383
MLJRC036	431119	6820857	429	50	-60	270	RC	P38/4383
MLJRC037	430925	6821726	435	20	-60	270	RC	P38/4346
MLJRC038	430938	6821726	435	40	-60	270	RC	P38/4346
MLJRC039	430951	6821727	436	40	-60	270	RC	P38/4346
MLJRC040	430923	6821752	435	20	-60	270	RC	P38/4346
MLJRC041	430926	6821786	436	20	-60	270	RC	P38/4346
MLJRC042	430939	6821785	436	20	-60	270	RC	P38/4346
MLJRC043	430949	6821785	436	40	-60	270	RC	P38/4346
MLJRC044	431341	6821506	434	50	-60	270	RC	E38/3127
MLJRC045	431424	6822039	439	50	-60	270	RC	P38/4346
MLJRC046	430901	6822346	437	40	-60	270	RC	P38/4346
MLJRC047	431559	6822503	445	50	-60	270	RC	P38/4346
MLJRC048	431578	6822504	445	40	-60	270	RC	P38/4346
MLJRC049	431595	6822497	445	40	-60	270	RC	P38/4346
MLJRC050	431622	6822502	445	40	-60	270	RC	P38/4346
MLJRC051	431640	6822507	444	40	-60	270	RC	P38/4346
MLJRC052	431581	6822603	445	35	-60	270	RC	P38/4346
MLJRC053	431601	6822603	445	52	-60	270	RC	P38/4346
MLJRC054	431603	6822555	445	35	-60	270	RC	P38/4346
MLJRC055	431636	6822483	444	35	-60	270	RC	P38/4346
MLJRC056	431600	6822395	444	42	-60	270	RC	P38/4346
MLJRC057	431943	6822806	446	30	-60	270	RC	P38/4379
MLJRC058	431959	6822805	446	30	-60	270	RC	P38/4379
MLJRC059	431825	6822856	446	30	-60	270	RC	P38/4379
MLJRC060	431899	6822906	447	30	-60	270	RC	P38/4379
MLJRC061	431986	6822905	448	30	-60	270	RC	P38/4379
MLJRC062	432103	6822905	448	30	-60	270	RC	P38/4379
MLJRC063	431965	6822955	448	25	-60	270	RC	P38/4379
MLJRC064	431842	6823005	448	30	-60	270	RC	P38/4379
MLJRC065	431864	6823006	448	30	-60	270	RC	P38/4379

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC066	431942	6823006	448	20	-60	270	RC	P38/4379
MLJRC067	431967	6823006	449	35	-60	270	RC	P38/4379
MLJRC068	431854	6823034	448	20	-60	270	RC	P38/4379
MLJRC069	431826	6823056	448	30	-60	270	RC	P38/4379
MLJRC070	431900	6823070	449	20	-60	270	RC	P38/4379
MLJRC071	431918	6823071	449	20	-60	270	RC	P38/4379
MLJRC072	431918	6823054	449	20	-60	270	RC	P38/4379
MLJRC073	431939	6823054	449	30	-60	270	RC	P38/4379
MLJRC074	431958	6823054	449	40	-60	270	RC	P38/4379
MLJRC075	431909	6823104	449	20	-60	270	RC	P38/4379
MLJRC076	431938	6823089	449	30	-60	270	RC	P38/4379
MLJRC077	431959	6823088	449	40	-60	270	RC	P38/4379
MLJRC078	431909	6823104	449	20	-60	270	RC	P38/4379
MLJRC079	431923	6823169	450	40	-60	270	RC	P38/4379
MLJRC080	431954	6823168	450	40	-60	270	RC	P38/4379
MLJRC081	431925	6823216	450	40	-60	270	RC	P38/4379
MLJRC082	431947	6823215	450	75	-60	270	RC	P38/4379
MLJRC083	431925	6823266	450	40	-60	270	RC	P38/4379
MLJRC084	431949	6823267	450	40	-60	270	RC	P38/4379
MLJRC085	431916	6823308	450	30	-60	270	RC	P38/4379
MLJRC086	431963	6823309	450	110	-60	270	RC	P38/4379
MLJRC087	431723	6823405	446	35	-60	270	RC	P38/4379
MLJRC088	431745	6823405	447	35	-60	270	RC	P38/4379
MLJRC089	430944	6822394	437	30	-60	90	RC	P38/4346
MLJRC090	430942	6822394	437	40	-60	270	RC	P38/4346
MLJRC091	430787	6821157	431	75	-60	270	RC	P38/4383
MLJRC092	430771	6821137	431	75	-60	270	RC	P38/4383
MLJRC093	430765	6821107	431	75	-60	270	RC	P38/4383
MLJRC094	430795	6821207	431	75	-60	270	RC	P38/4383
MLJRC095	430826	6821207	432	75	-60	270	RC	P38/4383
MLJRC096	431104	6820796	429	45	-60	270	RC	P38/4383
MLJRC097	431085	6820907	430	45	-60	270	RC	P38/4383
MLJRC098	431111	6820909	430	45	-60	270	RC	P38/4383
MLJRC099	431138	6820911	429	45	-60	270	RC	P38/4383
MLJRC100	431085	6820976	430	35	-60	270	RC	P38/4383
MLJRC101	431099	6820969	430	35	-60	270	RC	P38/4383
MLJRC102	431119	6820971	430	35	-60	270	RC	P38/4383
MLJRC103	431119	6820991	430	35	-60	270	RC	P38/4383
MLJRC104	431091	6821026	431	35	-60	270	RC	P38/4383
MLJRC105	431113	6821030	431	35	-60	270	RC	P38/4383
MLJRC106	430934	6821699	435	45	-60	270	RC	P38/4346
MLJRC107	430956	6821699	435	45	-60	270	RC	P38/4346
MLJRC108	430936	6821818	436	45	-60	270	RC	P38/4346
MLJRC109	430954	6821820	436	45	-60	270	RC	P38/4346
MLJRC110	431661	6822512	444	45	-60	270	RC	P38/4346
MLJRC111	431606	6822577	445	45	-60	270	RC	P38/4346
MLJRC112	431570	6822639	445	45	-60	270	RC	P38/4346
MLJRC113	431593	6822641	445	45	-60	270	RC	P38/4346
MLJRC114	431987	6822957	448	45	-60	270	RC	P38/4379
MLJRC115	431989	6823005	449	65	-60	270	RC	P38/4379
MLJRC116	431979	6823089	450	65	-60	270	RC	P38/4379
MLJRC117	431972	6823168	450	60	-60	270	RC	P38/4379
MLJRC118	431973	6823267	450	70	-60	270	RC	P38/4379
MLJRC119	431958	6823362	449	50	-60	270	RC	E38/3127
MLJRC120	431927	6823362	449	40	-60	270	RC	E38/3127
MLJRC121	430853	6821178	432	110	-60	270	RC	P38/4383
MLJRC122	431982	6822528	443	70	-60	270	RC	P38/4379
MLJRC123	431979	6823220	451	100	-60	270	RC	P38/4379
MLJRC124	431849	6823903	449	70	-60	270	RC	E38/3127
MLJRC125	431903	6824349	447	70	-60	270	RC	E38/3127
MLJRC126	431751	6824447	446	70	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC127	431798	6824450	446	80	-60	270	RC	E38/3127
MLJRC128	432017	6822951	448	130	-60	270	RC	P38/4379
MLJRC129	432039	6823007	449	130	-60	270	RC	P38/4379
MLJRC130	432038	6823090	450	160	-60	270	RC	P38/4379
MLJRC131	432034	6823169	451	150	-60	270	RC	P38/4379
MLJRC132	431909	6823272	450	35	-60	270	RC	P38/4379
MLJRC133	432009	6823273	451	120	-60	270	RC	P38/4379
MLJRC134	431897	6823223	450	40	-60	270	RC	P38/4379
MLJRC135	432038	6823222	451	180	-60	270	RC	P38/4379
MLJRC136	432002	6823172	451	100	-60	270	RC	P38/4379
MLJRC137	432060	6823173	451	95	-60	270	RC	P38/4379
MLJRC138	432006	6823092	450	105	-60	270	RC	P38/4379
MLJRC139	432050	6822954	449	80	-60	270	RC	P38/4379
MLJRC140	431952	6822909	447	20	-60	270	RC	P38/4379
MLJRC141	432016	6822910	448	70	-60	270	RC	P38/4379
MLJRC142	431954	6822858	447	20	-60	270	RC	P38/4379
MLJRC143	432018	6822856	447	70	-60	270	RC	P38/4379
MLJRC144	431598	6822557	445	6	-60	270	RC	P38/4346
MLJRC145	431619	6822556	445	50	-60	270	RC	P38/4346
MLJRC146	431663	6822554	444	50	-60	270	RC	P38/4346
MLJRC147	431617	6822342	443	20	-60	270	RC	P38/4346
MLJRC148	431300	6821486	434	50	-60	270	RC	E38/3127
MLJRC149	431330	6821486	433	50	-60	270	RC	E38/3127
MLJRC150	431359	6821484	434	50	-60	270	RC	E38/3127
MLJRC151	431388	6821484	434	50	-60	270	RC	E38/3127
MLJRC152	431271	6821161	431	40	-60	270	RC	P38/4383
MLJRC153	431273	6821141	431	50	-60	270	RC	P38/4383
MLJRC154	431275	6821116	431	50	-60	270	RC	P38/4383
MLJRC155	431304	6821120	431	50	-60	270	RC	P38/4383
MLJRC156	431108	6821000	430	30	-60	270	RC	P38/4383
MLJRC157	431117	6820891	429	50	-60	270	RC	P38/4383
MLJRC158	431086	6820889	429	50	-60	270	RC	P38/4383
MLJRC159	431116	6820828	429	50	-60	270	RC	P38/4383
MLJRC160	431089	6820831	429	50	-60	270	RC	P38/4383
MLJRC161	430784	6821182	431	50	-60	270	RC	P38/4383
MLJRC162	431845	6823862	449	80	-60	270	RC	E38/3127
MLJRC163	431944	6823859	449	95	-60	270	RC	E38/3127
MLJRC164	431864	6823702	447	80	-60	270	RC	E38/3127
MLJRC165	431925	6823700	448	90	-60	270	RC	E38/3127
MLJRC166	431889	6823503	448	80	-60	270	RC	E38/3127
MLJRC167	431950	6823498	448	90	-60	270	RC	E38/3127
MLJRC168	432272	6824469	451	110	-60	270	RC	E38/3127
MLJRC169	431770	6823314	448	70	-60	270	RC	P38/4379
MLJRC170	430923	6822251	435	70	-60	270	RC	P38/4346
MLJRC171	430976	6822252	435	90	-60	270	RC	P38/4346
MLJRC172	431026	6822249	435	110	-60	270	RC	P38/4346
MLJRC173	430902	6821900	435	70	-60	270	RC	P38/4346
MLJRC174	430949	6821900	436	90	-60	270	RC	P38/4346
MLJRC175	431001	6821900	437	110	-60	270	RC	P38/4346
MLJRC176	431069	6821957	438	85	-60	270	RC	P38/4346
MLJRC179	432315	6821410	442	80	-60	270	RC	P38/4382
MLJRC180	432362	6821410	442	85	-60	270	RC	P38/4382
MLJRC181	432413	6821409	443	95	-60	270	RC	P38/4382
MLJRC182	432312	6821310	444	80	-60	270	RC	P38/4382
MLJRC183	432361	6821309	444	85	-60	270	RC	P38/4382
MLJRC184	432411	6821309	444	95	-60	270	RC	P38/4382
MLJRC185	430839	6821251	432	80	-60	270	RC	P38/4383
MLJRC186	430899	6821249	432	130	-60	270	RC	P38/4383
MLJRC187	430867	6821426	433	60	-60	270	RC	E38/3127
MLJRC188	430908	6821427	433	90	-60	270	RC	E38/3127
MLJRC189	430950	6821429	433	120	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC190	430963	6821756	436	70	-60	270	RC	P38/4346
MLJRC191	430869	6821604	433	70	-60	270	RC	P38/4346
MLJRC192	430909	6821608	434	90	-60	270	RC	P38/4346
MLJRC193	430959	6821607	435	120	-60	270	RC	P38/4346
MLJRC194	430890	6821660	434	70	-60	270	RC	P38/4346
MLJRC195	430930	6821659	435	90	-60	270	RC	P38/4346
MLJRC196	430979	6821657	435	120	-60	270	RC	P38/4346
MLJRC197	430878	6822069	434	70	-60	270	RC	P38/4346
MLJRC198	430917	6822069	434	90	-60	270	RC	P38/4346
MLJRC199	430969	6822069	435	120	-60	270	RC	P38/4346
MLJRC200	430878	6822245	435	50	-60	270	RC	P38/4346
MLJRC201	430916	6822313	436	50	-60	270	RC	P38/4346
MLJRC202	430947	6822314	436	70	-60	270	RC	P38/4346
MLJRC203	430954	6822479	439	60	-60	270	RC	P38/4346
MLJRC204	430984	6822481	439	80	-60	270	RC	P38/4346
MLJRC205	431017	6822478	439	100	-60	270	RC	P38/4346
MLJRC206	430990	6822662	443	70	-60	270	RC	P38/4346
MLJRC207	431024	6822661	442	90	-60	270	RC	P38/4346
MLJRC208	431066	6822659	441	110	-60	270	RC	P38/4346
MLJRC209	431313	6821532	434	70	-60	270	RC	E38/3127
MLJRC210	431348	6821527	434	70	-60	270	RC	E38/3127
MLJRC211	431383	6821528	434	70	-60	270	RC	E38/3127
MLJRC212	431177	6821040	431	60	-60	270	RC	P38/4383
MLJRC213	431211	6821038	430	80	-60	270	RC	P38/4383
MLJRC214	431246	6821038	430	100	-60	270	RC	P38/4383
MLJRC215	431198	6820959	430	90	-60	270	RC	P38/4383
MLJRC216	431243	6820958	430	120	-60	270	RC	P38/4383
MLJRC217	431294	6820958	431	150	-60	270	RC	P38/4383
MLJRC218	431166	6821120	432	70	-60	270	RC	P38/4383
MLJRC219	431204	6821120	431	90	-60	270	RC	P38/4383
MLJRC220	431245	6821121	431	110	-60	270	RC	P38/4383
MLJRC221	432200	6821000	449	70	-60	270	RC	P38/4380
MLJRC222	432238	6820997	449	90	-60	270	RC	P38/4380
MLJRC223	432291	6820998	448	110	-60	270	RC	P38/4382
MLJRC224	432189	6820918	449	90	-60	270	RC	P38/4380
MLJRC225	432238	6820917	449	110	-60	270	RC	P38/4380
MLJRC226	432327	6821460	442	70	-60	270	RC	P38/4382
MLJRC227	432375	6821460	443	90	-60	270	RC	P38/4382
MLJRC228	432426	6821462	443	110	-60	270	RC	P38/4382
MLJRC229	431587	6822553	445	30	-90	0	RC	P38/4346
MLJRC230	431624	6822339	442	80	-70	270	RC	P38/4346
MLJRC231	430920	6821154	432	121	-60	270	RC	P38/4383
MLJRC232	431528	6821124	434	100	-60	270	RC	P38/4380
MLJRC233	431880	6821126	439	300	-55	270	RC	P38/4380
MLJRC234	432255	6821123	447	49	-55	270	RC	P38/4382
MLJRC235	432595	6821121	452	120	-60	270	RC	P38/4382
MLJRC236	431803	6823860	448	70	-60	270	RC	E38/3127
MLJRC237	431763	6823859	448	50	-60	270	RC	E38/3127
MLJRC238	431844	6823817	448	80	-60	270	RC	E38/3127
MLJRC239	431810	6823701	447	70	-60	270	RC	E38/3127
MLJRC240	432297	6821120	447	129	-60	270	RC	P38/4382
MLJRC241	431842	6823773	448	80	-60	270	RC	E38/3127
MLJRC242	431825	6824301	447	80	-60	270	RC	E38/3127
MLJRC243	432015	6825801	449	70	-60	270	RC	E38/3127
MLJRC244	432017	6825700	448	70	-60	270	RC	E38/3127
MLJRC245	432030	6825589	447	70	-60	270	RC	E38/3127
MLJRC246	432051	6825442	446	70	-60	270	RC	E38/3127
MLJRC247	431750	6824698	445	70	-60	270	RC	E38/3127
MLJRC248	431799	6824700	445	90	-60	270	RC	E38/3127
MLJRC249	431848	6824699	446	110	-60	270	RC	E38/3127
MLJRC250	431898	6824701	446	150	-60	270	RC	E38/3127

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC251	431751	6824052	449	70	-60	270	RC	E38/3127
MLJRC252	431801	6824052	449	90	-60	270	RC	E38/3127
MLJRC253	431851	6824051	449	110	-60	270	RC	E38/3127
MLJRC254	431898	6824050	449	140	-60	270	RC	E38/3127
MLJRC255	431946	6824048	449	180	-60	270	RC	E38/3127
MLJRC256	432196	6823949	452	70	-60	270	RC	E38/3127
MLJRC257	432248	6823947	453	80	-60	270	RC	E38/3127
MLJRC258	432297	6823947	454	110	-60	270	RC	E38/3127
MLJRC259	432349	6823947	455	150	-60	270	RC	E38/3127
MLJRC260	432101	6820815	447	70	-60	270	RC	P38/4380
MLJRC261	432148	6820798	448	100	-60	270	RC	P38/4380
MLJRC264	431186	6820980	430	100	-60	270	RC	P38/4383
MLJRC265	431228	6820979	430	120	-60	270	RC	P38/4383
MLJRC266	431274	6821034	431	100	-60	270	RC	P38/4383
MLJRC267	431226	6821077	431	75	-60	270	RC	P38/4383
MLJRC268	431265	6821078	431	85	-60	270	RC	P38/4383
MLJRC269	431320	6821120	431	97	-60	270	RC	P38/4383
MLJRC270	431348	6821156	431	110	-60	270	RC	P38/4383
MLJRC271	431150	6820826	429	90	-60	270	RC	P38/4383
MLJRC272	431207	6820759	429	110	-60	270	RC	P38/4383
MLJRC273	432340	6821380	443	70	-60	270	RC	P38/4382
MLJRC274	432375	6821381	443	80	-60	270	RC	P38/4382
MLJRC275	432400	6821382	443	90	-60	270	RC	P38/4382
MLJRC276	432296	6821268	445	70	-60	270	RC	P38/4382
MLJRC277	432326	6821266	445	80	-60	270	RC	P38/4382
MLJRC278	432355	6821264	445	90	-60	270	RC	P38/4382
MLJRC279	431197	6821003	430	55	-60	270	RC	P38/4383
MLJRC280	431104	6820854	429	40	-60	270	RC	P38/4383
MLJRC282	431094	6820990	430	30	-60	270	RC	P38/4383
MLJRC283	431327	6821502	434	40	-60	270	RC	E38/3127
MLJRC284	431387	6821430	433	90	-60	270	RC	E38/3127
MLJRC285	431330	6821428	433	80	-60	270	RC	E38/3127
MLJRC286	431783	6823948	449	70	-60	270	RC	E38/3127
MLJRC287	431825	6823948	449	80	-60	270	RC	E38/3127
MLJRC288	431864	6823949	449	90	-60	270	RC	E38/3127
MLJRC289	431904	6823947	449	100	-60	270	RC	E38/3127
MLJRC290	431821	6823899	449	100	-60	270	RC	E38/3127
MLJRC291	431879	6823898	449	150	-60	270	RC	E38/3127
MLJRC292	431816	6823879	449	80	-60	270	RC	E38/3127
MLJRC293	431848	6823880	449	120	-60	270	RC	E38/3127
MLJRC294	431879	6823880	449	140	-60	270	RC	E38/3127
MLJRC295	431821	6823861	448	80	-60	270	RC	E38/3127
MLJRC296	431819	6823844	448	80	-60	270	RC	E38/3127
MLJRC297	431847	6823843	448	120	-60	270	RC	E38/3127
MLJRC298	431880	6823841	449	110	-60	270	RC	E38/3127
MLJRC299	431870	6823613	447	80	-60	270	RC	E38/3127
MLJRC300	431908	6823614	448	100	-60	270	RC	E38/3127
MLJRC301	431901	6823428	448	80	-60	270	RC	E38/3127
MLJRC302	431939	6823428	449	100	-60	270	RC	E38/3127
MLJRC303	431990	6823268	450	120	-60	270	RC	P38/4379
MLJRC304	431984	6823245	450	120	-60	270	RC	P38/4379
MLJRC305	431974	6823196	450	90	-60	270	RC	P38/4379
MLJRC306	431963	6823150	450	80	-60	270	RC	P38/4379
MLJRC307	431955	6823071	449	60	-60	270	RC	P38/4379
MLJRC308	431872	6823054	448	40	-60	270	RC	P38/4379
MLJRC309	431865	6823020	448	40	-60	270	RC	P38/4379
MLJRC310	431908	6823016	448	60	-60	270	RC	P38/4379
MLJRC311	431900	6822973	448	60	-60	270	RC	P38/4379
MLJRC312	431896	6822930	447	60	-60	270	RC	P38/4379
MLJRC313	431891	6822877	446	60	-60	270	RC	P38/4379
MLJRC314	431966	6822878	447	70	-60	270	RC	P38/4379

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC315	431977	6822807	446	70	-60	270	RC	P38/4379
MLJRC316	431840	6823502	447	80	-60	270	RC	E38/3127
MLJRC317	431964	6823858	449	104	-60	270	RC	E38/3127
MLJRC318	431875	6823819	448	100	-60	270	RC	E38/3127
MLJRC319	431810	6823818	448	72	-60	270	RC	E38/3127
MLJRC320	431872	6823774	448	100	-60	270	RC	E38/3127
MLJRC321	431818	6823776	448	72	-60	270	RC	E38/3127
MLJRC322	431833	6823700	447	80	-60	270	RC	E38/3127
MLJRC323	431893	6823699	447	100	-60	270	RC	E38/3127
MLJRC324	431831	6823614	447	92	-60	270	RC	E38/3127
MLJRC325	431950	6823089	449	40	-60	270	RC	P38/4379
MLJRC326	431934	6823070	449	40	-60	270	RC	P38/4379
MLJRC327	431935	6823033	449	100	-60	270	RC	P38/4379
MLJRC328	431972	6823001	449	96	-60	270	RC	P38/4379
MLJRC329	431972	6822951	448	96	-60	270	RC	P38/4379
MLJRC330	432049	6825698	448	100	-60	270	RC	E38/3127
MLJRC331	432028	6825649	448	100	-60	270	RC	E38/3127
MLJRC332	431210	6821059	431	80	-60	270	RC	P38/4383
MLJRC333	431244	6821058	431	100	-60	270	RC	P38/4383
MLJRC334	431210	6821019	430	80	-60	270	RC	P38/4383
MLJRC335	431247	6821021	430	100	-60	270	RC	P38/4383
MLJRC336	431053	6822481	438	100	-60	270	RC	P38/4346
MLJRC337	431025	6822520	439	100	-60	270	RC	P38/4346
MLJRC338	431023	6822425	438	100	-60	270	RC	P38/4346
MLJRC339	430960	6822660	443	50	-60	270	RC	P38/4346
MLJRC340	431101	6822661	440	80	-60	270	RC	P38/4346
MLJRC341	431773	6823924	449	80	-60	270	RC	E38/3127
MLJRC342	431798	6823923	449	100	-60	270	RC	E38/3127
MLJRC343	431823	6823923	449	120	-60	270	RC	E38/3127
MLJRC344	431848	6823922	449	140	-60	270	RC	E38/3127
MLJRC345	431883	6823920	449	180	-60	270	RC	E38/3127
MLJRC346	431778	6823898	449	100	-60	270	RC	E38/3127
MLJRC347	431911	6823879	449	220	-60	270	RC	E38/3127
MLJRC348	431792	6823879	449	100	-60	270	RC	E38/3127
MLJRC349	431908	6823861	449	54	-60	270	RC	E38/3127
MLJRC350	431984	6823856	449	240	-60	270	RC	E38/3127
MLJRC351	431790	6823844	448	80	-60	270	RC	E38/3127
MLJRC352	431909	6823842	449	140	-60	270	RC	E38/3127
MLJRC353	431994	6823837	449	120	-60	270	RC	E38/3127
MLJRC354	431781	6823819	448	50	-60	270	RC	E38/3127
MLJRC355	431800	6823800	448	80	-60	270	RC	E38/3127
MLJRC356	431823	6823800	448	90	-60	270	RC	E38/3127
MLJRC357	431847	6823801	448	100	-60	270	RC	E38/3127
MLJRC358	431872	6823802	448	110	-60	270	RC	E38/3127
MLJRC359	431895	6823778	448	110	-60	270	RC	E38/3127
MLJRC360	431826	6823741	447	80	-60	270	RC	E38/3127
MLJRC361	431848	6823741	447	90	-60	270	RC	E38/3127
MLJRC362	431875	6823741	447	100	-60	270	RC	E38/3127
MLJRC363	431899	6823742	447	110	-60	270	RC	E38/3127
MLJRC364	431786	6823614	446	60	-60	270	RC	E38/3127
MLJRC365	431889	6823613	447	140	-60	270	RC	E38/3127
MLJRC366	431929	6823058	449	40	-60	270	RC	P38/4379
MLJRC367	431951	6823057	449	60	-60	270	RC	P38/4379
MLJRC368	431903	6822990	448	80	-60	270	RC	P38/4379
MLJRC369	431373	6821482	434	110	-60	270	RC	E38/3127
MLJRC370	431687	6824897	444	90	-60	270	RC	E38/3127
MLJRC371	431747	6824896	444	120	-60	270	RC	E38/3127
MLJRC372	431805	6824896	445	150	-60	270	RC	E38/3127
MLJRC373	431684	6824821	444	90	-60	270	RC	E38/3127
MLJRC374	431744	6824822	444	120	-60	270	RC	E38/3127
MLJRC375	431800	6824820	445	150	-60	270	RC	E38/3127



magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC376	431684	6824766	444	90	-60	270	RC	E38/3127
MLJRC377	431743	6824765	445	120	-60	270	RC	E38/3127
MLJRC378	431803	6824766	445	89	-60	270	RC	E38/3127
MLJRC379	431728	6824697	445	90	-60	270	RC	E38/3127
MLJRC380	432237	6824698	450	66	-60	270	RC	E38/3127
MLJRC381	431794	6824399	447	120	-60	270	RC	E38/3127
MLJRC382	431833	6824398	446	150	-60	270	RC	E38/3127
MLJRC383	431860	6824295	447	120	-60	270	RC	E38/3127
MLJRC384	431785	6824303	448	80	-60	270	RC	E38/3127
MLJRC385	432284	6823852	453	100	-60	270	RC	E38/3127
MLJRC386	432286	6823759	452	100	-60	270	RC	E38/3127
MLJRC387	432283	6823650	453	100	-60	270	RC	E38/3127
MLJRC388	431773	6823448	447	80	-60	270	RC	E38/3127
MLJRC389	431769	6823395	447	80	-60	270	RC	P38/4379
MLJRC390	431764	6823347	448	80	-60	270	RC	P38/4379
MLJRC391	431918	6823331	449	80	-60	270	RC	P38/4379
MLJRC392	431804	6823312	449	80	-60	270	RC	P38/4379
MLJRC393	431731	6823316	448	80	-60	270	RC	P38/4379
MLJRC394	431783	6823199	449	80	-60	270	RC	P38/4379
MLJRC395	431744	6823197	449	80	-60	270	RC	P38/4379
MLJRC396	431820	6823151	449	80	-60	270	RC	P38/4379
MLJRC397	432245	6823002	450	80	-60	270	RC	P38/4379
MLJRC398	432243	6822900	448	61	-60	270	RC	P38/4379
MLJRC399	431746	6823949	449	61	-60	270	RC	E38/3127
MLJRC400	431743	6823898	449	80	-60	270	RC	E38/3127
MLJRC401	431761	6823878	449	48	-60	270	RC	E38/3127
MLJRC402	431737	6823857	448	50	-60	270	RC	E38/3127
MLJRC403	431714	6823858	448	50	-60	270	RC	E38/3127
MLJRC404	431953	6823839	449	181	-60	270	RC	E38/3127
MLJRC405	431910	6823821	449	136	-60	270	RC	E38/3127
MLJRC406	431957	6823818	449	180	-60	270	RC	E38/3127
MLJRC407	431903	6823798	448	140	-60	270	RC	E38/3127
MLJRC408	431785	6823701	447	80	-60	270	RC	E38/3127
MLJRC409	431755	6823702	447	52	-60	270	RC	E38/3127
MLJRC410	431953	6823699	448	200	-60	270	RC	E38/3127
MLJRC411	431982	6823500	449	132	-60	270	RC	E38/3127
MLJRC412	431914	6823500	448	100	-60	270	RC	E38/3127
MLJRC413	431963	6823333	450	100	-60	270	RC	P38/4379
MLJRC414	431725	6823998	449	80	-60	270	RC	E38/3127
MLJRC415	431689	6823998	449	80	-60	270	RC	E38/3127
MLJRC416	431690	6824347	448	72	-60	270	RC	E38/3127
MLJRC417	431730	6824347	448	90	-60	270	RC	E38/3127
MLJRC418	431769	6824348	447	100	-60	270	RC	E38/3127
MLJRC419	431810	6824348	447	120	-60	270	RC	E38/3127
MLJRC420	431662	6824448	446	72	-60	270	RC	E38/3127
MLJRC421	431707	6824445	446	90	-60	270	RC	E38/3127
MLJRC422	431747	6823925	449	72	-60	270	RC	E38/3127
MLJRC423	431948	6823250	450	88	-60	270	RC	P38/4379
MLJRC424	431944	6823202	450	88	-60	270	RC	P38/4379
MLJRC425	431925	6823093	449	88	-60	270	RC	P38/4379
MLJRC426	431778	6823658	446	84	-60	270	RC	E38/3127
MLJRC427	431828	6823658	447	100	-60	270	RC	E38/3127
MLJRC428	431878	6823659	447	120	-60	270	RC	E38/3127
MLJRC429	431929	6823659	448	140	-60	270	RC	E38/3127
MLJRC430	431799	6823558	446	84	-60	270	RC	E38/3127
MLJRC431	431847	6823559	447	100	-60	270	RC	E38/3127
MLJRC432	431898	6823559	448	120	-60	270	RC	E38/3127
MLJRC433	431948	6823558	448	140	-60	270	RC	E38/3127
MLJRC434	432332	6826755	444	88	-60	270	RC	P38/4170
MLJRC435	432347	6826656	445	88	-60	270	RC	P38/4170
MLJRC436	432447	6826657	445	66	-60	270	RC	P38/4170
MLJRC437	432311	6826557	446	88	-60	270	RC	P38/4170

\* \*

magnetic resources<sup>NL</sup>

Hole_ID	Easting_MGAz51	Northing_MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC438	432335	6826461	446	88	-60	270	RC	P38/4170
MLJRC439	432318	6826409	447	127	-60	270	RC	P38/4170
MLJRC440	432357	6826411	446	68	-60	270	RC	P38/4170
MLJRC441	432396	6826413	446	148	-60	270	RC	P38/4170
MLJRC442	432357	6826360	446	150	-60	270	RC	P38/4170
MLJRC443	432357	6826156	448	92	-60	270	RC	P38/4170
MLJRC444	431871	6823698	447	160	-60	270	RC	E38/3127
MLJRC445	432013	6823797	449	260	-60	270	RC	E38/3127
MLJRC446	432014	6823818	449	240	-60	270	RC	E38/3127
MLJRC447	432013	6823840	449	260	-60	270	RC	E38/3127
MLJRC448	431926	6823858	449	200	-60	270	RC	E38/3127
MLJRC449	431758	6823844	448	70	-60	270	RC	E38/3127
MLJRC450	431685	6823858	449	70	-60	270	RC	E38/3127
MLJRC451	431829	6823870	449	100	-60	270	RC	E38/3127
MLJRC452	431773	6823878	449	48	-60	270	RC	E38/3127
MLJRC453	431804	6823879	449	72	-60	270	RC	E38/3127
MLJRC454	431833	6823881	449	132	-60	270	RC	E38/3127
MLJRC455	431802	6823889	449	72	-60	270	RC	E38/3127
MLJRC456	431707	6823901	449	80	-60	270	RC	E38/3127
MLJRC457	431766	6823916	449	80	-60	270	RC	E38/3127
MLJRC458	431795	6823915	449	80	-60	270	RC	E38/3127
MLJRC459	431948	6823797	449	200	-60	270	RC	E38/3127
MLJRC460	431947	6823777	448	200	-60	270	RC	E38/3127
MLJRC461	432016	6823777	449	250	-60	270	RC	E38/3127
MLJRC462	432273	6826405	447	100	-60	270	RC	P38/4170
MLJRC463	432387	6826358	446	134	-60	270	RC	P38/4170
MLJRC464	432339	6826306	447	102	-60	270	RC	P38/4170
MLJRC466	432427	6826260	447	137	-60	270	RC	P38/4170
MLJRC472	431741	6823912	449	80	-60	270	RC	E38/3127
MLJRC473	431727	6823935	449	40	-60	270	RC	E38/3127
MLJRC474	431746	6823934	449	40	-60	270	RC	E38/3127
MLJRC475	431767	6823936	449	40	-60	270	RC	E38/3127
MLJRC477	431269	6821458	433	100	-60	270	RC	E38/3127
MLJRC478	431329	6821459	433	100	-60	270	RC	E38/3127
MLJRC479	431389	6821460	434	100	-60	270	RC	E38/3127
MLJRC480	431711	6823949	449	36	-60	270	RC	E38/3127
MLJRC481	431720	6823926	449	32	-60	270	RC	E38/3127
MLJRC482	431757	6823923	449	60	-60	270	RC	E38/3127
MLJRC483	431795	6823858	448	12	-60	270	RC	E38/3127
MLJRC484	431809	6823842	448	12	-60	270	RC	E38/3127
MLJRC485	431833	6823818	448	30	-60	270	RC	E38/3127
MLJRC486	431769	6823800	448	80	-60	270	RC	E38/3127
MLJRC487	431789	6823777	448	80	-60	270	RC	E38/3127
MLJRC488	431795	6823740	447	80	-60	270	RC	E38/3127
MLJRC489	431908	6823249	450	48	-60	270	RC	P38/4379
MLJRC490	432032	6823249	451	150	-60	270	RC	P38/4379
MLJRC491	431917	6823200	450	40	-60	270	RC	P38/4379
MLJRC492	432004	6823197	451	120	-60	270	RC	P38/4379
MLJRC493	431945	6823017	448	60	-60	270	RC	P38/4379
MLJRC494	431971	6822979	448	60	-60	270	RC	P38/4379
MLJRC495	431674	6823900	449	60	-60	270	RC	E38/3127
MLJRC496	431907	6823900	449	72	-60	270	RC	E38/3127
MLJRC497	431935	6823900	449	192	-60	270	RC	E38/3127
MLJRC498	431720	6823880	449	80	-60	270	RC	E38/3127
MLJRC499	431740	6823880	449	100	-60	270	RC	E38/3127
MLJRC500	431940	6823884	449	80	-60	270	RC	E38/3127
MLJRC501	431778	6823860	448	132	-60	270	RC	E38/3127
MLJRC503	432050	6823843	450	16	-60	270	RC	E38/3127
MLJRC504	432085	6823843	450	92	-60	270	RC	E38/3127
MLJRC506	431925	6823740	448	100	-60	270	RC	E38/3127
MLJRC507	431770	6823470	446	80	-60	270	RC	E38/3127
MLJRC509	431974	6823058	449	80	-60	270	RC	P38/4379



magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	RL metres	Depth metres	Dip degrees	Azimuth degrees	Hole type	Tenement
MLJRC511	431989	6823033	449	120	-60	270	RC	P38/4379
MLJRC512	432016	6823058	450	112	-60	270	RC	P38/4379
MLJRC519	431015	6822750	443	60	-60	270	RC	P38/4346
MLJRC520	430965	6822785	445	40	-60	270	RC	P38/4346
MLJRC521	430990	6822785	444	48	-60	270	RC	P38/4346
MLJRC522	431015	6822785	443	60	-60	270	RC	P38/4346
MLJRC523	430965	6822700	444	40	-60	270	RC	P38/4346
MLJRC524	430990	6822700	443	48	-60	270	RC	P38/4346
MLJRC525	431015	6822700	443	60	-60	270	RC	P38/4346
MLJRC526	431595	6822750	445	40	-60	270	RC	P38/4346
MLJRC527	431632	6822750	445	60	-60	270	RC	P38/4346
MLJRC528	431600	6822535	445	40	-60	270	RC	P38/4346
MLJRC529	431618	6822535	445	48	-60	270	RC	P38/4346
MLJRC530	431640	6822535	444	60	-60	270	RC	P38/4346
MLJRC531	431608	6822476	445	60	-60	270	RC	P38/4346
MLJRC532	432086	6825700	448	160	-60	270	RC	E38/3127
MLJRC533	431852	6824901	445	192	-60	270	RC	E38/3127
MLJRC534	432030	6825520	446	80	-60	270	RC	E38/3127
MLJRC535	432070	6825520	446	80	-60	270	RC	E38/3127
1,598 RC drillholes for 110,568m & 7 Diamond drillholes for 751m								

\* New 1m or 4m assay

\*\* Assays pending

**Table 4. Planned RC Drilling**

Hole_ID	Easting MGAz51	Northing MGAz51	Depth metres	Dip degrees	Azimuth degrees	Project
MLJRC476	431858	6823862	164	-60	270	Lady Julie North 1
MLJRC502	431930	6823843	350	-60	270	Lady Julie North 1
MLJRC505	432060	6823800	100	-60	270	Lady Julie North 1
MLJRC508	432094	6823170	180	-60	270	Lady Julie North 1
MLJRC510	432078	6823033	192	-60	270	Lady Julie North 1
MLJRC513	432001	6823072	140	-60	270	Lady Julie North 1
MLJRC515	431970	6823090	128	-60	270	Lady Julie North 1
MLJRC539	431791	6823938	100	-60	270	Lady Julie North 1
MLJRC540	431812	6823938	120	-60	270	Lady Julie North 1
MLJRC541	431710	6823975	40	-60	270	Lady Julie North 1
MLJRC542	431740	6823975	60	-60	270	Lady Julie North 1
MLJRC543	431770	6823975	80	-60	270	Lady Julie North 1
MLJRC544	431815	6823975	120	-60	270	Lady Julie North 1
MLJRC545	431785	6823915	92	-60	270	Lady Julie North 1
MLJRC546	431820	6823915	152	-60	270	Lady Julie North 1
MLJRC547	431709	6823935	40	-60	270	Lady Julie North 1
MLJRC548	431733	6823924	36	-60	270	Lady Julie North 1
17 RC drillholes for 2,094m						
MLJRC465	432390	6826310	170	-60	270	Lady Julie North 4
MLJRC467	432375	6826160	100	-60	270	Lady Julie North 4
MLJRC468	432435	6826160	160	-60	270	Lady Julie North 4
MLJRC469	432374	6826060	100	-60	270	Lady Julie North 4
MLJRC470	432436	6826060	160	-60	270	Lady Julie North 4
MLJRC471	432308	6826160	100	-60	270	Lady Julie North 4
MLJRC516	432278	6826358	68	-60	270	Lady Julie North 4
MLJRC517	432425	6826560	140	-60	270	Lady Julie North 4
MLJRC518	432391	6826459	140	-60	270	Lady Julie North 4
MLJRC536	432441	6826411	168	-60	270	Lady Julie North 4
MLJRC537	432275	6826557	80	-60	270	Lady Julie North 4
MLJRC538	432386	6826758	120	-60	270	Lady Julie North 4
MLJRC549	432354	6826558	88	-60	270	Lady Julie North 4
13 RC drillholes for 1,594m						



magnetic resources<sup>NL</sup>

Hole_ID	Easting MGAz51	Northing MGAz51	Depth metres	Dip degrees	Azimuth degrees	Project
MHNRC1057	428900	6819760	130	-60	270	Hawks Nest 9
MHNRC1067	429991	6821475	200	-60	270	Hawks Nest 9
MHNRC1074	429100	6821299	150	-60	270	Hawks Nest 9
MHNRC1095	429412	6822327	80	-60	270	Hawks Nest 9
MHNRC1106	429505	6820990	60	-60	270	Hawks Nest 9
MHNRC1107	429489	6820970	60	-60	270	Hawks Nest 9
MHNRC1113	429792	6820700	16	-60	270	Hawks Nest 9
MHNRC1115	429800	6820665	60	-60	270	Hawks Nest 9
MHNRC1136	429650	6821787	92	-60	270	Hawks Nest 9
MHNRC1137	430065	6821950	260	-60	270	Hawks Nest 9
MHNRC1141	429000	6822295	48	-60	270	Hawks Nest 9
MHNRC1142	429035	6822295	48	-60	270	Hawks Nest 9
MHNRC1143	429070	6822295	48	-60	270	Hawks Nest 9
MHNRC1144	429575	6821280	48	-60	270	Hawks Nest 9
MHNRC1146	429539	6821250	32	-60	270	Hawks Nest 9
MHNRC1147	429513	6821228	32	-60	270	Hawks Nest 9
MHNRC1148	429534	6821228	36	-60	270	Hawks Nest 9
MHNRC1149	429464	6821253	20	-60	270	Hawks Nest 9
MHNRC1150	429212	6821251	20	-60	270	Hawks Nest 9
MHNRC1151	429162	6821100	20	-60	270	Hawks Nest 9
MHNRC1152	429182	6821100	20	-60	270	Hawks Nest 9
MHNRC1153	429452	6821805	20	-60	270	Hawks Nest 9
MHNRC1154	429438	6821805	20	-60	270	Hawks Nest 9
MHNRC1155	429697	6821766	104	-60	270	Hawks Nest 9
24 RC drillholes for 1,624m						
MHNRC1058	428710	6826345	70	-60	270	Hawks Nest 5
MHNRC1060	428500	6826074	85	-60	270	Hawks Nest 5
MHNRC1125	427415	6825718	100	-60	270	Hawks Nest 5
3 RC drillholes for 255m						



magnetic resources<sup>NL</sup>

This announcement has been authorised for release by Managing Director George Sakalidis.  
For more information on the company visit [www.magres.com.au](http://www.magres.com.au)

For more information on the company visit [www.magres.com.au](http://www.magres.com.au)

George Sakalidis  
Managing Director  
Phone (08) 9226 1777  
Mobile 0411 640 337  
Email [george@magres.com.au](mailto:george@magres.com.au)

The information in this report is based on information compiled by George Sakalidis BSc (Hons), who is a member of the Australasian Institute of Mining and Metallurgy. George Sakalidis is a Director of Magnetic Resources NL. George Sakalidis has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. George Sakalidis consents to the inclusion of this information in the form and context in which it appears in this report.

The Information in this report that relates to:

1. Promising 200m wide 0.7g/t soil geochemistry associated with extensive 1km long NS porphyries at newly named Hawks Nest 9. MAU ASX Release 15 October 2018
2. 1.1km NNW Mineralised Gold Intersections at HN9. MAU ASX Release 7 November 2018
3. Surface drilled Mineralisation extends to significant 1.5km at HN9. MAU Release 20 November 2018
4. Hawks Nest Delivers with 8m@4.2g/t Gold from 4m MAU Release 29 January 2018
5. Robust Near Surface High-grade Zone of 7m @ 4.5g/t Gold from 5m from 1m splits. MAU Release 5 March 2018
6. Hawks Nest Geochemical Survey Outlines Potential Extensions to the Prospective 7m @ 4.5g/t Gold Intercepted. MAU Release 20 March 2018
7. An 865m RC drilling programme started testing promising 7m at 4.5g/t gold and eight separate anomalous soil geochemical targets at HN5. MAU Release 10 May 2018
8. Large Gold Mineralised Shear Zone Greater Than 250m at Hawks Nest 5. MAU Release 9 June 2018
9. Gold Geochemical Target Zone Grows to Significant 2km in Length at HN9. MAU Release 7 January 2019
10. Significant 2km Gold Target is open to the East on 83% of the 24 Lines Drilled at HN9. MAU Release 4 February 2019
11. Significant 2.1km Gold Target Still open to North, South, East and at Depth. MAU Release 25 March 2019
12. Gold Target Enlarged By 47% to Significant 3.1km and is still open to the North, East and at Depth. MAU Release 22 May 2019
13. HN9 Prospective Zone Enlarged by 170% with Lady Julie Tenements. MAU Release 24 June 2019
14. 200m-Wide Gold Zone Open to The Northeast and Very Extensive Surface Gold Mineralisation Confirmed at HN9 Laverton. MAU Release 27 June 2019
15. 200m Wide Gold Zone Open to the North and New 800m Anomalous Gold Zone defined at HN9 Laverton. MAU Release 4 September 2019
16. Highest Grades Outlined at HN9 and are being Followed Up and Lady Julie Shallow Drilling Commencing Shortly. MAU Release 14 October 2019
17. Central Part of HN9 Shows Significant Thickening of The Mineralised Zone to 28m. MAU Release 28 November 2019
18. Multiple Silicified Porphyry Horizons from Deep Drilling and 57m Mineralised Feeder Zone at MAU Release 17 January 2020
19. Very High-Grade Intersection of 4m at 49g/t Adjacent to 70m Thick Mineralised Feeder Zone MAU Release 5 February 2020
20. 20 km of thickened porphyry units outlined by ground magnetic interpretation at Hawks Nest 9. MAU Release 9 March 2020
21. Further Thick Down Plunge Extensions and NW Extension Shown up at HN9. MAU Release 18 May 2020
22. Four Stacked Thickened Porphyry Lodes at HN9. MAU Release 3 August 2020
23. High-Grade Intersections in Thickened Zone at HN9. MAU Release 18 September 2020
24. Follow up of 16m at 1.16g/t gold from 64m at Lady Julie MAU Release 2 November 2020
25. Shallow Seismic searching for multiple thickened lodes MAU Release 16 November 2020
26. New thicken zone in southern part of Hawks Nest 9. MAU Release 1 December 2020
27. Two RC rigs now operating at HN9 and Lady Julie. MAU Release 11 January 2021
28. Nine gold targets defined over 14km at HN5, HN6, HN9 and Lady Julie. MAU Release 3 June 2021
29. Lady Julie delivers with 38m at 3.6g/t gold from 32m. MAU Release 23 June 2021
30. Lady Julie North expanded with purchase of tenements. MAU Release 8 June 2021
31. Multiple thick and high-grade zones located at Lady Julie. MAU Release 16 August 2021
32. Multiple thick high-grade intersections from surface at Lady Julie. MAU Release 14 September 2021
33. Thick high-grade intersections are open to the southeast at Lady Julie. MAU Release 22 October 2021
34. High-grade intersections and vertical shoots at Lady Julie. MAU Release 10 January 2022

All of which are available on [www.magres.com.au](http://www.magres.com.au)

This announcement contains forward-looking statements which involve a number of risks and uncertainties. These forward-looking statements are expressed in good faith and believed to have a reasonable basis. These statements reflect current expectations, intentions or strategies regarding the future and assumptions based on currently available information. Should one or more of the risks or uncertainties materialize, or should underlying



magnetic resources<sup>NL</sup>

assumptions prove incorrect, actual results may vary from the expectations, intentions and strategies described in this announcement. No obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.



# JORC Code, 2012 Edition – Table 1 report

## Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"><li><i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li><li><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li><li><i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li><li><i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li></ul>	<ul style="list-style-type: none"><li>For RAB sampling, 1m completed by Duketon (A22722)</li><li>For RAB sampling, 4m composites completed by Gwalia (A29728)</li><li>For AC sampling, 4m composites and 1m splits completed by Metex (A62445, A72419)</li><li>For RC sampling, 2m composites completed by Julia Mines (A18060) and 5m composites completed by Placer (A34935)</li><li>All the reported historical drilling and their relevant sampling procedures, QAQC and analytical methods etc. are referred to in the original WAMEX reports (references in the main text of ASX release of 7 November 2018).</li><li>The targets at HN9 have been tested by RC drilling. A 1 metre split is taken directly from a cone splitter mounted beneath the rig's cyclone. The cyclone and splitter are cleaned regularly to minimize contamination.</li><li>Sampling and QAQC procedures are carried out using Magnetic's protocols as per industry sound practice.</li><li>RC drilling was used to obtain bulk 1 metre samples from which composite 4m samples were prepared by spear sampling of the bulk 1m samples. 3kg of the composite sample was pulverized to produce a 50g charge for fire assay for gold. The assay results of the composite samples are used to determine which 1m samples from the rig's cyclone and splitter are selected for fire assay using the same method.</li></ul>
Drilling techniques	<ul style="list-style-type: none"><li><i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li></ul>	<ul style="list-style-type: none"><li>Rotary air blast (RAB) drilling with a blade bit.</li><li>Reverse Circulation (RC) drilling was carried out using a face sampling hammer with a nominal diameter of 140mm.</li><li>Aircore (AC) drilling.</li></ul>
Drill sample recovery	<ul style="list-style-type: none"><li><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li><li><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li></ul>	<ul style="list-style-type: none"><li>RC sample recoveries are visually estimated qualitatively on a metre basis.</li><li>Various drilling additive (including muds and foams) have been used to condition the RC holes to maximize recoveries and sample quality.</li></ul>



Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"><li>• Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li></ul>	<ul style="list-style-type: none"><li>• Insufficient drilling and geochemical data is available at the present stage to evaluate potential sample bias. Drill samples are sometimes wet which may result in sample bias because of preferential loss/gain of fine/coarse material.</li></ul>
Logging	<ul style="list-style-type: none"><li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li><li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li><li>• The total length and percentage of the relevant intersections logged.</li></ul>	<ul style="list-style-type: none"><li>• Lithology, alteration and veining is recorded and imported into the Magnetic Resources central database. The logging is of sufficient standard to support a geological resource.</li><li>• All drill holes were logged in full.</li></ul>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"><li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li><li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li><li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li><li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li><li>• Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</li><li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li></ul>	<ul style="list-style-type: none"><li>• RC samples are cyclone split to produce a 2-3kg sample. 4m composite samples are prepared by tube sampling bulk 1m samples.</li><li>• No field duplicates were taken.</li><li>• Sample sizes are appropriate for the grain size being sampled.</li></ul>
Quality of assay data and laboratory tests	<ul style="list-style-type: none"><li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li><li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li><li>• Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li></ul>	<ul style="list-style-type: none"><li>• RC samples are assayed using a 50g charge and a fire assay method with an AAS finish which is regarded as appropriate. The technique provides an estimate of the total gold content.</li><li>• Industry standard standards and duplicates are used by the NATA registered laboratory conducting the analyses</li></ul>
Verification	<ul style="list-style-type: none"><li>• The verification of significant intersections by</li></ul>	<ul style="list-style-type: none"><li>• No independent verification of drill intersections</li></ul>



Criteria	JORC Code explanation	Commentary
<i>of sampling and assaying</i>	<i>either independent or alternative company personnel.</i> <ul style="list-style-type: none"><li>• <i>The use of twinned holes.</i></li><li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li><li>• <i>Discuss any adjustment to assay data.</i></li></ul>	has yet been carried out. <ul style="list-style-type: none"><li>• Twin holes are planned to be drilled.</li><li>• Primary data is entered into an in-house database and checked by the database manager.</li><li>• No adjustment of assay data other than averaging of repeat and duplicate assays</li><li>• No verification of historically reported drilling has been carried out</li></ul>
<i>Location of data points</i>	<ul style="list-style-type: none"><li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li><li>• <i>Specification of the grid system used.</i></li><li>• <i>Quality and adequacy of topographic control.</i></li></ul>	<ul style="list-style-type: none"><li>• Drill collars located by hand- held GPS with an accuracy of +/- 5m.</li><li>• Grid system: MGAz51 GDA94.</li><li>• Topographic control using regional DEM data.</li></ul>
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"><li>• <i>Data spacing for reporting of Exploration Results.</i></li><li>• <i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li><li>• <i>Whether sample compositing has been applied.</i></li></ul>	<ul style="list-style-type: none"><li>• RC drilling was carried out at HN9 prospect. 1m samples were composited into 4m composite samples for assay.</li><li>• RC drilling was carried out and 1m samples were composited into 2m and 5m composite samples for assay</li></ul>
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"><li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li><li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li></ul>	<ul style="list-style-type: none"><li>• At HN9 historical geological mapping and the trends of old gold diggings indicate a general NNW to SSE trend to the geological structures. The historical drilling was carried out orthogonal to this trend.</li></ul>
<i>Sample security</i>	<ul style="list-style-type: none"><li>• <i>The measures taken to ensure sample security.</i></li></ul>	<ul style="list-style-type: none"><li>• Samples were stored in the field prior to dispatch to Perth using a commercial freight company.</li></ul>
<i>Audits or reviews</i>	<ul style="list-style-type: none"><li>• <i>The results of any audits or reviews of sampling techniques and data.</i></li></ul>	<ul style="list-style-type: none"><li>• No audits or reviews of the sampling techniques and data from historical drilling have been carried out.</li></ul>



## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"><li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li><li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li></ul>	<ul style="list-style-type: none"><li>The HN9 target area is situated on exploration Licence E38/3127, M38/1041 and P38/4126 held 100% by Magnetic Resources NL.</li><li>The adjacent Lady Julie targets are on Prospecting Licences P38/4346, P38/4379, P38/4384 and P38/4170 held 100% by Magnetic Resources NL.</li><li>All the above are granted tenements with no known impediments to obtaining a licence to operate.</li></ul>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"><li><i>Acknowledgment and appraisal of exploration by other parties.</i></li></ul>	<ul style="list-style-type: none"><li>The HN9 area has been subject to historical exploration refer to text</li></ul>
<i>Geology</i>	<ul style="list-style-type: none"><li><i>Deposit type, geological setting and style of mineralisation.</i></li></ul>	<ul style="list-style-type: none"><li>HN9 Two mineralization styles have been observed: quartz veining and stock working in the porphyries and shear-hosted quartz veins on porphyry-amphibolite contacts.</li></ul>
<i>Drill hole Information</i>	<ul style="list-style-type: none"><li><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i><ul style="list-style-type: none"><li><i>easting and northing of the drill hole collar</i></li><li><i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li><li><i>dip and azimuth of the hole</i></li><li><i>down hole length and interception depth</i></li><li><i>hole length.</i></li></ul></li><li><i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li></ul>	<ul style="list-style-type: none"><li>Refer to table in the text of this release.</li></ul>
<i>Data aggregation methods</i>	<ul style="list-style-type: none"><li><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li><li><i>Where aggregate intercepts incorporate short</i></li></ul>	<ul style="list-style-type: none"><li>No weighting or cutting of gold values, other than averaging of duplicate and repeat analyses.</li></ul>



Criteria	JORC Code explanation	Commentary
	<p><i>lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <ul style="list-style-type: none"><li><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li></ul>	
<i>Relationship between mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"><li><i>These relationships are particularly important in the reporting of Exploration Results.</i></li><li><i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li><li><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li></ul>	<ul style="list-style-type: none"><li>The relationships between mineralization widths and intercept lengths at HN9 remain to be clarified.</li></ul>
<i>Diagrams</i>	<ul style="list-style-type: none"><li><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li></ul>	<ul style="list-style-type: none"><li>Refer to text.</li></ul>
<i>Balanced reporting</i>	<ul style="list-style-type: none"><li><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.</i></li></ul>	<ul style="list-style-type: none"><li>Plus 1g/t Au intersections from the RC drilling have been reported in this release.</li></ul>
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"><li><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li></ul>	<ul style="list-style-type: none"><li>Metallurgical results refer to ASX Release 27/10/2020 Positive metallurgical results from Hawks Nest 9.</li></ul>
<i>Further work</i>	<ul style="list-style-type: none"><li><i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li><li><i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li></ul>	<ul style="list-style-type: none"><li>Table 4 shows the drilling planned. Further deeper drilling will be planned to follow up results from recent intersections with 57 RC holes totaling 5,567m.</li><li>As outlined in this release.</li><li>A map and table of the proposed RC drilling is shown in this release.</li></ul>