

# Mineralisation Extended at Sturec Gold Mine

## Highlights

- ★ UGA-20 intersected a thick, continuous mineralized zone of 61m @ 0.97 g/t Au and 12.2 g/t Ag from 55m (0.25g/t Au cut-off, downhole thickness) including:
  - 19m @ 2.07 g/t Au and 29.1 g/t Ag from 64m (1g/t Au cut-off, downhole thickness);
- ★ UGA-22 intersected a thick, continuous mineralized zone of 105.3m @ 0.55 g/t Au and 3.2 g/t Ag from 38m (0.25g/t Au cut-off, downhole thickness) including:
  - 13m @ 1.28 g/t Au and 2.4 g/t Ag from 130m (0.3g/t Au cut-off, downhole thickness); including:
  - 3m @ 4.42 g/t Au and 5.2 g/t Ag from 130m (0.5g/t Au cut-off, downhole thickness);
- ★ UGA-21 intersected a thick, continuous mineralized zone of 98m @ 0.55 g/t Au and 3.2 g/t Ag from 60m (0.25g/t Au cut-off, downhole thickness) including:
  - 2m @ 3.37 g/t Au and 6.1 g/t Ag from 60m (1g/t Au cut-off, downhole thickness);
  - 2m @ 2.38 g/t Au and 2.3 g/t Ag from 93m (0.5g/t Au cut-off, downhole thickness);
  - 6m @ 1.10 g/t Au and 5.6 g/t Ag from 110m (0.5g/t Au cut-off, downhole thickness); and
  - 4m @ 1.34 g/t Au and 6.0 g/t Ag from 137m (0.5g/t Au cut-off, downhole thickness);

*Cautionary Note: These intersections are not a true thickness as the drill hole was drilled at an angle to the mineralised zone due to the location of the underground drill site relative to the target zone. Further drilling is necessary to better constrain the interpretation in this area*

- ★ Assay results from UGA-20, UGA-21 and UGA-22 confirm the mineralised zone extends a further 40m south from the southern margin of the existing Sturec Mineral Resource into an area where there has been no historic drilling
- ★ Further assay results from UGA-23 to UGA-30 (inclusive) are expected shortly
- ★ MTC eagerly awaiting completion of a transformational scoping study which will model the production of a high value gold and silver concentrate from a combined underground and open cut operation at Sturec

Commenting on the ongoing drilling at Sturec, MetalsTech Director, Gino D’Anna stated:

*“The ore body at Sturec continues to demonstrate extensions of the known gold mineralisation zone. We continue to be successful in our attempts to chase the mineralisation further to the south along strike of the existing resource. It remains open down dip and down plunge.”*

**\*\* This announcement is authorised by the executive board on behalf of the Company \*\***



MetalsTech Limited (ASX: MTC) (the Company or MTC) is pleased to provide stakeholders with an update on its Phase II diamond drilling program at the Company's 100% owned Sturec Gold Mine, located in Slovakia (Sturec). To date the Company has completed twelve diamond drill holes from Drill Chamber II within the Andrej Adit; and four diamond drill holes from Drill Chamber III, with a fifth underway. This drill program has been designed to extend the mineralisation to the south along strike of the southern margin of the existing Sturec Mineral Resource.

## UGA-19

UGA-19 was completed to a depth of 101.6m. The drill hole collar details for drill holes from Phase II drill programme are set out in Table 1 and 2 below.

Table 1: drill holes from Drill Chamber II

Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)	Start Date	End Date
UGA-17	-435,852	-1,230,270	656.96	270	-70	109.35	27/08/2021	7/09/2021
UGA-18	-435,852	-1,230,270	656.96	230	-55	104.65	9/09/2021	16/09/2021
UGA-19	-435,852	-1,230,270	656.96	210	-30	101.6	20/09/2021	24/09/2021
UGA-20	-435,852	-1,230,270	656.96	205	-45	140.5	30/09/2021	9/10/2021
UGA-21	-435,852	-1,230,270	656.96	205	-65	178.2	10/10/2021	25/10/2021
UGA-22	-435,852	-1,230,270	656.96	200	-35	143.3	28/10/2021	8/11/2021
UGA-23	-435,852	-1,230,270	656.96	200	-42	179.5	12/11/2021	19/11/2021
UGA-24	-435,852	-1,230,270	656.96	195	-30	180.8	21/11/2021	28/11/2021
UGA-25	-435,852	-1,230,270	656.96	195	-37	180.8	29/11/2021	8/12/2021
UGA-26	-435,852	-1,230,270	656.96	300	-65	101.5	11/12/2021	15/12/2021
UGA-27	-435,852	-1,230,270	656.96	350	-65	214.3	19/01/2022	4/02/2022
UGA-28	-435,852	-1,230,270	656.96	335	-70	151.2	12/02/2022	18/02/2022

Table 2: drill holes from Drill Chamber III

Hole ID	Easting JTSK	Northing JTSK	Elevation (m)	Azimuth (°)	Dip (°)	Depth (m)	Start Date	End Date
UGA-29	-435.851	-1.230.123	656.96	280	-80	84.7	23/02/2022	28/02/2022
UGA-30	-435.851	-1.230.123	656.96	008	-45	173.6	3/03/2022	20/03/2022
UGA-31	-435.851	-1.230.123	656.96	355	-60	106.45	22/03/2022	30/3/2022
UGA-32	-435.851	-1.230.123	656.96	008	-70	79.3	31/3/2022	3/4/2022
UGA-33	-435.851	-1.230.123	656.96	008	-70		4/4/2022	

Detailed geological logging identified a quartz filled vein/stockwork/breccia zone, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) and hosted within variably argillic altered and brecciated andesite host rock from approximately 19m to 87m down hole (\*not true thickness) in the drill core from hole UGA-19.

Assay results from UGA-19 are interpreted to show a relatively continuous mineralised zone from 19m to 87m using a 0.25g/t Au cut-off. A summary of the significant intersections from UGA-19 are shown in Table 3 below.

UGA-19 was positioned as a infill drill hole above UGA-14, which intersected a thick mineralized zone of **108m @ 2.22 g/t Au and 7.6 g/t Ag** from 26m (0.3g/t Au cut-off,

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*



downhole thickness) including higher grade zones (refer to MTC announcement dated 1 June 2021 titled “*Metalstech Hits Record Intercept At Sturec Gold Mine*”):

- 63m @ 3.53 g/t Au and 9.6 g/t Ag from 71m (0.5g/t Au cut-off);
  - including 43m @ 4.88 g/t Au and 11.8 g/t Ag from 90m (0.5g/t Au cut-off);
  - including 26m @ 7.39g/t Au and 14.5 g/t Ag from 91m (1g/t Au cut-off); and
  - including 10m @ 16.98g/t Au and 26.4 g/t Ag from 95m (2g/t Au cut-off).

See Figure 1 and 2 for the relative position of UGA-19 compared the current interpretation of the mineralised zone and to the existing Sturec Mineral Resource respectively (refer to MTC announcement dated 21 June 2021).

Table 3: Significant intersections in UGA-19 through to UGA-22

Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
UGA-22	105.30	@	0.55	3.2	38.00	143.30	0.25g/t Au cut-off and max. 7m continuous internal dilution
	including						
	22.00	@	0.80	5.7	99.00	121.00	0.5g/t Au cut-off and 2m internal dilution
	and						
	13.00	@	1.28	2.4	130.00	143.30	0.3g/t Au cut-off and max. 4m continuous internal dilution
	including						
	3.00	@	4.42	5.2	130.00	133.00	0.5g/t Au cut-off and no internal dilution
UGA-21	98.00	@	0.55	3.4	60.00	158.00	0.25g/t Au cut-off and max. 10m continuous internal dilution
	including						
	2.00	@	3.37	6.1	60.00	62.00	1g/t Au cut-off and no internal dilution
	and						
	2.00	@	2.38	2.3	93.00	95.00	0.5g/t Au cut-off and no internal dilution
	and						
	6.00	@	1.10	5.6	110.00	116.00	0.5g/t Au cut-off and 2m internal dilution
	and						
	4.00	@	1.34	6.0	137.00	141.00	0.5g/t Au cut-off and 2m internal dilution
	and						
	9.00	@	1.03	4.1	149.00	158.00	0.5g/t Au cut-off and no internal dilution
UGA-20	61.00	@	0.97	12.3	55.00	116.00	0.25g/t Au cut-off and max. 5m continuous internal dilution
	including						

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*



	19.00	@	2.07	29.1	77.00	96.00	1g/t Au cut-off and 4m internal dilution
	including						
	15.00	@	2.24	34.3	77.00	92.00	1.5g/t Au cut-off and max. 4m continuous internal dilution
	including						
	2.00	@	4.68	150.8	77.00	79.00	2g/t Au cut-off and no internal dilution
	and						
	2.00	@	3.91	20.7	83.00	85.00	2g/t Au cut-off and no internal dilution
UGA-19	68.00	@	0.43	4.3	19.00	87.00	0.26g/t Au cut-off and max. 6m continuous internal dilution
	including						
	6.00	@	1.07	1.7	19.00	25.00	0.3g/t Au cut-off and 3m continuous internal dilution
	and						
	3.00	@	1.23	15.4	33.00	36.00	0.3g/t Au cut-off and no internal dilution
	and						
	2.00	@	0.93	8.0	49.00	51.00	0.3g/t Au cut-off and no internal dilution
and							
	1.00	@	4.08	46.4	77.00	78.00	1g/t Au cut-off and no internal dilution




Figure 1: Long-section showing the traces of holes from the current drill program from Drill Chamber II and III, as well as the previous Phase 1 drill program from Drill Chamber I; shown relative to mineralisation within the existing Sturec Mineral Resource displayed as a 3D point cloud (grade scale shown with pseudocolor spectrum). The position of Drill Chamber IV is also shown. This view is looking west.

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*




Figure 2: Cross-section showing UGA-19 looking northwest and the interpretation of the extents of the mineralisation zone with the current Sturec Mineral Resource.

### UGA-20

UGA-20 was completed to a depth of 140.5m. The drill hole collar details set out in Table 1.

Detailed geological logging identified a quartz filled vein/stockwork/breccia zone, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) and hosted within variably argillic altered and brecciated andesite host rock from approximately 55m to 116m down hole (\*not true thickness) in the drill core from hole UGA-20.

Assay results from UGA-20 are interpreted to show a relatively continuous mineralised zone from 55m to 116m using a 0.25g/t Au cut-off, with a central higher grade zone from 77-96m. A summary of the significant intersections from UGA-20 are shown in Table 3.

UGA-20 was positioned as a mineralisation extension drill hole above and along strike of UGA-14 (refer above for significant assays intersected in UGA-14) (refer to MTC announcement dated 1 June 2021 titled “*Metalstech Hits Record Intercept At Sturec Gold Mine*”).

See Figure 1 and 3 for the relative position of UGA-20 compared the current interpretation of the mineralised zone and to the existing Sturec Mineral Resource respectively (refer to MTC announcement dated 21 June 2021).

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*






Figure 3: Cross-section showing UGA-20, UGA-21 and UGA-22 looking west-northwest and the interpretation of the extents of the mineralisation zone with the current Sturec Mineral Resource

### UGA-21

UGA-21 was completed to a depth of 178.2m. The drill hole collar details set out in Table 1.

Detailed geological logging identified a quartz filled vein/stockwork/breccia zone, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) and hosted within variably argillic altered and brecciated andesite host rock from approximately 60m to 158m down hole (\*not true thickness) in the drill core from hole UGA-21.

Assay results from UGA-21 are interpreted to show a relatively continuous mineralised zone from 60m to 158m using a 0.25g/t Au cut-off, with higher grade zone sfrom 110-116m; 137-141m; and 149-158m. A summary of the significant intersections from UGA-21 are shown in Table 3.

UGA-21 was positioned as a mineralisation extension drill hole above and along strike of UGA-14.

See Figure 1 and 3 for the relative position of UGA-21 compared the current interpretation of the mineralised zone and to the existing Sturec Mineral Resource respectively (*refer to MTC announcement dated 21 June 2021*).

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*



## UGA-22

UGA-21 was completed to a depth of 143.3m. The drill hole collar details set out in Table 1.

Detailed geological logging identified a quartz filled vein/stockwork/breccia zone, variably rich in fine to very fine grained sulphides (mainly pyrite/marcasite) and hosted within variably argillic altered and brecciated andesite host rock from approximately 38m to 143.3m down hole (\*not true thickness) in the drill core from hole UGA-22.

Assay results from UGA-22 are interpreted to show a relatively continuous mineralised zone from 38m to 143.3m using a 0.25g/t Au cut-off, with a central higher grade zone from 130-143.3m. A summary of the significant intersections from UGA-22 are shown in Table 3.

UGA-22 was positioned as a mineralisation extension drill hole above and along strike of UGA-14.

See Figure 1 and 3 for the relative position of UGA-22 compared the current interpretation of the mineralised zone and to the existing Sturec Mineral Resource respectively (*refer to MTC announcement dated 21 June 2021*).

## ENDS

**For further information, contact:**

Gino D'Anna  
Director  
M +61 400 408 878  
gino@metalstech.net

Nathan Ryan  
Investor Relations  
M +61 420 582 887  
nathan.ryan@nwrcommunications.com.au

## Caution Regarding Forward-Looking Information

This document contains forward-looking statements concerning MetalsTech. Forward-looking statements are not statements of historical fact and actual events and results may differ materially from those described in the forward-looking statements as a result of a variety of risks, uncertainties and other factors. Forward-looking statements are inherently subject to business, economic, competitive, political and social uncertainties and contingencies. Many factors could cause the Company's actual results to differ materially from those expressed or implied in any forward-looking information provided by the Company, or on behalf of, the Company. Such factors include, among other things, risks relating to additional funding requirements, metal prices, exploration, development and operating risks, competition, production risks, regulatory restrictions, including environmental regulation and liability and potential title disputes.

Forward looking statements in this document are based on the company's beliefs, opinions and estimates of MetalsTech as of the dates the forward-looking statements are made, and no obligation is assumed to update forward looking statements if these beliefs, opinions and estimates should change or to reflect other future developments.

## Competent Persons Statement

The information in this announcement that relates to Exploration Results is based on information compiled by Dr Quinton Hills Ph.D., M.Sc., B.Sc. Dr Hills is the technical advisor of MetalsTech Limited and is a member of the Australasian Institute of Mining and Metallurgy (No. 991225). Dr Hills has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Dr Hills consents to the inclusion in the report of the matters based on their information in the form and context in which it appears.

The information in the report to which this statement is attached that relates to Mineral Resources for the Sturec Gold Deposit is based on information compiled by Mr Chris Grove, who is a Member of The Australasian Institute of Mining and Metallurgy (No. 310106). Mr Grove is a full-time employee of Measured Group Pty Ltd and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Grove consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*



## Background: Sturec Gold Mine

The Sturec Gold Mine is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banská Bystrica, and 150km northeast of the capital, Bratislava.

Sturec is a low sulphidation epithermal system and contains a total Mineral Resource of 38.5Mt @ 1.23 g/t Au and 8.8 g/t Ag (1.30g/t AuEq<sup>1</sup>), containing 1.522Moz of gold and 10.93Moz of silver (1.611Moz of gold equivalent) using a 0.26g/t Au cut-off within an optimised open pit shell; as well as 148kt @ 3.55 g/t Au and 12.6 g/t Ag (3.64g/t AuEq<sup>1</sup>), containing 17koz of gold and 60koz of silver (18koz of gold equivalent) outside the optimised open pit shell on an underground mining basis; reported in accordance with JORC (2012).

### Mineral Resource Estimate – Sturec Gold Project

Updated Sturec Mineral Resource Estimate							
Resource Estimate above 0.26 g/t Au cut-off and within an optimised open pit shell							
Resource Category	Tonnes (kt)	Au (g/t)	Ag (g/t)	AuEq (g/t) <sup>1</sup>	Au (koz)	Ag (koz)	AuEq (koz)
Measured	15,340	1.43	12.04	1.53	704	5,940	752
Indicated	18,438	1.20	6.74	1.25	709	3,995	742
Measured + Indicated	33,778	1.30	9.15	1.38	1413	9,935	1494
Inferred	4,717	0.72	6.56	0.77	109	995	117
<b>TOTAL</b>	<b>38,495</b>	<b>1.23</b>	<b>8.83</b>	<b>1.30</b>	<b>1,522</b>	<b>10,930</b>	<b>1,611</b>
Resource Estimate above 2 g/t Au cut-off: outside optimised open pit shell							
Resource Category	Tonnes (kt)	Au (g/t)	Ag (g/t)	AuEq (g/t) <sup>1</sup>	Au (koz)	Ag (koz)	AuEq (koz)
Measured	30	2.90	21.18	3.08	3	21	3
Indicated	114	3.75	10.5	3.81	14	38	14
Measured + Indicated	144	3.57	12.74	3.66	17	59	17
Inferred	4	2.73	8.0	2.80	0	1	1
<b>TOTAL</b>	<b>148</b>	<b>3.55</b>	<b>12.62</b>	<b>3.64</b>	<b>17</b>	<b>60</b>	<b>18</b>

<sup>1</sup> AuEq g/t = ((Au g/t grade\*Met. Rec.\*Au price/g) + (Ag g/t grade\*Met. Rec.\*Ag price/g)) / (Met. Rec.\*Au price/g)

Long term Forecast Gold and Silver Price (source: Bank of America): \$1,785 USD/oz and \$27 USD/oz respectively.

Gold And silver recovery from the 2014 Thiosulphate Metallurgical test work: 90.5% and 48.9% respectively.

It is the Company's opinion that both gold and silver have a reasonable potential to be recovered and sold from the Sturec ore using Thiosulphate Leaching/Electrowinning as per the recoveries indicated.

\*\* This announcement is authorised by the executive board on behalf of the Company \*\*



## APPENDIX A: JORC CODE, 2012 EDITION - TABLE 1

### Section 1 - Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation	Details
<b>Sampling techniques</b>	<ul style="list-style-type: none"> <li>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</li> </ul>	<ul style="list-style-type: none"> <li>Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are 1m half core; or quarter core for duplicates (routine ½ core sample sawn into two ¼ core samples).</li> <li>Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES will be completed at the ALS laboratory in Ireland.</li> <li>90% of sample crushed to &lt;2mm. Sample is then dried and riffle split to produce a 1kg split. 1kg split then pulverised to 85% passing &lt;75µm to produce a 50g fire charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.</li> <li>If coarse-grained gold (visible gold) is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to &lt;2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculate and reported, using the individual assays and weight of the fractions.</li> </ul>
<b>Drilling techniques</b>	<ul style="list-style-type: none"> <li>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<ul style="list-style-type: none"> <li>The current program is utilising diamond drilling from multiple underground locations within the Andrej Adit.</li> <li>None of the diamond core is being oriented.</li> <li>UGA-19 was drilled with NQ (47.6mm core diameter) to EOH (101.6m).</li> <li>UGA-20 was drilled with NQ (47.6mm core diameter) to EOH (140.5m).</li> <li>UGA-21 was drilled with NQ (47.6mm core diameter) to EOH (178.2m).</li> <li>UGA-22 was drilled with NQ (47.6mm core diameter) to EOH (143.3m).</li> </ul>
<b>Drill sample recovery</b>	<ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<ul style="list-style-type: none"> <li>Core recovery is measured as the length of core recovered versus the depth of the drill hole. In detail, the length of each 'run' of core recovered (between 0-3m) is measured and its length compared to the length the drillers measured from the drill rod advance.</li> <li>The core recovery for all drill holes so far has been excellent, greater than 90%.</li> <li>Historic drill records indicate that core recovery at the Sturec Project was consistently good, where historic mining voids have not been encountered.</li> <li>No relationship between sample recovery and grade has been interpreted in assay results received so far as recovery is excellent.</li> </ul>

Criteria	JORC Code Explanation	Details
<b>Logging</b>	<ul style="list-style-type: none"> <li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<ul style="list-style-type: none"> <li>• The core was geologically and geotechnically logged to a level to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Core is logged both qualitatively and quantitatively.</li> <li>• All logging data is digitally captured via excel spreadsheets, which are then validated when they are imported into a resource modelling software package.</li> <li>• Core photography is completed for all drill holes.</li> <li>• The entire length of drill core is logged.</li> </ul>
<b>Sub-sampling techniques and sample preparation</b>	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>• Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>	<ul style="list-style-type: none"> <li>• Routine samples over prospective mineralised intervals from diamond drill core as determined by an experienced geologist are sawn into 1m half core; or quarter core for duplicates.</li> <li>• Same side of drill core sampled to ensure no selective sampling bias.</li> <li>• The other half of the core was retained for geological reference and potential further sampling, such as metallurgical test work.</li> <li>• Entire sample sent to ALS laboratory in Romania for preparation and fire assay analysis, while the four-acid digest with ICPAES is completed at the ALS laboratory in Ireland.</li> <li>• 90% of sample crushed to &lt;2mm. Sample then dried and riffle split. 1kg split then pulverised to 85% passing &lt;75µm to produce a 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.</li> <li>• The remainder of the material is retained as a coarse split for metallurgical test work.</li> <li>• Remaining pulps are retained for analyses such as second laboratory check assays.</li> <li>• Duplicate samples (routine 1m ½ core sample sawn in half to produce two ¼ core samples) taken every 30 samples or at least one per hole if less than 30 samples taken.</li> <li>• A Certified Reference Material (CRM or 'Standard') is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken.</li> <li>• A blank (material with no concentrations of economic elements under consideration) is inserted into the routine sample sequence approximately every 30 samples or at least one per hole if less than 30 samples taken.</li> <li>• Sample prep techniques utilised are industry standard for Carpathian epithermal-style gold mineralisation and are considered appropriate.</li> <li>• Samples sizes are considered appropriate for the grain-size of the material being sampled.</li> </ul>
<b>Quality of assay data and laboratory tests</b>	<ul style="list-style-type: none"> <li>• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>• For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>• Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</li> </ul>	<ul style="list-style-type: none"> <li>• Analysis completed by using 50g charge for fire assay for gold analysis and a 0.25g sample for four acid digestion (near-total) with an ICPAES (inductively coupled plasma atomic emission spectroscopy) finish for 33 elements including Ag, Cu, Co, Pb, Zn, etc.</li> <li>• If coarse-grained gold (visible gold) is encountered then Au will also be analysed by screen fire assay. The remaining sample from the 90% of the original routine sample that was crushed to &lt;2mm and dried is then riffle split again to produce another 1kg split. This 1kg split is then dry screened to a nominal 106 micron. Duplicate 50g fire assays with AAS finish are then performed on the undersize, and fire assay with gravimetric finish is done on the entire oversize fraction. Then the total gold content is calculate and reported, using the individual assays and weight of the fractions.</li> </ul>

Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> <li>Analysis techniques utilised are industry standard for Carpathian epithermal-style gold mineralisation and are considered appropriate.</li> <li>Laboratory Routine QC protocol for Au-AA26: 1 lab Blank, 2 lab CRM, 3 client duplicates, 1 PREP Duplicate per batch (up to 77 samples). Laboratory Routine QC protocol for ME-ICP61: 1 lab Blank, 2 lab CRM, 2 client duplicates, 1 PREP Duplicate per batch (up to 77 samples).</li> <li>Internal laboratory checks, as well as internal and external check assays such as repeats and check assays enable assessment of precision. Contamination between samples is checked for by the use of blank samples (laboratory and company inserted). Assessment of accuracy will be carried out by the analysis of the assay results of the CRMs.</li> <li>QAQC results are reviewed on a batch-by-batch basis. Any deviations from acceptable precision or indications of bias are acted upon prior to announcing any results with repeat and check assays.</li> </ul>
<b>Verification of sampling</b>	<ul style="list-style-type: none"> <li><i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li><i>The use of twinned holes.</i></li> <li><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li><i>Discuss any adjustment to assay data.</i></li> </ul>	<ul style="list-style-type: none"> <li>On receipt of assay results from the laboratory, the results are verified by the Exploration Manager and by responsible geologists who compare the results with the geological logging and remaining drill core (or core photography if site access is not possible).</li> <li>No twins have been completed yet.</li> <li>All primary data (logging, sample intervals and assay results) is digitally captured via excel spreadsheets, which are then validated when they are imported into 3D modelling software package.</li> <li>Data is stored in a secure company owned Dropbox that has a 180 day file recovery and version history function.</li> <li>No adjustment to assay data.</li> </ul>
<b>Location of data points</b>	<ul style="list-style-type: none"> <li><i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li><i>Specification of the grid system used.</i></li> <li><i>Quality and adequacy of topographic control.</i></li> </ul>	<ul style="list-style-type: none"> <li>Locations of diamond drill hole collars, channel samples and mine workings are recorded using the Slovak National Datum: S-JTSK/Krovak Datum.</li> <li>As the location of the current drill hole is within the Andrej Adit, which has been surveyed, its location is very accurately known.</li> <li>High-resolution topography over the project was acquired using LiDAR.</li> </ul>
<b>Data spacing and distribution</b>	<ul style="list-style-type: none"> <li><i>Data spacing for reporting of Exploration Results.</i></li> <li><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li><i>Whether sample compositing has been applied.</i></li> </ul>	<ul style="list-style-type: none"> <li>Data spacing is highly variable across the prospect.</li> <li>UGA-19 was positioned as an infill drill hole above UGA-14, which intersected a thick mineralized zone of 108m @ 2.22 g/t Au and 7.6 g/t Ag from 26m (0.3g/t Au cut-off, downhole thickness) including higher grade zones (refer to MTC announcement dated 1 June 2021 titled "Metalstech Hits Record Intercept At Sturec Gold Mine"): <ul style="list-style-type: none"> <li>63m @ 3.53 g/t Au and 9.6 g/t Ag from 71m (0.5g/t Au cut-off);</li> <li>including 43m @ 4.88 g/t Au and 11.8 g/t Ag from 90m (0.5g/t Au cut-off);</li> <li>including 26m @ 7.39g/t Au and 14.5 g/t Ag from 91m (1g/t Au cut-off); and</li> <li>including 10m @ 16.98g/t Au and 26.4 g/t Ag from 95m (2g/t Au cut-off).</li> </ul> </li> <li>UGA-20, UGA-21 and UGA-22 were positioned as mineralisation extension drill holes along strike to the south of the Updated 2021 Sturec Mineral Resource Estimate constrained within</li> </ul>

Criteria	JORC Code Explanation	Details
		<p>an optimised pit (refer to MTC announcement dated 21 June 2021) holes; as well as above and along strike of UGA-14.</p> <ul style="list-style-type: none"> <li>The area intersected by UGA-19 has been included in the Updated 2021 Sturec Mineral Resource Estimate constrained within an optimised pit (refer to MTC announcement dated 21 June 2021) and therefore, the data spacing and distribution is interpreted to be sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve estimation.</li> <li>The area intersected by UGA-20, UGA-21 and UGA-22 is just outside, along strike to the south of the Updated 2021 Sturec Mineral Resource Estimate constrained within an optimised pit (refer to MTC announcement dated 21 June 2021). The data spacing and distribution is interpreted to be sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource and Ore Reserve estimation.</li> <li>No samples have been composited.</li> </ul>
<b>Orientation of data in relation to geological structure</b>	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul>	<ul style="list-style-type: none"> <li>Due to only three (soon to be four) sites within the Andrej Adit being suitable for drilling currently, the drill holes fan out and are therefore drilled at various angles to the strike of the exploration target and the adjoining mineral resource. As the mineralisation zone strikes approximately north-south, the closer the hole azimuth is to north or south, the longer the intersection thickness. However, it is interpreted that this does not create a sampling bias as this actually provides more data points within the mineralisation zone and is therefore beneficial to estimating the grade of the mineralised zone.</li> <li>3D modelling of assay results obtained so far, suggest that in this part of the Sturec ore body, the true thickness of mineralisation is between 30-50m wide. The mineralisation is funnel shaped with the thicker zone towards the top and getting thinner at depth.</li> </ul>
<b>Sample security</b>	<ul style="list-style-type: none"> <li>The measures taken to ensure sample security.</li> </ul>	<ul style="list-style-type: none"> <li>Samples were securely stored in company facilities prior to being completely sealed and couriered directly to the ALS laboratory in Romania.</li> </ul>
<b>Audits or reviews</b>	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<ul style="list-style-type: none"> <li>No audits/reviews of the sampling techniques and assay data has been completed at this stage.</li> </ul>

## Section 2 - Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code Explanation	Details		
<b>Mineral tenement and land tenure status</b>	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites,</li> </ul>	<ul style="list-style-type: none"> <li>Sturec Gold Project consists of the Kremnica Mining Territory (9.47 km<sup>2</sup>) owned by Slovakian limited liability company Ortac SK, which is a wholly-owned subsidiary of Ortac UK (a private limited company registered in England and Wales).</li> <li><b>Kremnica Mining Territory' and Mining Licence details:</b></li> </ul> <p><b>'Kremnica Mining Territory'</b></p> <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;">Name:</td> <td>Mining Territory Kremnica Au-Ag</td> </tr> </table>	Name:	Mining Territory Kremnica Au-Ag
Name:	Mining Territory Kremnica Au-Ag			

Criteria	JORC Code Explanation	Details																										
	<p>wilderness or national park and environmental settings.</p> <ul style="list-style-type: none"> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<table border="1" data-bbox="779 180 1948 391"> <tr> <td>Mining area No:</td> <td>MHD-D.P.- 12</td> </tr> <tr> <td>Date of Issuance:</td> <td>21 January 1961</td> </tr> <tr> <td>Metals</td> <td>• Gold and Silver</td> </tr> <tr> <td>Duration:</td> <td>Indefinite</td> </tr> <tr> <td>Holder of the:</td> <td>Ortac, s.r.o</td> </tr> <tr> <td>Amendments:</td> <td>• No. 1037-1639/2009</td> </tr> </table> <p><b>ORTAC,s.r.o. Mining Licence details</b></p> <table border="1" data-bbox="779 464 1948 965"> <tr> <td>Name:</td> <td>Ortac,s.r.o.</td> </tr> <tr> <td>Mining License No:</td> <td>1830-3359/2008</td> </tr> <tr> <td>Date of Issuance:</td> <td>13 November 2008</td> </tr> <tr> <td>Subject:</td> <td> <ul style="list-style-type: none"> <li>Opening, preparation and exploitation of reserved mineral resource</li> <li>Installation, conservation and decommissioning of mining work</li> <li>Processing and refinement of mineral resources</li> <li>Installation and operation of unloading areas and dumps</li> <li>Opening the mining works to the public for museum purposes and related safety maintenance works</li> </ul> </td> </tr> <tr> <td>Duration:</td> <td>Indefinite</td> </tr> <tr> <td>Responsible Person:</td> <td>Ing. Peter Čorej</td> </tr> <tr> <td>Amendments:</td> <td> <ul style="list-style-type: none"> <li>No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License</li> <li>No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body</li> </ul> </td> </tr> </table> <ul style="list-style-type: none"> <li>The Kremnica Mining Licence is located in central Slovakia between the town of Kremnica and the village of Lučky, 17km west of central Slovakia's largest city, Banska Bystrica, and 150km northeast of the capital, Bratislava.</li> <li>Metals Tech owns 100% of the Sturec Gold Project by completing the acquisition of Ortac UK on 14 February 2020.</li> <li>As a part of the acquisition, MetalsTech Limited has granted Arc Minerals Limited a royalty equal to A\$2 per ounce of resource that is delineated at the project above an open cut JORC (2012) Indicated and Measured Resources that exceeds 1.5million ounces at a grade greater than 2.5g/t AuEq after 2 years from the date of execution of the Terms Sheet but before the date that is 5 years after the date of execution of the Terms Sheet capped at 7 million ounces.</li> <li>In 2013, Arc Minerals (named Ortac Resources Limited at this time) submitted a small-scale underground mining application, which was awarded by the Central Mining Bureau in 2014. Trial underground mining commenced in June 2014 and a 40t bulk sample was extracted from Sturec for metallurgical test work.</li> <li>In 2016, the Regional Court in Banská Bystrica ruled against the Central Mining Bureau concerning the underground mining permit issued to Arc Minerals Limited in 2014 and revoked the decision to issue the mining permit.</li> </ul>	Mining area No:	MHD-D.P.- 12	Date of Issuance:	21 January 1961	Metals	• Gold and Silver	Duration:	Indefinite	Holder of the:	Ortac, s.r.o	Amendments:	• No. 1037-1639/2009	Name:	Ortac,s.r.o.	Mining License No:	1830-3359/2008	Date of Issuance:	13 November 2008	Subject:	<ul style="list-style-type: none"> <li>Opening, preparation and exploitation of reserved mineral resource</li> <li>Installation, conservation and decommissioning of mining work</li> <li>Processing and refinement of mineral resources</li> <li>Installation and operation of unloading areas and dumps</li> <li>Opening the mining works to the public for museum purposes and related safety maintenance works</li> </ul>	Duration:	Indefinite	Responsible Person:	Ing. Peter Čorej	Amendments:	<ul style="list-style-type: none"> <li>No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License</li> <li>No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body</li> </ul>
Mining area No:	MHD-D.P.- 12																											
Date of Issuance:	21 January 1961																											
Metals	• Gold and Silver																											
Duration:	Indefinite																											
Holder of the:	Ortac, s.r.o																											
Amendments:	• No. 1037-1639/2009																											
Name:	Ortac,s.r.o.																											
Mining License No:	1830-3359/2008																											
Date of Issuance:	13 November 2008																											
Subject:	<ul style="list-style-type: none"> <li>Opening, preparation and exploitation of reserved mineral resource</li> <li>Installation, conservation and decommissioning of mining work</li> <li>Processing and refinement of mineral resources</li> <li>Installation and operation of unloading areas and dumps</li> <li>Opening the mining works to the public for museum purposes and related safety maintenance works</li> </ul>																											
Duration:	Indefinite																											
Responsible Person:	Ing. Peter Čorej																											
Amendments:	<ul style="list-style-type: none"> <li>No. 773-1398/2015 dated 11 May 2015 extending the subject of the Mining License</li> <li>No. 979-1401/2019 dated 11 June 2019 updating the information on statutory body</li> </ul>																											



Criteria	JORC Code Explanation	Details
		<ul style="list-style-type: none"> <li>• In May 2017, the Central Mining Bureau issued Ortac SK with an amended underground mining permit that allowed for small-scale mining activities to recommence.</li> <li>• In July 2017, Ortac SK (Arc Minerals Limited) re-commenced the trial underground mining activities at Sturec, fulfilling the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years. 500t of ore was extracted and used for metallurgical test work relating to alternative processing technologies to the conventional cyanide leaching.</li> <li>• Since 2017 (before selling the project to MetalsTech), Arc Minerals Limited has continued working with the local community and stakeholders to facilitate the development of the project.</li> <li>• In October 2019, the Central Mining Bureau issued Ortac SK with an underground mining permit that allowed for small-scale mining activities to recommence: Decision No. 827-2373 / 2019. This decision was appealed soon after being received.</li> <li>• In February 2020, the appeals against Decision No. 827-2373 / 2019 were rejected by the State Mining Administration and the underground mining authorisation was upheld.</li> <li>• In April 2020, MetalsTech Limited re-commenced the underground mining activities at Sturec, in order to fulfill the condition required by Slovak regulations to preserve its right to exploit the ore deposit in the Kremnica Mining Licence Area for a minimum period of at least three years.</li> <li>• Although Ortac SK is officially registered as the holder of the Kremnica Mining Territory, the validity of the allocation of the Kremnica Mining Territory has been repeatedly disputed. Arguments challenging the validity of the allocation of the Kremnica Mining Territory have been raised by third parties in licensing proceedings in respect of particular mining activities within the Kremnica Mining Territory. So far, the merits of such arguments have not been assessed by the court, as the respective court decisions were issued on procedural grounds in the past. Despite the existence of reasonable legal arguments defending the validity of the allocation of the Kremnica Mining Territory, it cannot be ruled out that the challenges to its validity will eventually prevail before the court. Even if the validity of the allocation of the Kremnica Mining Territory is successfully defended in principle, there is a risk that Ortac SK's entitlement to the Kremnica Mining Territory could be held to be limited to underground operations only.</li> <li>• There are no environmental protected areas in the vicinity of the project resource area, except a protected lime tree situated close to the Leopold Shaft, adjacent to the monument commemorating the visit by Emperor Joseph II to Kremnica. Permission can be obtained to fell the tree if necessary, from the Provincial Environmental Office in Banska Bystrica.</li> <li>• It appears that a significant part of the Kremnica Mining Licence is covered by a heritage conservation area. This is not surprising given the extensive mining history throughout this area. The previous owners Arc Minerals Ltd used this fact to their advantage by establishing the Andrej Kremnica Mining Museum, whose two main attractions are the Ludavika Shaft Building and the Andrej Adit, which was established in 1982 by the State to access the main quartz vein mineralisation. As a result, various requirements under the applicable regulations in the area of heritage protection must be complied with. Further investigation needs to be completed to understand the effect this Heritage Protection will have on any proposed mining activities.</li> <li>• There is one registered environmental burden located in the Kremnica Mining Territory with registration number SK/EZ/ZH/2129. This environmental burden relates to the processing facilities including the historic waste dumps that are situated immediately next to the Arc Minerals operation office/Andrej Kremnica Mining Museum. It is categorized "only" as a potential (probable) environmental burden as no significant contamination/acid rock drainage (ARD) effects have been reported concerning these historic mining remnants.</li> <li>• There is risk concerning the further development of the Sturec Gold Project due to the historic social and environmental opposition to the development of a mining operation in this area. The opposition is believed to be</li> </ul>

Criteria	JORC Code Explanation	Details
		<p>the result of two main factors: previous development plans utilised cyanide ore processing; and previous development plans involved digging a large open pit in relatively proximity to the township of Kremnica.</p> <ul style="list-style-type: none"> <li>○ To minimise the first risk, MetalsTech is investigating alternative gold processing methods, especially Thiosulphate Leaching, which has previously been used quite successfully on Sturec ore samples during metallurgical test work in 2014. Also, in 2014 the CSIRO successfully collaborated with Barrick Gold Corp. to implement Thiosulphate ore processing technology on the Goldstrike Mine in Nevada, USA, which now produces approximately 350,000 ounces of gold per annum for Barrick and Newmont Goldcorp Corp; proving that this technology can be utilised economically and at significant scale.</li> <li>○ To minimise the second risk, MetalsTech intends to put in place a comprehensive project stakeholder engagement programme to attempt to understand and mitigate their concerns about the development of a mining operation on the Sturec Gold Project. Also, the full suite of benefits to the country and local communities that will arise from the Sturec Gold Project (such as job creation, training, capital investment, revenue generation, procurement of goods and services locally, and community development initiatives) need to be properly communicated to project stakeholders, so that that they can use this to motivate/ justify the project in project-approval processes.</li> </ul>
<p><b>Exploration done by other parties</b></p>	<p>• <i>Acknowledgment and appraisal of exploration by other parties.</i></p>	<ul style="list-style-type: none"> <li>• Many exploration companies have previously explored the Sturec Gold Project and the surrounding areas. The details of the exploration history are outlined below: <ul style="list-style-type: none"> <li>○ The Slovak Geological Survey carried out extensive exploration in the Sturec area from 1981 to 1987, including extensive adit and cross-cut development within the Sturec zone.</li> <li>○ Rudne Bane operated the open-pit mine at Sturec from 1987 to 1992 and produced 50,028t of ore averaging 1.54g/t Au. During this time, Rudne Bane conducted underground sampling of the larger mineralised portions of the Sturec deposit (40 channels for 3,149 individual samples) and 12 underground fan drill holes (for 425.3m) into the northern-most known limits of the deposit. A total of 266 sample intervals were assayed for gold and silver.</li> <li>○ Kremnica Banská Spolocnost (KBS), an investment company composed of former mine managers, obtained the title to the Kremnica Mining Lease (MHD-D.P. 12) from the Slovak government on 1 April 1995. In 1995, Argosy Mining Corporation (Argosy) of Vancouver formed a 100% owned Slovak Subsidiary, Argosy Slovakia s.r.o., which entered into a joint venture with KBS on 6 October 1995. Argosy Slovakia purchased KBS' share of the joint venture on 24 April 1997 to control 100% of the mining licence through its subsidiary, Kremnica Gold a.s. Argosy completed a core drilling programme in 1996 and a combined core and reverse-circulation (RC) drilling programme in 1997. This core/RC program totalled 79 holes for 12,306m; 9,382.4m of which was into the Sturec Deposit area.</li> <li>○ In July 2003, Tournigan Gold Corporation (Tournigan) acquired the rights to the Sturec Project by purchasing Kremnica Gold a.s. from Argosy. Tournigan then completed 104 diamond core and RC drill holes for ~14,000m over the period 2004 to 2008. The majority of these holes were into the Sturec Deposit, but adjacent areas were also explored. In the summer and autumn of 2005, Tournigan executed a 36-hole program of RC drilling as infill of Argosy's and Tournigan's earlier core drilling programs into the Sturec Deposit. Tournigan also drilled five additional holes as twins of Argosy's previous core holes. This drilling resulted in the deposit being drilled off on approximate 50-metre centres (earlier drilling had been on approximately 100 x 50 metre centres). The RC program results confirmed the geology and ore outlines that were previously established by core drilling (e.g., rock types and alteration, location of zones of oxidation, location of ore-bearing veins and stockworks, hanging walls, footwalls, thicknesses, strikes, dips, and grades). The holes and assay results were displayed on cross-sections and recorded on logs. Samples were collected at 1-meter intervals under the immediate supervision of a geologist, sealed in plastic bags, and</li> </ul> </li> </ul>

Criteria	JORC Code Explanation	Details																																								
		<p>submitted for analysis and check analyses according to the required formal protocols. The holes were logged on site by the drill geologists and again in the laboratory where qualitative samples were taken and inventoried as geological reference samples. The bulk rejects from these RC samples are stored at the operational offices at the Andrej Mining Museum. Tournigan also completed nine bench channel surveys incorporating a total of 317 sample intervals. In 2004, Tournigan also conducted an 11-hole diamond drilling programme north of Sturec at the Wolf and Vratislav prospects.</p> <ul style="list-style-type: none"> <li>Ortac Resources (now Arc Mineral Limited) acquired the project in 2009. Since 2009 till MetalsTech acquired the project from them in February 2020, Ortac drilled 13 core holes for 2,771.7m within the Sturec Deposit area.</li> </ul>																																								
<b>Geology</b>	<ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul>	<ul style="list-style-type: none"> <li>The Sturec Gold Project is located in the Central Slovakia Volcanic Area in the Kremnica Mountains of the Western Carpathians. The Central Slovakia Volcanic Field hosts several Ag-Au epithermal vein-type deposits including Banská Štiavnica, Kremnica, Hodruša-Hámre, and Nová Bana, which were important sources of precious and base metals in the past. The area is characterised by Tertiary pyroxene-amphibole andesite flows and tuffs of the Zlata Studna Formation. The andesites are underlain by Mesozoic limestone. Deep-seated structures and faults within the pre-Tertiary basement interpreted to be extensional Horst and Graben in style, focussed sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth and associated mesothermal mineralising events, which were then overprinted by the epithermal precious metal mineralisation. In the Kremnica area, the structure is controlled by a 6-7km long, N-S trending horst, known as the Kremnica Horst Structure, which is interpreted to be the result of the sub-volcanic intrusions of gabbrodiorite, diorite, diorite porphyry, and minor quartz-diorite porphyry at depth causing this zone to be uplifted relative to the two graben structures to either side.</li> <li>The Sturec Gold Project mineralisation is classified as a low-sulphidation epithermal Ag-Au deposit type and is interpreted to have formed from low-salinity fluids composed of a mixture of meteoric and magmatic waters at temperatures mostly between ~270 to 190 °C. The mineralisation is hosted by quartz-dolomite veins also containing adularia, sericite, illite and chalcedony that cut through Neogene propylitised (low pressure/low to medium temperature hydrothermal alteration) andesites of the Kremnica stratovolcano. The hydrothermal alteration from the veins outwards consists of silicification and potassic-metasomatism (adularia), propylitization and argillisation. Vein styles include large banded to massive quartz veins, smaller quartz veins and sheeted veins, quartz stockwork veining and silicified hydrothermal breccias.</li> </ul>																																								
<b>Drill hole Information</b>	<ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> <li>easting and northing of the drill hole collar</li> <li>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>dip and azimuth of the hole</li> <li>down hole length and interception depth</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Drill collar details:</li> </ul> <table border="1"> <thead> <tr> <th>Drill hole name</th> <th>Easting (m)</th> <th>Northing (m)</th> <th>RL (m)</th> <th>Datum</th> <th>Azi (°TN)</th> <th>Dip (°)</th> <th>EOH Depth (m)</th> </tr> </thead> <tbody> <tr> <td>UGA-01</td> <td>-435,852</td> <td>-1,230,204</td> <td>656</td> <td>S-JTSK/ Krovak</td> <td>017</td> <td>-53</td> <td>346.05</td> </tr> <tr> <td>UGA-02</td> <td>-435,852</td> <td>-1,230,204</td> <td>656</td> <td>S-JTSK/ Krovak</td> <td>022</td> <td>-46</td> <td>293.46</td> </tr> <tr> <td>UGA-03</td> <td>-435,852</td> <td>-1,230,204</td> <td>656</td> <td>S-JTSK/ Krovak</td> <td>007</td> <td>-45</td> <td>287.25</td> </tr> <tr> <td>UGA-04</td> <td>-435,852</td> <td>-1,230,204</td> <td>656</td> <td>S-JTSK/ Krovak</td> <td>297</td> <td>-80</td> <td>140.90</td> </tr> </tbody> </table>	Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH Depth (m)	UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05	UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46	UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25	UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90
Drill hole name	Easting (m)	Northing (m)	RL (m)	Datum	Azi (°TN)	Dip (°)	EOH Depth (m)																																			
UGA-01	-435,852	-1,230,204	656	S-JTSK/ Krovak	017	-53	346.05																																			
UGA-02	-435,852	-1,230,204	656	S-JTSK/ Krovak	022	-46	293.46																																			
UGA-03	-435,852	-1,230,204	656	S-JTSK/ Krovak	007	-45	287.25																																			
UGA-04	-435,852	-1,230,204	656	S-JTSK/ Krovak	297	-80	140.90																																			

Criteria	JORC Code Explanation	Details																															
	<ul style="list-style-type: none"> <li>hole length.</li> <li>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	UGA-05	-435,852	-1,230,204	656	S-JTSK/ Krovak	200	-60	140.46																								
		UGA-06	-435,852	-1,230,204	656	S-JTSK/ Krovak	344	-60	116.50																								
		UGA-07	-435,852	-1,230,204	656	S-JTSK/ Krovak	350	-70	130.1																								
		UGA-08	-435,852	-1,230,204	656	S-JTSK/ Krovak	265	-85	151.1																								
		UGA-09	-435,852	-1,230,204	656	S-JTSK/ Krovak	195	-80	190.2																								
		UGA-10	-435,852	-1,230,204	656	S-JTSK/ Krovak	195	-50	164.5																								
		UGA-11	-435,852	-1,230,204	656	S-JTSK/ Krovak	340	-85	250.80																								
		UGA-12	-435,852	-1,230,204	656	S-JTSK/ Krovak	350	-50	106.00																								
		UGA-13	-435,852	-1,230,204	656	S-JTSK/ Krovak	190	-30	288.04																								
		UGA-14	-435,852	-1,230,204	656	S-JTSK/ Krovak	195	-35	165.50																								
		UGA-15	-435,852	-1,230,204	656	S-JTSK/ Krovak	000/360	-40	134.40																								
		UGA-16	-435,852	-1,230,204	656	S-JTSK/ Krovak	000/360	-60	183.30																								
		UGA-17	-435,852	-1,230,270	656	S-JTSK/ Krovak	270	-70	109.35m																								
		UGA-18	-435,852	-1,230,270	656	S-JTSK/ Krovak	230	-55	104.65m																								
		UGA-19	-435,852	-1,230,270	656.96	S-JTSK/ Krovak	210	-30	101.6m																								
		UGA-20	-435,852	-1,230,270	656.96	S-JTSK/ Krovak	205	-45	140.5m																								
		UGA-21	-435,852	-1,230,270	656.96	S-JTSK/ Krovak	205	-65	178.2m																								
		UGA-22	-435,852	-1,230,270	656.96	S-JTSK/ Krovak	200	-35	143.3m																								
		<ul style="list-style-type: none"> <li>Summary table of significant drill hole intersections so far:</li> </ul>																															
		<table border="1"> <thead> <tr> <th>Hole</th> <th>Width (m) (Down hole depth)</th> <th></th> <th>Au g/t</th> <th>Ag g/t</th> <th>From (m) (Down hole depth)</th> <th>To (m) (Down hole depth)</th> <th>Cut-off (%)</th> </tr> </thead> <tbody> <tr> <td>UGA-22</td> <td>105.30</td> <td>@</td> <td>0.55</td> <td>3.2</td> <td>38.00</td> <td>143.30</td> <td>0.25g/t Au cut-off and max. 7m continuous internal dilution</td> </tr> <tr> <td colspan="7" style="text-align: center;">including</td> <td></td> </tr> </tbody> </table>								Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)	UGA-22	105.30	@	0.55	3.2	38.00	143.30	0.25g/t Au cut-off and max. 7m continuous internal dilution	including							
Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)																										
UGA-22	105.30	@	0.55	3.2	38.00	143.30	0.25g/t Au cut-off and max. 7m continuous internal dilution																										
including																																	

Criteria	JORC Code Explanation	Details								
			22.00	@	0.80	5.7	99.00	121.00	0.5g/t Au cut-off and 2m internal dilution	
			and							
			13.00	@	1.28	2.4	130.00	143.30	0.3g/t Au cut-off and max. 4m continuous internal dilution	
			including							
		3.00	@	4.42	5.2	130.00	133.00	0.5g/t Au cut-off and no internal dilution		
		UGA-21	98.00	@	0.55	3.4	60.00	158.00	0.25g/t Au cut-off and max. 10m continuous internal dilution	
			including							
			2.00	@	3.37	6.1	60.00	62.00	1g/t Au cut-off and no internal dilution	
			and							
			2.00	@	2.38	2.3	93.00	95.00	0.5g/t Au cut-off and no internal dilution	
			and							
			6.00	@	1.10	5.6	110.00	116.00	0.5g/t Au cut-off and 2m internal dilution	
			and							
			4.00	@	1.34	6.0	137.00	141.00	0.5g/t Au cut-off and 2m internal dilution	
			and							
		9.00	@	1.03	4.1	149.00	158.00	0.5g/t Au cut-off and no internal dilution		
		UGA-20	61.00	@	0.97	12.3	55.00	116.00	0.25g/t Au cut-off and max. 5m continuous internal dilution	
			including							
			19.00	@	2.07	29.1	77.00	96.00	1g/t Au cut-off and 4m internal dilution	
			including							
			15.00	@	2.24	34.3	77.00	92.00	1.5g/t Au cut-off and max. 4m continuous internal dilution	
			including							
		2.00	@	4.68	150.8	77.00	79.00	2g/t Au cut-off and no internal dilution		



Criteria	JORC Code Explanation	Details							
		and							
		2.00	@	3.91	20.7	83.00	85.00	2g/t Au cut-off and no internal dilution	
		and							
		UGA-19	68.00	@	0.43	4.3	19.00	87.00	0.26g/t Au cut-off and max. 6m continuous internal dilution
			including						
			6.00	@	1.07	1.7	19.00	25.00	0.3g/t Au cut-off and 3m continuous internal dilution
			and						
			3.00	@	1.23	15.4	33.00	36.00	0.3g/t Au cut-off and no internal dilution
			and						
			2.00	@	0.93	8.0	49.00	51.00	0.3g/t Au cut-off and no internal dilution
		and							
		1.00	@	4.08	46.4	77.00	78.00	1g/t Au cut-off and no internal dilution	
		Hole	Width (m) (Down hole depth)		Au g/t	Ag g/t	From (m) (Down hole depth)	To (m) (Down hole depth)	Cut-off (%)
		UGA-18	38.00	@	17.72	17.6	44.00	82.00	0.26g/t Au cut-off, no top cut and max. 7m continuous internal dilution
			including						
			18.00	@	36.96	30.6	64.00	82.00	0.5g/t Au cut-off, no top cut and max. 5m continuous internal dilution
			including						
			6.00	@	109.82	81.7	76.00	82.00	1g/t Au cut-off, no top cut and max. 3m continuous internal dilution
		including							
1.00	@	646.00	459.0	81.00	82.00				
UGA-17	45.00	@	2.65	10.4	52.00	97.00	0.26g/t Au cut-off, no top cut and max. 2m continuous internal dilution		

Criteria	JORC Code Explanation	Details							
		including							
		35.00	@	3.31	12.3	60.00	95.00	1g/t Au cut-off, no top cut and max. 5m continuous internal dilution	
		including							
		19.00	@	5.08	12.9	67.00	86.00	2g/t Au cut-off, no top cut and max. 3m continuous internal dilution	
		UGA-16	126.00	@	5.31	7.3	1.00	127.00	0.26g/t Au cut-off, no top cut and max. 7m continuous internal dilution
			including						
			70.00	@	9.23	7.8	40.00	110.00	0.5g/t Au cut-off, no top cut and max. 7m continuous internal dilution
			including						
			1.00	@	584.00	333.0	41.00	42.00	
			and						
		2.00	@	13.94	14.9	106.00	108.00	1g/t Au cut-off and no internal dilution	
		UGA-15	124.00	@	1.47	11.6	3.00	127.00	0.26g/t Au cut-off and max. 6m continuous internal dilution
			including						
			14.00	@	2.70	27.5	17.00	31.00	1g/t Au cut-off and 4m internal dilution
			and						
			3.00	@	3.75	9.5	52.00	55.00	0.5g/t Au cut-off and no internal dilution
			and						
			7.00	@	7.97	25.3	64.00	71.00	1g/t Au cut-off and 1m internal dilution
		and							
		9.00	@	3.77	16.4	93.00	102.00	0.5g/t Au cut-off and 2m internal dilution	
UGA-14	108.00	@	2.22	7.6	26.00	134.00	0.2g/t Au cut-off and max. 7m continuous internal dilution		

Criteria	JORC Code Explanation	Details								
			63.00	@	3.53	9.6	71.00	134.00	0.3g/t Au cut-off and 9m internal dilution	
			42.00	@	4.98	11.9	91.00	133.00	1g/t Au cut-off and max. 5m continuous internal dilution	
			including							
			10.00	@	16.98	26.4	95.00	105.00	2g/t Au cut-off and 2m internal dilution	
		UGA-13		2.00	@	1.74	3.5	78.00	80.00	0.26g/t Au cut-off and no internal dilution
				4.00	@	0.61	3.3	99.00	103.00	0.26g/t Au cut-off and no internal dilution
				3.00	@	0.82	8.5	132.00	135.00	0.26g/t Au cut-off and no internal dilution
				19.00	@	4.25	3.7	152.00	171.00	0.26g/t Au cut-off and max. 5m continuous internal dilution
				including						
			5.00	@	14.90	6.1	157.00	162.00	0.5g/t Au cut-off and 2m internal dilution	
			10.00	@	0.85	3.0	204.00	214.00	0.26g/t Au cut-off and 3m internal dilution	
		UGA-11		111.00	@	0.96	5.4	15.00	126.00	0.2g/t Au cut-off and max. 7m continuous internal dilution
	including									
	19.00		@	4.23	17.2	107.00	126.00	1g/t Au cut-off and 5m internal dilution		
	including									
	6.00	@	8.39	21.0	117.00	123.00	3g/t Au cut-off and 3m internal dilution			
UGA-08	137.00	@	0.60	1.2	0.00	137.00	0.2g/t Au cut-off and max. 3m continuous internal dilution			

Criteria	JORC Code Explanation	Details							
		including							
		15.00	@	1.21	13.0	0.00	15.00	0.5g/t Au cut-off and max. 4m continuous internal dilution	
		and							
		5.00	@	1.22	15.3	32.0	37.00	0.5g/t Au cut-off and 1m internal dilution	
		and							
		5.00	@	4.48	5.2	87.00	92.00	0.3g/t Au cut-off and 3m internal dilution	
		and							
		5.00	@	1.06	4.5	126.00	131.00	0.5g/t Au cut-off and no internal dilution	
		and							
		2.00	@	1.22	2.7	135.00	137.00	0.5g/t Au cut-off and no internal dilution	
		UGA-12	81.00	@	1.90	10.3	17.00	98.00	0.26g/t Au cut-off and max. 5m continuous internal dilution
			including						
			35.00	@	3.73	11.6	63.00	97.00	0.5g/t Au cut-off and max. 6m continuous internal dilution
			including						
		UGA-10	2.00	@	2.44	20.5	22.00	24.00	0.26g/t Au cut-off and no internal dilution
			including						
			6.00	@	0.89	4.2	56.00	62.00	0.26g/t Au cut-off and 2m internal dilution
			including						
			3.00	@	1.28	4.0	56.00	59.00	0.5g/t Au cut-off and 1m internal dilution
			including						
			60.00	@	1.03	5.2	83.00	143.00	0.3g/t Au cut-off and max. 3m continuous internal dilution
		including							

Criteria	JORC Code Explanation	Details								
			6.00	@	1.73	9.0	83.00	89.00	0.5g/t Au cut-off and no internal dilution	
			and							
			3.00	@	1.85	4.5	108.00	111.00	0.5g/t Au cut-off and no internal dilution	
			and							
			13.00	@	2.06	6.3	123.00	136.00	0.5g/t Au cut-off and max. 1m continuous internal dilution	
			including							
		2.00	@	5.87	2.3	134.00	136.00	1g/t Au cut-off and no internal dilution		
		UGA-09	5.00	@	0.64	5.6	16.00	21.00	0.26g/t Au cut-off and 3m internal dilution	
			and							
			4.00	@	0.55	4.9	32.00	36.00	0.26g/t Au cut-off and 2m internal dilution	
			and							
			2.00	@	2.38	3.0	46.00	48.00	0.26g/t Au cut-off and no internal dilution	
			and							
			2.00	@	0.84	14.4	61.00	63.00	0.26g/t Au cut-off and no internal dilution	
			and							
			21.00	@	0.96	3.6	86.00	107.00	0.26g/t Au cut-off and max. 2m continuous internal dilution	
			including							
		7.00	@	2.24	6.0	100.00	107.00	0.5g/t Au cut-off and 2m internal dilution		
		including								
		4.00	@	3.31	9.0	103.00	107.00	1g/t Au cut-off and 1m internal dilution		
		UGA-07	112.00	@	0.87	7.7	16.00	128.00	0.26g/t Au cut-off and max. 5m continuous internal dilution	
including										
24.00	@		2.28	11.5	17.00	41.00	0.5g/t Au cut-off and max. 7m continuous internal dilution			



Criteria	JORC Code Explanation	Details						
		including						
		4.00	@	10.86	36.2	34.00	38.00	1g/t Au cut-off and 2m internal dilution
		and						
		5.00	@	1.11	5.2	92.00	97.00	0.5g/t Au cut-off and 1m internal dilution
		and						
		3.00	@	1.57	5.0	112.00	115.00	0.5g/t Au cut-off and no internal dilution
		including						
		70.00	@	3.43	14.7	33.00	103.00	0.26g/t Au cut-off and max. 6m continuous internal dilution
		including						
		5.00	@	5.52	19.9	36.00	41.00	1g/t Au cut-off and no internal dilution
		and						
		8.00	@	8.55	22.5	56.00	64.00	2g/t Au cut-off and 1m internal dilution
		and						
		5.00	@	4.81	36.4	75.00	80.00	2g/t Au cut-off and 3m internal dilution
		and						
		4.00	@	22.81	37.4	98.00	102.00	2g/t Au cut-off and no internal dilution
		including						
		32.00	@	4.62	17.5	70.00	102.00	0.26g/t Au cut-off and max. 3m continuous internal dilution
		including						
		9.00	@	14.53	48.2	90.00	99.00	2g/t Au cut-off and 3m internal dilution
		including						
90.00	@	3.88	13.9	0.00	90.00	0.26g/t Au cut-off and max. 6m continuous internal dilution		
including								
9.00	@	11.66	62.3	14.00	23.00	2g/t Au cut-off and 1m internal dilution		
and								
6.00	@	33.76	36.2	43.00	49.00	1g/t Au cut-off and no internal dilution		

Criteria	JORC Code Explanation	Details							
		UGA-03	73.00	@	2.14	8.8	211.00	284.00	0.26g/t Au cut-off and max. 3m continuous internal dilution, including a 1.39m historic mining void
			including						
			31.61	@	3.76	11.0	248.00	279.61	0.5g/t Au cut-off and max. 2m continuous internal dilution
			including						
			24.00	@	4.74	13.4	252.00	276.00	1g/t Au cut-off and max. 3m continuous internal dilution
			including						
			15.00	@	6.70	15.3	252.00	267.00	2g/t Au cut-off and max. 3m continuous internal dilution
			including						
		7.00	@	11.65	24.7	260.00	267.00	5g/t Au cut-off and max. 1m continuous internal dilution	
		UGA-02	7.90	@	0.58	9.2	0.10	7.80	0.26g/t Au cut-off and max. 3m continuous internal dilution
			and						
			9.00	@	0.94	6.5	17.00	26.00	0.26g/t Au cut-off and max. 2m continuous internal dilution
			including						
			4.00	@	1.52	10.2	17.00	21.00	0.5g/t Au cut-off and max. 1m continuous internal dilution
			5.00	@	0.91	13.7	46.00	51.00	0.5g/t Au cut-off and max. 2m continuous internal dilution
			8.00	@	0.92	5.0	92.00	97.00	0.5g/t Au cut-off and max. 2m internal dilution
26.00	@	1.20	5.8	111.00	137.00	0.5g/t Au cut-off and max. 2m internal dilution			
including									
7.00	@	1.60	4.3	111.00	118.00	1g/t Au cut-off and max. 2m continuous internal dilution			
and									



Criteria	JORC Code Explanation	Details																																																																																																			
		<table border="1"> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>16.00</td> <td>@</td> <td>0.76</td> <td>4.1</td> <td>206.00</td> <td>222.00</td> <td colspan="2">0.26g/t Au cut-off and max. 3m continuous internal dilution</td> </tr> <tr> <td colspan="8" style="text-align: center;">including</td> </tr> <tr> <td>6.00</td> <td>@</td> <td>1.32</td> <td>6.3</td> <td>216.00</td> <td>222.00</td> <td colspan="2">0.5g/t Au cut-off and max. 1m continuous internal dilution</td> </tr> <tr> <td colspan="8" style="text-align: center;">including</td> </tr> <tr> <td>10.00</td> <td>@</td> <td>1.47</td> <td>9.7</td> <td>234.00</td> <td>244.00</td> <td colspan="2">0.5g/t Au cut-off and max. 2m continuous internal dilution</td> </tr> </table>									16.00	@	0.76	4.1	206.00	222.00	0.26g/t Au cut-off and max. 3m continuous internal dilution		including								6.00	@	1.32	6.3	216.00	222.00	0.5g/t Au cut-off and max. 1m continuous internal dilution		including								10.00	@	1.47	9.7	234.00	244.00	0.5g/t Au cut-off and max. 2m continuous internal dilution																																																				
16.00	@	0.76	4.1	206.00	222.00	0.26g/t Au cut-off and max. 3m continuous internal dilution																																																																																															
including																																																																																																					
6.00	@	1.32	6.3	216.00	222.00	0.5g/t Au cut-off and max. 1m continuous internal dilution																																																																																															
including																																																																																																					
10.00	@	1.47	9.7	234.00	244.00	0.5g/t Au cut-off and max. 2m continuous internal dilution																																																																																															
<b>Data aggregation methods</b>	<ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<ul style="list-style-type: none"> <li>All cut-off grades are reported.</li> <li>No top cut has been applied.</li> <li>The lower gold grade, larger intervals have been selected using a gold cut-off grade similar to the cut-off grade utilised for the Sturec Gold Project JORC 2012 Mineral Resource. While the higher gold grade, shorter intervals have been selected utilising incrementally increasing gold cut-off grades in order to visualise the mineralisation at a range of gold cut-off grades, which may be utilised in the future if the mineralisation needs to be high graded in order to support feasibility studies into the smaller, higher grade open pit mining or the possibility of being subjected to underground mining.</li> <li>Weighted means for each interval are calculated by: First multiply each of the widths of the individual sample intervals within the significant intersection by the assay result (Au g/t or Ag g/t) of each individual sample. Then sum all these values and divide by the overall width (m) of the significant intersection.</li> <li>Internal dilution was allowed as long as the aggregate weighted mean grade from the footwall or hangingwall side of the mineralised interval to the end of the dilution zone does not fall below the cut-off grade.</li> <li>Example of weighted mean calculation and treatment of internal dilution.</li> </ul>																																																																																																			
		<table border="1"> <thead> <tr> <th>Hole</th> <th>From (m)</th> <th>To (m)</th> <th>Interval (m)</th> <th>Sample Nr</th> <th>Au ppm (Au-AA26)</th> <th>Au g/t* interval</th> <th>Ag ppm (ME-ICP61)</th> <th>Ag g/t* interval</th> </tr> </thead> <tbody> <tr> <td>UGA-01</td> <td>234</td> <td>235</td> <td>1</td> <td>M294307</td> <td>4.23</td> <td>4.23</td> <td>44</td> <td>44</td> </tr> <tr> <td>UGA-01</td> <td>235</td> <td>236</td> <td>1</td> <td>M294308</td> <td>0.34</td> <td>0.34</td> <td>4.4</td> <td>4.4</td> </tr> <tr> <td>UGA-01</td> <td>236</td> <td>237</td> <td>1</td> <td>M294309</td> <td>0.5</td> <td>0.5</td> <td>5</td> <td>5</td> </tr> <tr> <td>UGA-01</td> <td>237</td> <td>238</td> <td>1</td> <td>M294310</td> <td>0.65</td> <td>0.65</td> <td>3.9</td> <td>3.9</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.27</td> <td></td> <td></td> <td></td> </tr> <tr> <td>UGA-01</td> <td>238</td> <td>239</td> <td>1</td> <td>M294312</td> <td></td> <td>0.27</td> <td>4.2</td> <td>4.2</td> </tr> <tr> <td>UGA-01</td> <td>239</td> <td>240</td> <td>1</td> <td>M294313</td> <td>0.2</td> <td>0.2</td> <td>3.3</td> <td>3.3</td> </tr> <tr> <td>UGA-01</td> <td>240</td> <td>241</td> <td>1</td> <td>M294314</td> <td>0.8</td> <td>0.8</td> <td>7</td> <td>7</td> </tr> <tr> <td>UGA-01</td> <td>241</td> <td>242</td> <td>1</td> <td>M294315</td> <td>0.44</td> <td>0.44</td> <td>2.6</td> <td>2.6</td> </tr> <tr> <td>UGA-01</td> <td>242</td> <td>243</td> <td>1</td> <td>M294316</td> <td>0.5</td> <td>0.5</td> <td>1.9</td> <td>1.9</td> </tr> </tbody> </table>	Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au ppm (Au-AA26)	Au g/t* interval	Ag ppm (ME-ICP61)	Ag g/t* interval	UGA-01	234	235	1	M294307	4.23	4.23	44	44	UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4	UGA-01	236	237	1	M294309	0.5	0.5	5	5	UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9						0.27				UGA-01	238	239	1	M294312		0.27	4.2	4.2	UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3	UGA-01	240	241	1	M294314	0.8	0.8	7	7	UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6	UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9
Hole	From (m)	To (m)	Interval (m)	Sample Nr	Au ppm (Au-AA26)	Au g/t* interval	Ag ppm (ME-ICP61)	Ag g/t* interval																																																																																													
UGA-01	234	235	1	M294307	4.23	4.23	44	44																																																																																													
UGA-01	235	236	1	M294308	0.34	0.34	4.4	4.4																																																																																													
UGA-01	236	237	1	M294309	0.5	0.5	5	5																																																																																													
UGA-01	237	238	1	M294310	0.65	0.65	3.9	3.9																																																																																													
					0.27																																																																																																
UGA-01	238	239	1	M294312		0.27	4.2	4.2																																																																																													
UGA-01	239	240	1	M294313	0.2	0.2	3.3	3.3																																																																																													
UGA-01	240	241	1	M294314	0.8	0.8	7	7																																																																																													
UGA-01	241	242	1	M294315	0.44	0.44	2.6	2.6																																																																																													
UGA-01	242	243	1	M294316	0.5	0.5	1.9	1.9																																																																																													

10 metres @  
1.47 g/t Au  
9.68 g/t Ag  
from 234m  
using a 0.5g/t Au  
cut-off with 2m of  
continuous  
internal dilution

Criteria	JORC Code Explanation	Details																																																																																																																														
		<table border="1"> <tr> <td>UGA-01</td> <td>243</td> <td>244</td> <td>1</td> <td>M294317</td> <td>6.76</td> <td>6.76</td> <td>20.5</td> <td>20.5</td> </tr> <tr> <td>UGA-02</td> <td>16</td> <td>17</td> <td>1</td> <td>M294480</td> <td>0.24</td> <td>0.24</td> <td>2.2</td> <td>2.2</td> </tr> <tr> <td>UGA-02</td> <td>17</td> <td>18</td> <td>1</td> <td>M294481</td> <td>0.62</td> <td>0.62</td> <td>20.2</td> <td>20.2</td> </tr> <tr> <td>UGA-02</td> <td>18</td> <td>19</td> <td>1</td> <td>M294482</td> <td>4.3</td> <td>4.3</td> <td>13.1</td> <td>13.1</td> </tr> <tr> <td>UGA-02</td> <td>19</td> <td>20</td> <td>1</td> <td>M294483</td> <td>0.41</td> <td>0.41</td> <td>2.9</td> <td>2.9</td> </tr> <tr> <td>UGA-02</td> <td>20</td> <td>21</td> <td>1</td> <td>M294484</td> <td>0.73</td> <td>0.73</td> <td>4.4</td> <td>4.4</td> </tr> <tr> <td>UGA-02</td> <td>21</td> <td>22</td> <td>1</td> <td>M294485</td> <td>0.06</td> <td>0.06</td> <td>1.6</td> <td>1.6</td> </tr> <tr> <td>UGA-02</td> <td>22</td> <td>23</td> <td>1</td> <td>M294486</td> <td>0.1</td> <td>0.1</td> <td>2</td> <td>2</td> </tr> <tr> <td>UGA-02</td> <td>23</td> <td>24</td> <td>1</td> <td>M294487</td> <td>1.14</td> <td>1.14</td> <td>4.3</td> <td>4.3</td> </tr> <tr> <td>UGA-02</td> <td>24</td> <td>25</td> <td>1</td> <td>M294488</td> <td>0.3</td> <td>0.3</td> <td>2.1</td> <td>2.1</td> </tr> <tr> <td>UGA-02</td> <td>25</td> <td>26</td> <td>1</td> <td>M294490</td> <td>0.79</td> <td>0.79</td> <td>7.5</td> <td>7.5</td> </tr> <tr> <td>UGA-02</td> <td>26</td> <td>27</td> <td>1</td> <td>M294491</td> <td>0.09</td> <td>0.09</td> <td>2</td> <td>2</td> </tr> <tr> <td>UGA-02</td> <td>27</td> <td>28</td> <td>1</td> <td>M294492</td> <td>0.06</td> <td>0.06</td> <td>1</td> <td>1</td> </tr> <tr> <td>UGA-02</td> <td>28</td> <td>29</td> <td>1</td> <td>M294493</td> <td>0.1</td> <td>0.1</td> <td>1.2</td> <td>1.2</td> </tr> </table> <p>9 metres @ 0.94 g/t Au 6.46 g/t Ag from 17m using a 0.26g/t Au cut-off with 2m of continuous internal dilution including 4 metres @ 1.52 g/t Au 10.15 g/t Ag from 17m using a 0.5g/t Au cut-off with 1m internal dilution</p>	UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5	UGA-02	16	17	1	M294480	0.24	0.24	2.2	2.2	UGA-02	17	18	1	M294481	0.62	0.62	20.2	20.2	UGA-02	18	19	1	M294482	4.3	4.3	13.1	13.1	UGA-02	19	20	1	M294483	0.41	0.41	2.9	2.9	UGA-02	20	21	1	M294484	0.73	0.73	4.4	4.4	UGA-02	21	22	1	M294485	0.06	0.06	1.6	1.6	UGA-02	22	23	1	M294486	0.1	0.1	2	2	UGA-02	23	24	1	M294487	1.14	1.14	4.3	4.3	UGA-02	24	25	1	M294488	0.3	0.3	2.1	2.1	UGA-02	25	26	1	M294490	0.79	0.79	7.5	7.5	UGA-02	26	27	1	M294491	0.09	0.09	2	2	UGA-02	27	28	1	M294492	0.06	0.06	1	1	UGA-02	28	29	1	M294493	0.1	0.1	1.2	1.2
UGA-01	243	244	1	M294317	6.76	6.76	20.5	20.5																																																																																																																								
UGA-02	16	17	1	M294480	0.24	0.24	2.2	2.2																																																																																																																								
UGA-02	17	18	1	M294481	0.62	0.62	20.2	20.2																																																																																																																								
UGA-02	18	19	1	M294482	4.3	4.3	13.1	13.1																																																																																																																								
UGA-02	19	20	1	M294483	0.41	0.41	2.9	2.9																																																																																																																								
UGA-02	20	21	1	M294484	0.73	0.73	4.4	4.4																																																																																																																								
UGA-02	21	22	1	M294485	0.06	0.06	1.6	1.6																																																																																																																								
UGA-02	22	23	1	M294486	0.1	0.1	2	2																																																																																																																								
UGA-02	23	24	1	M294487	1.14	1.14	4.3	4.3																																																																																																																								
UGA-02	24	25	1	M294488	0.3	0.3	2.1	2.1																																																																																																																								
UGA-02	25	26	1	M294490	0.79	0.79	7.5	7.5																																																																																																																								
UGA-02	26	27	1	M294491	0.09	0.09	2	2																																																																																																																								
UGA-02	27	28	1	M294492	0.06	0.06	1	1																																																																																																																								
UGA-02	28	29	1	M294493	0.1	0.1	1.2	1.2																																																																																																																								
<b>Relationship between mineralisation widths and intercept length</b>	<ul style="list-style-type: none"> <li>• These relationships are particularly important in the reporting of Exploration Results.</li> <li>• If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>• If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</li> </ul>	<ul style="list-style-type: none"> <li>• No metal equivalents have been quoted.</li> <li>• Generally, the drilling from the Andrej Adit is at an angle to the strike of the mineralisation. As the mineralisation zone strikes approximately north-south similar to the Andrej Adit, the closer the hole azimuth is to north or south, the smaller the true thickness will be compared of the intersection thickness.</li> <li>• 3D modelling of assay results obtained so far, suggest that in this part of the Sturec ore body, the true thickness of mineralisation is between 35-50m wide. The mineralisation is a funnel shape with the thicker zone towards the top and getting thinner at depth.</li> </ul>																																																																																																																														
<b>Diagrams</b>	<ul style="list-style-type: none"> <li>• Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole</li> </ul>	<ul style="list-style-type: none"> <li>• All relevant diagrams are reported in the body of this announcement.</li> </ul>																																																																																																																														

Criteria	JORC Code Explanation	Details
	<i>collar locations and appropriate sectional views.</i>	
<b>Balanced reporting</b>	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	<ul style="list-style-type: none"> <li>All exploration results have been reported.</li> </ul>
<b>Other substantive exploration data</b>	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	<ul style="list-style-type: none"> <li>Several metallurgical test work programs have been completed at independent laboratories confirming that the Sturec ore is amenable to industry-standard cyanide leaching processing for gold and silver. However, the use of cyanide for ore processing was banned in Slovakia in 2014.</li> <li>In response to the cyanide ban, several metallurgical test work programs assessing alternative processing methodologies have been completed on the ore from Sturec. The three most promising are: <ul style="list-style-type: none"> <li>Thiosulphate Leaching gold and silver extraction technology was investigated by the previous owners of the project (Arc Minerals Limited) between 2011-2014. The Thiosulphate Leaching test work results reported so far indicate that this alternate mineral processing methodology is generally applicable to the Sturec gold-silver ores. The most encouraging results came from the latest, Thiosulphate Leaching study completed in 2014 by CMC Chimie. In this study, Ammonium Thiosulphate leaching of the Sturec ore (10 batches of approximately 800kg each) produced a pregnant liquor that had a content of 3-8g/t Au and 10-25g/t Ag, which was then subjected to electrowinning and filtering/drying, producing a copper/gold/silver cement with an overall recovery of 90.5% for gold and 48.9% for silver. The resultant dry cement was approximately 1% gold-silver and about 50% copper. These results were used to justify the conclusion that Thiosulphate Leaching could be used as an alternative processing method to conventional cyanidation and that it was also more economically viable. These results are interpreted to indicate that a further, more detailed metallurgical test work investigation is warranted into this alternative processing method in order to underpin further economic analysis (scoping Study or PFS) of the Sturec Gold Project in light of Slovakia's ban on cyanidation mineral processing.</li> <li>In 2016-2017, Arc Minerals also investigated the Cycladex Process as another alternative to cyanidation. In this process a bromide-based solubilizing agent (lixiviant) leaches the ore creating potassium gold bromide (tetrabromoaurate: <math>\text{KAuBr}_4</math>). Then cyclodextrin, a commercially available corn-starch derivative, is added to the resultant pregnant liquor, which results in the spontaneous precipitation of crystals containing the gold. The gold is then released from the crystalline precipitate at high temperature using a furnace to yield solid gold metal. The Cycladex Process test work results reported indicate that this alternate mineral processing methodology is also generally applicable to the Sturec gold-silver ores and potentially cheaper than conventional cyanidation. These results are interpreted to indicate that further investigation is warranted into this alternative processing method and that a PFS-level metallurgical test work-study needs to be completed to underpin a revaluation of the 2013 PFS completed by SRK in light of Slovakia's ban on cyanidation mineral processing.</li> <li>As an alternative to onsite leaching, producing a gravity/floatation concentrate on site that could then be then further processed elsewhere (Austria/Belgium) has also been investigated. Gravity concentrate and floatation test work completed on 11 composite samples of Sturec ore found that gold recovery ranged from 64.1 to 93.9% and silver recovery ranged from 45.1 to 83.9%. This processing methodology is currently being used at Slovakia's only operating gold mine, which is of a very similar mineralisation style to Sturec; and so, there is a reasonable possibility it could also be used at Sturec. The main deterrents to this option are the cost of transporting this concentrate (obviously depending on the distance of the further processing facility) and the lower recovery of gold and silver (especially in fine ores). Further work needs to be done to better constrain the</li> </ul> </li> </ul>

Criteria	JORC Code Explanation	Details
		<p>metallurgical recovery of this processing methodology across the entire orebody, as well as understand the economic factors involved before an assessment of its suitability can be fully determined.</p> <ul style="list-style-type: none"> <li>• Groundwater and geotechnical investigations were completed in 2013. The groundwater monitoring results and geotechnical data were found to be adequate to interpret reasonable open pit slope angles for the various host rock types for the purposes of an open pit optimisation that was used as justification for a 'reasonable prospects of economic extraction' interpretation.</li> <li>• Concerning the groundwater, it has been interpreted that the most likely current situation is that the water table around the open pit area was drawn down due the dewatering through the 'Heritage Adits'; with the Main Heritage Adit being situated some 300m below and transporting the groundwater 15km away to where it eventually reaches the surface. It was interpreted that the dewatering had occurred to the level with or below the maximum depth of the proposed pit (~300m). However, the possibility that the dewatering was not as efficient as interpreted has also considered and it has been recommended that up to 6 permanent monitoring wells be installed on the western and eastern sides of the pit to the full depth of the proposed pit. The primary purpose of these wells is to determine if there is any spatial and temporal variation in groundwater levels around the pit.</li> <li>• Geotechnical investigations found that the stability of the open pit was significantly controlled by the degree of argillic alteration of the predominantly andesite rock mass found at Sturec (host rock of the quartz veining). The modelling suggested that the pit slope needed to be as low as 43° in the highly argillic altered/clay rock type but that a 50° pit slope was adequate in the other rock types.</li> <li>• The groundwater and geotechnical investigation results have been used to model a recommended open pit design that achieved an adequate Factor of Safety (FoS) of greater than 2.0.</li> </ul>
<p><b>Further work</b></p>	<ul style="list-style-type: none"> <li>• <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li>• <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>• There is good potential for the delineation of further gold mineralisation within the Sturec Gold Project area through exploration.</li> <li>• Prospects such as Wolf, Vratislav, Katerina, Volle Henne and South Ridge are interpreted to be areas where further Mineral Resources could be defined at Sturec. Significant gold-silver bearing quartz vein mineralisation has been identified and variably explored/mined at each of these prospects.</li> <li>• The most exciting and potentially valuable exploration potential though appears to be along strike/plunge to the south. When the Mineral Resource model is investigated, it is apparent that the ore body has a high-grade core that appears to be striking/plunging towards the south. The current exploration drilling has been designed to confirm whether or not this high-grade mineralisation continues to the south.</li> </ul>

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-19	0.00	1.00	1.00	M297980	0.14	1.2	6.99	158	630	1.1	2	0.29	<0.5	18	64	29	3.89	10	3.97	20	0.57	416	3
UGA-19	1.00	2.00	1.00	M297981	0.07	<0.5	7.12	164	450	1.1	<2	0.84	<0.5	22	66	34	5.1	20	4.32	20	1.26	802	2
UGA-19	2.00	3.00	1.00	M297982	0.23	0.8	6.91	207	470	1.1	<2	0.79	<0.5	21	66	32	5.62	10	4.27	20	1.4	927	2
UGA-19	3.00	4.00	1.00	M297983	0.32	3.6	7.7	400	430	1.2	<2	0.34	<0.5	18	70	40	4.33	20	3.78	30	0.61	416	7
UGA-19	4.00	5.00	1.00	M297984	0.25	2.6	7.06	280	420	1.1	<2	0.38	<0.5	19	63	35	5.64	10	3.88	30	0.99	700	9
UGA-19	5.00	6.00	1.00	M297985	0.14	1.4	6.84	152	610	1	<2	0.3	<0.5	14	65	26	2.98	10	3.8	20	0.4	228	5
UGA-19	6.00	7.00	1.00	M297986	0.19	2	6.85	188	520	1.2	<2	0.3	<0.5	17	65	25	3.08	10	3.89	20	0.51	221	10
UGA-19	7.00	8.00	1.00	M297987	0.18	1.5	6.43	236	290	1	<2	0.31	<0.5	16	68	26	3.71	10	3.85	20	0.67	302	6
UGA-19	8.00	9.00	1.00	M297988	0.13	1.1	6.23	186	150	1.2	<2	0.84	<0.5	18	58	32	4.58	10	4.01	20	1.09	449	4
UGA-19	9.00	10.00	1.00	M297989	0.15	2.4	5.97	239	210	1.1	<2	0.83	<0.5	15	59	30	4.43	10	4.04	20	1.03	362	4
UGA-19	10.00	11.00	1.00	M297991	0.14	2.8	6.48	301	380	1	<2	0.8	<0.5	18	62	38	4.29	10	4.1	20	0.76	236	5
UGA-19	11.00	12.00	1.00	M297992	0.07	1.2	6.58	139	400	1	<2	0.53	<0.5	18	64	28	3.94	10	3.8	20	0.62	213	2
UGA-19	12.00	13.00	1.00	M297993	0.18	1.9	6.31	170	400	1	<2	0.33	<0.5	18	61	25	4.26	10	4.56	20	0.56	208	6
UGA-19	13.00	14.00	1.00	M297994	0.07	0.7	6.78	88	500	1	3	1.07	<0.5	18	63	28	5.01	10	4	20	1.22	522	2
UGA-19	14.00	15.00	1.00	M297995	0.07	<0.5	7.05	73	500	1.1	3	2.54	<0.5	17	63	31	4.74	10	4.42	30	2.02	557	1
UGA-19	15.00	16.00	1.00	M297996	0.07	0.5	6.75	85	540	0.9	3	0.8	<0.5	18	64	29	4.31	10	4.58	20	1.22	379	2
UGA-19	16.00	17.00	1.00	M297997	0.07	0.7	6.79	89	530	0.9	<2	0.52	<0.5	18	67	34	4.19	10	4.08	20	1.11	328	3
UGA-19	17.00	18.00	1.00	M297998	0.06	<0.5	6.48	66	640	1	2	1.95	<0.5	15	61	29	4.94	10	4.69	20	2.06	553	2
UGA-19	18.00	19.00	1.00	M297999	0.04	<0.5	6.83	55	600	1	2	1.34	<0.5	16	63	39	4.23	10	4.11	20	1.61	422	2
UGA-19	19.00	20.00	1.00	M298001	1.28	4.2	6.32	439	560	0.9	<2	0.45	<0.5	16	60	54	4.8	20	4.13	20	1.6	377	9
UGA-19	20.00	21.00	1.00	M298002	0.4	1.2	6.76	142	430	0.9	<2	0.33	<0.5	18	61	46	4.51	20	4.83	20	1.77	344	3
UGA-19	21.00	22.00	1.00	M298004	0.07	0.6	6.94	82	370	1	4	0.6	<0.5	19	64	56	4.7	20	4.57	20	2.17	451	2
UGA-19	22.00	23.00	1.00	M298005	0.06	1	6.88	143	390	0.9	<2	0.42	<0.5	19	66	47	4.3	20	4.46	20	1.99	374	3
UGA-19	23.00	24.00	1.00	M298006	0.17	1.1	6.57	130	490	1	<2	0.3	<0.5	19	62	39	4.48	10	4.39	20	2.02	388	3
UGA-19	24.00	25.00	1.00	M298007	4.44	2.2	6.91	171	500	1	<2	0.59	<0.5	20	62	28	5.14	10	4.65	30	1.89	442	2
UGA-19	25.00	26.00	1.00	M298008	0.29	0.5	6.42	92	570	1	2	0.66	<0.5	16	59	28	4.58	10	4.4	20	1.74	414	2
UGA-19	26.00	27.00	1.00	M298009	0.08	0.6	6.27	139	510	1	<2	0.4	<0.5	17	58	25	4.93	10	4.72	20	1.78	542	2
UGA-19	27.00	28.00	1.00	M298010	0.19	2.4	6.14	247	470	1	<2	0.27	<0.5	18	59	25	4.4	10	4.35	20	1.45	286	11
UGA-19	28.00	29.00	1.00	M298011	0.2	1.6	6.59	114	640	1.3	<2	0.29	<0.5	16	60	29	3.71	10	4.78	20	1.39	259	4
UGA-19	29.00	30.00	1.00	M298012	0.25	1.6	6.2	140	630	1.1	<2	0.32	<0.5	19	59	27	4.14	10	4.57	20	1.04	399	3
UGA-19	30.00	31.00	1.00	M298013	0.1	1.5	6.78	137	550	1	<2	0.33	<0.5	23	62	35	4.76	10	4.89	20	1.17	877	5
UGA-19	31.00	32.00	1.00	M298014	0.1	1.3	7.14	118	580	1.2	<2	0.34	<0.5	19	67	36	4.26	10	4.75	30	1.04	533	4
UGA-19	32.00	33.00	1.00	M298015	0.2	6.3	5.85	398	640	1	<2	0.25	<0.5	13	62	26	2.75	10	4.73	20	0.26	73	7
UGA-19	33.00	34.00	1.00	M298016	1.28	24	1.92	176	180	0.6	<2	0.11	<0.5	4	44	32	2	<10	1.28	<10	0.08	127	4
UGA-19	34.00	35.00	1.00	M298018	2.04	17.1	2.19	283	210	0.6	<2	0.19	<0.5	7	71	19	2.78	10	1.5	10	0.26	185	12
UGA-19	35.00	36.00	1.00	M298019	0.36	5.1	5.65	281	740	0.9	<2	0.3	<0.5	14	62	25	3.03	10	4.65	20	0.33	109	5
UGA-19	36.00	37.00	1.00	M298021	0.14	4.2	6.19	1010	540	1.2	2	0.42	<0.5	22	64	27	5.66	10	4.56	20	1.35	649	6
UGA-19	37.00	38.00	1.00	M298022	0.13	3.4	6.02	797	410	1	<2	0.34	<0.5	20	63	28	5.18	10	4.07	20	1.38	420	5
UGA-19	38.00	39.00	1.00	M298023	0.1	2.1	6.94	387	660	1.1	<2	0.31	<0.5	20	69	35	4.8	20	5	20	1.85	401	3
UGA-19	39.00	40.00	1.00	M298024	0.08	3.2	6.71	366	730	1	3	0.32	<0.5	19	68	28	4.7	10	4.56	20	1.74	462	1
UGA-19	40.00	41.00	1.00	M298025	0.33	3.9	5.83	710	160	1	<2	0.54	<0.5	17	60	29	3.96	10	3.63	20	0.55	158	9
UGA-19	41.00	42.00	1.00	M298026	0.12	3.3	6.1	897	270	0.9	<2	0.54	<0.5	18	61	36	4.49	10	3.76	20	1.05	439	9
UGA-19	42.00	43.00	1.00	M298027	0.1	3	5.55	942	260	0.7	<2	0.4	<0.5	17	60	25	3.92	10	3.84	20	0.51	204	6
UGA-19	43.00	44.00	1.00	M298028	0.04	2.6	4.72	1160	160	0.6	<2	0.56	<0.5	14	52	20	5.55	<10	3.67	20	1.28	402	6
UGA-19	44.00	45.00	1.00	M298029	0.12	1.7	3.4	640	270	0.6	<2	0.95	<0.5	12	45	16	5.18	10	2.72	10	1.6	517	8
UGA-19	45.00	46.00	1.00	M298030	0.12	3.9	5.22	880	300	0.7	<2	0.8	<0.5	19	55	30	6.57	10	4.22	20	2.07	1040	3
UGA-19	46.00	47.00	1.00	M298031	0.11	2.9	4.17	873	250	0.6	<2	0.74	<0.5	13	46	18	5.84	10	3.53	20	1.65	615	4
UGA-19	47.00	48.00	1.00	M298032	0.28	5.8	4.37	1170	210	0.6	<2	0.54	<0.5	13	40	25	5.92	10	4.01	20	1.28	445	4
UGA-19	48.00	49.00	1.00	M298033	0.22	3.3	6.28	712	410	1.2	<2	0.57	<0.5	17	42	45	3.97	10	4.02	20	1.31	301	4
UGA-19	49.00	50.00	1.00	M298034	0.5	6.9	2.7	1900	320	0.7	<2	1.31	<0.5	7	35	11	3.92	10	1.86	10	0.91	293	10
UGA-19	50.00	51.00	1.00	M298035	1.35	9.1	1.82	783	150	0.7	<2	0.32	<0.5	4	53	10	2.85	<10	1.03	10	0.57	234	7
UGA-19	51.00	52.00	1.00	M298037	0.25	3.4	4.37	845	360	0.9	<2	0.3	<0.5	11	41	15	3.29	10	3.45	20	0.59	240	4
UGA-19	52.00	53.00	1.00	M298038	0.24	2.8	5.78	624	380	1.2	<2	0.35	<0.5	17	48	18	4.17	10	4.12	20	0.23	126	4



## Appendix 2 - All Assay Results

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	Au Total (+)(-) Combined ppm
UGA-19	0.00	1.00	1.00	M297980	0.04	11	1000	8	2.12	26	20	91	20	0.38	10	<10	139	10	60			
UGA-19	1.00	2.00	1.00	M297981	0.04	15	1010	9	2.11	27	21	89	20	0.38	10	<10	143	10	78			
UGA-19	2.00	3.00	1.00	M297982	0.04	17	960	7	2.14	30	21	96	<20	0.36	10	<10	141	10	91			
UGA-19	3.00	4.00	1.00	M297983	0.05	14	1150	10	2.7	81	22	108	20	0.41	10	<10	161	10	67			
UGA-19	4.00	5.00	1.00	M297984	0.04	13	1180	10	2.93	39	22	95	20	0.38	10	<10	152	10	85			
UGA-19	5.00	6.00	1.00	M297985	0.04	11	1110	8	2.11	23	20	102	20	0.37	10	<10	137	10	53			
UGA-19	6.00	7.00	1.00	M297986	0.04	11	1120	10	2.23	25	20	87	20	0.37	10	<10	140	10	52			
UGA-19	7.00	8.00	1.00	M297987	0.03	11	1020	9	2.39	29	19	54	<20	0.35	10	<10	130	10	56			
UGA-19	8.00	9.00	1.00	M297988	0.02	12	880	14	2.78	27	19	49	<20	0.34	<10	<10	134	10	71			
UGA-19	9.00	10.00	1.00	M297989	0.02	10	1050	7	3.06	31	18	57	<20	0.32	10	<10	133	10	61			
UGA-19	10.00	11.00	1.00	M297991	0.03	12	1000	8	3.64	39	19	71	<20	0.35	10	<10	131	10	55			
UGA-19	11.00	12.00	1.00	M297992	0.03	12	960	13	3.38	18	19	68	<20	0.36	10	<10	139	<10	47			
UGA-19	12.00	13.00	1.00	M297993	0.05	15	1030	8	3.53	27	19	63	<20	0.34	10	<10	133	10	51			
UGA-19	13.00	14.00	1.00	M297994	0.04	15	930	9	2.92	10	21	74	<20	0.35	<10	<10	142	10	79			
UGA-19	14.00	15.00	1.00	M297995	0.04	14	970	6	2.2	10	21	105	<20	0.37	<10	<10	135	10	67			
UGA-19	15.00	16.00	1.00	M297996	0.04	14	1020	8	2.31	15	20	92	<20	0.36	<10	<10	133	10	59			
UGA-19	16.00	17.00	1.00	M297997	0.04	11	1200	7	2.24	13	21	76	<20	0.37	10	<10	151	10	58			
UGA-19	17.00	18.00	1.00	M297998	0.06	12	970	8	1.91	12	20	99	<20	0.34	10	<10	132	10	65			
UGA-19	18.00	19.00	1.00	M297999	0.06	9	1010	9	1.74	10	20	91	<20	0.36	10	<10	129	10	62			
UGA-19	19.00	20.00	1.00	M298001	0.06	12	1180	9	2.57	63	19	72	<20	0.33	10	<10	135	10	65			
UGA-19	20.00	21.00	1.00	M298002	0.06	15	960	10	2.27	24	20	79	<20	0.35	<10	<10	135	10	65			
UGA-19	21.00	22.00	1.00	M298004	0.06	12	1080	7	2.05	18	21	71	<20	0.36	<10	<10	140	10	68			
UGA-19	22.00	23.00	1.00	M298005	0.05	12	1160	9	2.03	24	20	78	<20	0.37	<10	<10	144	10	64			
UGA-19	23.00	24.00	1.00	M298006	0.05	14	900	9	2.13	26	20	92	<20	0.35	10	<10	134	10	66			
UGA-19	24.00	25.00	1.00	M298007	0.06	15	930	11	2.9	26	22	111	<20	0.36	10	<10	142	<10	59			
UGA-19	25.00	26.00	1.00	M298008	0.06	11	680	10	2.46	12	20	95	<20	0.35	10	<10	133	<10	52			
UGA-19	26.00	27.00	1.00	M298009	0.06	16	830	7	2.37	23	19	84	<20	0.33	10	<10	125	10	54			
UGA-19	27.00	28.00	1.00	M298010	0.06	17	1170	10	2.76	46	17	95	<20	0.31	<10	<10	128	10	73			
UGA-19	28.00	29.00	1.00	M298011	0.07	15	1170	9	2.23	27	19	89	<20	0.34	<10	<10	132	<10	69			
UGA-19	29.00	30.00	1.00	M298012	0.06	17	1210	10	2.48	33	18	79	<20	0.33	<10	<10	130	<10	70			
UGA-19	30.00	31.00	1.00	M298013	0.06	18	1140	11	2.16	35	21	103	<20	0.35	10	<10	139	10	101			
UGA-19	31.00	32.00	1.00	M298014	0.07	16	1200	10	2.54	24	21	106	<20	0.38	10	<10	147	10	94			
UGA-19	32.00	33.00	1.00	M298015	0.05	9	1040	11	2.66	46	16	98	<20	0.3	10	<10	113	10	67			
UGA-19	33.00	34.00	1.00	M298016	0.03	4	410	6	1.27	109	4	39	<20	0.07	<10	<10	25	<10	53			
UGA-19	34.00	35.00	1.00	M298018	0.03	5	380	11	2.02	92	5	49	<20	0.1	<10	<10	32	<10	39			
UGA-19	35.00	36.00	1.00	M298019	0.05	9	1280	6	2.9	43	16	101	<20	0.3	10	<10	108	10	61			
UGA-19	36.00	37.00	1.00	M298021	0.06	17	1580	11	4.3	52	18	102	<20	0.32	10	<10	127	10	84			
UGA-19	37.00	38.00	1.00	M298022	0.06	16	1300	10	4.11	49	18	121	<20	0.32	10	<10	124	10	72			
UGA-19	38.00	39.00	1.00	M298023	0.1	17	1190	8	3.42	25	21	135	<20	0.37	10	<10	143	10	68			
UGA-19	39.00	40.00	1.00	M298024	0.11	15	1060	5	3.22	19	21	139	<20	0.36	10	<10	138	10	77			
UGA-19	40.00	41.00	1.00	M298025	0.05	13	2380	10	3.9	53	16	131	<20	0.3	10	<10	109	10	69			
UGA-19	41.00	42.00	1.00	M298026	0.06	14	2240	10	3.47	59	18	156	<20	0.33	10	<10	119	<10	74			
UGA-19	42.00	43.00	1.00	M298027	0.06	14	1760	7	3.61	49	15	132	<20	0.3	10	<10	102	10	68			
UGA-19	43.00	44.00	1.00	M298028	0.05	12	1640	7	4.52	59	14	126	<20	0.25	10	<10	75	10	63			
UGA-19	44.00	45.00	1.00	M298029	0.04	9	2830	7	3.84	58	10	83	<20	0.17	10	<10	63	<10	35			
UGA-19	45.00	46.00	1.00	M298030	0.05	16	1080	7	4.19	40	17	138	<20	0.27	10	<10	112	<10	83			
UGA-19	46.00	47.00	1.00	M298031	0.04	10	3210	6	3.68	55	11	93	<20	0.21	10	<10	60	10	52			
UGA-19	47.00	48.00	1.00	M298032	0.05	9	2300	8	4.53	53	12	76	<20	0.22	10	<10	63	10	38			
UGA-19	48.00	49.00	1.00	M298033	0.13	12	2340	9	2.94	47	17	97	<20	0.32	10	<10	116	<10	76			
UGA-19	49.00	50.00	1.00	M298034	0.05	3	5690	14	2.8	113	6	61	<20	0.11	10	<10	44	<10	30			
UGA-19	50.00	51.00	1.00	M298035	0.02	7	1240	6	1.75	127	4	35	<20	0.07	<10	<10	27	<10	29			
UGA-19	51.00	52.00	1.00	M298037	0.09	7	1040	6	2.62	60	10	74	<20	0.21	10	<10	68	<10	37			
UGA-19	52.00	53.00	1.00	M298038	0.11	9	1410	9	3.55	53	14	82	<20	0.28	10	<10	115	<10	40			

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-19	0.00	1.00	1.00	M297980						
UGA-19	1.00	2.00	1.00	M297981						
UGA-19	2.00	3.00	1.00	M297982						
UGA-19	3.00	4.00	1.00	M297983						
UGA-19	4.00	5.00	1.00	M297984						
UGA-19	5.00	6.00	1.00	M297985						
UGA-19	6.00	7.00	1.00	M297986						
UGA-19	7.00	8.00	1.00	M297987						
UGA-19	8.00	9.00	1.00	M297988						
UGA-19	9.00	10.00	1.00	M297989						
UGA-19	10.00	11.00	1.00	M297991						
UGA-19	11.00	12.00	1.00	M297992						
UGA-19	12.00	13.00	1.00	M297993						
UGA-19	13.00	14.00	1.00	M297994						
UGA-19	14.00	15.00	1.00	M297995						
UGA-19	15.00	16.00	1.00	M297996						
UGA-19	16.00	17.00	1.00	M297997						
UGA-19	17.00	18.00	1.00	M297998						
UGA-19	18.00	19.00	1.00	M297999						
UGA-19	19.00	20.00	1.00	M298001						
UGA-19	20.00	21.00	1.00	M298002						
UGA-19	21.00	22.00	1.00	M298004						
UGA-19	22.00	23.00	1.00	M298005						
UGA-19	23.00	24.00	1.00	M298006						
UGA-19	24.00	25.00	1.00	M298007						
UGA-19	25.00	26.00	1.00	M298008						
UGA-19	26.00	27.00	1.00	M298009						
UGA-19	27.00	28.00	1.00	M298010						
UGA-19	28.00	29.00	1.00	M298011						
UGA-19	29.00	30.00	1.00	M298012						
UGA-19	30.00	31.00	1.00	M298013						
UGA-19	31.00	32.00	1.00	M298014						
UGA-19	32.00	33.00	1.00	M298015						
UGA-19	33.00	34.00	1.00	M298016						
UGA-19	34.00	35.00	1.00	M298018						
UGA-19	35.00	36.00	1.00	M298019						
UGA-19	36.00	37.00	1.00	M298021						
UGA-19	37.00	38.00	1.00	M298022						
UGA-19	38.00	39.00	1.00	M298023						
UGA-19	39.00	40.00	1.00	M298024						
UGA-19	40.00	41.00	1.00	M298025						
UGA-19	41.00	42.00	1.00	M298026						
UGA-19	42.00	43.00	1.00	M298027						
UGA-19	43.00	44.00	1.00	M298028						
UGA-19	44.00	45.00	1.00	M298029						
UGA-19	45.00	46.00	1.00	M298030						
UGA-19	46.00	47.00	1.00	M298031						
UGA-19	47.00	48.00	1.00	M298032						
UGA-19	48.00	49.00	1.00	M298033						
UGA-19	49.00	50.00	1.00	M298034						
UGA-19	50.00	51.00	1.00	M298035						
UGA-19	51.00	52.00	1.00	M298037						
UGA-19	52.00	53.00	1.00	M298038						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-19	53.00	54.00	1.00	M298039	0.09	1.5	5.78	313	430	1.2	<2	0.31	<0.5	15	41	18	3.24	10	3.46	20	0.59	209	2
UGA-19	54.00	55.00	1.00	M298041	0.08	1.7	5.58	282	320	1	<2	0.4	<0.5	16	39	25	4.46	10	3.54	20	1.46	469	2
UGA-19	55.00	56.00	1.00	M298042	0.11	2.2	5.35	219	320	1.1	<2	0.44	<0.5	15	40	17	4.23	10	3.91	20	2.07	282	1
UGA-19	56.00	57.00	1.00	M298043	0.08	2.3	3.1	329	300	0.8	<2	0.52	<0.5	8	61	9	2.86	10	1.97	10	1.61	239	4
UGA-19	57.00	58.00	1.00	M298044	0.11	2.9	6.35	161	260	1.3	<2	0.75	<0.5	16	36	22	4.43	10	3.98	30	2.06	267	2
UGA-19	58.00	59.00	1.00	M298045	0.15	2.6	6.63	268	260	1.2	<2	0.8	<0.5	19	36	23	4.89	10	4.02	30	2.95	361	2
UGA-19	59.00	60.00	1.00	M298046	0.3	5.6	6.16	380	240	1.1	<2	0.72	<0.5	16	36	19	4.53	10	3.93	30	3.42	340	2
UGA-19	60.00	61.00	1.00	M298047	0.3	7	6.41	248	290	1.2	<2	0.54	<0.5	17	39	28	4.27	10	3.97	30	3.12	271	3
UGA-19	61.00	62.00	1.00	M298048	0.38	4.2	6.5	267	330	1.1	<2	0.54	<0.5	17	37	24	4.39	10	4.1	30	3.01	246	2
UGA-19	62.00	63.00	1.00	M298049	0.34	2.7	6.36	258	420	1.1	<2	0.44	<0.5	18	33	22	4.65	10	3.91	30	3.13	264	3
UGA-19	63.00	64.00	1.00	M298051	0.33	2.9	6.37	228	260	1.2	<2	0.52	<0.5	18	33	30	4.37	10	3.83	30	3.22	292	3
UGA-19	64.00	65.00	1.00	M298052	0.57	4.1	6.06	394	230	1	2	0.54	<0.5	18	35	32	4.3	10	3.88	30	2.61	277	3
UGA-19	65.00	66.00	1.00	M298053	0.43	4.8	7.11	351	260	1.2	<2	0.45	<0.5	19	32	35	4.58	10	4.22	30	2.97	244	2
UGA-19	66.00	67.00	1.00	M298054	0.29	4.1	5.9	256	270	1.1	<2	0.52	<0.5	16	39	26	4.19	10	3.71	30	2.17	202	3
UGA-19	67.00	68.00	1.00	M298055	0.43	7.2	6.62	473	240	1.2	<2	0.69	<0.5	18	31	25	4.74	10	4.38	30	2.91	297	2
UGA-19	68.00	69.00	1.00	M298056	0.39	5.3	6.88	317	330	1.2	<2	0.48	<0.5	16	36	25	4.58	10	4.05	30	3.27	267	1
UGA-19	69.00	70.00	1.00	M298057	0.47	6	6.59	292	260	1.2	<2	0.4	<0.5	18	40	25	4.71	10	4.23	30	2.7	247	2
UGA-19	70.00	71.00	1.00	M298058	0.54	6.2	6.23	1390	320	1.1	<2	0.63	<0.5	17	35	33	5.12	10	4.05	30	2.62	279	10
UGA-19	71.00	72.00	1.00	M298059	0.23	2.8	6.63	612	170	1.2	<2	0.49	<0.5	17	36	30	4.87	10	3.68	30	2.7	274	1
UGA-19	72.00	73.00	1.00	M298060	0.32	2.8	5.98	309	260	1.1	<2	0.34	<0.5	15	36	23	4.68	10	3.66	30	2.58	246	4
UGA-19	73.00	74.00	1.00	M298061	0.33	3.8	5.88	668	180	1.1	<2	0.39	<0.5	14	36	19	4.66	10	3.56	20	2.21	203	5
UGA-19	74.00	75.00	1.00	M298062	0.26	1.8	5.07	224	290	1	<2	0.39	<0.5	12	54	21	3.86	10	3.65	20	1.77	223	4
UGA-19	75.00	76.00	1.00	M298064	0.19	1.7	6.12	212	190	1.1	<2	0.35	<0.5	15	37	25	4.23	10	3.7	20	1.93	208	2
UGA-19	76.00	77.00	1.00	M298065	0.23	3.5	5.56	221	210	1	<2	0.45	<0.5	14	44	28	4.09	10	3.59	20	1.83	259	3
UGA-19	77.00	78.00	1.00	M298067	4.08	46.4	6.06	374	220	1.1	<2	0.5	<0.5	17	36	36	4.82	10	3.88	30	1.45	639	6
UGA-19	78.00	79.00	1.00	M298068	0.3	1.9	6.3	343	210	1.5	<2	0.45	<0.5	17	39	36	3.75	10	3.48	30	0.51	152	4
UGA-19	79.00	80.00	1.00	M298069	0.3	1.8	5.84	207	300	1.1	<2	0.33	<0.5	15	43	29	4.45	10	4.23	20	1.72	479	4
UGA-19	80.00	81.00	1.00	M298070	0.26	1.2	6.07	183	240	0.9	<2	0.52	<0.5	17	41	26	4.71	10	4.05	20	2.34	469	2
UGA-19	81.00	82.00	1.00	M298071	0.29	1.5	6.19	199	300	1.1	<2	0.29	<0.5	18	43	26	4.45	10	4.09	20	1.99	382	2
UGA-19	82.00	83.00	1.00	M298072	0.4	1.9	6.36	315	200	1.4	<2	0.35	<0.5	19	52	26	4.29	10	3.74	20	0.27	574	3
UGA-19	83.00	84.00	1.00	M298073	0.37	2.4	6.24	372	190	1.5	<2	0.39	<0.5	17	57	25	4.03	10	3.26	20	0.25	313	3
UGA-19	84.00	85.00	1.00	M298074	0.3	2.4	6.35	482	380	1.6	<2	0.37	<0.5	19	64	41	4.84	10	3.75	20	0.37	735	2
UGA-19	85.00	86.00	1.00	M298075	0.2	2	5.54	289	290	1.6	<2	0.45	<0.5	16	58	21	4.85	10	3.55	20	0.47	1230	2
UGA-19	86.00	87.00	1.00	M298076	0.34	2.1	5.63	282	290	1.4	<2	0.35	<0.5	16	63	25	4.12	10	4.19	20	0.27	824	2
UGA-19	87.00	88.00	1.00	M298077	0.22	1.7	5.13	839	160	1.1	<2	0.65	<0.5	15	68	19	4.76	10	3.6	20	0.22	502	4
UGA-19	88.00	89.00	1.00	M298078	0.25	2.1	4.12	754	200	1.2	<2	0.86	<0.5	13	90	16	4.96	10	2.24	20	0.2	677	8
UGA-19	89.00	90.00	1.00	M298080	0.18	2.5	5.83	130	150	1.2	<2	0.38	<0.5	16	76	38	5.02	10	3.73	20	0.28	957	3
UGA-19	90.00	91.00	1.00	M298082	0.17	3.3	4.56	74	270	0.9	<2	1.53	<0.5	13	70	29	3.92	10	3.67	20	0.98	352	5
UGA-19	91.00	92.00	1.00	M298083	0.07	1.7	6.04	48	120	1	<2	2.11	<0.5	17	69	38	4.7	10	3.93	20	1.23	367	3
UGA-19	92.00	93.00	1.00	M298084	0.12	1.5	6.1	240	160	1	<2	1.69	<0.5	18	64	38	4.37	10	3.77	20	0.89	436	3
UGA-19	93.00	94.00	1.00	M298085	0.1	1.7	6.96	185	180	1.4	<2	3.18	<0.5	17	27	56	4.14	10	2.61	20	1.94	864	1
UGA-19	94.00	95.00	1.00	M298086	0.09	<0.5	7.41	120	210	1.3	<2	2.46	<0.5	15	22	35	4.82	10	2.55	20	2.02	874	2
UGA-19	95.00	96.00	1.00	M298087	0.05	<0.5	6.69	63	190	1.2	<2	3.35	<0.5	14	19	38	4.51	10	2.17	20	2.54	1130	<1
UGA-20	20.00	21.00	1.00	M298096	0.18	1.5	6.8	117	480	1.1	<2	0.73	<0.5	21	64	35	4.3	10	3.44	20	0.87	641	3
UGA-20	21.00	22.00	1.00	M298097	0.13	1.4	7.09	165	440	1	<2	2.48	<0.5	19	64	35	5.14	20	4.23	30	1.79	761	7
UGA-20	22.00	23.00	1.00	M298098	0.07	0.7	7.22	86	480	1	<2	1.87	<0.5	20	67	33	4.57	10	3.99	20	1.51	548	4
UGA-20	23.00	24.00	1.00	M298099	0.08	1.2	7.22	94	440	0.9	3	1.04	<0.5	20	66	31	3.72	10	3.78	30	0.94	333	3
UGA-20	24.00	25.00	1.00	M298100	0.22	2.6	6.69	237	540	0.9	2	0.56	<0.5	18	61	28	4.46	10	3.96	20	0.86	358	23
UGA-20	25.00	26.00	1.00	M298101	0.44	2.5	6.71	300	660	0.9	2	0.39	<0.5	18	59	31	3.93	10	3.91	20	0.76	284	4
UGA-20	26.00	27.00	1.00	M298102	0.2	1.8	6.77	224	630	0.9	<2	0.44	<0.5	18	63	30	3.55	10	3.79	30	0.67	290	5
UGA-20	27.00	28.00	1.00	M298103	0.07	1	6.99	71	540	1	<2	0.91	<0.5	16	64	33	3.89	10	3.88	30	1.03	493	4
UGA-20	28.00	29.00	1.00	M298104	0.1	1	6.59	120	570	1	<2	1.23	<0.5	16	61	29	4.51	10	4.1	30	1.31	535	2
UGA-20	29.00	30.00	1.00	M298105	0.08	0.7	6.73	101	620	1.1	<2	1.98	<0.5	19	61	31	5.04	10	3.78	20	1.84	652	1

## Appendix 2 - All Assay Results

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	Au Total (+)(-) Combined
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag		
UGA-19	53.00	54.00	1.00	M298039	0.13	11	1260	9	2.72	42	14	83	<20	0.29	10	<10	110	<10	37			
UGA-19	54.00	55.00	1.00	M298041	0.16	13	1090	10	3.11	28	15	100	<20	0.3	10	<10	104	<10	48			
UGA-19	55.00	56.00	1.00	M298042	0.11	9	1010	11	2.93	31	15	87	<20	0.28	10	<10	106	<10	40			
UGA-19	56.00	57.00	1.00	M298043	0.05	7	530	5	1.6	48	8	62	<20	0.15	10	<10	59	<10	25			
UGA-19	57.00	58.00	1.00	M298044	0.13	11	1090	9	3.36	26	17	105	<20	0.35	10	<10	133	<10	42			
UGA-19	58.00	59.00	1.00	M298045	0.13	11	1170	10	3.73	19	19	133	<20	0.36	10	<10	140	<10	43			
UGA-19	59.00	60.00	1.00	M298046	0.1	11	1050	10	3.53	26	18	132	<20	0.34	10	<10	135	<10	42			
UGA-19	60.00	61.00	1.00	M298047	0.11	10	1070	10	3.32	33	17	120	<20	0.34	<10	<10	130	<10	51			
UGA-19	61.00	62.00	1.00	M298048	0.11	11	1080	11	3.43	28	17	160	<20	0.34	10	<10	132	<10	41			
UGA-19	62.00	63.00	1.00	M298049	0.13	11	1090	9	3.3	30	17	116	<20	0.33	<10	<10	129	<10	40			
UGA-19	63.00	64.00	1.00	M298051	0.12	11	1110	9	2.87	27	17	119	<20	0.33	<10	<10	129	<10	46			
UGA-19	64.00	65.00	1.00	M298052	0.12	10	1090	13	3.18	35	16	148	<20	0.32	10	<10	123	<10	49			
UGA-19	65.00	66.00	1.00	M298053	0.13	11	1240	11	3.38	25	18	153	<20	0.37	10	<10	140	<10	45			
UGA-19	66.00	67.00	1.00	M298054	0.12	9	1070	11	3.27	34	16	115	<20	0.31	10	<10	111	<10	35			
UGA-19	67.00	68.00	1.00	M298055	0.11	9	1130	9	3.68	28	18	136	<20	0.35	<10	<10	126	<10	40			
UGA-19	68.00	69.00	1.00	M298056	0.1	12	1240	9	3.23	27	18	135	<20	0.35	<10	<10	132	<10	48			
UGA-19	69.00	70.00	1.00	M298057	0.11	11	1180	10	3.48	32	17	128	<20	0.35	10	<10	119	<10	40			
UGA-19	70.00	71.00	1.00	M298058	0.16	13	1170	10	3.52	48	17	127	<20	0.33	10	<10	122	<10	38			
UGA-19	71.00	72.00	1.00	M298059	0.12	9	1310	12	3.58	34	17	121	<20	0.35	<10	<10	126	<10	35			
UGA-19	72.00	73.00	1.00	M298060	0.1	7	1010	12	3.39	45	16	105	<20	0.31	10	<10	118	<10	35			
UGA-19	73.00	74.00	1.00	M298061	0.1	10	1120	9	3.64	41	15	107	<20	0.32	10	<10	108	<10	37			
UGA-19	74.00	75.00	1.00	M298062	0.09	9	930	6	2.78	74	14	97	<20	0.27	<10	<10	95	<10	45			
UGA-19	75.00	76.00	1.00	M298064	0.11	8	1070	8	3.27	29	16	119	<20	0.33	10	<10	114	<10	41			
UGA-19	76.00	77.00	1.00	M298065	0.12	8	1010	7	3	34	14	111	<20	0.29	10	<10	97	<10	42			
UGA-19	77.00	78.00	1.00	M298067	0.14	9	1270	7	3.51	45	15	123	<20	0.31	10	<10	104	<10	70			
UGA-19	78.00	79.00	1.00	M298068	0.12	12	1910	9	3.21	54	16	113	<20	0.33	10	<10	117	<10	57			
UGA-19	79.00	80.00	1.00	M298069	0.14	11	1020	10	3.17	29	15	112	<20	0.31	10	<10	99	<10	54			
UGA-19	80.00	81.00	1.00	M298070	0.13	9	1030	9	3.13	23	18	119	<20	0.33	10	<10	109	<10	62			
UGA-19	81.00	82.00	1.00	M298071	0.12	12	1100	8	3.26	27	18	117	<20	0.34	10	<10	111	<10	82			
UGA-19	82.00	83.00	1.00	M298072	0.11	13	1250	7	3.4	33	18	112	<20	0.35	10	<10	117	<10	66			
UGA-19	83.00	84.00	1.00	M298073	0.06	13	1570	8	3.6	65	18	70	<20	0.34	10	<10	119	<10	77			
UGA-19	84.00	85.00	1.00	M298074	0.07	15	1390	11	3.3	75	19	89	<20	0.34	10	<10	124	<10	90			
UGA-19	85.00	86.00	1.00	M298075	0.05	12	1000	12	2.92	42	16	91	<20	0.28	10	<10	100	<10	97			
UGA-19	86.00	87.00	1.00	M298076	0.05	14	1300	8	3.16	44	16	79	<20	0.29	10	<10	99	<10	57			
UGA-19	87.00	88.00	1.00	M298077	0.05	12	2750	6	4.31	98	12	105	<20	0.26	20	<10	78	<10	62			
UGA-19	88.00	89.00	1.00	M298078	0.03	11	3570	8	4.16	121	12	47	<20	0.22	20	<10	79	<10	24			
UGA-19	89.00	90.00	1.00	M298080	0.06	15	1400	12	4.07	40	17	86	<20	0.3	10	<10	110	<10	61			
UGA-19	90.00	91.00	1.00	M298082	0.05	12	920	12	3.34	53	13	111	<20	0.23	10	<10	78	<10	39			
UGA-19	91.00	92.00	1.00	M298083	0.05	18	1100	14	4.44	26	18	129	<20	0.32	10	<10	102	<10	52			
UGA-19	92.00	93.00	1.00	M298084	0.05	17	1120	10	3.99	33	18	118	<20	0.32	10	<10	109	<10	56			
UGA-19	93.00	94.00	1.00	M298085	0.03	7	830	13	3.15	13	18	58	<20	0.39	10	<10	117	<10	46			
UGA-19	94.00	95.00	1.00	M298086	0.04	6	810	12	2.77	6	19	50	<20	0.42	<10	<10	128	<10	49			
UGA-19	95.00	96.00	1.00	M298087	0.03	7	720	11	1.3	6	17	66	<20	0.38	<10	<10	117	<10	74			
UGA-20	20.00	21.00	1.00	M298096	0.03	13	980	7	2.31	18	20	83	<20	0.36	10	<10	134	<10	58			
UGA-20	21.00	22.00	1.00	M298097	0.03	12	1180	9	2.03	19	22	119	<20	0.37	10	<10	141	10	69			
UGA-20	22.00	23.00	1.00	M298098	0.04	12	1010	8	2.19	14	22	114	20	0.39	10	<10	145	10	54			
UGA-20	23.00	24.00	1.00	M298099	0.04	11	1040	6	2.24	15	21	110	20	0.38	10	<10	135	10	48			
UGA-20	24.00	25.00	1.00	M298100	0.04	10	1110	8	2.93	39	20	100	<20	0.35	10	<10	129	10	50			
UGA-20	25.00	26.00	1.00	M298101	0.04	11	1040	9	2.93	35	20	120	<20	0.36	10	<10	135	10	54			
UGA-20	26.00	27.00	1.00	M298102	0.04	8	1130	8	2.48	35	20	84	<20	0.36	10	<10	137	10	47			
UGA-20	27.00	28.00	1.00	M298103	0.03	8	980	6	2.06	23	21	92	<20	0.36	10	<10	137	10	56			
UGA-20	28.00	29.00	1.00	M298104	0.03	10	890	7	2.43	23	20	92	<20	0.35	10	<10	134	10	57			
UGA-20	29.00	30.00	1.00	M298105	0.03	11	760	6	2.46	16	20	119	<20	0.35	10	<10	136	<10	63			

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-19	53.00	54.00	1.00	M298039						
UGA-19	54.00	55.00	1.00	M298041						
UGA-19	55.00	56.00	1.00	M298042						
UGA-19	56.00	57.00	1.00	M298043						
UGA-19	57.00	58.00	1.00	M298044						
UGA-19	58.00	59.00	1.00	M298045						
UGA-19	59.00	60.00	1.00	M298046						
UGA-19	60.00	61.00	1.00	M298047						
UGA-19	61.00	62.00	1.00	M298048						
UGA-19	62.00	63.00	1.00	M298049						
UGA-19	63.00	64.00	1.00	M298051						
UGA-19	64.00	65.00	1.00	M298052						
UGA-19	65.00	66.00	1.00	M298053						
UGA-19	66.00	67.00	1.00	M298054						
UGA-19	67.00	68.00	1.00	M298055						
UGA-19	68.00	69.00	1.00	M298056						
UGA-19	69.00	70.00	1.00	M298057						
UGA-19	70.00	71.00	1.00	M298058						
UGA-19	71.00	72.00	1.00	M298059						
UGA-19	72.00	73.00	1.00	M298060						
UGA-19	73.00	74.00	1.00	M298061						
UGA-19	74.00	75.00	1.00	M298062						
UGA-19	75.00	76.00	1.00	M298064						
UGA-19	76.00	77.00	1.00	M298065						
UGA-19	77.00	78.00	1.00	M298067						
UGA-19	78.00	79.00	1.00	M298068						
UGA-19	79.00	80.00	1.00	M298069						
UGA-19	80.00	81.00	1.00	M298070						
UGA-19	81.00	82.00	1.00	M298071						
UGA-19	82.00	83.00	1.00	M298072						
UGA-19	83.00	84.00	1.00	M298073						
UGA-19	84.00	85.00	1.00	M298074						
UGA-19	85.00	86.00	1.00	M298075						
UGA-19	86.00	87.00	1.00	M298076						
UGA-19	87.00	88.00	1.00	M298077						
UGA-19	88.00	89.00	1.00	M298078						
UGA-19	89.00	90.00	1.00	M298080						
UGA-19	90.00	91.00	1.00	M298082						
UGA-19	91.00	92.00	1.00	M298083						
UGA-19	92.00	93.00	1.00	M298084						
UGA-19	93.00	94.00	1.00	M298085						
UGA-19	94.00	95.00	1.00	M298086						
UGA-19	95.00	96.00	1.00	M298087						
UGA-20	20.00	21.00	1.00	M298096						
UGA-20	21.00	22.00	1.00	M298097						
UGA-20	22.00	23.00	1.00	M298098						
UGA-20	23.00	24.00	1.00	M298099						
UGA-20	24.00	25.00	1.00	M298100						
UGA-20	25.00	26.00	1.00	M298101						
UGA-20	26.00	27.00	1.00	M298102						
UGA-20	27.00	28.00	1.00	M298103						
UGA-20	28.00	29.00	1.00	M298104						
UGA-20	29.00	30.00	1.00	M298105						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-20	30.00	31.00	1.00	M298106	0.07	1.3	6.92	84	570	1.2	2	0.9	<0.5	19	64	33	4.78	20	4.18	20	1.26	581	3
UGA-20	31.00	32.00	1.00	M298107	0.07	1.7	6.12	76	450	1.3	2	1.25	<0.5	17	57	27	4.84	10	3.84	20	1.45	611	3
UGA-20	32.00	33.00	1.00	M298108	0.08	1.5	6.41	84	480	1.5	<2	1.24	<0.5	20	58	52	5.44	10	4.19	30	1.44	772	4
UGA-20	33.00	34.00	1.00	M298109	0.06	1.3	6.9	72	330	1.8	<2	1.45	<0.5	23	63	65	7.4	20	4.36	20	1.93	2010	3
UGA-20	34.00	35.00	1.00	M298111	0.14	2.1	6.29	94	470	1.5	3	0.51	<0.5	18	62	52	5.09	10	4.46	20	0.83	1010	2
UGA-20	35.00	36.00	1.00	M298112	0.13	2.2	6.84	118	420	1.3	<2	0.32	<0.5	16	62	43	2.67	10	4.04	30	0.32	119	3
UGA-20	41.00	42.00	1.00	M298113	0.14	1.3	5.93	143	310	2.3	<2	0.51	<0.5	20	56	37	8.83	10	3.43	20	0.86	3630	2
UGA-20	42.00	43.00	1.00	M298114	0.82	5.1	5.86	525	460	1.5	<2	0.97	<0.5	21	60	33	3.53	10	3.82	20	0.32	67	7
UGA-20	43.00	44.00	1.00	M298115	0.3	3	6.25	124	310	1.5	<2	0.48	<0.5	18	64	31	4.69	10	4.01	20	0.58	1180	4
UGA-20	44.00	45.00	1.00	M298116	0.13	2.1	6.4	92	410	1.6	3	0.45	<0.5	21	66	29	5.74	10	4.03	20	0.74	1880	3
UGA-20	45.00	46.00	1.00	M298117	0.06	1.6	6.42	81	270	1.5	<2	0.41	<0.5	17	67	27	5.52	10	4.19	20	0.91	1600	4
UGA-20	46.00	47.00	1.00	M298118	0.13	2.8	6.64	126	600	1.7	<2	0.43	<0.5	19	65	32	5.36	10	4.12	20	0.84	1390	6
UGA-20	47.00	48.00	1.00	M298119	0.35	2.2	6.07	412	410	1.5	<2	0.49	<0.5	18	62	26	5.6	10	4.24	20	0.69	1210	9
UGA-20	48.00	49.00	1.00	M298122	0.09	1.4	6.52	224	440	1.5	<2	0.42	<0.5	21	62	28	4.93	10	4.35	20	0.81	916	4
UGA-20	49.00	50.00	1.00	M298123	0.29	8.1	6.79	127	580	1.6	<2	0.37	<0.5	19	68	31	4.42	10	3.99	20	0.73	1300	5
UGA-20	50.00	51.00	1.00	M298124	0.1	1.4	6.52	163	550	1.7	<2	0.58	<0.5	17	64	27	5.37	10	4.15	20	0.63	1560	7
UGA-20	51.00	52.00	1.00	M298125	0.12	1.3	6.5	129	580	1.8	<2	0.57	<0.5	21	61	36	6.85	10	4.19	20	0.67	3080	3
UGA-20	52.00	53.00	1.00	M298126	0.14	1.7	6.38	646	100	1.6	<2	0.76	<0.5	23	63	31	3.39	10	1.74	30	0.28	239	13
UGA-20	53.00	54.00	1.00	M298127	0.23	1.9	6.43	1120	320	1.9	<2	0.95	<0.5	23	61	29	5.26	10	3.61	20	0.27	73	10
UGA-20	54.00	55.00	1.00	M298128	0.25	2.2	6.72	511	30	1.9	<2	0.72	<0.5	20	63	33	3.26	10	1.41	30	0.35	259	11
UGA-20	55.00	56.00	1.00	M298129	0.85	2.6	5.82	694	230	2.1	<2	0.8	<0.5	19	55	22	4.65	10	2.93	20	0.39	778	17
UGA-20	56.00	57.00	1.00	M298130	3.4	6.2	5.58	710	360	1.8	<2	1.11	<0.5	15	59	36	4.61	10	4.01	20	0.39	752	18
UGA-20	57.00	58.00	1.00	M298131	0.33	2.4	5.95	282	300	1.4	<2	0.71	<0.5	17	70	33	3.21	10	4.17	20	0.35	322	7
UGA-20	58.00	59.00	1.00	M298133	0.09	2	6.57	140	370	1.5	3	0.4	<0.5	17	70	36	3.65	10	4.23	30	0.45	368	2
UGA-20	59.00	60.00	1.00	M298134	0.17	2.8	6.43	430	410	1.3	<2	0.95	<0.5	20	65	30	3.73	10	4.33	20	0.31	64	6
UGA-20	60.00	61.00	1.00	M298135	0.1	1.8	6.88	130	610	1.4	2	0.36	<0.5	19	68	34	3.44	10	4.77	30	0.51	551	4
UGA-20	61.00	62.00	1.00	M298136	0.18	1.9	6.78	159	540	1.3	<2	0.36	<0.5	19	64	29	4.19	10	4.5	20	0.91	620	9
UGA-20	62.00	63.00	1.00	M298137	0.09	2	7.03	134	500	1.7	2	0.46	<0.5	22	73	32	6.49	10	4.57	30	0.92	1470	5
UGA-20	69.00	70.00	1.00	M298138	0.34	2.4	5.64	1070	130	2.2	<2	1.45	<0.5	22	58	25	5.74	10	1.84	20	0.49	1160	12
UGA-20	70.00	71.00	1.00	M298139	1.36	2.6	5.65	1630	220	2.2	5	2.04	<0.5	21	59	27	5.61	10	2.25	20	0.3	464	17
UGA-20	71.00	72.00	1.00	M298141	2.7	2.7	5.86	612	540	1.8	2	1.77	<0.5	16	61	25	3.58	10	4.32	20	0.38	639	20
UGA-20	72.00	73.00	1.00	M298142	0.1	1.5	6.63	115	660	1.4	4	0.4	<0.5	20	70	30	3.47	10	4.26	30	0.46	529	3
UGA-20	73.00	74.00	1.00	M298143	0.13	2.4	7.25	275	630	1.6	<2	0.77	<0.5	20	71	34	3.47	10	5.09	30	0.55	402	8
UGA-20	74.00	75.00	1.00	M298144	0.17	2.8	7.76	595	520	1.8	2	0.78	<0.5	25	79	44	4.89	10	5.16	30	0.65	73	10
UGA-20	75.00	76.00	1.00	M298145	0.2	3.6	7.03	225	570	1.6	<2	0.35	<0.5	21	75	38	4.66	10	4.78	30	0.61	345	5
UGA-20	76.00	77.00	1.00	M298146	0.23	7.2	4.39	186	380	1.2	<2	0.24	<0.5	13	56	25	3.69	10	3.2	20	0.34	212	4
UGA-20	77.00	78.00	1.00	M298147	1.83	83.6	4.32	619	440	1.2	<2	0.88	<0.5	12	52	32	3.99	10	3.01	10	0.17	86	4
UGA-20	78.00	79.00	1.00	M298148	1.82	>100	3.66	464	470	0.8	3	0.4	0.6	9	41	87	4.15	10	3.12	10	0.22	616	4
UGA-20	79.00	80.00	1.00	M298149	0.51	8.9	5.21	210	490	0.9	4	0.35	<0.5	12	38	15	4.97	<10	3.58	20	0.28	871	2
UGA-20	80.00	81.00	1.00	M298150	0.79	16	4.64	341	620	0.7	2	0.49	<0.5	10	36	22	3.74	10	4.25	10	0.47	411	3
UGA-20	81.00	82.00	1.00	M298151	1.23	26.2	2.82	234	340	0.6	<2	0.47	<0.5	6	45	20	3	<10	2.35	10	0.87	398	4
UGA-20	82.00	83.00	1.00	M298152	0.93	3.5	3.98	269	540	0.6	2	0.48	<0.5	9	42	17	4.35	<10	3.45	10	1.1	594	3
UGA-20	83.00	84.00	1.00	M298154	5.7	35.2	3.18	281	370	0.6	2	0.26	<0.5	9	45	38	3.74	<10	2.97	10	0.56	227	4
UGA-20	84.00	85.00	1.00	M298155	2.47	6.1	4.1	483	520	0.7	3	0.59	<0.5	13	49	20	3.76	<10	4.26	20	0.05	81	5
UGA-20	85.00	86.00	1.00	M298156	0.54	46.4	5.1	716	350	0.9	<2	0.49	<0.5	15	55	25	5.21	10	4.58	20	0.16	310	5
UGA-20	86.00	87.00	1.00	M298157	0.75	10.1	6.35	482	300	1.3	2	0.39	<0.5	17	49	37	5.42	10	4.16	20	0.25	688	2
UGA-20	87.00	88.00	1.00	M298158	1.18	19.4	6.56	604	300	1.6	6	0.34	<0.5	19	49	49	6.39	10	4.17	20	0.27	587	2
UGA-20	88.00	89.00	1.00	M298159	1.16	9	6.02	474	370	0.9	4	0.77	<0.5	16	46	26	5.21	10	4.31	20	0.47	251	2
UGA-20	89.00	90.00	1.00	M298160	5.68	16.5	7.13	677	380	1.4	4	0.65	<0.5	21	63	41	4.44	10	4.46	30	0.53	368	1
UGA-20	90.00	91.00	1.00	M298161	1.17	8	5.43	531	310	1.1	2	0.36	<0.5	16	51	29	6.29	10	4.24	20	0.22	506	3
UGA-20	91.00	92.00	1.00	M298163	2.59	7.4	5.63	1330	310	1.1	<2	0.69	<0.5	17	54	31	5.88	10	4.08	20	0.17	59	27
UGA-20	92.00	93.00	1.00	M298164	1.47	6.8	6.47	834	350	1.7	2	0.61	<0.5	19	55	34	4.7	10	4	20	0.23	61	3
UGA-20	93.00	94.00	1.00	M298165	0.98	10	6.17	635	220	1.3	2	0.41	<0.5	18	51	31	5.68	10	3.58	20	0.36	537	3

## Appendix 2 - All Assay Results

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	Ag	Au Total (+)(-) Combined
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au	
UGA-20	30.00	31.00	1.00	M298106	0.03	10	820	8	2.62	23	21	97	<20	0.36	10	<10	155	10	56			
UGA-20	31.00	32.00	1.00	M298107	0.02	11	710	9	2.66	26	19	76	<20	0.33	<10	<10	138	10	47			
UGA-20	32.00	33.00	1.00	M298108	0.03	11	770	5	3.07	28	20	84	<20	0.34	10	<10	142	10	64			
UGA-20	33.00	34.00	1.00	M298109	0.03	13	980	6	2.29	26	21	85	<20	0.36	10	<10	151	10	117			
UGA-20	34.00	35.00	1.00	M298111	0.01	15	1050	107	2.8	26	20	88	<20	0.34	10	<10	138	10	82			
UGA-20	35.00	36.00	1.00	M298112	0.04	9	1230	7	2.56	27	20	78	<20	0.36	10	<10	140	10	56			
UGA-20	41.00	42.00	1.00	M298113	0.02	10	1290	6	3.11	33	19	50	<20	0.31	10	<10	115	<10	64			
UGA-20	42.00	43.00	1.00	M298114	0.03	14	4070	8	3.69	63	18	74	<20	0.31	10	<10	120	<10	52			
UGA-20	43.00	44.00	1.00	M298115	0.03	12	1620	9	2.68	27	19	65	<20	0.32	10	<10	124	10	64			
UGA-20	44.00	45.00	1.00	M298116	0.03	12	1230	10	2.12	27	20	74	<20	0.33	10	<10	133	<10	94			
UGA-20	45.00	46.00	1.00	M298117	0.03	13	1180	8	2.16	24	20	71	<20	0.34	10	<10	127	10	75			
UGA-20	46.00	47.00	1.00	M298118	0.03	11	1300	8	2.19	22	20	115	<20	0.35	10	<10	134	<10	78			
UGA-20	47.00	48.00	1.00	M298119	0.03	10	1650	7	3.14	48	19	102	<20	0.32	10	<10	124	<10	56			
UGA-20	48.00	49.00	1.00	M298122	0.03	10	1440	8	2.66	28	19	101	<20	0.35	10	<10	130	<10	62			
UGA-20	49.00	50.00	1.00	M298123	0.03	11	1230	8	1.57	23	20	112	<20	0.35	10	<10	128	<10	78			
UGA-20	50.00	51.00	1.00	M298124	0.03	10	1880	7	2.34	33	21	112	<20	0.34	10	<10	135	<10	67			
UGA-20	51.00	52.00	1.00	M298125	0.04	11	1520	8	1.92	29	20	135	<20	0.34	10	<10	128	<10	68			
UGA-20	52.00	53.00	1.00	M298126	0.02	14	3060	8	3.08	81	20	43	<20	0.34	20	<10	134	<10	71			
UGA-20	53.00	54.00	1.00	M298127	0.03	17	3940	9	4.32	110	19	112	<20	0.34	20	<10	139	<10	60			
UGA-20	54.00	55.00	1.00	M298128	0.01	15	2860	6	2.97	71	19	28	<20	0.35	10	<10	148	<10	95			
UGA-20	55.00	56.00	1.00	M298129	0.02	13	3090	10	3.39	83	16	65	<20	0.3	10	<10	123	<10	59			
UGA-20	56.00	57.00	1.00	M298130	0.03	7	4370	6	3.16	82	17	92	<20	0.29	10	<10	127	<10	56			
UGA-20	57.00	58.00	1.00	M298131	0.05	11	2800	10	2.73	44	17	61	<20	0.3	10	<10	123	<10	73			
UGA-20	58.00	59.00	1.00	M298133	0.03	12	1490	6	3.07	27	19	75	<20	0.35	10	<10	140	<10	60			
UGA-20	59.00	60.00	1.00	M298134	0.06	10	3840	9	3.97	50	19	85	<20	0.33	10	<10	130	<10	67			
UGA-20	60.00	61.00	1.00	M298135	0.07	12	1150	8	2.04	25	19	97	<20	0.36	10	<10	135	<10	72			
UGA-20	61.00	62.00	1.00	M298136	0.07	15	1110	8	2.4	22	21	101	<20	0.35	10	<10	140	10	72			
UGA-20	62.00	63.00	1.00	M298137	0.06	15	1230	9	3.17	23	23	65	<20	0.37	<10	<10	156	10	71			
UGA-20	69.00	70.00	1.00	M298138	0.03	19	5580	11	4.27	96	18	56	<20	0.29	20	<10	126	<10	100			
UGA-20	70.00	71.00	1.00	M298139	0.03	23	8130	14	5.44	148	15	80	<20	0.3	30	<10	112	<10	42			
UGA-20	71.00	72.00	1.00	M298141	0.04	11	7220	10	2.58	69	16	142	<20	0.31	10	<10	117	<10	52			
UGA-20	72.00	73.00	1.00	M298142	0.04	15	1510	3	2.48	33	20	116	<20	0.36	<10	<10	137	<10	66			
UGA-20	73.00	74.00	1.00	M298143	0.07	18	2990	8	2.96	50	23	107	<20	0.37	10	<10	153	10	95			
UGA-20	74.00	75.00	1.00	M298144	0.06	23	3030	13	5.25	53	24	89	<20	0.41	20	<10	171	<10	84			
UGA-20	75.00	76.00	1.00	M298145	0.06	17	1240	9	4.64	34	21	75	<20	0.37	10	<10	154	<10	72			
UGA-20	76.00	77.00	1.00	M298146	0.04	9	840	8	3.71	55	12	57	<20	0.22	10	<10	80	<10	40			
UGA-20	77.00	78.00	1.00	M298147	0.06	9	3670	16	3.85	94	13	71	<20	0.2	10	<10	82	<10	70			
UGA-20	78.00	79.00	1.00	M298148	0.08	5	1480	48	3.43	120	9	74	<20	0.16	10	<10	63	<10	161	218		
UGA-20	79.00	80.00	1.00	M298149	0.1	9	1300	12	4.13	28	13	112	<20	0.26	<10	<10	87	<10	48			
UGA-20	80.00	81.00	1.00	M298150	0.12	5	1870	10	3.22	55	9	79	<20	0.18	10	<10	62	<10	57			
UGA-20	81.00	82.00	1.00	M298151	0.05	3	1630	10	1.91	60	6	60	<20	0.1	<10	<10	34	<10	50			
UGA-20	82.00	83.00	1.00	M298152	0.06	6	1210	9	3.2	39	9	88	<20	0.18	<10	<10	51	<10	42			
UGA-20	83.00	84.00	1.00	M298154	0.03	5	1020	12	3.12	65	7	98	<20	0.15	<10	<10	38	<10	56			
UGA-20	84.00	85.00	1.00	M298155	0.08	5	2380	9	3.69	56	8	105	<20	0.19	10	<10	52	<10	33			
UGA-20	85.00	86.00	1.00	M298156	0.08	10	1950	13	5.25	73	13	116	<20	0.25	20	<10	92	<10	37			
UGA-20	86.00	87.00	1.00	M298157	0.12	13	1400	11	4.98	43	17	103	<20	0.31	10	<10	104	<10	58			
UGA-20	87.00	88.00	1.00	M298158	0.13	14	1240	15	5.37	47	18	100	<20	0.31	10	<10	120	<10	80			
UGA-20	88.00	89.00	1.00	M298159	0.13	12	1500	11	4.98	30	15	117	<20	0.29	<10	<10	83	<10	49			
UGA-20	89.00	90.00	1.00	M298160	0.12	13	1500	10	3.72	39	20	102	20	0.37	10	<10	147	<10	61			
UGA-20	90.00	91.00	1.00	M298161	0.13	12	1340	14	6.08	44	15	89	<20	0.26	10	<10	71	<10	57			
UGA-20	91.00	92.00	1.00	M298163	0.12	13	2720	13	6.43	90	14	102	<20	0.27	20	<10	78	<10	43			
UGA-20	92.00	93.00	1.00	M298164	0.17	13	2400	10	4.65	66	15	100	<20	0.32	20	<10	103	<10	45			
UGA-20	93.00	94.00	1.00	M298165	0.19	14	1500	11	5.34	47	17	105	<20	0.3	10	<10	106	<10	46			

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-20	30.00	31.00	1.00	M298106						
UGA-20	31.00	32.00	1.00	M298107						
UGA-20	32.00	33.00	1.00	M298108						
UGA-20	33.00	34.00	1.00	M298109						
UGA-20	34.00	35.00	1.00	M298111						
UGA-20	35.00	36.00	1.00	M298112						
UGA-20	41.00	42.00	1.00	M298113						
UGA-20	42.00	43.00	1.00	M298114						
UGA-20	43.00	44.00	1.00	M298115						
UGA-20	44.00	45.00	1.00	M298116						
UGA-20	45.00	46.00	1.00	M298117						
UGA-20	46.00	47.00	1.00	M298118						
UGA-20	47.00	48.00	1.00	M298119						
UGA-20	48.00	49.00	1.00	M298122						
UGA-20	49.00	50.00	1.00	M298123						
UGA-20	50.00	51.00	1.00	M298124						
UGA-20	51.00	52.00	1.00	M298125						
UGA-20	52.00	53.00	1.00	M298126						
UGA-20	53.00	54.00	1.00	M298127						
UGA-20	54.00	55.00	1.00	M298128						
UGA-20	55.00	56.00	1.00	M298129						
UGA-20	56.00	57.00	1.00	M298130						
UGA-20	57.00	58.00	1.00	M298131						
UGA-20	58.00	59.00	1.00	M298133						
UGA-20	59.00	60.00	1.00	M298134						
UGA-20	60.00	61.00	1.00	M298135						
UGA-20	61.00	62.00	1.00	M298136						
UGA-20	62.00	63.00	1.00	M298137						
UGA-20	69.00	70.00	1.00	M298138						
UGA-20	70.00	71.00	1.00	M298139						
UGA-20	71.00	72.00	1.00	M298141						
UGA-20	72.00	73.00	1.00	M298142						
UGA-20	73.00	74.00	1.00	M298143						
UGA-20	74.00	75.00	1.00	M298144						
UGA-20	75.00	76.00	1.00	M298145						
UGA-20	76.00	77.00	1.00	M298146						
UGA-20	77.00	78.00	1.00	M298147						
UGA-20	78.00	79.00	1.00	M298148						
UGA-20	79.00	80.00	1.00	M298149						
UGA-20	80.00	81.00	1.00	M298150						
UGA-20	81.00	82.00	1.00	M298151						
UGA-20	82.00	83.00	1.00	M298152						
UGA-20	83.00	84.00	1.00	M298154						
UGA-20	84.00	85.00	1.00	M298155						
UGA-20	85.00	86.00	1.00	M298156						
UGA-20	86.00	87.00	1.00	M298157						
UGA-20	87.00	88.00	1.00	M298158						
UGA-20	88.00	89.00	1.00	M298159						
UGA-20	89.00	90.00	1.00	M298160						
UGA-20	90.00	91.00	1.00	M298161						
UGA-20	91.00	92.00	1.00	M298163						
UGA-20	92.00	93.00	1.00	M298164						
UGA-20	93.00	94.00	1.00	M298165						



## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-20	94.00	95.00	1.00	M298166	2.15	10.6	7.7	1160	490	1.2	5	1.07	<0.5	20	61	59	4.99	10	3.93	30	1.34	364	1
UGA-20	95.00	96.00	1.00	M298167	1.42	11.3	6.92	1340	440	1.2	4	1.39	<0.5	19	60	62	5.44	10	3.93	30	2.16	357	1
UGA-20	96.00	97.00	1.00	M298168	0.6	7.6	7.29	962	720	1.3	4	1.4	<0.5	20	59	52	4.9	10	3.72	30	2.28	386	1
UGA-20	97.00	98.00	1.00	M298169	0.64	6.2	6.34	764	680	1.1	5	1.49	<0.5	18	53	43	4.64	10	4.18	20	2.03	315	1
UGA-20	98.00	99.00	1.00	M298171	0.46	5.9	7.38	1190	870	1.3	5	1.23	<0.5	18	56	42	5.15	20	4.07	30	2.67	347	1
UGA-20	99.00	100.00	1.00	M298172	0.43	5.7	7.51	832	860	1.3	5	1.28	<0.5	19	54	48	4.82	10	4.3	30	3.08	366	1
UGA-20	100.00	101.00	1.00	M298173	0.6	7.6	6.9	950	450	1.1	5	1.58	<0.5	17	52	39	4.8	10	4	30	2.65	325	2
UGA-20	101.00	102.00	1.00	M298174	0.25	3.9	7.51	872	1020	1.1	7	1.14	<0.5	18	57	36	4.1	10	4.15	30	1.66	191	1
UGA-20	102.00	103.00	1.00	M298175	0.69	6.2	6.4	886	760	1.1	4	2.15	<0.5	17	50	39	5.07	10	4	20	2.63	411	2
UGA-20	103.00	104.00	1.00	M298176	0.17	2.4	6.18	377	880	1.2	<2	1.37	<0.5	15	51	37	3.58	10	3.81	20	2.44	329	2
UGA-20	104.00	105.00	1.00	M298177	0.39	7.7	6.41	715	480	1.3	3	1.37	<0.5	15	49	33	4.66	10	3.78	20	3.01	384	2
UGA-20	105.00	106.00	1.00	M298178	0.34	8	6.35	631	750	1.4	3	1.15	<0.5	18	50	33	4.7	10	3.67	20	2.35	425	2
UGA-20	106.00	107.00	1.00	M298179	0.92	19.5	6.11	1730	260	1.7	8	0.56	<0.5	21	49	42	7.03	10	4.05	20	2.45	390	2
UGA-20	107.00	108.00	1.00	M298180	0.52	13.9	4.86	957	310	1.7	3	0.68	<0.5	16	46	32	6.38	10	3.15	20	0.59	505	3
UGA-20	108.00	109.00	1.00	M298182	1.28	6.2	5.53	1530	270	1.6	3	0.89	<0.5	18	53	28	5.42	10	3.13	20	0.15	203	3
UGA-20	109.00	110.00	1.00	M298183	0.32	7.7	6.35	780	350	1.2	2	0.73	<0.5	18	53	35	5.1	10	3.74	20	0.6	577	3
UGA-20	110.00	111.00	1.00	M298184	0.35	3.7	5.42	260	920	0.7	5	1.52	<0.5	13	48	19	4.23	10	3.83	20	2.8	372	4
UGA-20	111.00	112.00	1.00	M298185	0.24	6.1	5.31	373	780	0.8	6	1.8	<0.5	14	48	22	4.49	10	3.72	20	2.44	341	2
UGA-20	112.00	113.00	1.00	M298186	0.28	8.8	5.7	330	770	1.1	<2	0.59	<0.5	15	50	24	3.95	10	3.52	20	2.48	232	6
UGA-20	113.00	114.00	1.00	M298187	0.29	7.7	5.63	463	760	1.1	3	0.98	<0.5	14	47	24	4.22	10	3.69	20	2.81	304	6
UGA-20	114.00	115.00	1.00	M298188	0.49	7.5	4.37	552	510	1	2	1.79	<0.5	12	46	19	4.3	10	2.97	20	2.14	264	4
UGA-20	115.00	116.00	1.00	M298190	0.34	5.9	4.59	500	590	0.8	2	1.49	<0.5	12	46	21	3.93	10	3.48	20	1.02	234	4
UGA-20	116.00	117.00	1.00	M298192	0.04	1.8	4.93	45	130	1.3	<2	1.38	<0.5	14	53	23	3.56	10	2.35	20	1.19	167	6
UGA-20	117.00	118.00	1.00	M298193	0.04	2.4	5.37	55	130	1.5	3	1.06	<0.5	15	54	25	3.84	10	2.27	20	0.98	140	3
UGA-20	118.00	119.00	1.00	M298194	0.03	2.6	5.52	26	320	1.5	<2	0.95	<0.5	16	64	25	3.92	10	2.2	20	0.95	141	4
UGA-20	119.00	120.00	1.00	M298195	0.13	2.1	4.54	63	240	1	<2	2	<0.5	14	55	20	3.96	10	1.37	20	1.16	288	6
UGA-20	120.00	121.00	1.00	M298196	0.06	2.2	6.72	129	200	1.3	3	1.73	<0.5	16	42	22	3.78	10	2.36	20	1.15	312	2
UGA-20	121.00	122.00	1.00	M298197	0.06	<0.5	7.9	55	240	1.4	<2	3.27	<0.5	14	20	26	3.9	10	2.76	20	2.02	933	<1
UGA-20	122.00	123.00	1.00	M298198	0.03	<0.5	7.02	62	210	1.3	4	3.06	<0.5	13	19	25	4.19	10	2.67	20	1.69	855	2
UGA-20	123.00	124.00	1.00	M298199	0.03	<0.5	7.8	66	250	1.4	4	3.03	<0.5	14	19	24	4.15	10	3.07	20	1.71	782	1
UGA-20	124.00	125.00	1.00	M298201	0.02	<0.5	7.47	93	250	1.4	2	2.85	<0.5	12	19	26	3.8	20	2.89	20	1.6	793	<1
UGA-20	125.00	126.00	1.00	M298202	0.02	<0.5	8.55	99	280	1.8	<2	1.93	<0.5	18	42	66	4.24	20	3.4	10	1.33	543	1
UGA-20	126.00	127.00	1.00	M298203	0.01	<0.5	7.67	106	240	1.5	<2	2.37	<0.5	16	46	58	3.94	20	2.87	10	1.44	687	1
UGA-20	127.00	128.00	1.00	M298204	0.02	<0.5	8.05	34	270	1.3	<2	4.04	<0.5	8	3	38	3.35	20	3.04	20	1.83	849	<1
UGA-20	128.00	129.00	1.00	M298205	0.01	<0.5	7.65	41	250	1.3	<2	3.28	<0.5	10	2	35	2.86	20	3.1	10	1.32	678	1
UGA-20	129.00	130.00	1.00	M298206	0.01	<0.5	8.13	41	220	1.3	<2	3.57	<0.5	9	3	33	3.37	20	3.17	20	1.4	777	1
UGA-20	130.00	131.00	1.00	M298207	0.01	<0.5	8.55	30	320	1.5	<2	3.06	<0.5	8	3	36	3.06	20	3.33	20	1.28	729	<1
UGA-20	131.00	132.00	1.00	M298208	0.02	<0.5	8.01	107	290	1.4	<2	3.43	<0.5	12	2	34	3.29	20	3.2	20	1.38	764	<1
UGA-21	21.00	22.00	1.00	M298364	0.03	0.7	8.39	94	360	1.9	<2	3.49	<0.5	11	6	32	3.33	20	3.58	20	1.44	976	1
UGA-21	22.00	23.00	1.00	M298365	0.14	3.6	6.72	190	510	1.5	<2	0.4	<0.5	20	69	40	4.1	10	4.2	20	0.53	484	6
UGA-21	23.00	24.00	1.00	M298366	0.16	3.3	6.5	186	280	1.6	<2	0.7	<0.5	21	65	34	5.06	20	3.7	20	0.83	675	10
UGA-21	24.00	25.00	1.00	M298367	0.09	2.4	6.06	112	450	1.2	<2	2.89	<0.5	19	61	30	4.05	10	3.89	20	1.56	973	4
UGA-21	25.00	26.00	1.00	M298368	0.04	1.3	8.03	65	560	1.4	<2	0.79	<0.5	17	77	42	3.13	20	3.99	30	0.8	354	2
UGA-21	26.00	27.00	1.00	M298369	0.08	2.7	7.07	121	590	1.4	<2	0.81	<0.5	21	69	42	4.69	10	4.04	20	0.95	562	2
UGA-21	27.00	28.00	1.00	M298370	0.1	3.7	7.45	109	560	1.3	<2	0.27	<0.5	22	80	43	4.3	20	4.6	20	0.48	153	4
UGA-21	28.00	29.00	1.00	M298371	0.07	2.1	6.95	87	560	1.1	<2	0.61	<0.5	22	71	34	5.03	10	4.57	20	0.97	533	3
UGA-21	29.00	30.00	1.00	M298372	0.05	1.7	7.2	80	580	1.2	2	0.83	<0.5	21	76	32	4.77	10	4.14	20	1.26	506	3
UGA-21	50.00	51.00	1.00	M298229	0.08	1.3	7.09	110	440	0.9	<2	0.59	<0.5	19	77	37	4.58	20	4.38	30	2.26	453	5
UGA-21	51.00	52.00	1.00	M298230	0.09	1.1	6.21	102	430	0.9	<2	0.64	<0.5	19	72	28	4.39	10	4.01	20	1.91	368	4
UGA-21	52.00	53.00	1.00	M298231	0.06	1.4	7.43	131	520	1	2	0.42	<0.5	19	73	33	4.87	20	4.11	30	2.31	385	2
UGA-21	53.00	54.00	1.00	M298232	0.09	1.6	7.09	155	710	1	<2	0.45	<0.5	21	71	29	4.55	10	4.37	30	2	352	3
UGA-21	54.00	55.00	1.00	M298233	0.08	1.2	6.94	172	470	1	2	1.41	<0.5	20	72	29	5.29	10	4.33	20	2.67	593	4
UGA-21	55.00	56.00	1.00	M298235	0.03	1	7.68	67	590	1	<2	0.54	<0.5	20	80	42	4.51	20	4.24	30	2.37	448	2

## Appendix 2 - All Assay Results

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	Au Total (+)(-) Combined
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au	
UGA-20	94.00	95.00	1.00	M298166	0.2	16	1570	9	4.45	37	22	152	<20	0.38	10	<10	143	<10	66			
UGA-20	95.00	96.00	1.00	M298167	0.18	16	1400	12	4.55	46	21	124	<20	0.35	10	<10	138	<10	54			
UGA-20	96.00	97.00	1.00	M298168	0.22	15	1320	8	3.75	30	21	122	20	0.37	10	<10	144	10	52			
UGA-20	97.00	98.00	1.00	M298169	0.18	12	1190	7	4.22	26	18	113	<20	0.31	10	<10	132	<10	52		0.62	
UGA-20	98.00	99.00	1.00	M298171	0.15	12	1230	10	4.24	20	21	126	<20	0.38	10	<10	147	<10	60			
UGA-20	99.00	100.00	1.00	M298172	0.2	15	1210	12	3.45	21	21	111	<20	0.37	10	<10	146	<10	62			
UGA-20	100.00	101.00	1.00	M298173	0.15	13	1350	10	4.13	24	20	121	<20	0.34	10	<10	139	<10	59			
UGA-20	101.00	102.00	1.00	M298174	0.17	12	1060	10	3.97	18	20	117	<20	0.36	10	<10	139	<10	45			
UGA-20	102.00	103.00	1.00	M298175	0.12	13	1800	13	4.27	32	18	121	<20	0.31	10	<10	125	<10	52			
UGA-20	103.00	104.00	1.00	M298176	0.12	12	870	7	2.58	23	17	109	<20	0.3	10	<10	123	<10	50			
UGA-20	104.00	105.00	1.00	M298177	0.08	13	1320	8	3.73	45	18	130	<20	0.32	10	<10	125	<10	60			
UGA-20	105.00	106.00	1.00	M298178	0.08	12	1160	8	3.75	42	18	90	<20	0.31	10	<10	116	<10	54			
UGA-20	106.00	107.00	1.00	M298179	0.05	18	2140	9	5.46	110	18	87	<20	0.3	20	<10	119	<10	81			
UGA-20	107.00	108.00	1.00	M298180	0.05	14	2750	10	5.35	102	14	83	<20	0.24	20	<10	97	<10	56			
UGA-20	108.00	109.00	1.00	M298182	0.05	13	3610	7	5.29	115	15	53	<20	0.29	30	<10	105	10	60			
UGA-20	109.00	110.00	1.00	M298183	0.07	11	2290	10	4.26	48	18	77	<20	0.32	10	<10	113	<10	70			
UGA-20	110.00	111.00	1.00	M298184	0.09	10	1610	7	2.78	21	14	94	<20	0.26	10	<10	85	<10	75			
UGA-20	111.00	112.00	1.00	M298185	0.08	8	2420	7	3.18	37	14	93	<20	0.26	10	<10	81	<10	80			
UGA-20	112.00	113.00	1.00	M298186	0.08	11	1000	9	2.57	32	16	64	<20	0.28	10	<10	106	<10	73			
UGA-20	113.00	114.00	1.00	M298187	0.07	10	1370	10	2.76	42	16	81	<20	0.28	10	<10	106	<10	61			
UGA-20	114.00	115.00	1.00	M298188	0.07	8	4060	10	3.13	57	13	100	<20	0.22	10	<10	86	<10	51			
UGA-20	115.00	116.00	1.00	M298190	0.07	9	1520	10	3.25	50	13	101	<20	0.22	10	<10	79	<10	35			
UGA-20	116.00	117.00	1.00	M298192	0.02	12	760	12	3.7	51	16	96	<20	0.26	<10	<10	109	<10	33			
UGA-20	117.00	118.00	1.00	M298193	0.02	10	930	8	4.06	19	17	46	<20	0.27	<10	<10	109	<10	52			
UGA-20	118.00	119.00	1.00	M298194	0.03	13	860	11	4.12	22	17	39	<20	0.29	<10	<10	112	<10	49			
UGA-20	119.00	120.00	1.00	M298195	0.02	12	720	8	3.78	17	15	65	<20	0.25	<10	<10	93	<10	56			
UGA-20	120.00	121.00	1.00	M298196	0.03	12	850	10	3.35	14	18	44	<20	0.34	<10	<10	121	<10	42			
UGA-20	121.00	122.00	1.00	M298197	0.04	2	840	6	0.62	<5	19	68	<20	0.43	<10	<10	131	10	64			
UGA-20	122.00	123.00	1.00	M298198	0.04	1	730	13	2.54	<5	17	59	<20	0.38	<10	<10	118	<10	58			
UGA-20	123.00	124.00	1.00	M298199	0.04	5	780	13	2.85	<5	19	59	<20	0.41	<10	<10	121	<10	91			
UGA-20	124.00	125.00	1.00	M298201	0.02	2	780	13	2.43	5	18	57	<20	0.42	10	<10	116	<10	38			
UGA-20	125.00	126.00	1.00	M298202	0.03	4	650	16	2.95	6	25	41	<20	0.46	10	<10	152	<10	41			
UGA-20	126.00	127.00	1.00	M298203	0.03	4	650	12	1.16	6	23	47	<20	0.42	10	<10	139	<10	57			
UGA-20	127.00	128.00	1.00	M298204	0.04	<1	770	6	0.23	8	12	69	<20	0.41	10	<10	95	<10	55			
UGA-20	128.00	129.00	1.00	M298205	0.04	1	790	8	0.29	<5	11	61	<20	0.42	<10	<10	102	<10	49			
UGA-20	129.00	130.00	1.00	M298206	0.05	<1	800	7	0.46	7	12	77	<20	0.43	10	<10	102	<10	53			
UGA-20	130.00	131.00	1.00	M298207	0.07	<1	880	13	0.23	7	12	62	<20	0.45	10	<10	101	<10	55			
UGA-20	131.00	132.00	1.00	M298208	0.06	<1	830	15	0.64	9	12	64	<20	0.42	10	<10	92	<10	50			
UGA-21	21.00	22.00	1.00	M298364	0.06	4	810	16	2.07	27	13	44	<20	0.43	10	<10	94	<10	72			
UGA-21	22.00	23.00	1.00	M298365	0.03	17	880	13	3.46	25	20	72	<20	0.37	10	<10	140	<10	70			
UGA-21	23.00	24.00	1.00	M298366	0.02	17	870	11	3.87	24	20	38	<20	0.35	10	<10	159	<10	63			
UGA-21	24.00	25.00	1.00	M298367	0.02	15	760	7	3.14	20	18	68	<20	0.32	10	<10	121	<10	58			
UGA-21	25.00	26.00	1.00	M298368	0.03	11	1130	8	2.23	13	22	80	<20	0.43	10	<10	158	<10	47			
UGA-21	26.00	27.00	1.00	M298369	0.03	16	810	8	3.59	19	21	70	<20	0.38	10	<10	153	<10	67			
UGA-21	27.00	28.00	1.00	M298370	0.04	17	920	12	4.41	23	22	66	<20	0.4	<10	<10	153	<10	71			
UGA-21	28.00	29.00	1.00	M298371	0.03	19	810	13	4.07	13	21	67	<20	0.36	10	<10	140	<10	64			
UGA-21	29.00	30.00	1.00	M298372	0.03	15	970	10	3.69	13	21	64	<20	0.38	<10	<10	145	<10	71			
UGA-21	50.00	51.00	1.00	M298229	<0.01	18	1430	12	2.01	20	21	89	<20	0.37	<10	<10	148	<10	63			
UGA-21	51.00	52.00	1.00	M298230	<0.01	13	1310	11	2.17	24	19	82	<20	0.33	<10	<10	135	<10	55			
UGA-21	52.00	53.00	1.00	M298231	<0.01	17	1180	10	2.56	18	21	81	<20	0.39	<10	<10	155	<10	67			
UGA-21	53.00	54.00	1.00	M298232	<0.01	16	1130	12	2.55	12	20	86	<20	0.37	<10	<10	140	<10	59			
UGA-21	54.00	55.00	1.00	M298233	<0.01	14	1710	10	2.38	24	21	101	<20	0.36	10	<10	144	<10	62			
UGA-21	55.00	56.00	1.00	M298235	<0.01	20	1120	6	1.64	9	22	78	<20	0.42	<10	<10	160	<10	69			

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-20	94.00	95.00	1.00	M298166						
UGA-20	95.00	96.00	1.00	M298167						
UGA-20	96.00	97.00	1.00	M298168						
UGA-20	97.00	98.00	1.00	M298169	0.61	0.63	0.052	85.23	894	0.61
UGA-20	98.00	99.00	1.00	M298171						
UGA-20	99.00	100.00	1.00	M298172						
UGA-20	100.00	101.00	1.00	M298173						
UGA-20	101.00	102.00	1.00	M298174						
UGA-20	102.00	103.00	1.00	M298175						
UGA-20	103.00	104.00	1.00	M298176						
UGA-20	104.00	105.00	1.00	M298177						
UGA-20	105.00	106.00	1.00	M298178						
UGA-20	106.00	107.00	1.00	M298179						
UGA-20	107.00	108.00	1.00	M298180						
UGA-20	108.00	109.00	1.00	M298182						
UGA-20	109.00	110.00	1.00	M298183						
UGA-20	110.00	111.00	1.00	M298184						
UGA-20	111.00	112.00	1.00	M298185						
UGA-20	112.00	113.00	1.00	M298186						
UGA-20	113.00	114.00	1.00	M298187						
UGA-20	114.00	115.00	1.00	M298188						
UGA-20	115.00	116.00	1.00	M298190						
UGA-20	116.00	117.00	1.00	M298192						
UGA-20	117.00	118.00	1.00	M298193						
UGA-20	118.00	119.00	1.00	M298194						
UGA-20	119.00	120.00	1.00	M298195						
UGA-20	120.00	121.00	1.00	M298196						
UGA-20	121.00	122.00	1.00	M298197						
UGA-20	122.00	123.00	1.00	M298198						
UGA-20	123.00	124.00	1.00	M298199						
UGA-20	124.00	125.00	1.00	M298201						
UGA-20	125.00	126.00	1.00	M298202						
UGA-20	126.00	127.00	1.00	M298203						
UGA-20	127.00	128.00	1.00	M298204						
UGA-20	128.00	129.00	1.00	M298205						
UGA-20	129.00	130.00	1.00	M298206						
UGA-20	130.00	131.00	1.00	M298207						
UGA-20	131.00	132.00	1.00	M298208						
UGA-21	21.00	22.00	1.00	M298364						
UGA-21	22.00	23.00	1.00	M298365						
UGA-21	23.00	24.00	1.00	M298366						
UGA-21	24.00	25.00	1.00	M298367						
UGA-21	25.00	26.00	1.00	M298368						
UGA-21	26.00	27.00	1.00	M298369						
UGA-21	27.00	28.00	1.00	M298370						
UGA-21	28.00	29.00	1.00	M298371						
UGA-21	29.00	30.00	1.00	M298372						
UGA-21	50.00	51.00	1.00	M298229						
UGA-21	51.00	52.00	1.00	M298230						
UGA-21	52.00	53.00	1.00	M298231						
UGA-21	53.00	54.00	1.00	M298232						
UGA-21	54.00	55.00	1.00	M298233						
UGA-21	55.00	56.00	1.00	M298235						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-21	56.00	57.00	1.00	M298236	0.04	0.8	6.06	78	470	0.9	<2	1.18	<0.5	17	76	23	4.01	10	3.79	20	2.03	585	3
UGA-21	57.00	58.00	1.00	M298237	0.04	0.9	7.48	78	490	1	2	1.12	<0.5	20	76	38	5.16	20	4.56	30	2.45	532	1
UGA-21	58.00	59.00	1.00	M298238	0.09	1	6.96	132	520	1	<2	1.19	<0.5	18	72	36	5.08	10	3.99	20	1.98	493	3
UGA-21	59.00	60.00	1.00	M298239	0.18	1.1	7.27	72	600	1	<2	1.09	<0.5	21	74	32	5.26	20	4.34	30	2.29	700	3
UGA-21	60.00	61.00	1.00	M298240	4.84	4.9	5.48	83	490	1.2	<2	1.13	<0.5	15	77	44	3.96	10	3.53	20	0.9	998	10
UGA-21	61.00	62.00	1.00	M298242	1.89	7.2	7.18	217	260	1.5	<2	0.46	<0.5	21	75	37	4.54	20	3.25	30	0.67	855	6
UGA-21	62.00	63.00	1.00	M298243	0.08	1.3	7.08	81	580	1.2	<2	0.61	<0.5	18	79	29	4.17	10	3.72	30	1.91	442	4
UGA-21	63.00	64.00	1.00	M298244	0.06	0.9	6.52	72	660	1	<2	0.59	<0.5	17	69	27	4.48	10	4.24	20	2.09	463	3
UGA-21	64.00	65.00	1.00	M298245	0.09	1.2	6.17	64	490	1	<2	0.65	<0.5	16	67	30	5.31	10	4.13	20	2.53	568	5
UGA-21	65.00	66.00	1.00	M298246	0.32	1	6.92	51	580	1	<2	0.5	<0.5	19	73	34	4.5	10	4.66	30	2.4	387	4
UGA-21	66.00	67.00	1.00	M298247	0.18	2	6.99	78	500	1	2	0.47	<0.5	18	72	40	4.98	10	4.75	20	2.59	477	6
UGA-21	67.00	68.00	1.00	M298249	0.18	1.3	6.62	66	620	0.9	<2	0.33	<0.5	19	73	32	4.67	20	4.49	20	2.53	453	6
UGA-21	68.00	69.00	1.00	M298250	0.22	1.3	6.74	69	450	0.9	<2	0.35	<0.5	17	72	36	4.62	10	4.32	20	2.43	404	7
UGA-21	69.00	70.00	1.00	M298251	0.08	1.1	6.56	45	460	0.9	2	0.43	<0.5	17	75	32	4.3	10	4.3	20	2.24	401	3
UGA-21	70.00	71.00	1.00	M298252	0.04	1.2	7.3	44	440	0.9	<2	0.44	<0.5	20	44	43	4.74	20	4.66	20	2.54	486	2
UGA-21	71.00	72.00	1.00	M298253	0.05	1.5	6.91	91	500	1	<2	0.5	<0.5	18	70	30	4.6	10	4.27	20	2.5	516	3
UGA-21	72.00	73.00	1.00	M298254	0.02	0.6	7.86	44	330	1.1	<2	0.45	<0.5	20	84	40	5.43	20	4.87	20	3.62	616	2
UGA-21	73.00	74.00	1.00	M298255	0.04	1.5	7.17	127	540	1.2	<2	0.38	<0.5	19	68	39	4.96	10	4.09	20	2.84	424	4
UGA-21	74.00	75.00	1.00	M298256	0.61	3.7	7.73	220	530	1.3	2	0.4	<0.5	21	76	47	4.98	20	4.58	20	3.42	439	2
UGA-21	75.00	76.00	1.00	M298257	0.22	6.2	7.49	262	530	1.3	<2	0.6	<0.5	21	72	96	4.94	20	4.34	30	3.21	464	3
UGA-21	76.00	77.00	1.00	M298258	0.93	14	6	440	670	1	<2	0.64	<0.5	17	66	39	4.32	10	3.92	20	2.09	343	2
UGA-21	77.00	78.00	1.00	M298259	1.6	25.2	5.18	768	660	0.9	<2	0.49	<0.5	15	65	63	4.55	10	3.6	20	1.7	227	4
UGA-21	78.00	79.00	1.00	M298261	0.28	2.6	6.89	408	680	1.1	<2	0.54	<0.5	22	79	24	4.78	10	4.22	20	2.43	366	2
UGA-21	79.00	80.00	1.00	M298262	0.08	1.6	7.08	172	510	1.1	2	0.73	<0.5	21	76	23	4.54	10	4.02	20	2.51	395	3
UGA-21	80.00	81.00	1.00	M298263	0.13	1.3	7.21	94	670	1.1	2	0.6	<0.5	18	62	26	4.41	10	4.49	30	2.07	336	2
UGA-21	81.00	82.00	1.00	M298264	0.06	1.5	7.03	111	560	1.1	2	1.34	<0.5	17	41	20	4.73	20	3.84	30	2.09	466	2
UGA-21	82.00	83.00	1.00	M298265	0.05	1.7	6.91	86	750	1.3	<2	1.02	<0.5	17	33	17	4.64	10	4.09	30	1.88	439	3
UGA-21	83.00	84.00	1.00	M298266	0.12	1.7	6.88	153	630	1.3	<2	0.39	<0.5	17	31	18	4.29	10	3.83	30	0.66	572	4
UGA-21	84.00	85.00	1.00	M298267	0.07	1	7.35	116	660	1.3	2	0.44	<0.5	15	35	16	4.11	20	3.91	30	1.16	483	3
UGA-21	85.00	86.00	1.00	M298268	0.08	1.4	6.86	184	740	1.3	2	0.83	<0.5	17	34	17	4.96	10	3.69	30	1.42	372	4
UGA-21	86.00	87.00	1.00	M298269	0.16	1.4	7.29	236	670	1.4	<2	0.89	<0.5	15	35	20	3.72	20	3.66	30	1.32	246	2
UGA-21	87.00	88.00	1.00	M298271	0.1	1.3	7.12	116	550	1.3	<2	1.01	<0.5	17	37	22	4.3	10	3.75	30	1.6	440	2
UGA-21	88.00	89.00	1.00	M298272	0.06	0.7	7.33	60	690	1.2	<2	0.95	<0.5	14	31	20	4.36	10	3.93	30	1.59	438	2
UGA-21	89.00	90.00	1.00	M298273	0.11	1.1	7.61	66	820	1.2	<2	0.86	<0.5	15	38	22	3.41	20	3.42	30	0.96	266	4
UGA-21	90.00	91.00	1.00	M298274	0.37	1.1	6.71	115	640	1.4	<2	1.7	<0.5	14	31	17	4.59	10	3.74	30	1.82	491	3
UGA-21	91.00	92.00	1.00	M298275	0.11	1	6.55	141	630	1.5	<2	2.05	<0.5	13	32	17	4.77	10	3.69	30	2.23	698	4
UGA-21	92.00	93.00	1.00	M298276	0.22	1.9	6.6	295	740	1.5	<2	0.45	<0.5	15	33	24	4.17	10	3.41	30	0.75	511	4
UGA-21	93.00	94.00	1.00	M298277	0.79	2.8	6.7	363	380	1.6	<2	0.43	<0.5	17	38	27	5.05	10	2.93	30	0.63	979	3
UGA-21	94.00	95.00	1.00	M298278	3.96	1.8	6.98	192	590	1.5	<2	0.35	<0.5	20	43	29	4.77	10	3.88	30	0.7	605	6
UGA-21	95.00	96.00	1.00	M298280	0.33	1.7	7	124	620	1.3	<2	0.78	<0.5	19	41	25	4.62	10	3.39	20	1.23	530	5
UGA-21	96.00	97.00	1.00	M298281	0.19	1.2	6.97	119	580	1.2	<2	1.06	<0.5	20	37	25	4.49	10	3.42	20	1.46	347	5
UGA-21	97.00	98.00	1.00	M298282	0.13	1.4	7.13	108	410	1.2	2	0.91	<0.5	20	39	22	4.38	10	3.78	20	1.36	283	5
UGA-21	98.00	99.00	1.00	M298283	0.2	3.1	6.73	245	650	1.2	<2	1.2	<0.5	17	31	19	4.55	10	3.46	20	2.59	415	3
UGA-21	99.00	100.00	1.00	M298284	0.07	1.5	7.7	107	640	1.2	<2	0.6	<0.5	19	43	27	4.13	10	3.38	20	2.29	387	3
UGA-21	100.00	101.00	1.00	M298285	0.6	4.5	7.01	396	830	1.2	<2	0.81	<0.5	17	41	26	4.33	10	3.72	20	2.3	363	3
UGA-21	101.00	102.00	1.00	M298286	0.06	1.5	7.25	122	500	1.2	<2	0.7	<0.5	20	38	29	4.6	10	3.44	20	2.23	397	2
UGA-21	102.00	103.00	1.00	M298287	0.42	2.8	7.13	104	690	1.2	<2	0.63	<0.5	18	39	26	4.22	10	3.96	20	1.88	304	3
UGA-21	103.00	104.00	1.00	M298288	0.21	2.3	6.94	241	500	1.4	<2	0.46	<0.5	19	37	28	4.44	10	3.66	20	1.96	329	3
UGA-21	104.00	105.00	1.00	M298289	0.88	2.6	7.27	108	610	1.4	<2	0.39	<0.5	18	38	34	4.42	10	3.99	20	1.76	357	3
UGA-21	105.00	106.00	1.00	M298291	0.29	2	6.84	129	600	1.3	<2	0.66	<0.5	19	37	40	4.58	10	3.88	20	1.64	340	4
UGA-21	106.00	107.00	1.00	M298292	0.09	1.9	7.24	64	550	1.2	2	0.64	<0.5	20	38	48	4.57	20	4.24	20	1.9	355	3
UGA-21	107.00	108.00	1.00	M298293	0.13	1.8	7.05	119	660	1.2	<2	0.7	<0.5	18	40	31	4.62	10	3.99	20	1.92	324	4
UGA-21	108.00	109.00	1.00	M298294	0.17	2	6.94	139	690	1.2	<2	0.78	<0.5	17	38	28	4.26	10	3.58	20	1.97	326	4

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)(-) Combined
					%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-21	56.00	57.00	1.00	M298236	<0.01	14	890	9	1.84	8	18	91	<20	0.32	<10	<10	123	<10	51		
UGA-21	57.00	58.00	1.00	M298237	<0.01	17	1060	9	1.9	11	23	75	<20	0.39	<10	<10	155	<10	66		
UGA-21	58.00	59.00	1.00	M298238	<0.01	14	1190	13	2.29	17	21	75	<20	0.37	10	<10	145	<10	56		
UGA-21	59.00	60.00	1.00	M298239	<0.01	18	1080	9	1.73	8	22	81	<20	0.38	<10	<10	152	<10	70		
UGA-21	60.00	61.00	1.00	M298240	<0.01	12	1560	10	1.48	32	16	73	<20	0.29	10	<10	112	<10	54		
UGA-21	61.00	62.00	1.00	M298242	0.01	16	1370	12	2.36	29	21	51	<20	0.38	<10	<10	150	<10	82		
UGA-21	62.00	63.00	1.00	M298243	<0.01	18	1190	6	1.71	15	21	95	<20	0.37	<10	<10	147	<10	64		
UGA-21	63.00	64.00	1.00	M298244	0.03	13	1170	3	1.84	16	20	87	<20	0.34	<10	<10	136	10	60		
UGA-21	64.00	65.00	1.00	M298245	0.03	13	1340	3	1.76	24	19	79	<20	0.32	<10	<10	133	10	60		
UGA-21	65.00	66.00	1.00	M298246	0.03	15	1180	5	1.68	21	20	96	<20	0.36	<10	<10	147	10	61		
UGA-21	66.00	67.00	1.00	M298247	0.03	14	1230	5	2.03	19	20	87	<20	0.37	<10	<10	152	10	67		
UGA-21	67.00	68.00	1.00	M298249	<0.01	16	1140	10	1.62	22	20	70	<20	0.37	<10	<10	141	10	60		
UGA-21	68.00	69.00	1.00	M298250	0.03	14	1230	5	1.67	23	20	58	<20	0.35	10	<10	147	10	60		
UGA-21	69.00	70.00	1.00	M298251	0.03	14	1100	4	1.56	17	19	63	<20	0.35	<10	<10	146	10	59		
UGA-21	70.00	71.00	1.00	M298252	0.03	17	1200	4	1.78	12	22	76	<20	0.38	<10	<10	152	10	66		
UGA-21	71.00	72.00	1.00	M298253	0.03	16	1170	3	1.82	13	20	66	<20	0.36	<10	<10	144	10	64		
UGA-21	72.00	73.00	1.00	M298254	0.04	18	1310	<2	1.12	11	23	82	<20	0.43	<10	<10	170	<10	84		
UGA-21	73.00	74.00	1.00	M298255	0.03	17	1100	6	2.31	12	22	68	<20	0.38	<10	<10	150	<10	63		
UGA-21	74.00	75.00	1.00	M298256	0.04	17	1100	5	1.92	16	23	96	<20	0.41	10	<10	161	<10	75		
UGA-21	75.00	76.00	1.00	M298257	0.03	17	1110	14	2.39	21	22	102	<20	0.39	<10	<10	155	<10	159		
UGA-21	76.00	77.00	1.00	M298258	0.03	15	1150	9	2.81	34	19	95	<20	0.33	10	<10	127	<10	60		
UGA-21	77.00	78.00	1.00	M298259	0.03	13	1300	19	3.66	85	17	80	<20	0.28	10	<10	114	<10	60		
UGA-21	78.00	79.00	1.00	M298261	0.04	16	1320	4	2.7	20	22	73	<20	0.37	<10	<10	155	<10	65		
UGA-21	79.00	80.00	1.00	M298262	0.04	16	1280	6	2.34	16	22	78	<20	0.38	<10	<10	164	<10	64		
UGA-21	80.00	81.00	1.00	M298263	0.05	15	1230	5	2.66	12	20	92	<20	0.37	<10	<10	154	<10	65		
UGA-21	81.00	82.00	1.00	M298264	0.04	11	1060	9	2.95	12	20	86	<20	0.37	<10	<10	162	<10	71		
UGA-21	82.00	83.00	1.00	M298265	0.04	10	1210	2	2.97	17	20	90	<20	0.39	10	<10	162	<10	78		
UGA-21	83.00	84.00	1.00	M298266	0.04	11	1540	8	2.96	26	18	80	<20	0.37	10	<10	146	<10	80		
UGA-21	84.00	85.00	1.00	M298267	0.05	8	1220	5	2.79	18	19	83	<20	0.39	10	<10	148	<10	74		
UGA-21	85.00	86.00	1.00	M298268	0.04	9	1310	7	3.98	17	18	90	<20	0.35	<10	<10	135	<10	71		
UGA-21	86.00	87.00	1.00	M298269	0.04	9	1100	4	2.96	15	18	85	<20	0.37	<10	<10	129	<10	61		
UGA-21	87.00	88.00	1.00	M298271	0.02	10	1110	9	2.96	16	19	96	<20	0.39	10	<10	140	<10	67		
UGA-21	88.00	89.00	1.00	M298272	0.04	9	1090	6	2.57	14	18	84	<20	0.35	10	<10	130	<10	67		
UGA-21	89.00	90.00	1.00	M298273	0.05	9	1220	6	2.39	15	17	102	<20	0.36	<10	<10	129	<10	65		
UGA-21	90.00	91.00	1.00	M298274	0.03	7	1030	5	2.66	16	16	84	<20	0.32	<10	<10	124	<10	69		
UGA-21	91.00	92.00	1.00	M298275	0.02	9	960	4	2.01	18	15	78	<20	0.3	<10	<10	104	<10	66		
UGA-21	92.00	93.00	1.00	M298276	0.02	9	1130	8	2.82	20	16	67	<20	0.33	<10	<10	119	<10	75		
UGA-21	93.00	94.00	1.00	M298277	0.02	11	1590	4	3.02	32	18	44	<20	0.35	<10	<10	132	10	79		
UGA-21	94.00	95.00	1.00	M298278	0.05	11	1280	6	3.11	26	19	79	<20	0.37	<10	<10	142	<10	77		
UGA-21	95.00	96.00	1.00	M298280	0.06	11	1280	9	2.5	27	19	86	<20	0.36	<10	<10	145	<10	69		
UGA-21	96.00	97.00	1.00	M298281	0.04	15	1240	8	3.02	28	19	81	<20	0.37	10	<10	147	<10	73		
UGA-21	97.00	98.00	1.00	M298282	0.05	11	1410	7	3.24	24	20	80	<20	0.37	<10	<10	146	<10	62		
UGA-21	98.00	99.00	1.00	M298283	0.02	11	1090	10	2.55	20	17	77	<20	0.34	10	<10	132	<10	79		
UGA-21	99.00	100.00	1.00	M298284	0.03	10	1190	8	1.91	14	21	83	<20	0.39	<10	<10	155	<10	77		
UGA-21	100.00	101.00	1.00	M298285	0.04	11	1130	11	2.36	21	19	88	<20	0.36	<10	<10	142	<10	76		
UGA-21	101.00	102.00	1.00	M298286	0.06	11	1170	8	3.08	15	20	101	<20	0.37	10	<10	144	<10	72		
UGA-21	102.00	103.00	1.00	M298287	0.04	12	1190	11	2.86	21	20	81	<20	0.38	<10	<10	146	<10	70		
UGA-21	103.00	104.00	1.00	M298288	0.04	13	1340	11	3.2	25	19	85	<20	0.36	10	<10	145	<10	68		
UGA-21	104.00	105.00	1.00	M298289	0.04	12	1350	12	2.98	29	20	72	<20	0.38	10	<10	148	<10	73		
UGA-21	105.00	106.00	1.00	M298291	0.04	10	1300	14	2.79	28	19	70	<20	0.35	<10	<10	137	<10	60		
UGA-21	106.00	107.00	1.00	M298292	0.03	12	1230	12	2.7	26	20	72	<20	0.37	<10	<10	146	<10	64		
UGA-21	107.00	108.00	1.00	M298293	0.03	10	1300	11	3	25	19	73	<20	0.36	10	<10	147	<10	65		
UGA-21	108.00	109.00	1.00	M298294	0.02	8	1210	8	2.65	24	18	63	<20	0.36	10	<10	143	<10	55		

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-21	56.00	57.00	1.00	M298236						
UGA-21	57.00	58.00	1.00	M298237						
UGA-21	58.00	59.00	1.00	M298238						
UGA-21	59.00	60.00	1.00	M298239						
UGA-21	60.00	61.00	1.00	M298240						
UGA-21	61.00	62.00	1.00	M298242						
UGA-21	62.00	63.00	1.00	M298243						
UGA-21	63.00	64.00	1.00	M298244						
UGA-21	64.00	65.00	1.00	M298245						
UGA-21	65.00	66.00	1.00	M298246						
UGA-21	66.00	67.00	1.00	M298247						
UGA-21	67.00	68.00	1.00	M298249						
UGA-21	68.00	69.00	1.00	M298250						
UGA-21	69.00	70.00	1.00	M298251						
UGA-21	70.00	71.00	1.00	M298252						
UGA-21	71.00	72.00	1.00	M298253						
UGA-21	72.00	73.00	1.00	M298254						
UGA-21	73.00	74.00	1.00	M298255						
UGA-21	74.00	75.00	1.00	M298256						
UGA-21	75.00	76.00	1.00	M298257						
UGA-21	76.00	77.00	1.00	M298258						
UGA-21	77.00	78.00	1.00	M298259						
UGA-21	78.00	79.00	1.00	M298261						
UGA-21	79.00	80.00	1.00	M298262						
UGA-21	80.00	81.00	1.00	M298263						
UGA-21	81.00	82.00	1.00	M298264						
UGA-21	82.00	83.00	1.00	M298265						
UGA-21	83.00	84.00	1.00	M298266						
UGA-21	84.00	85.00	1.00	M298267						
UGA-21	85.00	86.00	1.00	M298268						
UGA-21	86.00	87.00	1.00	M298269						
UGA-21	87.00	88.00	1.00	M298271						
UGA-21	88.00	89.00	1.00	M298272						
UGA-21	89.00	90.00	1.00	M298273						
UGA-21	90.00	91.00	1.00	M298274						
UGA-21	91.00	92.00	1.00	M298275						
UGA-21	92.00	93.00	1.00	M298276						
UGA-21	93.00	94.00	1.00	M298277						
UGA-21	94.00	95.00	1.00	M298278						
UGA-21	95.00	96.00	1.00	M298280						
UGA-21	96.00	97.00	1.00	M298281						
UGA-21	97.00	98.00	1.00	M298282						
UGA-21	98.00	99.00	1.00	M298283						
UGA-21	99.00	100.00	1.00	M298284						
UGA-21	100.00	101.00	1.00	M298285						
UGA-21	101.00	102.00	1.00	M298286						
UGA-21	102.00	103.00	1.00	M298287						
UGA-21	103.00	104.00	1.00	M298288						
UGA-21	104.00	105.00	1.00	M298289						
UGA-21	105.00	106.00	1.00	M298291						
UGA-21	106.00	107.00	1.00	M298292						
UGA-21	107.00	108.00	1.00	M298293						
UGA-21	108.00	109.00	1.00	M298294						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-21	109.00	110.00	1.00	M298295	0.44	2.7	7.13	286	230	1.1	<2	0.66	<0.5	16	38	39	4.5	10	3.58	20	1.56	238	3
UGA-21	110.00	111.00	1.00	M298296	1.96	3.7	6.34	407	560	1.5	<2	0.48	<0.5	15	32	29	5.11	10	3.72	20	2.36	369	5
UGA-21	111.00	112.00	1.00	M298297	2	8.9	5.35	381	510	1.4	<2	0.59	<0.5	14	38	51	4.58	10	3.29	10	1.42	362	7
UGA-21	112.00	113.00	1.00	M298299	0.72	5.7	6.1	367	190	1.4	<2	0.55	<0.5	16	36	39	5.76	10	3.92	10	2.07	286	8
UGA-21	113.00	114.00	1.00	M298300	0.3	3.5	6.66	349	290	1.4	<2	1.02	<0.5	17	35	64	5.17	10	4.29	20	2.1	279	8
UGA-21	114.00	115.00	1.00	M298301	0.26	3	7.34	302	780	1.6	<2	0.57	<0.5	16	36	42	4.64	20	3.98	20	2.38	314	4
UGA-21	115.00	116.00	1.00	M298302	1.37	8.8	6.83	272	560	1.5	2	0.49	<0.5	16	38	56	4.37	10	3.56	10	2.16	269	5
UGA-21	116.00	117.00	1.00	M298303	0.14	1.7	7.3	121	720	1.4	<2	0.64	<0.5	18	37	36	4.72	20	3.75	20	2.08	324	3
UGA-21	117.00	118.00	1.00	M298304	0.12	7.9	7.76	163	670	1.3	4	0.74	<0.5	18	38	39	4.82	20	4.03	20	2.04	314	2
UGA-21	118.00	119.00	1.00	M298305	0.45	4.4	6.99	401	360	1.3	<2	0.77	<0.5	17	37	30	4.36	10	3.91	10	1.22	224	2
UGA-21	119.00	120.00	1.00	M298306	0.44	6	6.25	516	370	1.1	2	1.62	<0.5	15	36	23	4.63	10	3.98	10	1.16	324	4
UGA-21	120.00	121.00	1.00	M298307	0.58	7.8	5.47	687	240	1.4	2	1.09	<0.5	13	33	25	4.34	10	3.86	10	0.96	269	4
UGA-21	121.00	122.00	1.00	M298309	0.5	5	5.03	382	130	1.7	<2	0.25	<0.5	13	35	20	3.86	10	2.1	10	0.53	324	5
UGA-21	122.00	123.00	1.00	M298310	1.55	6	4.13	409	20	1.7	<2	0.41	0.7	10	40	32	3.82	10	1.01	<10	0.35	536	13
UGA-21	123.00	124.00	1.00	M298311	0.26	3	5.57	305	20	1.9	<2	0.28	<0.5	16	30	23	5.25	10	1.74	10	0.63	1135	3
UGA-21	124.00	125.00	1.00	M298312	0.22	2	5.19	243	330	1.5	<2	0.29	<0.5	12	33	18	3.83	10	2.95	10	0.52	516	3
UGA-21	125.00	126.00	1.00	M298314	0.1	1.8	5.06	154	320	1.4	<2	0.28	<0.5	14	32	18	4.04	10	3.19	20	0.7	384	3
UGA-21	126.00	127.00	1.00	M298315	0.2	2.9	4.56	146	250	1.2	<2	0.35	<0.5	14	34	22	4.75	10	2.56	20	0.56	574	4
UGA-21	127.00	128.00	1.00	M298316	0.13	2.2	3.75	100	280	1	<2	0.91	<0.5	10	36	16	3.78	10	2	10	0.93	327	4
UGA-21	128.00	129.00	1.00	M298317	0.21	3.9	3.82	214	260	0.8	<2	1.86	<0.5	10	34	19	4.36	10	1.93	10	1.6	293	6
UGA-21	129.00	130.00	1.00	M298318	0.39	7.1	3.05	155	410	0.6	<2	1.7	<0.5	8	44	13	3.02	10	2.19	10	0.76	229	9
UGA-21	130.00	131.00	1.00	M298319	0.27	2.6	3.39	88	500	0.7	<2	0.89	<0.5	9	42	14	2.94	10	3	10	1.07	183	6
UGA-21	131.00	132.00	1.00	M298321	0.15	2.5	3.71	107	310	0.7	<2	1.23	<0.5	11	41	16	3.77	10	2.43	10	1.38	209	4
UGA-21	132.00	133.00	1.00	M298322	0.71	3.5	2.63	155	100	0.6	<2	2.8	<0.5	8	27	14	4.8	10	0.24	10	4.45	545	6
UGA-21	133.00	134.00	1.00	M298323	0.65	4.1	3.29	173	40	0.8	<2	4.16	<0.5	7	23	15	4.95	10	0.04	10	4.95	580	7
UGA-21	134.00	135.00	1.00	M298324	0.4	2.5	3.95	102	80	1	3	4.66	<0.5	12	21	17	4.26	10	0.22	10	7.11	774	2
UGA-21	135.00	136.00	1.00	M298325	0.37	2.5	4	119	50	1	<2	4.87	<0.5	11	20	17	4.79	10	0.27	10	9.38	995	3
UGA-21	136.00	137.00	1.00	M298326	0.46	2.3	3.03	121	190	0.8	<2	2.59	<0.5	10	25	13	3.73	10	0.58	10	4.9	730	5
UGA-21	137.00	138.00	1.00	M298327	2.88	13.5	3.47	180	270	0.8	<2	1.34	<0.5	9	33	19	3.81	10	1.63	10	3.19	306	7
UGA-21	138.00	139.00	1.00	M298328	0.45	4.1	4.4	171	440	0.8	<2	1.22	<0.5	12	42	15	3.63	10	3.25	20	1.48	178	6
UGA-21	139.00	140.00	1.00	M298329	0.41	2.8	5.12	103	370	1.1	<2	1.12	<0.5	13	36	18	2.72	10	3.27	20	1.38	252	3
UGA-21	140.00	141.00	1.00	M298330	1.61	3.7	4.96	113	220	1.3	<2	0.62	<0.5	12	34	20	3.1	10	2.63	20	1.04	119	2
UGA-21	141.00	142.00	1.00	M298331	0.42	4.6	4.4	149	210	1.2	2	0.61	<0.5	12	40	20	3.52	10	2.45	20	0.94	342	4
UGA-21	142.00	143.00	1.00	M298332	0.34	2.7	4.05	131	420	1	<2	0.48	<0.5	11	31	13	3.16	10	2.7	20	0.72	146	3
UGA-21	143.00	144.00	1.00	M298334	0.12	2.7	5.06	89	370	1.3	2	1.1	<0.5	16	30	17	4.04	10	2.85	20	1.46	361	2
UGA-21	144.00	145.00	1.00	M298335	0.19	2.6	4.69	77	320	1.2	<2	0.75	<0.5	15	27	15	3.78	10	2.87	20	0.71	371	4
UGA-21	145.00	146.00	1.00	M298336	0.1	2.8	4.93	67	300	1.3	<2	0.87	<0.5	15	27	19	3.93	10	2.62	20	1.14	209	3
UGA-21	146.00	147.00	1.00	M298337	0.13	3.1	5.04	84	290	1.2	<2	0.8	<0.5	15	30	20	4.23	10	2.34	20	1.41	239	4
UGA-21	147.00	148.00	1.00	M298338	0.21	3	4.77	78	390	1.2	2	1.07	<0.5	14	30	22	4.05	10	2.26	20	1.42	268	4
UGA-21	148.00	149.00	1.00	M298339	0.09	2.3	3.89	121	230	1	<2	0.95	<0.5	11	42	14	3.47	10	1.57	20	1.14	234	4
UGA-21	149.00	150.00	1.00	M298340	4.03	7.8	2.73	484	220	0.9	<2	1.09	<0.5	9	40	23	4.1	10	1.08	10	0.77	268	6
UGA-21	150.00	151.00	1.00	M298341	0.8	3.3	4.27	249	160	1.1	<2	1.54	<0.5	12	55	26	3.11	10	1.41	20	1.28	346	5
UGA-21	151.00	152.00	1.00	M298342	0.77	4.9	4.63	417	270	1.1	<2	1.02	<0.5	13	51	28	3.97	10	1.88	20	0.97	253	4
UGA-21	152.00	153.00	1.00	M298343	0.5	2.2	5.34	324	430	1.2	<2	1.55	<0.5	16	60	14	3.99	10	2.6	20	1.36	360	5
UGA-21	153.00	154.00	1.00	M298345	0.54	2.8	5.39	329	520	1.2	2	1.85	<0.5	14	52	24	4.21	10	2.54	20	1.79	350	4
UGA-21	154.00	155.00	1.00	M298346	0.92	4	6.19	683	500	1.8	<2	1.05	<0.5	20	59	50	4.77	10	2.9	20	1.35	575	4
UGA-21	155.00	156.00	1.00	M298347	0.61	4.5	5.32	737	370	1.7	<2	0.49	<0.5	18	58	45	4.62	10	1.83	20	0.93	691	5
UGA-21	156.00	157.00	1.00	M298348	0.61	4.1	6.07	664	190	1.6	<2	1.54	<0.5	19	58	68	4.89	10	2.46	20	1.28	448	3
UGA-21	157.00	158.00	1.00	M298350	0.5	3.3	5.8	523	170	1.4	<2	0.94	0.5	18	60	27	4.92	10	1.77	20	0.72	197	6
UGA-21	158.00	159.00	1.00	M298351	0.13	1.4	5.17	209	230	1	2	4	<0.5	17	70	30	3.73	10	2.03	20	2.15	668	2
UGA-21	159.00	160.00	1.00	M298352	0.29	1.1	5.83	476	320	1	<2	5.9	<0.5	21	89	33	5.15	10	2.35	20	3.16	1275	2
UGA-21	160.00	161.00	1.00	M298353	0.12	0.5	6.05	237	360	1.1	<2	5.68	<0.5	19	95	34	4.2	10	2.47	20	3.05	1205	1
UGA-21	161.00	162.00	1.00	M298354	0.07	<0.5	5.69	171	280	1.1	<2	6.45	<0.5	19	74	39	4.22	10	2.49	20	3.67	1575	1

## Appendix 2 - All Assay Results

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	Au Total (+)(-) Combined
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au	
UGA-21	109.00	110.00	1.00	M298295	0.04	11	1150	9	3.6	27	19	72	<20	0.37	10	<10	146	<10	62			
UGA-21	110.00	111.00	1.00	M298296	0.02	10	1140	13	3.6	32	17	53	<20	0.32	10	<10	143	<10	62			
UGA-21	111.00	112.00	1.00	M298297	0.01	8	1320	14	3.61	48	14	73	<20	0.27	<10	<10	109	<10	69			
UGA-21	112.00	113.00	1.00	M298299	0.03	10	1360	15	4.57	33	17	51	<20	0.31	10	<10	129	<10	58			
UGA-21	113.00	114.00	1.00	M298300	0.03	10	1230	13	3.85	26	18	64	<20	0.34	10	<10	141	<10	60			
UGA-21	114.00	115.00	1.00	M298301	0.02	9	1080	9	2.95	23	20	62	<20	0.37	10	<10	151	<10	69			
UGA-21	115.00	116.00	1.00	M298302	0.02	12	1090	11	2.99	34	18	66	<20	0.35	<10	<10	147	<10	73			
UGA-21	116.00	117.00	1.00	M298303	0.02	10	1080	10	2.74	27	19	67	<20	0.37	10	<10	159	<10	100			
UGA-21	117.00	118.00	1.00	M298304	0.04	11	1220	10	2.87	33	20	86	<20	0.39	10	<10	152	<10	74			
UGA-21	118.00	119.00	1.00	M298305	0.06	10	1150	11	3.43	34	18	89	<20	0.35	<10	<10	137	<10	73			
UGA-21	119.00	120.00	1.00	M298306	0.04	9	1030	12	3.63	44	16	88	<20	0.31	10	<10	122	<10	54			
UGA-21	120.00	121.00	1.00	M298307	0.03	8	1060	15	4.08	61	14	77	<20	0.26	<10	<10	96	<10	45			
UGA-21	121.00	122.00	1.00	M298309	0.01	8	810	12	3.5	52	13	24	<20	0.24	<10	<10	91	<10	57			
UGA-21	122.00	123.00	1.00	M298310	0.01	8	1560	12	3.16	101	11	20	<20	0.19	10	<10	77	<10	80			
UGA-21	123.00	124.00	1.00	M298311	0.01	8	870	11	4.14	50	15	13	<20	0.29	<10	<10	99	<10	55			
UGA-21	124.00	125.00	1.00	M298312	0.01	7	980	13	3.31	42	14	37	<20	0.26	10	<10	101	<10	60			
UGA-21	125.00	126.00	1.00	M298314	0.01	8	940	9	3.61	41	14	37	<20	0.27	10	<10	100	<10	45			
UGA-21	126.00	127.00	1.00	M298315	0.01	8	1320	10	4.15	43	13	38	<20	0.24	<10	<10	90	<10	31			
UGA-21	127.00	128.00	1.00	M298316	0.01	7	680	7	3.28	37	10	53	<20	0.19	<10	<10	76	<10	34			
UGA-21	128.00	129.00	1.00	M298317	0.01	7	1110	10	3.93	38	10	67	<20	0.19	10	<10	81	<10	35			
UGA-21	129.00	130.00	1.00	M298318	0.02	5	3540	10	2.82	45	7	66	<20	0.14	10	<10	59	<10	34			
UGA-21	130.00	131.00	1.00	M298319	0.02	5	1070	7	2.73	36	8	66	<20	0.16	<10	<10	64	<10	25			
UGA-21	131.00	132.00	1.00	M298321	0.02	7	910	6	3.62	28	10	75	<20	0.2	<10	<10	79	<10	25			
UGA-21	132.00	133.00	1.00	M298322	0.01	5	830	8	4.01	31	6	107	<20	0.13	<10	<10	56	<10	44			
UGA-21	133.00	134.00	1.00	M298323	0.01	5	970	10	4.18	24	7	155	<20	0.13	<10	<10	62	<10	44			
UGA-21	134.00	135.00	1.00	M298324	0.01	8	790	7	2.96	15	12	179	<20	0.2	<10	<10	84	<10	56			
UGA-21	135.00	136.00	1.00	M298325	0.01	6	870	9	3.13	16	12	192	<20	0.2	<10	<10	81	<10	63			
UGA-21	136.00	137.00	1.00	M298326	0.01	7	830	9	2.71	31	8	110	<20	0.16	<10	<10	66	<10	47			
UGA-21	137.00	138.00	1.00	M298327	0.02	5	1130	9	2.9	32	8	66	<20	0.16	<10	<10	63	<10	42			
UGA-21	138.00	139.00	1.00	M298328	0.02	7	1410	10	3.43	29	12	87	<20	0.22	10	<10	78	<10	19			
UGA-21	139.00	140.00	1.00	M298329	0.02	10	1160	8	2.59	24	14	88	<20	0.26	<10	<10	96	<10	13			
UGA-21	140.00	141.00	1.00	M298330	0.01	9	1440	7	3	32	14	42	<20	0.26	10	<10	99	<10	16			
UGA-21	141.00	142.00	1.00	M298331	0.01	9	1700	10	3.11	39	12	44	<20	0.24	10	<10	89	<10	20			
UGA-21	142.00	143.00	1.00	M298332	0.02	7	850	8	3.08	29	11	68	<20	0.22	10	<10	81	<10	16			
UGA-21	143.00	144.00	1.00	M298334	0.02	10	840	10	3.61	21	14	80	<20	0.27	10	<10	106	<10	24			
UGA-21	144.00	145.00	1.00	M298335	0.02	8	1200	8	3.56	29	13	54	<20	0.25	10	<10	98	<10	15			
UGA-21	145.00	146.00	1.00	M298336	0.01	8	1030	8	3.94	28	14	77	<20	0.27	<10	<10	102	<10	23			
UGA-21	146.00	147.00	1.00	M298337	0.01	10	1580	9	3.98	29	14	99	<20	0.27	<10	<10	103	<10	26			
UGA-21	147.00	148.00	1.00	M298338	0.01	9	970	7	3.89	24	13	75	<20	0.25	10	<10	96	<10	25			
UGA-21	148.00	149.00	1.00	M298339	0.01	9	910	8	3.25	32	11	84	<20	0.21	<10	<10	76	<10	26			
UGA-21	149.00	150.00	1.00	M298340	0.01	8	2340	12	4.05	83	8	39	<20	0.15	<10	<10	58	<10	40			
UGA-21	150.00	151.00	1.00	M298341	0.01	7	1180	8	2.22	39	12	73	<20	0.22	<10	<10	92	<10	38			
UGA-21	151.00	152.00	1.00	M298342	0.01	10	1040	9	3.31	44	14	42	<20	0.24	<10	<10	98	<10	42			
UGA-21	152.00	153.00	1.00	M298343	0.01	11	1030	8	2.55	34	15	56	<20	0.29	<10	<10	115	<10	51			
UGA-21	153.00	154.00	1.00	M298345	0.01	12	1100	9	2.49	35	16	71	<20	0.28	<10	<10	114	<10	57			
UGA-21	154.00	155.00	1.00	M298346	0.01	15	1100	11	2.76	39	18	50	<20	0.33	10	<10	130	<10	60			
UGA-21	155.00	156.00	1.00	M298347	0.01	14	880	11	2.86	43	16	27	<20	0.29	10	<10	117	<10	52			
UGA-21	156.00	157.00	1.00	M298348	0.02	14	1120	12	3.32	33	19	54	<20	0.34	<10	<10	130	<10	99			
UGA-21	157.00	158.00	1.00	M298350	0.01	14	1030	14	4.84	35	17	40	<20	0.3	10	<10	121	<10	233			
UGA-21	158.00	159.00	1.00	M298351	0.01	18	820	9	3.27	26	16	76	<20	0.28	<10	<10	110	<10	135			
UGA-21	159.00	160.00	1.00	M298352	<0.01	26	870	8	4.84	26	19	94	<20	0.31	<10	<10	122	<10	39			
UGA-21	160.00	161.00	1.00	M298353	<0.01	22	930	8	3.57	19	20	89	<20	0.32	10	<10	132	<10	41			
UGA-21	161.00	162.00	1.00	M298354	<0.01	21	870	9	4.06	18	18	94	<20	0.31	<10	<10	119	<10	48			



## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-21	109.00	110.00	1.00	M298295						
UGA-21	110.00	111.00	1.00	M298296						
UGA-21	111.00	112.00	1.00	M298297						
UGA-21	112.00	113.00	1.00	M298299						
UGA-21	113.00	114.00	1.00	M298300						
UGA-21	114.00	115.00	1.00	M298301						
UGA-21	115.00	116.00	1.00	M298302						
UGA-21	116.00	117.00	1.00	M298303						
UGA-21	117.00	118.00	1.00	M298304						
UGA-21	118.00	119.00	1.00	M298305						
UGA-21	119.00	120.00	1.00	M298306						
UGA-21	120.00	121.00	1.00	M298307						
UGA-21	121.00	122.00	1.00	M298309						
UGA-21	122.00	123.00	1.00	M298310						
UGA-21	123.00	124.00	1.00	M298311						
UGA-21	124.00	125.00	1.00	M298312						
UGA-21	125.00	126.00	1.00	M298314						
UGA-21	126.00	127.00	1.00	M298315						
UGA-21	127.00	128.00	1.00	M298316						
UGA-21	128.00	129.00	1.00	M298317						
UGA-21	129.00	130.00	1.00	M298318						
UGA-21	130.00	131.00	1.00	M298319						
UGA-21	131.00	132.00	1.00	M298321						
UGA-21	132.00	133.00	1.00	M298322						
UGA-21	133.00	134.00	1.00	M298323						
UGA-21	134.00	135.00	1.00	M298324						
UGA-21	135.00	136.00	1.00	M298325						
UGA-21	136.00	137.00	1.00	M298326						
UGA-21	137.00	138.00	1.00	M298327						
UGA-21	138.00	139.00	1.00	M298328						
UGA-21	139.00	140.00	1.00	M298329						
UGA-21	140.00	141.00	1.00	M298330						
UGA-21	141.00	142.00	1.00	M298331						
UGA-21	142.00	143.00	1.00	M298332						
UGA-21	143.00	144.00	1.00	M298334						
UGA-21	144.00	145.00	1.00	M298335						
UGA-21	145.00	146.00	1.00	M298336						
UGA-21	146.00	147.00	1.00	M298337						
UGA-21	147.00	148.00	1.00	M298338						
UGA-21	148.00	149.00	1.00	M298339						
UGA-21	149.00	150.00	1.00	M298340						
UGA-21	150.00	151.00	1.00	M298341						
UGA-21	151.00	152.00	1.00	M298342						
UGA-21	152.00	153.00	1.00	M298343						
UGA-21	153.00	154.00	1.00	M298345						
UGA-21	154.00	155.00	1.00	M298346						
UGA-21	155.00	156.00	1.00	M298347						
UGA-21	156.00	157.00	1.00	M298348						
UGA-21	157.00	158.00	1.00	M298350						
UGA-21	158.00	159.00	1.00	M298351						
UGA-21	159.00	160.00	1.00	M298352						
UGA-21	160.00	161.00	1.00	M298353						
UGA-21	161.00	162.00	1.00	M298354						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-21	162.00	163.00	1.00	M298355	0.08	0.6	6.9	161	160	1.4	<2	4.42	<0.5	20	67	33	4.1	20	3.11	30	2.64	1085	1
UGA-21	163.00	164.00	1.00	M298356	0.13	0.5	5.97	218	190	1.3	<2	5.39	<0.5	18	70	29	4.08	10	2.65	20	2.99	1480	2
UGA-21	164.00	165.00	1.00	M298357	0.29	0.7	5.87	258	330	1.1	<2	4.49	<0.5	17	74	26	4.45	10	2.65	20	2.38	1205	3
UGA-21	165.00	166.00	1.00	M298358	0.53	0.9	5.93	406	120	1.1	2	3.03	<0.5	17	70	19	4.03	10	2.63	20	1.48	720	3
UGA-21	166.00	167.00	1.00	M298360	0.36	5.4	7.05	163	340	1.7	<2	0.53	<0.5	21	66	40	3.19	10	5.73	20	0.46	432	6
UGA-21	167.00	168.00	1.00	M298361	0.29	0.6	5.34	319	130	1.3	3	1.79	<0.5	15	67	51	2.78	10	2.22	20	0.87	475	2
UGA-21	168.00	169.00	1.00	M298362	0.22	0.8	7.11	296	180	1.5	<2	3.64	<0.5	19	91	45	3.21	20	2.76	30	1.54	854	1
UGA-21	169.00	170.00	1.00	M298363	0.02	<0.5	8.01	82	380	1.7	<2	3.43	<0.5	9	4	35	3.17	20	3.4	10	1.34	940	<1
UGA-22	21.00	22.00	1.00	M298379	0.1	1	7.04	192	470	1.3	3	0.82	<0.5	24	67	37	5.84	10	4.64	10	0.86	1265	3
UGA-22	22.00	23.00	1.00	M298381	0.34	2	6.5	258	440	1.2	<2	0.98	<0.5	20	60	34	5.23	10	4.67	10	0.81	738	6
UGA-22	23.00	24.00	1.00	M298382	0.07	0.8	7.1	104	560	1.2	<2	1.56	<0.5	19	68	36	5.41	10	4.9	10	1.28	805	3
UGA-22	24.00	25.00	1.00	M298383	0.9	1.9	6.31	143	600	1	<2	1.22	<0.5	19	61	30	5.03	10	4.3	10	1.04	747	3
UGA-22	25.00	26.00	1.00	M298384	0.15	1.3	6.66	111	630	1.1	<2	1.42	<0.5	19	64	31	5.13	10	4.85	10	1.26	812	2
UGA-22	26.00	27.00	1.00	M298385	0.23	3	6.74	286	610	1.2	<2	0.95	<0.5	20	63	39	4.87	10	4.82	10	0.84	776	4
UGA-22	27.00	28.00	1.00	M298387	0.1	1	6.54	168	520	1.1	2	0.83	<0.5	20	63	28	4.92	10	4.56	10	1	870	2
UGA-22	28.00	29.00	1.00	M298388	0.1	1	6.42	119	440	1.3	<2	3.65	<0.5	17	59	32	5.44	10	4.41	10	2.38	1010	2
UGA-22	29.00	30.00	1.00	M298389	0.08	0.9	6.53	102	600	1.2	<2	1.85	<0.5	19	59	36	4.43	10	4.19	10	1.31	573	3
UGA-22	30.00	31.00	1.00	M298390	0.06	1.3	6.89	78	500	1.2	<2	1.16	<0.5	19	67	39	4.47	10	4.87	10	1.09	634	2
UGA-22	31.00	32.00	1.00	M298391	0.23	2.2	5.39	268	410	1.1	<2	1.84	<0.5	17	51	31	4.95	10	4.12	10	1.26	545	4
UGA-22	32.00	33.00	1.00	M298392	0.12	1.1	6.78	93	690	1.1	<2	1.76	<0.5	17	62	37	3.66	10	4.93	10	1.28	424	3
UGA-22	33.00	34.00	1.00	M298394	0.18	1.6	6.08	190	360	1	<2	1.5	<0.5	18	56	43	5.1	10	3.9	10	1.4	633	4
UGA-22	34.00	35.00	1.00	M298395	0.1	0.9	5.94	66	640	1	2	3.67	<0.5	15	53	41	4.34	10	3.92	10	2.35	607	2
UGA-22	35.00	36.00	1.00	M298396	0.14	1.7	6.15	77	640	1.1	2	1.82	<0.5	15	56	47	4.69	10	3.7	10	1.5	579	2
UGA-22	36.00	37.00	1.00	M298397	0.24	1.6	6.3	102	360	1.1	<2	1.06	<0.5	18	60	32	4.97	10	3.78	20	1.18	570	2
UGA-22	37.00	38.00	1.00	M298398	0.17	1.8	6.36	87	530	1	<2	0.93	<0.5	17	62	28	4.75	10	3.9	10	1.03	598	2
UGA-22	38.00	39.00	1.00	M298399	0.76	3.3	6.45	93	550	1.2	<2	0.55	<0.5	18	63	29	3.94	10	3.57	10	0.91	365	3
UGA-22	39.00	40.00	1.00	M298402	0.09	1	5.67	72	450	1.1	<2	2.34	<0.5	16	56	24	4.17	10	3.39	10	1.4	532	2
UGA-22	40.00	41.00	1.00	M298403	0.09	1.3	7.37	92	430	1.3	<2	1.24	<0.5	21	73	40	5.16	20	3.71	10	1	978	2
UGA-22	41.00	42.00	1.00	M298404	3.51	6.8	6.26	134	390	1.6	<2	0.37	<0.5	18	61	35	5.36	10	3.8	10	0.63	1120	3
UGA-22	42.00	43.00	1.00	M298405	0.07	1.2	6.39	108	420	1.6	<2	0.45	<0.5	17	62	35	6.18	10	3.73	10	0.82	1500	1
UGA-22	43.00	44.00	1.00	M298406	0.23	1.2	6.87	430	350	1.6	<2	0.73	<0.5	18	65	35	4.5	20	3.94	10	0.54	826	2
UGA-22	44.00	45.00	1.00	M298407	0.09	0.9	6.86	873	360	1.7	2	0.89	<0.5	22	64	35	4.92	10	3.66	10	0.48	777	1
UGA-22	45.00	46.00	1.00	M298408	0.19	1.2	6.69	402	240	1.4	<2	0.55	<0.5	22	70	32	4.35	10	3.81	10	0.32	485	2
UGA-22	46.00	47.00	1.00	M298410	0.33	2.2	6.33	196	420	1.4	<2	0.45	<0.5	19	63	33	4.78	10	3.85	10	0.39	1370	2
UGA-22	47.00	48.00	1.00	M298411	0.15	2	6.56	750	160	1.5	<2	0.79	<0.5	24	65	30	6.04	10	3.81	10	0.4	1045	2
UGA-22	48.00	49.00	1.00	M298412	0.06	1.2	6.89	605	70	2	<2	0.68	<0.5	24	72	39	4.37	20	2.02	10	0.39	465	2
UGA-22	49.00	51.00	2.00	M298413	0.18	2.2	5.75	472	40	2	<2	0.55	<0.5	21	60	30	3.53	10	1.29	10	0.32	245	6
UGA-22	51.00	53.00	2.00	M298414	0.55	5.8	5.86	550	320	1.5	<2	0.83	<0.5	21	61	31	3.81	10	4	10	0.3	67	15
UGA-22	53.00	54.00	1.00	M298415	0.33	4.4	5.97	530	220	1.7	<2	1.12	<0.5	19	59	28	2.49	10	3.08	10	0.32	63	19
UGA-22	54.00	55.00	1.00	M298416	0.5	5.6	5.77	485	380	1.5	<2	0.73	<0.5	19	60	33	2.59	10	3.53	10	0.28	64	19
UGA-22	55.00	56.00	1.00	M298417	0.22	2	6.08	260	390	1.1	<2	0.46	<0.5	19	66	32	2.14	10	3.87	10	0.21	57	5
UGA-22	56.00	58.00	2.00	M298418	0.39	2.3	6.02	688	150	1.5	<2	1.06	<0.5	21	63	28	2.6	10	2.14	10	0.27	57	15
UGA-22	58.00	60.00	2.00	M298419	0.19	2	7.56	157	320	1.2	<2	0.3	<0.5	22	76	37	2.09	20	3.11	20	0.32	54	6
UGA-22	60.00	61.00	1.00	M298420	0.17	2.4	7.24	185	420	1.1	<2	0.31	<0.5	23	74	34	2.46	20	3.83	20	0.3	64	5
UGA-22	61.00	62.00	1.00	M298421	0.65	4.2	6.66	242	410	1.2	<2	0.29	<0.5	22	67	35	2.8	20	3.61	10	0.31	58	5
UGA-22	62.00	64.00	2.00	M298422	0.15	2.1	7.14	156	480	1.4	<2	0.29	<0.5	21	75	35	2.58	20	3.8	20	0.37	68	4
UGA-22	64.00	65.00	1.00	M298423	0.22	1.8	6.26	377	310	3.6	<2	0.3	<0.5	17	66	31	4.43	10	2.7	10	0.25	121	4
UGA-22	65.00	66.00	1.00	M298424	0.21	1.4	5.21	746	300	6.2	<2	1.9	<0.5	18	59	30	8.31	10	2.94	10	0.23	185	4
UGA-22	66.00	67.00	1.00	M298425	0.15	1.9	7.17	594	410	3.1	<2	1.25	<0.5	20	69	37	4.8	10	3.91	20	0.27	91	3
UGA-22	67.00	68.00	1.00	M298426	0.32	3.5	4.27	422	180	1	<2	0.3	<0.5	16	59	20	4.75	10	3.33	10	0.22	71	3
UGA-22	68.00	69.00	1.00	M298427	0.21	4.4	5.76	417	220	1.3	<2	0.37	<0.5	19	65	28	4.21	10	3.58	10	0.33	57	3
UGA-22	69.00	70.00	1.00	M298428	0.57	11.4	3.71	490	260	1.2	2	0.69	<0.5	11	54	35	3.61	10	2.49	<10	0.23	90	5
UGA-22	70.00	71.00	1.00	M298430	1.42	12	3.91	737	360	0.7	<2	0.56	<0.5	10	46	22	4.94	<10	4.08	10	0.07	68	7

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Ag	Au Total (+)(-) Combined
					%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
UGA-21	162.00	163.00	1.00	M298355	0.01	21	1040	10	4.02	19	20	64	<20	0.37	<10	<10	140	<10	53		
UGA-21	163.00	164.00	1.00	M298356	0.01	22	940	8	3.83	21	18	68	<20	0.32	<10	<10	121	<10	39		
UGA-21	164.00	165.00	1.00	M298357	0.01	21	910	13	4.01	24	17	56	<20	0.31	<10	<10	122	<10	49		
UGA-21	165.00	166.00	1.00	M298358	0.01	17	890	11	3.39	22	17	39	<20	0.3	<10	<10	119	<10	45		
UGA-21	166.00	167.00	1.00	M298360	0.02	17	2220	7	2.15	29	18	104	<20	0.38	10	<10	126	10	60		
UGA-21	167.00	168.00	1.00	M298361	0.01	15	820	11	2.13	29	15	28	<20	0.29	<10	<10	109	<10	69		
UGA-21	168.00	169.00	1.00	M298362	0.01	20	1090	10	1.66	23	21	40	<20	0.38	<10	<10	144	<10	64		
UGA-21	169.00	170.00	1.00	M298363	0.06	3	790	11	1.91	20	12	43	<20	0.42	<10	<10	89	<10	60		
UGA-22	21.00	22.00	1.00	M298379	<0.01	19	1180	9	2.53	35	22	72	<20	0.38	10	<10	146	<10	85		
UGA-22	22.00	23.00	1.00	M298381	<0.01	16	1410	14	2.86	48	20	85	<20	0.35	10	<10	143	<10	69		
UGA-22	23.00	24.00	1.00	M298382	<0.01	14	1180	6	2.16	27	22	106	<20	0.38	10	<10	157	<10	75		
UGA-22	24.00	25.00	1.00	M298383	<0.01	15	1090	9	2.37	35	20	103	<20	0.34	<10	<10	139	<10	62		
UGA-22	25.00	26.00	1.00	M298384	<0.01	15	910	7	2.3	31	21	120	<20	0.36	10	<10	143	<10	67		
UGA-22	26.00	27.00	1.00	M298385	<0.01	15	940	12	2.81	61	21	94	<20	0.37	20	<10	142	<10	62		
UGA-22	27.00	28.00	1.00	M298387	<0.01	15	870	9	2.44	33	20	94	<20	0.36	10	<10	141	<10	64		
UGA-22	28.00	29.00	1.00	M298388	<0.01	14	1020	8	2.05	30	20	121	<20	0.34	<10	<10	142	<10	77		
UGA-22	29.00	30.00	1.00	M298389	<0.01	14	970	10	2.53	31	20	92	<20	0.35	10	<10	146	<10	59		
UGA-22	30.00	31.00	1.00	M298390	<0.01	13	960	6	2.19	30	21	97	<20	0.37	10	<10	150	<10	67		
UGA-22	31.00	32.00	1.00	M298391	<0.01	13	960	10	3.37	59	17	94	<20	0.29	<10	<10	119	<10	43		
UGA-22	32.00	33.00	1.00	M298392	<0.01	14	1070	6	1.93	37	21	111	<20	0.36	10	<10	133	<10	55		
UGA-22	33.00	34.00	1.00	M298394	0.01	15	1130	10	3.03	48	19	112	<20	0.33	10	<10	136	<10	61		
UGA-22	34.00	35.00	1.00	M298395	<0.01	14	900	7	1.76	28	18	136	<20	0.32	10	<10	121	<10	59		
UGA-22	35.00	36.00	1.00	M298396	<0.01	15	1070	7	2.46	27	19	130	<20	0.33	<10	<10	143	<10	71		
UGA-22	36.00	37.00	1.00	M298397	0.02	15	960	10	2.58	26	20	137	<20	0.34	10	<10	146	<10	71		
UGA-22	37.00	38.00	1.00	M298398	<0.01	14	880	9	2.47	31	21	122	<20	0.35	<10	<10	148	<10	61		
UGA-22	38.00	39.00	1.00	M298399	<0.01	13	970	11	2.71	31	20	104	<20	0.36	<10	<10	147	<10	58		
UGA-22	39.00	40.00	1.00	M298402	<0.01	13	870	11	2.44	26	18	105	<20	0.31	<10	<10	129	<10	60		
UGA-22	40.00	41.00	1.00	M298403	0.01	15	1180	9	2.79	33	22	110	<20	0.4	10	<10	153	<10	69		
UGA-22	41.00	42.00	1.00	M298404	0.02	14	1290	10	3.28	36	19	94	<20	0.34	10	<10	136	<10	65		
UGA-22	42.00	43.00	1.00	M298405	0.01	17	1570	11	3.38	39	20	83	<20	0.35	<10	<10	159	<10	80		
UGA-22	43.00	44.00	1.00	M298406	0.01	14	2930	8	3.17	68	19	73	<20	0.37	20	<10	150	<10	82		
UGA-22	44.00	45.00	1.00	M298407	0.02	20	3700	6	3.72	106	19	84	<20	0.37	20	<10	140	<10	84		
UGA-22	45.00	46.00	1.00	M298408	0.04	18	2220	8	4.05	63	20	107	<20	0.37	20	<10	130	<10	65		
UGA-22	46.00	47.00	1.00	M298410	0.04	14	1620	10	3.25	39	20	117	<20	0.35	<10	<10	129	<10	70		
UGA-22	47.00	48.00	1.00	M298411	0.06	19	3150	9	5.26	86	21	106	<20	0.36	20	<10	147	<10	76		
UGA-22	48.00	49.00	1.00	M298412	0.01	18	2720	9	4.21	94	19	27	<20	0.38	20	<10	146	<10	67		
UGA-22	49.00	51.00	2.00	M298413	0.01	20	2220	12	3.61	99	17	19	<20	0.32	10	<10	121	<10	54		
UGA-22	51.00	53.00	2.00	M298414	0.02	15	3520	10	4.23	90	18	100	<20	0.32	20	<10	130	<10	92		
UGA-22	53.00	54.00	1.00	M298415	0.01	12	4820	11	2.65	100	18	76	<20	0.32	20	<10	128	<10	116		
UGA-22	54.00	55.00	1.00	M298416	<0.01	14	3010	10	2.75	88	17	94	<20	0.32	10	<10	123	<10	97		
UGA-22	55.00	56.00	1.00	M298417	<0.01	12	1900	8	2.24	51	18	96	<20	0.33	10	<10	128	<10	57		
UGA-22	56.00	58.00	2.00	M298418	0.01	17	4540	9	2.81	96	18	57	<20	0.33	10	<10	137	<10	97		
UGA-22	58.00	60.00	2.00	M298419	<0.01	17	1280	8	2.2	41	21	78	<20	0.42	<10	<10	162	<10	106		
UGA-22	60.00	61.00	1.00	M298420	<0.01	16	1250	8	2.65	41	21	102	<20	0.4	10	<10	154	<10	76		
UGA-22	61.00	62.00	1.00	M298421	<0.01	14	1170	11	3.05	35	19	103	<20	0.36	10	10	145	<10	64		
UGA-22	62.00	64.00	2.00	M298422	<0.01	15	1180	8	2.55	42	20	93	<20	0.4	10	<10	155	<10	44		
UGA-22	64.00	65.00	1.00	M298423	<0.01	17	1590	9	1.84	128	18	69	<20	0.34	10	<10	136	<10	64		
UGA-22	65.00	66.00	1.00	M298424	<0.01	20	8870	7	2.36	270	18	95	<20	0.28	10	<10	137	<10	77		
UGA-22	66.00	67.00	1.00	M298425	0.01	15	5570	10	2.08	168	22	116	<20	0.38	20	<10	155	<10	56		
UGA-22	67.00	68.00	1.00	M298426	0.01	13	1220	10	5.23	75	13	73	<20	0.23	10	<10	92	<10	39		
UGA-22	68.00	69.00	1.00	M298427	0.02	15	1540	9	4.45	68	18	107	<20	0.31	10	<10	128	<10	61		
UGA-22	69.00	70.00	1.00	M298428	<0.01	10	2910	9	3.57	121	12	59	<20	0.19	10	<10	83	<10	63		
UGA-22	70.00	71.00	1.00	M298430	0.03	8	2480	12	4.78	82	8	96	<20	0.17	10	<10	38	<10	32		

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-21	162.00	163.00	1.00	M298355						
UGA-21	163.00	164.00	1.00	M298356						
UGA-21	164.00	165.00	1.00	M298357						
UGA-21	165.00	166.00	1.00	M298358						
UGA-21	166.00	167.00	1.00	M298360						
UGA-21	167.00	168.00	1.00	M298361						
UGA-21	168.00	169.00	1.00	M298362						
UGA-21	169.00	170.00	1.00	M298363						
UGA-22	21.00	22.00	1.00	M298379						
UGA-22	22.00	23.00	1.00	M298381						
UGA-22	23.00	24.00	1.00	M298382						
UGA-22	24.00	25.00	1.00	M298383						
UGA-22	25.00	26.00	1.00	M298384						
UGA-22	26.00	27.00	1.00	M298385						
UGA-22	27.00	28.00	1.00	M298387						
UGA-22	28.00	29.00	1.00	M298388						
UGA-22	29.00	30.00	1.00	M298389						
UGA-22	30.00	31.00	1.00	M298390						
UGA-22	31.00	32.00	1.00	M298391						
UGA-22	32.00	33.00	1.00	M298392						
UGA-22	33.00	34.00	1.00	M298394						
UGA-22	34.00	35.00	1.00	M298395						
UGA-22	35.00	36.00	1.00	M298396						
UGA-22	36.00	37.00	1.00	M298397						
UGA-22	37.00	38.00	1.00	M298398						
UGA-22	38.00	39.00	1.00	M298399						
UGA-22	39.00	40.00	1.00	M298402						
UGA-22	40.00	41.00	1.00	M298403						
UGA-22	41.00	42.00	1.00	M298404						
UGA-22	42.00	43.00	1.00	M298405						
UGA-22	43.00	44.00	1.00	M298406						
UGA-22	44.00	45.00	1.00	M298407						
UGA-22	45.00	46.00	1.00	M298408						
UGA-22	46.00	47.00	1.00	M298410						
UGA-22	47.00	48.00	1.00	M298411						
UGA-22	48.00	49.00	1.00	M298412						
UGA-22	49.00	51.00	2.00	M298413						
UGA-22	51.00	53.00	2.00	M298414						
UGA-22	53.00	54.00	1.00	M298415						
UGA-22	54.00	55.00	1.00	M298416						
UGA-22	55.00	56.00	1.00	M298417						
UGA-22	56.00	58.00	2.00	M298418						
UGA-22	58.00	60.00	2.00	M298419						
UGA-22	60.00	61.00	1.00	M298420						
UGA-22	61.00	62.00	1.00	M298421						
UGA-22	62.00	64.00	2.00	M298422						
UGA-22	64.00	65.00	1.00	M298423						
UGA-22	65.00	66.00	1.00	M298424						
UGA-22	66.00	67.00	1.00	M298425						
UGA-22	67.00	68.00	1.00	M298426						
UGA-22	68.00	69.00	1.00	M298427						
UGA-22	69.00	70.00	1.00	M298428						
UGA-22	70.00	71.00	1.00	M298430						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-22	71.00	72.00	1.00	M298432	0.49	3.9	3.12	336	300	0.6	<2	0.35	<0.5	8	51	15	2.88	<10	2.61	10	0.13	161	4
UGA-22	72.00	73.00	1.00	M298433	0.89	2.2	4.69	584	230	1.6	<2	0.51	<0.5	15	52	28	4.69	10	2.85	20	0.2	73	4
UGA-22	73.00	74.00	1.00	M298434	0.23	1.9	5.49	629	40	1.8	<2	0.62	<0.5	20	51	33	4.01	10	1.3	20	0.31	47	11
UGA-22	74.00	75.00	1.00	M298435	0.46	2.4	3.61	1675	70	2	<2	1.82	<0.5	21	43	19	6.45	10	0.96	20	0.16	90	5
UGA-22	75.00	76.00	1.00	M298436	0.51	2.5	3.25	2190	40	1.5	<2	0.68	<0.5	21	40	12	7.16	<10	0.25	10	0.06	100	5
UGA-22	76.00	77.00	1.00	M298437	0.34	2.2	2.25	488	200	1.2	<2	0.52	<0.5	7	47	10	3.11	<10	1.42	10	0.06	102	5
UGA-22	77.00	78.00	1.00	M298439	0.2	2.5	4.86	345	380	1	<2	0.32	<0.5	13	46	19	3.93	10	4.08	20	0.11	74	3
UGA-22	78.00	79.00	1.00	M298440	0.21	4	5.48	509	670	1.4	<2	0.32	<0.5	15	45	30	3.92	10	4.63	20	0.14	71	4
UGA-22	79.00	80.00	1.00	M298441	0.5	2.8	5.13	2310	280	1	<2	0.48	<0.5	21	39	25	7.18	10	4.4	20	0.14	67	5
UGA-22	80.00	81.00	1.00	M298442	0.3	2.3	5.2	262	680	0.8	<2	0.22	<0.5	13	44	20	3.38	<10	4.9	20	0.13	66	4
UGA-22	81.00	82.00	1.00	M298443	0.5	2.1	3.12	360	330	0.8	<2	0.36	<0.5	8	39	13	3.61	<10	2.19	10	0.08	111	5
UGA-22	82.00	83.00	1.00	M298444	0.43	2.3	3.5	449	370	0.7	<2	0.32	<0.5	10	42	16	4.18	<10	2.97	10	0.05	73	6
UGA-22	83.00	84.00	1.00	M298445	0.48	2	3.83	648	310	0.8	<2	0.3	<0.5	11	53	15	4.12	<10	2.54	10	0.08	70	7
UGA-22	84.00	85.00	1.00	M298446	0.22	1.6	4.61	281	510	0.7	<2	0.35	<0.5	12	44	16	2.86	<10	4.16	20	0.09	60	4
UGA-22	85.00	86.00	1.00	M298447	0.09	1.6	6.36	160	440	1.1	<2	0.34	<0.5	20	35	25	3.82	10	5.24	30	0.19	55	4
UGA-22	86.00	87.00	1.00	M298448	0.15	1.8	6.86	213	360	1.5	<2	0.45	<0.5	22	35	27	4.31	10	4.92	30	0.28	54	3
UGA-22	87.00	88.00	1.00	M298449	0.21	2.2	6.09	391	320	1.1	<2	0.58	<0.5	19	36	24	4.83	10	4.8	30	0.22	57	6
UGA-22	88.00	89.00	1.00	M298450	0.2	2.1	6.09	415	380	1.3	<2	0.54	<0.5	22	38	30	4.51	10	4.94	30	0.23	61	8
UGA-22	89.00	90.00	1.00	M298451	0.25	1.9	6.21	707	280	1.8	<2	0.52	<0.5	23	37	38	5.14	10	2.29	20	0.19	58	9
UGA-22	90.00	91.00	1.00	M298452	0.22	2.3	5.88	325	440	1.3	<2	0.41	<0.5	24	42	34	3.81	10	4.4	20	0.16	57	3
UGA-22	91.00	92.00	1.00	M298453	0.34	2	6.53	294	660	1.2	<2	0.44	<0.5	23	44	29	3.62	10	4.66	20	0.18	59	4
UGA-22	92.00	93.00	1.00	M298454	0.35	2	7.12	284	750	1.9	<2	0.42	<0.5	25	65	34	4.25	10	5.11	20	0.27	76	3
UGA-22	93.00	94.00	1.00	M298455	0.22	1.8	7.38	474	670	2.1	<2	0.72	<0.5	19	60	35	3.24	10	5	30	0.2	63	5
UGA-22	94.00	95.00	1.00	M298456	0.71	3.4	5.39	630	630	1.8	<2	1.05	<0.5	18	57	25	3.74	10	4.56	20	0.17	86	11
UGA-22	95.00	96.00	1.00	M298457	0.23	2.8	6.45	266	710	1.3	<2	0.3	<0.5	18	58	27	2.9	10	4.71	20	0.21	115	3
UGA-22	96.00	97.00	1.00	M298458	0.31	3.3	5.92	426	310	1.1	<2	0.4	<0.5	17	59	27	3.69	10	3.51	20	0.16	43	6
UGA-22	97.00	98.00	1.00	M298459	0.23	2.8	6.82	457	400	2.1	<2	0.72	<0.5	18	56	31	4.14	10	4.5	20	0.26	694	8
UGA-22	98.00	99.00	1.00	M298461	0.29	2	5.58	472	530	1.6	<2	0.85	<0.5	15	52	27	2.89	10	4.44	20	0.17	98	8
UGA-22	99.00	100.00	1.00	M298462	0.57	3.8	6.86	457	460	1.7	<2	0.69	<0.5	19	59	41	3.22	10	4.66	30	0.23	155	5
UGA-22	100.00	101.00	1.00	M298463	0.49	4.1	7.25	753	360	1.6	<2	0.54	<0.5	20	59	34	3.82	10	3.92	30	0.23	44	4
UGA-22	101.00	102.00	1.00	M298464	0.55	4.7	7.23	843	380	1.8	<2	0.39	<0.5	21	60	39	4.57	20	4.49	30	0.29	203	5
UGA-22	102.00	103.00	1.00	M298465	0.51	3	8.01	911	460	2.1	<2	0.45	<0.5	20	60	56	3.83	20	4.24	30	0.32	208	2
UGA-22	103.00	104.00	1.00	M298466	0.98	4	7.14	1210	410	1.7	<2	0.71	<0.5	20	55	38	3.81	10	4.21	30	0.25	177	4
UGA-22	104.00	105.00	1.00	M298467	0.98	8.2	6.7	981	540	1.6	<2	0.46	<0.5	22	51	50	5.92	10	4.46	30	0.55	1555	2
UGA-22	105.00	106.00	1.00	M298469	1.49	4.9	7.23	1245	560	1.2	<2	1.37	<0.5	24	51	52	5.53	10	4.99	30	1.6	1025	2
UGA-22	106.00	107.00	1.00	M298470	1.18	13.7	7.19	1035	730	1.2	<2	1.65	<0.5	18	50	46	4.54	20	4.49	20	2.13	385	1
UGA-22	107.00	108.00	1.00	M298471	0.82	7.4	7.24	1150	510	1.2	<2	1.59	<0.5	19	46	45	4.72	20	4.76	30	2.2	342	1
UGA-22	108.00	109.00	1.00	M298472	0.82	4.6	6.92	1020	320	1.1	2	1.3	<0.5	17	39	43	4.92	10	4.43	30	1.88	291	2
UGA-22	109.00	110.00	1.00	M298474	0.82	5	6.15	974	270	1	<2	1.77	<0.5	15	42	37	4.64	10	4.48	30	1.88	345	4
UGA-22	110.00	111.00	1.00	M298475	0.58	4.5	6.21	694	220	1.2	<2	1.06	<0.5	19	44	37	5.87	10	4.6	20	1.56	999	2
UGA-22	111.00	112.00	1.00	M298476	0.61	3.9	7.52	869	350	1.8	<2	0.35	<0.5	18	53	38	4.68	20	4.31	30	0.45	472	2
UGA-22	112.00	113.00	1.00	M298477	1.11	7.9	6.73	1730	140	1.7	<2	0.88	<0.5	20	58	42	5.49	10	4.35	20	0.28	58	5
UGA-22	113.00	114.00	1.00	M298478	0.87	5.2	7.19	1005	330	1.7	<2	0.42	<0.5	19	62	54	4.55	10	4.43	30	0.29	61	3
UGA-22	114.00	115.00	1.00	M298479	0.82	3.9	5.61	837	430	1.4	<2	0.41	<0.5	15	56	47	4.09	10	4.12	20	0.41	355	4
UGA-22	115.00	116.00	1.00	M298480	0.71	3.5	7.14	1120	290	1.6	<2	0.67	<0.5	22	62	38	5.4	10	4.37	20	0.91	962	2
UGA-22	116.00	117.00	1.00	M298482	0.45	4.4	6.24	880	250	1.3	2	0.9	<0.5	19	52	29	5.04	10	4.44	20	0.89	935	3
UGA-22	117.00	118.00	1.00	M298483	0.61	8.5	6.23	894	230	1.2	<2	1.24	<0.5	19	52	32	4.6	10	4.49	20	1.2	644	4
UGA-22	118.00	119.00	1.00	M298484	0.72	6.7	6.35	941	220	1	<2	1	<0.5	17	53	47	4.43	10	4.75	20	1.16	290	3
UGA-22	119.00	120.00	1.00	M298485	1.27	11	6.89	980	480	1	<2	1.14	<0.5	17	54	80	4.29	10	4.11	30	1.76	396	2
UGA-22	120.00	121.00	1.00	M298486	0.55	2.9	5.59	474	810	1	<2	0.55	<0.5	15	53	25	3.38	10	4.35	20	0.78	313	3
UGA-22	121.00	122.00	1.00	M298487	0.2	2.4	5.56	87	470	1	<2	0.59	<0.5	16	59	20	3.37	10	4.18	20	0.4	255	3
UGA-22	122.00	123.00	1.00	M298488	0.03	2	5.12	54	210	1.2	<2	0.82	<0.5	16	55	22	3.85	10	2.7	20	0.65	258	2
UGA-22	123.00	124.00	1.00	M298489	0.09	1.2	4.11	136	40	1.2	<2	2.24	<0.5	14	50	20	3.5	10	1.46	20	1.43	471	3

## Appendix 2 - All Assay Results

					ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24	
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	Ag	Au Total (+)(-) Combined
					Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U	V	W	Zn	Zn	Ag	Au	
UGA-22	71.00	72.00	1.00	M298432	0.02	9	910	4	2.62	71	5	65	<20	0.14	<10	<10	30	<10	33				
UGA-22	72.00	73.00	1.00	M298433	0.02	11	2250	7	4.02	90	10	61	<20	0.22	10	<10	78	<10	32				
UGA-22	73.00	74.00	1.00	M298434	0.01	18	2590	11	4.35	114	14	24	<20	0.31	10	<10	104	<10	26				
UGA-22	74.00	75.00	1.00	M298435	0.02	17	7750	8	6.24	174	9	48	<20	0.18	30	<10	55	<10	20				
UGA-22	75.00	76.00	1.00	M298436	0.01	16	3050	6	6.25	246	5	33	<20	0.16	40	<10	35	<10	23				
UGA-22	76.00	77.00	1.00	M298437	0.02	6	2300	3	2.03	143	4	54	<20	0.09	<10	<10	23	<10	26				
UGA-22	77.00	78.00	1.00	M298439	0.09	9	1340	6	3.86	62	10	74	<20	0.23	<10	<10	59	<10	30				
UGA-22	78.00	79.00	1.00	M298440	0.13	8	1390	9	3.62	79	11	73	<20	0.27	10	<10	84	<10	30				
UGA-22	79.00	80.00	1.00	M298441	0.08	14	2060	9	7.58	193	11	65	<20	0.24	50	<10	71	<10	26				
UGA-22	80.00	81.00	1.00	M298442	0.07	8	940	8	3.53	41	12	91	<20	0.26	10	<10	62	<10	47				
UGA-22	81.00	82.00	1.00	M298443	0.04	7	1520	4	3.28	80	7	50	<20	0.14	<10	<10	32	<10	21				
UGA-22	82.00	83.00	1.00	M298444	0.02	5	1410	6	4.15	72	7	51	<20	0.17	<10	<10	37	<10	26				
UGA-22	83.00	84.00	1.00	M298445	0.02	9	1330	5	4.19	83	8	46	<20	0.18	10	<10	40	<10	29				
UGA-22	84.00	85.00	1.00	M298446	0.03	9	1520	4	2.92	48	9	62	<20	0.22	<10	<10	54	<10	33				
UGA-22	85.00	86.00	1.00	M298447	0.12	12	1460	6	3.84	39	15	107	<20	0.34	10	<10	104	<10	34				
UGA-22	86.00	87.00	1.00	M298448	0.13	15	2000	7	4.38	42	17	120	<20	0.37	10	<10	125	<10	23				
UGA-22	87.00	88.00	1.00	M298449	0.1	13	2580	9	5.06	42	15	127	<20	0.32	10	<10	110	<10	31				
UGA-22	88.00	89.00	1.00	M298450	0.11	13	2380	9	4.52	60	15	97	<20	0.32	10	<10	104	<10	42				
UGA-22	89.00	90.00	1.00	M298451	0.03	16	2370	11	4.85	96	15	38	<20	0.34	10	<10	129	<10	35				
UGA-22	90.00	91.00	1.00	M298452	0.07	16	1790	8	3.67	49	16	66	<20	0.32	10	<10	118	<10	47				
UGA-22	91.00	92.00	1.00	M298453	0.09	17	1900	10	3.58	47	17	99	<20	0.35	10	<10	137	<10	68				
UGA-22	92.00	93.00	1.00	M298454	0.09	19	1910	11	3.59	52	19	83	<20	0.38	10	<10	140	<10	73				
UGA-22	93.00	94.00	1.00	M298455	0.05	14	3330	9	2.54	71	17	68	<20	0.37	10	<10	130	10	49				
UGA-22	94.00	95.00	1.00	M298456	0.04	14	4670	10	3.24	85	14	66	<20	0.26	<10	<10	102	<10	60				
UGA-22	95.00	96.00	1.00	M298457	0.03	16	1270	12	3	37	17	92	<20	0.32	<10	<10	129	<10	60				
UGA-22	96.00	97.00	1.00	M298458	0.04	15	1750	10	3.92	36	15	94	<20	0.31	<10	<10	112	<10	53				
UGA-22	97.00	98.00	1.00	M298459	0.05	17	2910	12	3.51	35	18	76	<20	0.34	10	<10	131	<10	86				
UGA-22	98.00	99.00	1.00	M298461	0.05	12	3520	8	2.6	57	13	81	<20	0.28	10	<10	108	<10	51				
UGA-22	99.00	100.00	1.00	M298462	0.05	13	2770	11	3.26	46	19	81	<20	0.35	10	<10	141	<10	71				
UGA-22	100.00	101.00	1.00	M298463	0.04	16	2320	12	3.88	49	17	66	<20	0.37	<10	<10	151	<10	75				
UGA-22	101.00	102.00	1.00	M298464	0.08	17	1470	13	4.4	41	20	97	<20	0.37	10	<10	153	<10	89				
UGA-22	102.00	103.00	1.00	M298465	0.13	16	1790	11	3.6	38	21	91	<20	0.42	10	<10	158	<10	69				
UGA-22	103.00	104.00	1.00	M298466	0.13	17	2890	11	3.79	59	17	106	<20	0.36	10	<10	146	<10	66				
UGA-22	104.00	105.00	1.00	M298467	0.16	17	1340	11	3.77	45	18	92	<20	0.34	10	<10	138	<10	97				
UGA-22	105.00	106.00	1.00	M298469	0.19	17	1230	11	3.36	48	20	134	<20	0.38	10	<10	147	<10	81				
UGA-22	106.00	107.00	1.00	M298470	0.2	14	1150	11	3.1	30	19	134	<20	0.38	10	<10	147	<10	67				
UGA-22	107.00	108.00	1.00	M298471	0.22	12	1220	10	3.47	23	19	136	<20	0.38	10	<10	144	<10	66				
UGA-22	108.00	109.00	1.00	M298472	0.24	13	1060	13	4.18	57	17	117	<20	0.33	10	<10	117	<10	60				
UGA-22	109.00	110.00	1.00	M298474	0.17	11	2960	11	3.89	79	16	114	<20	0.29	10	<10	115	<10	52				
UGA-22	110.00	111.00	1.00	M298475	0.17	14	1300	9	4.31	31	16	105	<20	0.29	<10	<10	117	<10	73				
UGA-22	111.00	112.00	1.00	M298476	0.21	9	1280	10	3.92	54	19	103	<20	0.38	10	<10	146	<10	58				
UGA-22	112.00	113.00	1.00	M298477	0.18	12	3720	12	5.48	94	17	117	<20	0.34	20	<10	118	<10	40				
UGA-22	113.00	114.00	1.00	M298478	0.18	12	1760	10	3.97	60	20	105	<20	0.37	10	<10	140	<10	68				
UGA-22	114.00	115.00	1.00	M298479	0.13	12	1610	10	3.52	53	15	89	<20	0.28	10	<10	94	<10	57				
UGA-22	115.00	116.00	1.00	M298480	0.18	13	1150	11	4.17	37	19	112	<20	0.36	10	<10	129	<10	84				
UGA-22	116.00	117.00	1.00	M298482	0.14	12	1450	12	3.83	43	17	102	<20	0.3	10	<10	124	<10	64				
UGA-22	117.00	118.00	1.00	M298483	0.13	11	1820	11	3.66	36	17	101	<20	0.3	10	<10	112	<10	66				
UGA-22	118.00	119.00	1.00	M298484	0.11	11	1170	9	3.97	32	17	112	<20	0.31	10	<10	91	<10	58				
UGA-22	119.00	120.00	1.00	M298485	0.15	13	1060	10	3.48	33	18	121	<20	0.34	10	<10	106	<10	63				
UGA-22	120.00	121.00	1.00	M298486	0.17	13	1050	8	2.88	31	14	97	<20	0.27	10	<10	86	<10	60				
UGA-22	121.00	122.00	1.00	M298487	0.03	12	1100	8	3.23	22	15	173	<20	0.27	10	<10	87	<10	70				
UGA-22	122.00	123.00	1.00	M298488	0.02	13	860	9	3.72	22	15	63	<20	0.27	<10	<10	107	<10	47				
UGA-22	123.00	124.00	1.00	M298489	0.01	10	680	12	3.39	30	12	62	<20	0.21	<10	<10	92	<10	50				

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-22	71.00	72.00	1.00	M298432						
UGA-22	72.00	73.00	1.00	M298433						
UGA-22	73.00	74.00	1.00	M298434						
UGA-22	74.00	75.00	1.00	M298435						
UGA-22	75.00	76.00	1.00	M298436						
UGA-22	76.00	77.00	1.00	M298437						
UGA-22	77.00	78.00	1.00	M298439						
UGA-22	78.00	79.00	1.00	M298440						
UGA-22	79.00	80.00	1.00	M298441						
UGA-22	80.00	81.00	1.00	M298442						
UGA-22	81.00	82.00	1.00	M298443						
UGA-22	82.00	83.00	1.00	M298444						
UGA-22	83.00	84.00	1.00	M298445						
UGA-22	84.00	85.00	1.00	M298446						
UGA-22	85.00	86.00	1.00	M298447						
UGA-22	86.00	87.00	1.00	M298448						
UGA-22	87.00	88.00	1.00	M298449						
UGA-22	88.00	89.00	1.00	M298450						
UGA-22	89.00	90.00	1.00	M298451						
UGA-22	90.00	91.00	1.00	M298452						
UGA-22	91.00	92.00	1.00	M298453						
UGA-22	92.00	93.00	1.00	M298454						
UGA-22	93.00	94.00	1.00	M298455						
UGA-22	94.00	95.00	1.00	M298456						
UGA-22	95.00	96.00	1.00	M298457						
UGA-22	96.00	97.00	1.00	M298458						
UGA-22	97.00	98.00	1.00	M298459						
UGA-22	98.00	99.00	1.00	M298461						
UGA-22	99.00	100.00	1.00	M298462						
UGA-22	100.00	101.00	1.00	M298463						
UGA-22	101.00	102.00	1.00	M298464						
UGA-22	102.00	103.00	1.00	M298465						
UGA-22	103.00	104.00	1.00	M298466						
UGA-22	104.00	105.00	1.00	M298467						
UGA-22	105.00	106.00	1.00	M298469						
UGA-22	106.00	107.00	1.00	M298470						
UGA-22	107.00	108.00	1.00	M298471						
UGA-22	108.00	109.00	1.00	M298472						
UGA-22	109.00	110.00	1.00	M298474						
UGA-22	110.00	111.00	1.00	M298475						
UGA-22	111.00	112.00	1.00	M298476						
UGA-22	112.00	113.00	1.00	M298477						
UGA-22	113.00	114.00	1.00	M298478						
UGA-22	114.00	115.00	1.00	M298479						
UGA-22	115.00	116.00	1.00	M298480						
UGA-22	116.00	117.00	1.00	M298482						
UGA-22	117.00	118.00	1.00	M298483						
UGA-22	118.00	119.00	1.00	M298484						
UGA-22	119.00	120.00	1.00	M298485						
UGA-22	120.00	121.00	1.00	M298486						
UGA-22	121.00	122.00	1.00	M298487						
UGA-22	122.00	123.00	1.00	M298488						
UGA-22	123.00	124.00	1.00	M298489						

## Appendix 2 - All Assay Results

					Au-AA26	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
					Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La	Mg	Mn	Mo
DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	%	ppm	ppm
UGA-22	124.00	125.00	1.00	M298491	0.05	1.1	6.03	99	100	1.7	<2	1.38	<0.5	17	33	22	4.48	10	2.31	20	1.48	997	2
UGA-22	125.00	126.00	1.00	M298492	0.02	<0.5	7.57	43	190	1.6	<2	1.46	<0.5	14	19	26	5.38	20	2.51	20	2.82	1465	1
UGA-22	126.00	127.00	1.00	M298493	0.03	0.5	7.78	61	210	1.6	2	1.18	<0.5	15	21	28	4.16	20	2.81	20	1.96	903	1
UGA-22	127.00	128.00	1.00	M298494	0.02	<0.5	7.4	48	190	1.6	3	1.52	<0.5	12	19	28	4.06	20	2.61	20	2.09	917	1
UGA-22	128.00	129.00	1.00	M298495	0.04	0.5	7.1	65	180	1.5	<2	1.1	<0.5	11	21	27	4.06	20	2.54	20	1.7	910	1
UGA-22	129.00	130.00	1.00	M298496	0.06	0.9	7.21	116	150	1.5	2	0.42	<0.5	14	26	25	4.23	20	2.71	20	0.82	452	2
UGA-22	130.00	131.00	1.00	M298497	0.53	1.3	6.8	109	130	1.5	2	0.27	<0.5	14	24	24	3.81	10	2.57	20	0.55	302	4
UGA-22	131.00	132.00	1.00	M298498	10.15	11.9	8.07	992	120	1.8	<2	0.36	<0.5	17	28	16	6.44	20	3.45	20	0.59	98	493
UGA-22	132.00	133.00	1.00	M298499	2.58	2.4	6.21	453	130	1.5	<2	0.43	<0.5	14	25	20	4.73	10	2.52	20	0.45	212	36
UGA-22	133.00	134.00	1.00	M298501	0.2	1	6.59	137	140	1.5	3	0.3	<0.5	14	26	26	4.17	10	2.49	20	0.62	489	5
UGA-22	134.00	135.00	1.00	M298502	0.19	0.9	7.23	148	150	1.7	2	0.3	<0.5	14	23	31	4.02	20	2.5	20	1.06	580	2
UGA-22	135.00	136.00	1.00	M298503	0.15	1.4	6.29	148	110	1.6	2	0.28	<0.5	15	23	32	4.7	20	2.5	10	1.15	668	2
UGA-22	136.00	137.00	1.00	M298504	0.23	1.2	6.73	209	110	1.6	<2	0.28	<0.5	15	24	37	4.23	20	2.38	10	1.17	651	2
UGA-22	137.00	138.00	1.00	M298506	0.8	1.3	5.87	141	100	1.4	4	0.28	<0.5	13	22	22	3.71	10	2.24	20	0.69	369	4
UGA-22	138.00	139.00	1.00	M298507	0.33	1.2	7.15	178	140	1.7	<2	0.28	<0.5	12	23	35	3.77	20	2.63	20	0.87	360	2
UGA-22	139.00	140.00	1.00	M298508	0.1	1.6	5.3	103	90	1.3	<2	0.32	<0.5	10	27	20	3.7	10	2.25	20	0.5	167	4
UGA-22	140.00	141.00	1.00	M298509	0.19	1.8	6.97	123	130	1.5	<2	0.3	<0.5	14	22	27	3.79	10	2.7	20	0.67	391	1
UGA-22	141.00	142.00	1.00	M298510	0.3	1.6	6.49	142	110	1.5	2	0.24	<0.5	13	27	21	3.87	10	2.52	20	0.63	300	4
UGA-22	142.00	143.00	1.00	M298511	1.04	4	7.01	160	120	1.5	2	0.28	<0.5	16	25	34	3.62	20	2.54	20	0.9	438	3
UGA-22	143.00	143.30	0.30	M298512	0.73	1.9	3.33	211	60	0.9	2	0.14	<0.5	7	31	20	2.61	10	1.32	10	0.24	102	8



## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Au-SCR24
					Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ag ppm	Au Total (+)(-) Combined ppm
UGA-22	124.00	125.00	1.00	M298491	0.01	8	750	10	2.97	17	15	39	<20	0.31	10	<10	109	<10	52		
UGA-22	125.00	126.00	1.00	M298492	0.02	3	690	5	0.58	9	18	42	<20	0.39	<10	<10	125	<10	63		
UGA-22	126.00	127.00	1.00	M298493	0.02	3	790	9	1.16	10	17	31	<20	0.44	10	<10	128	<10	55		
UGA-22	127.00	128.00	1.00	M298494	0.02	2	670	8	0.79	12	17	40	<20	0.4	<10	<10	127	<10	58		
UGA-22	128.00	129.00	1.00	M298495	0.02	<1	750	13	1.09	14	17	33	<20	0.39	<10	<10	126	<10	67		
UGA-22	129.00	130.00	1.00	M298496	0.02	6	820	7	2.99	15	16	17	<20	0.4	<10	<10	121	<10	44		
UGA-22	130.00	131.00	1.00	M298497	0.02	6	840	8	3.29	17	16	14	<20	0.37	<10	<10	120	<10	50		
UGA-22	131.00	132.00	1.00	M298498	0.02	18	1180	64	6.92	99	18	18	<20	0.41	20	<10	190	<10	29		
UGA-22	132.00	133.00	1.00	M298499	0.02	7	1500	19	4.26	42	15	18	<20	0.35	10	<10	111	<10	35		
UGA-22	133.00	134.00	1.00	M298501	0.02	6	900	8	3.06	21	15	15	<20	0.36	<10	<10	114	<10	41		
UGA-22	134.00	135.00	1.00	M298502	0.02	7	860	7	1.82	17	17	17	<20	0.41	<10	<10	121	10	74		
UGA-22	135.00	136.00	1.00	M298503	0.02	5	830	8	2.34	15	15	16	<20	0.4	<10	<10	123	10	78		
UGA-22	136.00	137.00	1.00	M298504	0.02	6	820	10	1.73	16	15	15	<20	0.39	<10	<10	132	10	70		
UGA-22	137.00	138.00	1.00	M298506	0.02	3	870	9	2.49	19	13	17	<20	0.32	<10	<10	102	<10	47		
UGA-22	138.00	139.00	1.00	M298507	0.02	6	850	6	2.33	15	16	16	<20	0.41	<10	<10	125	10	87		
UGA-22	139.00	140.00	1.00	M298508	0.01	6	740	9	3.54	23	13	26	<20	0.31	10	<10	95	<10	31		
UGA-22	140.00	141.00	1.00	M298509	0.02	6	820	6	3.07	18	16	17	<20	0.41	<10	<10	112	<10	38		
UGA-22	141.00	142.00	1.00	M298510	0.02	6	690	8	2.99	22	15	16	<20	0.36	<10	<10	113	<10	30		
UGA-22	142.00	143.00	1.00	M298511	0.02	6	820	7	2.13	19	16	17	<20	0.37	<10	<10	117	<10	42		
UGA-22	143.00	143.30	0.30	M298512	0.01	6	410	11	2.16	47	8	13	<20	0.17	<10	<10	55	<10	106		

## Appendix 2 - All Assay Results

DH ID	From (m)	To (m)	Interval (m)	SAMPLE ID	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-SCR24	Au-AA26D
					Au (+) Fraction ppm	Au (-) Fraction ppm	Au (+) mg mg	WT. + Frac Entire g	WT. - Frac Entire g	Au ppm
UGA-22	124.00	125.00	1.00	M298491						
UGA-22	125.00	126.00	1.00	M298492						
UGA-22	126.00	127.00	1.00	M298493						
UGA-22	127.00	128.00	1.00	M298494						
UGA-22	128.00	129.00	1.00	M298495						
UGA-22	129.00	130.00	1.00	M298496						
UGA-22	130.00	131.00	1.00	M298497						
UGA-22	131.00	132.00	1.00	M298498						
UGA-22	132.00	133.00	1.00	M298499						
UGA-22	133.00	134.00	1.00	M298501						
UGA-22	134.00	135.00	1.00	M298502						
UGA-22	135.00	136.00	1.00	M298503						
UGA-22	136.00	137.00	1.00	M298504						
UGA-22	137.00	138.00	1.00	M298506						
UGA-22	138.00	139.00	1.00	M298507						
UGA-22	139.00	140.00	1.00	M298508						
UGA-22	140.00	141.00	1.00	M298509						
UGA-22	141.00	142.00	1.00	M298510						
UGA-22	142.00	143.00	1.00	M298511						
UGA-22	143.00	143.30	0.30	M298512						