

ASX ANNOUNCEMENT

16 May 2022 ASX Code: MYL

BOARD OF DIRECTORS

Mr Jeff Moore Non-Executive Chairman

Mr John Lamb Managing Director

Mr Rowan Caren Executive Director

Mr Paul Arndt Non-Executive Director

ISSUED CAPITAL

Shares190 m.Performance Rights5 m.Unlisted Options5 m.

Mallee Resources Limited

Suite 1, Ground Floor, 9 Havelock Street West Perth 6005 Western Australia

info@malleeresources.com.au P +61 (0)8 6147 8100 malleeresources.com.au

ABN: 48 124 943 728



Binding Agreement to Acquire a Highly Prospective Exploration Licence

Mallee Resources Limited ("MYL" or "the Company") is pleased to announce that it has entered into a binding agreement with Zebs Minerals Pty Ltd ("Zebs") and D&B Mining Pty Ltd, a wholly owned subsidiary of Zebs, Moina Gold Pty Ltd and Mr Geoffrey Summers (collectively "the Vendors"), to acquire the exploration licence EL5/2020 in western Tasmania near to the Avebury Nickel Project, a Sandvik LH517 mine loader and all the geological and mining data and information held by the Vendors in relation to both the Melba tenements and the Avebury Nickel Project ("the Agreement").

Consideration of A\$5.5 million will be payable to the Vendors, satisfied by the issuance of 13,095,238 fully paid ordinary shares. Shareholder approval for the issuance of the shares will be sought at the Company's forthcoming General Meeting.

The acquisition is subject to the securities of MYL being reinstated to trading on the official list of the ASX (after MYL re-complies with Chapters 1 and 2 of the ASX Listing Rules), any conditions to the effectuation of the Deed of Company Arrangement ("DOCA") being satisfied or waived and MYL shareholder approval, amongst other things. The DOCA contemplates MYL (through a wholly owned subsidiary) acquiring Allegiance Mining Pty Ltd (Subject to Deed of Company Arrangement) (Receivers and Managers Appointed) ("Allegiance") as announced on 11 March 2022, which wholly owns the Avebury Nickel Project.

Further details in respect of the Agreement are set out below.




Figure 1. Map of Avebury Tenements and EL5/2020



John Lamb, Managing Director, commented:

"I am delighted with this transaction. Upon completion, MYL will more than double its ground-holding in the highly mineralised Melba Flats area, a region known for high grade mineralisation and small-scale historical mining, which is proximal to the Avebury Nickel Project owned by Allegiance. We will also secure our first underground mine loader for Avebury, which is already being utilised under a hire arrangement in mining operations on site, and important geological IP related to both Melba and Avebury."

Exploration Licence – EL5 /2020

EL5/2020 is a 14km² exploration license granted by Mineral Resources Tasmania on 12 June 2021 and has a five year term. EL5/2020 is located immediately to the west of EL43/1992 and RL5/2009, two licences held by Allegiance (part of the "Avebury Tenements"). The presence of nickel at the Melba Flats area has been known about for over 100 years. Some historic small-scale mining has taken place and additionally limited systematic nickel exploration has occurred.

No recent material exploration on EL5/2020 has been carried out.¹ Results of historical exploration at the North Cuni-Genets prospect located on Allegiance's Melba Flats licence RL5/2009, which is adjacent to EL5/2020, provide context to the prospectivity of EL5/2020. Data relating to North Cuni-Genets has been compiled from regional data from the Avebury database.




Figure 2. Map of Melba Flats Area with Regional Aeromagnetic Imagery

Nickel mineralisation at Melba Flats is typically disseminated through gabbro dykes within enclosing sediments. Unlike Avebury nickel-sulphides, nickel at Melba Flats is associated with copper, platinum-group-elements and gold.

¹ Based on a search of the Mineral Resources Tasmania website.



Notable historical drilling intercepts at the North Cuni-Genets prospect includes:

- Drillhole MF34 1.4m at 9.55% Ni, 3.9% Cu, 0.25 g/t Au, 0.32 g/t Pt, 0.44% Pd from 35.2m,
- Drillhole MF64 1.8m at 1.04% Ni, 5.4% Cu, 0.19 g/t Au, 0.38 g/t Pt, 0.73 g/t Pd from 8.8m and 1.3m at 1.01% Ni, 3.75 % Cu, 0.98 g/t Au, 0.97 g/t Pt, 1.21 g/t Pd from 11.8m, and
- Drillhole MF59 1m at 1.23 % Ni, 3.55% Cu, 0.75 g/t Au, 1.74 g/t Pt, 0.97 g/t Pd from 40.1m.

Historical drilling details at the North Cuni-Genets prospect, including mineralised intercepts can be found in Appendix 1 and 2. The North Cuni-Genets results are provided for context. No historical results are provided for EL5/2020.

The different geochemical signature of the Melba Flats nickel-copper sulphide mineralisation suggests a potential primary magmatic sulphide origin of the metals, as opposed to the interpreted hydrothermal origin of the purely Ni-Co sulphide mineralisation of Avebury. If the Melba Flats mineralisation does have a magmatic origin, it would require a geological body of magmatic sulphide hosted in a larger intrusive mass close to the current Melba Flat sulphide occurrences at time of formation.

The Melba Flats area is underlain by the eastern portion of a significant magnetic-high. The magnetic high (red area covering the eastern portion of the Avebury Tenements extending west into EL5/2020 in Figure 2) could represent mafic-ultramafic complex (large intrusive mass), the ultimate source of the nickel sulphides discovered to date at the Melba Flats, and hence a high-priority exploration target.

The Vendors also hold geological models and other geoscience information related to the Avebury Nickel Project ("Mining Information"). In accordance with the terms of the Agreement, rights to this information will be assigned to MYL. Of particular interest are detailed studies and models based on the drilling completed by MMG Limited between 2009-2011. This analysis reinterprets the genesis of the Avebury deposit and will allow revised and more detailed geo-metallurgical domaining of the deposit.

Sandvik Loader

MYL will also acquire a Sandvik LH517 underground mine loader. This loader has a 15 tonne load capacity and is suitable for the size of the underground mine at Avebury.




Figure 3. Mine loader at Avebury

The underground mine loader which is currently on hire, together with other mining equipment at site, has allowed for a start to mining operations at Avebury.



Key Terms of the Agreement

| Term | Details |
|---|---|
| Acquisition of Assets Consideration | Exploration Licence EL5/2020. Underground mine loader. Mining and geological information. The purchase price for the assets is \$5.5 million, to be satisfied by an issue of |
| | 13,095,238 fully paid ordinary shares in MYL. These shares may be subject to ASX escrow restrictions for a period of up to 24 months from the date of re-quotation of MYL's shares on ASX. |
| Conditions Precedent | Completion of the transaction is conditional upon the satisfaction (or waiver by MYL) of the following conditions precedent: the securities of MYL being reinstated to trading on the official list of the ASX (after MYL re-complies with Chapters 1 and 2 of the ASX Listing Rules); any conditions to the effectuation of the DOCA being satisfied or waived; entry into a geological consulting agreement between MYL and Moina Gold Pty Ltd, an affiliate of Zebs; execution of a deed of release with each of Zeb Minerals and its principal, whereby these parties shall agree to settle and release any claims either may have or assert against Allegiance and its Related Entities on terms acceptable to MYL; MYL completing and being satisfied, in its sole discretion, with the outcome of due diligence investigations on the assets; the parties obtaining all necessary regulatory, shareholder and third-party approvals, consents or waivers that are required to give effect to the terms of the transaction; the parties obtaining all third party approvals and consents, including the consent of the Minister responsible for the Mineral Resources Development Act 1995 (Tas) (Mining Act) (if required), necessary to lawfully complete the matters set out in the Agreement; and there being no event occurring prior to the date of completion which materially and adversely affects the assets. |
| Completion | Completion of the transaction will occur on a date to be agreed between the parties, which must be no later than 60 days following after the satisfaction or waiver of the last of the conditions precedent. |
| Maintenance of Tenement | The Vendors are responsible for maintaining EL5/2020 in good standing until the Agreement completes. |
| Representations & Warranties | Customary representations for a transaction of this nature. |
| Exclusivity | A period of exclusivity will apply until the Agreement has completed or terminated. |



Approved for release to the ASX by

and a

John Lamb

Managing Director

About Mallee Resources Limited

Mallee Resources Limited (ASX: MYL) is an explorer and mine developer listed on the Australian Securities Exchange. MYL aims to become a leading regional base metals producer. The Company is seeking to acquire 100% of the Avebury Nickel Project in Tasmania pursuant to the terms of a Deed of Company Arrangement.

COMPETENT PERSON STATEMENTS

The Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the "JORC Code") sets out minimum standards, recommendations and guidelines for Public Reporting in Australasia of Exploration Results, Mineral Resources and Ore Reserves. The information in this announcement that relates to Exploration Results is based, and fairly reflects, information compiled by Mr Tony Chisnall, who is a member of the Australasian Institute of Mining and Metallurgy. Mr Chisnall has reviewed previous information, data and reports related to the historical drilling results at the Tenement being reported and considers that the information in this announcement. Mr Chisnall is a full-time employee of Mallee Resources Limited. Mr Chisnall has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in JORC Code. Mr Chisnall consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.



Appendix 1: JORC Table 1

JORC Table 1 Section 1 – Sampling Techniques and Data

In relation to exploration results for North Cuni Genets unless otherwise noted

| Criteria | JORC Code explanation | Commentary |
|--------------------------|--|--|
| Sampling techniques | Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. | After logging, the core was sawn in half longitudinally, and half core was crushed, and all the crushed material was pulverized of assay. All crushed and pulverized samples not consumed by assay by the assay process were retrieved and were stored in Allegiance's Zeehan coreshed. |
| | Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. | Core recovery at Melba Flats was a problem in early drilling, however triple-tube drilling was used from at least 2004 onwards and core recoveries in the gabbro and sulphide mineralisation were good. There was no systematic core loss in the mineralisation considered in historical resource estimates. There were some poor recoveries in weathered overburden but recoveries were close to 100% in gabbro and sulphide mineralisation. |
| | Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. "RC drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay"). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information. | The majority of drillholes post 2000 were by HQ triple-tube wireline drilling. After logging, the core was sawn in half longitudinally, half core was crushed and all of the crushed material was pulverized prior to assay. All crushed and pulverized samples not consumed by the assay process were retrieved and were stored in Allegiance's Zeehan coreshed. |
| Drilling techniques | Drill type (e.g. core, RC, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.). | HQ triple-tube diamond drilling |
| Drill sample recovery | Method of recording and assessing core and chip sample recoveries and results assessed. | All drill logs describe rock-types and mineralisation intersected and are accompanied by core recoveries, assays and some petrological descriptions. |
| | Measures taken to maximise sample recovery and ensure representative nature of the samples. | Drilling since at least 2004 included the used of triple tube, with core recovery near 100% in gabbro and mineralization. |
| | Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. | There is no demonstrated relationship between sample recovery and grade. Core recoveries since at least 2004 have been described as good. |
| Logging | Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support | Drill core was logged by Michael V. McKeown of McKeown Mining Pty Ltd, a Fellow of the Australian Institute of Mining and Metallurgy, with more than five years of relevant experience in |



| Criteria | JORC Code explanation | Commentary |
|--|--|---|
| | appropriate Mineral Resource estimation, mining studies and metallurgical studies. | the estimation, assessment and evaluation of Mineral Resources of this style of mineralisation and type of deposit. |
| | Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography. | Hard copies of drill logs are kept at the Avebury Mine offices of Allegiance Metals as well as hard copy assay data as received from analytical laboratories. |
| | | All drillhole data has been captured and digitally transferred to a centralized drillhole database also held at the Avebury mine site. |
| | The total length and percentage of the relevant intersections logged. | 100% of intersections are geologically logged |
| Subsampling techniques and | If core, whether cut or sawn and whether quarter, half or all core taken. | The core was sawn in half longitudinally by diamond saw and one half taken for sampling. |
| sample preparation | If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry. | All samples are core. |
| | For all sample types, the nature, quality and appropriateness of the sample preparation technique. | The sampling technique was appropriate and completed to industry standard for sampling diamond core. |
| | Quality control procedures adopted for all subsampling stages to maximise representivity of samples. | Half core was crushed, and all the crushed material was pulverized for assay. |
| | Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. | No information on such measures is available. |
| | Whether sample sizes are appropriate to the grain size of the material being sampled. | The sample sizes are considered appropriate to the grain size of the material being sampled. |
| Quality of assay data and laboratory tests | The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. | All nickel assays were total nickel assays determined by ICP following an acid leach. All assays were performed by SGS, NATA registered laboratories; sample preparation was carried out in Burnie, and assays in Townsville. |
| | For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. | No geophysics tools were used. |
| | Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. | No information is available on quality control procedures. |
| Verification of sampling and assaying | The verification of significant intersections by either independent or alternative company personnel. | Geological and sampling data has been reviewed and reported on by Independent Technical Experts. |
| | The use of twinned holes. | No dedicated twin drill holes were completed. |
| | Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. | No such documentation exists. |
| | Discuss any adjustment to assay data. | No adjustments or calibrations have been made to any assay data. |
| Location of data points | Accuracy and quality of surveys used to locate drill holes (collar and downhole surveys), trenches, mine workings and | The co-ordinates of the collars and collar bearings of all drill holes by Allegiance were determined by theodolite traverse, most |



| Criteria | JORC Code explanation | Commentary |
|--|---|--|
| | other locations used in Mineral Resource estimation. | collars dips were also determined by theodolite traverse, a few by clinometer. |
| | | Information regarding the method of downhole survey has not been located. |
| | Specification of the grid system used. | All co-ordinates of the drillholes are in AMG and RLs are actual heights above MSL. |
| | Quality and adequacy of topographic control. | All hole collar locations were surveyed by a licensed surveyor. |
| Data spacing and distribution | Data spacing for reporting of Exploration Results. | Drill hole spacing over known deposits and mineral occurrences is generally 25x25m or less. |
| | Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. | No Mineral Resource Estimate is being reported. |
| | Whether sample compositing has been applied. | No compositing has been applied at the sampling stage. |
| Orientation of data in relation to geological structure | Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. | Geological interpretation show that sulphide mineralisation is associated with gabbro sills within a sequence of volcaniclastics and siltstones. The sills are generally between 8 to 10m thick, with nickel-sulphides concentrated at the bottom of the sill. The gabbro sill swarm strikes more or less north-south and dips generally range from 30 to 60 degrees. |
| | If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. | Drilling orientation is not considered to have introduced any sampling bias. |
| Sample security | The measures taken to ensure sample security. | Measures to provide sample security included: Core yard facility with security fence and well-maintained sampling sheds Further information on historical sampling protocols is unavailable. |
| Audits or reviews | The results of any audits or reviews of sampling techniques and data. | No specific audits or reviews of sampling techniques employed at Melba Flats have been located. |

JORC 2012 Table 1 Section 2 – Reporting of Exploration Results

| Mineral | Type, reference name/number, location | For the Tenement being acquired details are as follows: | | | | | | | | | | |
|------------------------------|---|--|-----------------------------|----------------|----------------------------|---------|-----------|--------------------------------------|--|--|--|--|
| tenement and land tenure | and ownership including agreements or material issues with third parties such as | Lease | Lease type | Expiry date | Holder | Status | Size | Description | | | | |
| status | joint ventures, partnerships, overriding royalties, native title interests, historical | EL5/2020 | Exploration | 11 Jun 2026 | D & B Mining Pty Ltd | Granted | 14 km² | | | | | |
| | sites, wilderness or national park and environmental settings. | | of the infor maps.thelis | | | | | | | | | |
| | The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | Tenure of EL5/2020 is secure and there are no known impediments to obtaining a licence to operate. | | | | | | | | | | |
| Exploration done by other | Acknowledgment and appraisal of exploration by other parties. | | | | | | | f Australia's nickel Melba Flats. | | | | |
| parties | | The North Cuni – Genet's area was drilled in the past by former lease and licence holders, including EZ Exploration, Eagle Metals and CRA Exploration (CRAE), and the Tasmania Department of Mines. | | | | | | | | | | |



| | | Allegiance Mining has carried out mineral exploration over the Melba Flats licence areas since the early 2000's. | | | | | | |
|--------------------------------|---|---|--|--|--|--|--|--|
| Geology | Deposit type, geological setting and style of mineralisation. | At Melba Flats several Cambrian gabbro sills occur within a sequence of volcanoclastics and siltstones of the Cambrian Crimson Creek Formation or a coeval equivalent. Nickel sulphide mineralisation occurs spatially, but not necessarily genetically, associated with gabbro sills. | | | | | | |
| | | The sills range up to 15 metres or so in true thickness and are generally 8 to 10 metres thick. The sill swarm strikes north-south although the sills at the know northern and southern ends of the field swing away from this strike; dips generally range from 30 to 60 degrees. The sills are offset by small faults, probably Tabberabberan in origin, which are a common feature of the geological structure in Zeehan to Renison Bell area. | | | | | | |
| | | Three sills are identified at North Cuni and Genet's and are numbered from the top sill, G6, to the bottom sill, G8. Significant nickel sulphide mineralisation has been identified in G7 only. Where present, sulphide mineralisation occurs from disseminated to massive sulphide in the lower part of the G7 gabbro and the massive sulphide tends to occur on, or nearby, the footwall of the gabbro. | | | | | | |
| | | The sulphide mineral assemblage is usually simple: penlandite, chalcopyrite and pyrite. Almost everywhere, arsenopyrite is below detection levels except where associated with sphalerite and galena in quartz-dolomite veins which are rarely transecting the gabbros. | | | | | | |
| | | Massive sulphides carry elevated Pt, Pd and Au. Arsenic levels are low, typically less than 500ppm. | | | | | | |
| Drill hole information | A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: Easting and northing of the drill hole collar Elevation or RL (Reduced Level – Elevation above sea level in metres) of the drill hole collar Dip and azimuth of the hole Downhole length and interception depth Hole length. | Information in relation to the North Cuni-Gents drilling is provided in Appendix 2. Based on a search of the website of Mineral Resources Tasmania no recent material exploration activities have been undertaken on EL5/2020. | | | | | | |
| | If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. | Not applicable – drillhole information has been provided. | | | | | | |
| Data aggregation methods | In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated. | No weighting averaging techniques, maximum and/or minimum grade truncations have been used. | | | | | | |
| | Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. | No aggregation of assay results has been used. | | | | | | |



| | The assumptions used for any reporting of metal equivalent values should be clearly stated. | No metal equivalent values are reported. | | | | | | | |
|---|--|---|--|--|--|--|--|--|--|
| Relationship between mineralisation | These relationships are particularly important in the reporting of Exploration Results. | Only intercept lengths are being reported. | | | | | | | |
| widths and intercept lengths | If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. | No mineralization widths are being reported. | | | | | | | |
| | If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. "downhole length, true width not known"). | The reported results are downhole lengths, and no true widths are reported. | | | | | | | |
| Diagrams | Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views. | No significant discovery is being reported. The drill hole intercepts are reported based on historical data, previously published by Allegiance in October 2004. | | | | | | | |
| Balanced reporting | Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. | The remaining historical drill intercepts can be compared to surrounding results at the North Cuni-Genets Prospect at Melba Flats to provide context. | | | | | | | |
| Other substantive exploration data | Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | Apart from drilling data other data at the North Cuni-Genets Prospect includes historical, geophysical and geochemical survey results. These are in the process of being collated and assessed to ascertain their coverage and quality in determining additional drill targets in the area. | | | | | | | |
| Further work | The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). | Future work at Melba Flats is planned, which will include building a comprehensive geological model, based on existing data, information and interpretations, and supported by focused geological, geochemical and geophysical investigations to define future drill targets. | | | | | | | |
| | Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. | available. | | | | | | | |

Appendix 2 – Drilling data

Table 1 North Cuni-Genets Prospect Collar Details, GDA94 and drillhole intercept assay results

| Hole ID | EAST GDA94 | NORTH_GDA94 | RL | Azimuth_TrueNorth | Dip | Max Depth (m) | Year Drilled | Depth From | Depth To | Interval | Ni % | Cu % | Co ppm | Au ppm | Pt ppm | Pd ppm | |
|---------|------------|-------------|-------|-------------------|-----|---------------|--------------|------------|----------|----------|-----------------------|------------------|--------|--------|--------|--------|--|
| DD03 | 366547 | 5367987 | 201.6 | 327 | -45 | 32.6 | 1930 | 0 | 32.6 | 32.6 | No Assay Res | ults | | | | | |
| DD04 | 366544 | 5367954 | 210 | 322 | -45 | 47.5 | 1930 | 0 | 47.5 | 47.5 | No Assay Res | No Assay Results | | | | | |
| DD09 | 366566 | 5367911 | 210 | 317 | -65 | 105.5 | 1939 | 0 | 105.5 | 105.5 | No Assay Res | No Assay Results | | | | | |
| EM1 | 366464 | 5367930 | 207 | 341 | -45 | 36.6 | 1953 | 21.3 | 24 | 2.7 | 1.72 | 0.1 | | | | | |
| EM2 | 366464 | 5367932 | 207 | 280 | -50 | 36.6 | 1953 | 20.1 | 21.3 | 1.2 | 0.5 | 0.7 | | | | | |
| EM2 | | | | | | | | 24 | 24.6 | 0.6 | 1 | 0.7 | | | | | |
| EM3 | 366451 | 5367836 | 207 | 280 | -45 | 36.6 | 1953 | 21.3 | 25.9 | 4.6 | 1.1 | 0.82 | | | | | |
| EM4 | 366472 | 5367770 | 205 | 280 | -45 | 42.7 | 1953 | 30.1 | 31 | 0.9 | 0 | 0 | | | | | |
| EM4 | | | | | | | | 35.9 | 36.5 | 0.6 | 0.1 | 2 | | | | | |
| EM4 | | | | | | | | 36.5 | 36.8 | 0.3 | 0.9 | 0.7 | | | | | |
| EM5 | 366508 | 5367769 | 206 | 280 | -45 | 19.8 | 1953 | 0 | 19.8 | 19.8 | No Assay Res | ults | | | - | | |
| M8 | 366531 | 5367965 | 209 | 322 | -50 | 34.4 | 1956 | 20.7 | 26.7 | 6 | 0.02 | 0.008 | 47 | | | | |
| M8 | | | | | | | | 27.1 | 28.7 | 1.6 | 0.8 | 1.02 | | | | | |
| M9C | 366566 | 5367912 | 210 | 317 | -65 | 105.5 | 1939 | 0 | 105.5 | 105.5 | No Assay Res | ults | | | | | |
| M9G | 366539 | 5367930 | 209 | 323 | -55 | 86.9 | 1956 | 71.1 | 83.5 | 12.4 | No Significant | Assays | | | | | |
| MF01 | 366549.2 | 5367954 | 210 | 320 | -45 | 62.3 | 1994 | 26.15 | 45.7 | 19.55 | No Significant | Assays | | | | | |
| MF01 | | | | | | | | 45.7 | 46.2 | 0.5 | 0.58 | 0.6898 | 168 | 0.189 | 0.246 | 0.309 | |
| MF01 | | | | | | | | 46.2 | 46.8 | 0.6 | 0.35 | 0.5173 | 118 | 0.182 | 0.189 | 0.212 | |
| MF01 | | | | | | | | 46.8 | 47.75 | 0.95 | 0.11 | 0.204 | 82 | | | | |
| MF01 | | | | | | | | 47.75 | 48.5 | 0.75 | 0.24 | 0.3134 | 107 | | | | |
| MF01 | | | | | | | | 48.5 | 49.2 | 0.7 | 9.3 | 4.5 | 1331 | 0.83 | 0.846 | 1.4 | |
| MF01 | | | | | | | | 49.2 | 62.25 | 13.05 | No Significant | Assays | | | - | | |
| MF02 | 366549.6 | 5367953.5 | 210 | 320 | -60 | 115.5 | 1994 | 15.55 | 115.5 | 99.95 | No Significant | Assays | | | | | |
| MF03 | 366452 | 5367883 | 207 | 300 | -45 | 82.5 | 1994 | 18.4 | 24.6 | 6.2 | No Significant | Assays | | | | | |
| MF03 | | | | | | | | 24.6 | 25.1 | 0.5 | 7.71 | 2.91 | 1154 | 1.13 | 1.06 | 1.14 | |
| MF03 | | | | | | | | 25.1 | 77.1 | 52 | No Significant | Assays | | | | | |
| MF04 | 366472 | 5367843 | 210 | 270 | -45 | 75 | 1994 | 28 | 36.9 | 8.9 | No Significant | Assays | | | | | |
| MF04 | | | | | | | | 36.9 | 37.75 | 0.85 | 0.47 | 0.4832 | 135 | 0.14 | 0.184 | 0.236 | |
| MF04 | | | | | | | | 37.75 | 38.55 | 0.8 | 7.75 | 10.3 | 715 | 1.94 | 1.22 | 1.56 | |
| MF04 | | | | | | | | 38.55 | 68.9 | 30.35 | No Significant Assays | | | | | | |
| MF05 | 366502 | 5367633 | 200 | 270 | -45 | 82.2 | 1994 | 9.2 | 73.65 | 64.45 | No Significant Assays | | | | | | |
| MF05 | | | | | | | | 73.65 | 75.6 | 1.95 | 0.44 | 0.6323 | 111 | 0.222 | 0.24 | 0.3 | |
| MF05 | | | | | | | | 75.6 | 82.2 | 6.6 | No Significant Assays | | | | | | |
| MF10 | 366557 | 5367783 | 210 | 265 | -50 | 249.5 | 1998 | 58 | 249.5 | 191.5 | No Significant Assays | | | | | | |

| MF100 | 366818.3 | 5368022.8 | 215 | 0 | -90 | 307 | 2008 | 179.6 | 208 | 28.4 | No Significant | Accove | | | | | |
|-------|-----------|-----------|-------|-------|------------------|-------|------|-------|-------|-------|------------------------------|-----------------------|------|------|------|------|--|
| MF100 | 366817.2 | 5368023.7 | 216.8 | 305 | -53 | 276.5 | 2008 | 126 | 182 | 56 | No Significant | , | | | | | |
| MF101 | 366479.61 | 5367543 | 207.9 | 267.5 | -61 | 151 | 2008 | 120 | 121.2 | 104.2 | No Significant Assays | | | | | | |
| MF102 | 366477 | 5367633 | 208 | 270 | -60 | 160 | 2008 | 54.9 | 64.85 | 9.95 | No Significant Assays | | | | | | |
| MF27 | 366466.6 | 5367797.5 | 205.4 | 292 | -47 | 86.5 | 2004 | 27.9 | 39.6 | 11.7 | | No Significant Assays | | | | | |
| MF28 | 366578.7 | 5367994.8 | 208.4 | 325 | -46 | 96.6 | 2004 | 20.6 | 24.5 | 3.9 | No Significant | | | | | | |
| MF29 | 366563.6 | 5367997.6 | 207.9 | 317 | -46 | 61.2 | 2004 | 21.6 | 22.6 | 1 | 0.32 | 0.223 | 145 | 0.01 | 0.04 | 0.06 | |
| MF29 | | | | | | | | 24.5 | 25.3 | 0.8 | 0.65 | 0.572 | 195 | 0.11 | 0.14 | 0.2 | |
| MF29 | | | | | | | | 25.3 | 25.6 | 0.3 | 5.85 | 9.15 | 1670 | 0.7 | 1.26 | 1.79 | |
| MF29 | | | | | | | | 25.6 | 26.25 | 0.65 | 0.54 | 0.449 | 180 | 0.06 | 0.13 | 0.16 | |
| MF29 | | | | | | | | 26.25 | 26.9 | 0.65 | 0.08 | 0.069 | 89 | 0.01 | 0.01 | 0.01 | |
| MF30 | 366564.5 | 5367973.4 | 208.8 | 325 | -45 | 60.5 | 2004 | 35.9 | 45.75 | 9.85 | No Significant | Assays | - | • | | • | |
| MF31 | 366542.9 | 5367975 | 210.2 | 325 | -45 | 45.4 | 2004 | 20.2 | 30.3 | 10.1 | No Significant | Assays | | | | | |
| MF32 | 366538.2 | 5367951.2 | 208.8 | 328 | -45 | 50.3 | 2004 | 29.8 | 37.8 | 8 | No Significant | Assays | | | | | |
| MF32 | | | | | | | | 36.8 | 37.8 | 1 | 0.14 | 0.179 | 94 | 0.03 | 0.03 | 0.04 | |
| MF32 | | | | | | | | 37.8 | 38.8 | 1 | 0.55 | 0.666 | 155 | 0.12 | 0.15 | 0.2 | |
| MF32 | | | | | | | | 38.8 | 39.8 | 1 | 0.77 | 1.32 | 185 | 0.26 | 0.3 | 0.37 | |
| MF32 | | | | | | | | 39.8 | 40.8 | 1 | 0.45 | 0.692 | 135 | 0.09 | 0.11 | 0.15 | |
| MF32 | | | | | | | | 40.8 | 41.55 | 0.75 | 0.32 | 0.631 | 125 | 0.27 | 0.59 | 0.55 | |
| MF32 | | | | | | | | 41.55 | 42.3 | 0.75 | 9.2 | 4.55 | 1710 | 0.92 | 0.9 | 1.55 | |
| MF32 | | | | | | | | 42.3 | 43.3 | 1 | No Significant | Assays | | | | | |
| MF33 | 366538.6 | 5367950.9 | 208.8 | 323.9 | -60 | 76 | 2004 | 34.8 | 45.8 | 11 | No Significant | Assays | | | | | |
| MF34 | 366522.3 | 5367953.9 | 208.7 | 323 | -43 | 48 | 2004 | 22.3 | 31.3 | 9 | No Significant | Assays | | | | | |
| MF34 | | | | | | | | 23.3 | 24.3 | 1 | 0.04 | 0.0235 | 72 | 0.01 | 0 | 0 | |
| MF34 | | | | | | | | 31.3 | 32.8 | 1.5 | 0.65 | 1.31 | 170 | 0.38 | 0.37 | 0.43 | |
| MF34 | | | | | | | | 32.8 | 33.8 | 1 | 0.43 | 0.649 | 125 | 0.17 | 0.16 | 0.18 | |
| MF34 | | | | | | | | 33.8 | 34.6 | 0.8 | 0.71 | 0.537 | 175 | 0.09 | 0.11 | 0.14 | |
| MF34 | | | | | | | | 34.6 | 35.2 | 0.6 | 3.6 | 3 | 730 | 0.24 | 0.28 | 0.55 | |
| MF34 | | | | | | | | 35.2 | 36.6 | 1.4 | 9.55 | 3.9 | 1830 | 0.25 | 0.32 | 0.44 | |
| MF34 | | | | | | | | 36.6 | 37.6 | 1 | 0.04 | 0.0175 | 54 | 0.02 | 0.01 | 0.01 | |
| MF35 | 366519.1 | 5367940.5 | 208.3 | 324.3 | -44 | 112.5 | 2004 | 30.7 | 104.6 | 73.9 | No Significant | Assays | | | | | |
| MF36 | 366498.7 | 5367946.9 | 207.7 | 328.3 | -45 | 48.7 | 2004 | 20.2 | 25.6 | 5.4 | No Significant | Assays | | | | | |
| MF36 | | | | | + | | ļ | 25.6 | 26.6 | 1 | 0.58 | 1.39 | 150 | 0.51 | 0.39 | 0.43 | |
| MF36 | | | | | | | | 26.6 | 27.6 | 1 | 0.58 | 1.34 | 145 | 0.45 | 0.37 | 0.43 | |
| MF36 | | | | | | | | 27.6 | 28.6 | 1 | 0.37 | 0.471 | 140 | 0.14 | 0.12 | 0.15 | |
| MF36 | | | | | $ \rightarrow $ | | ļ | 28.6 | 28.8 | 0.2 | 9.15 | 1.02 | 1710 | 0.2 | 0.63 | 1 | |
| MF36 | | | | | | | | 28.8 | 29.8 | 1 | 0.1 0.0555 68 0.01 0.01 0.01 | | | | | 0.01 | |

| MF37 | 366499.2 | 5367946.2 | 207.7 | 328.8 | -65 | 36.9 | 2004 | No Significant As | savs | | | • | | | | |
|------|----------|-----------|-------|-------|-----|------|------|-------------------|-------|------|----------------|--------|------|------|------|------|
| MF37 | | | | | | | | 0.82 | 1.18 | 220 | | | | | | |
| MF37 | | | | | | | | 0.06 | 0.124 | 70 | | | | | | |
| MF38 | 366523.5 | 5367969.5 | 210.2 | 323 | -44 | 26 | 2004 | 14.5 | 17.5 | 3 | No Significant | Assays | | • | | |
| MF38 | | | | | | | | 17.5 | 18.9 | 1.4 | 0.17 | 0.186 | 86 | 0.01 | 0.05 | 0.07 |
| MF38 | | | | | | | | 18.9 | 19.7 | 0.8 | 11.5 | 4.35 | 1760 | 1.23 | 0.95 | 3.2 |
| MF38 | | | | | | | | 19.7 | 20.7 | 1 | 0.07 | 0.071 | 58 | 0.02 | 0.01 | 0.02 |
| MF39 | 366512.1 | 5367966.5 | 209.8 | 322 | -45 | 24 | 2004 | 10 | 14 | 4 | No Significant | Assays | | • | • | |
| MF39 | | | | | | | | 14 | 15 | 1 | 0.52 | 1.07 | 165 | 0.37 | 0.35 | 0.42 |
| MF39 | | | | | | | | 15 | 15.8 | 0.8 | 0.56 | 0.504 | 170 | 0.12 | 0.12 | 0.16 |
| MF39 | | | | | | | | 15.8 | 16.1 | 0.3 | 9.75 | 7.75 | 1450 | 0.45 | 0.5 | 0.37 |
| MF39 | | | | | | | | 16.1 | 16.9 | 0.8 | 0.57 | 1.09 | 195 | 0.09 | 0.09 | 0.13 |
| MF39 | | | | | | | | 16.9 | 17.9 | 1 | 0.06 | 0.0815 | 62 | 0.01 | 0 | 0.01 |
| MF40 | 366479.3 | 5367948.9 | 207.1 | 327 | -42 | 83.3 | 2004 | 7 | 12.5 | 5.5 | No Significant | Assays | | | | |
| MF40 | | | | | | | | 12.5 | 13.5 | 1 | 0.49 | 0.362 | 165 | | | |
| MF40 | | | | | | | | 13.5 | 14.5 | 1 | 0.39 | 0.256 | 160 | | | |
| MF40 | | | | | | | | 14.5 | 16 | 1.5 | 0.43 | 0.513 | 150 | | | |
| MF40 | | | | | | | | 16 | 16.5 | 0.5 | 0.24 | 0.196 | 320 | | | |
| MF40 | | | | | | | | 16.5 | 77 | 60.5 | No Significant | Assays | | | | |
| MF41 | 366475.2 | 5367934.3 | 207 | 326 | -42 | 37 | 2004 | 14.9 | 21 | 6.1 | No Significant | Assays | • | | | |
| MF41 | | | | | | | | 21 | 22 | 1 | 0.49 | 0.489 | 155 | | | |
| MF41 | | | | | | | | 22 | 23 | 1 | 0.97 | 0.882 | 275 | | | |
| MF41 | | | | | | | | 23 | 23.7 | 0.7 | 0.95 | 0.784 | 285 | | | |
| MF41 | | | | | | | | 23.7 | 24.7 | 1 | 0.03 | 0.0096 | 78 | | | |
| MF42 | 366596.8 | 5368003.7 | 208.5 | 319 | -49 | 64.9 | 2004 | 3 | 37.9 | 34.9 | No Significant | Assays | | • | • | |
| MF42 | | | | | | | | 37.9 | 38.9 | 1 | 0.88 | 0.645 | 270 | | | |
| MF42 | | | | | | | | 38.9 | 39.9 | 1 | 0.71 | 0.58 | 290 | | | |
| MF42 | | | | | | | | 39.9 | 40.9 | 1 | 0.81 | 0.59 | 265 | | | |
| MF42 | | | | | | | | 40.9 | 41.8 | 0.9 | 0.79 | 0.603 | 245 | | | |
| MF42 | | | | | | | | 41.8 | 42.8 | 1 | 0.06 | 0.044 | 97 | | | |
| MF43 | 366597.5 | 5368002.7 | 208.8 | 331 | -68 | 67.5 | 2004 | 37.9 | 38.9 | 1 | 0.01 | 0.0205 | 74 | | | |
| MF43 | | | | | | | | 38.9 | 39.6 | 0.7 | 0.03 | 3.15 | 200 | | | |
| MF43 | | | | | | | | 39.6 | 41.9 | 2.3 | No Significant | Assays | | | | |
| MF44 | 366582.4 | 5368007.8 | 208 | 322 | -44 | 40.9 | 2004 | 20.3 | 27.3 | 7 | No Significant | Assays | | • | 1 | |
| MF44 | | | | | | | | 27.3 | 28.3 | 1 | 0.68 | 0.536 | 225 | | | |
| MF44 | | | | | | | | 28.3 | 29.3 | 1 | 0.65 | 0.532 | 210 | | | |
| MF44 | | | | | | | | 29.3 | 31 | 1.7 | 0.8 | 0.637 | 235 | | | |
| MF44 | | | | | | | | 31 | 35.3 | 4.3 | No Significant | Assays | | | | |

| MF45 | 366543.2 | 5367972.7 | 210.1 | 321 | -70 | 54.6 | 2004 | 26.1 | 35.3 | 9.2 | No Significant Assays | | | | | |
|------|----------|-----------|-------|-----|-----|------|------|-------|-------|-------|-----------------------|--------|------|------|------|------|
| MF45 | | | | | | | | 34.3 | 35.3 | 1 | 0.41 | 0.429 | 160 | | | |
| MF45 | | | | | | | | 35.3 | 36.3 | 1 | 0.6 | 0.438 | 205 | | | |
| MF45 | | | | | | | | 36.3 | 37.3 | 1 | 0.17 | 0.295 | 120 | | | |
| MF45 | | | | | | | | 37.3 | 38.8 | 1.5 | 0.37 | 0.738 | 140 | | | |
| MF45 | | | | | | | | 38.8 | 39.8 | 1 | 0.04 | 0.05 | 96 | | | |
| MF46 | 366543.6 | 5367972.4 | 210.2 | 312 | -84 | 55 | 2004 | 33.8 | 44.9 | 11.1 | No Significant | Assays | | • | | |
| MF47 | 366564.8 | 5367973.8 | 208.8 | 319 | -62 | 56.5 | 2004 | 39.5 | 45.6 | 6.1 | No Significant | Assays | | | | |
| MF47 | | | | | | | | 45.6 | 46.6 | 1 | 0.79 | 0.524 | 230 | | | |
| MF47 | | | | | | | | 46.6 | 47.6 | 1 | 0.43 | 0.228 | 165 | | | |
| MF47 | | | | | | | | 47.6 | 50.2 | 2.6 | No Significant | Assays | | | | |
| MF48 | 366565.1 | 5367973.5 | 208.7 | 317 | -78 | 78 | 2004 | 46.8 | 51.1 | 4.3 | No Significant | Assays | | | | |
| MF49 | 366522.8 | 5367954.7 | 208.5 | 325 | -61 | 46.5 | 2004 | 25.3 | 37.1 | 11.8 | No Significant | Assays | | | | |
| MF51 | 366451.6 | 5367921.7 | 206.6 | 324 | -43 | 56 | 2004 | 41.8 | 53.85 | 12.05 | No Significant | Assays | | | | |
| MF52 | 366483.3 | 5367849.3 | 211.3 | 297 | -39 | 93.4 | 2004 | 29.9 | 35.2 | 5.3 | No Significant | Assays | | | | |
| MF52 | | | | | | | | 35.2 | 36.2 | 1 | 0.75 | 0.81 | 390 | | | |
| MF52 | | | | | | | | 36.2 | 37.2 | 1 | 1.17 | 0.941 | 330 | | | |
| MF52 | | | | | | | | 37.2 | 38.2 | 1 | 0.93 | 0.782 | 275 | | | |
| MF52 | | | | | | | | 38.2 | 39.2 | 1 | 0.26 | 0.581 | 115 | | | |
| MF52 | | | | | | | | 39.2 | 72.9 | 33.7 | No Significant | Assays | | | | |
| MF54 | 366483.2 | 5367883.5 | 208.6 | 323 | -45 | 92 | 2004 | 68.85 | 84.7 | 15.85 | No Significant | Assays | | | | |
| MF55 | 366457.9 | 5367855.9 | 210.5 | 284 | -43 | 58 | 2004 | 13.4 | 18.4 | 5 | No Significant | Assays | | | | |
| MF55 | | | | | | | | 18.4 | 19.4 | 1 | 0.2 | 0.133 | 120 | | | |
| MF55 | | | | | | | | 19.4 | 20.8 | 1.4 | 0.86 | 2.4 | 220 | | | |
| MF55 | | | | | | | | 20.8 | 53.6 | 32.8 | No Significant | Assays | | | | |
| MF56 | 366446.9 | 5367867 | 210.8 | 282 | -44 | 63.5 | 2004 | 7 | 8 | 1 | 0.06 | 0.168 | 45 | | | |
| MF56 | | | | | | | | 8 | 9 | 1 | 0.32 | 0.638 | 205 | | | |
| MF56 | | | | | | | | 9 | 10 | 1 | 0.3 | 0.654 | 285 | | | |
| MF56 | | | | | | | | 10 | 11.2 | 1.2 | 0.42 | 1.04 | 150 | | | |
| MF56 | | | | | | | | 11.2 | 52.2 | 41 | No Significant | Assays | | | | |
| MF57 | 366455 | 5367888.9 | 208.7 | 300 | -39 | 72.2 | 2004 | 20.9 | 23.7 | 2.8 | No Significant | Assays | | | | |
| MF57 | | | | | | | | 23.7 | 24.6 | 0.9 | 0.27 | 0.533 | 100 | 0.12 | 0.12 | 0.15 |
| MF57 | | | | | | | | 24.6 | 64.6 | 40 | No Significant | Assays | - | - | | |
| MF58 | 366471.9 | 5367816.5 | 208.5 | 297 | -46 | 80 | 2004 | 30.6 | 36.3 | 5.7 | No Significant | Assays | | | | |
| MF58 | | | | | | | | 36.3 | 37.6 | 1.3 | 0.27 | 0.373 | 124 | 0.06 | 0.07 | 0.09 |
| MF58 | | | | | | | | 37.6 | 38.2 | 0.6 | 2.36 | 5.28 | 420 | 1.08 | 1.4 | 1.97 |
| MF58 | | | | | | | | 38.2 | 39 | 0.8 | 0.83 | 1.5 | 220 | 0.2 | 0.17 | 0.2 |
| MF58 | | | | | | | | 39 | 39.8 | 0.8 | 10.5 | 4.6 | 2023 | 0.64 | 1.31 | 1.45 |
| MF58 | | | | | | | | 39.8 | 62.35 | 22.55 | No Significant | Assays | | | | |

| MF59 | 366472.6 | 5367816.2 | 208.7 | 292 | -59 | 50.5 | 2004 | 33.7 | 37.1 | 3.4 | No Significant | Assays | | | | |
|------|----------|-----------|-------|-----|-----|------|------|-------|------|------|----------------|--------|------|------|------|------|
| MF59 | | | | | | | | 37.1 | 38.1 | 1 | 0.73 | 0.555 | 235 | 0.05 | 0.11 | 0.13 |
| MF59 | | | | | | | | 38.1 | 39.1 | 1 | 1.12 | 0.855 | 300 | 0.08 | 0.16 | 0.21 |
| MF59 | | | | | | | | 39.1 | 40.1 | 1 | 1.23 | 1.74 | 250 | 0.38 | 0.56 | 0.66 |
| MF59 | | | | | | | | 40.1 | 41.1 | 1 | 1.23 | 3.55 | 315 | 0.75 | 1.74 | 0.97 |
| MF59 | | | | | | | | 41.1 | 42.7 | 1.6 | 0.35 | 0.622 | 130 | 0.07 | 0.13 | 0.16 |
| MF59 | | | | | | | | 42.7 | 43.1 | 0.4 | 12.4 | 7.35 | 1760 | 0 | 0 | 0 |
| MF59 | | | | | | | | 43.1 | 44.1 | 1 | 0.12 | 0.087 | 71 | 0.52 | 1.4 | 0.96 |
| MF60 | 366473 | 5367816 | 208.8 | 293 | -75 | 64.5 | 2004 | 39.9 | 45 | 5.1 | No Significant | Assays | | | | |
| MF60 | | | | | | | | 45 | 46 | 1 | 0.25 | 0.164 | 125 | | | |
| MF60 | | | | | | | | 46 | 47 | 1 | 0.97 | 0.787 | 286 | | | |
| MF60 | | | | | | | | 47 | 48 | 1 | 1.14 | 1.03 | 290 | | | |
| MF60 | | | | | | | | 48 | 49 | 1 | 0.74 | 0.68 | 220 | | | |
| MF60 | | | | | | | | 49 | 51.4 | 2.4 | No Significant | Assays | | | | |
| MF61 | 366454.1 | 5367832 | 206.6 | 298 | -48 | 32 | 2004 | 11.1 | 18.6 | 7.5 | No Significant | Assays | | | | |
| MF61 | | | | | | | | 18.6 | 19.6 | 1 | 0.96 | 1.38 | 205 | 0.01 | 0.02 | 0.02 |
| MF61 | | | | | | | | 19.6 | 20.6 | 1 | 0.83 | 0.726 | 235 | 0.24 | 0.35 | 0.45 |
| MF61 | | | | | | | | 20.6 | 21.9 | 1.3 | 0.93 | 0.898 | 235 | 0.07 | 0.12 | 0.16 |
| MF61 | | | | | | | | 21.9 | 22.3 | 0.4 | 1.37 | 15.8 | 460 | 0.19 | 0.28 | 0.38 |
| MF61 | | | | | | | | 22.3 | 23.6 | 1.3 | 0.04 | 0.0705 | 67 | 0.31 | 0.47 | 0.64 |
| MF61 | | | | | | | | 23.6 | 24.6 | 1 | 0.03 | 0.0775 | 62 | 0.03 | 0.01 | 0.01 |
| MF62 | 366483.9 | 5367849.2 | 211.7 | 297 | -79 | 70.5 | 2004 | 48.25 | 53.4 | 5.15 | No Significant | Assays | | | | |
| MF62 | | | | | | | | 53.4 | 53.9 | 0.5 | 0.33 | 0.215 | 170 | 0.01 | 0.04 | 0.06 |
| MF62 | | | | | | | | 53.9 | 55.5 | 1.6 | 0.75 | 0.549 | 235 | 0.05 | 0.1 | 0.14 |
| MF62 | | | | | | | | 55.5 | 56.5 | 1 | 0.02 | 0.0135 | 66 | 0.02 | 0 | 0 |
| MF63 | 366483.5 | 5367849.5 | 211.2 | 292 | -65 | 57 | 2004 | 36.5 | 41.3 | 4.8 | No Significant | Assays | | | | |
| MF63 | | | | | | | | 41.3 | 42.3 | 1 | 0.49 | 0.356 | 215 | 0.08 | 0.08 | 0.09 |
| MF63 | | | | | | | | 42.3 | 43.3 | 1 | 0.98 | 0.751 | 280 | 0.15 | 0.17 | 0.23 |
| MF63 | | | | | | | | 43.3 | 44.3 | 1 | 0.95 | 0.681 | 280 | 0.2 | 0.13 | 0.18 |
| MF63 | | | | | | | | 44.3 | 45.4 | 1.1 | 0.51 | 0.523 | 165 | 0.12 | 0.12 | 0.14 |
| MF63 | | | | | | | | 45.4 | 49 | 3.6 | No Significant | Assays | | | | |
| MF64 | 366444.9 | 5367813.6 | 204.9 | 0 | -90 | 20.5 | 2004 | 8 | 8.8 | 0.8 | 0.04 | 0.0615 | 24 | 0.06 | 0.05 | 0.13 |
| MF64 | | | | | | | | 8.8 | 10.6 | 1.8 | 1.04 | 5.4 | 305 | 0.19 | 0.38 | 0.73 |
| MF64 | | | | | | | | 10.6 | 11.8 | 1.2 | 0.64 | 3.7 | 210 | 0.23 | 0.34 | 0.65 |
| MF64 | | | | | | | | 11.8 | 13.1 | 1.3 | 1.01 | 3.75 | 485 | 0.98 | 0.97 | 1.21 |
| MF64 | | | | | | | | 13.1 | 14.1 | 1 | 1.06 | 1.65 | 300 | 0.43 | 0.47 | 0.6 |
| MF64 | | | | | | | | 14.1 | 14.7 | 0.6 | 1.16 | 1.33 | 350 | 0.13 | 0.21 | 0.35 |
| MF64 | | | | | | | | 14.7 | 15.5 | 0.8 | 1.27 | 0.942 | 345 | 0.14 | 0.18 | 0.25 |
| MF64 | _ | | | | | | | 15.5 | 16.1 | 0.6 | 3.05 | 2.6 | 970 | 0.36 | 0.45 | 0.81 |
| MF64 | | | | | | | | 16.1 | 17.2 | 1.1 | 0.1 | 0.0505 | 135 | 0.01 | 0.01 | 0.01 |

| MF66 | 366322.2 | 5367678.9 | 208.8 | 272 | -49 | 299.5 | 2006 | 182.7 | 197.5 | 14.8 | No Significant Assays | | | | | | |
|--------------|----------|-----------|---------|--------|-----|-------|------|--------|---------|---------|-----------------------|-----------------------|---|-------|-------|-------|--|
| MF66 | | | | | | | | 226 | 234 | 8 | No Significant Assays | | | | | | |
| MF67 | 366318.8 | 5367867.1 | 204.6 | 267 | -51 | 256 | 2006 | 27.2 | 103.4 | 76.2 | No Significant | | | r | 1 | 1 | |
| MF68 | 366440.9 | 5367877.3 | 210.7 | 326 | -50 | 261 | 2006 | 0 | 210.7 | 210.7 | No Significant | | | | | | |
| MF69 | 366441.3 | 5367876.6 | 210.7 | 326 | -70 | 332.8 | 2006 | 1 | 208.4 | 207.4 | No Significant | Assays | | | | | |
| MF70 | 366572.2 | 5367985.6 | 208.4 | 319 | -51 | 321 | 2006 | 2 | 209 | 207 | No Significant | Assays | | | | | |
| MF71 | 366636.4 | 5368038.9 | 209 | 324 | -50 | 265 | 2006 | 3 | 214.203 | 211.203 | No Significant | Assays | | | | | |
| MF74 | 366539.9 | 5367825.2 | 214.203 | 300 | -70 | 452 | 2006 | 4 | 209.3 | 205.3 | No Significant | Assays | | | | | |
| MF87 | 366620 | 5367999 | 209.3 | 147.41 | -50 | 212.6 | 2007 | 0 | 116 | 116 | No Significant Assays | | | | | | |
| MF87 | | | | | | | | 116 | 116.25 | 0.25 | 0.67 | 0.5067 | | 0.11 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 116.25 | 117 | 0.75 | 0.47 | 0.3457 | | 0.07 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 117 | 118.2 | 1.2 | 0.34 | 0.2476 | | 0.07 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 117 | 123.6 | 6.6 | No Significant | Assays | | | | | |
| MF87 | | | | | | | | 123.6 | 123.7 | 0.1 | 0.26 | 0.2024 | | -0.01 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 123.7 | 124.6 | 0.9 | 0.13 | 0.103 | | -0.01 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 124.6 | 125.9 | 1.3 | 0.25 | 0.1786 | | 0.03 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 125.9 | 127 | 1.1 | 0.15 | 0.0949 | | 0.02 | -0.01 | -0.01 | |
| MF87 | | | | | | | | 127 | 212.6 | 85.6 | No Significant Assays | | | | | | |
| MF88 | 366621 | 5367998 | 209.3 | 0 | -90 | 268 | 2007 | 18 | 71.9 | 53.9 | No Significant Assays | | | | | | |
| MF88 | | | | | | | | 71.9 | 73.6 | 1.7 | 0.43 | 0.2309 | | | | | |
| MF88 | | | | | | | | 73.6 | 75 | 1.4 | 0.12 | 0.0804 | | 0.05 | -0.01 | -0.01 | |
| MF88 | | | | | | | | 75 | 76 | 1 | 0.63 | 0.4738 | | 0.01 | -0.01 | -0.01 | |
| MF88 | | | | | | | | 76 | 77 | 1 | 0.69 | 0.5403 | | 0.09 | -0.01 | -0.01 | |
| MF88 | | | | | | | | 77 | 78 | 1 | 0.78 | 0.6309 | | 0.1 | -0.01 | -0.01 | |
| MF88 | | | | | | | | 78 | 79 | 1 | 1.15 | 0.9017 | | 0.13 | -0.01 | -0.01 | |
| MF88 | | | | | | | | 79 | 80.1 | 1.1 | | 0.8048 | | 0.16 | -0.01 | -0.01 | |
| MF88 | | | | | | | | 80.1 | 170 | 89.9 | No Significant | No Significant Assays | | | | | |
| MF89 | 366608 | 5367862 | 211.2 | 322.05 | -56 | 427 | 2008 | 50 | 95.7 | 45.7 | No Significant | | | | | | |
| MF89 | | | | | | | | 95.7 | 97 | 1.3 | 0.68 | 0.5899 | | 0.11 | -0.01 | -0.01 | |
| MF89 | | | | | | | 1 | 97 | 98 | 1 | 0.94 | 0.7351 | | 0.13 | -0.01 | -0.01 | |
| MF89 | | | | | | | | 98 | 98.9 | 0.9 | 0.58 | 0.5022 | | 0.11 | -0.01 | -0.01 | |
| MF93 | 366667.6 | 5367826.1 | 212.9 | | -65 | 499 | 2008 | 130 | 138.8 | 8.8 | No Significant | | | | | | |
| MF93 | | | | | | | | 151.1 | 152 | 0.9 | 0.66 | 0.5191 | | | 0 | 0 | |
| MF93 | | | | | | | 1 | 152 | 153 | 1 | 0.42 | 0.3241 | | | 0 | 0 | |
| MF93 | | | | | | | | 153 | 154 | 1 | 0.73 | 0.5727 | | | 0 | 0 | |
| MF93 | | | | | | | | 153 | 155 | 1 | 1.71 | 1.1328 | | | 0 | 0 | |
| MF93 | | | | | | | | 155 | 155.8 | 0.8 | 0.6 | 0.5833 | | | 0 | 0 | |
| MF93 | | <u> </u> | | | | | | 155.8 | 157 | 1.2 | 0.16 | 0.1093 | | | 0 | 0 | |
| MF93 MF93 | | | | | | | 1 | 155.8 | 157 | 1.2 | 0.16 | 0.0385 | | | 0 | 0 | |
| MF93 MF93 | | | | | | | | 157 | 159.4 | 1.4 | 0.7 | 0.0385 | | | 0 | 0 | |
| MF93 MF93 | | | | | | | | 158 | 381.9 | | | | | ļ | U | U | |
| MF93 | | ļ | ļ | | | | ļ | 159.4 | 381.9 | 222.5 | No Significant | Assays | - | - | - | | |

| | | | | | <u> </u> | | 1 | | | 1 | 1 | 1 | | r | | | | |
|---------|----------|-----------|-------|-----|----------|-------|------|-------|-------|------|-----------------------|-----------------------|-----|---|---|---|--|--|
| MF94 | 366684.3 | 5367919 | 213.4 | 0 | -90 | 300 | 2008 | 140.8 | 142 | 1.2 | 0.39 | 0.2808 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 142 | 143 | 1 | 0.78 | 0.5837 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 143 | 144 | 1 | 0.76 | 0.5884 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 144 | 145 | 1 | 1.69 | 1.05 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 145 | 146 | 1 | 1.85 | 1.17 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 146 | 147 | 1 | 0.83 | 0.625 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 147 | 148 | 1 | 0.33 | 0.2589 | | 0 | 0 | 0 | | |
| MF94 | | | | | | | | 148 | 247.1 | 99.1 | No Significant | No Significant Assays | | | | | | |
| MF95 | 366722.8 | 5368017.5 | 212.9 | 0 | -90 | 293.5 | 2008 | 122.9 | 124 | 1.1 | 1.3 | 0.8918 | | 0 | 0 | 0 | | |
| MF95 | | | | | | | | 124 | 125 | 1 | 1.47 | 0.9964 | | 0 | 0 | 0 | | |
| MF95 | | | | | | | | 125 | 126.1 | 1.1 | 0.64 | 0.5274 | | 0 | 0 | 0 | | |
| MF95 | | | | | | | | 126.1 | 127 | 0.9 | 0.12 | 0.1858 | | 0 | 0 | 0 | | |
| MF95 | | | | | | | | 127 | 226.3 | 99.3 | No Significant | Assays | | | | | | |
| MF96 | 366722 | 5368017 | 213 | | -50 | 256 | 2008 | 99 | 100 | 1 | 0.12 | 0.0694 | | 0 | 0 | 0 | | |
| MF96 | | | | | | | | 100 | 101 | 1 | 1.5 | 1.15 | | 0 | 0 | 0 | | |
| MF96 | | | | | | | | 101 | 101.9 | 0.9 | 0.47 | 0.4085 | | 0 | 0 | 0 | | |
| MF96 | | | | | | | | 101.9 | 181.1 | 79.2 | No Significant | No Significant Assays | | | | | | |
| MF97 | 366705.4 | 5367855.5 | 214.1 | 0 | -90 | 336.2 | 2008 | 174 | 210 | 36 | No Significant Assays | | | | | | | |
| MF97 | | | | | | | | 210 | 211 | 1 | 0.64 | 0.018 | 180 | 0 | 0 | 0 | | |
| MF97 | | | | | | | | 211 | 212 | 1 | 0.33 | 0.6614 | 120 | 0 | 0 | 0 | | |
| MF97 | | | | | | | | 212 | 213 | 1 | 1.15 | 0.9746 | 260 | 0 | 0 | 0 | | |
| MF97 | | | | | | | | 213 | 214 | 1 | 1.53 | 0.7667 | 300 | 0 | 0 | 0 | | |
| MF97 | | | | | | | | 214 | 215 | 1 | 0.63 | 0.9971 | 140 | 0 | 0 | 0 | | |
| MF97 | | | | | | | | 215 | 216 | 1 | 0.43 | 0.5436 | 120 | 0 | 0 | 0 | | |
| MF97 | | | | | | | | 216 | 297 | 81 | No Significant | Assays | | | | | | |
| MF98 | 366850.9 | 5367935.6 | 215 | 0 | -90 | 403 | 2008 | 228 | 385 | 157 | No Significant | | | | | | | |
| MF99 | 366919.6 | 5367925.2 | 215.7 | 0 | -90 | 524 | 2008 | 412.6 | 432 | 19.4 | No Significant | | | | | | | |
| MF99 | | | | | | | | 495 | 496 | 1 | 0.2 | 0.0882 | 100 | 0 | 0 | 0 | | |
| MF99 | | | | | | | | 496 | 497 | 1 | 0.16 | 0.0715 | 80 | 0 | 0 | 0 | | |
| MF99 | | | | | | | | 497 | 498 | 1 | 0.21 | 0.0974 | 100 | 0 | 0 | 0 | | |
| MFP109 | 366501 | 5367785 | 205 | 270 | -65 | 134.4 | 1965 | 65.7 | 66.3 | 0.6 | 0.14 | 0.3 | | | | | | |
| MFP109 | | | | | | | | 66.3 | 67.1 | 0.8 | 0.05 | 0.25 | | | | | | |
| MFP109 | | | | | | | İ | 67.1 | 68 | 0.9 | 0.07 | 0.45 | | | | | | |
| MFP109 | | | | | | | | 68 | 68.7 | 0.7 | 0.12 | 0.2 | | | | | | |
| MFP109 | | | | | | | | 68.7 | 70 | 1.3 | 0 | 0.25 | | | | | | |
| MFP109 | | | | | | | | 70 | 72.8 | 2.8 | 0.44 | 0.4 | | | | | | |
| MFP109 | | | | | | | | 72.8 | 75 | 2.2 | 0.4 | 0.55 | | | | | | |
| MFP109 | | | | | | | | 75 | 75.9 | 0.9 | 0.13 | 0.25 | | | | | | |
| MIT 103 | | | | | | | L | 15 | 15.5 | 0.0 | 0.15 | 0.20 | | | 1 | 1 | | |

| MFP111 | 366561 | 5367966 | 198 | 322 | -45 | 141.7 | 1965 | 42.7 | 43.3 | 0.6 | | 0.2 | | | | | |
|--------|--------|---------|-----|-------|-----|-------|------|------|-------|-------|------------------|--------|--|---|--|--|--|
| MFP111 | | | | | | | | 43.3 | 43.9 | 0.6 | | 0.45 | | | | | |
| MFP111 | | | | | | | | 43.9 | 44.5 | 0.6 | | 0.83 | | | | | |
| MFP126 | 366507 | 5367935 | 209 | 321 | -40 | 39.9 | 1968 | 33.5 | 34.1 | 0.6 | 0.63 | 1.72 | | | | | |
| MFP126 | | | | | | | | 34.1 | 34.7 | 0.6 | 0.61 | 0.92 | | | | | |
| MFP126 | | | | | | | | 34.7 | 36.6 | 1.9 | 0.11 | 0.18 | | | | | |
| MFP127 | 366524 | 5367915 | 197 | 321 | -50 | 121.9 | 1968 | 85.3 | 86.9 | 1.6 | 0.17 | 0.02 | | | | | |
| MFP127 | | | | | | | | 86.9 | 88.4 | 1.5 | 0.18 | 0.03 | | | | | |
| MFP127 | | | | | | | | 88.4 | 89.9 | 1.5 | 0.24 | 0.04 | | | | | |
| MFP127 | | | | | | | | 89.9 | 91.4 | 1.5 | 0.2 | 0.03 | | | | | |
| MFP128 | 366595 | 5367997 | 209 | 312 | -30 | 50.9 | 1968 | 39.6 | 41.7 | 2.1 | 0.22 | 0.08 | | | | | |
| MFP128 | | | | | | | | 41.7 | 42.4 | 0.7 | 0.34 | 0.18 | | | | | |
| MFP128 | | | | | | | | 42.4 | 43 | 0.6 | 0.96 | 0.48 | | | | | |
| MFP128 | | | | | | | | 43 | 43.6 | 0.6 | 1.14 | 0.52 | | | | | |
| MFP128 | | | | | | | | 43.6 | 44.2 | 0.6 | 0.9 | 0.41 | | | | | |
| MFP128 | | | | | | | | 44.2 | 44.8 | 0.6 | 0.9 | 0.37 | | | | | |
| MFP128 | | | | | | | | 44.8 | 45.7 | 0.9 | 1.08 | 0.5 | | | | | |
| MFP130 | 366524 | 5367915 | 197 | 153.5 | -48 | 98.8 | 1968 | 76.2 | 91.3 | 15.1 | No Significant | Assays | | • | | | |
| MFP131 | 366481 | 5367871 | 198 | 274 | -30 | 88.9 | 1968 | 0 | 88.9 | 88.9 | No Assay Res | ults | | | | | |
| MFP132 | 366476 | 5367830 | 207 | 274 | -60 | 69.5 | 1968 | 46.9 | 48.5 | 1.6 | 0.44 | 0.48 | | | | | |
| MFP132 | | | | | | | | 48.5 | 50 | 1.5 | 0.4 | 0.6 | | | | | |
| MFP173 | 366595 | 5368037 | 199 | 322 | -45 | 29.3 | 1973 | 11.6 | 13.1 | 1.5 | 0.08 | 0.02 | | | | | |
| MFP173 | | | | | | | | 15.8 | 17.1 | 1.3 | 0.82 | 0.61 | | | | | |
| MFP173 | | | | | | | | 17.1 | 18 | 0.9 | 0.99 | 0.74 | | | | | |
| MFP173 | | | | | | | | 18 | 18.6 | 0.6 | 1.09 | 1.1 | | | | | |
| MFP174 | 366611 | 5368024 | 208 | 322 | -45 | 39 | 1973 | 0 | 39 | 39 | No Assay Results | | | | | | |
| MFP176 | 366611 | 5368064 | 208 | 322 | -45 | 59.7 | 1973 | 1 | 59.7 | 58.7 | No Assay Results | | | | | | |
| MFX10 | 366557 | 5367783 | 210 | 265 | -50 | 249.5 | 1998 | 2 | 249.5 | 247.5 | No Assay Results | | | | | | |