

ASX and Media Release
21 July 2022

Latest Assays Contribute to Niobe's Maiden Resource & Supports Further Resource Definition Drilling

- Sixty-five RC holes were completed at Niobe in March with sixty three holes intersecting pegmatite over 1,091m with multiple intersections in fifty three holes.
- Analytical results confirmed the presence of rubidium, lithium, caesium and tantalum mineralisation in intersected pegmatite intervals at multiple levels below the surface
- Best mineralisation grades had Li₂O up to 1.18%, Rb up to 7,624ppm, Cs up to 1,565ppm and Ta to 732ppm
- Grades and additional ground sampling around the Breakaway pegmatite suggest the structure remains open to the east and could extend parallel to the main pit.
- Encouraging results have initiated a further 3,000m drilling programme and building a resource model around the Main, East and Breakway pegmatites.
- Appointment of experienced lithium geologist, Stephen Barber as the Exploration Manager.

Aldoro Resources Limited (**Aldoro, The Company**) (ASX: ARN) is pleased to provide an exploration update from the Mineral Resource drilling program at the Niobe Project. Wet chemistry results from the sixty-three holes that intersected pegmatites have now been received, where the results include:

- NBRC027: 4m at 0.24%Li₂O, 1,527ppm Rb, 12ppm Ta and 1,565ppm Cs from 36m
- **NBRC010: 17m at 0.13%Li₂O, 1,717ppm Rb, 43ppm Ta and 177ppm Cs from 1m**
- NBRC024: 4m at 0.11%Li₂O, 2,538ppm Rb, 54ppm Ta and 430ppm Cs from 25m
- **NBRC011: 14m at 0.11%Li₂O, 1,741ppm Rb, 69ppm Ta and 272ppm Cs from 11m**
- NBRC013: 9m at 0.11%Li₂O, 2,356ppm Rb, 102ppm Ta and 222ppm Cs from 17m

Best individual assays were **1.81%Li₂O** in NBRC052 at 31-32m, **7,624ppm Rb** in NBRC046 at 42-43m, **1,565ppm Cs** in NBRC027 at 36-40m and 732ppm Ta NBRC053 at 61-62m.

The results of the 1Q 2022 phase of drilling at Niobe continued to encourage, with analytical results supporting the mineralisation present in the shallow intersected pegmatites. 300kg of mineralised samples have been dispatched to Professor Zhiguo He at the Central South University of China to fully understand the processing and beneficiation methodology for the Niobe ore (*see ASX announcement on May 2, 2022*).

On the 18th July 2022, the Company appointed **Stephen Barber** as their Exploration Manager. Stephen has over 30 years of exploration, mining and mineral resource estimation work experience in Australia, NZ and Indonesia. Stephen has spent the past six years exploring for lithium in the Pilbara, including his previous role of Exploration Manager for Morella (and its predecessor Altura Mining Ltd).

Mineralisation in Pegmatite intersections highlighted the Main, East and Breakaway pegmatites with results received from drilling in the vicinity of the Breakaway suggestive of an open structure that continues at length towards the east (Figure 1). This extension will be tested in the forthcoming Niobe drilling program.




Figure 1: The structural feature between the Breakaway (left) and Niobe Flats (right) pegmatites identified for drilling investigation. The pink areas are pegmatite outcrop/subcrop while the orange areas are inferred pegmatite covered by colluvium.

Forward Plan

Following receipt of the maiden Niobe drilling assays, Aldoro is now in the process of completing an assessment of the high-level resource potential of the contained Lithium and Rubidium within the completed drilling envelope at Niobe.

Additional down dip and extensional drilling is planned to take place mid-July at Niobe to increase the potential resource size and build a resource model. Extensional drilling will focus on a fenceline of drill holes to the north-east of the main pit pegmatite in addition to testing the eastern strike extension of the Breakaway pegmatite. The July program is anticipated to further build the rare metal resource that has been delineated at Niobe via the 1Q drilling program. The shallow nature of the mineralisation allows for the consideration of open pit exploitation.

In addition, planning is underway towards progressing the development of the pegmatites with heritage and environmental studies to be conducted with the aim of converting the current prospecting license to a mining license.




Figure 2: Drill site locations around the Main and East Pegmatites




Figure 3: Drill site locations at the Breakaway pegmatites.




Figure 4: Drill site locations around the South East Pegmatites.




Figure 5. Overview plan of Niobe, showing the drilling at Niobe, Niobe South-East, and Breakaway areas

The key lithium suite elements are summarised in Table 1 for each logged pegmatite intersection.

Hole ID	EOH	Collar Location MGA50			Dip	Azimuth	Pegmatite (m)		Pegmatite Width m	Average				Peak			
		East	North	RL			From	To		Li_%	Rb_ppm	Ta_ppm	Cs_ppm	Li_%	Rb_ppm	Ta_ppm	Cs_ppm
NBRC001	50	526180	6935112	468	-60	180	12	15	3	X	244	44	18	X	287	58	26
							20	25	5	X	326	27	9	X	873	35	28
NBRC002	60	526220	6935156	475	-60	180	28	31	3	0.01	1092	39	189	0.03	2925	45	562
							40	41	1	X	250	12	7	X	12	250	7
NBRC003	60	526255	6935152	475	-60	180	0	12	12	0.04	1564	40	131	0.08	2229	49	201
							28	32	4	X	959	17	20	X	1424	40	31
NBRC004	60	526280	6935227	475	-60	180	25	26	1	0.01	822	71	126	0.01	822	71	126
							39	41	2	0.02	946	20	72	0.02	1143	28	94
							57	59	2	X	64	41	2	X	110	42	4
NBRC005	60	526300	6935227	475	-60	180	16	20	4	0.03	1150	43	82	0.06	1443	60	103
							47	58	11	X	80	145	6	X	357	410	30
NBRC006	60	526320	6935241	475	-60	180	10	17	7	X	952	30	44	0.01	2015	44	71
							44	61	17	X	247	94	19	0.02	1648	301	127
NBRC007	60	526340	6935257	475	-60	180	16	24	8	X	1579	29	89	0.01	2725	35	139
							48	64	16	X	305	48	18	X	1456	199	90
NBRC008	60	526340	6935242	475	-60	180	3	11	8	X	1360	28	85	0.03	2558	48	185
							36	57	21	0.01	665	53	54	0.17	2961	192	254
NBRC009	60	526350	6935247	476	-60	180	6	17	11	0.04	1402	38	124	0.06	2264	54	164
							40	54	14	X	197	34	12	X	809	197	53
NBRC010	60	526380	6935232	476	-60	180	1	19	18	0.06	1717	39	177	0.09	3307	74	339
							46	57	11	X	455	63	73	0.03	975	227	424
NBRC011	80	526380	6935256	475	-60	180	1	2	1	0.03	1407	41	104	0.03	1407	41	104
							11	25	14	0.05	1741	54	272	0.1	2791	124	1373
							53	62	9	X	509	49	96	X	1547	437	522
NBRC012	60	526390	6935256	475	-60	180	0	6	6	0.05	2526	78	200	0.09	3147	142	233
							14	25	11	0.05	1655	51	186	0.11	3212	85	288
							58	63	5	0.02	663	160	83	0.05	1535	292	138
NBRC013	60	526400	6935262	475	-60	180	0	10	10	0.07	1498	33	143	0.09	2589	57	230
							17	26	9	0.05	2356	102	222	0.08	3840	409	465
							28	30	2	0.02	95	2	34	0.02	151	3	54
							32	33	1	0.02	413	15	197	0.02	413	15	197
NBRC014	60	526410	6935262	475	-60	180	1	8	7	0.04	1058	21	87	0.05	2458	33	125
							10	14	4	0.04	1662	48	151	0.05	2278	106	212
							15	16	1	0.02	262	10	26	0.02	262	10	26
							23	30	7	0.05	1761	41	146	0.09	2850	71	221
							36	37	1	0.02	954	38	111	0.02	954	38	111
NBRC015	60	526420	6935267	476	-60	180	0	17	17	0.04	1423	31	123	0.1	2631	49	257
							24	29	5	0.04	2366	42	291	0.07	4024	53	695
							36	37	1	0.02	882	31	63	0.02	882	31	63
NBRC016	60	526430	6935257	477	-60	180	3	7	4	0.05	1286	41	141	0.07	1464	51	180
							14	17	3	0.06	1594	40	178	0.08	2786	48	321
							25	26	1	0.02	304	9	65	0.02	304	9	65
NBRC017	60	526440	6935256	479	-60	180	2	6	4	0.04	713	29	89	0.05	958	32	109
							8	14	6	0.08	1368	42	200	0.11	1941	49	345
							15	20	5	0.05	1331	30	132	0.07	1756	46	191
							25	30	5	0.03	1291	34	109	0.05	2108	51	153
							38	40	2	0.02	1147	19	126	0.02	1718	26	183
NBRC018	50	526440	6935282	480	-60	180	9	16	7	0.05	1621	33	148	0.08	2827	53	195
							20	24	4	0.04	1132	28	103	0.04	1738	32	113
							30	34	4	0.02	1460	45	126	0.03	2414	52	141
							42	44	2	0.02	539	17	60	0.02	879	33	115
NBRC019	50	526450	6935262	479	-60	180	0	12	12	0.02	1446	30	81	0.04	2338	53	118
							17	19	2	X	505	71	40	0.01	752	129	42
NBRC020	62	526450	6935281	480	-60	180	7	15	8	0.01	515	42	59	0.03	1019	60	102
							20	27	7	X	1642	27	96	0.02	2966	46	156
							35	36	1	X	301	47	10	X	301	47	10
							47	48	1	X	76	1	4.5	X	76	1	4.5
							52	57	5	X	13	1	2	X	16	1	2
NBRC021	60	526460	6935267	480	-60	180	0	15	15	0.01	915	81	68	0.03	2093	493	181
							23	25	2	X	286	28	9	X	336	35	10
							27	28	1	X	338	9	24	X	338	9	24
NBRC022	60	526470	6935252	480	-60	180	6	12	6	0.02	1442	32	91	0.06	2269	51	156
							18	24	6	X	2660	49	97	X	5670	105	206
NBRC023	60	526470	6935282	481	-60	180	4	7	3	0.01	895	70	140	0.02	1197	120	168
							16	23	7	0.02	1453	40	146	0.04	1866	73	195
							44	45	1	X	80	2	6	X	80	2	6
NBRC024	60	526475	6935272	480	-60	180	3	12	9	0.02	548	44	49	0.03	1238	63	93
							16	17	1	X	275	48	9	X	275	48	9
							25	29	4	0.05	2538	69	430	0.1	5160	176	1085

Hole ID	EOH	Collar Location MGA50			Dip	Azimuth	Pegmatite (m)		Pegmatite Width m	Average				Peak			
		East	North	RL			From	To		Li %	Rb ppm	Ta ppm	Cs ppm	Li %	Rb ppm	Ta ppm	Cs ppm
NBRC025	50	526480	6935272	480	-60	180	2	11	9	0.03	1480	54	105	0.09	5404	178	257
							17	19	2	X	513	17	29	0.01	996	33	51
							22	29	7	0.01	1280	30	106	0.03	2634	49	224
NBRC026	40	526480	6935257	480	-60	180	0	1	1	X	384	37	42	X	384	37	42
							10	20	10	X	523	37	44	0.01	1107	67	116
NBRC027	60	526480	6935297	481	-60	180	12	16	4	0.02	456	22	77	0.03	780	46	119
							23	26	3	X	270	42	43	0.02	521	58	104
							29	30	1	0.02	747	61	166	0.02	747	61	166
							36	40	4	0.11	1827	12	1565	0.11	1827	12	1565
							49	51	2	0.01	1312	29	59	0.01	1639	40	63
NBRC028	40	526490	6935252	479	-60	180	4	12	8	X	269	82	39	0.02	592	144	93
							15	17	2	X	368	112	17	X	503	169	24
NBRC029	40	526500	6935257	480	-60	180	8	17	9	X	306	145	19	X	495	488	53
NBRC030	60	526500	6935277	480	-60	180	0	2	2	0.01	690	25	51	0.02	770	26	67
							7	11	4	X	644	56	60	0.01	1291	119	93
							13	15	2	X	293	168	22	X	370	275	28
							27	31	4	X	697	27	75	X	1237	32	153
NBRC031	60	526500	6935301	481	-60	180	5	6	1	0.02	394	32	107	0.02	394	32	107
							20	21	1	0.02	211	36	48	0.02	211	36	48
							25	26	1	0.01	672	43	249	0.01	672	43	249
							31	32	1	X	743	14	34	X	743	14	34
							33	36	3	0.01	362	13	33	0.02	561	24	68
NBRC032	62	526520	6935311	481	-60	180	16	20	4	X	17	1	4	X	23	1	6
							29	30	1	0.02	647	23	54	0.02	647	23	54
							32	34	2	X	48	1	9	0.01	70	1	12
							39	50	11	0.03	1666	29	110	0.05	2835	48	194
NBRC033	60	526530	6935292	481	-60	180	13	14	1	0.02	193	12	69	0.02	193	12	69
							16	19	3	0.01	170	27	40	0.01	210	29	48
							32	35	3	X	1204	15	45	0.02	1914	25	87
NBRC034	50	526540	6935301	481	-60	180	0	4	4	X	972	61	74	0.01	1118	107	137
							33	38	5	0.04	1776	29	99	0.05	2480	35	140
NBRC035	60	526540	6935322	481	-60	180	37	54	17	0.04	1440	33	95	0.07	2264	41	168
NBRC036	50	526510	6935257	480	-60	180	5	15	10	X	321	145	29	0.01	634	498	68
NBRC037	64	526510	6935281	480	-60	180	1	7	6	X	245	11	42	0.02	496	20	83
							11	17	6	0.05	1541	35	287	0.14	5422	62	1032
							30	33	3	X	462	47	52	X	598	64	75
NBRC038	40	526520	6935257	480	-60	180	8	14	6	X	303	100	27	X	588	183	66
NBRC039	50	526520	6935282	480	-60	180	2	5	3	0.02	783	68	224	0.04	1732	125	501
							8	10	2	0.03	930	25	183	0.05	1697	26	338
							12	14	2	0.05	1260	31	283	0.06	1719	53	364
							15	16	1	0.02	914	29	86	0.02	914	29	86
							28	32	4	X	716	54	39	X	1097	75	59
NBRC040	30	526385	6935142	472	-60	180	0	2	2	0.01	1193	60	112	0.02	1239	61	119
NBRC041	60	526390	6935157	474	-60	180	9	13	4	0.03	794	82	69	0.04	943	156	92
NBRC042	60	526380	6935151	474	-60	180	2	10	8	0.09	1305	37	109	0.25	3868	88	220
NBRC043	60	525800	6934730	467	-60	270	13	21	8	0.05	2485	64	112	0.08	3943	105	133
							31	48	17	0.05	1862	57	106	0.08	3793	86	448
NBRC044	68	525839	6934756	467	-60	270	1	5	4	0.03	1027	44	162	0.06	1658	107	274
							13	17	4	0.06	2043	46	62	0.07	2646	96	69
							34	41	7	0.04	2456	57	153	0.09	3161	87	407
							48	66	18	0.04	1671	50	79	0.08	2318	77	140
NBRC045	60	525775	6934786	468	-60	270	16	26	10	0.04	2648	57	119	0.06	5599	133	234
							29	56	27	0.05	1997	58	95	0.09	3689	143	308
NBRC046	65	525790	6934827	467	-60	270	19	24	5	0.02	1194	81	85	0.04	1644	138	138
							26	37	11	0.02	1279	83	104	0.05	1816	139	192
							41	64	23	0.04	1953	62	88	0.09	7624	118	393
NBRC047	60	525735	6934830	469	-60	270	0	27	27	0.03	1600	65	78	0.08	3284	124	189
							35	49	14	0.05	1758	70	71	0.11	4473	121	180
NBRC048	60	525775	6934872	468	-60	270	25	51	26	0.03	1487	71	59	0.06	2375	138	120
NBRC050	60	525825	6934670	467	-60	270	12	22	10	0.01	1827	61	101	0.06	4204	180	391
NBRC051	60	525950	6934750	465	-60	270	8	13	5	X	1156	26	32	X	1491	45	44
							19	25	6	0.01	1485	55	69	0.04	2358	95	93
							40	41	1	X	1012	123	37	X	1012	123	37
							49	53	4	X	1092	27	18	X	1516	45	25
NBRC052	60	525760	6934750	468	-60	270	0	10	10	0.01	959	50	53	0.04	1558	115	130
							21	34	13	0.08	1966	62	74	0.84	4733	143	179
							35	36	1	X	754	25	23	X	754	25	23

Hole ID	EOH	Collar Location MGA50			Dip	Azimuth	Pegmatite (m)		Pegmatite Width m	Average				Peak			
		East	North	RL			From	To		Li_%	Rb_ppm	Ta_ppm	Cs_ppm	Li_%	Rb_ppm	Ta_ppm	Cs_ppm
NBRC053	65	525810	6934785	467	-60	270	7	10	3	0.05	1915	32	63	0.07	2211	47	70
							31	36	5	0.04	2619	61	158	0.05	3749	79	262
							40	65	25	0.04	2081	79	96	0.18	3956	732	301
NBRC054	60	525915	6934790	465	-60	270	8	10	2	X	908	11	21	X	1061	12	25
							14	17	3	X	1426	57	81	0.01	1619	74	128
							20	23	3	0.01	2143	45	109	0.04	2547	79	189
							39	40	1	X	525	99	11	X	525	99	11
NBRC055	89	525890	6934825	466	-60	270	10	12	2	0.02	1382	30	45	0.03	1851	42	48
							33	35	2	0.02	1292	36	75	0.02	1751	47	97
							55	86	31	0.04	2061	48	92	0.05	4434	90	238
NBRC056	59	526900	6934960	471	-60	180	12	30	18	X	1016	24	16	X	1552	36	25
NBRC057	60	526875	6934960	471	-60	180	9	22	13	X	866	28	16	X	1565	55	28
							41	47	6	0.01	1037	30	36	0.02	1489	42	88
NBRC058	60	526840	6934960	470	-60	180	4	6	2	X	215	6	19	X	347	9	34
							12	30	18	X	1105	36	22	0.02	1501	56	28
NBRC059	60	526810	6934960	469	-60	180	3	4	1	X	165	11	18	X	165	11	18
							17	24	7	X	927	32	16	X	1792	56	23
							29	37	8	X	1004	34	17	X	1286	54	24
NBRC061	60	526687	6934768	467	-60	180	41	44	3	X	703	38	8	X	934	52	9
							48	55	7	X	847	39	14	X	1135	57	17
NBRC062	71	526643	6934805	467	-60	180	37	39	2	X	1637	29	36	X	1968	31	47
							59	64	5	X	818	26	9	X	1692	35	18
NBRC063	62	526620	6934825	467	-60	180	3	7	4	X	485	33	7	X	794	49	11
							15	18	3	X	803	22	18	0.01	847	31	19
NBRC064	66	526600	6934825	467	-60	180	1	4	3	X	227	31	6	X	291	39	8
							16	20	4	X	563	13	18	0.01	903	24	29
							45	47	2	X	776	209	43	0.01	1402	414	77
							59	64	5	X	507	25	10	X	754	34	17
NBRC065	78	526560	6934824	467	-60	180	0	2	2	X	107	26	4	X	117	42	5
							12	19	7	X	501	41	12	X	875	71	16
							23	26	3	X	449	42	10	X	607	97	11
							38	40	2	X	1103	10	37	0.01	1152	13	45
							52	57	5	X	457	49	9	X	713	63	13
							59	75	16	X	526	37	7	X	1210	77	23
Total	3711								1091	0.02	1009	45	87				

Table 1: Summary of pegmatite intersections and analytical results. Note X denotes below Li sensitivity <0.01% Li (or <1000ppm).

ENDS

About Aldoro Resources

Aldoro Resources Ltd is an ASX-listed (**ASX: ARN**) mineral exploration and development company. Aldoro has a portfolio of pegmatite critical minerals with the Wyemandoor and Niobe pegmatite projects located in the Murchison Province. Wyemandoor is an early stage project with a large corridor of pegmatite swarms with Lithium, Rubidium and Tungsten mineralisation. Drilling is currently underway in two high priority areas defined by a systematic rock chip sampling programme. The Niobe project is another pegmatite critical metal project with anomalous rubidium, lithium, caesium and tantalum mineralisation. The company also has a nickel focused advanced exploration at the Narndee Igneous Complex, which is prospective for Ni-Cu-PGE mineralisation.




Figure 1. Location of the ARN landholding over the NIC and Niobe projects.

Disclaimer

Some of the statements appearing in this announcement may be in the nature of forward-looking statements. You should be aware that such statements are only predictions and are subject to inherent risks and uncertainties. Those risks and uncertainties include factors and risks specific to the industries in which Aldoro operates and proposes to operate as well as general economic conditions, prevailing exchange rates and interest rates and conditions in the financial markets, among other things. Actual events or results may differ materially from the events or results expressed or implied in any forward-looking statement. No forward-looking statement is a guarantee or representation as to future performance or any other future matters, which will be influenced by a number of factors and subject to various uncertainties and contingencies, many of which will be outside Aldoro's control.

Aldoro does not undertake any obligation to update publicly or release any revisions to these forward-looking statements to reflect events or circumstances after today's date or to reflect the occurrence of unanticipated events. No representation or warranty, express or implied, is made as to the fairness, accuracy, completeness or correctness of the information, opinions or conclusions contained in this announcement. To the maximum extent permitted by law, none of Aldoro, its Directors, employees, advisors or agents, nor any other person, accepts any liability for any loss arising from the use of the information contained in this announcement. You are cautioned not to place undue reliance on any forward-looking statement. The forward-looking statements in this announcement reflect views held only as of the date of this announcement. This announcement is not an offer, invitation or recommendation to subscribe for or purchase securities by Aldoro. Nor does this announcement constitute investment or financial product advice (nor tax, accounting or legal advice) and is not intended to be used for the basis of making an investment decision. Investors should obtain their own advice before making any investment decision.

Competent Person Statement

The information in this announcement that relates to Exploration Results and other technical information complies with the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code). It has been compiled and assessed under the supervision of Mark Mitchell, a technical (geological) director of Aldoro Resources Ltd. Mr Mitchell is a Member of the Australasian Institute of Geoscientists and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the JORC Code. Mr Mitchell consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

This announcement has been approved for release to ASX by the Board of Aldoro Resources

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca %	Cs_ppm	Fe %	K %	Li %	Mg %	Mn %	Nb_ppm	P %	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC001	NC00756	0	4	4		6.39	X	212	2	4.7	10.4	8.43	0.46	X	1.19	X	11	0.12	39.8	X	4	166	0.8	4	
NBRC001	NC00757	4	8	4		6.11	X	223	3	4.3	18.6	10.03	0.63	X	1.03	X	12	0.13	82	X	X	179	0.7	4	
NBRC001	NC00758	8	12	4		6.31	X	223	2	4.5	10.6	10.16	0.68	X	1.17	X	11	0.16	70.6	X	4	169	0.8	3	
NBRC001	NC00759	12	13	1	Peg	9.1	X	189	12	1.6	15.3	4.84	1.04	X	0.42	X	59	0.09	255.4	X	17	90	58.1	3	
NBRC001	NC00760	13	14	1	Peg	10.62	X	85	15	1.2	11.1	1.58	0.83	X	0.16	X	50	0.02	190	X	9	72	43.4	5	
NBRC001	NC00761	14	15	1	Peg	9.73	X	206	17	2.3	26.5	4.47	1.09	X	0.54	X	34	0.05	287.8	X	12	109	29.9	4	
NBRC001	NC00762	15	17	2		6.53	X	257	4	5.3	17.7	10.59	0.65	X	1.58	X	0.13	111.3	X	5	157	1.4	2		
NBRC001	NC00763	17	18	1		6.31	X	166	6	3.8	11.6	10.05	0.79	X	1.4	0.2	11	0.12	126.8	X	10	156	1	3	
NBRC001	NC00764	18	19	1		6.54	X	208	5	4.8	7.3	10.5	0.68	X	1.51	X	11	0.11	87.5	X	6	157	1.4	4	
NBRC001	NC00765	19	20	1		7.24	X	215	9	3.5	6.4	8.23	1.36	X	1.21	X	43	0.08	232.2	X	39	167	8.5	3	
NBRC001	NC00766	20	21	1	Peg	9.3	X	109	13	0.8	28.7	1.28	2.76	X	0.14	X	21	0.02	873.6	X	11	71	19.8	4	
NBRC001	NC00767	21	22	1	Peg	8.97	X	49	14	0.8	4.6	1.14	0.59	X	0.11	X	21	0.01	118.2	X	12	64	23	4	
NBRC001	NC00768	22	23	1	Peg	8.64	X	69	12	1	2.9	1.2	0.7	X	0.12	X	28	0.01	115.9	X	23	77	35	2	
NBRC001	NC00769	23	24	1	Peg	9.49	X	54	16	0.9	2.9	0.83	0.68	X	0.07	X	28	X	142.7	X	20	81	31.1	4	
NBRC001	NC00770	24	25	1	Peg	9.57	X	85	14	1.3	8.3	1.71	1.45	X	0.35	X	47	0.02	381.1	X	58	98	26.9	5	
NBRC001	NC00771	25	26	1		7.63	X	183	7	5.6	1.2	7.73	0.7	X	2.23	X	65	0.06	86	X	104	209	19.4	3	
NBRC001	NC00772	26	27	1		6.86	X	136	6	6.2	0.9	9.16	0.63	X	2.84	X	44	0.05	67.6	X	75	190	8.9	3	
NBRC001	NC00773	27	28	1		8.54	X	26	4	10	0.9	7.53	0.15	X	1.75	X	35	0.08	12.9	X	80	703	8.7	4	
NBRC001	NC00774	28	29	1		7.29	X	132	5	6.5	1.7	7.43	0.45	X	2.3	X	14	0.07	48	X	21	354	0.9	1	
NBRC001	NC00775	29	30	1		7.8	X	460	6	3.5	4.8	5.65	0.76	X	2.31	X	0.06	87.1	X	3	194	0.5	1		
NBRC001	NC00776	30	31	1		7.97	X	401	3	3.8	7.2	5.26	0.98	X	2.58	X	0.06	84.2	X	205	0.5	3			
NBRC001	NC00777	31	35	4		7.09	X	319	4	4.8	3.4	7.23	0.97	X	2.28	X	13	0.06	93.3	X	14	167	1.2	4	
NBRC001	NC00778	35	39	4		6.78	X	224	4	5.7	1.2	9.43	0.84	X	2.13	X	17	0.08	92.4	X	32	178	2.5	3	
NBRC001	NC00779	39	43	4		7	X	259	3	6.7	1.5	11.01	0.84	X	2.58	X	0	0.05	86.3	X	5	159	0.5	3	
NBRC001	NC00781	43	47	4		7.09	X	253	3	6.2	1.7	12.73	0.85	X	2.07	X	13	0.12	58.3	X	9	152	1	4	
NBRC001	NC00784	47	52	5		6.72	X	145	2	7.1	1.1	11.55	0.49	X	1.94	X	0.12	29.9	X	3	244	0.7	3		
NBRC002	NC00785	0	4	4		6.72	X	1248	3	0.9	2.5	2.78	2.9	X	0.44	X	12	0.01	124.7	X	74	1.1	3		
NBRC002	NC00786	4	8	4		6.75	X	1218	3	0.9	1.9	2.51	2.92	X	0.43	X	13	0.02	118.8	X	2	70	1.6	5	
NBRC002	NC00787	8	10	2		6.72	X	1222	3	0.9	1.9	2.55	2.99	X	0.43	X	12	0.02	123.1	X	X	72	1.1	4	
NBRC002	NC00788	10	14	4		6.68	X	1250	3	1.2	1.6	2.57	3.22	X	0.5	X	13	0.02	174.1	X	2	82	1	13	
NBRC002	NC00789	14	18	4		6.67	X	1195	3	1	2.9	2.59	3.07	X	0.43	X	12	0.01	165.5	X	3	76	1	14	
NBRC002	NC00790	18	22	4		6.53	X	1094	4	1.6	4.1	2.95	2.43	X	1.01	X	12	0.01	135.9	X	4	87	0.9	10	
NBRC002	NC00791	22	26	4		6.65	X	1177	3	0.8	5.5	2.11	3.2	X	0.3	X	12	X	197	X	3	79	1.3	12	
NBRC002	NC00792	26	27	1		6.88	X	1248	3	0.8	5.7	2.23	3.54	X	0.34	X	13	0.01	181.6	X	2	80	1.5	9	
NBRC002	NC00793	27	28	1		7.45	X	631	8	0.7	7.6	1.72	2.58	X	0.36	X	16	0.01	290.6	X	8	69	3	6	
NBRC002	NC00794	28	29	1	Peg	11.36	X	165	30	1.2	2.6	0.72	0.95	X	0.07	X	32	X	174.9	X	5	101	34.6	4	
NBRC002	NC00795	29	30	1	Peg	10.75	X	156	60	1.4	2.6	0.77	0.93	X	0.08	X	40	X	176	X	9	111	38.3	2	
NBRC002	NC00796	30	31	1	Peg	9.75	X	254	17	1.6	562.6	6.17	2.94	0.03	1.41	0.3	77	0.05	2924.8	X	97	114	45.3	12	
NBRC002	NC00797	31	32	1		7.47	X	225	4	2.8	86.3	5.46	0.9	X	1.85	X	11	0.05	398.6	X	6	168	4	5	
NBRC002	NC00798	32	36	4		7.4	X	579	3	4.4	10.3	7.25	1.15	X	1.93	X	0	0.06	163.2	0.05	X	202	1.3	4	
NBRC002	NC00800	36	40	4		7.58	X	792	3	3.1	10.7	5.75	1.31	X	1.93	X	0	0.07	191	X	X	192	0.7	4	
NBRC002	NC00803	40	41	1	Peg	10.05	X	288	40	2	6.7	2.73	2.14	X	0.73	X	22	0.03	250.5	X	20	120	12.3	3	
NBRC002	NC00804	41	42	1		6.58	X	72	6	3.7	6.8	12.61	0.32	X	1.86	0.2	13	0.19	45.6	0.09	9	128	3.3	3	
NBRC002	NC00805	42	43	1		6.09	X	27	24	9.3	1.7	9.63	0.14	X	1.28	X	0	0.16	7	0.14	40	568	1	5	
NBRC002	NC00806	43	44	1		6.25	X	98	3	5.7	1.9	12.97	0.39	X	1.73	0.2	0	0.19	36	0.1	3	220	0.7	4	
NBRC002	NC00807	44	48	4		6.47	X	105	3	5.7	13.3	12.86	0.27	X	1.68	X	11	0.18	28.5	0.12	6	246	0.9	5	
NBRC002	NC00808	48	52	4		6.67	X	190	3	5.6	3.2	13.27	0.57	X	1.72	X	0	0.17	52.7	0.08	5	195	0.6	3	
NBRC002	NC00809	52	56	4		7.15	X	75	3	6.3	33.9	13.81	0.25	X	1.89	X	15	0.18	35.1	0.1	15	230	1	5	
NBRC002	NC00810	56	60	4		6.91	X	65	4	6.3	17.9	13.1	0.2	X	1.79	X	15	0.17	21	0.05	13	268	0.9	5	
NBRC003	NC00811	0	1	1	Peg	6.82	X	386	3	3	117.9	3.9	0.6	0.01	1.02	X	11	0.03	245	X	4	114	7.4	17	
NBRC003	NC00812	1	2	1		7.6	X	273	64	1	151.2	2.71	1.32	0.03	0.4	X	32	0.01	851.6	X	28	58	56	9	
NBRC003	NC00813	2	3	1	Peg	7.84	X	102	34	0.5	201	1.08	2.35	0.05	0.09	X	54	0.01	1670.4	X	52	33	45.7	13	
NBRC003	NC00814	3	4	1	Peg	8.2	X	55	32	0.3	185.9	0.91	3.87	0.03	0.04	X	54	0.01	228.8	X	40	26	43.4	9	
NBRC003	NC00815	4	5	1	Peg	7.18	X	65	102	21	0.4	16.25	1.18	3.88	0.03	0.1	X	41	0.01	2180.4	X	35	28	44.1	13
NBRC003	NC00816	5	6	1	Peg	7.84	X	45	28	0.3	141.8	1.02	2.95	0.04											

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC004	NC00867	39	40	1	Peg	7.5 X	156	45	2.3	93.5	5.28	2.25	0.02	0.53 X	19	0.1	1143.2	0.06	8	109	12.5	8		
NBRC004	NC00868	40	41	1	Peg	8.16 X	59	44	1.6	50.5	2.63	1.46	0.01	0.36 X	32	0.03	749.2 X	16	71	27.7	12			
NBRC004	NC00872	41	42	1		6.77 X	128	6	6.6	14.1	12.42	0.64	0.01	2.62 X	X	0.03	121.2	0.17	3	134	3.8	4		
NBRC004	NC00873	42	43	1		6.72 X	170	2	6.8	7.7	12.1	0.5 X	2.71 X	X	0.03	51.3	0.49 X	136	0.7	4				
NBRC004	NC00874	43	44	1		6.95 X	103	1	7.6	2.7	11.57	0.42 X	2.64 X	X	0.04	31.8	0.11 X	134	0.5	4				
NBRC004	NC00875	44	48	4		6.75 X	113	1	7.2	12.9	12.84	0.5 X	2.9 X	X	0.04	34.4	0.13 X	194	0.5	5				
NBRC004	NC00876	48	52	4		6.73 X	143 X	7		6.1	13.47	0.56 X	2.87 X	X	0.03	29	0.19 X	140	0.3	4				
NBRC004	NC00877	52	56	4		6.88 X	120	2	7.4	2.1	12.5	0.5 X	2.59 X	X	0.03	34.7	0.11	6	232	0.4	5			
NBRC004	NC00878	56	57	1		6.87 X	172	4	6.8	1.8	12.63	0.53 X	2.8 X	X	0.04	53.3 X	5	178	0.6	3				
NBRC004	NC00879	57	58	1	Peg	8.57 X	78	10	5.4	3.6	9.5	0.63 X	1.93 X		32	0.03	110 X	40	238	42.4	2			
NBRC004	NC00880	58	59	1	Peg	10.34 X	28	22	1.6	1	1.74	0.14 X	0.19 X		32	0.02	17.2 X	14	170	40.5	6			
NBRC004	NC00881	59	60	1		8.83 X	83	15	2.9	2.2	8.36	0.36 X	1.28 X		53	0.07	45.9 X	41	131	32.4	4			
NBRC004	NC00882	60	64	4		6.49 X	156	1	6.6	1.7	12.93	0.49 X	2.33 X	X	0.11	46.9 X	X	162	0.5	4				
NBRC005	NC00883	0	4	4		6.51 X	215	5	4.6	8.5	11.85	0.74 X	1.38 X	X	0.11	122.9 X	X	163	2.9	2				
NBRC005	NC00884	4	8	4		6.23 X	177	4	4.9	3.5	13.12	0.46 X	1.58 X	X	0.15	43.2 X	X	147	0.9	3				
NBRC005	NC00885	8	10	2		6.17 X	138	3	5.6	3.3	12.48	0.22 X	1.42 X	X	0.13	16.6 X	X	271	1.4	3				
NBRC005	NC00886	10	14	4		6.31 X	174	4	6.7	4.1	12.09	0.49 X	1.53 X		13	0.13	59.6 X	11	276	5.9	4			
NBRC005	NC00887	14	15	1		6.23 X	215	3	5.6	21.5	13.23	0.75 X	1.71 X	X	0.15	90.8 X	X	142	0.6	1				
NBRC005	NC00888	15	16	1		6.58 X	136	7	5.6	14.7	12.81	0.55 X	1.71 X	X	0.14	101.1 X	2	143	2.2	1				
NBRC005	NC00889	16	17	1	Peg	7.52 X	247	49	3.1	82.4	6.98	2.75 X	0.9 X		25	0.08	1443.2 X	11	94	28.5	5			
NBRC005	NC00890	17	18	1	Peg	8.05 X	28	37	0.7	103	1.39	2.04	0.03	0.14 X		67	0.02	1412 X	56	34	41.3	11		
NBRC005	NC00891	18	19	1	Peg	8.55 X	17	167	0.8	101.8	1.4	1.13	0.06	0.17 X		104	0.01	1105.5 X	68	46	59.6	13		
NBRC005	NC00892	19	20	1	Peg	8.36 X	48	73	0.8	42.1	1.24	0.99	0.02	0.14 X		70	0.01	637.5 X	53	58	43.4	12		
NBRC005	NC00893	20	21	1		7.42 X	218	35	2.9	2.2	9.5	1.57	0.01	1.08 X		22	0.05	649.7 X	15	89	13.9	7		
NBRC005	NC00894	21	22	1		7.18 X	326	4	5.7	15.4	10.16	0.75	0.01	2.03 X	X	0.11	100	0.15	3	149	2.2	5		
NBRC005	NC00895	22	24	2		7.01 X	259	2	6.3	7.3	11.76	0.57 X	2.21 X	X	0.08	54.2	0.15 X	146	1	7				
NBRC005	NC00896	24	28	4		6.44 X	112	1	6.5	3.3	13.91	0.38 X	2.36 X	X	0.05	25.1	0.2 X	112	0.9	5				
NBRC005	NC00897	28	32	4		6.66 X	159	1	6.5	9.6	12.98	0.54 X	2.44 X	X	0.06	31.6	0.18 X	153	0.5	5				
NBRC005	NC00898	32	36	4		6.52 X	173	1	6.2	4.1	13.58	0.54 X	2.36 X	X	0.08	32.8	0.15 X	129	0.4	3				
NBRC005	NC00900	36	40	4		6.63 X	157 X	3	6.6	3.8	12.11	0.52 X	2.37 X	X	0.07	26.3	0.1 X	163	0.4	4				
NBRC005	NC00903	40	44	4		6.33 X	198 X	6	6.1	13.6	12.13	0.61 X	2.24 X	X	0.06	34.6	0.08 X	147	0.5	5				
NBRC005	NC00904	44	45	1		6.72 X	152 X	6	6.4	17.1	12.26	0.43 X	2.29 X	X	0.05	21.6	0.09 X	154	0.5	4				
NBRC005	NC00905	45	46	1		6.61 X	170	1	6.4	6.1	12.26	0.57 X	2.34 X	X	0.07	35	0.08 X	153	0.5	3				
NBRC005	NC00906	46	47	1		6.59 X	177	9	4.8	4.1	10.16	0.57 X	1.88	0.2		13	0.05	69.1	0.06	5	120	7.2	5	
NBRC005	NC00907	47	48	1	Peg	9.42 X	76	23	1	3.7	1.41	0.47 X	0.19 X		603	0.03	85.6 X	687	40	410.3	17			
NBRC005	NC00908	48	49	1	Peg	8.7 X	76	46	0.6	9.2	0.89	0.48 X	0.09 X		435	0.03	110.9 X	346	26	295.5	17			
NBRC005	NC00909	49	50	1	Peg	7.21 X	30	18	0.5	30.1	0.99	0.48 X	0.07 X		89	0.01	357.2 X	229 X	87.4	9				
NBRC005	NC00910	50	51	1	Peg	7.8 X	24	15	0.5	9.4	0.64	0.29 X	0.04 X		300	0.02	99.1 X	269	23	208.6	11			
NBRC005	NC00911	51	52	1	Peg	9.94 X	40	43	0.5	2.8	0.43	0.67 X	0.02 X		230	0.01	107.6 X	151	32	191.8	8			
NBRC005	NC00912	52	53	1	Peg	8.99 X	28	8	0.5	1.8	1.17	0.26 X	0.11 X		90	0.01	36.9 X	31	39	59.1	3			
NBRC005	NC00913	53	54	1	Peg	9.77 X	15	9	0.4	1.6	0.59	0.2 X	0.03 X		52 X		25.8 X	42	48	47.9	2			
NBRC005	NC00914	54	55	1	Peg	10.43 X	9	10	0.5	2	0.64	0.11 X	0.04 X		208	0.02	10.2 X	48	61	154.4	7			
NBRC005	NC00915	55	56	1	Peg	10.38 X	14	15	0.7	1.6	0.72	0.11 X	0.03 X		34 X		12.1 X	44	97	32.4	1			
NBRC005	NC00916	56	57	1	Peg	10.39 X	19	12	0.7	1.5	0.91	0.15 X	0.08 X		82	0.01	18 X	47	91	61.5	2			
NBRC005	NC00917	57	58	1	Peg	10.63 X	12	12	0.9	1.7	0.99	0.16 X	0.07 X		71	0.01	12 X	31	31	114	46.1	3		
NBRC005	NC00918	58	59	1		8.47 X	20	15	6.4	1.3	6.7	0.18 X	1.87 X		76	0.05	28.4 X	152	286	27.5	4			
NBRC005	NC00919	59	60	1		7.65 X	27	12	8.8	0.5	8.01	0.22 X	2.53	0.2		11	0.04	36.7 X	61	393	1.7	5		
NBRC005	NC00920	60	64	4		7.73 X	69	8	7.7	1.3	8.85	0.43 X	2.89 X		21	0.05	73.5 X	49	240	5.8	3			
NBRC006	NC00924	0	4	4		6.38 X	301	3	4.3	7.1	11.58	0.55 X	1.37 X	X	0.06	78.1 X	3	139	5.7	1				
NBRC006	NC00925	4	8	4		6.41 X	212	3	5.3	14.3	12.68	0.53 X	1.59 X	X	0.1	67.7 X	X	176	0.7	X				
NBRC006	NC00926	8	9	1		6.57 X	208	3	5.2	2.4	12.44	0.52 X	1.56 X	0.2 X	0.11	59 X	X	168	0.7 X					
NBRC006	NC00927	9	10	1		6.61 X	233	4	5.8	2.3	12.59	0.44 X	1.45 X	0.2 X	0.1	31.1 X	X	243	0.5	2				
NBRC006	NC00928	10	11	1	Peg	7.32 X	211	6	4.6	7.5	9.54	0.67 X	1.03 X		18	0.09	197.4 X	8	231	7.1	3			
NBRC006	NC00929	11	12	1	Peg	8.12 X	72	10	0.7	25	1.71	2.1 X	0.17 X		12	0.02	79.5 X	4	51	14.3	2			
NBRC006	NC00930	12	13	1	Peg	8.9 X	102	9	0.2	70.8	0.97	5.38 X	0.09 X		27	0.02	2015.2 X	6	35	39	2			
NBRC006	NC00931	13	14	1	Peg	8.36 X	91	8	0.5	59.2	1.23	4.27 X	0.16 X		30	0.01	1701.5 X	15	45	21.2	3			
NBRC006	NC00932	14	15	1	Peg	8 X	58	54	0.3	45.7	1.36	1.14 X	0.13 X		73 X		702.2 X	33	29	43.5	5			
NBRC006	NC00933	15	16	1	Peg	7.76	93	52	0.5	68	1.18	1.22	0.01	0.11 X		80	0.01	850.1 X	51	36	41.8	13		
NBRC006	NC00934	16	17	1	Peg	9.79 X	66	15	1	28.9	1.88	0.96 X	0.29 X		48	0.01	400.2 X	23	80	39.2	3			
NBRC006	NC00935																							

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC007	NC00985	24	25	1		8.14	X	82	27	1	22.6	2.04	1.78	X	0.47	X	32	0.02	646.5	X	14	52	35.6	2	
NBRC007	NC00986	25	28	3		8.1	X	128	4	7.3	6.8	8.2	0.51	X	2.93	X	0.03	153.8	X	7	196	2.2	2		
NBRC007	NC00987	28	32	4		8.61	X	126	X	7.4	4.4	7.68	0.39	X	2.63	X	0.03	79.4	X		202	0.5	3		
NBRC007	NC00988	32	36	4		8.38	X	76	1	7.1	4	7.42	0.23	X	2.63	X	0.04	33	X		194	0.4	4		
NBRC007	NC00989	36	40	4		8.02	X	130	X	7.2	30.7	8.86	0.35	X	3.2	X	0.03	51.2	X		189	0.3	3		
NBRC007	NC00990	40	44	4		8.25	X	116	X	7.7	4.2	8.08	0.42	X	3.17	X	0.03	61.9	X		155	0.3	3		
NBRC007	NC00991	44	45	1		8.44	X	127	1	7.4	3.8	7.8	0.41	X	3.12	X	0.03	70.4	X		160	1.2	2		
NBRC007	NC00992	45	46	1		8.54	X	165	2	7.8	3.4	7.7	0.74	X	2.96	X	0.02	170.6	X	12	224	0.7	1		
NBRC007	NC00993	46	47	1		7.62	X	97	8	7.1	2.7	7.31	0.47	X	2.93	X	0.05	108.9	X	12	183	1.7	1		
NBRC007	NC00994	47	48	1		8.11	X	122	4	7.5	2.9	7.86	0.61	X	3.04	X	0.03	133.3	X	3	183	0.5	1		
NBRC007	NC00995	48	49	1	Peg	6.69	X	75	29	2.6	14.5	3.29	0.55	X	1.25	X	34	0.02	281.6	X	21	71	23.4	5	
NBRC007	NC00996	49	50	1	Peg	4.38	X	118	13	0.4	26.8	1.27	0.79	X	0.17	X	66	X	444.7	X	48	23	35.7	8	
NBRC007	NC00997	50	51	1	Peg	6.41	X	17	5	0.4	2	0.51	0.14	X	0.07	X	18	X	37.8	X	8	26	20.5	2	
NBRC007	NC00998	51	52	1	Peg	6.25	X	7	4	0.4	3.3	0.62	0.06	X	0.05	X	23	0.02	11.1	X	9	26	33.8	4	
NBRC007	NC00999	52	53	1	Peg	6.23	X	24	5	0.9	8.9	1.32	0.25	X	0.17	X	24	0.02	41	X	30	45	58.7	3	
NBRC007	NC01000	53	54	1	Peg	5.7	X	55	2	0.6	1.8	0.68	0.77	X	0.04	X	13	X	125.1	X	27	40	29	3	
NBRC007	NC01004	54	55	1	Peg	3.93	X	37	2	0.3	2.6	0.58	0.58	X	0.03	X	X	X	107.5	X	15	24	13.4	5	
NBRC007	NC01005	55	56	1	Peg	4.25	X	188	5	0.2	41	1.33	1.59	X	0.08	X	51	X	815	X	92	X	28.3	7	
NBRC007	NC01006	56	57	1	Peg	5.9	X	109	37	0.3	44.7	1.03	1.39	X	0.06	X	45	X	880.9	X	77	20	26.7	8	
NBRC007	NC01007	57	58	1	Peg	5.5	X	48	27	0.2	89.9	1.08	1.43	X	0.04	X	41	X	1456	X	102	X	27.9	11	
NBRC007	NC01008	58	59	1	Peg	7.34	X	23	60	0.5	9.2	0.89	0.33	X	0.09	X	33	X	145.8	X	28	31	57.3	3	
NBRC007	NC01009	59	60	1	Peg	8.9	X	5	5	0.7	2.1	0.73	0.05	X	0.04	X	X	X	0.01	9.5	X	20	63	32.4	2
NBRC007	NC01010	60	61	1	Peg	9.93	X	20	28	1.4	8.1	1.56	0.2	X	0.13	X	38	0.01	39.5	X	45	96	199.1	3	
NBRC007	NC01011	61	62	1	Peg	10.03	X	81	56	2.1	4.6	2.86	0.97	X	0.4	X	65	0.02	178.9	X	69	120	39.2	1	
NBRC007	NC01012	62	63	1	Peg	8.18	X	49	94	2.2	9.3	4.03	0.63	X	0.56	X	78	0.04	133.7	X	45	87	49.4	2	
NBRC007	NC01013	63	64	1	Peg	8.02	X	67	133	2.3	11.2	2.79	0.89	X	0.37	X	72	0.04	169	X	76	111	87.9	2	
NBRC007	NC01014	64	65	1		6.63	X	115	10	5.7	1.6	6.97	0.71	X	2.73	0.2	X	0.02	123.7	X	8	165	4.5	2	
NBRC007	NC01015	65	66	1		8.33	X	198	5	6.3	3.5	7.67	1.11	X	2.9	X	23	0.03	233.1	X	24	179	5.1	3	
NBRC007	NC01016	66	70	4		7.24	X	109	6	7.3	1.8	7.85	0.58	X	3.66	X	X	0.03	108.9	X	3	190	0.5	1	
NBRC008	NC01017	0	2	2		7.39	X	93	3	6.7	1.6	7.53	0.31	X	2.56	X	X	0.04	46.2	X	4	157	0.7	X	
NBRC008	NC01018	2	3	1		7.51	X	145	7	6.3	2.5	9.43	0.62	X	2.72	X	X	0.04	94.3	X	12	166	4.6	X	
NBRC008	NC01019	3	4	1	Peg	8.32	X	160	12	2.9	22.4	5.86	1.63	X	1.32	X	14	0.02	574.7	X	24	90	17.5	1	
NBRC008	NC01020	4	5	1	Peg	9.73	X	45	7	0.4	15.8	1.11	1.21	X	0.16	X	16	X	428.7	X	12	31	18	X	
NBRC008	NC01021	5	6	1	Peg	8.2	X	74	7	0.2	65.1	0.81	0.56	X	0.07	X	18	X	2049.9	X	12	25	15.6	2	
NBRC008	NC01022	6	7	1	Peg	6.7	X	43	37	0.2	78.1	0.89	0.98	X	0.05	X	62	X	1425.9	X	34	X	38.2	5	
NBRC008	NC01023	7	8	1	Peg	7.32	X	50	58	1.2	95.8	2.29	2.77	X	0.47	X	35	0.02	1404.9	X	23	36	28.2	4	
NBRC008	NC01024	7	8	1	Peg	7	X	54	59	1.9	76.5	3.31	0.20	X	0.79	X	29	0.02	1043.7	X	19	52	22.3	5	
NBRC008	NC01027	8	9	1	Peg	7.94	X	28	41	0.5	127.9	1.04	2.4	0.03	0.12	X	48	0.01	1524.1	X	44	29	35.9	9	
NBRC008	NC01028	9	10	1	Peg	8.09	X	47	10	0.3	185.4	0.75	5.03	0.01	0.05	X	34	0.02	2558.2	X	27	20	30	6	
NBRC008	NC01029	10	11	1	Peg	7.22	X	42	62	0.6	98.6	1.56	2.06	0.02	0.17	X	75	0.01	1228.9	X	50	24	48.1	11	
NBRC008	NC01030	11	12	1		8.3	X	193	59	4.8	47.9	5.62	1.11	X	2.08	X	27	0.02	602.1	X	14	110	21.6	3	
NBRC008	NC01031	12	13	1		7.9	X	156	19	6.7	13.7	7.52	0.69	X	2.38	0.2	15	0.03	194.9	X	19	136	10.1	1	
NBRC008	NC01032	13	14	1		7	X	101	12	7.3	8.6	8.18	0.56	X	2.39	0.2	112	0.03	114.6	X	60	185	62.7	3	
NBRC008	NC01033	14	15	1		8.85	X	63	11	2.5	19.6	2.62	1.32	X	0.68	X	66	0.01	439.3	X	38	110	43.7	1	
NBRC008	NC01034	15	16	1		8.03	X	148	8	6.5	6.9	7.52	0.69	X	3.1	X	13	0.03	222.5	X	12	160	5.5	2	
NBRC008	NC01035	16	20	4		8.06	X	111	5	7.2	7.6	7.98	0.5	X	2.94	X	X	0.03	124.9	X	5	167	3.8	3	
NBRC008	NC01036	20	24	4		8.1	X	108	6	7.5	8.9	8.34	0.43	X	3.29	X	X	0.04	74.4	X	4	161	4.4	3	
NBRC008	NC01037	24	28	4		8.26	X	66	X	8.2	8.9	8.68	0.22	X	3.45	X	X	0.03	28.3	X	X	170	0.6	4	
NBRC008	NC01038	28	32	4		7.29	X	68	X	7.3	7.6	8.26	0.21	X	3.01	X	X	0.03	23.4	X	X	135	0.4	4	
NBRC008	NC01039	32	34	2		8.08	X	93	8	5.6	8.7	0.28	X	3.41	X	X	0.04	31.8	0.08	X	147	0.4	4		
NBRC008	NC01040	34	35	1		8.59	X	96	X	8.1	3.9	8.3	0.25	X	3.21	X	X	0.03	36.3	0.13	X	160	0.3	3	
NBRC008	NC01041	35	36	1		8.17	X	37	1	7.7	7.3	8.67	0.24	X	3.27	X	X	0.05	62.9	0.11	X	180	0.4	2	
NBRC008	NC01042	36	37	1	Peg	7.42	X	27	18	1.8	33.3	2.13	0.31	X	0.64	X	34	0.02	295.3	X	12	47	25.8	4	
NBRC008	NC01043	37	38	1	Peg	5.8	X	17	11	0.6	25.3	0.84	0.56	X	0.08	X	61	X	494.7	X	35	29	37.7	8	
NBRC008	NC01044	38	39	1	Peg	10.79	X	8	9	0.7	44.7	0.58	0.59	0.02	0.07	X	33	0.03	663	X	32	X	28.8	7	
NBRC008	NC01045	39	40	1	Peg	10.92	X	25	32	1	67.7	0.6	0.53	X	0.12	X	13	0.06	384.6	X	15	36	111.3	2	
NBRC008	NC01046	40	41	1	Peg</																				

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC009	NC01098	39	40	1		2.63	X		2	7	4	0.7	4.77	X	X	1.7	X	22	0.03	3	X	85	107	12.4	4
NBRC009	NC01099	40	41	1	Peg	2.14	X		7	10	2.1	3.2	3.7	X	X	1.09	X	10	0.01	21.9	X	55	60	6.3	4
NBRC009	NC01100	41	42	1	Peg	5.26	X		81	10	0.7	5.6	1.24	1.36	X	0.23	X	12	X	284.1	X	56	35	13.3	2
NBRC009	NC01101	42	43	1	Peg	5.52	X		19	10	1.5	4	1.83	0.15	X	0.48	X	18	0.02	28.9	X	120	46	20.8	4
NBRC009	NC01102	43	44	1	Peg	0.33	X		4	1	X	1.9	0.89	K	X	0.03	X	X		6.4	X	116	X	0.9	3
NBRC009	NC01103	44	45	1	Peg	0.3	X		3	X	X	1.4	0.86	0.05	X	0.03	X	X	X	5.8	X	55	X	1.1	4
NBRC009	NC01104	45	46	1	Peg	0.14	X		2	X	X	1.3	0.82	0.06	X	0.03	X	X	X	4.2	X	17	X	0.4	4
NBRC009	NC01105	46	47	1	Peg	0.29	X		3	X	0.2	2.1	1.39	K	X	0.09	K	X	X	7.9	X	108	X	0.9	4
NBRC009	NC01106	47	48	1	Peg	3.16			13	3	0.4	23.4	1.1	0.09	X	0.05	X	12	0.02	22.4	X	16	28	55.9	3
NBRC009	NC01107	48	49	1	Peg	4.57	X		23	8	0.4	6.2	0.76	0.31	X	0.02	X	18	0.02	60.2	X	29	25	196.8	3
NBRC009	NC01108	49	50	1	Peg	3.05	X		137	12	0.2	34.7	0.91	1	X	0.03	X	16	X	586.7	X	37	25	26.5	5
NBRC009	NC01109	50	51	1	Peg	3.58	X		35	23	0.2	53.4	0.99	0.82	X	0.04	X	16	X	808.7	X	50	X	20.2	6
NBRC009	NC01110	51	52	1	Peg	7.01	X		81	54	2	7.4	3.77	1.3	X	0.49	X	82	0.02	346.6	X	79	65	55.9	3
NBRC009	NC01111	52	53	1	Peg	8.67	X		74	35	2.7	13.4	5.7	0.93	X	1.02	X	83	0.02	286.6	0.08	79	81	54.4	2
NBRC009	NC01112	53	54	1	Peg	8.89	X		77	29	3.3	6.7	3.53	1.27	X	0.86	X	39	0.03	283	X	57	122	26.8	3
NBRC009	NC01113	54	55	1		8.05	X		74	26	4.4	17.6	5.33	1.02	X	1.57	X	30	0.03	261.3	X	33	124	19.6	3
NBRC009	NC01114	55	56	1		10.18	X		67	31	1.8	4.4	2.69	0.93	X	0.43	X	41	0.04	265.5	X	39	90	35.8	4
NBRC009	NC01115	56	57	1		9.55	X		45	48	1.7	2.6	1.95	0.69	X	0.25	X	38	0.02	152.9	X	49	94	50.2	2
NBRC009	NC01116	57	58	1		8.55	X		64	18	3.9	2.1	3.97	0.72	X	0.81	X	36	0.01	138.6	X	145	168	16.6	3
NBRC009	NC01117	58	59	1		7.72	X		67	9	7.3	1.4	8.32	0.69	X	2.95	0.2	16	0.05	140	X	65	230	5.5	2
NBRC009	NC01118	59	60	1		8.53	X		139	5	6.9	3.2	7.42	0.74	X	2.69	X	0.02	167.6	X	12	215	3.4	2	
NBRC010	NC01122	0	1	1	Peg	7.65	X		149	2	6.6	58.6	9.04	0.56	0.02	2.98	X	X	0.01	135.8	X	29	122	1.1	1
NBRC010	NC01123	1	2	1	Peg	7.28	363		71	36	1.4	105.5	2.46	1.7	0.02	0.59	X	40	0.01	1070.8	X	22	45	50.4	4
NBRC010	NC01124	2	3	1	Peg	7.44	X		29	42	1	107.2	1.63	3.07	0.03	0.4	X	42	0.01	1680.4	X	95	28	34.4	4
NBRC010	NC01125	3	4	1	Peg	7.03	X		25	8	0.6	112.3	1.31	4.03	0.04	0.27	X	33	X	2117.2	X	67	22	17.9	4
NBRC010	NC01126	4	5	1	Peg	6.79	X		29	77	1.7	106.3	2.67	1.84	0.06	0.74	X	58	0.01	1194.3	X	64	42	34.1	7
NBRC010	NC01127	5	6	1	Peg	7.33	X		16	21	0.4	218.7	1.26	2.27	0.09	0.14	X	69	X	1669.3	X	62	X	44.3	8
NBRC010	NC01128	6	7	1	Peg	6.89			11	32	0.3	194.3	0.86	2.99	0.06	0.1	X	49	X	1838.8	X	43	X	39.3	6
NBRC010	NC01129	7	8	1	Peg	6.63	X		10	63	0.2	219.1	1.09	2.26	0.09	0.08	X	63	X	1806.8	X	92	X	42.2	9
NBRC010	NC01130	8	9	1	Peg	6.43	X		10	20	0.2	219.8	0.87	3.02	0.08	0.08	X	52	X	2060.2	X	57	X	38.9	8
NBRC010	NC01131	9	10	1	Peg	7.02	X		10	44	0.3	142.2	0.73	2.41	0.04	0.06	X	52	X	1431	X	40	X	39.3	6
NBRC010	NC01132	10	11	1	Peg	7.58	X		23	13	0.2	189.4	0.75	6.01	0.03	0.09	X	38	0.01	3307	X	42	X	44.3	5
NBRC010	NC01133	11	12	1	Peg	6.76	X		17	11	0.2	180.4	1	3.47	0.05	0.07	X	55	0.01	2156.7	X	51	X	57.1	7
NBRC010	NC01134	12	13	1	Peg	6.66	X		15	7	0.2	206.8	0.9	3.31	0.03	0.06	X	44	X	1864.1	X	38	X	28.1	4
NBRC010	NC01135	13	14	1	Peg	7.98	X		16	31	0.3	289.8	0.81	2.29	0.02	0.07	X	47	0.01	1562.2	X	38	X	74.1	4
NBRC010	NC01136	14	15	1	Peg	6.76	X		15	59	0.2	338.9	1.42	4.34	0.07	0.11	X	83	X	2862.1	X	78	X	48	8
NBRC010	NC01137	15	16	1	Peg	7.31	X		25	18	0.2	155.6	0.81	4.6	0.03	0.05	X	58	0.01	2362.6	X	46	X	34.9	5
NBRC010	NC01138	16	17	1	Peg	6.86	X		9	35	0.4	87.7	0.72	0.86	0.02	0.04	X	50	0.02	638.2	X	31	X	52.8	4
NBRC010	NC01139	17	18	1	Peg	10.8	X		47	13	0.7	188.1	1.19	1.72	0.03	0.15	X	64	0.01	1457.9	X	82	42	50.6	8
NBRC010	NC01140	18	19	1	Peg	7.73	X		193	4	5.9	257.2	9.98	1.35	0.06	2.97	X	17	0.03	1411.6	0.14	25	109	10.6	2
NBRC010	NC01141	19	20	1		6.39	X		109	1	7.4	22.9	12.79	0.45	0.02	3.51	X	X	0.02	100	0.38	19	98	3.3	1
NBRC010	NC01142	20	24	4		8.48	X		100	2	7.5	236.3	12.2	0.94	0.05	3.37	X	13	0.03	1058	0.22	30	141	6.2	3
NBRC010	NC01143	24	28	4		7.48	X		131	X	7.6	29.6	10.97	0.4	0.01	3.23	X	X	0.03	50.2	0.2	43	137	0.4	X
NBRC010	NC01144	28	32	4		4.72	X		78	X	7.7	16.6	10.63	0.27	0.01	3.32	X	X	0.03	31.2	0.25	40	132	1.8	1
NBRC010	NC01145	32	36	4		7.75	X		157	X	7.6	25.3	10.36	0.41	X	3.24	X	X	0.03	38.4	0.19	3	139	0.5	X
NBRC010	NC01146	36	40	4		7.39	X		92	X	7.6	15.4	10.36	0.2	0.01	3.15	X	X	0.03	30.4	0.31	9	134	0.7	1
NBRC010	NC01147	40	44	4		7.37	X		126	X	7.3	22.3	9.72	0.34	0.01	2.99	X	X	0.03	31.2	0.22	13	136	0.5	2
NBRC010	NC01148	44	45	1		7.73	X		117	X	7.8	11.5	9.79	0.41	0.01	3.05	X	X	0.03	43.1	0.19	21	149	0.3	2
NBRC010	NC01149	45	46	1		7.36	X		113	6	7.3	37	10.16	0.55	0.01	3.1	X	X	0.03	249.9	0.27	9	138	3.8	8
NBRC010	NC01150	46	47	1	Peg	6.55	X		27	19	2.1	21.9	2.97	0.38	0.02	0.7	X	37	0.01	351.1	0.05	32	44	23.9	4
NBRC010	NC01151	47	48	1	Peg	10.09	X		9	1477	0.7	130.3	0.88	0.73	0.03	0.09	X	166	0.01	966.6	X	59	X	169.2	11
NBRC010	NC01152	48	49	1	Peg	6.23	182		27	102	0.5	424.1	1.41	0.72	0.01	0.16	X	27	0.03	975.2	X	52	21	41.1	5
NBRC010	NC01153	49	50	1	Peg	0.31	X		3	23	X	7.7	0.74	K	X	0.03	X	X	X	25	X	14	X	4.7	4
NBRC010	NC01154	50	51	1	Peg	0.17	X		3	13	X	4.2	0.65	0.07	X	0.03	X	X	X	13.8	X	4	X	2.9	4

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li %	Mg %	Mn_%	Nb_ppm	P.%	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC011	NC01208	59	60	1	Peg	8.23	X		37	54	1.2	55.4	1.85	1.08	X	0.24	X	108	0.01	979.5	X	62	54	84.9	9
NBRC011	NC01209	60	61	1	Peg	9.72	X		54	63	2	12	2.16	1.15	X	0.34	X	61	0.08	519	X	59	100	60.3	3
NBRC011	NC01210	61	62	1	Peg	8.1	X	128	37	2.4	4.8	2.58	0.99	X	0.51	X	37	0.03	302.7	X	47	81	56.4	4	
NBRC011	NC01211	62	63	1		7.55	X	177	4	7.2	3.2	9.9	0.63	X	2.95	X		0.03	115.7	X	34	150	2.4	4	
NBRC011	NC01212	63	64	1		7.25	X	128	3	7.1	2.3	9.79	0.6	X	2.9	X	0.04	97.6	X	16	166	2.1	2		
NBRC011	NC01213	64	68	4		7.09	X	120	2	7.1	2.4	10.28	0.48	X	3.19	X	0.03	63.6	X	13	146	0.5	2		
NBRC011	NC01214	68	72	4		7.19	X	82	2	7.4	2.2	9.75	0.38	X	3.08	X	0.03	34.3	0.06	28	172	0.5	2		
NBRC011	NC01215	72	76	4		7.97	X	111	X	7.5	3.8	9.15	0.37	X	2.83	X	0.03	26	0.13	3	162	0.4	4		
NBRC011	NC01216	76	80	4		7.76	X	88	X	7.5	3.4	9.94	0.23	X	3.03	X	0.03	25.8	0.06	5	165	0.6	3		
NBRC012	NC01217	0	1	1	Peg	7.99	X	25	32	0.3	217.8	1.11	4.01	0.07	0.09	X	53	X	2470.1	X	48	X	34.1	11	
NBRC012	NC01218	1	2	1	Peg	6.29	X	31	15	0.1	232.6	0.78	4.67	0.05	0.04	X	51	X	3146.7	X	44	X	142.1	8	
NBRC012	NC01219	2	3	1	Peg	8.05	X	27	24	0.2	205.6	0.58	5.61	0.01	0.03	X	26	0.01	3381	X	16	X	138.1	5	
NBRC012	NC01221	3	4	1	Peg	6.59	X	10	193	0.2	149.2	0.96	2.6	0.09	0.07	X	103	X	2028.3	X	87	X	72.4	20	
NBRC012	NC01224	4	5	1	Peg	7.29	X	12	11	0.2	200.4	0.87	4.13	0.05	0.05	X	34	X	2288.3	X	27	X	24	8	
NBRC012	NC01225	5	6	1	Peg	7.36	X	12	37	0.3	195.3	1.02	3.12	0.05	0.07	X	60	X	1844.1	X	37	X	56.1	8	
NBRC012	NC01226	6	7	1		7.24	X	147	9	5.6	49	8.17	0.59	0.03	2.2	X	10	0.02	241.5	0.12	7	115	10.3	4	
NBRC012	NC01227	7	8	1		7.55	X	153	X	7.2	13.9	10.36	0.44	0.03	2.94	X	X	0.03	43	0.09	X	132	0.5	2	
NBRC012	NC01228	8	12	4		7.88	51	103	1	7.2	16.4	9.83	0.29	0.03	2.82	X	X	0.04	45.6	0.06	X	146	1.1	1	
NBRC012	NC01229	12	13	1		7.29	X	113	X	7.5	14.6	12.04	0.43	0.03	3.15	X	X	0.02	41.9	0.22	X	123	0.8	1	
NBRC012	NC01230	13	14	1		7.21	X	79	30	5	71.2	7.71	0.82	0.05	2.06	X	29	0.02	520.6	0.12	38	90	14.3	10	
NBRC012	NC01231	14	15	1	Peg	7.34	X	16	24	0.5	144.9	1.09	2.96	0.06	0.13	X	53	0.01	1772.2	X	43	X	42.9	9	
NBRC012	NC01232	15	16	1	Peg	7.35	X	25	88	0.2	265.7	0.98	5.56	0.07	0.09	X	42	0.02	3211.6	X	39	X	46.8	8	
NBRC012	NC01233	16	17	1	Peg	6.94	X	18	16	0.4	199.5	1.15	4.1	0.07	0.14	X	40	0.01	2371.9	X	34	X	33.7	7	
NBRC012	NC01234	17	18	1	Peg	7.72	X	16	48	0.5	287.9	1.32	2.84	0.11	0.15	X	59	0.02	2118.1	X	75	20	83.6	14	
NBRC012	NC01236	18	19	1	Peg	7.59	X	9	263	0.4	271.3	0.77	2.64	0.07	0.04	X	65	0.02	1838.6	X	54	X	85.3	10	
NBRC012	NC01237	19	20	1	Peg	7.67	X	17	54	0.3	245.4	0.95	1.74	0.04	0.09	X	51	X	1394.8	X	43	X	46.3	7	
NBRC012	NC01238	20	21	1	Peg	7.45	X	17	14	0.2	222	1.07	1.34	0.03	0.11	X	62	X	1146.3	X	41	X	41.3	7	
NBRC012	NC01239	21	22	1	Peg	6.65	X	20	12	0.3	137.6	1.25	2.69	0.02	0.09	X	100	X	1609.1	X	43	X	54.4	7	
NBRC012	NC01241	22	23	1	Peg	4.49	X	15	13	0.2	75.9	1.13	1.36	0.02	0.11	X	35	X	855.2	X	29	X	25.8	7	
NBRC012	NC01243	23	24	1	Peg	6.69	X	11	9	0.3	79.9	0.93	1.76	0.02	0.05	X	48	0.01	1134.7	X	34	X	32.5	9	
NBRC012	NC01244	24	25	1	Peg	6.74	X	7	129	0.5	119	0.98	1.11	0.04	0.08	X	93	0.01	869.4	X	51	X	64.6	11	
NBRC012	NC01246	25	26	1		7.39	X	83	19	5.8	79.6	9.64	0.64	0.03	2.26	X	29	0.03	532.4	0.1	11	134	26.7	5	
NBRC012	NC01247	26	30	4		7.1	X	138	3	7	13	11.05	0.52	0.02	2.88	X	X	0.03	92.3	0.18	8	134	2.5	5	
NBRC012	NC01248	30	34	4		7.41	X	167	3	7.3	28.7	11.5	0.46	0.02	3.07	X	X	0.04	80.5	0.24	4	127	1.6	4	
NBRC012	NC01249	34	38	4		7.34	X	146	X	7.6	16.6	12.21	0.42	0.01	3.23	X	X	0.03	34.2	0.41	X	133	0.5	4	
NBRC012	NC01250	38	42	4		7.02	X	109	X	7.4	7	12.03	0.33	0.04	3.18	X	X	0.03	15.7	0.21	X	120	0.3	3	
NBRC012	NC01251	42	46	4		6.88	X	116	X	7.4	14.4	12.14	0.39	0.04	3.21	X	X	0.03	20.8	0.3	13	121	0.3	4	
NBRC012	NC01252	46	50	4		7.13	X	110	X	7.4	11.3	11.08	0.44	0.04	3.17	X	X	0.03	19.4	0.17	X	134	0.2	2	
NBRC012	NC01253	50	54	4		7.7	X	119	X	7.3	13.6	9.19	0.31	0.01	3.12	X	X	0.04	24.9	0.12	13	149	0.2	3	
NBRC012	NC01254	54	55	1		8.09	X	115	X	7.2	8.3	8.25	0.31	0.01	2.61	X	X	0.03	29.7	0.1	X	161	0.4	2	
NBRC012	NC01255	55	56	1		6.69	X	91	1	7.6	4.3	11.65	0.32	0.01	3.44	X	X	0.03	25.4	0.2	18	110	0.3	3	
NBRC012	NC01256	56	57	1		7.73	X	130	X	7.4	8.4	10.13	0.27	0.02	2.94	X	X	0.03	31.1	0.25	X	147	0.3	3	
NBRC012	NC01257	57	58	1		8.45	X	102	14	4.4	34.6	6.17	0.4	0.02	1.73	X	659	0.04	311	0.12	901	82	496.2	37	
NBRC012	NC01258	58	59	1	Peg	8.35	121	11	146	0.9	86.7	1.31	0.42	0.04	0.24	X	401	0.02	480.8	X	296	X	287.9	26	
NBRC012	NC01261	59	60	1	Peg	7.07	235	10	43	0.6	117.2	1.02	0.52	0.05	0.09	X	100	0.01	675.3	X	247	X	86.8	14	
NBRC012	NC01263	60	61	1	Peg	7.18	79	78	115	1	138.2	1.07	1.16	0.02	0.18	X	188	0.02	1535.2	X	237	X	292.2	14	
NBRC012	NC01264	61	62	1	Peg	7.47	X	28	119	0.8	50.1	1.07	0.52	0.01	0.08	0.2	110	0.02	393.4	X	107	32	91.5	10	
NBRC012	NC01265	62	63	1	Peg	6.46	X	61	21	3.1	23.3	5.33	0.63	0.14	0.2	57	0.03	230	X	36	69	41.6	6		
NBRC012	NC01266	63	64	1		8.07	X	113	10	7.1	8	7.33	0.74	0.04	2.37	X	25	0.06	157.9	X	17	249	15.7	4	
NBRC012	NC01267	64	65	1		7.59	X	80	3	7.6	3.9	9.83	0.41	0.04	2.89	X	11	0.02	65.3	X	8	170	6.1	3	
NBRC012	NC01268	65	66	1		7.68	X	134	2	7.4	3.7	9.7	0.6	0.04	2.96	X	0.02	87.7	X	2	169	1.5	1		
NBRC013	NC01269	0	1	1	Peg	6.95	X	31	31	0.4	154.5	1.23	2.31	0.07	0.12	X	42	X	1415.3	X	39	X	28.9	8	
NBRC013	NC01270	1	2	1	Peg	6.59	X	22	21	0.4	229.6	1.2	3.02	0.09	0.11	X	62	X	1916.1	X	41	X	31.7	6	
NBRC013	NC01271	2	3	1	Peg	6.82	X	6	101	0.4	136.3	0.93	1.57	0.08	0.07	X	61	X	1182.9	X	55	X	35.6	12	
NBRC013	NC01272	3	4	1	Peg	6.13	X	7	34	0.4	92														

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC014	NC01323	7	8	1	Peg	7.1	X	94	20	1.9	119.1	3.85	1.88	0.04	0.74	X	19	X	1041.4	X	18	59	18.4	7
NBRC014	NC01324	8	9	1		6.76	X	141	14	3	101.7	5.72	0.7	0.04	1.2	X	25	0.01	465.4	X	18	72	23.1	8
NBRC014	NC01325	9	10	1		7.32	X	114	9	7	13.5	9.66	0.37	0.03	2.46	X	X	0.03	63.7	0.13	9	161	9.7	4
NBRC014	NC01326	10	11	1	Peg	7.68	X	38	15	1.6	65.3	2.27	1.77	0.02	0.42	0.5	39	0.01	876.3	X	10	43	30.7	6
NBRC014	NC01327	11	12	1	Peg	6.95	X	21	59	0.4	211.9	0.98	3.1	0.03	0.07	X	53	X	1785.7	X	39	21	105.8	7
NBRC014	NC01329	12	13	1	Peg	7.06	X	15	36	0.3	140.9	0.79	4.42	0.05	0.08	X	39	X	2278.3	X	38	X	26	7
NBRC014	NC01330	13	14	1	Peg	7.12	X	21	23	1.2	189.1	2.24	3.08	0.05	0.43	X	48	0.01	1709.2	X	36	25	30.8	28
NBRC014	NC01331	14	15	1		7.45	61	65	16	5.7	114.5	7.12	1.08	0.04	1.97	X	18	0.03	660.4	0.11	23	114	21.2	12
NBRC014	NC01332	15	16	1	Peg	7.38	X	74	8	6.5	25.6	8.27	0.75	0.02	2.25	X	13	0.03	262.1	X	6	145	9.6	5
NBRC014	NC01333	16	18	2		6.95	X	118	1	6.4	28	11.06	0.45	0.03	2.65	0.2	X	0.03	63.8	0.09	2	146	2.7	3
NBRC014	NC01334	18	20	2		7.15	X	106	1	6.9	9.5	11.55	0.45	0.02	2.73	0.3	X	0.03	39.4	0.18	X	147	1	6
NBRC014	NC01335	20	22	2		7.07	X	126	X	7.2	7.3	12.06	0.49	0.03	2.8	0.2	X	0.03	38.7	0.18	X	126	0.3	4
NBRC014	NC01336	22	23	1		7.19	X	97	3	6.8	27.4	11.41	0.52	0.04	2.62	0.2	X	0.03	142.7	0.24	4	152	2.1	6
NBRC014	NC01337	23	24	1	Peg	7.78	X	34	53	1.4	145.6	2.45	4.06	0.04	0.45	X	31	0.01	2091.3	X	22	36	23.1	6
NBRC014	NC01338	24	25	1	Peg	6.87	X	8	66	0.6	148.2	1.22	1.98	0.07	0.12	X	74	X	1233.3	X	39	X	46.3	11
NBRC014	NC01339	25	26	1	Peg	6.08	X	8	17	0.5	203.1	1.05	1.96	0.09	0.08	X	77	X	1325	X	37	X	45.8	9
NBRC014	NC01342	26	27	1	Peg	7.45	X	19	8	0.4	220.5	0.79	5.55	0.05	0.05	X	42	0.03	2849.8	X	26	X	71.2	6
NBRC014	NC01343	27	28	1	Peg	7.75	X	21	29	0.5	116.8	0.73	3.85	0.03	0.05	X	28	0.01	1902.4	X	30	X	26	9
NBRC014	NC01344	28	29	1	Peg	7.89	X	26	18	0.7	122.5	1.3	5.03	0.02	0.18	X	26	0.02	2419.3	X	22	23	22.7	5
NBRC014	NC01345	29	30	1	Peg	6.96	X	5	34	0.7	63.1	1.43	0.79	0.02	0.09	0.5	74	0.01	509.1	X	39	X	50.9	9
NBRC014	NC01346	30	31	1		7.28	X	43	37	3.4	33.5	4.72	1.33	0.01	1.15	0.4	66	0.02	553.8	X	12	74	49.1	6
NBRC014	NC01347	31	35	4		7.12	X	92	1	7.6	3.9	11.11	0.43	0.02	3.02	X	X	0.03	28.7	0.09	2	144	1.2	3
NBRC014	NC01348	35	36	1		7.15	X	123	1	7.3	5.6	12.23	0.46	0.03	2.95	X	X	0.03	32.6	0.19	X	142	0.6	3
NBRC014	NC01349	36	37	1	Peg	7.36	89	59	88	3	110.9	5.09	1.98	0.02	1.12	X	36	0.01	954.3	0.06	22	63	37.8	4
NBRC014	NC01350	37	38	1		6.8	X	54	48	4.6	65	8.02	0.99	0.02	1.87	0.2	35	0.02	398.2	0.08	18	85	39.9	6
NBRC014	NC01351	38	40	2		6.93	X	85	1	7	11.1	11.24	0.43	0.02	2.58	X	X	0.04	34.5	0.14	2	191	0.9	4
NBRC014	NC01352	40	44	4		7.16	X	112	2	7.3	5.4	11.44	0.51	0.01	2.79	0.2	X	0.03	20.7	0.15	X	156	0.6	4
NBRC014	NC01353	44	48	4		7.2	X	126	X	7.2	7.1	11.94	0.54	X	2.86	0.2	X	0.03	23.7	0.2	X	143	0.4	3
NBRC014	NC01354	48	52	4		7.05	X	184	X	6.9	34.1	11.8	0.61	X	2.86	0.2	X	0.03	42.4	0.19	X	133	0.3	2
NBRC014	NC01355	52	56	4		7.13	X	121	X	7.3	7.6	12.12	0.49	X	2.99	0.2	X	0.03	20.8	0.21	X	135	0.3	3
NBRC014	NC01356	56	60	4		7.2	X	97	X	7.5	1.9	11.41	0.42	X	2.91	X	X	0.03	11.1	0.16	3	145	0.3	2
NBRC015	NC01357	0	1	1	Peg	7.66	X	131	37	1.2	114.9	2.64	2.85	0.02	0.36	0.2	31	X	1417.8	X	12	41	29.3	5
NBRC015	NC01358	1	2	1	Peg	7.28	X	32	42	0.4	138.4	1.04	3.18	0.06	0.08	0.2	35	X	1790.8	X	31	28	26.6	6
NBRC015	NC01360	2	3	1	Peg	7.19	X	23	31	0.3	162	1.09	4.78	0.07	0.07	X	41	X	2429.8	X	35	X	24.3	7
NBRC015	NC01362	3	4	1	Peg	6.58	X	18	66	0.3	106.1	0.84	1.75	0.07	0.05	X	50	X	1152.2	X	43	X	33.6	22
NBRC015	NC01363	4	5	1	Peg	6.67	X	10	37	0.4	142.9	0.98	1.89	0.07	0.07	X	55	X	1291	X	41	X	35.5	10
NBRC015	NC01364	5	6	1	Peg	6.72	X	13	28	0.3	257.2	1.16	3.5	0.1	0.09	X	65	X	2182.6	X	43	X	36	9
NBRC015	NC01365	6	7	1	Peg	7.35	X	68	47	0.7	151.4	2.34	3.44	0.04	0.28	0.3	39	X	1748.9	X	25	28	47	5
NBRC015	NC01366	7	8	1	Peg	6.25	X	122	28	2.4	142.4	6.99	0.84	0.03	1.76	0.3	50	X	574.7	X	20	45	36.9	4
NBRC015	NC01367	8	9	1	Peg	7.76	X	18	21	0.7	57.9	1.52	1.09	0.02	0.1	0.7	47	X	525.1	X	13	24	35.7	5
NBRC015	NC01368	9	10	1	Peg	6.67	X	15	8	0.4	189	1.18	2.87	0.06	0.09	0.3	43	X	1585.4	X	34	X	29.6	6
NBRC015	NC01369	10	11	1	Peg	7.65	X	7	17	0.6	76.7	1.29	1.39	0.01	0.04	0.7	46	X	662.4	X	11	X	31.4	5
NBRC015	NC01370	11	12	1	Peg	7.16	X	26	10	0.4	99.7	1.07	2.35	0.02	0.06	0.2	42	X	1142.2	X	23	21	29.9	4
NBRC015	NC01371	12	13	1	Peg	7.47	X	26	7	0.2	145.7	0.86	5.45	0.04	0.05	X	45	X	2631.7	X	31	X	25.1	5
NBRC015	NC01372	13	14	1	Peg	6.9	X	9	10	0.4	86.5	0.73	2.74	0.03	0.04	X	54	X	1365.5	X	26	X	28.7	6
NBRC015	NC01373	14	15	1	Peg	7.73	X	35	7	0.3	130.6	1.02	4.12	0.05	0.07	X	56	X	1990.9	X	34	X	28.4	5
NBRC015	NC01374	15	16	1	Peg	8.28	X	33	11	0.2	33.8	1.05	1.53	0.01	0.07	X	69	X	718.6	X	302	29	48.9	3
NBRC015	NC01375	16	17	1	Peg	7.68	X	98	10	4.4	61.4	7.77	2.17	0.02	1.75	X	15	0.02	1135.6	0.27	108	98	13.8	3
NBRC015	NC01376	17	21	4		7.05	X	159	1	6.8	32	12.23	0.61	0.03	2.79	0.2	X	0.03	141.8	0.2	178	130	0.9	17
NBRC015	NC01377	21	23	2		7.2	X	128	X	6.9	7.8	11.66	0.53	0.02	2.68	X	X	0.03	73.6	0.18	30	147	0.7	5
NBRC015	NC01378	23	24	1		7.24	X	97	2	7.1	6.5	12.2	0.48	0.03	2.82	0.2	X	0.03	43.6	0.22	81	141	0.7	6
NBRC015	NC01379	24	25	1	Peg	7.48	X	33	30	1.2	130.9	2.12	3.78	0.04	0.39	X	37	0.01	1911.4	X	129	31	43	7
NBRC015	NC01380	25	25	1	Peg	7.55	X	35	23	1.1	154.3	2.04	4.36	0.04	0.37	X	37	0.01	2121.3	X	167	28	39.2	8
NBRC015	NC01383	26	27	1	Peg	6.89	X	24	9	0.8	280.9	1.77	4.07	0.07	0.27	X	41	0.01	2256.6	X	174	25</		

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC016	NC01435	49	50	1		7.67 X		49 X		8.5	14.1	10.15	0.32 X	2.78 X	X	0.03	18.7	0.09	2	342	0.5	4			
NBRC016	NC01436	50	51	1		7.51 X		92 X		7.5	4.7	10.48	0.36 X	2.82 X	X	0.03	10.6	0.15 X		200	0.3	3			
NBRC016	NC01437	51	55	4		7.44 X		100 X		7.7	4.9	10.77	0.4 X	2.81	0.2 X	0.03	14	0.11 X		185	0.7	2			
NBRC016	NC01438	55	56	1		7.42 X		84 X		7.7	1.7	9.54	0.34 X	2.72 X	X	0.03	8.6	0.06	2	194	0.4	4			
NBRC016	NC01440	56	60	4		7.11 X		78	10	6.8	3	9.12	0.52 X	2.46	0.2	19	0.02	77.5	0.06	5	158	9	3		
NBRC017	NC01442	0	1	1		6.95 X		107	1	7.1	2.5	11.3	0.41	0.02	2.61 X	X	0.01	49.1 X	X		144	0.7	1		
NBRC017	NC01443	1	2	1		6.92 X		99	3	7.5	4.9	10.13	0.48	0.02	2.44	0.2 X	0.02	114.7 X		3	131	3.4	1		
NBRC017	NC01444	2	3	1	Peg	7.46 X	46	31	1.3	78.7	1.85	1.5	0.02	0.27 X		33 X	887.3 X		21	46	30	5			
NBRC017	NC01445	3	4	1	Peg	7.54 X	28	37	0.7	79.5	1.2	0.78	0.04	0.1	0.3		37 X	538.5 X		20	25	27.8	4		
NBRC017	NC01446	4	5	1	Peg	7.14 X	21	20	0.8	109.2	1.35	1.54	0.05	0.15	0.2		36 X	957.8 X		25	22	32.3	5		
NBRC017	NC01447	5	6	1	Peg	7.41 X	13	35	0.7	87.1	1.2	0.57	0.05	0.08	0.4		39 X	469.1 X		25	26	27.8	6		
NBRC017	NC01448	6	7	1		7.65 X		55	24	1.7	166.3	3.47	1.13	0.05	0.49	0.3		35	0.01	755.8 X		20	51	35.9	5
NBRC017	NC01449	7	8	1		6.72 X		147	8	5.6	17.2	13.61	0.99	0.08	2.7	0.2 X		0.03	833.5 X		33	78	4.5	5	
NBRC017	NC01450	8	9	1	Peg	7.68 X	81	24	1	344.7	4.47	1.9	0.08	0.83	0.4		41	0.01	1940.9 X		44	31	41.1	14	
NBRC017	NC01451	9	10	1	Peg	6.93 X	10	44	0.6	150.7	1.21	1.08	0.08	0.07	0.3		65 X	898.2 X		37 X	43	10			
NBRC017	NC01453	10	11	1	Peg	7.64 X	10	15	0.7	161.9	1.14	0.89	0.11	0.1 X		47 X	827.5 X		35	22	35.9	8			
NBRC017	NC01454	11	12	1	Peg	7.48 X	17	18	0.6	162.4	0.98	2.35	0.05	0.09 X		35 X	1439.4 X		28	23	48.5	7			
NBRC017	NC01455	12	13	1	Peg	7.05 X	13	55	0.4	211.6	0.84	3.13	0.07	0.06 X		42 X	1922.3 X		30 X		37.3	7			
NBRC017	NC01456	13	14	1	Peg	7.12 X	10	23	0.5	167.6	0.99	1.69	0.07	0.06 X		69 X	1177.5 X		33 X	44.8	8				
NBRC017	NC01457	14	15	1	Peg	7.32 X	143	12	3.5	103.2	6.89	1.44	0.06	1.36	0.2		27	0.02	795.2	0.05	18	100	18	4	
NBRC017	NC01458	15	16	1	Peg	7.56 X	104	13	1.8	142	3.93	3.15	0.04	0.68	0.3		24	0.02	1578.3 X		13	62	16.4	4	
NBRC017	NC01460	16	17	1	Peg	7.55 X	15	23	0.6	110.6	1.03	1.19	0.05	0.06	0.3		45 X	812 X		80	22	30.4	7		
NBRC017	NC01462	17	18	1	Peg	7.34 X	53	22	0.4	190.8	1.28	2.67	0.07	0.07	0.5		51 X	1756.1 X		37	26	33.8	7		
NBRC017	NC01463	18	19	1	Peg	7.75 X	51	14	0.5	122.6	1.04	3.03	0.02	0.05	0.5		33	0.01	1563.6 X		18	26	25.6	5	
NBRC017	NC01464	19	20	1	Peg	8.79 X	14	40	0.7	92.7	1.11	1.14	0.06	0.13 X		48 X	943.2 X		56	41	45.8	9			
NBRC017	NC01465	20	21	1		7.78 X		92	12	5	33.2	8.38	0.76	0.03	1.83 X		19	0.03	325.7	0.07	10	129	19.5	5	
NBRC017	NC01466	21	22	1		6.79 X		116	1	7	5.7	12.86	0.51	0.02	2.98	0.2 X		0.02	60.7	0.19 X		133	1.3	3	
NBRC017	NC01467	22	24	2		7.09 X		117	2	6.7	11	11.73	0.51	0.02	2.73	0.2 X		0.03	91.3	0.14 X		145	2.4	4	
NBRC017	NC01468	24	25	1		7.28 X		105 X		7.4	2.7	11.88	0.42	0.02	2.87 X	X		0.03	30.7	0.1 X		160	0.6	5	
NBRC017	NC01469	25	26	1	Peg	7.57 X	61	11	4.5	59.6	7.24	1.25	0.03	1.65 X		15	0.02	578	0.06	11	99	7.7	5		
NBRC017	NC01470	26	27	1	Peg	7.47 X	12	14	0.8	141.8	1.28	2.16	0.05	0.14 X		54 X	1245.8 X		27	21	34.4	6			
NBRC017	NC01471	27	28	1	Peg	6.68 X	12	9	0.5	152.6	1.03	3.56	0.04	0.09 X		72	0.01	1804.5 X		22 X	44.9	7			
NBRC017	NC01472	28	29	1	Peg	7.81 X	17	50	0.6	144.3	1.27	4.33	0.02	0.11	0.2		77	0.01	2108.2 X		15	21	50.5	6	
NBRC017	NC01473	29	30	1	Peg	6.6 X	16	15	0.4	48.2	0.98	1.43	0.01	0.07 X		52	0.01	717.1 X		16	23	30.4	4		
NBRC017	NC01474	30	31	1		6.64 X		66	40	3.9	14.9	7.67	0.67	0.02	1.52 X		41	0.02	247	0.07	8	78	24.9	4	
NBRC017	NC01475	31	35	4		6.99 X		130	1	7.1	8.8	12.05	0.53	0.02	2.78	0.2 X		0.03	52	0.18 X		140	1	3	
NBRC017	NC01476	35	37	2		7.12 X		169 X		7.1	10.3	12.61	0.63	0.02	2.75	0.2 X		0.04	46.5	0.2 X		135	0.6	4	
NBRC017	NC01477	37	38	1		7 X		154 X		6.9	9.4	12.35	0.54	0.02	2.72	0.2 X		0.04	41.9	0.2 X		140	0.4	3	
NBRC017	NC01478	38	39	1	Peg	7.21 X	79	16	5.1	68.3	8.85	1.36	0.02	1.91	0.2		21	0.03	575.3	0.14	11	99	11.8	6	
NBRC017	NC01480	39	40	1	Peg	7.49 X	50	19	1.5	183.3	2.82	3.32	0.02	0.54 X		40	0.01	1718 X		18	35	26.4	7		
NBRC017	NC01482	40	41	1		7.13 X		141	1	7.1	20.7	12.7	0.56	0.02	2.86 X		0	0.03	89.3	0.2 X		2	134	0.8	3
NBRC017	NC01483	41	42	1		6.71 X		161	8	6.6	38	13.47	0.7	0.02	2.79	0.2 X		0.03	164.4	0.26	37	107	3.4	4	
NBRC017	NC01484	42	46	4		6.97 X		130 X		7.1	9.2	12.74	0.54	0.01	2.82	0.2 X		0.03	36.1	0.17 X		2	139	0.3	2
NBRC017	NC01485	46	50	4		6.86 X		118 X		7	5.9	12.53	0.49 X		2.8	0.2 X		0.03	31	0.2 X		145	0.4	4	
NBRC018	NC01486	0	4	4		6.7 X		119 X		5.9	19.9	12.39	0.51	0.01	2.7	0.2 X		0.03	27.7 X	X		118	0.4 X		
NBRC018	NC01487	4	8	4		6.6 X		151 X		6.5	10.1	12.75	0.43	0.02	2.61	0.2 X		0.03	27.2 X	X		138	0.3	1	
NBRC018	NC01488	8	9	1		6.44 X		157 X		6.6	6.2	13.6	0.48	0.03	2.82	0.2 X		0.03	30.4 X	X		124	0.3 X		
NBRC018	NC01489	9	10	1	Peg	7.34 X	58	20	2.3	70.5	4.74	1.2	0.03	0.85	0.2		28	0.02	710.8 X		17	59	18.2	5	
NBRC018	NC01490	10	11	1	Peg	7.81 X	40	13	0.8	184.6	2.11	5.14	0.06	0.27	0.3		32 X	2827.3 X		26	29	22.5	4		
NBRC018	NC01491	11	12	1	Peg	7.32 X	15	33	0.4	147.9	1.05	3.13	0.08	0.06	0.2		36 X	1829.3 X		18	22	42.9	4		
NBRC018	NC01492	12	13	1	Peg	7.86 X	22	14	0.4	142.3	1.27	3.16	0.05	0.04	0.6		36 X	1681 X		14 X		28.1	4		
NBRC018	NC01493	13	14	1	Peg	7.27 X	30	12	0.7	158.7	1.81	3.04	0.05	0.19	0.3		37	0.01	1697.4 X		18	24	28	5	
NBRC018	NC01494	14	15	1	Peg	7.33 X	18	58	0.5	194.5	1.45	2.25	0.07	0.15 X		54 X	1577 X		35	23	52.9	8			
NBRC018	NC01495	15	16	1	Peg	7.39 X	11	16	0.5	136.2	1.08	1.56	0.04	0.06	0.3		31 X	1026.6 X		19</td					

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li %	Mg %	Mn %	Nb_ppm	P. %	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm		
NBRC019	NC01548	32	36	4		6.77 X		163 X		7.1	5	13.71	0.43 X	3.05	0.2 X	0.02	24.1	0.23 X		129	0.4	4				
NBRC019	NC01549	36	40	4		6.84 X		74 X		6.8	10.4	12.56	0.35 X	2.91	0.2 X	0.03	21.5	0.18 X		156	0.3	5				
NBRC019	NC01550	40	44	4		6.95 X		80 X		6.9	3	12.53	0.36 X	2.99	0.2 X	0.02	17.4	0.18 X		151	0.3	4				
NBRC019	NC01551	44	48	4		7.03 X		81 X		6.9	3	12.72	0.38 X	3.02	0.2 X	0.02	17.6	0.19 X		147	0.3	3				
NBRC019	NC01552	48	49	1		6.7 X		54	1	7	1.2	12.63	0.28 X	3.03	0.2 X	0.03	16.8	0.18 X		144	0.3	3				
NBRC019	NC01553	49	50	1		7.33 X		47	1	6.1	2.6	9.8	0.24 X	2.66 X	X	0.05	27.9 X	4	204	0.5	3					
NBRC020	NC01554	0	1	1		6.79 X		172 X		6.1	7.8	13	0.62	0.01	2.53	0.2 X	0.01	40 X	X	157	0.5 X					
NBRC020	NC01555	1	2	1		6.88 X		171 X		6.2	7.4	12.62	0.58	0.01	2.57	0.3 X	0.03	39.8 X	X	139	0.3 X					
NBRC020	NC01556	2	6	4		6.72 X		157 X		6.4	8.3	12.63	0.52	0.01	2.44	0.2 X	0.03	35.2 X	X	158	0.4	1				
NBRC020	NC01557	6	7	1		6.46 X		128	2	6	10.6	12.43	0.52	0.02	2.42	0.2 X	0.03	53.9 X	3	152	0.3 X					
NBRC020	NC01558	7	8	1	Peg	6.65 X		29	20	1	26.1	1.44	0.36 X	0.13 X	32 X	201.1 X	11	41	23.7	3						
NBRC020	NC01559	8	9	1	Peg	7.31 X		9	63	0.3	53.8	0.61	0.46	0.02	0.04 X	55 X	492.4 X	21	21	43	5					
NBRC020	NC01562	9	10	1	Peg	8.83 X		9	92	0.2	87.7	0.47	0.55	0.01	0.03 X	73	0.02	645.4 X	22 X	53.2	5					
NBRC020	NC01564	10	11	1	Peg	8.72 X		11	125	0.2	102.2	0.71	0.85	0.03	0.04 X	60	0.01	1018.9 X	47 X	47.4	7					
NBRC020	NC01565	11	12	1	Peg	8.41 X		10	86	0.2	41.5	0.62	0.4	0.01	0.03 X	59 X	381 X	15	22	32.1	4					
NBRC020	NC01566	12	13	1	Peg	8.5 X		10	74	0.2	78.6	0.59	0.58	0.02	0.03 X	43	0.01	697 X	31 X	40.9	5					
NBRC020	NC01567	13	14	1	Peg	7.76 X		9	26	0.2	31	0.36	0.31 X	0.01 X	53 X	264.8 X	58	22	34.3	3						
NBRC020	NC01568	14	15	1	Peg	6.96 X		13	18	0.4	49.7	0.79	0.58	0.02	0.03 X	115 X	422.1 X	15 X	60.2	7						
NBRC020	NC01569	15	19	4		7.28 X		193	8	4.7	35	8.6	0.73	0.02	1.78	0.3	19	0.03	350 X	8	265	10.7	3			
NBRC020	NC01570	19	20	1		7.16 X		210	8	5.3	38.3	10.6	0.65	0.02	2.12	0.2	15	0.04	283.8 X	2	225	11.1	2			
NBRC020	NC01571	20	21	1		7.57 X		50	39	0.8	100.9	1.73	1.72	0.01	0.15	0.4	47	0.01	1020.9 X	18	48	44.5	3			
NBRC020	NC01572	21	22	1		7.95 X		16	32	0.6	86.9	1.05	0.73	0.02	0.04	0.5	44 X	528.6 X	19	30	45.9	4				
NBRC020	NC01573	22	23	1	Peg	7.18 X		24	10	0.4	98	1.12	2.34	0.01	0.04	0.5	30	0.01	1251.6 X	13 X	16.7	4				
NBRC020	NC01574	23	24	1	Peg	8.18 X		107	20	0.2	77.4	1.27	4.73 X	0.06	0.2	28	0.01	2253.5 X	18	24	22.5	2				
NBRC020	NC01575	24	25	1	Peg	7.95 X		56	24	0.2	155.7	0.62	5.51 X	0.02 X	22	0.01	2740.7 X	11	22	16.4	2					
NBRC020	NC01576	25	26	1	Peg	8.29 X		39	32	0.2	125.7	0.6	5.92	0.01	0.02 X	24	0.02	2966.4 X	13	21	15.6	3				
NBRC020	NC01577	26	27	1	Peg	9.05 X		69	9	0.3	25.2	1.11	1.62 X	0.09	0.3	38	0.01	732.2 X	47	39	25.2	1				
NBRC020	NC01578	27	28	1		8.67 X		100	20	0.9	43.1	2.34	1.55 X	0.38	0.2	34	0.01	854.7 X	53	61	27.1	3				
NBRC020	NC01579	28	32	4		6.85 X		123 X		6.8	4.5	13.41	0.45	0.02	2.8	0.2 X	0.03	34.3	0.2	247	144	0.6	5			
NBRC020	NC01580	32	33	1		6.72 X		124 X		6.8	2.7	13.47	0.43	0.01	2.81	0.2 X	0.02	20.1	0.22 X	149	0.3	3				
NBRC020	NC01582	33	34	1		6.66 X		133 X		7	3.7	14.29	0.47	0.01	2.92	0.2 X	0.02	28.9	0.2	25	130	0.5	3			
NBRC020	NC01583	34	35	1		6.61 X		143 X		6.8	7.3	13.75	0.45	0.01	2.81	0.2 X	0.02	45.6	0.2 X	125	0.3	3				
NBRC020	NC01584	35	36	1	Peg	7.8 X		46	41	2.6	10.4	5.63	0.62 X	1.04 X		46	0.02	301.3	0.09	50	60	47	4			
NBRC020	NC01585	36	37	1		7.36 X		52	2	6.2	6.2	9.51	0.43	0.01	2.32 X		14	0.04	133.8	0.05	7	193	5.8	3		
NBRC020	NC01586	37	41	4		7.16 X		95	1	6.9	4.3	11.8	0.38 X	2.82 X	X	0.03	42.9	0.13	2	151	1	3				
NBRC020	NC01587	41	42	1		7.25 X		116 X		6.9	6.1	11.24	0.39 X	2.7 X	X	0.03	41.3	0.12	29	165	0.5	2				
NBRC020	NC01588	42	43	1		6.9 X		132 X		6.9	5.3	11.49	0.43 X	2.7	0.2 X	0.03	39 X	X	153	0.3	4					
NBRC020	NC01589	43	44	1		7.26 X		127	1	7.5	16.6	11.52	0.44	0.01	2.9 X	X	0.06	77.6	0.05	24	327	0.4	2			
NBRC020	NC01590	44	45	1		7.16 X		72	6	5.9	23.4	9.45	0.44	0.01	2.68 X		14	0.03	115.5 X	42	198	4.9	3			
NBRC020	NC01591	45	46	1		7.14 X		81	6	6.8	24.7	9.7	0.51	0.01	2.28 X		16	0.05	222.9 X	49	282	5.2	4			
NBRC020	NC01592	46	47	1		7.98 X		63	27	7.2	15	7.61	0.45 X	1.66 X		16	0.06	139.6 X	22	338	7.2	5				
NBRC020	NC01593	47	48	1	Peg	7.3 X		91	4	6.9	4.5	10.46	0.37 X	2.73 X	X	0.05	75.6 X	58	214	0.6	2					
NBRC020	NC01594	48	52	4		6.66 X		77	1	6.9	2.3	12.11	0.32 X	2.67	0.2 X	0.04	27.5	0.18	102	167	0.5	3				
NBRC020	NC01595	52	53	1	Peg	7.33 X		68 X	7	0	8.8	11.77	0.25 X	2.69 X	X	0.03	7.7	0.19	15	166	0.4	3				
NBRC020	NC01596	53	54	1	Peg	6.96 X		77 X	7	1.6	12.53	0.29 X	2.96	0.2 X	0.02	16.2	0.19 X		168	0.3	3					
NBRC020	NC01597	54	55	1	Peg	6.97 X		33 X	7.1	1.9	8.33	0.17 X	1.92 X	X	0.07	16.1 X	5	399	0.6	3						
NBRC020	NC01598	55	56	1	Peg	7.12 X		23 X	6	1	1.9	5.46	0.11 X	1.14 X	X	0.2	11 X	6	444	0.7	4					
NBRC020	NC01600	56	57	1	Peg	5.89 X		23 X	3	3.6	1.9	3.45	0.12 X	0.8 X	X	0.12	13.2 X	3	195	0.9	5					
NBRC020	NC01602	57	61	4		6.33 X		28	1	4.4	1.4	6.1	0.14 X	1.44 X	X	0.09	10.5 X	3	166	0.9	5					
NBRC021	NC01603	61	62	1		7.03 X		75	1	7	1.5	10.39	0.26 X	2.48 X	X	0.04	13.3	0.08 X		203	0.4	2				
NBRC021	NC01604	0	1	1	Peg	7.11 X		55	19	0.3	114.4	1.41	3.65	0.02	0.05 X	33 X	2093.1 X	24	31	23	4					
NBRC021	NC01605	1	2	1	Peg	6.54 X		33	43	0.5	48.8	1.19	0.51	0.01	0.06	0.2 X	44 X	389.4 X	69 X	25.5	5					
NBRC021	NC01606	2	3	1	Peg	6.94 X		46	14	0.4	78.2	0.95	0.76	0.02	0.07 X	60 X	677 X	51 X	39.7	4						
NBRC021	NC01607	3	4	1	Peg	7.25 X		22	46	0.4	37.7	0.63	0.61 X	0.04 X	46 X	436.1 X	21	23	29.8	3						
NBRC021	NC01608	4	5	1	Peg	6.9 X		19	59	0.4	71.4	0.95	0.9	0.01	0.04	0.3	112 X	648.4 X	23	22	65.4	6</td				

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC022	NC01662	23	24	1	Peg	6.61	X	69	27	0.4	29.7	1.42	1.41	X	0.14	X	65	0.01	649.7	X	21	31	105	4
NBRC022	NC01663	24	28	4		6.29	X	112	2	5.8	5.9	11.65	0.49	X	2.25	0.2	X	0.03	117.1	0.1	X	137	1.1	3
NBRC022	NC01664	28	32	4		6.09	X	100	X	5.8	4	11.47	0.41	X	2.16	X	X	0.04	41.5	0.15	X	129	0.4	3
NBRC022	NC01665	32	36	4		6.45	X	107	1	5.9	3	11.87	0.44	X	2.18	X	X	0.05	26.5	0.18	X	126	0.9	2
NBRC022	NC01666	36	40	4		6.33	X	96	X	6.2	2.1	11.66	0.42	X	2.37	X	X	0.04	25.7	0.16	X	133	0.4	3
NBRC022	NC01667	40	44	4		7.03	X	98	X	6.7	1.4	10.76	0.41	X	2.51	X	X	0.03	25.4	0.13	X	159	0.3	3
NBRC022	NC01668	44	48	4		6.97	X	120	X	6.8	3.1	11.75	0.47	X	2.81	X	X	0.03	30.2	0.14	X	135	0.3	3
NBRC022	NC01669	48	52	4		4.75	X	155	1	4.4	9.2	8.38	0.46	X	1.97	X	X	0.02	44.9	0.13	X	95	0.2	2
NBRC022	NC01670	52	56	4		6.61	X	132	X	6.3	6.9	11.52	0.52	X	2.82	X	X	0.03	40	0.15	X	124	0.3	2
NBRC022	NC01671	56	60	4		6.47	X	104	1	6.6	2.3	12.62	0.46	X	2.97	0.2	X	0.02	41.2	0.13	X	132	0.3	2
NBRC023	NC01672	0	4	4		6.61	X	196	X	5.6	11.4	11.36	0.49	0.01	2.25	X	X	0.02	100.3	X	X	150	0.3	X
NBRC023	NC01673	4	5	1	Peg	9.01	X	56	62	0.4	154.8	0.82	1.16	0.01	0.09	X	31	0.02	1196.9	X	40	30	75.3	4
NBRC023	NC01674	5	6	1	Peg	6.44	X	25	31	0.2	96.9	0.81	0.57	0.01	0.07	X	84	0.01	729.1	X	34	23	120.8	5
NBRC023	NC01675	6	7	1	Peg	6.35	X	227	19	2	168.3	7.24	0.89	0.02	1.05	X	28	0.02	759.3	X	24	90	15.3	6
NBRC023	NC01676	7	8	1		6.86	X	99	4	5.8	9.9	8.31	0.48	0.01	1.7	X	0.07	145.2	X	4	193	1.4	3	
NBRC023	NC01677	8	9	1		6.86	X	112	2	6	7.4	9.32	0.43	0.02	1.87	X	0.06	79.9	X	3	172	1.7	2	
NBRC023	NC01678	9	13	4		6.8	X	101	2	5.7	9.4	10.94	0.42	0.02	2.08	X	X	0.05	39.3	X	X	142	1.2	2
NBRC023	NC01680	13	14	1		6.69	X	124	1	6.2	5.9	11.99	0.41	0.02	2.33	X	X	0.03	42.2	X	X	137	1.2	X
NBRC023	NC01682	14	15	1		6.54	X	132	2	6.3	3.7	12.06	0.41	0.02	2.48	0.2	X	0.03	32.4	X	X	137	0.5	X
NBRC023	NC01683	15	16	1		6.46	X	126	3	6.2	7.2	12.49	0.59	0.01	2.4	0.3	X	0.02	97	X	X	143	0.4	X
NBRC023	NC01684	16	17	1	Peg	7.48	X	97	19	1.9	50.6	3.6	1.92	X	0.47	0.3	36	0.01	1108.4	X	15	78	35	2
NBRC023	NC01685	17	18	1	Peg	7.53	X	27	11	0.6	128.4	1.4	2.36	0.04	0.14	0.3	59	0.02	1588.3	X	38	29	28.5	6
NBRC023	NC01686	18	19	1	Peg	7.03	X	18	242	0.4	194.9	0.92	2.39	0.03	0.04	0.3	62	0.01	1737.5	X	38	21	73.6	6
NBRC023	NC01688	19	20	1	Peg	5.94	X	19	29	0.4	182.1	1.18	1.32	0.03	0.07	0.4	64	0.01	1156.5	X	64		48.9	7
NBRC023	NC01689	20	21	1	Peg	7.84	X	42	13	0.3	147.3	1.12	1.51	0.02	0.09	0.2	47	0.01	1037.7	X	96	24	30.3	4
NBRC023	NC01690	21	22	1	Peg	7.85	X	27	12	0.4	171.2	1.02	2.89	0.02	0.04	0.4	50	0.01	1679.4	X	23	24	35.1	4
NBRC023	NC01691	22	23	1	Peg	7.72	61	20	20	0.5	151.6	0.92	3.43	0.03	0.06	0.4	56	0.01	1865.7	X	25	X	30.7	5
NBRC023	NC01692	23	27	4		7.44	X	127	7	4.1	215	8.61	1.04	0.03	1.5	0.3	27	0.05	743.4	X	15	126	12.3	3
NBRC023	NC01693	27	31	4		6.93	X	90	1	7	44.7	10.21	0.44	0.01	2.2	0.2	15	0.05	102.1	0.08	4	166	1.4	4
NBRC023	NC01694	31	35	4		6.9	X	152	X	6.5	4.1	12.33	0.58	0.02	2.24	0.3	20	0.05	35.5	0.18	X	144	0.5	5
NBRC023	NC01695	35	39	4		6.8	X	117	24	4	20.2	7.52	1.22	0.01	1.47	0.2	42	0.04	440.8	X	16	131	22.6	5
NBRC023	NC01696	39	43	4		6.62	X	128	2	6.3	4.5	11.97	0.55	X	2.53	0.3	10	0.04	87.2	0.1	103	148	1.8	3
NBRC023	NC01697	43	44	1		6.54	X	131	X	6.6	3.2	12.68	0.51	X	2.81	0.3	17	0.03	36.1	0.16	X	138	0.6	4
NBRC023	NC01698	44	45	1	Peg	6.42	X	144	4	6.3	5.7	13.03	0.6	X	2.76	0.3	X	0.03	79.6	0.18	2	123	1.5	2
NBRC023	NC01699	45	49	4		6.47	X	118	16	4.8	26.9	9.44	1.14	X	2.25	0.3	26	0.04	417.7	0.11	11	87	8.4	3
NBRC023	NC01701	49	53	4		6.96	X	144	X	6.1	2.8	11.97	0.59	X	2.53	0.3	16	0.05	37.5	0.16	X	127	0.5	3
NBRC023	NC01703	53	57	4		7.21	X	135	X	6.6	1.5	12.07	0.53	X	2.68	0.3	X	0.04	24.4	0.18	X	139	0.5	4
NBRC023	NC01704	57	58	1		6.89	X	141	X	6.8	2	13.05	0.55	X	2.82	0.3	X	0.03	24.6	0.2	X	130	0.4	3
NBRC023	NC01705	58	59	1		7.05	X	145	X	6.6	3.1	12.04	0.52	X	2.68	0.3	X	0.03	28.8	0.21	X	135	0.3	2
NBRC023	NC01706	59	60	1		7.38	X	132	X	6.6	8	11.54	0.48	X	2.7	0.2	X	0.03	23.5	0.24	X	159	0.3	3
NRCR024	NC01707	0	1			6.31	X	150	X	5.8	20	12.73	0.64	0.02	2.15	0.3	X	0.03	68.3	X	X	120	0.4	1
NRCR024	NC01708	1	2	1		6.76	X	170	1	5.2	25	11.58	0.6	0.02	1.75	0.2	X	0.05	84.7	X	X	131	0.5	1
NRCR024	NC01709	2	3	1		6.52	X	149	1	5.1	23.5	11.66	0.72	0.02	1.8	0.2	X	0.05	65.2	X	X	126	0.6	X
NRCR024	NC01710	3	4	1	Peg	7.51	X	51	30	1.5	47.4	3.18	0.58	0.02	0.47	0.2	40	0.02	488.3	X	20	40	41.4	4
NRCR024	NC01711	4	5	1	Peg	7.78	X	18	54	1	57.6	1.92	0.52	0.03	0.21	0.3	46	0.01	495.2	X	21	28	32.1	7
NRCR024	NC01712	5	6	1	Peg	7.53	X	19	59	0.5	48.8	1.03	0.67	0.01	0.06	0.3	63	X	555.9	X	28	22	46.5	6
NRCR024	NC01713	6	7	1	Peg	7.85	X	18	37	0.3	25.5	0.65	0.46	X	0.03	X	47	X	308.3	X	14	21	45.4	3
NRCR024	NC01714	7	8	1	Peg	7.86	X	29	20	0.4	21.8	0.79	0.47	X	0.04	0.2	64	0.01	316.9	X	16	23	62.8	5
NRCR024	NC01715	8	9	1	Peg	7.63	X	9	42	0.5	46.6	0.93	0.47	0.02	0.05	0.2	58	X	415.2	X	21	X	41.1	6
NRCR024	NC01716	9	10	1	Peg	7.2	67	51	32	0.5	92.8	1	1.2	0.01	0.06	0.2	81	0.01	805.5	X	24	26	52.4	5
NRCR024	NC01717	10	11	1	Peg	7.51	X	81	17	4.6	37.7	6.88	0.57	0.01	1.22	0.3	25	0.03	312.8	X	12	135	25.2	22
NRCR024	NC01718	11	12	1	Peg	7.58	X	85	22	2.1	63.2	3.94	2.07	X	0.61	0.4	53	0.02	1237.6	X	16	84	47.9	4
NRCR024	NC01719	12	13	1		6.83	X	134	9	1.1	30.1	10.46	0.54	0.01	1.85	0.3	18	0.04	172.3	X	6	120	12	3
NRCR024	NC01722	13	14	1		6.85	X	142	2	6.6	5.1	12.85	0.5	0.01	2.44	0.3	X	0.03	36.3	X	X	144		X
NRCR024	NC01723	14	15	1		6.79	X	133	2	6.4														

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg %	Mn %	Nb_ppm	P %	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC025	NC01775	33	37	4	6.22	X	129	4	6.7	15.7	13.61	0.51	X	2.88	0.4	X	0.05	84.5	0.2	X	120	2.1	3	
NBRC025	NC01776	37	41	4	7.31	X	107	7.4	5.1	10.63	0.35	X	2.26	0.3	X	0.04	28.4	0.09	4	230	0.6	3		
NBRC025	NC01777	41	45	4	7.16	X	130	1	6.1	2.8	11.22	0.5	X	2.11	0.3	X	0.04	34.5	0.14	X	169	0.5	2	
NBRC025	NC01779	45	49	4	7.17	X	157	6	2.5	11.19	0.56	X	2.18	0.3	X	0.05	35.5	0.14	X	156	0.5	1		
NBRC025	NC01781	49	50	1	6.57	X	153	6.3	4	12.56	0.59	X	2.59	0.3	X	0.05	36.6	0.17	X	137	0.5	2		
NBRC026	NC01782	0	1	1	Peg	6.92	X	42	51	0.5	41.6	1.27	0.46	X	0.06	0.3	55	0.01	384	X	32	23	37	4
NBRC026	NC01783	1	5	4	6.31	X	125	6	5.5	6.6	10.47	0.28	0.01	2.16	0.4	15	0.04	72.4	X	4	169	5	2	
NBRC026	NC01784	5	9	4	6.97	X	62	4	6.1	21.4	9.17	0.36	0.01	1.73	0.3	X	0.08	105.9	X	4	297	2.8	2	
NBRC026	NC01785	9	10	1	6.45	X	168	1	5.8	22.5	12.53	0.45	0.02	2.55	0.4	X	0.04	101.7	X	157	0.4	X		
NBRC026	NC01786	10	11	1	Peg	7.01	X	79	25	2.1	29.8	4.34	0.81	X	0.74	0.3	39	0.02	397.4	X	13	64	19.9	2
NBRC026	NC01787	11	12	1	Peg	9.44	X	33	124	0.3	10.9	0.8	0.61	X	0.07	0.2	39	X	322.4	X	16	33	33.8	1
NBRC026	NC01788	12	13	1	Peg	7.58	X	49	65	0.9	116.1	2.05	1.39	0.01	0.27	0.4	42	0.06	1036.7	X	18	40	36.8	4
NBRC026	NC01789	13	14	1	Peg	7.36	X	112	38	1.4	78.9	3.59	1.51	0.01	0.55	0.3	31	0.06	963.1	X	14	59	19.5	8
NBRC026	NC01790	14	15	1	Peg	6.42	X	57	13	0.5	21.9	0.91	0.56	X	0.04	0.4	54	X	267.3	X	8	X	42.4	2
NBRC026	NC01791	15	16	1	Peg	5.82	X	38	8	0.4	86.3	0.92	1.95	X	0.05	0.3	55	X	1107	X	12	X	66.6	4
NBRC026	NC01792	16	17	1	Peg	6.52	X	14	23	0.4	47.8	0.75	0.44	X	0.03	0.3	49	X	374.4	X	20	X	31.5	4
NBRC026	NC01793	17	18	1	Peg	6.66	X	34	14	0.4	25	1.1	0.65	X	0.07	X	48	X	307.7	X	17	26	25.6	2
NBRC026	NC01794	18	19	1	Peg	6.94	X	25	159	0.4	12.7	0.77	0.76	X	0.04	X	72	X	281.2	X	10	25	63.7	3
NBRC026	NC01795	19	20	1	Peg	7.02	X	10	13	0.5	11.9	0.64	0.4	X	0.03	X	49	X	179	X	7	23	34.3	2
NBRC026	NC01796	20	24	4	6.72	X	96	11	5	6.5	8.51	0.46	X	1.97	0.3	37	0.03	101.6	X	6	122	47.1	3	
NBRC026	NC01797	24	28	4	6.29	X	166	1	6.7	8.5	13.17	0.61	X	2.95	0.3	X	0.03	51	0.19	X	106	0.8	4	
NBRC026	NC01798	28	32	4	6.2	X	93	X	7.1	1.6	13.11	0.34	X	3.05	0.3	X	0.04	14.8	0.17	X	143	0.4	4	
NBRC026	NC01800	32	36	4	6.03	X	68	6	6.5	3.2	12.62	0.27	X	2.79	0.3	X	0.04	17.7	0.17	X	190	0.4	3	
NBRC026	NC01802	36	40	4	6.51	X	29	1	7.1	1.5	8.1	0.13	X	1.89	0.2	X	0.15	8.3	X	4	236	0.8	4	
NBRC027	NC01803	0	4	4	6.51	X	115	1	5.6	0.8	10.6	0.39	X	2.21	0.2	X	0.03	18.1	X	2	131	0.4	X	
NBRC027	NC01804	4	8	4	6.98	X	111	X	5.9	1.3	12.19	0.42	X	2.39	0.3	X	0.03	20.1	X	X	139	0.4	X	
NBRC027	NC01805	8	12	4	6.63	X	114	X	6.1	8.6	13.05	0.45	0.02	2.56	0.3	X	0.03	39.3	X	X	133	0.3	1	
NBRC027	NC01806	12	13	1	Peg	6.54	X	187	10	4.9	118.9	10.75	0.77	0.03	2.07	0.3	X	0.04	584.5	X	16	117	4	3
NBRC027	NC01807	13	14	1	Peg	8.18	X	35	50	1.1	26.8	1.92	0.35	X	0.27	X	31	0.01	205.1	X	8	35	18	4
NBRC027	NC01809	14	15	1	Peg	5.06	76	8	9	0.3	44.2	0.93	0.26	0.01	0.04	0.4	92	0.01	254	X	15	X	45.9	8
NBRC027	NC01810	15	16	1	Peg	6.75	X	158	13	3.3	118.6	7.6	0.89	0.02	1.49	0.3	28	0.03	779.8	X	30	75	18.3	4
NBRC027	NC01811	16	20	4	7.13	X	147	6	5.6	7.7	10.66	0.55	0.01	1.95	0.3	X	0.03	120	X	6	145	3.4	2	
NBRC027	NC01812	20	21	1	7.35	X	172	2	6.1	8.5	11.11	0.51	0.01	2.08	0.3	X	0.03	97.9	X	X	168	0.6	X	
NBRC027	NC01813	21	22	1	6.82	X	188	3	5.8	22.6	12.63	0.54	0.02	2.27	0.3	X	0.04	141.9	X	X	146	0.4	X	
NBRC027	NC01814	22	23	1	6.23	X	113	7	4	24.1	8.63	0.62	0.02	1.56	0.3	X	44	0.03	277.9	X	8	99	15.9	4
NBRC027	NC01815	23	24	1	Peg	5.56	X	30	21	0.7	9.8	0.89	0.5	X	0.06	0.2	128	0.01	214.3	X	15	32	58.3	9
NBRC027	NC01816	24	25	1	Peg	7.82	X	119	34	4.1	104.2	7.38	0.74	0.02	1.4	0.2	21	0.02	520.6	X	12	102	17.8	4
NBRC027	NC01817	25	26	1	Peg	7.77	269	15	26	0.9	14	0.95	0.21	X	0.09	X	70	0.01	74.7	X	10	32	50.7	8
NBRC027	NC01818	26	27	1	7.41	X	167	6	6.1	25	11.01	0.46	0.02	2.29	0.3	X	17	0.02	126.8	0.06	4	120	8.4	4
NBRC027	NC01819	27	28	1	7.28	X	157	2	6.9	24.7	12.79	0.47	0.02	2.63	0.3	X	0.03	163.3	0.07	X	188	1.6	5	
NBRC027	NC01822	28	29	1	7.39	X	159	3	6.9	16.7	13.23	0.48	0.02	2.66	0.3	X	0.03	113.2	X	6	133	1.1	2	
NBRC027	NC01823	29	30	1	Peg	7.19	X	58	29	1.1	165.8	2.42	0.7	0.02	0.38	X	47	0.01	746.7	X	27	42	60.6	8
NBRC027	NC01824	30	31	1	7.2	X	190	4	6.2	41.8	13.03	0.44	0.02	2.57	0.3	X	0.03	124.1	X	3	119	2.1	4	
NBRC027	NC01825	31	32	1	8.61	X	98	31	1.1	273.5	2.46	1.01	0.02	0.36	X	47	0.02	843.7	X	29	47	35.8	5	
NBRC027	NC01826	32	36	4	7.44	X	66	2	7.5	19.1	11.3	0.38	0.02	2.7	0.3	X	0.03	118.6	X	3	164	1.1	5	
NBRC027	NC01827	36	40	4	Peg	7.57	X	115	15	4.9	1565.2	9.7	1.35	0.11	1.84	0.3	15	0.05	1829.0	0.12	30	144	11.9	11
NBRC027	NC01828	40	44	4	Peg	7.31	X	99	7	5.3	1063	10.74	1.04	0.08	2.07	0.3	11	0.06	1125	0.16	16	188	2.8	7
NBRC027	NC01829	44	48	4	Peg	7.09	X	83	2	6.4	25.2	11.41	0.36	0.01	2.41	0.2	X	0.05	68.7	0.15	3	202	0.8	5
NBRC027	NC01830	48	49	1	Peg	7.69	X	80	X	7.1	15.7	13.47	0.34	0.02	2.87	0.3	X	0.03	33.9	0.2	X	186	0.4	5
NBRC027	NC01831	49	50	1	Peg	7.8	X	43	49	2.9	63	5.9	3.62	0.01	1.15	0.2	34	0.02	1638.7	X	32	84	17	5
NBRC027	NC01832	50	51	1	Peg	7.18	X	16	18	0.6	54.8	0.99	1.92	0.01	0.11	X	76	X	984.4	X	52	X	40.1	9
NBRC027	NC01833	51	52	1	Peg	7.37	X	57	8	5.3	18.6	10.46	0.72	0.01	2.07	0.3	20	0.02	265.1	0.23	13	105	11.3	5
NBRC027	NC01834	52	56	4	Peg	7.11	X	146	X	7	3.7	12.62	0.6	X	2.63	0.3	X	0.03	44	0.16	X	150	0.6	3
NBRC027	NC01835	56	60	4	Peg	7.02	X	145	X	6.9	9.5	13.46	0.65	X	2.8	0.3	X	0.03	40.1	0.18	X	136	0.6	3
NBRC028	NC01836	0	4	4	Peg	7.28	X	47	3	8	17	11.34	0.34	X	2.25	0.2	X	0.03	79.7	X	2	372	0.9	2

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC030	NC01890	8	9	1	Peg	7.66 X	146	19	2	84	4.61	0.63	0.01	0.62	0.5	47	0.02	480.4 X	20	65	31.8	6		
NBRC030	NC01891	9	10	1	Peg	7.79 X	220	12	1	44.6	3.53	0.7 X	0.4	0.4	60	0.01	472.5 X	14	41	37.2	4			
NBRC030	NC01892	10	11	1	Peg	9.31 X	106	9	0.4	17.4	1.16	0.53 X	0.12 X	0.2 X	52 X	0.1	331.3 X	15	27	34.1	2			
NBRC030	NC01893	11	12	1		8.03 X	198	8	2	66	4.36	0.63	0.01	0.52	0.3	24	0.14	534.7 X	13	126	12	2		
NBRC030	NC01894	12	13	1		7.42 X	74	8	2.6	36.8	2.94	0.48 X	0.44 X	0.15	0.13	0.07	307.8 X	8	124	4.9	6			
NBRC030	NC01895	13	14	1	Peg	9.14 X	61	7	0.4	15.7	0.9	0.64 X	0.08 X	0.47	0.01	370.1 X	19	28	275	4				
NBRC030	NC01896	14	15	1	Peg	7.79 X	83	19	0.8	28	1.38	0.34 X	0.05	0.3	79	0.02	215.4 X	16	56	61.6	5			
NBRC030	NC01897	15	20	5		6.94 X	45	6	7.2	25.9	7.17	0.28 X	1.01 X	0.13	0.12	0.07	116.5 X	15	349	8.9	24			
NBRC030	NC01898	20	24	4		7.35 X	27	8	6	10.1	6.34	0.24 X	1.09 X	0.14	0.1	0.08	80.3 X	14	245	8.1	6			
NBRC030	NC01900	24	25	1		7.25 X	17	2	6.4	3.5	4.79	0.1 X	0.76 X	14	0.2	18.9 X	3	171	0.9	2				
NBRC030	NC01902	25	26	1		7.35 X	23	2	4.9	6.5	3.91	0.13 X	0.62 X	16	0.14	43.8 X	4	140	1.4	2				
NBRC030	NC01903	26	27	1		7.16 X	19	3	5.7	11.2	4.01	0.12 X	0.54 X	15	0.11	44.5 X	7	189	1.2	4				
NBRC030	NC01904	27	28	1	Peg	8.85 X	77	23	2	153.1	2.59	2.31 X	0.44 X	29	0.1	1236.6 X	16	67	18.6	4				
NBRC030	NC01905	28	29	1	Peg	9 X	68	12	0.6	79.2	0.94	1.65 X	0.09 X	35	0.01	776.3 X	17	43	32.4	1				
NBRC030	NC01906	29	30	1	Peg	7.33 X	116	7	3.5	14.9	6.59	0.8 X	1.37 X	26	0.02	228.8 X	9	143	23.1	2				
NBRC030	NC01907	30	31	1	Peg	10.35 X	178	14	0.8	51.2	2.93	1.22 X	0.38 X	35	0.02	544.3 X	32	67	34.7	2				
NBRC030	NC01908	31	35	4		7.31 X	142	4	5.1	7.6	9.48	0.79 X	1.95 X	13	0.03	152.9	0.11	11	132	8.6	4			
NBRC030	NC01909	35	39	4		6.96 X	212	1	6.9	4	12.87	0.64 X	2.98	0.2 X	0.04	50.4	0.18 X	209	0.9	4				
NBRC030	NC01910	39	43	4		6.92 X	113 X	7.5	2.2	12.01	0.48 X	2.82	0.2 X	0.05	27.3	0.13	3	178	1	4				
NBRC030	NC01911	43	47	4		7.39 X	140 X	7.4	2.2	12.5	0.6 X	2.41	0.2 X	0.04	38.2	0.16 X	207	0.3	3					
NBRC030	NC01912	47	51	4		7.23 X	61 X	6.4	1.3	7.8	0.26 X	1.71 X	X	0.12	17.4 X	4	255	0.6	5					
NBRC030	NC01913	51	55	4		5.78 X	123	2	5.4	1.5	5.81	0.27 X	1.82 X	23	0.07	10.9 X	2	301	1.7	5				
NBRC030	NC01914	55	59	4		7.03 X	24	1	5.7	1	5.32	0.14 X	1.19 X	11	0.15	10 X	4	223	0.7	4				
NBRC030	NC01915	59	60	1		7.01 X	47	2	7	1.3	9.2	0.26 X	2.14	0.2 X	0.09	22.6 X	4	214	0.5	3				
NBRC031	NC01916	0	4	4		6.95 X	132	1	6.1	6	11.47	0.49 X	1.86 X	X	0.04	43.1 X	X	217	0.4 X					
NBRC031	NC01917	4	5	1		6.65 X	135	1	6	6.7	12.6	0.53	0.02	2.16	0.2 X	0.04	39.3 X	X	142	0.4 X				
NBRC031	NC01918	5	6	1	Peg	7.61 X	109	6	4.4	106.9	10.26	0.63 X	0.02	1.71	0.2	35	0.03	394.2 X	15	104	31.5	4		
NBRC031	NC01920	10	14	4		7.22 X	163	8	4.7	68	11.47	0.54	0.02	1.6	0.2	10	0.06	287.9 X	14	175	6.8	2		
NBRC031	NC01922	14	18	4		6.82 X	171	2	6.3	14.9	12.96	0.53	0.02	2.14	0.2 X	0.04	97.5	0.1	2	153	0.8	2		
NBRC031	NC01923	18	19	1		6.96 X	167	1	6.2	14.9	12.68	0.55	0.02	2.22	0.2 X	0.04	86.8 X	X	168	0.6 X				
NBRC031	NC01924	19	20	1		7.2 X	182	1	6.4	10.1	12.26	0.5	0.02	2.31	0.2 X	0.03	61.6 X	X	170	0.4 X				
NBRC031	NC01925	20	21	1	Peg	5.99 X	61	12	2.1	47.8	4.49	0.43 X	0.02	0.72	0.5	82	0.02	210.5 X	4	56	36.1	9		
NBRC031	NC01926	21	25	4		7.19 X	121	10	5.1	182	9.32	0.58	0.03	1.77	0.3	24	0.03	434.8 X	11	114	13.6	3		
NBRC031	NC01927	25	26	1	Peg	5.39 X	84	11	1	249	1.89	0.1 X	0.01	0.28 X		42	0.04	672 X	13	44	42.6	4		
NBRC031	NC01928	26	30	4		7.31 X	153	8	5.9	56.3	10.68	0.54	0.02	1.99	0.2	11	0.04	289.8 X	14	154	6	3		
NBRC031	NC01929	30	31	1		7.17 X	147	11	3.9	102.3	7.67	0.64	0.02	1.28	0.2	27	0.03	424 X	13	95	15.7	3		
NBRC031	NC01930	31	32	1	Peg	7.08 X	99	15	1.2	34.4	2.25	1.52 X	0.29 X	25	0.02	742.9 X	21	55	13.5	2				
NBRC031	NC01931	32	33	1		7.2 X	124	3	6.5	14.4	11.39	0.47	0.01	2.08	0.2 X	0.04	150.8 X	4	161	0.9	3			
NBRC031	NC01932	33	34	1	Peg	6.94 X	155	2	6.4	8.2	12.18	0.53 X	0.02	2.11	0.2 X	0.05	135.6	0.12 X	155	0.7	4			
NBRC031	NC01934	34	35	1	Peg	6.18 X	123	8	1.9	68	6.28	0.77	0.01	0.92	0.2	20	0.02	561.1 X	15	53	13.2	4		
NBRC031	NC01935	35	36	1	Peg	9.77 X	104	18	2.8	23	3.31	0.75 X	0.5 X	28	0.03	388.9 X	32	230	24.3	3				
NBRC031	NC01936	36	40	4		8.11 X	15	2	9.8	4.2	7.11	0.15 X	0.86 X	X	0.07	35.4 X	13	869	2.5	10				
NBRC031	NC01937	40	44	4		7.17 X	63	2	7.2	2.4	9.83	0.25 X	2.32 X	X	0.05	28.5 X	5	247	1	3				
NBRC031	NC01938	44	48	4		7.06 X	102	10	5.4	40	10.05	0.65 X	2.08	0.3	14	0.03	241.8 X	19	161	6.1	5			
NBRC031	NC01939	48	52	4		6.43 X	43	5	6.6	2.4	12.27	0.32 X	2.94	0.3 X	0.04	50.4	0.1	3	228	2.1	3			
NBRC031	NC01942	52	56	4		6.5 X	28	2	5.8	2.4	13.87	0.19 X	3.27	0.3 X	0.04	13.9	0.14	3	174	0.7	2			
NBRC031	NC01943	56	60	4		7.24 X	60	1	6.4	2.7	10.46	0.29 X	2.36 X	X	0.06	16.3 X	3	252	0.5	3				
NBRC032	NC01944	0	4	4		6.44 X	168	3	5.3	13.3	12.54	0.45 X	1.92 X	0.2 X	0.04	97.9 X	3	148	2.2	2				
NBRC032	NC01945	4	8	4		5.96 X	143	1	5.5	4.8	13.99	0.58 X	2.03	0.3 X	0.06	52.1 X	X	129	0.6 X					
NBRC032	NC01946	8	12	4		5.71 X	133	2	5.4	12.8	13.17	0.49 X	1.9	0.3	11	0.05	77.1 X	3	127	2.3	3			
NBRC032	NC01947	12	16	4		6.48 X	147	2	6.1	7.6	11.59	0.43	0.01	1.76 X	0.2 X	0.06	33.2 X	3	167	0.7	2			
NBRC032	NC01948	16	17	1	Peg	6.66 X	108	2	5.2	5.7	9.54	0.32 X	1.45 X	12	0.09	23.4 X	2	160	0.8 X					
NBRC032	NC01949	17	18	1	Peg	6.93 X	62	1	5.2	2.9	4.75	0.17 X	0.67 X	14	0.13	14 X	3	241	0.9	3				
NBRC032	NC01950	18	19	1	Peg	6.83 X	46	2	3.1	2.9	3.73	0.16 X	0.54 X	14	0.09	17.1 X	2	148	1	1				
NBRC032	NC01951	19	20	1	Peg	7.09 X	75	2	5.2	4.1	5.41	0.18 X	0.61 X	14	0.17	14.3 X	6	238	1	2				
NBRC032	NC01952	20	24	4		6.5 X	118 X	6	7	2.1	10.79	0.32 X	1.91	0.2 X	0.09	19.5 X	3	204	0.7	2				
NBRC032	NC01953	24	28	4		6.42 X	149	1	6.4	7.5	12.06	0.36	0.01	2.23	0.2 X	0.06	29.1 X	2	173	0.5	2			
NBRC032	NC01954	28	29	1		6.84 X	294 X	6	6.1	22.3	13.21	0.46	0.02	2.46	0.2 X	0.03	95	0.09 X	151	0.4	1			
NBRC032	NC01955	29	30	1	Peg	7.63 X	138	32	3.7	54	6.11	1.27	0.02	1.14	0.2	26	0.03	646.7 X	26	130				

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm			
NBRC033	NC02004	33	34	1	Peg	8.08	X		36	34	0.5	40.8	0.91	3.68	0.02	0.1	X	48	0.01	1914.2	X	98	X	17.3	9		
NBRC033	NC02005	34	35	1	Peg	7.65	X		112	68	1.4	86.5	4.35	2.83	X	0.66	X	32	0.02	1398.4	X	22	61	24.7	2		
NBRC033	NC02008	35	36	1		6.53	X		189	2	6.4	11.3	13.72	0.54	0.01	2.79	0.3	X	0.03	89.7	0.17	2	141	1.5	3		
NBRC033	NC02009	36	40	4		7.09	X		263	2	6.9	13.4	12.25	0.68	0.01	3.1	0.3	X	0.03	16	0.05	48.2	0.15	X	262	1.3	2
NBRC033	NC0210	40	44	4		7.47	X		136	X	6.9	1.3	12.5	0.47	X	2.55	0.3	X	0.03	19.8	0.2	X	150	0.3	3		
NBRC033	NC0211	44	48	4		6.84	X		76	X	7.9	1.1	11.12	0.31	X	2.71	0.3	X	0.04	16.7	0.09	3	197	0.4	2		
NBRC033	NC0212	48	52	4		7.11	X		94	X	7.2	0.6	11.8	0.34	X	2.69	0.3	X	0.04	12	0.16	X	163	0.4	4		
NBRC033	NC0213	52	56	4		7.16	X		77	1	7.8	1.2	11.11	0.33	X	2.51	0.2	X	0.04	18.5	0.1	3	236	0.4	3		
NBRC033	NC0214	56	60	4		7.13	X		113	X	7	1.6	11.85	0.42	X	2.63	0.2	X	0.04	21.8	0.16	X	155	0.7	4		
NBRC034	NC0215	0	1	1	Peg	7.5	X		80	16	0.6	94.4	1.3	1.99	X	0.09	0.4	36	0.01	1117.8	X	11	28	89.5	3		
NBRC034	NC0216	1	2	1	Peg	8.22	X		61	46	0.4	136.9	0.68	3.7	X	0.04	0.2	33	0.01	2071.1	X	9	25	106.7	2		
NBRC034	NC0217	2	3	1	Peg	7.06	X		50	21	1.1	32.8	2.38	0.56	X	0.24	0.7	25	0.02	262.2	X	6	42	39.3	3		
NBRC034	NC0218	3	4	1	Peg	7.52	X		123	11	4.3	30.9	7.47	1.22	0.01	1.19	X	12	0.08	438.5	X	3	143	8	2		
NBRC034	NC0220	4	5	1		7.44	X		107	5	5.7	12.3	10.21	0.59	0.02	1.69	0.2	11	0.07	160.8	X	X	170	9.9	X		
NBRC034	NC0221	5	6	1		7.45	X		120	1	6	5	10.99	0.34	0.01	1.79	0.2	X	0.05	37.9	X	X	178	0.8	2		
NBRC034	NC0222	6	10	4		8.35	X		92	1	6.3	6.2	8.25	0.31	0.01	1.68	X	X	0.05	180.7	X	4	225	0.6	2		
NBRC034	NC0223	10	14	4		8.6	X		74	1	7.4	4	7.12	0.24	0.01	1.55	X	X	0.05	26.7	X	4	222	0.5	3		
NBRC034	NC0224	14	18	4		7.37	X		94	2	6.2	12.4	10.86	0.39	X	2.12	0.2	X	0.05	84.7	X	X	176	0.5	1		
NBRC034	NC0225	18	22	4		7.31	X		99	1	6.4	13.3	11.04	0.39	X	2.07	0.2	X	0.04	23.6	X	X	169	0.3	X		
NBRC034	NC0227	22	26	4		7.47	X		134	1	6.2	7	9.96	0.33	X	1.8	0.2	X	0.05	23.8	X	2	187	0.5	1		
NBRC034	NC0228	26	30	4		7.28	X		101	1	6.4	4.8	11.28	0.41	X	2.31	0.2	X	0.04	33.9	X	2	175	0.5	X		
NBRC034	NC0229	30	32	2		7.72	X		124	2	5.7	17.6	11	0.5	0.02	1.83	0.2	X	0.05	73.4	X	X	183	0.4	X		
NBRC034	NC0230	32	33	1		8.53	X		124	2	5.5	50.3	10.22	0.69	0.02	1.72	0.2	X	0.04	189.7	X	X	173	0.4	1		
NBRC034	NC0231	33	34	1	Peg	7.82	X		76	46	3.3	67.7	7.14	1.51	0.03	1.18	0.3	27	0.03	727.9	X	14	99	19.4	4		
NBRC034	NC0232	34	35	1	Peg	8.17	X		15	39	0.3	140	0.81	4.37	0.05	0.07	X	52	X	2480.8	X	60	X	27.6	9		
NBRC034	NC0235	35	36	1	Peg	7.6	X		27	34	0.2	111.7	0.69	4.93	0.03	0.04	X	51	X	2393.3	X	40	X	34.9	7		
NBRC034	NC0236	36	37	1	Peg	8.24	X		11	24	0.4	65	0.69	3.28	0.04	0.07	X	73	X	1801.2	X	56	X	31	11		
NBRC034	NC0237	37	38	1	Peg	8.65	X		27	42	0.5	110.9	0.82	2.56	0.03	0.06	X	60	X	1476.3	X	39	28	30.7	8		
NBRC034	NC0239	38	39	1		8.08	X		113	11	5.9	211.3	7.62	1.15	0.04	2.15	0.2	20	0.04	93.7	X	23	169	11.6	6		
NBRC034	NC0240	39	40	1		7.43	X		64	1	8.6	2.6	8.91	0.24	X	2.77	X	X	0.04	29.8	X	62	178	0.7	4		
NBRC034	NC0241	40	44	4		7.24	X		101	X	7.1	2.7	11.56	0.38	X	2.64	X	X	0.04	28	0.13	X	210	0.4	2		
NBRC034	NC0242	44	48	4		7.02	X		136	X	6.9	4.6	12.45	0.47	X	2.63	0.2	X	0.03	29.4	0.14	2	169	0.3	3		
NBRC034	NC0243	48	50	2		6.7	X		216	1	6.6	3.9	13.36	0.62	X	2.82	0.2	X	0.03	37	0.21	X	127	0.4	3		
NBRC035	NC0244	0	4	4		6.33	X		155	X	5.8	1.8	14.97	0.49	X	1.69	0.4	X	0.04	24.1	X	X	143	0.3	2		
NBRC035	NC0245	4	8	4		6.56	X		181	X	5.7	3.3	14.77	0.51	X	1.57	0.4	X	0.04	32.5	X	X	141	0.4	X		
NBRC035	NC0247	8	12	4		6.27	X		198	X	6.2	2.6	16.6	0.5	X	1.6	0.4	X	0.04	20.9	X	X	120	0.3	2		
NBRC035	NC0248	12	16	4		6.45	X		171	2	5.7	13.5	15.71	0.5	X	1.45	0.4	X	0.05	54.9	X	2	136	2.6	2		
NBRC035	NC0249	16	20	4		6.78	X		247	1	5.8	17.1	14.8	0.46	X	1.42	0.3	X	0.04	41.7	X	X	192	0.3	1		
NBRC035	NC0250	20	24	4		6.42	X		173	X	6.1	4.6	16.3	0.41	X	1.47	0.3	X	0.15	20.5	0.08	X	140	0.4	1		
NBRC035	NC0251	24	28	4		7.22	X		142	X	6.8	2.4	14.29	0.4	X	1.37	0.2	X	0.09	14.7	0.08	X	183	0.3	X		
NBRC035	NC0252	28	32	4		7.05	X		126	1	6.7	1.5	14.54	0.36	X	1.4	0.3	X	0.04	28.0	0.17	2	160	0.4	2		
NBRC035	NC0253	32	34	2		6.34	X		122	2	7.1	1.2	16.97	0.39	0.01	1.67	0.3	X	0.21	15.2	0.27	X	125	0.7	3		
NBRC035	NC0255	34	35	1		6.36	X		123	1	7.1	1	16.86	0.4	0.01	1.67	0.3	X	0.21	15.1	0.27	X	129	0.4	2		
NBRC035	NC0256	35	36	1		6.42	X		101	6	6.4	3.15	15.8	0.52	0.02	1.54	0.3	X	0.2	170.7	0.22	8	98	5.9	4		
NBRC035	NC0257	36	37	1		8.34	X		198	36	1.9	99.6	4.3	1.43	0.02	0.39	X	51	0.04	610.3	X	29	69	59.4	5		
NBRC035	NC0258	37	38	1	Peg	8.13	X		55	30	1.3	105.7	3.65	1.75	0.02	0.32	X	50	0.02	1020.6	X	28	53	35.1	6		
NBRC035	NC0259	38	39	1	Peg	8.16	X		10	51	0.4	104.6	0.95	2.47	0.06	0.06	0.3	72	X	1617.2	X	68	X	36.2	12		
NBRC035	NC0261	39	40	1	Peg	8.17	X		8	37	0.5	12.24	0.89	2.4	0.07	0.06	0.2	71	X	1583.2	X	64	X	35.6	13		
NBRC035	NC0262	40	41	1	Peg	7.06	X		2	113	0.4	46.2	0.57	0.62	0.02	0.03	X	49	X	429.4	X	196	X	34.1	6		
NBRC035	NC0263	41	42	1	Peg	7.2	X		2	52	0.5	48	0.68	0.56	0.02	0.02	0.2	53	X	357.6	X	19	X	30.8	6		
NBRC035	NC0264	42	43	1	Peg	7.3	X		7	102	0.4	110.2	0.68	1.53	0.04	0.03	X	52	X	988.8	X	32	X	41.4	7		
NBRC035	NC0265	43	44	1	Peg	7.29	X		28	75	0.4	92.8	0.57	1.86	0.04	0.02	X	46	X	1105.9	X	24	X	32.9	7		
NBRC035	NC0266	44	45	1	Peg	8.23	X		20	70	0.3	168.2	0.71	3.49	0.06	0.03	X	56	0.01	2006.6	X	41	X	35.3	9		
NBRC035	NC0269	45	46	1	Peg	7.43	X		7	30	0.4	84	0.67	2.6	0.03	0.02	0.2	54	X	1288.8</td							

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm		
NBRC037	NC02120	13	14	1	Peg	7.87	X	50	32	0.6	99.1	1.33	0.9	0.02	0.17	0.4	73	0.02	809.3	X	23	35	61.2	5		
NBRC037	NC02121	14	15	1	Peg	7.54	X	64	17	1.3	76.9	2.54	0.47	0.02	0.36	0.6	47	0.04	404.9	X	14	49	35.3	7		
NBRC037	NC02122	15	16	1	Peg	7.03	X	78	14	4	54.2	7.33	0.4	0.02	1.44	X	16	0.06	188.8	X	17	124	12	13		
NBRC037	NC02123	16	17	1	Peg	7.5	X	45	20	1.7	328	4.85	1.02	0.06	0.84	0.5	36	0.07	1661.6	X	44	63	21.8	13		
NBRC037	NC02124	17	18	1		7.55	X	115	2	6.3	13.2	11.75	0.4	0.02	2.09	0.2	X	0.04	60.9	X	2	206	2.9	1		
NBRC037	NC02125	18	22	4		7.31	X	114	2	7	7.7	11.58	0.42	0.01	2.56	0.2	13	0.05	31.7	X	X	265	1	X		
NBRC037	NC02126	22	26	4		7.49	X	68	2	6.6	7.8	10.69	0.32	X	2.64	0.3	14	0.05	44.8	X	X	443	1	X		
NBRC037	NC02127	26	28	2		7.67	X	47	4	6.2	62.4	9.86	0.41	X	1.87	X	X	0.09	181.2	X	6	336	0.6	4		
NBRC037	NC02128	28	29	1		7.92	X	40	3	7.4	26.2	7.42	0.26	X	1.06	X	X	0.14	72.3	X	6	552	1.5	3		
NBRC037	NC02129	29	30	1		7.35	X	28	2	7.9	5.1	6.11	0.22	X	0.69	X	X	0.12	1.13	49	X	3	687	1.8	3	
NBRC037	NC02130	30	31	1	Peg	5.89	X	44	27	1	74.9	1.66	0.84	X	0.17	X	X	0.08	442.4	X	15	81	41.2	3		
NBRC037	NC02131	31	32	1	Peg	7.18	X	53	11	0.6	60	1	1.3	X	0.09	X	X	0.02	589.4	X	8	60	35.3	2		
NBRC037	NC02133	32	33	1	Peg	10.66	X	87	11	0.4	20.8	1.24	0.9	X	0.13	X	X	60	X	372.6	X	18	60	63.8	1	
NBRC037	NC02136	33	34	1		7.96	X	138	22	2.5	82	6.96	1.28	X	1.26	0.2	33	0.03	738	X	24	103	20.4	3		
NBRC037	NC02137	34	38	4		7.22	X	109	1	7.8	1.9	11.15	0.41	X	2.43	0.2	X	0.05	39.4	0.09	2	268	0.5	3		
NBRC037	NC02138	38	42	4		6.88	X	101	1	7.4	2	10.45	0.35	X	2.25	X	X	0.05	25	0.08	4	204	0.5	3		
NBRC037	NC02139	42	46	4		6.6	X	36	1	7.4	1.3	9.21	0.24	X	2.14	X	X	0.07	15.5	X	3	294	0.4	3		
NBRC037	NC02140	46	50	4		7.22	X	49	1	6.8	1.7	10.31	0.28	X	2.24	X	X	0.06	22.4	X	26	339	0.5	4		
NBRC037	NC02141	50	54	4		6.62	X	43	X	6.6	1.2	9.19	0.24	X	1.8	X	X	0.08	14.9	0.06	2	288	0.5	5		
NBRC037	NC02142	54	58	4		6.78	X	74	1	6.9	1	10.73	0.3	X	2.41	X	X	0.06	22.5	0.07	43	215	0.5	3		
NBRC037	NC02143	58	62	4		6.72	X	78	1	8.6	1.2	10.46	0.22	X	2.61	0.2	13	0.06	16.7	0.06	5	368	1	3		
NBRC037	NC02144	62	64	2		7.42	X	187	X	6.4	1.9	10.75	0.46	X	2.13	0.2	X	0.05	30.1	0.12	X	187	0.5	3		
NBRC038	NC02145	0	1	1		6.58	X	191	3	6.7	11.9	11.54	0.42	0.01	2.92	0.3	18	0.03	51	X	2	566	1.7	2		
NBRC038	NC02146	1	2	1		7.24	X	174	X	6.5	3.4	13.37	0.43	0.01	2.41	0.3	X	0.02	21.1	X	X	179	0.4	X		
NBRC038	NC02147	2	3	1		6.89	X	154	X	6.2	6.6	13.42	0.42	0.02	2.46	0.3	X	0.02	25.1	X	X	157	0.3	2		
NBRC038	NC02148	3	4	1		7.16	X	198	X	6.3	15.6	12.73	0.42	0.01	2.33	0.2	X	0.03	49.8	X	X	163	0.3	2		
NBRC038	NC02149	4	5	1		6.73	X	149	4	6.3	47	12.46	0.45	0.01	2.53	0.3	X	0.03	175	X	8	159	4	5		
NBRC038	NC02150	5	6	1		7.23	X	142	34	2.8	79.9	4.85	0.69	0.01	0.92	X	15	0.02	584.2	X	11	124	16	8		
NBRC038	NC02151	6	7	1		7.15	X	129	2	6.3	30	12.52	0.39	0.01	2.35	0.3	X	0.03	142.3	X	X	152	2.1	4		
NBRC038	NC02152	7	8	1		7.64	X	155	4	6.2	29.7	11.66	0.44	0.01	2.25	0.3	X	0.03	214.9	X	6	220	2.8	5		
NBRC038	NC02153	8	9	1	Peg	8.15	X	70	28	0.9	66.4	1.75	0.69	X	0.26	X	X	46	0.02	588.4	X	29	53	36.2	6	
NBRC038	NC02156	9	10	1	Peg	8.05	X	16	16	0.6	21.7	0.76	0.33	X	0.07	X	X	156	0.02	178.4	X	66	25	132.3	8	
NBRC038	NC02157	10	11	1	Peg	8.01	X	20	13	0.5	43.1	0.87	0.5	X	0.08	X	X	50	0.01	396.8	X	29	23	53.8	5	
NBRC038	NC02158	11	12	1	Peg	8.28	X	23	41	0.3	10	0.62	0.49	X	0.04	X	X	87	0.01	201.5	X	14	22	107.6	3	
NBRC038	NC02159	12	13	1	Peg	8.24	X	26	12	0.3	10.3	0.71	0.48	X	0.05	X	X	52	0.01	210.3	X	15	26	183.7	3	
NBRC038	NC02160	13	14	1	Peg	10.31	X	41	35	0.3	8.8	0.72	0.6	X	0.07	X	X	52	0.01	244.6	X	15	42	87.7	3	
NBRC038	NC02162	14	15	1		6.96	X	225	11	3.4	66.4	11.9	0.79	X	1.7	0.3	X	0.03	496.4	X	7	109	3.3	3		
NBRC038	NC02163	15	16	1		7.05	X	166	1	6.7	4.2	12.8	0.47	X	2.52	0.3	X	0.05	47	0.16	X	138	2.2	3		
NBRC038	NC02164	16	20	4		7.39	X	147	X	6.7	3.4	12.35	0.54	X	2.41	0.2	X	0.03	41	0.16	48	148	0.4	4		
NBRC038	NC02165	20	24	4		7.24	X	113	X	6.9	1.7	12.39	0.42	X	2.47	0.2	X	0.03	31.4	0.15	X	154	0.3	2		
NBRC038	NC02166	24	28	4		7.63	X	117	X	6.9	1.7	11.22	0.39	X	2.5	0.2	X	0.03	19.1	0.12	X	155	0.3	3		
NBRC038	NC02167	28	32	4		7.24	X	107	X	7.3	1.1	11.93	0.36	X	2.67	0.2	X	0.03	16.1	0.13	X	153	0.7	3		
NBRC038	NC02168	32	36	4		6.8	X	76	X	8	1.1	11.13	0.33	X	2.83	0.2	X	0.03	13.4	0.08	2	183	0.4	2		
NBRC038	NC02169	36	40	4		6.63	X	126	X	6.9	1.5	12.82	0.45	X	2.74	0.2	X	0.03	18.7	0.19	X	138	0.4	3		
NBRC039	NC02170	0	1	1		6.45	X	172	3	5.6	48.2	11.97	0.5	0.02	2.23	0.3	X	0.01	167.5	X	2	134	0.6	2		
NBRC039	NC02171	1	2	1		7.46	X	176	11	5.3	323.4	10.55	0.83	0.03	1.88	0.2	X	0.02	594.9	X	14	154	8.9	4		
NBRC039	NC02173	2	3	1	Peg	8.84	X	119	76	1.3	500.9	3.78	1.36	0.04	0.59	X	X	X	51	0.02	1732.2	X	101	51	125.2	7
NBRC039	NC02175	3	4	1	Peg	7.19	X	20	71	0.6	130.5	1.31	0.46	0.02	0.11	0.2	X	30	X	480	X	31	22	44.3	4	
NBRC039	NC02176	4	5	1	Peg	7.64	X	64	56	1	41.1	2.19	0.35	X	0.22	0.4	X	43	X	136.7	X	5	34	33.8	3	
NBRC039	NC02177	5	6	1		7.22	X	118	5	6.9	32.8	8.13	0.31	0.02	1.19	X	X	0.03	116.4	X	6	322	2.9	9		
NBRC039	NC02178	6	7	1		7.47	X	120	2	6.9	8.1	10.15	0.35	0.02	2.2	0.2	X	0.04	39.2	X	2	203	0.6	2		
NBRC039	NC02179	7	8	1		7.29	X	83	10	6.1	45.2	9.17	0.42	0.02	1.98	0.2	X	0.03	137.9	X	7	178	4.4	3		
NBRC039	NC02180	8	9	1	Peg	7.58	X	10	20	0.9	29.1	1.1	0.33	0.01	0.1	0.3	X	38	X	164.3	X	10	35	25.9	4	
NBRC039	NC02181	9	10	1	Peg	7.97	X	171	21	3.8	337.7	9.07	1.32	0.05	1.58	0.3	X	31	0.04	1696.6	X	35	140	23.5	4	
NBRC039	NC02182	10	11	1		7.07	X	142	1	6.2	8.8	11.5														

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC041	NC02233	38	42	4		7.67	X	98	X	7.6	14.2	10.64	0.36	X	3.22	0.2	X	0.02	22	0.16	X	142	0.6	2	
NBRC041	NC02234	42	46	4		7.7	X	88	X	7.6	22	10.04	0.33	X	3.12	X	X	0.02	21.9	0.29	X	141	0.2	3	
NBRC041	NC02235	46	50	4		7.78	X	125	X	7.5	34.4	9.47	0.32	X	3.19	X	X	0.03	33.4	0.2	X	142	0.2	4	
NBRC041	NC02236	50	54	4		7.88	X	100	X	7.7	14.2	9.65	0.34	X	3.29	0.2	X	0.02	15	0.13	X	152	0.2	2	
NBRC041	NC02237	54	58	4		7.55	X	120	X	7.7	16.6	10.31	0.38	X	3.53	0.2	X	0.02	21.7	0.14	X	130	0.5	3	
NBRC041	NC02238	58	60	2		7.69	X	107	X	7.8	24	10.05	0.31	X	3.48	X	X	0.02	25.6	0.11	X	130	0.2	2	
NBRC042	NC02239	0	1	1		7.28	X	140	X	6.8	34.4	10.76	0.44	0.01	2.97	0.2	X	0.01	47.6	X	18	125	0.3	2	
NBRC042	NC02240	1	2	1		7.23	X	163	X	6.7	21.8	10.61	0.36	0.01	2.9	0.2	X	0.01	42.7	X	X	119	0.3	X	
NBRC042	NC02241	2	3	1	Peg	7.44	X	65		12	4.9	38.6	6.14	0.58	0.03	1.33	X	18	X	346.1	X	27	116	7.8	4
NBRC042	NC02243	3	4	1	Peg	8.3	X	9		13	0.5	220.4	2.31	2.86	0.25	0.24	0.3	104	X	3867.6	X	266	X	41.7	30
NBRC042	NC02245	4	5	1	Peg	6.15	X	11		7	0.6	26.8	0.99	0.26	0.02	0.16	X	X	0.01	251.1	X	10	X	7.2	3
NBRC042	NC02246	5	6	1	Peg	6.57	X	5		4	0.2	29.9	0.6	0.37	0.03	0.06	X	X	276.2	X	5	X	13.5	3	
NBRC042	NC02247	6	7	1	Peg	9.62	X	2		52	0.5	142.3	0.57	1.04	0.12	0.04	0.2	36	X	1623.8	X	64	X	64	12
NBRC042	NC02248	7	8	1	Peg	5.66	X	2		32	0.1	133.7	1.26	1.74	0.13	0.09	X	78	X	2038.8	X	156	X	31.5	18
NBRC042	NC02249	8	9	1	Peg	8.15	X	3		271	0.3	217	0.78	1.16	0.1	0.04	X	75	X	1418	X	114	X	88.4	16
NBRC042	NC02250	9	10	1	Peg	7.5	X	43		93	1.8	66.8	2.75	0.7	0.04	0.59	0.2	71	0.01	618.5	X	46	43	39.8	9
NBRC042	NC02252	10	14	4		7.73	X	138		2	7.5	21.7	11.01	0.44	X	3.1	0.2	X	0.02	50.3	0.18	X	128	0.8	4
NBRC042	NC02253	14	18	4		7.48	X	86		1	7.8	6.6	10.85	0.35	X	3.33	0.3	X	0.02	27.3	0.1	X	134	0.3	2
NBRC042	NC02254	18	22	4		7.65	X	147	X	7.6	33.6	10.53	0.44	X	3.38	0.3	X	0.02	44.6	0.2	X	130	0.7	3	
NBRC042	NC02255	22	26	4		7.79	X	120		1	7.3	10.9	9.38	0.4	X	3.21	0.2	X	0.02	41.8	0.05	X	154	0.3	2
NBRC042	NC02256	26	30	4		7.53	X	59		1	7.5	5.5	9.47	0.31	X	3.21	0.2	X	0.02	26.2	X	X	143	0.6	4
NBRC042	NC02257	30	34	4		7.61	X	71	X	7.8	7.7	10.08	0.26	X	3.33	0.3	X	0.03	17.5	0.17	X	160	0.5	4	
NBRC042	NC02258	34	38	4		7.64	X	104	X	7.8	18.8	10.43	0.33	X	3.32	0.2	X	0.02	25.7	0.19	23	155	0.2	3	
NBRC042	NC02259	38	42	4		7.68	X	138		7	7.8	16.8	10.62	0.43	X	3.4	0.3	X	0.02	24.9	0.19	X	139	0.2	4
NBRC042	NC02260	42	46	4		7.77	X	164	X	7.6	138.4	11.07	0.65	X	3.78	0.3	X	0.02	108.5	0.14	59	198	0.2	2	
NBRC042	NC02261	46	50	4		7.81	X	10X		12	4.3	10.58	0.15	X	3.28	X	X	0.03	5	X	X	892	0.2	8	
NBRC042	NC02263	50	54	4		9.05	X	44		1	12.4	6.7	12.02	0.22	X	3.62	X	X	0.03	22.2	0.11	X	776	0.4	28
NBRC042	NC02264	54	58	4		8.25	X	38		1	10	16	11.5	0.19	X	3.61	0.2	X	0.02	17.3	0.16	X	631	0.2	2
NBRC042	NC02265	58	60	2		7.21	X	73	X	8.1	9.6	11.53	0.31	X	3.59	0.2	X	0.02	13.6	0.23	X	209	0.2	3	
NBRC043	NC02266	0	2	2		7.31	X	120		7	2.3	10.3	0.37	0.29	X	0.81	X	X	0.01	169	X	X	109	0.4	2
NBRC043	NC02267	2	6	4		7.71	X	148		4	4.3	12.8	11.65	0.48	X	2.04	X	X	0.01	157.4	X	X	109	0.7	2
NBRC043	NC02268	6	10	4		7.53	X	138		6	5.5	12.7	11.18	0.53	0.01	2.39	X	X	0.01	218	X	X	127	0.3	X
NBRC043	NC02269	10	11	1		7.66	X	144		5	5.9	24.1	10.96	0.51	0.01	2.58	X	X	0.01	250.9	X	X	124	0.4	X
NBRC043	NC02270	11	12	1		8.9	X	94		19	2.1	13.3	12.8	0.29	X	1.12	X	X	0.02	178.4	X	X	74	29.3	2
NBRC043	NC02271	12	13	1		8.76	X	182		27	0.7	97	13.5	0.69	0.01	0.86	0.3	X	0.03	1681.2	X	12	59	1.2	2
NBRC043	NC02273	13	14	1	Peg	8.79	X	76		99	0.4	115.4	2.88	3.08	0.01	0.28	0.3	53	0.02	2445.8	X	34	27	104.8	6
NBRC043	NC02275	14	15	1	Peg	8.56	X	36		56	0.1	115.5	1	5.88	0.03	0.1	X	50	0.01	3943.7	X	53	X	35.2	7
NBRC043	NC02276	15	16	1	Peg	9.8	X	46		139	0.2	114.9	1.05	4.01	0.04	0.11	0.2	99	0.01	2899.7	X	44	X	96.4	11
NBRC043	NC02277	16	17	1	Peg	10.78	X	7		65	X	67.8	0.6	1.78	0.08	0.05	X	77	X	1360.1	X	58	X	51.6	9
NBRC043	NC02278	17	18	1	Peg	7.44	X	76		54	X	121.2	0.7	2.63	0.06	0.06	0.3	51	X	2374.1	X	67	X	35.4	11
NBRC043	NC02279	18	19	1	Peg	8.85	73	28		78	X	133	0.76	3.66	0.06	0.05	X	98	X	2720.5	X	87	X	66.2	13
NBRC043	NC02280	19	20	1	Peg	8.65	183	27		97.9	1.01	28.9	0.06	0.08	X	121	X	2174.9	X	124	X	62.9	18		
NBRC043	NC02281	20	21	1	Peg	8.55	138	61		34	0.2	127	4.11	2.68	0.03	0.22	X	75	0.02	1960.2	X	54	20	61.5	11
NBRC043	NC02282	21	22	1		7.31	X	157		8	5.4	37.6	10.66	0.66	0.02	2.47	X	X	0.01	275.8	X	3	119	2.1	2
NBRC043	NC02283	22	26	4		6.7	X	153		3	6.6	16.5	12.22	0.6	0.02	3.1	0.2	X	0.03	131.1	0.09	X	112	0.5	3
NBRC043	NC02284	26	30	4		6.92	X	82		3	6.8	20.7	10.43	0.58	0.03	2.91	0.3	X	0.04	160.9	0.11	23	127	7.1	7
NBRC043	NC02285	30	31	1		7.13	X	106		9	5.7	74.2	10.2	0.67	0.03	2.58	0.2	X	0.03	385	0.13	5	110	7.1	5
NBRC043	NC02286	31	32	1	Peg	7.7	X	13		93	0.6	101.1	1.26	1.88	0.02	0.19	0.3	36	0.02	1218.5	X	15	21	44.4	4
NBRC043	NC02287	32	33	1	Peg	8	83	10		137	0.2	447.8	0.54	3.57	0.04	0.04	0.2	25	0.03	3793.2	X	21	X	29.1	5
NBRC043	NC02288	33	34	1	Peg	7.72	X	4		240	0.3	105	1	0.99	0.03	0.05	0.4	73	0.03	704	X	29	X	61.8	6
NBRC043	NC02289	34	35	1	Peg	7.98	X	9		130	0.2	106	0.79	3.15	0.08	0.07	X	122	0.01	2374.6	X	102	X	66.9	17
NBRC043	NC02290	35	36	1	Peg	7.61	86	11		19	0.2	105.2	0.94	3.27	0.08	0.08	X	103	0.01	2368.6	X	114	X	48.6	16
NBRC043	NC02291	36	37	1	Peg	7.55	X	3		23	0.2	87.1	0.73	2.84	0.06	0.04	X	90	X	1801.9	X	71	X	44	14
NBRC043	NC02293	37	38	1	Peg	7.44	X	6		12	0.2	71.3	0.82	3.12	0.06	0.05	X	89	X	1937	X	66	X	35.8	13
NBRC043																									

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC044	NC02346	48	49	1 Peg	7.74 X		14	106	0.6	78	1.06	2.88	0.03	0.18 X		37	0.02	1736 X	296	21	50.4	6		
NBRC044	NC02347	49	50	1 Peg	7.89 X		3	118	0.3	57.8	0.76	0.96	0.05	0.06	0.5		29	0.03	642.8 X	34 X		27.3	6	
NBRC044	NC02348	50	51	1 Peg	7.63	56	7	76	0.3	98.4	0.81	3.14	0.05	0.06	0.2		70	0.02	2070.4 X	70 X		43.9	12	
NBRC044	NC02349	51	52	1 Peg	7.88	74	16	34	0.6	102.8	1.39	3.3	0.05	0.23 X		101	0.02	2317.9 X	136 X		62.1	15		
NBRC044	NC02350	52	53	1 Peg	7.8	58	8	21	0.3	93.1	0.89	3.48	0.05	0.07 X		72	0.01	2073.5 X	76 X		38.8	11		
NBRC044	NC02351	53	54	1 Peg	7.1 X		3	62	0.2	62.4	0.91	2.56	0.08	0.04 X		80 X		1707.9 X	66 X		33.7	13		
NBRC044	NC02352	54	55	1 Peg	7.65	73	4	60	0.3	72.9	0.91	2.09	0.05	0.05	0.2		169	0.01	1342.6 X	61 X		77.3	15	
NBRC044	NC02353	55	56	1 Peg	7.48	86	10	26	0.3	90.8	0.87	3.1	0.04	0.06 X		89	0.01	1921.1 X	68 X		47.3	12		
NBRC044	NC02354	56	57	1 Peg	7.88	89	5	127	0.2	94.4	0.8	3.64	0.03	0.05 X		100	0.01	2143.9 X	76 X		53.3	13		
NBRC044	NC02356	57	58	1 Peg	7.85 X		9	61	0.3	93.2	0.74	3.66	0.05	0.04 X		116	0.02	2138.8 X	54 X		67.3	12		
NBRC044	NC02358	58	59	1 Peg	7.93 X		6	112	0.3	86.5	0.67	3.73	0.04	0.04 X		79	0.01	2092.7 X	97 X		55	11		
NBRC044	NC02359	59	60	1 Peg	6.98	51	4	11	0.2	56.7	0.72	3.43	0.04	0.05 X		59 X		1933.5 X	71 X		27.4	12		
NBRC044	NC02360	60	61	1 Peg	7.17	102	2	17	0.3	64.5	0.85	1.73	0.05	0.06 X		124 X		1182.5 X	62 X		57.2	14		
NBRC044	NC02361	61	62	1 Peg	7.51	225	2	30	0.3	66.7	0.87	2.34	0.04	0.05 X		143	0.01	1398.3 X	65 X		64.6	15		
NBRC044	NC02362	62	63	1 Peg	7.93	74	4	26	0.2	73.2	0.88	3.44	0.05	0.06 X		115	0.01	2020.9 X	65 X		52.5	15		
NBRC044	NC02363	63	64	1 Peg	7.11 X		25	15	0.2	40	0.81	2.82	0.01	0.05 X		105	0.01	1312.6 X	33 X		48.1	9		
NBRC044	NC02364	64	65	1 Peg	7.7 X		62	41	2.1	139.8	3.48	2.03	0.02	0.76 X		95	0.03	1175.3	0.08	28	55	70.7	7	
NBRC044	NC02365	65	66	1 Peg	7.7 X		110	18	4.1	46.6	6.99	1.72	0.03	1.78	0.2		26	0.02	868.6	0.13	22	84	14.8	7
NBRC044	NC02366	66	67	1 Peg	7.4 X		161	9	6.2	28.3	10.34	0.69	0.02	2.66	0.2		11	0.03	214.2	0.14	5	123	3.8	8
NBRC044	NC02367	67	68	1 Peg	7.33 X		136	10	5.1	49.2	9.73	1.04	0.01	2.43	0.2		15	0.03	359.4	0.09	6	119	6.4	16
NBRC045	NC02368	0	4	1 Peg	7.55 X		106	5	4.4	7	11.45	0.46 X	1.87	0.2 X	0.01	139.0 X		141	0.4		1			
NBRC045	NC02369	4	8	1 Peg	7.82 X		239	7	2.9	10.3	11.61	0.76 X	1.2 X	X	0.02	143.3 X	X		202	0.4	2			
NBRC045	NC02370	8	12	4 Peg	8.07 X		287	21	1.2	8.9	13.28	0.56 X	0.63	0.8 X		0.02	154.3 X	4	107	1.9	4			
NBRC045	NC02371	12	16	4 Peg	8.42 X		256	20	1	10	13.02	0.5 X	0.48	0.3 X		0.03	189.2 X	4	104	0.5	3			
NBRC045	NC02372	16	18	2 Peg	9.61 X		282	11	0.9	8.6	8.73	0.45 X	0.43	0.5 X		0.02	126.1 X	2	114	0.8	2			
NBRC045	NC02373	18	19	1 Peg	8.35 X		211	76	0.1	233.7	4.5	5.26	0.01	0.11	0.4		51	0.02	5598.9 X	33	26	50.3	7	
NBRC045	NC02376	19	20	1 Peg	8.42 X		33	96	0.1	115.9	0.76	4.2	0.06	0.05	0.2		95	0.01	3009.5 X	67 X		74.1	11	
NBRC045	NC02377	20	21	1 Peg	8.18		50	45 X		97.4	0.69	6.27	0.05	0.04	0.2		32 X		3665.8 X	56 X		13.4	7	
NBRC045	NC02378	21	22	1 Peg	7.43 X		25	73	0.2	96.2	0.67	5.34	0.05	0.04	0.4		56 X		3154.4 X	68 X		33.1	9	
NBRC045	NC02379	22	23	1 Peg	9.86	113	68	114 X		179.4	0.61	3.99	0.04	0.03	0.4		157	0.01	2841.8 X	50 X		133.4	11	
NBRC045	NC02380	23	24	1 Peg	9.03	195	66	93 X		148.4	0.72	3.22	0.04	0.04	0.4		114 X		2306 X	53 X		89.2	12	
NBRC045	NC02381	24	25	1 Peg	8.18	59	50	29 X		68.3	1.2	1.91	0.04	0.04	0.3		111 X		1327.5 X	54 X		82.1	10	
NBRC045	NC02382	25	26	1 Peg	8.63 X		344	62	0.2	119.5	13.04	1.26	0.02	0.48	0.7		40	0.06	1797.6 X	26	35	34.4	12	
NBRC045	NC02383	26	27	1 Peg	8.29 X		100	23	3.9	106.7	9.04	0.89	0.02	1.93	0.2		20	0.02	844.2 X	24	139	18	16	
NBRC045	NC02384	27	28	1 Peg	7.65 X		80	9	6.4	18.3	10.47	0.48	0.01	2.56	0.3 X		0.02	2009.9 X	6	189	4.1	5		
NBRC045	NC02385	28	29	1 Peg	7.67 X		134	13	5.3	130.2	9.91	0.9	0.03	2.75	0.3 X		0.03	846.8 X	14	154	5.2	13		
NBRC045	NC02386	29	30	1 Peg	8.21	131	49	59	1.7	308.4	4.44	1.27	0.04	1.12	0.3		35	0.03	1625.8 X	34	60	75.1	17	
NBRC045	NC02387	30	31	1 Peg	8.06 X		18	40	0.4	158.4	1.19	3.58	0.02	0.13	0.6		32	0.02	3689.2 X	18	20	36.5	5	
NBRC045	NC02388	31	32	1 Peg	8.25 X		11	71	0.3	70.9	0.73	2.01	0.02	0.06	0.3		50	0.02	1542.2 X	19 X		40	5	
NBRC045	NC02389	32	33	1 Peg	8.21	56	10	149	0.2	75.9	0.71	2.3	0.03	0.04	0.3		45	0.03	1546.5 X	29 X		37.5	6	
NBRC045	NC02390	33	34	1 Peg	8.08	99	14	55	0.2	115.1	0.83	4.67	0.05	0.07 X		83	0.02	3194.4 X	67 X		66.3	12		
NBRC045	NC02391	34	35	1 Peg	8.07	90	14	31	0.3	83.7	0.88	3.01	0.05	0.06	0.2		114	0.02	2154 X	80 X		64.9	15	
NBRC045	NC02392	35	36	1 Peg	8.05	75	18	34	0.2	114.7	0.7	3.94	0.07	0.07 X		80	0.01	2710.8 X	93 X		42.9	13		
NBRC045	NC02393	36	37	1 Peg	7.78 X		10	38	0.2	114.4	0.85	3.42	0.06	0.06 X		77	0.01	2277.8 X	78 X		42.5	13		
NBRC045	NC02394	37	38	1 Peg	7.9 X		11	20	0.1	89	0.87	4.17	0.06	0.05 X		86	0.01	2508.8 X	70 X		46.4	15		
NBRC045	NC02395	38	39	1 Peg	8.57 X		9	25	0.1	92.8	1.03	3.7	0.09	0.05 X		94 X		2482.1 X	68 X		66.4	15		
NBRC045	NC02398	39	40	1 Peg	7.94	179	8	23	0.2	80.9	0.93	3.44	0.05	0.05 X		142	0.01	1984.5 X	55 X		67.9	15		
NBRC045	NC02399	40	41	1 Peg	7.8 X		7	52	0.2	73.3	0.87	3	0.04	0.05 X		111	0.01	1724.2 X	51 X		60.1	15		
NBRC045	NC02400	41	42	1 Peg	7.51 X		10	57	0.2	76.2	0.63	2.86	0.04	0.04 X		72	0.01	1862 X	34 X		43.5	9		
NBRC045	NC02401	42	43	1 Peg	7.62 X		10	29	0.2	82.6	0.84	3.06	0.05	0.05 X		98	0.01	1842.9 X	52 X		52.6	14		
NBRC045	NC02402	43	44	1 Peg	7.94 X		14	39	0.3	80	0.8	3.25	0.06	0.06 X		110	0.01	2078.6 X	74 X		61.6	16		
NBRC045	NC02403	44	45	1 Peg	7.82 X		11	21	0.3	67.1	0.73	3.1	0.04	0.05 X		129	0.01	2004.1 X	55 X		71.7	16		
NBRC045	NC02410	45	46	1 Peg	7.32	107	7	11	0.2	85.8	0.98	2.64	0.07	0.07	0.3		279	0.01	1968.2 X	94 X		142.5	25	
NBRC045	NC02405	46	47	1 Peg	8.06 X		8	18	0.3	64.8	0.85	2.67	0.02	0.04	0.3		123	0.01	1773.6 X	59 X		69.4	14	
NBRC045	NC02406	47	48	1 Peg	7.76	55	4	14	0.2	72.4	0.68	3.13	0.05	0.04 X		96	0.01	1856.3 X	61 X		47.7	13		

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC046	NC02457	48	49	1 Peg	7.51 X		8	161	0.4	120	0.94	2.28	0.04	0.07	0.3	56	0.02	1810.2 X	30 X	41.6	7				
NBRC046	NC02458	49	50	1 Peg	7.61 X		6	93	0.3	68.8	0.86	2.11	0.05	0.03	0.3	94	0.02	1450.9 X	75 X	62.1	12				
NBRC046	NC02460	50	51	1 Peg	7.49 X		11	36	0.3	62.7	1.08	2.56	0.06	0.05	0.3	110	0.01	1654.8 X	56 X	68.3	13				
NBRC046	NC02462	51	52	1 Peg	7.49 X		9	22	0.3	61.5	0.99	2.52	0.08	0.03	X	92 X		1705.2 X	61 X	49.9	14				
NBRC046	NC02463	52	53	1 Peg	8.14	116	11	29	0.3	64.2	0.97	3.4	0.04	0.06	0.2	197	0.01	2199.5 X	83 X	97.8	16				
NBRC046	NC02464	53	54	1 Peg	7.58 X		18	10	0.2	68.1	0.75	4.19	0.04	0.05	X	111	0.01	2389.9 X	80 X	51.8	14				
NBRC046	NC02465	54	55	1 Peg	7.61 X		9	18	0.2	60.9	0.71	4.32	0.03	0.04	X	88	0.01	2187.1 X	62 X	43.4	11				
NBRC046	NC02466	55	56	1 Peg	7.43 X		7	14	0.2	56.8	0.78	4.37	0.04	0.03	X	108	0.01	2162.9 X	48 X	51.4	12				
NBRC046	NC02467	56	57	1 Peg	7.29 X		8	19	0.2	49	0.79	3.87	0.04	0.03	X	121 X		1907.7 X	45 X	61.9	12				
NBRC046	NC02468	57	58	1 Peg	7.07	57	3	48	0.3	49.3	0.89	1.72	0.03	0.05	X	212	0.01	1602 X	59 X	89.4	17				
NBRC046	NC02470	58	59	1 Peg	7.21	173	3	24	0.3	54.2	1.04	2.41	0.03	0.05	X	161 X		1396.2 X	69 X	69.9	17				
NBRC046	NC02471	59	60	1 Peg	7.29 X		12	12	0.2	77.3	0.76	3.62	0.03	0.03	X	110	0.01	2006.3 X	49 X	48.6	12				
NBRC046	NC02472	60	61	1 Peg	7.2	110	5	21	0.3	61.4	0.89	2.35	0.03	0.05	X	217	0.01	1384.6 X	141 X	93.8	17				
NBRC046	NC02473	61	62	1 Peg	7.44 X		16	17	0.3	64.4	0.89	3.34	0.02	0.06	X	158	0.01	1932.2 X	68 X	79.5	15				
NBRC046	NC02474	62	63	1 Peg	7.41 X		16	61	0.3	51.6	0.98	2.58	0.01	0.06	X	134	0.01	1516.4 X	64 X	74.6	12				
NBRC046	NC02475	63	64	1 Peg	9.18 X		63	67	0.2	27.7	2.34	2.35	0.2	X	87	0.02	1031.6 X	42 X	53.7	17					
NBRC046	NC02476	64	65	1 Peg	8.76 X		67	66	0.6	20.7	4.61	1.51	X	0.62	X	85	0.03	442.2 X	36	49	56.2	9			
NBRC047	NC02477	0	4	4 Peg	11.47 X		48	6	0.4	3.9	13.15	0.14	X	0.17	X	0	0.02	31.9	0.27	4	23	0.9	1		
NBRC047	NC02478	4	8	4 Peg	10.94 X		29	7 X		4.7	15.09	0.16	X	0.1 X	X	0	0.04	49.2 X	4 X	0.9	2				
NBRC047	NC02480	8	12	4 Peg	10.23 X		37	12 X		5.3	19.63	0.17	X	0.11	X	0	0.05	68.4 X	4 X	8.2	2				
NBRC047	NC02482	12	13	1 Peg	9.59 X		51	58 X		20	7.83	1.16	X	0.06	X	78	0.02	589.4 X	23 X	88.5	4				
NBRC047	NC02483	13	14	1 Peg	9.21 X		25	19 X		47.2	2.81	2.55	0.01	0.04	X	25 X		1420 X	32 X	15.9	5				
NBRC047	NC02484	14	15	1 Peg	9.54 X		153	69 X		36.7	1.7	1.89	0.01	0.04	X	53 X		1108.6 X	23 X	68.8	4				
NBRC047	NC02485	15	16	1 Peg	10.67 X		183	64 X		49.8	1.77	6.09	0.04	0.02	X	40 X		2678.2 X	8 X	32.3	3				
NBRC047	NC02487	16	17	1 Peg	8.89 X		47	67 X		51.6	1.6	2.83	0.02	0.02	X	37 X		1585.7 X	28 X	26.2	5				
NBRC047	NC02488	17	18	1 Peg	9.97 X		126	57 X		55.1	0.7	2.45	0.01	0.02	X	29 X		1412.7 X	23 X	27.5	4				
NBRC047	NC02489	18	19	1 Peg	8.99 X		377	60 X		103.1	1.06	2.95	0.05	0.04	0.3	143 X		2024 X	43 X	118.6	10				
NBRC047	NC02490	19	20	1 Peg	8.86 X		730	136 X		106.5	1.04	3.86	0.02	0.03	0.5	145 X		2453.2 X	31 X	123.5	9				
NBRC047	NC02491	20	21	1 Peg	9.51 X		331	91 X		112.4	0.92	2.22	0.07	0.04	0.3	128 X		1674.4 X	47 X	94.8	11				
NBRC047	NC02492	21	22	1 Peg	9.23 X		356	65 X		117.6	0.95	2.93	0.08	0.03	0.4	136 X		2076.3 X	55 X	89.5	11				
NBRC047	NC02493	22	23	1 Peg	8.89 X		61	64 X	4.3	32.1	6.05	0.82	0.02	1.39	0.3	49	0.04	413.3 X	15 X	122	47.6	8			
NBRC047	NC02494	23	24	1 Peg	8.5 X		129	46 X		131.3	0.89	3.09	0.08	0.04	0.3	113 X		2174.5 X	52 X	87.7	11				
NBRC047	NC02495	24	25	1 Peg	7.04 X		128	83 X		101	0.58	2.49	0.04	0.02	0.3	108 X		1663.1 X	33 X	75.9	8				
NBRC047	NC02496	25	26	1 Peg	9.21 X		125	75 X		173.3	0.63	4.29	0.04	0.02	0.4	132	0.01	3123.3 X	26 X	113.6	8				
NBRC047	NC02497	26	27	1 Peg	8.23 X		114	54 X		189.4	1.1	3.6	0.05	0.02	0.5	168	0.01	3284.3 X	31 X	115.1	10				
NBRC047	NC02498	27	31	4 Peg	7.62 X		197	25	4.2	64.2	0.89	2.2	0.11	0.04	0.3	27	0.03	833 X	11 X	98	11	4			
NBRC047	NC02499	31	35	4 Peg	6.89 X		61	64 X	4.3	32.1	6.05	0.82	0.02	1.39	0.3	49	0.04	413.3 X	15 X	122	47.6	8			
NBRC047	NC02502	35	36	1 Peg	7.91	152	7	145	0.4	66.5	1.14	1.6	0.04	0.05	0.4	156	0.01	1149.2 X	48 X	121	11				
NBRC047	NC02503	36	37	1 Peg	7.71 X		21	99	0.3	179.6	1.01	4.3	0.03	0.05	0.4	120	0.01	4473 X	34 X	95.8	10				
NBRC047	NC02504	37	38	1 Peg	7.61 X		96	195	0.2	61.2	0.84	1.55	0.05	0.02	0.5	67	0.02	1239.6 X	24 X	20	51	43			
NBRC047	NC02505	38	39	1 Peg	8.41 X		12	31	0.2	48.7	0.84	1.62	0.07	0.02	X	48	0.01	977.8 X	22 X	36.3	11				
NBRC047	NC02506	39	40	1 Peg	7.49 X		4	126	0.2	84.5	0.89	2.2	0.11	0.04	0.3	107	0.02	1479.9 X	62 X	82.1	13				
NBRC047	NC02507	40	41	1 Peg	7.22 X		10	75	0.2	75	0.79	3.57	0.04	0.04	X	93	0.01	2023.3 X	53 X	54.1	12				
NBRC047	NC02508	41	42	1 Peg	7.58	53	7	40	0.2	74.5	1.05	3.24	0.04	0.05	0.3	126	0.01	1848.9 X	68 X	67.9	16				
NBRC047	NC02509	42	43	1 Peg	7.43 X		12	31	0.3	66.2	1.04	3.21	0.05	0.06	X	117 X		1756 X	82 X	56.9	18				
NBRC047	NC02510	43	44	1 Peg	7.22	52	12	15	0.2	59.9	0.68	6.01	0.04	0.04	X	67 X		2307.5 X	88 X	30.8	11				
NBRC047	NC02511	44	45	1 Peg	6.04 X		37	35	0.2	50.9	0.77	3.67	0.04	0.04	X	101 X		1428.2 X	42 X	44.4	13				
NBRC047	NC02512	45	46	1 Peg	6.89 X		11	4	6.5	7.1	9.4	1.26	X	2.51	X	10	0.04	87.4	0.13	10 X	139	3.5	13		
NBRC047	NC02520	58	59	1 Peg	6.63 X		127	7	6.2	19	10.4	2.15	0.01	2.33	X	X	0.04	105.6	0.22	30 X	143	3.7	26		
NBRC048	NC02522	59	60	1 Peg	6.3 X		51	2	7.3	3.1	11.7	1.8	0.01	2.66	0.2 X	0.03	48.3 X	22 X	109	1.1	4				
NBRC048	NC02524	8	12	4 Peg	8.89 X		11	1 X		1.7	3.12	X	X	0.05	X	18 X		4.2 X	5 X	11.9	4				
NBRC048	NC02525	12	16	4 Peg	9.27 X		7	2 X		2.6	2.93	X	X	0.04	X	17 X		4.4 X	6 X	3	3				
NBRC048	NC02527	16	20	4 Peg	9.06 X		9	3 X		3.8	2.84	X	X	0.04	X	18	0.02	8.9 X	7 X	1.8	4				
NBRC048	NC02528	20	24	4 Peg	8.49 X		24	4 X		35.2	2.48	0.23	X	0.12	X	19	0.02	98.2 X	10 X	4.6	6				
NBRC048	NC02529	24	25	1 Peg	8.33 X		56	4 X		74.3	2.63	0.4	0.01	0.16	X	16 X	0.02	238.6 X	10 X	2.3	3				
NBRC048	NC02530	25	26	1 Peg	8.75 X		164	14 X		120.3	3.73	0.66													

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC049	NC02572	32	36	4		8.8 X		18	4 X		2.3	3.01	0.05 X	0.05 X		16	0.03	13.9 X		4 X		1.9	2		
NBRC049	NC02573	36	40	4		8.4 X		189	5 X		30.5	2.45	1.02 X	0.12 X		31	0.02	340.7 X		7 X		13.9	5		
NBRC049	NC02574	40	44	4		7.69 X		1461	5 X		24.4	2.14	1.63 X	0.17 X		15	0.02	189.8 X		4		150	1.3		
NBRC049	NC02575	44	48	4		7.45 X		793	5	0.4	25.9	2.33	1.86 X	0.24 X		14	0.02	178 X		3		113	1.3		
NBRC049	NC02576	48	52	4		6.75 X		768	4	0.9	18.3	2	1.97 X	0.29 X		13	0.01	128 X		4		184	2.8		
NBRC049	NC02577	52	56	4		6.98 X		1235	4	1	11.4	2.32	2.49 X	0.51 X		12	0.02	106.6 X		3		176	1.1		
NBRC049	NC02578	56	60	4		7.05 X		1098	3	1.3	12.2	2.79	3 X	0.85 X		12	0.03	121.4 X		2		177	1.3		
NBRC050	NC02580	0	4	4		7.4 X		149	4	4.5	13.1	10.49	0.4	0.01	2.14 X	X	X	92.9	0.1	7		94	0.8		
NBRC050	NC02582	4	8	4		7.28 X		97	3	5.9	14.2	10.52	0.37	0.01	2.84 X	X	X	90.8 X	X			112	0.4		
NBRC050	NC02583	8	12	4		7.3 X		115	5	6.1	22.6	10.85	0.5	0.02	2.93 X	X	X	248.5 X		5		106	1.9		
NBRC050	NC02584	12	13	1 Peg	5.76 X	36	49	0.6	98.3	2.73	1.33	0.06	0.44 X			54 X	1185.2 X		104	20	41.9	10			
NBRC050	NC02585	13	14	1 Peg	7.12 X	21	169	0.2	255.9	0.67	4	0.04	0.05	0.2		35 X	3369.7 X		49 X		36	5			
NBRC050	NC02587	14	15	1 Peg	8.73 X	14	154	0.2	390.9	0.49	3.85	0.02	0.03 X			17	0.03	4204.2 X		20 X		20.2	2		
NBRC050	NC02588	15	16	1 Peg	9.58 X	50	35	0.2	91.7	0.8	4.17 X	0.07 X		69	0.01	2213.6 X		78	21	53.8	7				
NBRC050	NC02589	16	17	1 Peg	9.32 X	71	8	0.2	43.9	1.03	5.45 X	0.05 X		53	0.01	2058.5 X		46	29	35.1	2				
NBRC050	NC02590	17	18	1 Peg	9.67 X	119	8	0.2	43.9	1.05	4.39 X	0.05	0.2		102	0.01	1674.1 X		41	29	179.6	5			
NBRC050	NC02591	18	19	1 Peg	9.74 X	52	11	0.2	17.1	0.86	2.26 X	0.04 X		81 X	813.9 X		20	28	58.5	3					
NBRC050	NC02592	19	20	1 Peg	9.57 X	76	16	0.3	24.9	2.48	2.98 X	0.21 X		94	0.02	1154.5 X		59	30	79.8	3				
NBRC050	NC02593	20	21	1 Peg	8.93 X	63	26	0.2	24.8	1	2.83 X	0.07 X		113	0.01	1045.3 X		56	27	81	3				
NBRC050	NC02594	21	22	1 Peg	8.22 X	202	11	4.3	17.6	7.45	1.72 X	1.91 X		38	0.02	550.9 X		48	115	27.2	3				
NBRC050	NC02595	22	23	1		7.57 X		150	4	6.6	5.2	10.11	0.58 X		2.78 X	X		0.02	120.4 X		3		128	1.3	
NBRC050	NC02596	23	24	1		7.83 X		116	9	3.2	17.6	5.29	2.35 X		1.32 X			38	0.02	855.5 X		18		95	20.9
NBRC050	NC02597	24	28	4		7.6 X		122	3	6.9	4.7	10.23	0.59 X		2.94 X	X		0.02	111.1	0.06	3		133	1.3	
NBRC050	NC02598	28	32	4		7.57 X		124	2	7.2	3.1	10.84	0.47 X		3.06 X	X		0.02	49.9	0.11	40		125	0.4	
NBRC050	NC02600	32	36	4		7.73 X		109	2	7.2	3.3	9.99	0.43 X		2.96 X	X		0.02	47.2	0.1	2		134	0.5	
NBRC050	NC02602	36	40	4		7.81 X		86	3	7.3	2.1	8.15	0.34 X		3.11 X	X		0.03	51.2 X		3		155	0.4	
NBRC050	NC02603	40	44	4		8.02 X		95	1	7.5	2.3	8.32	0.35 X		3.15 X	X		0.03	29.8	0.09 X		155	0.3		
NBRC050	NC02604	44	48	4		7.82 X		111	1	7.4	3.1	9.34	0.42 X		3.24 X	X		0.03	41.8	0.11 X			125	0.5	
NBRC050	NC02605	48	52	4		7.57 X		104	5	7.3	9.4	9.41	0.4 X		3.23 X	X		0.03	54.7	0.1	2		129	1.2	
NBRC050	NC02606	52	56	4		7.87 X		140	1	7.3	5.1	9.27	0.46 X		3.24 X	X		0.03	29.8	0.15 X			128	0.3	
NBRC050	NC02607	56	60	4		8.01 X		153	X	7.4	6.2	9.29	0.47 X		3.13 X	X		0.03	31.1	0.12	3		132	0.9	
NBRC051	NC02608	0	4	4		6.77 X		314	10	5.6	12.2	8.62	0.71 X		2.06	0.8 X		X	173.8 X		17		219	0.7	
NBRC051	NC02609	4	8	4		6.69 X		263	10	4.9	14	10.02	0.72 X		2.19	0.4 X		X	181.1 X		8		143	0.8	
NBRC051	NC02610	8	9	1 Peg	6.33 X	155	12	1.7	27.6	3.49	3.24 X	0.65 X			20 X	1132.1 X		25	71	10.6	6				
NBRC051	NC02611	9	10	1 Peg	7.4 X	82	106	0.7	31.6	1.9	2.54 X	0.24 X			61 X	1196.3 X		42	28	23.6	7				
NBRC051	NC02612	10	11	1 Peg	7.57 X	17	48	0.3	34.9	0.86	3.17 X	0.05 X			53 X	1490.6 X		48 X		24.7	4				
NBRC051	NC02613	11	12	1 Peg	7.58 X	137	28	0.3	43.5	1.04	3.02 X	0.04 X			66 X	1324.4 X		36 X		45	9				
NBRC051	NC02614	12	13	1 Peg	6.25 X	137	20	1.4	22.9	2.41	1.65 X	0.48 X			37 X	639.5 X		17	53	24.9	6				
NBRC051	NC02615	13	14	1		7.53 X		138	12	4.7	13.1	8.36	1.26 X		2.09 X			16 X	354.2 X		7		122	7.4	
NBRC051	NC02616	14	15	1		7.49 X		172	7	5.4	8.6	9.75	0.89 X		2.72 X	X		201.6 X		4		139	3.2		
NBRC051	NC02617	15	16	1		7.65 X		102	10	6.2	8.2	9.23	0.54 X		2.9 X	X		117.7 X		4		181	2		
NBRC051	NC02618	16	17	1		8.11 X		98	7	6.1	20.2	7.85	1.22 X		2.47 X			12 X	363.1 X		4		227	12.1	
NBRC051	NC02619	17	18	1		8.23 X		192	6	5.3	15.5	9.68	1.07 X		2.86 X	X		0.02	182.7 X		2		230	1.7	
NBRC051	NC02622	18	19	1		7.86 X		248	7	5	13.8	10.18	1.07 X		2.86 X	X		X	188.4 X		3		207	1.3	
NBRC051	NC02623	19	20	1 Peg	8.47 X	251	15	3.5	11.6	7.27	1.22 X	1.77 X			19 X	272.6 X		3		164	11.2				
NBRC051	NC02624	20	21	1 Peg	8.53 X	89	16	0.4	73.2	1.95	3.54 X	0.25 X			97 X	1801.9 X		52	31	95.4	6				
NBRC051	NC02625	21	22	1 Peg	7 X	38	14	0.3	69.1	1.09	3.19 X	0.13 X			49 X	1697.2 X		28	22	26.5	4				
NBRC051	NC02626	22	23	1 Peg	7.8 X	26	19	0.2	93.1	0.71	4.13	0.01	0.04 X			40 X	2358.4 X		36 X		30	6			
NBRC051	NC02628	23	24	1 Peg	7.96 X	18	38	0.3	85.6	1.06	2.28	0.04	0.07 X			111 X	1583.7 X		53 X		72.2	9			
NBRC051	NC02629	24	25	1 Peg	7.85 X	19	57	0.3	80.1	0.98	1.65 X	0.03	0.06	0.3		141 X	1198.9 X		43 X		93.2	11			
NBRC051	NC02630	25	26	1		8.3 X		121	19	2.4	16.4	6.66	0.76 X		1.58	0.2		37 X	267.9 X		10		104	26.8	
NBRC051	NC02631	26	27	1		7.84 X		145	7	5.5	8.3	9.45	0.55 X		2.97	0.2 X			0.03	125 X		3		152	1.9
NBRC051	NC02632	27	31	4		8.18 X		58	2	6.7	9.2	9.29	0.32 X		3.23	0.2 X			0.06	40.9 X		3		206	0.8
NBRC051	NC02633	31	35	4		7.68 X		107	2	6.6	5.8	10.66	0.44 X		3.41	0.2 X			0.03	57.2	0.09	2		191	0.3
NBRC051	NC02634	35	39	4		7.35 X		184	3	6.7	9.8	10.21	0.8 X		2.8	0.2 X			0.03	113.9	0.07	3		159	0.4
NBRC051	NC02635	39	40	1		7.33 X		216	2	6.9	1.7	10.31	0.87 X		2.75	0.2 X			0.03	141.9 X		159	2.1		
NBRC051	NC02636	40	41	1 Peg	9.72 X	85	11	0.9	37.1	1.69	2.28 X	0.33 X			157 X	0.02	1012 X		16	40	123	3			
NBRC051	NC02637	41	42	1		8.69 X		72	11	4.2	15.9</														

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC052	NC02687	36	40	4	7.45 X		148	8	6.1	9.4	10.01	0.66 X	2.59	0.2	12	0.03	141.7	0.11	36	128	4.4	5		
NBRC052	NC02688	40	44	4	7.48 X		128	6	6.4	9.7	10.23	0.54 X	2.57 X	X	0.03	108	0.15	8	134	2	11			
NBRC052	NC02689	44	48	4	7.57 X		105	1	7.2	2.5	9.64	0.4 X	2.8 X	X	0.03	38.8	0.12	2	156	0.5	3			
NBRC052	NC02690	48	52	4	6.55 X		113	7	6.5	5.7	10.33	0.52	0.02	2.95 X	X	0.03	80	0.15	6	132	5.6	3		
NBRC052	NC02691	52	56	4	6.62 X		93	2	6.9	6.1	11.14	0.46	0.01	2.87	0.2 X	0.03	56.1	0.18	3	132	0.8	4		
NBRC052	NC02692	56	60	4	7.59 X		118	6	6.6	35.6	9.82	0.56	0.01	2.61	0.2 X	0.04	241.5	0.09	14	135	5.3	3		
NBRC053	NC02693	0	4	4	7.35 X		130	4	6.9	8.9	8.78	0.21 X	2.47 X	X	X	56.8 X		3	217	0.5	2			
NBRC053	NC02694	4	5	1	7.52 X		93	6	6.2	9.1	10.13	0.23 X	2.45 X	X	X	97.3 X	X	188	0.4	3				
NBRC053	NC02695	5	6	1	8.11 X		75	6	6.7	13.2	10.04	0.27 X	2.31 X	X	X	91.8 X	5	238	0.8	7				
NBRC053	NC02696	6	7	1	8.35 X		47	16	2.9	32.2	10.08	0.51 X	1.22 X		12	0.02	267.9 X	9	174	3	5			
NBRC053	NC02697	7	8	1 Peg	7.2	353	23	59	0.8	61.4	1.71	2.96	0.03	0.19 X	70 X	1576.4 X	46	26	28.3	9				
NBRC053	NC02698	8	9	1 Peg	7.66	226	18	34	0.3	69.9	1.52	3.64	0.07	0.11 X	104 X	2210.9 X	80 X	47.3	13					
NBRC053	NC02699	9	10	1 Peg	7.01 X	10	39	0.2	57.1	1.01	3.26	0.06	0.07 X	41 X	159.9 X	49 X		18.2	7					
NBRC053	NC02702	10	14	4	7.42 X		108	3	7	9	10.54	0.44 X	2.61 X	X	0.01	75.3 X	X	199	0.5	1				
NBRC053	NC02703	14	18	4	7.25 X		182	5	5.9	5	10.69	0.63 X	2.27 X	X	0.03	82.7 X	X	159	0.4	2				
NBRC053	NC02704	18	22	4	7.22 X		86	3	7.2	4.2	9.19	0.34 X	2.43 X	X	0.03	41.6 X	4	177	0.4	4				
NBRC053	NC02705	22	26	4	6.99 X		137	3	6.6	4.4	10.97	0.44 X	2.59 X	X	0.04	46.7 X	X	159	0.5 X					
NBRC053	NC02706	26	30	4	7.18 X		128	5	6	5.1	10.84	0.47 X	2.34 X	X	0.04	91.6 X	X	151	0.4	1				
NBRC053	NC02707	30	31	1	7.23 X		159	12	5.2	10.7	11.1	0.7 X	2.11	0.2 X	0.04	218 X	3	145	1.4	6				
NBRC053	NC02708	31	32	1 Peg	7.66 X	29	53	0.3	88.9	0.98	3.97	0.02	0.07 X	108 X	0.01	2368.7 X	55 X	70.7	10					
NBRC053	NC02709	32	33	1 Peg	8.09 X	20	31	0.2	132.7	0.85	3.79	0.03	0.05 X	96 X	0.01	2618.5 X	38 X	78.7	9					
NBRC053	NC02710	33	34	1 Peg	8.24 X	25	51	0.2	209.4	0.75	3.92	0.05	0.03	0.3	55 X	0.01	3749.3 X	41 X	43.6	7				
NBRC053	NC02711	34	35	1 Peg	7.6 X	13	59	0.3	95.9	0.86	3.01	0.04	0.05 X	88 X	0.01	2022.5 X	58 X	54.8	11					
NBRC053	NC02712	35	36	1 Peg	7.06 X	62	30	0.4	261.9	3.17	2.96	0.05	0.52 X	74 X	0.01	2336.3 X	41 X	22	56					
NBRC053	NC02713	36	37	1	7.16 X	88	6	6.8	41.4	9.95	0.68	0.01	2.9 X		14 X	0.03	384.2	0.07	19	136	8.5			
NBRC053	NC02714	37	38	1	7.25 X	136	2	7.2	13.5	10.83	0.49	0.01	2.85 X	X	0.03	164.6	0.19	3	146	1.9	4			
NBRC053	NC02715	38	39	1	7.1 X	162	2	7	28.9	11.33	0.52	0.02	2.87 X	X	0.04	139.3	0.17	24	134	1.3	4			
NBRC053	NC02716	39	40	1	7.31 X	112	2	6.8	8	10.63	0.42	0.02	2.72 X	X	0.03	123.9	0.14 X		145	1.8	3			
NBRC053	NC02717	40	41	1 Peg	7.41 X	27	16	2	106.3	4.12	1.56	0.02	0.9	0.6	113 X	0.02	1297.2 X	24	48	102.7	9			
NBRC053	NC02718	41	42	1 Peg	7.31 X	14	46	0.5	159.4	1.39	3.08	0.04	0.16	0.6	82 X	0.02	2404.1 X	28 X		77	9			
NBRC053	NC02720	42	43	1 Peg	8.27	55	14	90	0.4	301.3	0.98	3.05	0.11	0.3		25 X	0.04	3920.9 X	45 X	21.2	8			
NBRC053	NC02722	43	44	1 Peg	7.79 X	11	28	0.3	93.2	0.92	3.93	0.05	0.08 X	77 X	0.02	2665 X	68 X	46.2	12					
NBRC053	NC02723	44	45	1 Peg	7.84	55	21	30	0.4	83.8	0.9	4.1	0.05	0.1 X	87 X	0.01	2659.6 X	109 X	48.7	14				
NBRC053	NC02724	45	46	1 Peg	7.92 X	10	26	0.4	75.6	0.96	3.8	0.04	0.09 X	78 X	0.01	2222 X	84 X	38.4	14					
NBRC053	NC02725	46	47	1 Peg	8.75 X	13	283	0.3	59.7	0.81	3.14	0.03	0.08 X	61 X	1805.2 X	40 X		36.6	11					
NBRC053	NC02726	47	48	1 Peg	10.85 X	29	32	0.6	150.1	1.88	5.03	0.07	0.06 X	146 X	3694.6 X	99 X		90.2	26					
NBRC053	NC02727	48	49	1 Peg	7.61	173	13	29	0.3	63.3	0.87	3.04	0.03	0.05 X	105 X	0.01	1754.6 X	48 X	53.2	12				
NBRC053	NC02728	49	50	1 Peg	7.55	63	17	31	0.4	84.1	0.9	3.37	0.03	0.06 X	102 X	0.01	2134.7 X	84 X	53.8	13				
NBRC053	NC02729	50	51	1 Peg	7.52	68	10	20	0.4	101.6	0.86	3.18	0.03	0.07 X	142 X	0.02	2053 X	60 X	78.5	15				
NBRC053	NC02730	51	52	1 Peg	7.42	50	8	66	0.3	115.5	0.77	2.95	0.02	0.04 X	86 X	0.02	1945.1 X	56 X	55.5	12				
NBRC053	NC02731	52	53	1 Peg	7.74 X	11	56	0.3	106.3	0.86	3.12	0.02	0.06 X	80 X	0.02	2013 X	76 X	58.1	12					
NBRC053	NC02732	53	54	1 Peg	7.6 X	77	8	19	0.3	97.8	0.79	3.69	0.03	0.05 X	82 X	0.01	2037.8 X	158 X	38.7	12				
NBRC053	NC02733	54	55	1 Peg	7.21 X	9	71	0.4	106.7	0.89	2.97	0.04	0.05 X	99 X	0.01	2096.1 X	75 X	44.7	14					
NBRC053	NC02734	55	56	1 Peg	7.35	163	5	23	0.3	59.8	0.87	2.63	0.03	0.05 X	154 X	0.01	1518.8 X	48 X	68.2	14				
NBRC053	NC02735	56	57	1 Peg	7.83	89	9	12	0.2	65.5	0.75	4.6	0.03	0.05 X	81 X	0.01	2477.8 X	59 X	39	12				
NBRC053	NC02736	57	58	1 Peg	7.89 X	7	42	0.2	81.4	0.96	3.89	0.07	0.06 X	86 X	0.01	2395 X	73 X	38.6	16					
NBRC053	NC02737	58	59	1 Peg	5.09	5	150	0.2	65.9	0.98	2.27	0.04	0.03 X	109 X	1492.2 X	40 X		86.7	13					
NBRC053	NC02738	59	60	1 Peg	7.19 X	9	19	0.3	62.8	0.94	2.98	0.04	0.05 X	116 X	0.01	1666.7 X	50 X	51.9	13					
NBRC053	NC02740	60	61	1 Peg	7.16 X	17	40	2.9	48.7	3.53	1.88	0.03	0.99 X	65 X	0.02	1099 X	26 X	71	41.9	8				
NBRC053	NC02741	61	62	1 Peg	8.7 X	56	194	0.3	183.4	0.52	2.48	0.18	0.02 X	59 X	0.04	3956.2 X	395 X	36	732.4	7				
NBRC053	NC02743	62	63	1 Peg	7.43 X	50	13	3.5	47.9	5.5	1.47	0.02	1.32 X	44 X	0.03	762.6	0.08	17	91	32.1	5			
NBRC053	NC02744	63	64	1 Peg	7.11 X	38	3	6.6	22.9	9.83	0.49	0.02	2.58 X		14 X	0.03	191.2	0.07	6	135	5.9	4		
NBRC053	NC02745	64	65	1 Peg	7.94 X	20	20	1.6	57.8	2.86	3.49	0.02	0.62 X	57 X	0.02	1764.1 X	38 X	32	29.5	10				
NBRC054	NC02746	0	4	4	7.17 X	570	4	5.9	11	10.33	0.51 X	2.41	0.4 X	X	94.5 X		3	149	1	4				
NBRC054	NC02747	4	8	4	7.08 X	107	3	6.1	5	11.13	0.58 X	2.64 X	X	X	89.2 X		151	0.7	2					
NBRC054	NC02748	8	9	1 Peg	7.33 X	90	17	3.3	17.9	5.52	2.23 X	0.9 X		26 X	0.01	755.7 X	21 X	116	8.6	3				
NBRC054	NC02749	9	10	1 Peg	7.57 X	72	34	1.6	25	2.91	2.59 X	0.43 X		30 X	0.01	1061.1 X	22 X	75	12.4	3				
NBRC054	NC02750	10	14	4	7.21 X	126	4	5.6	6.6	9.8	0.77 X	2.25 X	X	X	173.5 X		3	149	1.8	2				
NBRC054	NC02751	14	1																					

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li_%	Mg_%	Mn_%	Nb_ppm	P_%	Rb_ppm	S_%	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC055	NC02798	32	33	1		7.64 X		193	3	6.1	95.1	9.2	0.77	0.03	2.52 X	X	0.04	505.2	0.06	7	155	3.8	5	
NBRC055	NC02800	33	34	1	Peg	7.85 X		76	11	2.3	97.2	3.81	1.91	0.02	0.84	0.3	61	0.02	1751.3	0.06	9	58	47.1	6
NBRC055	NC02802	34	35	1	Peg	7.45 X		67	30	4.4	51.9	6.35	1.2	0.02	1.61	0.2	17	0.04	831.7	0.11	10	113	25.8	7
NBRC055	NC02803	35	36	1		7.88 X		90	2	6.4	66.1	10.97	0.5	0.03	2.91 X	X	0.04	159.4	0.29	35	217	2.9	5	
NBRC055	NC02804	36	40	4		7.53 X		134	3	6.7	14.3	10.19	0.56	0.02	2.59 X	X	0.04	123.9	0.18	2	173	2.7	5	
NBRC055	NC02805	40	44	4		7.47 X		172	2	6.8	8.3	10.27	0.49	0.01	2.65 X	X	0.04	67.8	0.18	X	161	1.9	5	
NBRC055	NC02806	44	48	4		7.5 X		116	2	6.9	9.9	10.26	0.46	0.01	2.67 X	X	0.04	84.4	0.15	3	174	3	5	
NBRC055	NC02807	48	52	4		7.38 X		144	X	6.9	10.4	10.46	0.4	0.01	2.64 X	X	0.04	31.7	0.16	X	160	0.6	6	
NBRC055	NC02808	52	53	1		7.45 X		184	X	6.9	6.1	10.07	0.46	0.01	2.55 X	X	0.04	52.3	0.16	X	149	0.4	5	
NBRC055	NC02809	53	54	1		7.51 X		199	3	6.4	6.8	10.27	0.52	0.01	2.57 X	X	0.04	101.3	0.17	X	161	0.5	5	
NBRC055	NC02810	54	55	1		7.28 X		146	5	5.2	30.5	10.07	0.4	0.01	2.64 X	X	0.05	99.6	0.29	3	154	6.5	11	
NBRC055	NC02811	55	56	1	Peg	7.57 X		35	550	0.7	195.6	2.13	4.19	0.03	0.38 X		38	0.02	2518	0.07	29	33	28.3	14
NBRC055	NC02812	56	57	1	Peg	6.65 X		15	27	0.6	68.2	1.56	2.04	0.04	0.19	0.3	58	0.01	1356.9	X	57	X	52.1	13
NBRC055	NC02813	57	58	1	Peg	7.99 X		13	37	0.6	60	1.09	2.33	0.02	0.13	0.2	57	0.02	1464.7	X	35	X	51.3	12
NBRC055	NC02814	58	59	1	Peg	7.65 X		26	124	0.5	148	1.27	4.86	0.04	0.14 X		69	0.02	3707.5	X	47	21	48.5	12
NBRC055	NC02815	59	60	1	Peg	7.92 X		22	52	0.4	237.5	1.12	4.99	0.04	0.14	0.3	66	0.02	4344.4	X	50	X	50.1	11
NBRC055	NC02816	60	61	1	Peg	7.82 X		14	82	0.6	111.7	1.49	3.05	0.03	0.16	0.5	64	0.02	2236.2	X	41	21	55.1	16
NBRC055	NC02817	61	62	1	Peg	8.2 X		9	108	0.5	101.5	0.94	2.28	0.02	0.07	0.4	60	0.02	1758.3	X	33	X	63.1	9
NBRC055	NC02818	62	63	1	Peg	7.73 X		22	121	0.5	156.7	1.35	4.15	0.03	0.14	0.3	84	0.02	3215.1	X	41	21	68.5	12
NBRC055	NC02819	63	64	1	Peg	7.57 X		13	143	0.4	129.9	0.88	3.53	0.03	0.06	0.2	121	0.02	2442.8	X	54	X	89.6	14
NBRC055	NC02822	64	65	1	Peg	8.03	57	11	82	0.5	98.9	0.87	2.52	0.03	0.07	0.2	69	0.02	1668.6	X	49	X	58	12
NBRC055	NC02823	65	66	1	Peg	7.84	80	8	89	0.4	86.1	0.9	3.11	0.04	0.05 X		76	0.02	2030.3	X	93	X	46.6	14
NBRC055	NC02824	66	67	1	Peg	8.11 X		11	38	0.4	70.5	0.79	3.22	0.03	0.06 X		102	0.02	2078 X		82	X	59.2	16
NBRC055	NC02825	67	68	1	Peg	7.16	70	14	16	0.3	81.6	0.97	3.28	0.04	0.07 X		97	0.01	2022.7	X	89	X	44.4	17
NBRC055	NC02826	68	69	1	Peg	7.39	56	15	18	0.4	90.8	0.78	3.24	0.03	0.05 X		105	0.01	1915.8	X	66	X	57	14
NBRC055	NC02827	69	70	1	Peg	7.76	122	23	20	0.2	147.3	0.77	5.01	0.04	0.05 X		69	0.01	2760.8	X	63	X	39.1	12
NBRC055	NC02828	70	71	1	Peg	7.11 X		13	26	0.3	89.8	0.82	3.3	0.05	0.06 X		67	0.01	1930.1	X	77	X	31	13
NBRC055	NC02829	71	72	1	Peg	7.35	52	12	19	0.3	76.6	0.81	3.27	0.04	0.05 X		70	0.01	1879.2	X	62	X	41.6	13
NBRC055	NC02830	72	73	1	Peg	7.65 X		9	109	0.4	111.8	0.76	3.51	0.04	0.04 X		76	0.02	2041.7	X	58	X	51.9	14
NBRC055	NC02831	73	74	1	Peg	7.82	54	13	32	0.3	104.4	0.89	3.61	0.05	0.05 X		79	0.01	2133.5	X	68	X	44.9	15
NBRC055	NC02833	74	75	1	Peg	7.68	262	12	31	0.4	100.9	0.98	3.41	0.04	0.05 X		75	0.01	1902.9	X	80	X	38.2	15
NBRC055	NC02834	75	76	1	Peg	7.56	81	6	27	0.4	56.1	0.78	2.35	0.03	0.05 X		119	0.01	1362.3	X	70	X	65.7	17
NBRC055	NC02835	76	77	1	Peg	7.88 X		7	22	0.3	62.5	0.92	3.19	0.05	0.05 X		107	0.01	1706.3	X	62	X	54	15
NBRC055	NC02836	77	78	1	Peg	7.13 X		5	17	0.3	51.3	0.81	3.51	0.04	0.05 X		72	X	1840.2	X	64	X	31.4	13
NBRC055	NC02837	78	79	1	Peg	7.9 X		8	14	0.3	48.6	0.66	4.43	0.03	0.02 X		38	X	2092.6	X	32	X	19.7	8
NBRC055	NC02838	79	80	1	Peg	7.51 X		6	20	0.3	52.8	0.83	2.9	0.05	0.05 X		69	X	1617.3	X	72	X	34.7	13
NBRC055	NC02839	80	81	1	Peg	7.52 X		8	47	0.3	70.8	0.84	3.61	0.04	0.04 X		94	0.01	1928.4	X	50	X	45.4	14
NBRC055	NC02842	81	82	1	Peg	7.3 X		6	39	0.4	54.5	1	2.67	0.02	0.06 X		91	0.01	1429.1	X	80	24	40.5	14
NBRC055	NC02843	82	83	1	Peg	7.05 X		20	22	0.2	41.4	0.81	3.66	0.01	0.06 X		71	0.01	1634.8	X	46	X	33.5	10
NBRC055	NC02844	83	84	1	Peg	7.77 X		28	19	0.3	35.4	0.86	2.84	0.01	0.05 X		145	0.01	1306.1	X	43	X	67.4	10
NBRC055	NC02845	84	85	1	Peg	7.59 X		12	34	0.2	53.9	0.84	3.29	0.03	0.03 X		86	X	1770.8	X	53	X	34.5	12
NBRC055	NC02846	85	86	1	Peg	7.51 X		8	29	0.2	52.7	1.03	3.15	0.05	0.03 X		93	X	1708.5	X	50	X	40	12
NBRC055	NC02847	86	87	1		6.92 X		66	17	3.1	61.5	5.58	1.29	0.02	1.27 X	X	56	0.03	661.0	0.11	22	90	27.9	9
NBRC055	NC02848	87	88	1		7.1 X		176	2	6	13	9.8	0.77	X	2.46 X	X	0.04	190.2	0.31	3	158	1.8	7	
NBRC055	NC02849	88	89	1		7.5 X		226	2	6.7	7.8	9.84	0.91 X	X	2.83 X	X	0.04	194.3	0.09	X	155	1.6	4	
NBRC056	NC02850	0	4	4		7.79 X		141	X	7.9	3.3	5.69	0.44 X	X	4.43 X	X	X	89.2 X	X	136	0.2	2		
NBRC056	NC02851	4	8	4		7.7 X		97	2	8.2	3.5	6.02	0.36 X	X	4.62 X	X	X	78.1 X	X	137	0.1 X			
NBRC056	NC02852	8	9	1		8.16 X		105	3	8.3	2.8	5.78	0.43 X	X	4.43 X	X	X	117 X	7	158	0.2	2		
NBRC056	NC02853	9	10	1		8.21 X		146	9	7.5	4.4	5.73	0.74 X	X	4.5 X	X	0.01	235.4	X	8	139	1.2 X		
NBRC056	NC02854	10	11	1		7.09 X		93	8	7	3.3	6.39	0.5 X	X	4.82	0.2 X	0.01	151.6 X		12	116	0.9	1	
NBRC056	NC02855	11	12	1		7.49 X		62	8	6.5	1.8	6.18	0.3 X	X	3.97 X		10	0.01	85 X		24	152	2.2	1
NBRC056	NC02856	12	13	1	Peg	9.66 X		107	7	1.4	13.6	1.36	5.3 X	X	0.73 X		32	X	1341.6	X	16	42	35.8	X
NBRC056	NC02857	13	14	1	Peg	7.59 X		25	28	0.4	23.1	0.76	5.02 X	X	0.19 X		29	X	1552.2	X	28	X	16.4	4
NBRC056	NC02858	14	15	1	Peg	8.12 X		58</td																

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li%	Mg %	Mn %	Nb_ppm	P. %	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm		
NBRC057	NC02913	40	41	1	7.36 X	42 X	9.2	3.1	6.77	0.13 X	5.73 X	X	0.01	22.3	0.08 X		101	0.1	3							
NBRC057	NC02914	41	42	1 Peg	7.45 X	52	11	3.8	23.2	3.09	1.93 X	2.24 X	23	0.01	777.1 X		17	54	17.7	2						
NBRC057	NC02915	42	43	1 Peg	7.34 X	16	71	0.6	33.8	0.96	3.99 0.01	0.23 X	60 X		1489.1 X		52 X		26.9	7						
NBRC057	NC02916	43	44	1 Peg	6.87 X	27	53	0.9	17.7	0.99	2.01 0.01	0.26 X	51 X		761.9 X		48	28	26.5	8						
NBRC057	NC02917	44	45	1 Peg	7.66 X	32	30	0.8	15.4	0.89	2.05 0.01	0.17 X	62 X		710 X		32	29	31.9	9						
NBRC057	NC02918	45	46	1 Peg	7.12 X	14	113	0.5	37	1	3.12 0.02	0.15 X	97 X		1147.5 X		37 X		42.1	9						
NBRC057	NC02920	46	47	1 Peg	7.74 X	55	29	2.3	87.8	2.18	3.11 0.01	1.21 X	45	0.02	1334 X		26	43	37.4	5						
NBRC057	NC02922	47	51	1	8.02 X	48	3	9	7.1	6.34	0.26 X	5.23 X	X	0.01	73.1	0.09	3	112	2.2	4						
NBRC057	NC02923	51	55	1	7.21 X	51	1	8.3	3.3	5.85	0.17 X	4.9 X	X	0.01	26.3	0.09 X		99	0.7	3						
NBRC057	NC02924	55	59	1	7.97 X	89	7	8.5	53.7	6.52	0.57 0.01	5.26 X	X	0.01	350.1	0.08	8	105	2.5	4						
NBRC057	NC02925	59	60	1	8.11 X	43	2	8.9	6.1	5.96	0.14 X	5 X	X	0.01	33.2	0.07	4	113	0.3	2						
NBRC058	NC02926	0	4	4	8.34 X	88	3	8.3	3.6	5.78	0.3 X	4.35 X	X	0.01	97.5 X		2	123	3.3 X							
NBRC058	NC02927	4	5	1 Peg	7.46 X	65	3	7.7	2.9	5.91	0.33 X	4.56 X	X	X	82.3 X		103	98	1.7	1						
NBRC058	NC02928	5	6	1 Peg	6.62 X	69	43	3.2	34.2	3.9	0.59 X	2.41 X	20 X		346.7 X		35	53	9.4	10						
NBRC058	NC02929	6	10	4	8.3 X	82	5	8.6	5.4	6.17	0.36 X	4.71 X	X	0.01	120.1 X		36	118	2.6	5						
NBRC058	NC02930	10	11	1	7.86 X	115	6	8.1	5.9	6.16	0.66 X	4.62	0.2 X	0.01	288.6 X		10	111	1.2	36						
NBRC058	NC02931	11	12	1	7.82 X	67	5	8.1	5	6.18	0.34 X	3.96	0.2 X	0.01	136.5 X		9	93	0.5	15						
NBRC058	NC02932	12	13	1 Peg	7.94 X	60	20	2.6	15.7	1.9	2.75 X	0.92 X	25	0.01	1028.1 X		30	42	20.3	7						
NBRC058	NC02933	13	14	1 Peg	7.02 X	20	56	0.7	25.6	1.13	2.54 X	0.27 X	59 X		967 X		34 X		30	9						
NBRC058	NC02935	14	15	1 Peg	7.55 X	21	39	0.4	21.2	0.92	3.01 X	0.11 X	62 X		1067.1 X		75 X		24.8	10						
NBRC058	NC02936	15	16	1 Peg	7.95 X	10	113	0.5	26.1	1.08	2.53 0.02	0.09	0.2		108 X		1021 X		60 X		55.6	31				
NBRC058	NC02937	16	17	1 Peg	7.78 X	25	18	0.7	26.9	0.96	2.87 X	0.22 X	73	0.01	1098.2 X		25 X		39.1	8						
NBRC058	NC02938	17	18	1 Peg	7.26 X	13	38	0.3	28.3	0.83	4.08 0.01	0.1 X	80 X		1355.9 X		35 X		35.3	8						
NBRC058	NC02940	18	19	1 Peg	7.8 X	15	45	0.3	25	0.85	3.9 0.01	0.07 X	93 X		1272.3 X		49 X		41.8	12						
NBRC058	NC02942	19	20	1 Peg	7.05 X	20	63	0.4	21.2	0.77	3.69 X	0.13 X	86 X		1179.7 X		39 X		37.1	9						
NBRC058	NC02943	20	21	1 Peg	7.51 X	10	46	0.4	20.4	0.92	2.65 0.01	0.08 X	112 X		958.2 X		56 X		45.1	12						
NBRC058	NC02944	21	22	1 Peg	7.54 X	8	27	0.2	24.1	0.82	4.9 0.01	0.05 X	55 X		1447.9 X		30 X		21.6	10						
NBRC058	NC02945	22	23	1 Peg	7.66 X	13	35	0.2	22.2	0.7	5.16 X	0.05 X	38 X		1500.7 X		25 X		14.5	7						
NBRC058	NC02946	23	24	1 Peg	7.75 X	10	89	0.4	21.8	0.93	2.15 X	0.06 X	63 X		679.7 X		20 X		20.7	9						
NBRC058	NC02947	24	25	1 Peg	7.5 X	13	71	0.3	20.1	0.82	3.16 X	0.05 X	73 X		998.2 X		31 X		27.5	10						
NBRC058	NC02948	25	26	1 Peg	7.65 X	12	31	0.3	22.5	0.8	2.94 X	0.05 X	109 X		1119.8 X		57 X		44.2	12						
NBRC058	NC02949	26	27	1 Peg	7.54 X	16	41	0.3	24.3	0.8	3.16 X	0.05 X	82 X		1208.1 X		71 X		34.2	11						
NBRC058	NC02950	27	28	1 Peg	7.35 X	21	82	0.3	20.1	0.92	2.83 X	0.07 X	95 X		945.8 X		31 X		43	10						
NBRC058	NC02951	28	29	1 Peg	7.09 X	28	65	0.4	16.8	0.85	2.79 X	0.09 X	74 X		872.8 X		23 X		41	6						
NBRC058	NC02952	29	30	1 Peg	7.34 X	66	18	0.5	18.2	0.84	3.54 X	0.11 X	46	0.02	1165.9 X		17	31	51.4	4						
NBRC058	NC02953	30	34	4	8.35 X	59	2	9	4.9	6.32	0.23 X	5.02 X	X	0.01	52.7	0.08	3	116	0.6	9						
NBRC058	NC02954	34	38	4	8.27 X	55	2	8.8	3.6	6.3	0.24 X	5.14 X	X	0.01	54.3	0.06	2	123	0.4	3						
NBRC058	NC02955	38	42	4	8.24 X	52	2	9	4.9	6.12	0.22 X	4.91 X	X	0.01	45.4	0.08 X		115	0.5	13						
NBRC058	NC02956	42	46	4	8.23 X	51	1	9.1	3.5	6.19	0.19 X	5.03 X	X	0.01	18.8	0.08 X		118	0.2	6						
NBRC058	NC02957	46	50	4	8.45 X	56	2	9.1	10.5	6.26	0.23 X	5.05 X	X	0.01	59	0.07	4	126	0.3	5						
NBRC058	NC02958	50	54	4	8.53 X	59	3	9.2	13.5	6.33	0.25 X	5.08 X	X	0.01	61.1	0.08	4	122	0.2	5						
NBRC058	NC02961	54	58	4	8.39 X	59 X	9	9.2	13.8	6.2	0.22 X	5 X	X	0.01	45.2	0.1	2	116	0.1	5						
NBRC058	NC02962	58	59	4	8.71 X	58	3	9.3	16.8	6.04	0.21 X	4.94 X	X	0.01	57.5	0.09	2	117	0.2	9						
NBRC058	NC02963	59	60	4	8.27 X	56 X	9	9.2	12.3	6.3	0.18 X	5.16 X	X	0.01	25.9	0.08 X		112	0.1	2						
NBRC059	NC02964	0	1	1	8.84 X	72 X	8	8.9	3.8	5.84	0.17 X	4.42 X	X	0.01	40.7 X		125	0.2 X								
NBRC059	NC02965	1	2	1	8.26 X	79	5	8.5	30.2	6.04	0.23 X	4.5 X	X	0.01	91.8 X		3	113	10.8	2						
NBRC059	NC02966	2	3	1	8.45 X	72	2	8.5	14.7	6.19	0.28 X	4.66 X	X	0.01	94 X		4	111	0.9	3						
NBRC059	NC02967	3	4	1 Peg	8.15 X	66	11	5.4	18.2	4.27	0.45 X	2.87 X		19	0.01	164.8 X		5	77	10.9	3					
NBRC059	NC02968	4	8	4	8.43 X	91	1	8.8	5	6.18	0.2 X	4.69 X	X	0.01	38.8 X			118	0.5 X							
NBRC059	NC02969	8	9	1	9.11 X	97	1	10	4.9	7.16	0.25 X	5.48	0.2 X	0.01	53 X			124	0.2 X							
NBRC059	NC02970	9	10	1	8.23 X	60	11	8.1	10.5	5.99	0.26 X	4.48 X	X	0.01	88.1 X		4	106	2.7	4						
NBRC059	NC02971	10	14	1	7.85 X	64	2	8.3	4.4	6.19	0.25 X	4.67 X	X	0.01	64 X		3	109	0.4	3						
NBRC059	NC02972	14	15	1	8.59 X	67	1	9.1	3.4	6.56	0.24 X	4.99 X	X	0.01	48.7 X			127	0.2	1						
NBRC059	NC02973	15	16	1	9 X	99	3	9.7	7	7.49	0.46 X	5.72	0.2 X	0.01	128.5 X		6	134	0.4	2						
NBRC059	NC02974	16	17	1	7.82 X	82	3	8.6	5.1	6.41	0.44 X	4.44 X	X	0.01	134 X		6	107	0.3	3						
NBRC059	NC02975	17	18	1 Peg	7.97 X																					

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	Ba_ppm	Ba_ppm	Be_ppm	Ca_%	Cs_ppm	Fe_%	K_%	Li %	Mg %	Mn_%	Nb_ppm	P_%	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm
NBRC061	NC03027	20	24	4		8.37 X		67	3	8.4	4.2	6.84	0.31 X	5.06 X	11 X		89.7 X		3	111	0.6	2		
NBRC061	NC03028	24	28	4		8.39 X		54	3	8.7	3	6.6	0.27 X	5.17 X	X	0.01	72.5 X		3	113	0.5	1		
NBRC061	NC03029	28	32	4		7.99 X		67	3	8.5	35.5	6.83	0.23 X	5.77 X	X		78 X		12	115	0.3	4		
NBRC061	NC03030	32	36	4		9.45 X		76	4	8.7	9.9	5.79	0.24 X	4.12 X	X	0.01	52.2 X		11	151	0.6	2		
NBRC061	NC03031	36	40	4		9 X		76	2	8.8	3.3	5.91	0.28 X	4.2 X		14	0.02	49.9 X		6	147	0.3	6	
NBRC061	NC03032	40	41	1		8.47 X		112	3	8.3	4.5	6.25	0.6 X	4.61 X		14	0.01	149.4 X		3	151	0.6	1	
NBRC061	NC03033	41	42	1	Peg	8.91 X		76	10	1.9	9.1	1.97	3.94 X	1.03 X		62 X		19	52	34.3	3			
NBRC061	NC03034	42	43	1	Peg	9.57 X		49	9	0.6	6.8	1.06	2.38 X	0.3 X		99 X		17	27	51.9	3			
NBRC061	NC03035	43	44	1	Peg	9.58 X		71	12	2	7.6	1.77	2.78 X	0.97 X		48	0.01	618.9 X		15	49	28.7	2	
NBRC061	NC03036	44	45	1		8.87 X		141	6	6.5	5.3	5.23	1.42 X	3.82 X		21	0.01	335.3 X		5	125	11	2	
NBRC061	NC03037	45	46	1		8.74 X		108	1	8.4	3.6	6.04	0.67 X	4.47 X	X	0.01	161.4 X		3	128	3	1		
NBRC061	NC03038	46	47	1		8.72 X		120	4	8.2	3.4	5.77	0.8 X	4.25 X	X	0.01	192.5 X		4	195	0.3	2		
NBRC061	NC03039	47	48	1		7.88 X		92	16	7.5	3.4	5.57	0.65 X	3.85 X		15	0.01	135.7 X		16	133	12.8	2	
NBRC061	NC03042	48	49	1	Peg	9.91 X		110	32	2.5	11.9	2.04	2.99 X	0.88 X		30 X		735.7 X		47	96	40.9	1	
NBRC061	NC03043	49	50	1	Peg	9.79 X		51	9	0.8	17.1	1.09	4.27 X	0.22 X		38 X		1135 X		33	30	29.8	2	
NBRC061	NC03045	50	51	1	Peg	9.52 X		41	7	0.8	13.5	1.28	4.36 X	0.29 X		53 X		1117.5 X		29	29	34.8	2	
NBRC061	NC03046	51	52	1	Peg	9.95 X		31	11	0.5	10.4	0.88	2.79 X	0.09 X		63 X		699.2 X		34	27	40.4	3	
NBRC061	NC03047	52	53	1	Peg	10.34 X		39	20	0.4	14.8	0.74	3.92 X	0.06 X		51	0.01	926.2 X		20	23	36.2	2	
NBRC061	NC03048	53	54	1	Peg	10.63 X		26	8	0.4	10.9	0.7	2.36 X	0.05 X		64	0.01	585 X		14	24	33.5	2	
NBRC061	NC03049	54	55	1	Peg	9.34 X		75	17	3.1	16.4	2.66	2.34 X	1.53 X		118	0.03	728.8 X		16	70	57	3	
NBRC061	NC03050	55	59	4		9.21 X		95	3	8.5	4	5.48	0.64 X	4.18 X		13	0.01	145.1 X		3	142	4.7	2	
NBRC061	NC03051	59	60	1		10.06 X		115 X	9.1		3.4	5.44	0.49 X	4.06 X	X	0.01	85.9 X			168	0.4	3		
NBRC062	NC03052	0	4	4		7.87 X		73 X	9		2.7	6.64	0.27 X	5.64	0.2 X		60.2 X	X		114	0.4	X		
NBRC062	NC03053	4	5	1		7.96 X		101	5	2.7	12.8	5.32	1.87 X	2.86 X		18 X		544.2 X		25	56	12.2	12	
NBRC062	NC03054	5	6	1		4.6 X		111	5	1.1	9.7	2.22	1.46 X	1.05 X		23 X		481.1 X		25	26	16.3	11	
NBRC062	NC03055	6	7	1		5.83 X		57	68	1.4	7.1	1.88	0.98 X	1.15 X		110 X		301.6 X		19	33	143.5	4	
NBRC062	NC03056	7	8	1		7.69 X		64	54	1.3	13	1.81	1.49 X	0.93 X		74 X		522.6 X		39	36	46.7	7	
NBRC062	NC03057	8	9	1		7.68 X		37	64	1.1	22.7	1.38	2.62 X	0.6 X		75 X		908.5 X		40	29	40.3	10	
NBRC062	NC03058	9	10	1		7.51 X		31	56	1	20.9	1.22	2.27 X	0.48 X		83 X		818.4 X		35	26	50.6	8	
NBRC062	NC03059	10	11	1		7.49 X		62	15	6.3	15	5.89	0.56 X	4.47 X		15	0.01	219 X		13	85	6	34	
NBRC062	NC03062	11	15	4		8.02 X		55	4	9	3.8	6.34	0.22 X	5.36 X	X	0.01	64.1 X		3	110	1.7	4		
NBRC062	NC03063	15	19	4		7.58 X		68	5	8.3	5.3	6.75	0.39 X	5.32 X	X	0.01	115.7 X		12	107	0.8	7		
NBRC062	NC03064	19	20	1		7.42 X		63	3	8.9	3.2	6.74	0.35 X	5.82 X	X	0.01	126.6 X		3	107	0.2	2		
NBRC062	NC03065	20	21	1		7.14 X		52	2	8.7	3.8	6.83	0.25 X	5.99 X	X	0.01	80.3 X		2	104	0.2	2		
NBRC062	NC03066	21	22	1		7.42 X		45	4	8.9	3.8	6.78	0.24 X	5.94 X	X	0.01	75.6 X		12	97	1.7	2		
NBRC062	NC03067	22	26	4		7.41 X		39	7	9	3.7	6.4	0.16 X	5.51 X	X	0.01	47.5 X		4	100	2.5	4		
NBRC062	NC03068	26	30	4		7.4 X		45	2	8.8	4.6	6.72	0.19 X	5.76 X	X	0.01	46.2 X		2	109	0.4	3		
NBRC062	NC03069	30	34	4		8.25 X		54	2	9	13	6.32	0.28 X	5.27 X	X	0.01	166.2 X	0.05	4	111	0.6	5		
NBRC062	NC03070	34	35	1		7.85 X		55	1	9.1	3.6	6.48	0.18 X	5.58 X	X	0.01	33.6 X	0.06 X		107	0.2	2		
NBRC062	NC03071	35	36	1		7.54 X		75 X	9		3.6	6.52	0.27 X	5.76 X	X	0.01	56 X	0.06 X		117	0.1	1		
NBRC062	NC03072	36	37	1		7.13 X		135	21	6.1	12.4	5.11	1.18 X	3.95 X		11 X	0.01	392.6 X		13	117	6	4	
NBRC062	NC03073	37	38	1	Peg	8.06 X		73	21	0.9	46.6	1.4	4.7 X	0.5	0.2	46 X	0.02	196.7 X		52	30	27.5	5	
NBRC062	NC03074	38	39	1	Peg	7.55 X		67	8	1.3	25.5	1.53	3.28 X	0.69 X		61 X	0.01	1306.8 X		61	35	30.9	7	
NBRC062	NC03076	39	40	1		7.34 X		74	9	0.6	9.2	0.87	1.74 X	0.28 X		53 X	0.01	547.2 X		27	30	38.1	3	
NBRC062	NC03077	40	41	1		7.63 X		178	16	1.8	7.2	2.91	1.18 X	1.27 X		71 X	0.02	215.4 X		32	80	78	5	
NBRC062	NC03078	41	42	1		7.87 X		562	15	1	8.8	1.3	4.28 X	0.48 X		41 X		764.4 X		11	58	28.9	3	
NBRC062	NC03080	42	43	1		7.62 X		222	9	0.6	4	0.75	1.88 X	0.15 X		41 X		340.5 X		8	40	14.3	3	
NBRC062	NC03082	43	44	1		7.51 X		199	12	1.7	3.7	1.85	1.28 X	0.9 X		89 X	0.01	196.2 X		17	69	99.1	3	
NBRC062	NC03083	44	45	1		7.99 X		356	5	3.4	11	2.61	2.99 X	1.48 X		47 X	0.01	639.4 X		25	116	43.4	3	
NBRC062	NC03084	45	49	4		7.36 X		82	4	8.7	3.6	5.74	0.53 X	4.41 X		20 X	0.01	105.3 X		12	80	7.5	2	
NBRC062	NC03085	49	53	4		7.9 X		106	2	8.3	5	6.11	0.51 X	5.16 X	X	0.01	123.2 X			149	0.9	X		
NBRC062	NC03086	53	57	4		7.79 X		88	1	8.5	4.1	6.19	0.5 X	5.43 X	X	0.01	113 X			142	0.5	2		
NBRC062	NC03087	57	58	1		7.78 X		80	1	8.2	3.9	6.56	0.5 X	5.65 X	X	0.01	110.2 X			117	0.3	1		
NBRC062	NC03088	58	59	1		7.41 X		81	19	5.5	6.4	5.91	1.86 X	4.11 X		38 X	0.01	506.5 X		114	98	11.6	3	
NBRC062	NC03089	59	60	1	Peg	9.5 X		140	25	0.5	17.7	1.27	7.4 X	0.42 X		27 X	0.01	1692.4 X		23	41	16.5 X		
NBRC062	NC03090	60	61	1	Peg	9.91 X		72	16	1	8	0.81	3.1 X	0.26 X		45 X	0.01	711.9 X		28	33	28.4	1	
NBRC062	NC03091	61	62	1	Peg	9.89 X		83	22	1.1	9.4	0.91	3.63 X	0.26 X		31 X		734.4 X		32	33	21.6	1	
NBRC062	NC03092	62	63	1	Peg	9.86 X		58	121	1.3	4.8	0.96	1.88 X	0.38 X		51 X		402 X		27	34	28.1	2	
NBRC062	NC03093	6																						

Hole_ID	Sample_ID	mFrom	mTo	Interval	Peg	Al_ppm	B_ppm	Ba_ppm	Be_ppm	Ca %	Cs_ppm	Fe %	K %	Li %	Mg %	Mn %	Nb_ppm	P %	Rb_ppm	S %	Sn_ppm	Sr_ppm	Ta_ppm	W_ppm	
NBRC064	NC03140	12	16	4		8.01 X		60	2	8.8	4.5	6.25	0.26 X	5.23 X	X	0.01	80.5 X		7	115	0.7		8		
NBRC064	NC03141	16	17	1	Peg	8.03 X		49	7	8.4	7.3	5.94	0.26 X	4.9 X	X	0.01	87.6 X		25	108	2.2		8		
NBRC064	NC03143	17	18	1	Peg	7.67 X		51	10	4	28.5	3.59	2.19	0.01	2.53 X		29 X	796.1 X		40	59	13.7		12	
NBRC064	NC03145	18	19	1	Peg	5.54 X		17	8	0.4	17.8	0.83	2.68	0.01	0.2 X		38 X	902.9 X		43 X		13.5		7	
NBRC064	NC03146	19	20	1	Peg	7.47 X		24	11	2	16.9	1.91	1.21 X	0.07 X			72 X	464.5 X		30	35	24.2		7	
NBRC064	NC03147	20	21	1		8.28 X		64	4	8.4	6.2	6.01	0.4 X	4.83 X	X	0.01	162.3 X		2	109	0.5		3		
NBRC064	NC03148	21	22	1		7.93 X		54	4	8.8	5.5	6.16	0.32 X	4.96 X	X	0.01	119.5 X		3	107	0.6		4		
NBRC064	NC03149	22	24	2		8.17 X		56	3	9.1	4.8	6.33	0.2 X	5.24 X	X	0.01	56.6 X		15	117	0.6		5		
NBRC064	NC03150	24	28	4		7.79 X		52	3	8.9	7.1	6.21	0.21 X	5.24 X	X	0.01	68 X		6	111	0.4		4		
NBRC064	NC03151	28	32	4		7.73 X		54	3	9	7.3	6.54	0.21 X	5.54 X	X	0.01	62.4 X		5	111	0.2		6		
NBRC064	NC03152	32	36	4		7.55 X		54 X	8.9	1.9	6.54	0.19 X	5.62 X	X	0.01	40.7	0.07	8	113	0.2		5			
NBRC064	NC03153	36	40	4		7.78 X		53 X	9.3	2.3	6.56	0.16 X	5.68 X	X	0.01	29	0.09	10	113	3.1		2			
NBRC064	NC03154	40	44	4		7.88 X		54	20	8.7	41.2	6.36	0.37	0.01	5.41 X	X	0.01	229.5	0.07	6	109	0.4		30	
NBRC064	NC03155	44	45	1		7.86 X		65	2	9	2.5	6.38	0.24 X	5.52 X	X	0.01	66.8	0.08	X	116	0.2		4		
NBRC064	NC03156	45	46	1	Peg	8.3 X		61	3	8.4	8.8	5.76	0.34 X	4.88 X	X	0.01	149.7	0.07	5	110	4.9		11		
NBRC064	NC03157	46	47	1	Peg	9.44 X		54	9	1.8	77.4	1.72	2.71	0.01	0.87 X		298 X	0.01	1402.4 X		58	42	414		50
NBRC064	NC03158	47	48	1		8.43 X		41	2	9.1	2.9	6.03	0.17 X	5.13 X	X	0.01	48.5	0.08	8	116	5.5		3		
NBRC064	NC03159	48	52	4		7.76 X		42	2	9	2.1	6.41	0.21 X	5.53 X	X	0.01	41	0.08	2	109	1.6		6		
NBRC064	NC03160	52	56	4		8 X		46	3	9.2	1.8	6.43	0.18 X	5.17 X	X	0.01	32.5	0.06	7	118	0.4		4		
NBRC064	NC03161	56	58	2		8.02 X		49	2	8.8	1.9	6.29	0.22 X	5.37 X	X	0.01	45.2	0.07	54	116	0.2		2		
NBRC064	NC03162	58	59	1		7.68 X		111	2	7.8	2.6	6.73	0.54 X	5.52	0.2 X	0.01	123.7 X		2	117	1.3		3		
NBRC064	NC03163	59	60	1	Peg	7.26 X		152	23	5.2	4.3	6.83	0.91 X	4.75 X		25	0.01	231.4 X		55	92	21.7		2	
NBRC065	NC03165	60	61	1	Peg	8.48 X		77	59	0.6	7.2	3.02	1.25 X	0.98 X		27 X	0.01	335.7 X		122	44	31.1		2	
NBRC065	NC03167	61	62	1	Peg	9.23 X		113	57	0.2	9.1	0.96	3.02 X	0.21 X		19 X	0.01	639.2 X		44	32	14.2		3	
NBRC065	NC03168	62	63	1	Peg	10.25 X		85	30	0.3	11.7	1.2	2.61 X	0.29 X		47	0.02	576 X		54	35	34.3		2	
NBRC065	NC03169	63	64	1	Peg	9.62 X		113	40	0.5	16.6	2.44	3.09 X	0.89 X		44	0.02	753.5 X		70	40	22.7		7	
NBRC064	NC03170	64	65	1		7.32 X		130	6	7.3	3.6	6.63	0.7 X	5.49 X	X	0.01	189.5 X		4	121	1.2		2		
NBRC064	NC03171	65	66	1		7.81 X		96	3	8.6	3.1	6.6	0.59 X	5.5 X	X	0.01	157.9 X		148	0.3		2			
NBRC065	NC03172	0	1	1	Peg	5.41 X		373	12	8	3.1	2.87	0.43 X	2.05 X	X	X	98	0.09	7	145	9.5		5		
NBRC065	NC03173	1	2	1	Peg	7.4 X		56	118	15	3.5	5.3	0.53 X	0.45 X	1.22 X		17 X	0.01	116.8	0.16	26	83	42.1		10
NBRC065	NC03174	2	3	1		9.03		51	87	2	3.8	9.2	5.82	0.27 X	3.22 X	X	X	57.2	0.27	2	56	3.1		5	
NBRC065	NC03175	3	4	1		8.98 X		59	3	3.6	7.3	6.38	0.27 X	3.63 X	X	X	51.8 X		39	2.9		2			
NBRC065	NC03176	4	8	4		8.68 X		86	3	5.2	5.7	6.42	0.45 X	4.04 X	X	X	117.4 X		79	1	3				
NBRC065	NC03177	8	9	1		9.11 X		80	3	5.4	4.3	6.75	0.62 X	4.14 X	X	X	165.1 X		102	0.2		2			
NBRC065	NC03178	9	10	1		5.95 X		55	5	5.9	2.6	4.97	0.17 X	2.83 X	X	X	34.9 X		13	132	1.7		11		
NBRC065	NC03179	10	11	1		7.16 X		57	24	5.9	4.5	5.93	0.41 X	3.58 X	X	X	113.9 X		4	111	0.4		7		
NBRC065	NC03180	11	12	1		8.43 X		89	3	4	4.9	6.67	0.7 X	3.57 X	X	X	186.6 X		24	67	0.2		9		
NBRC065	NC03181	12	13	1	Peg	8.71 X		76	49	1.9	12	4	0.8 X	1.93 X		60 X	0.01	313.6 X		21	39	54.6		11	
NBRC065	NC03182	13	14	1	Peg	7.8 X		37	22	0.7	8.5	1.26	0.94 X	0.42 X		42 X	0.01	359.5 X		16	30	30.2		8	
NBRC065	NC03183	14	15	1	Peg	8.63 X		53	37	0.4	14.8	0.81	2.68 X	0.16 X		39 X	0.01	874.5 X		28	27	25.1		9	
NBRC065	NC03184	15	16	1	Peg	8.25 X		22	194	0.4	12.7	0.7	1.42 X	0.09 X		49 X	0.01	530.8 X		24	21	36.1		6	
NBRC065	NC03187	16	17	1	Peg	7.37 X		15	21	0.8	14.8	0.98	1.26 X	0.19 X		66 X	0.01	514.3 X		30	20	36.1		9	
NBRC065	NC03188	17	18	1	Peg	8.87 X		22	32	0.7	15.6	1.02	1.65 X	0.12 X		108 X	0.01	624.9 X		42	24	71.2		9	
NBRC065	NC03189	18	19	1	Peg	8.32 X		84	16	6.9	7.4	5.19	0.7 X	3.89 X		27 X	0.01	294.1 X		10	90	34.4		10	
NBRC065	NC03190	19	20	1		7.94 X		111	14	6.9	7.4	6.32	0.71 X	5.04 X	X	0.01	341.4 X		30	109	5.9		4		
NBRC065	NC03192	21	22	1		6.77 X		51	8	7.8	10.1	6.57	0.33 X	5.43 X	0.2 X		207 X		22	102	3.1		4		
NBRC065	NC03193	22	23	1		7.96 X		67	2	9.1	3.6	6.44	0.24 X	5.43 X	X	0.01	96.6 X		32	119	0.9		2		
NBRC065	NC03194	23	24	1	Peg	4.29 X		11	10	0.9	11.4	1.15	1.32 X	0.5 X		31 X	0.01	545.4 X		34 X		19.5		7	
NBRC065	NC03195	24	25	1	Peg	2.65 X		6	34	0.3	6.1	0.69	0.38 X	0.08 X		70 X	0.01	193.2 X		17 X		96.8		6	
NBRC065	NC03196	25	26	1	Peg	7.42 X		38	8	4.5	11.3	3.6	1.96 X	2.69 X		31 X	0.01	607.3 X		10	62	11.9		4	
NBRC065	NC03197	26	30	4		7.98 X		62	5	8.6	11.9	6.21	0.31 X	5.07 X	X	0.01	151.3 X		10	109	2.5		20		
NBRC065	NC03198	30	34	4		7.63 X		64 X	8	8.9	3	6.47	0.2 X	5.54 X	X	0.01	33.1 X		X	106	0.3		2		
NBRC065	NC03199	34	38	4		8.1 X		67	2	8.9	5	6.53	0.22 X	5.22 X	X	0.01	66.7 X		4	113	0.5		4		
NBRC065	NC03200	38	39	1	Peg	8.97 X		51	12	5.4	45.3	4.45	2.23	0.01	3.51 X		29 X	0.01	1052.6 X		24	78	12.9		5
NBRC065	NC03201	39	40	1	Peg	8.7 X		67	27	4.7	29.5	3.76	2.85 X	2.9 X		18 X	0.01	1152.6 X		17	70	7.7		4	
NBRC065	NC03202	40	41	1		6.85 X		44	7	7.5	16.7	5.47	0.2 X	4.51 X	X	0.01	123.5 X		4	123	0.4		2		
NBRC065	NC03203	41	42	1		8.42 X		52	4	9.8	7.1	7.4	0.2 X	6.19 X											

JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> RC drilling produced 1m samples which were submitted to Intertek Genalysis Laboratory Services Perth for geochemical analysis Cyclone sample splitter used to collect representative 1m splits for pegmatite intervals and 4m composites for country rock samples. Sample intervals were between 1m and 4m in length as determined by geological changes. Sampling was conducted QAQC samples were included at a minimum of 1 in 20 samples, with extras added around zones of economic interest Samples were dried, crushed, sub sampled with a charge analysed by sodium peroxide fusion method FP6/OES and FP6/MS in Al, B, Ba, Be, Ca, Cs, Fe, K, Li, Mg, Mn, Nb, P, Rb, S, Sn, Sr, Ta, W A quality control/quality assurance system comprising CRM standards, blank sand and duplicates were used at random intervals to evaluate the assay process
Drilling techniques	<ul style="list-style-type: none"> <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> Reverse Circulation using a Schramm T450 universal rig and a rock face sampling hammer with 127mm diameter (5"). The holes were orientated by compass and clinometer (rig). A gyro probe was sent down the hole at the end of each hole and orientation data recorded every 30m.
Drill sample recovery	<ul style="list-style-type: none"> <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of</i> 	<ul style="list-style-type: none"> Sample recoveries assessed qualitatively, no routine weighing or other assessment processes. Standard drilling techniques used to maximise sample recovery with cone splitter on cyclone used to collect 2 individual splits 1/8th ratio (calico bags) and the remainder into a green plastic bag. No relationship established as samples have not been analysed yet

Criteria	JORC Code explanation	Commentary
	<i>fine/coarse material.</i>	
Logging	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> • Aldoro drilling is logged using industry-standard semi-quantitative logging templatesThe 1 metre detailed logs provide fair geological descriptions but lack some geotechnical information. 12 selected samples have also been collected for metallurgical studies. • The logging is qualitative but not quantitative • The RC chips have been logged on a 1 metre basis
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • The size of the sample from the drilling method is the industry standard for the mineralisation style analytical technique The cone splitter used on the cyclone is considered an appropriate technique for reducing bias in the sample collection • Sample preparation includes; drying, crushing, splitting and pulverising before analysis • QAQC standard samples of CRM pulps and coarse blank material were included routinely • It is not known whether grain size is a consideration in the sub-sampling technique as no size screening has been conducted
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • Assay and laboratory procedures are industry standard. The technique is considered near total for the elements of interest. • A Bruker S1 Titan with factory calibration was used for pXRF readings, but these readings have not been reorted as wet geochemistry is considered a more appropriate analytical tool for assessment of the mineralisation. • Standard reference materials were analysed routinely by pXRF and found to be reporting withing acceptable limits • For reported historical drilling, QAQC procedures, accuracy, and precision have not been established

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<ul style="list-style-type: none"> Aldoro's visual intersections are logged, interpreted, and reported by the JORC Competent Person QAQC procedures and documentation of primary data is not available for historic drilling Twinned holes are not being used or reported No adjustments are made to assay data
Location of data points	<ul style="list-style-type: none"> Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> Drillhole collars are measured by handheld GPS and checked several times before drilling. Coordinates presented are in GDA94, UTM Zone 50S Collar survey accuracy of reported historic drilling is unknown Aldoro holes are surveyed by a Reflex GYRO SPRINT-IQ No downhole survey information is available for reported historical drilling
Data spacing and distribution	<ul style="list-style-type: none"> Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied. 	<ul style="list-style-type: none"> Drill spacing was based on historical pegmatite intersections used to define Tantalum resource, these holes were not tested for Lithium, Rubidium and Caesium. A Mineral Resource is not being reported No sample compositing has been applied, but assay results are reported on a length weighted average
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> The orientation of drilling and sampling is as close to perpendicular to the interpreted key mineralised as possible The orientation of drilling to key mineralised structures is an evolving interpretation
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Individual calico sample bags from the drilling were placed in polyweave bags and hand delivered to the assay laboratory in Maddington by company personnel

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<p>Niobe</p> <ul style="list-style-type: none"> The Niobe Project consists of a single prospecting licence P59/2137 100% held by Aldoro Resources Ltd located 70km of Mout Magnet and is currently valid until 25/3/2026. Several POW's are current 100303, 110752, and an excess tonnage approval. There are no impediments to accessing the licence to conduct exploration with a Wajarri Yamatji site inspection conducted and clearing the work drill programmes No known impediments to exploring on either of the Niobe granted licence. A file notation boundary encroaches the SE corner of the licence and a this sliver of the northern boundary. It has not impeded and POW's which include drilling in the SE.
Exploration done by other parties	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Historical exploration was initially for beryl by prospectors then primarily for tantalum with the development of the Niobe resource. There has been no systematic exploration for Rubidium, lithium or Caesium despite the presence of LCT type pegmatites. <ul style="list-style-type: none"> Late 1950's to 1984. Exploration was conducted by prospectors who located the main mineralised zones of the pegmatites and quarried these for beryl and included limited exploitation of eluvial tantalite and cassiterite. 1984 to 1999. Systematic exploration by Pancontinental Mining Ltd included geological mapping, rock chip sampling, drilling (RC, RAB, Diamond), costeanning, petrography, metallurgy, resource definition, trial mining and rehabilitation. Their focus was tantalum but included some lithium analysis. Geochemical analysis from 40 holes predominantly into the main Niobe pegmatite dilation but also into the northeast Niobe lobe were analysed for Li and included Cs, Ta, Rb, Nb, Sn, Na, and K. A total of 13 surface rock samples and 38 semicontinuous costean samples were also analysed with the same suite of elements. A total of 15 RC chip samples were petrographically described, 4 of which contained zinnwaldite. 1999-2003 Australian Gold Mines NL and Kemet Corporation formed Tantalum Australia and undertook assessment of the Dalgaranga and Warda Warra pegmatite fields with the view to exploit the tantalum

Criteria	JORC Code explanation	Commentary
		<p>mineralisation. Work included new geological mapping, conducted further drilling and resource investigation. They processed stockpile and tailings through the Dalgaranga tantalum plant.</p> <ul style="list-style-type: none"> ○ 2007-2017 Diversity Resources Pty Ltd acquired the ground and operator Meridian 120 Mining Pty Ltd conducted a detailed review, undertaking new geological mapping, orientation soil sampling and compilation of a digital database. ○ 2018-2021 Meridian acquired the project and undertook further geological mapping, rock chip sampling and consolidation of the projects database. A total of 6 rock chip samples and 2 drill chip resamples were collected and analysed for Li, Cs, Nb, Rb, Sn and Ta.
Geology	<ul style="list-style-type: none"> ● Deposit type, geological setting and style of mineralisation. 	<p>Niobe</p> <ul style="list-style-type: none"> ● The licence area is underlain by gabbroic rocks of the Niobe layered mafic intrusion. The Niobe mafics are separated from the main Windimurra mass by a major fault zone and a sliver of felsic and sedimentary schists. The layering trend at Niobe is very different from that of the main Windimurra mass. It generally strikes east-north-easterly, and dips to the north. Metamorphic grade at Niobe is possibly higher than at Windimurra ● There are numerous pegmatite dykes at Niobe. Some contain lithium mica. Composite rock samples from the pegmatites have given assays up to 2.6% lithium oxide, 276 ppm tantalum, and 3296 ppm tungsten (0.42% WO₃) ● The nearby granite pluton, immediately east of the licence area, is probably the parent source of the pegmatites this granite is named as part of the Wogala Suite. It is described as a metamorphosed monzogranite containing muscovite and biotite and local accessory fluorite ● In a geochronology report (Wingate 2015) the same granite is said to be part of the Tuckanarra Suite and a sample of it from near the north-eastern corner of the current licence area is described as biotite monzogranite with quartz, K-feldspar, plagioclase, biotite and muscovite plus accessory minerals. Its magmatic crystallisation age was determined by the zircon uranium-lead method as 2,678 million years (plus or minus 8 million years) ● Topaz, fluorite, beryl, lepidolite and trace tantalite have been recorded at Mount Niobe not far from the project area (suggesting strong fractionation of a granite/pegmatite magma capable of depositing rare metals)

Criteria	JORC Code explanation	Commentary
Drill hole Information	<ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ○ easting and northing of the drill hole collar ○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ○ dip and azimuth of the hole ○ down hole length and interception depth ○ hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> • See ASX 27/8/21 for Historical drilling details, no drilling applies to this release. • No relevant information has been excluded all known rock chip samples and their corresponding analytical data has been presented in Tables 1 & 2.
Data aggregation methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • No data aggregation methods have been applied to the grab samples • No metal equivalents were used.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> • All results referenced are based on down-hole lengths and may not reflect the true width of mineralisation or thickness of host lithologies, which is unknown
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should 	<ul style="list-style-type: none"> • Appropriate maps and tabulations are presented in the body of the announcement

Criteria	JORC Code explanation	Commentary
	<p><i>include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></p>	
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Both peak values and average values are reported and full analytical results are also tabulated. All results are summarised in the body of the announcement
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> While other historical exploration data sets are available, these pertain to Tantalum and therefore are not completely relevant to this announcement. Historical Li-Rb-Cs drill results have previously release ASX 27/8/2021
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Future work will consist of further down dip drilling, extension and infill drilling with positions determined by 3D modelling of the results to date in an attempt to build a resource. Diagrams are currently being created and were not available for this release. Drone aerial photography will be conducted and a DEM created. Diagrams are currently a work in progress..