

107 244 039

ASX **RDT**

DATE 16 August 2022

ISSUED CAPITAL

Ordinary Shares: 304.5M

BOARD OF DIRECTORS

Matthew Boyes **Managing Director**

Alex Hewlett

Gower He

James Croser Non-Executive Director

Tim Manners

Nader El Sayed

COMPANY SECRETARY

Steven Wood

REGISTERED OFFICE

Suite 4, Level 1,

6 Centro Ave.

Subjaco WA 6008

+61 8 6109 0104

info@reddirtmetals.com.au

reddirtmetals.com.au

ASX ANNOUNCEMENT



Warriedar Gold Project Divestment

Red Dirt Metals Limited (ASX: RDT) ("Red Dirt" or the "Company") is pleased to advise it has entered into an agreement for the divestment of its Warriedar Gold Project to Anova Metals Limited (ASX: AWV).

Red Dirt has agreed to divest the Warriedar Gold Project which comprises of seven (7) tenements over a combined area of (6711 Hectares) 68km², by way of a binding agreement for an upfront acquisition price of A\$1.2 million satisfied by the issue of 100M Anova shares at a deemed issue price of A\$0.012 per share ("Consideration Shares"). The Consideration Shares to be issued to Red Dirt will be escrowed for a period of six (6) months. Red Dirt anticipates the transaction to complete within six to eight weeks.

Red Dirt is divesting the Warriedar Gold Project to concentrate expenditure and resources on advancing the Mt Ida Lithium Project. With forty seven (47) tenements now under management and significant near term opportunities in the Lithium space, the Company intends to prioritise capital expenditure and resources on the Company's core assets that can maximise shareholder returns.

Please see enclosed a copy of the announcement released by Anova for futher details.

Managing Director Matthew Boyes commented on the divestment of the Warriedar Gold Project:

"Red Dirt is divesting the Warriedar project to focus expenditure and utlisation of resources on the rapid advancement of the Mt Ida Lithium Project.

"Red Dirt believes Anova has a strong team in place and will be able to dedicate the resources and capital to the project needed on what we consider to be a prospective yet underexplored tenement package."

Authorised for ASX lodgement by the Board.

For further details, please contact:

Red Dirt Metals Limited Matthew Boyes Managing Director +61 8 6109 0104 info@reddirtmetals.com.au



Strategic acquisition of high-grade Warriedar Gold Project

HIGHLIGHTS:

- Binding agreement to acquire 100% of high-grade Warriedar Gold Project in Western Australia
- Encompasses 68 km² tenure package in the prospective Murchison region, with historic high-grade gold production commencing in the 1910's
- Reids Ridge belt extends for more than 3 km, with majority of trend yet to be drill tested
- 2021 RC drilling returned encouraging results, including 20 m @ 2.12 g/t Au in the same mineralisation trend as Reids Ridge
- Drill-ready status with existing Program of Work (PoW) in place, fauna and flora surveys already completed
- Acquisition price of A\$1.2 million satisfied by the issue of 100M Anova shares at a deemed price of A\$0.012 per share
- Upon completion, Anova to own 100% of highly prospective gold projects in Nevada, USA and Western Australia, the premier global mining jurisdictions
- Well-funded to commence exploration at Warriedar immediately

Anova Metals Limited (ASX: AWV) (**Anova** or the **Company**) is pleased to advise that it has entered into a binding agreement (**Agreement**) to acquire 100% of the Warriedar Gold Project (**Warriedar** or the **Project**) in the highly prospective Murchison region, Western Australia; from Red Dirt Metals Limited (ASX: RDT).

Commenting on this acquisition, Anova Managing Director, Dr. Amanda Buckingham, said:

"Aligned with our recently enunciated portfolio strategy, we have contracted to acquire the highly prospective Warriedar Gold Project in Western Australia. Warriedar sits in one of the best known Archean greenstone belts in WA. High grade historic gold mineralisation has been confirmed in recent drilling success. Structures that control the high-grade Reids Ridge trend at Warriedar extend more than 3km along strike, and exhibit anomalism in surface geochemistry and geophysical responses. However, only a small portion of the belt has been tested by drilling programs.

Fauna and flora surveys have already been completed, which allows Anova to hit the ground running. Upon completion of this acquisition, Anova will own 100% of two gold assets with expansive exploration potential located in two leading mining jurisdictions globally. The Company is well-funded to commence exploration at Warriedar quickly and intensively."

Acquisition of Warriedar



Warriedar is located approximately 420 km northeast of Perth in the Murchison region. It comprises 7 tenements for a total of 68 km² (Table 1) of Archean greenstone; with confirmed high grade gold mineralisation from historical open pit and underground mining activities. It is close to all key infrastructure needed to conduct exploration and mining activities, including good road access to and around the property.

The upfront acquisition price is A\$1.2 million satisfied by the issue of 100M Anova shares at a deemed issue price of A\$0.012 per share.

Pursuant to the terms of the Agreement, Anova will assume Warriedar's obligation to pay a milestone payment of A\$100,000 to the Norwest Minerals Ltd (ACN 622 979 275) in the event that Anova defines a JORC-compliant Mineral Resource estimate at Warriedar in excess of 150 koz gold equivalent prior to 3 July 2025.

Key conditions precedent requiring satisfaction prior to completion of the Agreement include ministerial approval for the transfer, the discharge of encumbrances, any regulatory approvals, and an executed escrow deed.

Mining activities at Warriedar commenced as early as 1910, and the majority of production was from the Reids Ridge operation (Figure 2). Reids Ridge produced high-grade ore from underground mining intermittently from 1913 through to the present day, and the most recent underground mining stopped in 2005. High grade gold mineralisation remains open at depth and along strike. Representative intervals confirmed the depth extension of high grade mineralization (Figure 2, see Red Dirt announcement on 18 November 2020). Historical mining activities also occurred at other prospects, such as Commodore (along strike extension north from Reids Ridge; Figure 3). The total pre-1960 production in records available is 2,875 ounces of gold at a grade of 26.3g/t (Table 2).




Figure 1: Location of Warriedar Project



Gold mineralisation in the Warriedar greenstone belt is associated with pyritic alteration of intensely folded and brecciated banded ironstones, forming quartz or quartz-tourmaline veins and stock works in felsic and mafic rocks. Additionally, high grades have been reported in narrow vein quartz-bearing structures along structural shear zones which are prevalent throughout the tenement area. Veins are subvertical to vertically dipping in geotechnically sound host rock.

RC drilling programs in 2021 returned encouraging intervals including 20m @ 2.12 g/t gold from 88m to 108m, within 44 m @ 1.12g/t gold from 68m, also within a broader interval of 86m @ 0.71g/t gold from 26m (see Red Dirt Metals ASX announcement dated 22 June 2022). Mineralisation is hosted in a porphyry unit. This discovery confirmed the mineralisation extends along strike from Reids Ridge through Commodore further north. BIF targets at the southern extension along strike of Reids Ridge exhibiting demagnification and soil anomalies have extended the mineralisation envelope significantly (above 3km, Figure 3).

Current
Area

E59/1696 3 BL

E59/1723 2 BL

E59/1966 8 BL

E59/2104 1 BL

7 BL

370.0HA

105.0 HA

E59/2575

M59/0755

P59/2070

Table 1: List of tenements comprising the Warriedar Project

A fully permitted PoW is in place to allow the drilling activities to commence as soon as practical at Warriedar. Fauna and flora surveys were completed in 2021. With the completion of the Warriedar acquisition, the Company is planning to carry out a drilling program to test the gold mineralisation extension at Reids Ridge and other anomalies (hosted by BIF and porphyries) identified along the belt. Anova is also considering further regional project acquisition and farm-in opportunities.

Red Dirt Metals' decision to sell Warriedar was driven by its desire to focus on the company's exciting Mt Ida project where it is proving up Lithium and Gold projects. The vendor shares being issued to Red Dirt Metals will be subject to escrow for 6 months or such later date stipulated by the ASX.

Table 2: Summary of pre-1960 gold production at Warriedar Project (see Red Dirt Announcement on 23 October 2020)

Site	Dates	Quality (t)	Au Grade (g/t)	Gold Production (Oz)
Ironclasp	1913- 1914	5	878.15	166.8
Shot Over	1914	4	281.5	39.7
Mt Laws	1936	28	4.142	4.1
Commodore	1902- 1921	754	31.56	847.9
(Reids Ridge)	1936- 1957	2604	19.77	1816.2
Total		3395	26.3	2874.7






Figure 2: Long section map showing the high-grade gold mineralisation remains open along strike and toward depth at Reids Ridge (see Red Dirt announcement on 18 November 2020).




Figure 3: Plan view map showing the > 3km mineralisation trend at Warriedar Project, over regional magnetic data [red = high value, blue = low values]

This announcement has been authorised for release by: Amanda Buckingham, Executive Director

CONTACT:

 Investors
 Media

 +61 8 9481 0389
 Michae

info@anovametals.com.au +61

Michael Vaughan (Fivemark Partners) +61 422 602 720

Competent Person Statement

The information in this report that relates to Exploration Result for the Warriedar project is based on information compiled by Dr. Geoffrey Xue. Dr. Xue is a full time employee of Anova and a member of the Australasian Institute of Mining and Metallurgy and has sufficient experience of relevance to the styles of mineralisation and types of deposits under consideration, and to the activities undertaken to qualify as Competent Persons as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Dr. Xue consents to the inclusion in this report of the matters based on his information in the form and context in which they appear.



Appendix 1: JORC Code, 2012 Edition – Supporting tables.

The following section is provided to ensure compliance with the JORC (2012) requirements for the reporting of exploration results for the Big Springs gold deposit in Nevada.

Section 1: Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.	N/A
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	N/A
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	N/A
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged.	N/A
Sub- sampling	If core, whether cut or sawn and whether quarter, half or	



Criteria	JORC Code explanation	Commentary
techniques and sample preparation	all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled.	N/A
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	N/A
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.	N/A



	metals limited		
Criteria	JORC Code explanation	Commentary	
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control.	The collar positions were surveyed by a qualified surveyor using a differential GPS.	
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.	The spacing of the drilling is sufficient to establish geological continuity	
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	The drilling was generally drilled to intersect the mineralisation at a perpendicular angle. Previous reported intersections are all reported as downhole lengths.	
Sample security	The measures taken to ensure sample security.	Samples and core were logged on site and then transported to the laboratory in Kalgoorlie by company personnel.	
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	Sampling and assay techniques are industry standard. No external audit or reviews have been completed.	



Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, nativetitle interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	7 tenements are included in Warriedar project, which are e 59/1696, E 59/1723, E 59/1966, E 59/2104, E 59/2575, N 59/755, and P 59/2070. The project is about 420Km north easi of Perth. All the tenements are in good standing and ir unallocated crown land.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	RC drilling program was conducted in 2021 for a total of nearly 7,500 meters, It was conducted by Red Dirt Metals. Previous owners, such as Norwest and Apex, also did limited amounts of drilling programs.
Geology	Deposit type, geological setting and style of mineralisation.	The Warriedar project are hosted within a series of mafic greenstone units in conjunction with multiple East West trending banded iron formation and granodioritic intrusives postdating the greenstone units. The belt is a greenstone sequence with an approximate thickness of 10 km and encompassed by granitoid plutons. Metamorphic grade is largely high greenschist to amphibolite facies demonstrated by the development of andalusite in pelitic sedimentary rocks.
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: • easting and northing of the drill hole collar • elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar • dip and azimuth of the hole • down hole length and interception depth • hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly	N/A



Criteria	JORC Code explanation	Commentary
	explain why this is the case	
Data aggregation methods	explain why this is the case. In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	N/A
Relationship between mineralisation widths and intercept lengths	These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	Past reported drilling intercepts were reported as downhole widths. True widths compared to downhole widths vary but are generally thought to be between 60% to 90% of the reported width.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Refer to appropriate diagrams provided in body of this report
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low	N/A



Cuitouis	10BC Code overlandian	metals limited
Criteria	JORC Code explanation	Commentary
	and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	No additional substantive exploration information is reportable here.
Further work	The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	Anova intends to compile and collate all historical drilling activity in the area surrounding the Warriedar project and strike extensions to define step-out and plunge drilling targets Exploration programs and targets will be reported in forthcoming release ahead of the commencement of drilling activity.